

Subject Index of Volume 322

α_1 -Acid glycoprotein

Dynamics of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) followed by red-edge excitation spectra and emission anisotropy studies of Calcofluor White 87

Acyclic hex-2-ulose

Synthèse du 6-désoxy-6-iodo-D-fructose 142

2-Acylamino-2-deoxy-glucufuranoses

Synthesis of 2-acylamino-2-deoxy-D-glucufuranoses and their transformation into hex-2-enofuranoses 284

Adiabatic maps

Disaccharide conformational maps: how adiabatic is an adiabatic map? 77

Affinity chromatography

The synthesis and evaluation of novel sialic acid analogues bound to matrices for the purification of sialic acid-recognising proteins 201

Alditols

A redetermination of the crystal and molecular structure of maltitol (4-O- α -D-glucopyranosyl-D-glucitol) 298

Crystal and molecular structure of maltotriitol (4-O- α -D-glucopyranosyl-4-O- α -D-glucopyranosyl-D-glucitol) 274

Aminodeoxy

Synthesis of selected aminodeoxy analogues of galabiose and globotriose 166

Amino sugars

Structure of the exopolysaccharide of *Vibrio diabolus* isolated from a deep-sea hydrothermal vent 40

2,6-Anhydrides

Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120

Arabinogalactan

Syntheses of methyl (4,6-dideoxy- α -L-lyxo-hexopyranosyl)-(1 \rightarrow 3)- and (4-deoxy-4-fluoro- α -L-rhamnopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-glucopyranosides, analogs of the mycobacterial arabinogalactan linkage disaccharide 14

Bacterial binding inhibitors

Synthesis of selected aminodeoxy analogues of galabiose and globotriose 166

Bacterial polysaccharide

Structure of the exopolysaccharide of *Vibrio diabolus* isolated from a deep-sea hydrothermal vent 40

Band-flip

Band-flip and kink as novel structural motifs in α -(1 \rightarrow 4)-D-glucose oligosaccharides. Crystal structures of cyclodeca- and cyclotetradecaamylose 228

Binding

Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy-entropy compensation 67

Binding heat capacity change

Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy-entropy compensation 67

Boat conformations

Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120

Brown seaweed

A new procedure for the separation of water-soluble polysaccharides from brown seaweeds 32

Calcofluor White

Dynamics of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) followed by red-edge excitation spectra and emission anisotropy studies of Calcofluor White 87

Calorimetry

The interplay of the rate of water removal in the dehydration of α , α -trehalose 113

Carbohydrate dynamics

Dynamics of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) followed by red-edge excitation spectra and emission anisotropy studies of Calcofluor White 87

Carbohydrates

Acetate groups as probes of the stereochemistry of carbohydrates: a vibrational circular dichroism study 135

Improved carbohydrate force field for GROMOS: ring and hydroxymethyl group conformations and exo-anomeric effect 264

Carbon-13–nitrogen-15 and nitrogen-15–proton coupling constants

Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120

Carbon-13–proton chemical shift correlation

Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120

^{13}C CP/MAS NMR spectroscopy

Studies of the series of cellobiosaccharide peracetates as a model for cellulose triacetate by ^{13}C CP/MAS NMR spectroscopy and X-ray analyses 256

Cell-growth inhibition

Low-molecular-weight dextran derivatives (*f*-CMDB) enter the nucleus and are better cell-growth inhibitors compared with parent CMDB polymers 247

Cellulose triacetate

Studies of the series of cellobiosaccharide peracetates as a model for cellulose triacetate by ^{13}C CP/MAS NMR spectroscopy and X-ray analyses 256

Cell walls

Solid-state NMR characterization of hydration effects on polymer mobility in onion cell-wall material 102

C-Glycoside, bis(sulfone)

Solution and solid-state structure of 2,6-anhydro-1,1-bis(ethylsulfonyl)-1-deoxy-D-talitol 147

Chitin deacetylase

Reverse hydrolysis reaction of chitin deacetylase and enzymatic synthesis of β -D-GlcNAc-(1 \rightarrow 4)-GlcN from chitobiose 26

Chlorogenic acid

Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy–entropy compensation 67

Circular dichroism

Acetate groups as probes of the stereochemistry of carbohydrates: a vibrational circular dichroism study 135

Colletotrichum lindemuthianum

Reverse hydrolysis reaction of chitin deacetylase and enzymatic synthesis of β -D-GlcNAc-(1 \rightarrow 4)-GlcN from chitobiose 26

Confocal microscopy

Low-molecular-weight dextran derivatives (*f*-CMDB) enter the nucleus and are better cell-growth inhibitors compared with parent CMDB polymers 247

Conformation

A redetermination of the crystal and molecular structure of maltitol (4-*O*- α -D-glucopyranosyl-D-glucitol) 298

Crystal and molecular structure of maltotriitol (4-*O*- α -D-glucopyranosyl-4-*O*- α -D-glucopyranosyl-D-glucitol) 274

Conformational analysis

Disaccharide conformational maps: how adiabatic is an adiabatic map? 77

Conformation analysis

Comparative ^1H NMR study of hydroxy protons in galabiosid and its *S*-linked 4-thiodisaccharide analogue in aqueous solution 46

Cross polarization

Solid-state NMR characterization of hydration effects on polymer mobility in onion cell-wall material 102

Crystal structure

Studies of the series of cellooligosaccharide peracetates as a model for cellulose triacetate by ^{13}C CP/MAS NMR spectroscopy and X-ray analyses 256

Cyclodecaamylose

Band-flip and kink as novel structural motifs in α -(1 \rightarrow 4)-D-glucose oligosaccharides. Crystal structures of cyclodeca- and cyclotetradecaamylose 228

 β -Cyclodextrin

Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy–entropy compensation 67

Cyclodextrin allyl ethers

Synthesis of highly water-soluble cyclodextrin sulfonates by addition of hydrogen sulfite to cyclodextrin allyl ethers 153

 β -Cyclodextrin polymer

Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy–entropy compensation 67

Cyclodextrin sulfonates

Synthesis of highly water-soluble cyclodextrin sulfonates by addition of hydrogen sulfite to cyclodextrin allyl ethers 153

Cyclomaltoheptaose

Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy–entropy compensation 67

Cyclotetradecaamylose

Band-flip and kink as novel structural motifs in α -(1 \rightarrow 4)-D-glucose oligosaccharides. Crystal structures of cyclodeca- and cyclotetradecaamylose 228

Dehydration

The interplay of the rate of water removal in the dehydration of α,α -trehalose 113

Deoxy sugars

Syntheses of methyl (4,6-dideoxy- α -L-*lyxo*-hexopyranosyl)-(1 \rightarrow 3)- and (4-deoxy-4-fluoro- α -L-rhamnopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-glucopyranosides, analogs of the mycobacterial arabinogalactan linkage disaccharide 14

Dextran derivatives

Low-molecular-weight dextran derivatives (*f*-CMDB) enter the nucleus and are better cell-growth inhibitors compared with parent CMDB polymers 247

D-Fructose

Synthèse du 6-désoxy-6-iodo-D-fructose 142

D-Galactose diethyl dithioacetal

Solution and solid-state structure of 2,6-anhydro-1,1-bis(ethylsulfonyl)-1-deoxy-D-talitol 147

Diethylaminosulfur trifluoride (DAST)

Syntheses of methyl (4,6-dideoxy- α -L-*lyxo*-hexopyranosyl)-(1 \rightarrow 3)- and (4-deoxy-4-fluoro- α -L-rhamnopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-glucopyranosides, analogs of the mycobacterial arabinogalactan linkage disaccharide 14

Disaccharide maps

Disaccharide conformational maps: how adiabatic is an adiabatic map? 77

Dissociation constants

High-performance anion-exchange chromatography of sugar and glycerol phosphates on quaternary ammonium resins 128

ELISA

Chemical and immunochemical studies of the O-antigen from enteropathogenic *Escherichia coli* O158 lipopolysaccharide 219

Enthalpy–entropy compensation

Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy–entropy compensation 67

Enzymatic depolymerisation

Degradation of algal (*Ascophyllum nodosum*) fucoidan by an enzymatic activity contained in digestive glands of the marine mollusc *Pecten maximus* 291

Escherichia coli

Structural characterization of the antigenic O-chain of the lipopolysaccharide of *Escherichia coli* serotype O65 57

Escherichia coli O158

Chemical and immunochemical studies of the O-antigen from enteropathogenic *Escherichia coli* O158 lipopolysaccharide 219

Fluoro sugars

Syntheses of methyl (4,6-dideoxy- α -L-*lyxo*-hexopyranosyl)-(1 \rightarrow 3)- and (4-deoxy-4-fluoro- α -L-rhamnopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-glucopyranosides, analogs of the mycobacterial arabinogalactan linkage disaccharide 14

Force field

Improved carbohydrate force field for GROMOS: ring and hydroxymethyl group conformations and exo-anomeric effect 264

Fructose

Improved carbohydrate force field for GROMOS: ring and hydroxymethyl group conformations and exo-anomeric effect 264

Fucanolytic activity

Degradation of algal (*Ascophyllum nodosum*) fucoidan by an enzymatic activity contained in digestive glands of the marine mollusc *Pecten maximus* 291

Fucoidan

A new procedure for the separation of water-soluble polysaccharides from brown seaweeds 32

Degradation of algal (*Ascophyllum nodosum*) fucoidan by an enzymatic activity contained in digestive glands of the marine mollusc *Pecten maximus* 291

Fucosidase

Degradation of algal (*Ascophyllum nodosum*) fucoidan by an enzymatic activity contained in digestive glands of the marine mollusc *Pecten maximus* 291

Functionalized alcohols

Synthesis of some aglycon analogs of globotriosylceramide 181

- Galabiose analogues
Synthesis of selected aminodeoxy analogues of galabiose and globotriose 166
- Galabioside
Comparative ^1H NMR study of hydroxy protons in galabioside and its *S*-linked 4-thiodisaccharide analogue in aqueous solution 46
- Globotriose analogues
Synthesis of selected aminodeoxy analogues of galabiose and globotriose 166
- Globotriosylceramide aglycon analogs
Synthesis of some aglycon analogs of globotriosylceramide 181
- Globotriosylceramide aminodeoxy analogs
Synthesis of selected aminodeoxy analogs of globotriosylceramide 190
- Glucose
Improved carbohydrate force field for GROMOS: ring and hydroxymethyl group conformations and exo-anomeric effect 264
- α -Glucosidase
Towards regioselective synthesis of oligosaccharides by use of α -glucosidases with different substrate specificity 209
- Glycerol phosphates
High-performance anion-exchange chromatography of sugar and glycerol phosphates on quaternary ammonium resins 128
- Gradient-enhanced 2D HSQC
Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120
- GROMOS
Improved carbohydrate force field for GROMOS: ring and hydroxymethyl group conformations and exo-anomeric effect 264
- Halogenation
Synthèse du 6-désoxy-6-iodo-D-fructose 142
- Hex-2-enofuranoses
Synthesis of 2-acylamino-2-deoxy-D-glucofuranoses and their transformation into hex-2-enofuranoses 284
- HPAEC
High-performance anion-exchange chromatography of sugar and glycerol phosphates on quaternary ammonium resins 128
- HPLC
High-performance anion-exchange chromatography of sugar and glycerol phosphates on quaternary ammonium resins 128
- Hydrogen bonds
Comparative ^1H NMR study of hydroxy protons in galabioside and its *S*-linked 4-thiodisaccharide analogue in aqueous solution 46
- Hydrothermal vent
Structure of the exopolysaccharide of *Vibrio diabolis* isolated from a deep-sea hydrothermal vent 40
- Hydroxy protons
Comparative ^1H NMR study of hydroxy protons in galabioside and its *S*-linked 4-thiodisaccharide analogue in aqueous solution 46
- Intramolecular
Intramolecular studies of the protonation of 1D-1,2,4/3,5-cyclopentanepentaol 1,3,4-trisphosphate, a ring-contracted analogue of 1D-*myo*-inositol 1,4,5-trisphosphate 95
- Infrared spectra
Acetate groups as probes of the stereochemistry of carbohydrates: a vibrational circular dichroism study 135
- Inositol phosphate analogues
Intramolecular studies of the protonation of 1D-1,2,4/3,5-cyclopentanepentaol 1,3,4-trisphosphate, a ring-contracted analogue of 1D-*myo*-inositol 1,4,5-trisphosphate 95
- Inositol phosphates
Intramolecular studies of the protonation of 1D-1,2,4/3,5-cyclopentanepentaol 1,3,4-trisphosphate, a ring-contracted analogue of 1D-*myo*-inositol 1,4,5-trisphosphate 95
- Isolation
A new procedure for the separation of water-soluble polysaccharides from brown seaweeds 32
- 2-Isoxazolines (4,5-dihydroisoxazoles)
The nitrile oxide/isoxazoline approach to eleven-carbon monosaccharides: cycloaddition of D- and L-arabinonitrile oxides to 5,6-dideoxyhex-5-enofuranoses and characterisation of the resulting 2-isoxazolines 1
- Kink
Band-flip and kink as novel structural motifs in α -(1 \rightarrow 4)-D-glucose oligosaccharides. Crystal structures of cyclodeca- and cyclotetradecaamylose 228
- Lactams
The formation of lactams from L-ascorbic acid 279
- Laminaran
A new procedure for the separation of water-soluble polysaccharides from brown seaweeds 32
- L-Ascorbic acid
The formation of lactams from L-ascorbic acid 279
- Lipopolysaccharide
Chemical and immunochemical studies of the O-antigen from enteropathogenic *Escherichia coli* O158 lipopolysaccharide 219
Structural characterization of the antigenic O-chain of the lipopolysaccharide of *Escherichia coli* serotype O65 57
- Maltitol
A redetermination of the crystal and molecular structure of maltitol (4-*O*- α -D-glucopyranosyl-D-glucitol) 298
- Maltotriitol
Crystal and molecular structure of maltotriitol (4-*O*- α -D-glucopyranosyl-4-*O*- α -D-glucopyranosyl-D-glucitol) 274
- Mannopyranoside
Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120
- Microscopic constants
Intramolecular studies of the protonation of 1D-1,2,4/3,5-cyclopentanepentaol 1,3,4-trisphosphate, a ring-contracted analogue of 1D-*myo*-inositol 1,4,5-trisphosphate 95
- MM3
Disaccharide conformational maps: how adiabatic is an adiabatic map? 77
- Mobility
Solid-state NMR characterization of hydration effects on polymer mobility in onion cell-wall material 102
- Molecular dynamics
Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120
- Monosaccharides
Acetate groups as probes of the stereochemistry of carbohydrates: a vibrational circular dichroism study 135
- Mycobacteria
Syntheses of methyl (4,6-dideoxy- α -L-*lyxo*-hexopyranosyl)-(1 \rightarrow 3)- and (4-deoxy-4-fluoro- α -L-rhamnopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-glucopyranosides, analogs of the mycobacterial arabinogalactan linkage disaccharide 14
- N-Acetylation
Reverse hydrolysis reaction of chitin deacetylase and enzymatic synthesis of β -D-GlcNAc-(1 \rightarrow 4)-GlcN from chitobiose 26
- N-Acylglucosamines
Synthesis of 2-acylamino-2-deoxy-D-glucofuranoses and their transformation into hex-2-enofuranoses 284
- Nitrile oxide cycloadditions
The nitrile oxide/isoxazoline approach to eleven-carbon monosaccharides: cycloaddition of D- and L-arabinonitrile oxides to 5,6-

- dideoxyhex-5-enofuranoses and characterisation of the resulting 2-isoxazolines 1
- NMR**
Comparative ^1H NMR study of hydroxy protons in galabioside and its *S*-linked 4-thiodisaccharide analogue in aqueous solution 46
Synthèse du 6-désoxy-6-iodo-D-fructose 142
- NMR spectroscopy**
Structural characterization of the antigenic O-chain of the lipopolysaccharide of *Escherichia coli* serotype O65 57
- NMR titrations**
Intramolecular studies of the protonation of 1D-1,2,4/3,5-cyclopentanepentaol 1,3,4-trisphosphate, a ring-contracted analogue of 1D-*myo*-inositol 1,4,5-trisphosphate 95
- Oligomeric compound**
Studies of the series of celooligosaccharide peracetates as a model for cellulose triacetate by ^{13}C CP/MAS NMR spectroscopy and X-ray analyses 256
- O-Specific polysaccharide**
Chemical and immunochemical studies of the O-antigen from enteropathogenic *Escherichia coli* O158 lipopolysaccharide 219
- Oxazolines**
Synthesis of 2-acylamino-2-deoxy-D-glucopyranoses and their transformation into hex-2-enofuranoses 284
- 1,3-Parallel interactions**
A redetermination of the crystal and molecular structure of maltitol (4-*O*- α -D-glucopyranosyl-D-glucitol) 298
Crystal and molecular structure of maltotriitol (4-*O*- α -D-glucopyranosyl-4-*O*- α -D-glucopyranosyl-D-glucitol) 274
- Pentaacetates**
Acetate groups as probes of the stereochemistry of carbohydrates: a vibrational circular dichroism study 135
- Phthalimido derivatives**
Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120
- Polymorphism**
The interplay of the rate of water removal in the dehydration of α,α -trehalose 113
- Polysaccharide hydrolase**
A new procedure for the separation of water-soluble polysaccharides from brown seaweeds 32
- Polysaccharides**
Solid-state NMR characterization of hydration effects on polymer mobility in onion cell-wall material 102
- Polysaccharide structure**
Structural characterization of the antigenic O-chain of the lipopolysaccharide of *Escherichia coli* serotype O65 57
- Protection groups**
Synthesis of some aglycon analogs of globotriosylceramide 181
- Protonation**
Intramolecular studies of the protonation of 1D-1,2,4/3,5-cyclopentanepentaol 1,3,4-trisphosphate, a ring-contracted analogue of 1D-*myo*-inositol 1,4,5-trisphosphate 95
- Quaternary ammonium resins**
High-performance anion-exchange chromatography of sugar and glycerol phosphates on quaternary ammonium resins 128
- Radical process degradation**
Low-molecular-weight dextran derivatives (*f*-CMDB) enter the nucleus and are better cell-growth inhibitors compared with parent CMDB polymers 247
- Red-edge excitation shift**
Dynamics of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) followed by red-edge excitation spectra and emission anisotropy studies of Calcofluor White 87
- Regioselectivity**
Towards regioselective synthesis of oligosaccharides by use of α -glucosidases with different substrate specificity 209
- Relaxation**
Solid-state NMR characterization of hydration effects on polymer mobility in onion cell-wall material 102
- Ring conformation**
Improved carbohydrate force field for GROMOS: ring and hydroxymethyl group conformations and exo-anomeric effect 264
- Second messengers**
Intramolecular studies of the protonation of 1D-1,2,4/3,5-cyclopentanepentaol 1,3,4-trisphosphate, a ring-contracted analogue of 1D-*myo*-inositol 1,4,5-trisphosphate 95
- Sialic acid-recognising proteins**
The synthesis and evaluation of novel sialic acid analogues bound to matrices for the purification of sialic acid-recognising proteins 201
- Sialic acids**
Dynamics of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) followed by red-edge excitation spectra and emission anisotropy studies of Calcofluor White 87
- Sialidases**
The synthesis and evaluation of novel sialic acid analogues bound to matrices for the purification of sialic acid-recognising proteins 201
- Simulated annealing**
Boat conformations: synthesis, NMR spectroscopy, and molecular modeling of methyl 2,6-anhydro-3-deoxy-3-phthalimido- α -D-mannopyranoside and its ^{15}N -labeled analog 120
- Solid-state NMR**
Solid-state NMR characterization of hydration effects on polymer mobility in onion cell-wall material 102
- Solubilisation in water**
Synthesis of highly water-soluble cyclodextrin sulfonates by addition of hydrogen sulfite to cyclodextrin allyl ethers 153
- Spectral simulation**
Synthèse du 6-désoxy-6-iodo-D-fructose 142
- Steady-state fluorescence anisotropy**
Dynamics of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) followed by red-edge excitation spectra and emission anisotropy studies of Calcofluor White 87
- Strong-base resins**
High-performance anion-exchange chromatography of sugar and glycerol phosphates on quaternary ammonium resins 128
- Sugar phosphates**
High-performance anion-exchange chromatography of sugar and glycerol phosphates on quaternary ammonium resins 128
- Synthesis of glucooligosaccharides**
Towards regioselective synthesis of oligosaccharides by use of α -glucosidases with different substrate specificity 209
- Thermodynamics**
Cyclomaltoheptaose (β -cyclodextrin) inclusion complex formation with chlorogenic acid: hydration enthalpy, the solvent entropy (hydrophobic) effect, and enthalpy-entropy compensation 67
- Thioglycoside**
Comparative ^1H NMR study of hydroxy protons in galabioside and its *S*-linked 4-thiodisaccharide analogue in aqueous solution 46
- Thioglycosides**
Syntheses of methyl (4,6-dideoxy- α -L-lyxo-hexopyranosyl)-(1 \rightarrow 3)- and (4-deoxy-4-fluoro- α -L-rhamnopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-glucopyranosides, analogs of the mycobacterial arabinogalactan linkage disaccharide 14

Thiosialosides

The synthesis and evaluation of novel sialic acid analogues bound to matrices for the purification of sialic acid-recognising proteins 201

Transglycosylation

Towards regioselective synthesis of oligosaccharides by use of α -glucosidases with different substrate specificity 209

 α,α -Trehalose

The interplay of the rate of water removal in the dehydration of α,α -trehalose 113

Undecose derivatives

The nitrile oxide/isoxazoline approach to eleven-carbon monosaccharides: cycloaddition of D- and L-arabinonitrile oxides to 5,6-dideoxyhex-5-enofuranoses and characterisation of the resulting 2-isoxazolines 1

Uronic acid

Structure of the exopolysaccharide of *Vibrio diabolus* isolated from a deep-sea hydrothermal vent 40

Vibrational circular dichroism

Acetate groups as probes of the stereochemistry of carbohydrates: a vibrational circular dichroism study 135

Vibrational spectra

Acetate groups as probes of the stereochemistry of carbohydrates: a vibrational circular dichroism study 135

WISE

Solid-state NMR characterization of hydration effects on polymer mobility in onion cell-wall material 102

X-ray crystallography

Solution and solid-state structure of 2,6-anhydro-1,1-bis(ethylsulfonyl)-1-deoxy-D-talitol 147

The formation of lactams from L-ascorbic acid 279

The nitrile oxide/isoxazoline approach to eleven-carbon monosaccharides: cycloaddition of D- and L-arabinonitrile oxides to 5,6-dideoxyhex-5-enofuranoses and characterisation of the resulting 2-isoxazolines 1

X-ray diffraction

Studies of the series of celooligosaccharide peracetates as a model for cellulose triacetate by ^{13}C CP/MAS NMR spectroscopy and X-ray analyses 256

X-ray powder diffraction

The interplay of the rate of water removal in the dehydration of α,α -trehalose 113

X-ray structure

A redetermination of the crystal and molecular structure of maltitol (4-O- α -D-glucopyranosyl-D-glucitol) 298

Band-flip and kink as novel structural motifs in α -(1 \rightarrow 4)-D-glucose oligosaccharides. Crystal structures of cyclodeca- and cyclotetradecaamylose 228

Crystal and molecular structure of maltotriitol (4-O- α -D-glucopyranosyl-4-O- α -D-glucopyranosyl-D-glucitol) 274

(Z)-Butenolides

The formation of lactams from L-ascorbic acid 279