

Subject Index of Volume 323

- 5a-Carba-sugar
Galactosyl transfer ability of β -(1 \rightarrow 4)-galactosyltransferase toward 5a-carba-sugars 44
- Acetyl groups
Degree of acetylation of heteropolysaccharides 156
- 4-Acylamino-4-deoxy-
Novel practical synthesis of Kdn2en and its C-4 nitrogen-modified derivatives 1
- Adenophorae radix
Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73
- Alkyl α -D-glucopyranoside monohydrates
Crystal structures and thermotropic properties of alkyl α -D-glucopyranosides and their hydrates 192
- 5-Amino-5-deoxyglycopyranosyl thioglycoside
Synthesis of ethyl 2-acetamido-6-S-(5-amino-5-deoxy- β -D-arabinopyranosyl)-2-deoxy-1,6-dithio- β -D-glucopyranoside: a sulfur-linked 5-amino-5-deoxyglycopyranosyl disaccharide 14
- Amylose
Structure–properties relationship in cross-linked high-amylose starch for use in controlled drug release 163
- Anhydroketose
3,4-Anhydro-1,2-O-isopropylidene- β -D-tagatopyranose and 4,5-anhydro-1,2-O-isopropylidene- β -D-fructopyranose 36
- Anti-freeze characteristics
Effect of stereochemistry on the anti-freeze characteristics of carbohydrates. A thermal study of aqueous monosaccharides at sub-zero temperatures 185
- Antigen
Synthesis of a tetrasaccharide representing a minimal epitope of an arabinogalactan 28
- Antiviral agents
1,2-Di-O-acetyl-5-O-benzoyl-3-deoxy-L-erythro-pentofuranose, a convenient precursor for the stereospecific synthesis of nucleoside analogues with the unnatural β -L-configuration 226
- Arabinogalactan
Synthesis of a tetrasaccharide representing a minimal epitope of an arabinogalactan 28
- Bicelles
The use of NMR residual dipolar couplings in aqueous dilute liquid crystalline medium for conformational studies of complex oligosaccharides 147
- Bovine β -(1 \rightarrow 4)-galactosyltransferase
Galactosyl transfer ability of β -(1 \rightarrow 4)-galactosyltransferase toward 5a-carba-sugars 44
- Campanulaceae
Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73
- Carbohydrate
Synthesis of a tetrasaccharide representing a minimal epitope of an arabinogalactan 28
- β -C-Galactopyranosides
Stereoselective synthesis of C-[2-S-(p-tolyl)-2-thio- β -D-galactopyranosyl] compounds using the reaction of TolSCI adducts of D-galactal with C-nucleophiles 202
- Chitin
Degree of acetylation of heteropolysaccharides 156
- Chitosan
Degree of acetylation of heteropolysaccharides 156
- Circular dichroism
Evidence for covalent binding between copper ions and cyclodextrin cavity: a vibrational circular dichroism study 63
- Conformation
The use of NMR residual dipolar couplings in aqueous dilute liquid crystalline medium for conformational studies of complex oligosaccharides 147
- Copper complexes
Evidence for covalent binding between copper ions and cyclodextrin cavity: a vibrational circular dichroism study 63
- Cross-linking
Structure–properties relationship in cross-linked high-amylose starch for use in controlled drug release 163
- Crystallinity
Structure–properties relationship in cross-linked high-amylose starch for use in controlled drug release 163
- Cyclodextrins
Evidence for covalent binding between copper ions and cyclodextrin cavity: a vibrational circular dichroism study 63
- Cyclinulo-oligosaccharide fructanotransferase
Effects of various saccharides on cyclinulo-oligosaccharide fructanotransferase reaction: production of β -inulotriosyl- α -D-mannopyranoside and 1-O- β -inulotriosyl- α -L-sorbopyranose 49
- 5-Deoxyadenophorine
Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73
- 5-Deoxyadenophorine-1-O- β -D-glucoside
Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73
- Deoxy sugars
Synthesis of 4-nitrophenyl β -D-fucufuranoside and β -D-fucufuranosyl-(1 \rightarrow 3)-D-mannopyranose: modified substrates for studies on catalytic requirements of β -D-galactofuranosidase 7
- β -D-Fucufuranosides
Synthesis of 4-nitrophenyl β -D-fucufuranoside and β -D-fucufuranosyl-(1 \rightarrow 3)-D-mannopyranose: modified substrates for studies on catalytic requirements of β -D-galactofuranosidase 7
- D-Galactal
Stereoselective synthesis of C-[2-S-(p-tolyl)-2-thio- β -D-galactopyranosyl] compounds using the reaction of TolSCI adducts of D-galactal with C-nucleophiles 202
- D-Galacturonoyl-L-threonine
Structure of the O-specific polysaccharide of *Proteus mirabilis* O11, another *Proteus* O-antigen containing an amide of D-galacturonic acid with L-threonine 81
- 1,2-Di-O-acetyl-5-O-benzoyl-3-deoxy-L-erythro-pentofuranose
1,2-Di-O-acetyl-5-O-benzoyl-3-deoxy-L-erythro-pentofuranose, a convenient precursor for the stereospecific synthesis of nucleoside analogues with the unnatural β -L-configuration 226

Dipolar coupling

The use of NMR residual dipolar couplings in aqueous dilute liquid crystalline medium for conformational studies of complex oligosaccharides 147

Disaccharide

Galactosyl transfer ability of β -(1 \rightarrow 4)-galactosyltransferase toward 5a-carba-sugars 44

Drug release

Structure–properties relationship in cross-linked high-amylose starch for use in controlled drug release 163

DSC

Crystal structures and thermotropic properties of alkyl α -D-glucopyranosides and their hydrates 192

Enzymatic synthesis

Galactosyl transfer ability of β -(1 \rightarrow 4)-galactosyltransferase toward 5a-carba-sugars 44

Enzyme kinetics

Galactosyl transfer ability of β -(1 \rightarrow 4)-galactosyltransferase toward 5a-carba-sugars 44

Episulfonium ion

Stereoselective synthesis of C-[2-S-(*p*-tolyl)-2-thio- β -D-galactopyranosyl] compounds using the reaction of TolSCI adducts of D-galactal with C-nucleophiles 202

Epoxide migration

3,4-Anhydro-1,2-*O*-isopropylidene- β -D-tagatopyranose and 4,5-anhydro-1,2-*O*-isopropylidene- β -D-fructopyranose 36

Escherichia coli O117:K98:H4

The structure of the O-specific polysaccharide of *Escherichia coli* O117:K98:H4 103

exo β -D-Galactofuranosidase

Synthesis of 4-nitrophenyl β -D-fucofuranoside and β -D-fucofuranosyl-(1 \rightarrow 3)-D-mannopyranose: modified substrates for studies on catalytic requirements of β -D-galactofuranosidase 7

Exoglycosidases

N-Linked oligosaccharide structures in the diamine oxidase from porcine kidney 111

Exopolysaccharide

Studies on the primary structure of short polysaccharides using SEC MALDI mass spectroscopy 139

FTIR

Structure–properties relationship in cross-linked high-amylose starch for use in controlled drug release 163

Furcraea foetida

A new bioactive steroidal saponin, furcreastatin, from the plant *Furcraea foetida* 57

Furcreastatin

A new bioactive steroidal saponin, furcreastatin, from the plant *Furcraea foetida* 57

 α -Galactosidase inhibitor

Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73

Gene delivery

Synthesis of homogeneous glycopeptides and their utility as DNA condensing agents 176

 α -Glucosidase inhibitor

Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73

Glycoconjugate

Synthesis of homogeneous glycopeptides and their utility as DNA condensing agents 176

Glycopeptide

Synthesis of homogeneous glycopeptides and their utility as DNA condensing agents 176

Glycosidation

Synthesis of ethyl 2-acetamido-6-*S*-(5-amino-5-deoxy- β -D-arabinopyranosyl)-2-deoxy-1,6-dithio- β -D-glucopyranoside: a sulfur-linked 5-amino-5-deoxyglycopyranosyl disaccharide 14

 ^1H and ^{13}C NMR

Synthesis, X-ray structure and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-arabino-hexopyranoside 230

Hecogenin hexasaccharide

A new bioactive steroidal saponin, furcreastatin, from the plant *Furcraea foetida* 57

Heptoses, homologation

Synthesis of 6,7-dideoxy-7-isothiocyanatoheptoses: stable fully unprotected monosaccharide isothiocyanates 218

 α -Homonojirimycin derivative

Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73

HPAEC

N-Linked oligosaccharide structures in the diamine oxidase from porcine kidney 111

HPSEC

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

Imino sugar

Synthesis of ethyl 2-acetamido-6-*S*-(5-amino-5-deoxy- β -D-arabinopyranosyl)-2-deoxy-1,6-dithio- β -D-glucopyranoside: a sulfur-linked 5-amino-5-deoxyglycopyranosyl disaccharide 14

Inclusion complexes

Evidence for covalent binding between copper ions and cyclodextrin cavity: a vibrational circular dichroism study 63

Infrared spectra

Evidence for covalent binding between copper ions and cyclodextrin cavity: a vibrational circular dichroism study 63

Intermolecular transfructosylation

Effects of various saccharides on cycloinulo-oligosaccharide fructanotransferase reaction: production of β -inulotriosyl- α -D-mannopyranoside and 1-*O*- β -inulotriosyl- α -L-sorboxypyransose 49

Intrinsic viscosity

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

 β -Inulotriosyl- α -D-mannopyranoside

Effects of various saccharides on cycloinulo-oligosaccharide fructanotransferase reaction: production of β -inulotriosyl- α -D-mannopyranoside and 1-*O*- β -inulotriosyl- α -L-sorboxypyransose 49

iso-Sialyl glycals

Novel practical synthesis of Kdn2en and its C-4 nitrogen-modified derivatives 1

Isoorea cyclization

Synthesis of methyl α -L-vancosaminide 208

Kdn2en

Novel practical synthesis of Kdn2en and its C-4 nitrogen-modified derivatives 1

Light scattering

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

Lipopolysaccharide

Structure of the O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *manihotis* GSPB 2755 and GSPB 2364 235

Structure of the O-specific polysaccharide of *Proteus mirabilis* O11, another *Proteus* O-antigen containing an amide of D-galacturonic acid with L-threonine 81

Structures of the O21 and O25 antigens of *Stenotrophomonas maltophilia* 98

Liquid crystal

The use of NMR residual dipolar couplings in aqueous dilute liquid crystalline medium for conformational studies of complex oligosaccharides 147

L-Nucleosides

1,2-Di-*O*-acetyl-5-*O*-benzoyl-3-deoxy-L-erythro-pentofuranose, a convenient precursor for the stereospecific synthesis of nucleoside analogues with the unnatural β -L-configuration 226

Lobelia sessilifolia

Homonojirimycin analogues and their glucosides from *Lobelia sessilifolia* and *Adenophora* spp. (Campanulaceae) 73

L-Xylose

1,2-Di-*O*-acetyl-5-*O*-benzoyl-3-deoxy-L-erythro-pentofuranose, a convenient precursor for the stereospecific synthesis of nucleoside analogues with the unnatural β -L-configuration 226

MALDI MS

Studies on the primary structure of short polysaccharides using SEC MALDI mass spectroscopy 139

MALDI/TOF-MS

N-Linked oligosaccharide structures in the diamine oxidase from porcine kidney 111

Methyl 3-azido-2,3-dideoxy- α -D-arabino-hexopyranoside

Synthesis, X-ray structure and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-arabino-hexopyranoside 230

Methyl 4,6-di-*O*-acetyl-3-azido-2,3-dideoxy- α -D-arabino-hexopyranoside

Synthesis, X-ray structure and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-arabino-hexopyranoside 230

Methyl α -L-vancosaminide

Synthesis of methyl α -L-vancosaminide 208

Microwave extraction

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

Modified stereospecific hydration model

Effect of stereochemistry on the anti-freeze characteristics of carbohydrates. A thermal study of aqueous monosaccharides at sub-zero temperatures 185

Molar mass

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

Monoaminoalditols

Efficient syntheses of 1-bromodeoxy-, 1-azidodeoxy- and 1-amino-deoxypentitols from unprotected D-pentono-1,4-lactones 213

Monoazidoalditols

Efficient syntheses of 1-bromodeoxy-, 1-azidodeoxy- and 1-amino-deoxypentitols from unprotected D-pentono-1,4-lactones 213

Monobromoalditols

Efficient syntheses of 1-bromodeoxy-, 1-azidodeoxy- and 1-amino-deoxypentitols from unprotected D-pentono-1,4-lactones 213

Monosaccharides

Effect of stereochemistry on the anti-freeze characteristics of carbohydrates. A thermal study of aqueous monosaccharides at sub-zero temperatures 185

N-Glycan

N-Linked oligosaccharide structures in the diamine oxidase from porcine kidney 111

Synthesis of homogeneous glycopeptides and their utility as DNA condensing agents 176

NMR

The use of NMR residual dipolar couplings in aqueous dilute liquid crystalline medium for conformational studies of complex oligosaccharides 147

NMR spectroscopy

Effects of various saccharides on cyclinulo-oligosaccharide fructanotransferase reaction: production of β -inulotriosyl- α -D-mannopyranoside and 1-*O*- β -inulotriosyl- α -L-sorbopyranose 49

The structure of the O-specific polysaccharide of *Escherichia coli* O117:K98:H4 103

N,S-acetal

Synthesis of ethyl 2-acetamido-6-*S*-(5-amino-5-deoxy- β -D-arabinopyranosyl)-2-deoxy-1,6-dithio- β -D-glucopyranoside: a sulfur-linked 5-amino-5-deoxyglycopyranosyl disaccharide 14

O-Acyl migration

Separation and structural analysis of some saponins from *Quillaja saponaria* Molina 87

O117 antigen

The structure of the O-specific polysaccharide of *Escherichia coli* O117:K98:H4 103

O-Antigen

Structure of the O-specific polysaccharide of *Proteus mirabilis* O11, another *Proteus* O-antigen containing an amide of D-galacturonic acid with L-threonine 81

O-Chain polysaccharide

Structure of the O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *manihotis* GSPB 2755 and GSPB 2364 235

1-*O*- β -Inulotriosyl- α -L-sorbopyranose

Effects of various saccharides on cyclinulo-oligosaccharide fructanotransferase reaction: production of β -inulotriosyl- α -D-mannopyranoside and 1-*O*- β -inulotriosyl- α -L-sorbopyranose 49

Oligosaccharide

The use of NMR residual dipolar couplings in aqueous dilute liquid crystalline medium for conformational studies of complex oligosaccharides 147

Orange albedo

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

O-Specific polymer

Structures of the O21 and O25 antigens of *Stenotrophomonas maltophilia* 98

O-Specific polysaccharide

Structure of the O-specific polysaccharide of *Proteus mirabilis* O11, another *Proteus* O-antigen containing an amide of D-galacturonic acid with L-threonine 81

p53

A new bioactive steroidal saponin, furcreastatin, from the plant *Furcraea foetida* 57

Pectin

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

Pentasaccharide

The structure of the O-specific polysaccharide of *Escherichia coli* O117:K98:H4 103

Phytopathogenic bacteria

Structure of the O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *manihotis* GSPB 2755 and GSPB 2364 235

Polysaccharides

Degree of acetylation of heteropolysaccharides 156

Porcine kidney diamine oxidase

N-Linked oligosaccharide structures in the diamine oxidase from porcine kidney 111

Post-source decay

Studies on the primary structure of short polysaccharides using SEC MALDI mass spectroscopy 139

Proteus mirabilis

Structure of the O-specific polysaccharide of *Proteus mirabilis* O11, another *Proteus* O-antigen containing an amide of D-galacturonic acid with L-threonine 81

Pyranosyl chlorides

Stereoselective synthesis of C-[2-*S*-(*p*-tolyl)-2-thio- β -D-galactopyranosyl] compounds using the reaction of TolSCl adducts of D-galactal with C-nucleophiles 202

Quillaic acid

Separation and structural analysis of some saponins from *Quillaja saponaria* Molina 87

Quillaja saponaria Molina

Separation and structural analysis of some saponins from *Quillaja saponaria* Molina 87

Radius of gyration

Characterization of pectin, flash-extracted from orange albedo by microwave heating, under pressure 126

Reduction

Efficient syntheses of 1-bromodeoxy-, 1-azidodeoxy- and 1-amino-deoxypentitols from unprotected D-pentono-1,4-lactones 213

Regioselective reaction

Synthesis of a tetrasaccharide representing a minimal epitope of an arabinogalactan 28

Saponins

Separation and structural analysis of some saponins from *Quillaja saponaria* Molina 87

Sialyl glycals

Novel practical synthesis of Kdn2en and its C-4 nitrogen-modified derivatives 1

Single crystal

Crystal structures and thermotropic properties of alkyl α -D-glucopyranosides and their hydrates 192

Stenotrophomonas maltophilia

Structures of the O21 and O25 antigens of *Stenotrophomonas maltophilia* 98

Stereochemistry

Effect of stereochemistry on the anti-freeze characteristics of carbohydrates. A thermal study of aqueous monosaccharides at sub-zero temperatures 185

Stereospecific ring opening

3,4-Anhydro-1,2-*O*-isopropylidene- β -D-tagatopyranose and 4,5-anhydro-1,2-*O*-isopropylidene- β -D-fructopyranose 36

Steroidal saponin

A new bioactive steroidal saponin, furcreastatin, from the plant *Furcraea foetida* 57

Structure

Structure of the O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *manihotis* GSPB 2755 and GSPB 2364 235

Structure of the O-specific polysaccharide of *Proteus mirabilis* O11, another *Proteus* O-antigen containing an amide of D-galacturonic acid with L-threonine 81

The structure of the O-specific polysaccharide of *Escherichia coli* O117:K98:H4 103

Sugar isothiocyanates

Synthesis of 6,7-dideoxy-7-isothiocyanatoheptoses: stable fully unprotected monosaccharide isothiocyanates 218

Sugar nitriles

Synthesis of 6,7-dideoxy-7-isothiocyanatoheptoses: stable fully unprotected monosaccharide isothiocyanates 218

Sugar thiocarbamates

Synthesis of 6,7-dideoxy-7-isothiocyanatoheptoses: stable fully unprotected monosaccharide isothiocyanates 218

Synthesis

Synthesis, X-ray structure and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-arabino-hexopyranoside 230

TGA

Crystal structures and thermotropic properties of alkyl α -D-glucopyranosides and their hydrates 192

Unfrozen water

Effect of stereochemistry on the anti-freeze characteristics of carbohydrates. A thermal study of aqueous monosaccharides at sub-zero temperatures 185

Unprotected D-pentono-1,4-lactones

Efficient syntheses of 1-bromodeoxy-, 1-azidodeoxy- and 1-amino-deoxypentitols from unprotected D-pentono-1,4-lactones 213

Vancosamine

Synthesis of methyl α -L-vancosaminide 208

Vibrational absorption

Evidence for covalent binding between copper ions and cyclodextrin cavity: a vibrational circular dichroism study 63

Vibrational spectra

Evidence for covalent binding between copper ions and cyclodextrin cavity: a vibrational circular dichroism study 63

Xanthomonas campestris

Structure of the O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *manihotis* GSPB 2755 and GSPB 2364 235

X-ray

Crystal structures and thermotropic properties of alkyl α -D-glucopyranosides and their hydrates 192

X-ray diffraction

Structure-properties relationship in cross-linked high-amylose starch for use in controlled drug release 163

Synthesis, X-ray structure and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-arabino-hexopyranoside 230