

Subject Index of Volume 325

- 2-Acetamido-2,4-dideoxy-D-xylo-hexopyranose derivatives
 Synthesis of 4-deoxy analogues of 2-acetamido-2-deoxy-D-glucose and 2-acetamido-2-deoxy-D-xylose and their effects on glycoconjugate biosynthesis 30
- 2-Acetamido-2,4-dideoxy-L-threo-pentopyranose derivatives
 Synthesis of 4-deoxy analogues of 2-acetamido-2-deoxy-D-glucose and 2-acetamido-2-deoxy-D-xylose and their effects on glycoconjugate biosynthesis 30
- Acetolysis
 Sulfuric acid-catalyzed acetolysis of anomeric methyl 2,3,4,6-tetra-O-acetyl-D-mannopyranosides: kinetics and mechanism 16
- Acidic tetrasaccharide
 Synthesis of a model compound related to an anti-ulcer pectic polysaccharide 83
- Activity coefficients
 Activity coefficients for NaCl–monosaccharide (D-glucose, D-galactose, D-xylose, D-arabinose)–water systems at 298.15 K 46
- Advanced glycation endproducts (AGEs)
 Independent synthesis of aminophospholipid-linked Maillard products 157
- Affinity column
 A novel synthesis of α -D-Galp-(1 \rightarrow 3)- β -D-Galp-1-O-(CH₂)₃-NH₂, its linkage to activated matrices and absorption of anti- α Gal xenoantibodies by affinity columns 265
- Alkanols
 Factors determining the formation of complexes between α -cyclodextrin and alkylated substances in aqueous solutions: a calorimetric study at 25 °C 278
- Alzheimer's disease
 Synthesis of antioxidative and anti-inflammatory drugs glucoconjugates 72
- Amadori compound
 Independent synthesis of aminophospholipid-linked Maillard products 157
- Aminodeoxyhexonolactams
 Synthesis and structure of 6-amino-2,3,6-trideoxy-D-erythro-hexono-1,6-lactam and 6-amino-3,6-dideoxy-D-xylo-hexono-1,6-lactam 56
- (3-Amino)propyl glycoside
 A novel synthesis of α -D-Galp-(1 \rightarrow 3)- β -D-Galp-1-O-(CH₂)₃-NH₂, its linkage to activated matrices and absorption of anti- α Gal xenoantibodies by affinity columns 265
- Amylopectin
 Distribution of methyl substituents in amylose and amylopectin from methylated potato starches 183
- Amylose
 Distribution of methyl substituents in amylose and amylopectin from methylated potato starches 183
 The conformation of α -(1 \rightarrow 4)-linked glucose oligomers from maltose to maltoheptaose and short-chain amylose in solution 177
- Anomerization
 Sulfuric acid-catalyzed acetolysis of anomeric methyl 2,3,4,6-tetra-O-acetyl-D-mannopyranosides: kinetics and mechanism 16
- Anti-inflammatory drugs
 Synthesis of antioxidative and anti-inflammatory drugs glucoconjugates 72
- Antioxidants
 Synthesis of antioxidative and anti-inflammatory drugs glucoconjugates 72
- Anti-ulcer pectic polysaccharide
 Synthesis of a model compound related to an anti-ulcer pectic polysaccharide 83
- Arabinose
 Isolation of hemicellulose from a sorghum, *Andropogon sorghum* Brot, Kumadake no. 263, and determination of its constituent sugars 230
- 2-Azido-2-deoxy-5-thio-D-arabinose
 Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143
- 2-Azido-2-deoxy-5-thio-D-lyxose
 Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143
- Azidonitration reaction
 Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143
- Bending
 Interconversion of the I α and I β crystalline forms of cellulose by bending 150
- Biosynthesis
 Interconversion of the I α and I β crystalline forms of cellulose by bending 150
- Blood–brain barrier
 Synthesis of antioxidative and anti-inflammatory drugs glucoconjugates 72
- Branched-chain sugars
 Construction of a branched chain at C-3 of a hexopyranoside. Synthesis of miharamycin sugar moiety analogs 1
- Bupleurum falcatum*
 Synthesis of a model compound related to an anti-ulcer pectic polysaccharide 83
- Calorimetry
 Factors determining the formation of complexes between α -cyclodextrin and alkylated substances in aqueous solutions: a calorimetric study at 25 °C 278
- Cancer
 Synthesis of antioxidative and anti-inflammatory drugs glucoconjugates 72
- Capsular polysaccharide
 Full assignment of the proton and carbon NMR spectra and revised structure for the capsular polysaccharide from *Streptococcus pneumoniae* Type 17F 192
- Carbonylation
myo-Inositol 4,6-carbonate: an easily prepared small molecule with three syn-axial hydroxyl groups 313

Carrageenans

The system of low-molecular-weight carrageenans and agaroids from the room-temperature-extracted fraction of *Kappaphycus alvarezii* 287

¹C₄- α -D-Gulopyranose derivative

Preparation of methyl 2,3-di-*O*-mesyl-4,6-thioanhydro- α -D-galactopyranoside and methyl 2-*O*-mesyl-4,6-thioanhydro- α -D-gulopyranoside 237

Cellulose

Interconversion of the I α and I β crystalline forms of cellulose by bending 150

C-Glycosylation

Thermal C-glycosylation of D-glucal with trimethylsilyl cyanide 68

Chemical synthesis

Synthesis of a model compound related to an anti-ulcer pectic polysaccharide 83

Chitin deacetylase

Synthesis of a chitosan tetramer derivative, β -D-GlcNAc-(1 \rightarrow 4)- β -D-GlcNAc-(1 \rightarrow 4)- β -D-GlcNAc-(1 \rightarrow 4)-D-GlcN through a partial N-acetylation reaction by chitin deacetylase 211

Chondroitin 6-sulfate trisaccharide

Unexpected stereochemical outcome of activated 4,6-*O*-benzylidene derivatives of the 2-deoxy-2-trichloroacetamido-D-galactose series in glycosylation reactions during the synthesis of a chondroitin 6-sulfate trisaccharide methyl glycoside 93

Circular dichroism

Synthesis and structure of 6-amino-2,3,6-trideoxy-D-erythro-hexono-1,6-lactam and 6-amino-3,6-dideoxy-D-xylo-hexono-1,6-lactam 56

¹³C labeled

Isolation and characterization of non-labeled and ¹³C-labeled mannans from *Pichia pastoris* yeast 216

Colletotrichum lindemuthianum

Synthesis of a chitosan tetramer derivative, β -D-GlcNAc-(1 \rightarrow 4)- β -D-GlcNAc-(1 \rightarrow 4)- β -D-GlcNAc-(1 \rightarrow 4)-D-GlcN through a partial N-acetylation reaction by chitin deacetylase 211

Complexes with cations

myo-Inositol 4,6-carbonate: an easily prepared small molecule with three syn-axial hydroxyl groups 313

Concanavalin A

Distribution of methyl substituents in amylose and amylopectin from methylated potato starches 183

Conformation

The conformation of α -(1 \rightarrow 4)-linked glucose oligomers from maltose to maltoheptaose and short-chain amylose in solution 177

Conformational analysis

Synthesis and structure of 6-amino-2,3,6-trideoxy-D-erythro-hexono-1,6-lactam and 6-amino-3,6-dideoxy-D-xylo-hexono-1,6-lactam 56

Core class 2

An efficient access to protected disialylated glycohexaosyl threonine present on the leukosialin of activated T-lymphocytes 132

Crystallinity

Interconversion of the I α and I β crystalline forms of cellulose by bending 150

Crystal structure determination

Synthesis and structure of 6-amino-2,3,6-trideoxy-D-erythro-hexono-1,6-lactam and 6-amino-3,6-dideoxy-D-xylo-hexono-1,6-lactam 56

Cycloalkanol

Factors determining the formation of complexes between α -cyclodextrin and alkylated substances in aqueous solutions: a calorimetric study at 25 °C 278

 α -Cyclodextrin

Factors determining the formation of complexes between α -cy-

clodextrin and alkylated substances in aqueous solutions: a calorimetric study at 25 °C 278

2-Deoxy-2-trichloroacetamido-D-galactose derivatives

Unexpected stereochemical outcome of activated 4,6-*O*-benzylidene derivatives of the 2-deoxy-2-trichloroacetamido-D-galactose series in glycosylation reactions during the synthesis of a chondroitin 6-sulfate trisaccharide methyl glycoside 93

β -D-Galactopyranosyl-(1 \rightarrow 3)- β -D-galactopyranosyl-(1 \rightarrow 4)-D-glucose Identification and synthesis of a trisaccharide produced from lactose by transgalactosylation 202

3'- β -D-Galactopyranosyl-lactose

Identification and synthesis of a trisaccharide produced from lactose by transgalactosylation 202

 β -D-Galactosidase

Regioselective synthesis of *p*-nitrophenyl glycosides of β -D-galactopyranosyl-disaccharides by transglycosylation with β -D-galactosidases 120

1,5-Dithioglycosides

Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143

Galactofuranose

Synthesis of galactofuranosyl-containing oligosaccharides corresponding to the glycosylinositolphospholipid of *Trypanosoma cruzi* 253

Glucal

Thermal C-glycosylation of D-glucal with trimethylsilyl cyanide 68

Glucose transporter

Synthesis of antioxidative and anti-inflammatory drugs glucoconjugates 72

Glycation

Independent synthesis of aminophospholipid-linked Maillard products 157

Glycoconjugates

Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143

Glycomimics

Highly efficient synthesis of 1-thioglycosides in solution and solid phase using iminophosphorane bases 169

Glycosidation reactions

Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143

Glycosides

Synthesis of galactofuranosyl-containing oligosaccharides corresponding to the glycosylinositolphospholipid of *Trypanosoma cruzi* 253

Glycosylation

Synthesis of antioxidative and anti-inflammatory drugs glucoconjugates 72

Synthesis of galactofuranosyl-containing oligosaccharides corresponding to the glycosylinositolphospholipid of *Trypanosoma cruzi* 253

Glycosylation reactions

Unexpected stereochemical outcome of activated 4,6-*O*-benzylidene derivatives of the 2-deoxy-2-trichloroacetamido-D-galactose series in glycosylation reactions during the synthesis of a chondroitin 6-sulfate trisaccharide methyl glycoside 93

Glycosyl cyanide

Thermal C-glycosylation of D-glucal with trimethylsilyl cyanide 68

Hemicellulose

Isolation of hemicellulose from a sorghum, *Andropogon sorghum* Brot, Kumadake no. 263, and determination of its constituent sugars 230

Immunoadsorption

A novel synthesis of α -D-Galp-(1 \rightarrow 3)- β -D-Galp-1-*O*-(CH₂)₃-NH₂, its linkage to activated matrices and absorption of anti- α Gal xenoantibodies by affinity columns 265

Inclusion complexes

Factors determining the formation of complexes between α -cyclodextrin and alkylated substances in aqueous solutions: a calorimetric study at 25 °C 278

Interaction

Activity coefficients for NaCl–monosaccharide (D-glucose, D-galactose, D-xylose, D-arabinose)–water systems at 298.15 K 46

Ion selectivity electrode

Activity coefficients for NaCl–monosaccharide (D-glucose, D-galactose, D-xylose, D-arabinose)–water systems at 298.15 K 46

Kappaphycus alvarezii

The system of low-molecular-weight carrageenans and agaroids from the room-temperature-extracted fraction of *Kappaphycus alvarezii* 287

Kinetics

Sulfuric acid-catalyzed acetolysis of anomeric methyl 2,3,4,6-tetra-*O*-acetyl-D-mannopyranosides: kinetics and mechanism 16

Leukosialin

An efficient access to protected disialylated glycohexaosyl threonine present on the leukosialin of activated T-lymphocytes 132

L-Galactose

The system of low-molecular-weight carrageenans and agaroids from the room-temperature-extracted fraction of *Kappaphycus alvarezii* 287

Lipopolysaccharide

Structure elucidation of the O-chain from the major lipopolysaccharide of the *Xanthomonas campestris* strain 642 222

Low molecular weight

The system of low-molecular-weight carrageenans and agaroids from the room-temperature-extracted fraction of *Kappaphycus alvarezii* 287

Maillard reaction

Independent synthesis of aminophospholipid-linked Maillard products 157

Maltose

The conformation of α -(1 \rightarrow 4)-linked glucose oligomers from maltose to maltoheptaose and short-chain amylose in solution 177

Mannan

Isolation and characterization of non-labeled and ¹³C-labeled mannans from *Pichia pastoris* yeast 216

Mannopyranosides

Sulfuric acid-catalyzed acetolysis of anomeric methyl 2,3,4,6-tetra-*O*-acetyl-D-mannopyranosides: kinetics and mechanism 16

Methylated starch

Distribution of methyl substituents in amylose and amylopectin from methylated potato starches 183

Miharamycin sugar moiety analogues

Construction of a branched chain at C-3 of a hexopyranoside. Synthesis of miharamycin sugar moiety analogs 1

Mitsunobu reaction

Preparation of methyl 2,3-di-*O*-mesyl-4,6-thioanhydro- α -D-galactopyranoside and methyl 2-*O*-mesyl-4,6-thioanhydro- α -D-gulopyranoside 237

Monoalkylamines

Factors determining the formation of complexes between α -cyclodextrin and alkylated substances in aqueous solutions: a calorimetric study at 25 °C 278

Monosaccharide

Activity coefficients for NaCl–monosaccharide (D-glucose, D-galactose, D-xylose, D-arabinose)–water systems at 298.15 K 46

N-acetylation

Synthesis of a chitosan tetramer derivative, β -D-GlcNAc-(1 \rightarrow 4)- β -D-GlcNAc-(1 \rightarrow 4)- β -D-GlcNAc-(1 \rightarrow 4)-D-GlcN through a partial N-acetylation reaction by chitin deacetylase 211

NaCl

Activity coefficients for NaCl–monosaccharide (D-glucose, D-galactose, D-xylose, D-arabinose)–water systems at 298.15 K 46

NMR

The conformation of α -(1 \rightarrow 4)-linked glucose oligomers from maltose to maltoheptaose and short-chain amylose in solution 177

NMR spectroscopy

Full assignment of the proton and carbon NMR spectra and revised structure for the capsular polysaccharide from *Streptococcus pneumoniae* Type 17F 192

Nuclear magnetic resonance

Synthesis and structure of 6-amino-2,3,6-trideoxy-D-erythro-hexono-1,6-lactam and 6-amino-3,6-dideoxy-D-xylo-hexono-1,6-lactam 56

Oligomer

The conformation of α -(1 \rightarrow 4)-linked glucose oligomers from maltose to maltoheptaose and short-chain amylose in solution 177

Oligosaccharides

Oligosaccharides related to xyloglucan: synthesis and X-ray crystal structure of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- α -D-xylopyranoside and the synthesis of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- β -D-xylopyranoside 300

O-Linked glycoprotein

An efficient access to protected disialylated glycohexaosyl threonine present on the leukosialin of activated T-lymphocytes 132

Oral antithrombotic activity

Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143

2-Oxa-7-thiabicyclo[4.2.0]octanes

Preparation of methyl 2,3-di-*O*-mesyl-4,6-thioanhydro- α -D-galactopyranoside and methyl 2-*O*-mesyl-4,6-thioanhydro- α -D-gulopyranoside 237

Phosphatidyl ethanolamine

Independent synthesis of aminophospholipid-linked Maillard products 157

Phytopathogen

Structure elucidation of the O-chain from the major lipopolysaccharide of the *Xanthomonas campestris* strain 642 222

Pichia pastoris

Isolation and characterization of non-labeled and ¹³C-labeled mannans from *Pichia pastoris* yeast 216

p-Nitrophenyl glycoside of β -D-galactosyl-disaccharides

Regioselective synthesis of *p*-nitrophenyl glycosides of β -D-galactopyranosyl-disaccharides by transglycosylation with β -D-galactosidases 120

p-Nitrophenyl β -glycoside of (1 \rightarrow 6)-galactosyl-oligosaccharides

Regioselective synthesis of *p*-nitrophenyl glycosides of β -D-galactopyranosyl-disaccharides by transglycosylation with β -D-galactosidases 120

Regioselectivity

Regioselective synthesis of *p*-nitrophenyl glycosides of β -D-galactopyranosyl-disaccharides by transglycosylation with β -D-galactosidases 120

Room-temperature extract

The system of low-molecular-weight carrageenans and agaroids from the room-temperature-extracted fraction of *Kappaphycus alvarezii* 287

Seaweed polysaccharides

The system of low-molecular-weight carrageenans and agaroids from the room-temperature-extracted fraction of *Kappaphycus alvarezii* 287

2-Seleno-2,5-anhydro-D-arabinofuranosides

Preparation of selenoanhydro- and telluroanhydroglycofuranosides and some corresponding nucleosides 107

2-Seleno-2,5-anhydro- α -D-arabinofuranosyl nucleosides

Preparation of selenoanhydro- and telluroanhydroglycofuranosides and some corresponding nucleosides 107

3-Seleno-3,5-anhydro-D-xylofuranosides

Preparation of selenoanhydro- and telluroanhydroglycofuranosides and some corresponding nucleosides 107

Shigella dysenteriae type 5

Synthesis of the tetrasaccharide related to the repeating unit of the antigen from *Shigella dysenteriae* type 5 245

Sialic acid

An efficient access to protected disialylated glycohexaosyl threonine present on the leukosialin of activated T-lymphocytes 132

Solid-phase synthesis

Highly efficient synthesis of 1-thioglycosides in solution and solid phase using iminophosphorane bases 169

Sorghum

Isolation of hemicellulose from a sorghum, *Andropogon sorghum* Brot, Kumadake no. 263, and determination of its constituent sugars 230

Stem

Isolation of hemicellulose from a sorghum, *Andropogon sorghum* Brot, Kumadake no. 263, and determination of its constituent sugars 230

Stereoselective synthesis

Construction of a branched chain at C-3 of a hexopyranoside. Synthesis of miharamycin sugar moiety analogs 1

Strawberry

Structure elucidation of the O-chain from the major lipopolysaccharide of the *Xanthomonas campestris* strain 642 222

Streptococcus pneumoniae

Full assignment of the proton and carbon NMR spectra and revised structure for the capsular polysaccharide from *Streptococcus pneumoniae* Type 17F 192

Structure determination

The system of low-molecular-weight carrageenans and agaroids from the room-temperature-extracted fraction of *Kappaphycus alvarezii* 287

syn-Axial hydroxyls

myo-Inositol 4,6-carbonate: an easily prepared small molecule with three syn-axial hydroxyl groups 313

Synthesis

Oligosaccharides related to xyloglucan: synthesis and X-ray crystal structure of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- α -D-xylopyranoside and the synthesis of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- β -D-xylopyranoside 300

Synthesis of the tetrasaccharide related to the repeating unit of the antigen from *Shigella dysenteriae* type 5 245

2-Telluro-2,5-anhydro- α -D-arabinofuranoside

Preparation of selenoanhydro- and telluroanhydroglycofuranosides and some corresponding nucleosides 107

Tetrasaccharide repeating unit

Synthesis of the tetrasaccharide related to the repeating unit of the antigen from *Shigella dysenteriae* type 5 245

Thioglycosides

Highly efficient synthesis of 1-thioglycosides in solution and solid

phase using iminophosphorane bases 169

Synthesis of 4-cyanophenyl and 4-nitrophenyl 2-azido-2-deoxy-1,5-dithio- β -D-arabino- and - β -D-lyxopyranosides possessing antithrombotic activity 143

Thiosugars

Preparation of methyl 2,3-di-*O*-mesyl-4,6-thioanhydro- α -D-galactopyranoside and methyl 2-*O*-mesyl-4,6-thioanhydro- α -D-gulopyranoside 237

Transgalactosylation

Identification and synthesis of a trisaccharide produced from lactose by transgalactosylation 202

Transglycosylation

Regioselective synthesis of *p*-nitrophenyl glycosides of β -D-galactopyranosyl-disaccharides by transglycosylation with β -D-galactosidases 120

Trimethylsilyl cyanide

Thermal C-glycosylation of D-glucal with trimethylsilyl cyanide 68

Trypanosoma cruzi

Synthesis of galactofuranosyl-containing oligosaccharides corresponding to the glycosylinositolphospholipid of *Trypanosoma cruzi* 253

3,4-Unprotected β -D-galactopyranoside

A novel synthesis of α -D-Galp-(1 \rightarrow 3)- β -D-Galp-1-*O*-(CH₂)₃-NH₂, its linkage to activated matrices and absorption of anti- α Gal xenoantibodies by affinity columns 265

Xanthomonas campestris

Structure elucidation of the O-chain from the major lipopolysaccharide of the *Xanthomonas campestris* strain 642 222

Xenotransplantation

A novel synthesis of α -D-Galp-(1 \rightarrow 3)- β -D-Galp-1-*O*-(CH₂)₃-NH₂, its linkage to activated matrices and absorption of anti- α Gal xenoantibodies by affinity columns 265

X-ray diffraction analysis

Preparation of methyl 2,3-di-*O*-mesyl-4,6-thioanhydro- α -D-galactopyranoside and methyl 2-*O*-mesyl-4,6-thioanhydro- α -D-gulopyranoside 237

X-ray structural analysis

Preparation of selenoanhydro- and telluroanhydroglycofuranosides and some corresponding nucleosides 107

X-ray structure

Oligosaccharides related to xyloglucan: synthesis and X-ray crystal structure of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- α -D-xylopyranoside and the synthesis of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- β -D-xylopyranoside 300

Xyloglucan

Oligosaccharides related to xyloglucan: synthesis and X-ray crystal structure of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- α -D-xylopyranoside and the synthesis of methyl α -L-fucopyranosyl-(1 \rightarrow 2)- β -D-galactopyranosyl-(1 \rightarrow 2)- β -D-xylopyranoside 300

Xylorhamnan

Structure elucidation of the O-chain from the major lipopolysaccharide of the *Xanthomonas campestris* strain 642 222

Xylose

Isolation of hemicellulose from a sorghum, *Andropogon sorghum* Brot, Kumadake no. 263, and determination of its constituent sugars 230

Yeast

Isolation and characterization of non-labeled and ¹³C-labeled mannans from *Pichia pastoris* yeast 216