

## Subject Index of Volume 328

### Acetylation

Behavior of free sugar thiosemicarbazones toward heterocyclization reactions 481

### Acid hydrolysis

Acid-catalyzed hydrolysis of hesperidin at elevated temperatures 141

### Acid treatment

The conversion of 3-*C*- $\beta$ -D-galactopyranosyl phloroacetophenone to a spiroketal derivative 599

### Activated carbon

Hydrogenation of fructose on Ru/C catalysts 449

### AD mix

Syntheses of four D- and L-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17

### Aldonolactones

Synthesis of furanose derivatives of 3-deoxy-D-*erythro*-2-hexulonic acid and their 3-bromo and 3-deuterio analogs 605

### Allose

Syntheses of four D- and L-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17

### 2-Amino-2-deoxy-D-glucose derivatives

The synthesis of diosgenyl 2-amino-2-deoxy- $\beta$ -D-glucopyranoside hydrochloride 249

### 2-Amino-2-deoxy-D-glycosides

Selective formation of C-2 azidodeoxy-D-glucose derivatives from D-glucal precursors using the azidonitration reaction 61

### *Anguila anguila* agglutinin

Studies on the structure of a lithium-treated soybean pectin: characteristics of the fragments and determination of the carbohydrate substituents of galacturonic acid 539

### Anion-exchange chromatography

Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp 185

### Anomeric position

A one-pot synthesis of novel *N,N*-dialkyl-*S*-glycosylsulfenamides 287

### Anthranilic acid (2-aminobenzoic acid)

The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis 77

### Antigenic polysaccharide

Occurrence of [ $\rightarrow$ 3]- $\beta$ -D-Manp-(1 $\rightarrow$ 4)- $\beta$ -D-Manp-(1 $\rightarrow$ )<sub>n</sub> units in the antigenic polysaccharides from *Leptospira biflexa* serovar patoc strain Patoc I 517

### Anti-HIV activity

Synthesis of novel 3'-*C*-methyl-apionucleosides: an asymmetric construction of a quaternary carbon by Claisen rearrangement 37

### Apionucleosides

Synthesis of novel 3'-*C*-methyl-apionucleosides: an asymmetric construction of a quaternary carbon by Claisen rearrangement 37

### Apparent molar volume

Volumetric properties for the monosaccharide (D-xylose, D-arabinose, D-glucose, D-galactose)-NaCl-water systems at 298.15 K 383

### Arabinoxylan

Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD 375

### Asparagine-linked glycans

Synthesis of a novel asparagine-linked heptasaccharide structure via *p*-methoxybenzyl-assisted  $\beta$ -mannosylation 263

### Autoclave extraction

Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp 185

Oxidative cross-linking of pectic polysaccharides from sugar beet pulp 199

### Azasugars

A general approach to the synthesis of dideoxy and trideoxy-iminoalditols from  $\beta$ -D-glycosides 467

### Azidonitration

Selective formation of C-2 azidodeoxy-D-glucose derivatives from D-glucal precursors using the azidonitration reaction 61

### Barley

Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD 375

### Benzyl 4-*O*-(2,6-di-*O*-benzylgalactopyranosyl)-2,3,6-tri-*O*-benzylglucopyranoside

The total synthesis of ganglioside GM3 489

### Bis(thiosemicarbazone)

Cu, Pt, and Pd complexes of the 3-deoxy-1,2-bis(thiosemicarbazone) derived from D-glucose 425

### Buckwheat

Molecular structure of fagopyritol A1 (*O*- $\alpha$ -D-galactopyranosyl-(1 $\rightarrow$ 3)-D-*chiro*-inositol) by NMR 623

### Capillary electrophoresis

Synthesis and analytical characterization of the sodium salt of heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)cyclomaltoheptaose, a chiral resolving agent candidate for capillary electrophoresis 277

### Carbohydrates

Infrared spectra and hydrogen bonding of pentitols and pyranosides at 20 to 300 K 307

### 6-Carboxy- $\beta$ -cyclodextrins

Selective oxidation of primary alcohol groups of  $\beta$ -cyclodextrin mediated by 2,2,6,6-tetramethylpiperidine-1-oxyl radical (TEMPO) 585

### Carboxymethylpullulan

Determination of substituents distribution in carboxymethylpullulans by NMR spectroscopy 343

### 3-*C*- $\beta$ -D-Galactopyranosylphloroacetophenone

The conversion of 3-*C*- $\beta$ -D-galactopyranosyl phloroacetophenone to a spiroketal derivative 599

### Cellulose

CP-MAS NMR analysis of carbohydrate fractions of soybean hulls and endosperm 549

## Ceramide

The total synthesis of ganglioside GM3 489

Total synthesis of the natural antigen involved in the hyperacute rejection response to xenotransplants 459

## C-Glycosylic compound

The conversion of 3-C- $\beta$ -D-galactopyranosyl phloroacetophenone to a spiroketal derivative 599

## Chelates

Cu, Pt, and Pd complexes of the 3-deoxy-1,2-bis(thiosemicarbazone) derived from D-glucose 425

## Chelation by saccharides

Interaction of saccharides with rare earth metal ions: synthesis and characterisation of Pr(III)- and Nd(III)-saccharide complexes 103

## Chemoenzymatic synthesis

Polymer-supported and chemoenzymatic synthesis of the *Neisseria meningitidis* pentasaccharide: a methodological comparison 3

## Chiral recognition

Monte Carlo simulations of the chiral recognition of fenoprofen enantiomers by cyclomaltoheptaose ( $\beta$ -cyclodextrin) 393

## Chitin

Preparation of mixed 10-undecenyl/phenylaminocarbonyl or benzoyl derivatives of chitosan 617

## Chitosan

Preparation of mixed 10-undecenyl/phenylaminocarbonyl or benzoyl derivatives of chitosan 617

## Claisen rearrangement

Synthesis of novel 3'-C-methyl-apionucleosides: an asymmetric construction of a quaternary carbon by Claisen rearrangement 37

<sup>13</sup>C NMR

Interaction of saccharides with rare earth metal ions: synthesis and characterisation of Pr(III)- and Nd(III)-saccharide complexes 103

## Conformation

Anomeric effects in non-carbohydrate compounds: conformational differences between the oxazolidine rings of a cis-fused bicyclic system 127

Hydroxy protons in conformational study of a Lewis b tetrasaccharide derivative in aqueous solution by NMR spectroscopy 409

## Conformational flexibility

Crystal structure of octakis(2,3,6-tri-*O*-methyl)- $\gamma$ -cyclodextrin-4.5 H<sub>2</sub>O: evidence for conformational flexibility of permethylated cyclodextrins 399

## Conformational restriction

Selective formation of C-2 azidodeoxy-D-glucose derivatives from D-glucal precursors using the azidonitration reaction 61

## Conformation analysis

Molecular and crystal structure of galactinol dihydrate [1-*O*-( $\alpha$ -D-galactopyranosyl)-*myo*-inositol dihydrate] 241

## Convergent synthesis

A convergent synthesis of trisaccharides with  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -D-Gal-(1 $\rightarrow$ 4)- $\beta$ -D-GlcNAc and  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -D-Gal-(1 $\rightarrow$ 3)- $\alpha$ -D-GalNAc sequences 147

## Cooperative anomeric effect

Anomeric effects in non-carbohydrate compounds: conformational differences between the oxazolidine rings of a cis-fused bicyclic system 127

## Copper

Cu, Pt, and Pd complexes of the 3-deoxy-1,2-bis(thiosemicarbazone) derived from D-glucose 425

## Core

The structure of the carbohydrate backbone of the core-lipid A region of the lipopolysaccharide from *Proteus vulgaris* serotype O25 533

## Correlation times

A dielectric analysis of liquid and glassy solid glucose/water solutions 573

## Coumarins

Novobiocin-related compounds: synthesis of 3-benzoylamino-2-

oxo-2*H*-1-benzopyran-7-yl D-glycopyranosides by the trichloroacetimidate methodology 591

## CP-MAS NMR

CP-MAS NMR analysis of carbohydrate fractions of soybean hulls and endosperm 549

## Crystallization

Observations on the crystallization of oligogalacturonates 235

## Crystal structure

Molecular and crystal structure of galactinol dihydrate [1-*O*-( $\alpha$ -D-galactopyranosyl)-*myo*-inositol dihydrate] 241

The crystal structure of the 1:1 complex of  $\beta$ -cyclodextrin with *trans*-cinnamic acid 135

## Cyanobacteria

The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis 77

## Cyanohydrins

Preparation and structure determination of two sugar amino acids via corresponding hydantoin derivatives 115

 $\beta$ -Cyclodextrin

Monte Carlo simulations of the chiral recognition of fenoprofen enantiomers by cyclomaltoheptaose ( $\beta$ -cyclodextrin) 393

Selective oxidation of primary alcohol groups of  $\beta$ -cyclodextrin mediated by 2,2,6,6-tetramethylpiperidine-1-oxyl radical (TEMPO) 585

The crystal structure of the 1:1 complex of  $\beta$ -cyclodextrin with *trans*-cinnamic acid 135

 $\gamma$ -Cyclodextrin

Crystal structure of octakis(2,3,6-tri-*O*-methyl)- $\gamma$ -cyclodextrin-4.5 H<sub>2</sub>O: evidence for conformational flexibility of permethylated cyclodextrins 399

## Cyclodextrin sulfates

Synthesis and analytical characterization of the sodium salt of heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)cyclomaltoheptaose, a chiral resolving agent candidate for capillary electrophoresis 277

## Cyclomaltodextrin glucanotransferase

Enzyme modification of starch granules: formation and retention of cyclomaltodextrins inside starch granules by reaction of cyclomaltodextrin glucanotransferase with solid granules 509

## Cyclomaltodextrins

Enzyme modification of starch granules: formation and retention of cyclomaltodextrins inside starch granules by reaction of cyclomaltodextrin glucanotransferase with solid granules 509

D-*chiro*-Inositol

Molecular structure of fagopyritol A1 (*O*- $\alpha$ -D-galactopyranosyl-(1 $\rightarrow$ 3)-D-*chiro*-inositol) by NMR 623

## 2D DQF-COSY

A convergent synthesis of trisaccharides with  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -D-Gal-(1 $\rightarrow$ 4)- $\beta$ -D-GlcNAc and  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -D-Gal-(1 $\rightarrow$ 3)- $\alpha$ -D-GalNAc sequences 147

## Degree of substitution

Preparation of mixed 10-undecenyl/phenylaminocarbonyl or benzoyl derivatives of chitosan 617

## Density

Volumetric properties for the monosaccharide (D-xylose, D-arabinose, D-glucose, D-galactose)-NaCl-water systems at 298.15 K 383

3-Deoxy-D-*erythro*-2-hexulosonic acid

Synthesis of furanose derivatives of 3-deoxy-D-*erythro*-2-hexulosonic acid and their 3-bromo and 3-deuterio analogs 605

## 3'-Deoxy-3'-fluoro-D-thymidine (FLT)

Synthesis of 2',3'-dideoxy-3'-fluoro-L-ribonucleosides as potential antiviral agents from D-sorbitol 49

## Deprotection

The synthesis of diosgenyl 2-amino-2-deoxy- $\beta$ -D-glucopyranoside hydrochloride 249

## Derivatives

New derivatives of reducing oligosaccharides and their use in enzymatic reactions: efficient synthesis of sialyl Lewis x and sialyl dimeric Lewis x glycoconjugates 525

## 3-Deuterio derivatives

Synthesis of furanose derivatives of 3-deoxy-D-erythro-2-hexulosonic acid and their 3-bromo and 3-deuterio analogs 605

## D-Galacturonic acid amide

Isolation using triflic acid solvolysis and identification of  $N^{\epsilon}$ -[(R)-1-carboxyethyl]- $N^{\alpha}$ -(D-galacturonoyl)-L-lysine as a component of the O-specific polysaccharide of *Proteus mirabilis* O13 441

## (1 → 3)-β-D-Glucan

A β-D-glucan from the sclerotia of *Pleurotus tuber-regium* (Fr.) Sing 629

## D-Glucitol

Hydrogenation of fructose on Ru/C catalysts 449

## D-Glucosamine derivatives

The synthesis of diosgenyl 2-amino-2-deoxy-β-D-glucopyranoside hydrochloride 249

## 2',3'-Dideoxy-3'-fluoro-L-ribonucleosides

Synthesis of 2',3'-dideoxy-3'-fluoro-L-ribonucleosides as potential antiviral agents from D-sorbitol 49

## Dielectric relaxation

A dielectric analysis of liquid and glassy solid glucose/water solutions 573

## Differentiation

Phorbol ester treatment of HL 60 leukemia cells results in increase of β-(1 → 4)-galactosyltransferase 301

## Dihydroxylation

Syntheses of four D- and L-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17

## Diosgenin

The synthesis of diosgenyl 2-amino-2-deoxy-β-D-glucopyranoside hydrochloride 249

## Disaccharides

*c*,*T*-Dependence of the viscosity and the self-diffusion coefficients in some aqueous carbohydrate solutions 561

## β-D-(1 → 3, 1 → 6)-linked glucan

Structural characterization of β-D-(1 → 3, 1 → 6)-linked glucans using NMR spectroscopy 331

## D-Mannitol

Hydrogenation of fructose on Ru/C catalysts 449

## Diselase

The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis 77

## 2D ROESY

A convergent synthesis of trisaccharides with α-Neu5Ac-(2 → 3)-β-D-Gal-(1 → 4)-β-D-GlcNAc and α-Neu5Ac-(2 → 3)-β-D-Gal-(1 → 3)-α-D-GalNAc sequences 147

## D-Sorbitol

Synthesis of 2',3'-dideoxy-3'-fluoro-L-ribonucleosides as potential antiviral agents from D-sorbitol 49

## Enantioselective synthesis

Syntheses of four D- and L-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17

## endo-Inulinase

Characterisation of the high-molecular weight fructan isolated from garlic (*Allium sativum* L.) 177

## Enzymatic reactions

New derivatives of reducing oligosaccharides and their use in enzymatic reactions: efficient synthesis of sialyl Lewis x and sialyl dimeric Lewis x glycoconjugates 525

## Enzymatic synthesis

NMR assignments for glucosylated and galactosylated *N*-acetylhexosaminidols: oligosaccharide alditols related to O-linked glycans from the protozoan parasite *Trypanosoma cruzi* 321

## Enzyme catalysis

Enzymatic synthesis of fucose-containing disaccharides employing the partially purified α-L-fucosidase from *Penicillium multicolor* 293

## Enzymes

Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp 185

## Enzymic hydrolysis

Characterisation of the substituent distribution in hydroxypropylated potato amylopectin starch 365

## Fagopyritol A1

Molecular structure of fagopyritol A1 (*O*-α-D-galactopyranosyl-(1 → 3)-D-*chiro*-inositol) by NMR 623

## Fagopyritol B1

Molecular structure of fagopyritol A1 (*O*-α-D-galactopyranosyl-(1 → 3)-D-*chiro*-inositol) by NMR 623

*Fagopyrum esculentum*

Molecular structure of fagopyritol A1 (*O*-α-D-galactopyranosyl-(1 → 3)-D-*chiro*-inositol) by NMR 623

## Fenoprofen

Monte Carlo simulations of the chiral recognition of fenoprofen enantiomers by cyclomaltoheptaose (β-cyclodextrin) 393

## Ferulic acid dehydrodimers

Oxidative cross-linking of pectic polysaccharides from sugar beet pulp 199

## Fluoro-sugars

Enzymatic synthesis of UDP-(3-deoxy-3-fluoro)-D-galactose and UDP-(2-deoxy-2-fluoro)-D-galactose and substrate activity with UDP-galactopyranose mutase 473

## Fructan

Characterisation of the high-molecular weight fructan isolated from garlic (*Allium sativum* L.) 177

## Fructose

*c*,*T*-Dependence of the viscosity and the self-diffusion coefficients in some aqueous carbohydrate solutions 561

## Fuc-TVII

Systematic synthesis of sulfated sialyl-α-(2 → 3)-neolactotetraose derivatives and their acceptor specificity for an α-(1 → 3)-fucosyltransferase (Fuc-TVII) involved in the biosynthesis of L-selectin ligand 85

## Furanose derivatives of 3-deoxy-2-hexulosonic acid

Synthesis of furanose derivatives of 3-deoxy-D-erythro-2-hexulosonic acid and their 3-bromo and 3-deuterio analogs 605

## Galactinol

Molecular and crystal structure of galactinol dihydrate [1-*O*-(α-D-galactopyranosyl)-*myo*-inositol dihydrate] 241

## Galactosides

Novobiocin-related compounds: synthesis of 3-benzoylamino-2-oxo-2*H*-1-benzopyran-7-yl D-glycopyranosides by the trichloroacetimidate methodology 591

## Galactosyl cyclitol

Molecular structure of fagopyritol A1 (*O*-α-D-galactopyranosyl-(1 → 3)-D-*chiro*-inositol) by NMR 623

## α-Galactosyl epitopes

Total synthesis of the natural antigen involved in the hyperacute rejection response to xenotransplants 459

## Galactosyltransferase

Phorbol ester treatment of HL 60 leukemia cells results in increase of β-(1 → 4)-galactosyltransferase 301

## α-Galactosyl trimannoside

Synthesis of galactosyl and lactosyl derivatives as potential anti-metastasis compounds 611

## Ganglioside GM3

The total synthesis of ganglioside GM3 489

## Gel electrophoresis

The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis 77

## Gel formation

Oxidative cross-linking of pectic polysaccharides from sugar beet pulp 199

## Genus-specific antigen

Occurrence of  $[\rightarrow 3)\text{-}\beta\text{-D-Manp-(1}\rightarrow 4)\text{-}\beta\text{-D-Manp-(1}\rightarrow ]_n$  units in the antigenic polysaccharides from *Leptospira biflexa* serovar patoc strain Patoc I 517

## Glass

A dielectric analysis of liquid and glassy solid glucose/water solutions 573

## GLC–mass spectrometry

Characterisation of the substituent distribution in hydroxypropylated potato amylopectin starch 365

## Glucals

Selective formation of C-2 azidodeoxy-D-glucose derivatives from D-glucal precursors using the azidonitration reaction 61

## Glucan phosphate

Structural characterization of  $\beta\text{-D-(1}\rightarrow 3, 1\rightarrow 6)\text{-linked}$  glucans using NMR spectroscopy 331

## Glucose

A dielectric analysis of liquid and glassy solid glucose/water solutions 573

## Glucosides

Novobiocin-related compounds: synthesis of 3-benzoylamino-2-oxo-2*H*-1-benzopyran-7-yl D-glycopyranosides by the trichloroacetimidate methodology 591

## Glucosylation

Highly stereoselective  $\alpha\text{-O-glucosylation}$  of heterocyclic ketene aminals 253

## Glycogen

A wide diversity of sulfated polysaccharides are synthesized by different species of marine sponges 209

## Glycoprotein

Synthesis of a novel asparagine-linked heptasaccharide structure via *p*-methoxybenzyl-assisted  $\beta\text{-mannosylation}$  263

## Glycosidase inhibitors

A general approach to the synthesis of dideoxy and trideoxy-iminoalditols from  $\beta\text{-D-glycosides}$  467

## Glycosphingolipid

Total synthesis of the natural antigen involved in the hyperacute rejection response to xenotransplants 459

## Glycosphingolipids

Total synthesis of  $\alpha\text{-galactosyl cerebroside}$  95

## Glycosylation

Phorbol ester treatment of HL 60 leukemia cells results in increase of  $\beta\text{-(1}\rightarrow 4)\text{-galactosyltransferase}$  301

Synthesis of galactosyl and lactosyl derivatives as potential antimetastasis compounds 611

The synthesis of diosgenyl 2-amino-2-deoxy- $\beta\text{-D-glucopyranoside}$  hydrochloride 249

Total synthesis of  $\alpha\text{-galactosyl cerebroside}$  95

## Glycosyl chloride

A convenient synthesis of glycosyl chlorides from sugar hemiacetals using triphosgene as the chlorine source 431

## Glycosyltransferase

Polymer-supported and chemoenzymatic synthesis of the *Neisseria meningitidis* pentasaccharide: a methodological comparison 3

## Gulose

Syntheses of four D- and L-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17

 $^1\text{H}$  and  $^{13}\text{C}$  NMR

Selective oxidation of primary alcohol groups of  $\beta\text{-cyclodextrin}$  mediated by 2,2,6,6-tetramethylpiperidine-1-oxyl radical

(TEMPO) 585

 $^1\text{H}$  and  $^{13}\text{C}$  NMR structural study

Determination of substituents distribution in carboxymethylpullulans by NMR spectroscopy 343

## Helix–coil transition

The phase transformations in starch during gelatinisation: a liquid crystalline approach 165

Heptakis(2,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose

Crystal structures of heptakis(2,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose, heptakis(2-*O*-methyl-3,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose and heptakis(2-*O*-methyl)cyclomaltoheptaose 217

Heptakis(2-*O*-methyl)cyclomaltoheptaose

Crystal structures of heptakis(2,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose, heptakis(2-*O*-methyl-3,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose and heptakis(2-*O*-methyl)cyclomaltoheptaose 217

Heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)- $\beta\text{-cyclodextrin}$ 

Synthesis and analytical characterization of the sodium salt of heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)cyclomaltoheptaose, a chiral resolving agent candidate for capillary electrophoresis 277

Heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)cyclomaltoheptaose

Synthesis and analytical characterization of the sodium salt of heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)cyclomaltoheptaose, a chiral resolving agent candidate for capillary electrophoresis 277

Heptakis(2-*O*-methyl-3,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose

Crystal structures of heptakis(2,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose, heptakis(2-*O*-methyl-3,6-di-*O-tert*-butyldimethylsilyl)cyclomaltoheptaose and heptakis(2-*O*-methyl)cyclomaltoheptaose 217

## Hesperetin

Acid-catalyzed hydrolysis of hesperidin at elevated temperatures 141

## Hesperetin-7-glucoside

Acid-catalyzed hydrolysis of hesperidin at elevated temperatures 141

## Hesperidin

Acid-catalyzed hydrolysis of hesperidin at elevated temperatures 141

## Heterocyclic ketene aminal

Highly stereoselective  $\alpha\text{-O-glucosylation}$  of heterocyclic ketene aminals 253

## Heterocyclization

Behavior of free sugar thiosemicarbazones toward heterocyclization reactions 481

## HL 60 cells

Phorbol ester treatment of HL 60 leukemia cells results in increase of  $\beta\text{-(1}\rightarrow 4)\text{-galactosyltransferase}$  301

## Homogalacturonan

Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp 185

## Host–guest complex

Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl- $\beta\text{-cyclodextrin}$  with steric and hydrophobicity parameters 635

## HPAEC-PAD

Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD 375

## Hydantoins

Preparation and structure determination of two sugar amino acids via corresponding hydantoin derivatives 115

## Hydrogen bonding

Crystal structure of octakis(2,3,6-tri-*O*-methyl)- $\gamma\text{-cyclodextrin}\cdot 4.5\text{H}_2\text{O}$ : evidence for conformational flexibility of permethylated cyclodextrins 399

- Hydrogen bonding energy  
Infrared spectra and hydrogen bonding of pentitols and pyranosides at 20 to 300 K 307
- Hydrolysis  
Determination of substituents distribution in carboxymethylpullulans by NMR spectroscopy 343
- Hydrophobicity  
Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl- $\beta$ -cyclodextrin with steric and hydrophobicity parameters 635
- Hydroxypropylated starch  
Characterisation of the substituent distribution in hydroxypropylated potato amylopectin starch 365
- Hydroxypropyl- $\beta$ -cyclodextrin  
Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl- $\beta$ -cyclodextrin with steric and hydrophobicity parameters 635
- Hydroxy protons, NMR  
Hydroxy protons in conformational study of a Lewis b tetrasaccharide derivative in aqueous solution by NMR spectroscopy 409
- 1'-Hydroxy sucrose  
Preparation of sucrose heptaesters unsubstituted at the C-1 hydroxy group of the fructose moiety via selective *O*-desilylation 419
- 1,5-Imino-1,5-dideoxy alditols  
A general approach to the synthesis of dideoxy and trideoxy-iminoalditols from  $\beta$ -D-glycosides 467
- 1,5-Imino-1,5,6-trideoxy alditols  
A general approach to the synthesis of dideoxy and trideoxy-iminoalditols from  $\beta$ -D-glycosides 467
- Immunostimulant activity  
Synthesis of the HSA-conjugate of the *S*-linked thiomimetic of the branched tetrasaccharide repeating unit of the immunostimulant polysaccharide, schizophyllan. Evaluation as potential immunomodulator 71
- Inclusion complexes  
Crystal structure of octakis(2,3,6-tri-*O*-methyl)- $\gamma$ -cyclodextrin-4.5 H<sub>2</sub>O: evidence for conformational flexibility of permethylated cyclodextrins 399
- Inclusion compound  
The crystal structure of the 1:1 complex of  $\beta$ -cyclodextrin with *trans*-cinnamic acid 135
- Infrared spectra  
Infrared spectra and hydrogen bonding of pentitols and pyranosides at 20 to 300 K 307
- Intramolecular aglycon delivery  
Synthesis of a novel asparagine-linked heptasaccharide structure via *p*-methoxybenzyl-assisted  $\beta$ -mannosylation 263
- Isoamylase  
Enzyme modification of starch granules: formation and retention of cyclomaltodextrins inside starch granules by reaction of cyclomaltodextrin glucanotransferase with solid granules 509
- Kdn2en mimetics  
Rapid access to uronic acid-based mimetics of Kdn2en from D-glucurono-6,3-lactone 445
- Kinetics  
Bromide-free TEMPO-mediated oxidation of primary alcohol groups in starch and methyl  $\alpha$ -D-glucopyranoside 355
- $\beta$ -Lactosyl trimannoside  
Synthesis of galactosyl and lactosyl derivatives as potential anti-metastasis compounds 611
- Leptospira biflexa*  
Occurrence of [ $\rightarrow$ 3)- $\beta$ -D-Manp-(1 $\rightarrow$ 4)- $\beta$ -D-Manp-(1 $\rightarrow$ )]<sub>n</sub> units in the antigenic polysaccharides from *Leptospira biflexa* serovar patoc strain Patoc I 517
- Leptospiral lipopolysaccharide  
Occurrence of [ $\rightarrow$ 3)- $\beta$ -D-Manp-(1 $\rightarrow$ 4)- $\beta$ -D-Manp-(1 $\rightarrow$ )]<sub>n</sub> units in the antigenic polysaccharides from *Leptospira biflexa* serovar patoc strain Patoc I 517
- Lettuce  
O-specific polysaccharide structure of the aqueous lipopolysaccharide fraction from *Xanthomonas campestris* pv. *vitiensis* strain 1839 435
- Lewis b, tetrasaccharide  
Hydroxy protons in conformational study of a Lewis b tetrasaccharide derivative in aqueous solution by NMR spectroscopy 409
- $\alpha$ -L-Fucosidase  
Enzymatic synthesis of fucose-containing disaccharides employing the partially purified  $\alpha$ -L-fucosidase from *Penicillium multicolor* 293
- $\alpha$ -L-Fucp-(1 $\rightarrow$ 3) linkage  
Enzymatic synthesis of fucose-containing disaccharides employing the partially purified  $\alpha$ -L-fucosidase from *Penicillium multicolor* 293
- Lipopolysaccharide  
O-specific polysaccharide structure of the aqueous lipopolysaccharide fraction from *Xanthomonas campestris* pv. *vitiensis* strain 1839 435  
Structure of an O-acetylated acidic O-specific polysaccharide of *Proteus vulgaris* O46 229  
The structure of the carbohydrate backbone of the core-lipid A region of the lipopolysaccharide from *Proteus vulgaris* serotype O25 533
- Liquid crystalline  
The phase transformations in starch during gelatinisation: a liquid crystalline approach 165
- L-selectin  
Systematic synthesis of sulfated sialyl- $\alpha$ -(2 $\rightarrow$ 3)-neolactotetraose derivatives and their acceptor specificity for an  $\alpha$ -(1 $\rightarrow$ 3)-fucosyltransferase (Fuc-TVII) involved in the biosynthesis of L-selectin ligand 85
- MALDI-TOF MS  
Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD 375
- $\beta$ -Manno glycoside  
Synthesis of a novel asparagine-linked heptasaccharide structure via *p*-methoxybenzyl-assisted  $\beta$ -mannosylation 263
- Mannose  
Syntheses of four D- and L-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17
- Mannosides  
Novobiocin-related compounds: synthesis of 3-benzoylamino-2-oxo-2H-1-benzopyran-7-yl D-glycopyranosides by the trichloroacetimidate methodology 591
- Marine sponge  
A wide diversity of sulfated polysaccharides are synthesized by different species of marine sponges 209
- Metal-ion induced <sup>13</sup>C NMR shifts ( $\Delta\delta$ )  
Interaction of saccharides with rare earth metal ions: synthesis and characterisation of Pr(III)- and Nd(III)-saccharide complexes 103
- Methanolysis  
Synthesis of furanose derivatives of 3-deoxy-D-erythro-2-hexulonic acid and their 3-bromo and 3-deuterio analogs 605
- Methyl  $\alpha$ -D-glucopyranoside  
Bromide-free TEMPO-mediated oxidation of primary alcohol groups in starch and methyl  $\alpha$ -D-glucopyranoside 355
- Methyl 2,3-O-isopropylidene-hexopyranoside-4-uloses  
Preparation and structure determination of two sugar amino acids via corresponding hydantoin derivatives 115
- Molecular motion  
A dielectric analysis of liquid and glassy solid glucose/water solutions 573

## Monosaccharide

Volumetric properties for the monosaccharide (D-xylose, D-arabinose, D-glucose, D-galactose)–NaCl–water systems at 298.15 K 383

## Monte Carlo simulation

Monte Carlo simulations of the chiral recognition of fenoprofen enantiomers by cyclomaltoheptaose ( $\beta$ -cyclodextrin) 393

*N*-Acetylhexosaminotols

NMR assignments for glucosylated and galactosylated *N*-acetylhexosaminotols: oligosaccharide alditols related to O-linked glycans from the protozoan parasite *Trypanosoma cruzi* 321

## NaCl

Volumetric properties for the monosaccharide (D-xylose, D-arabinose, D-glucose, D-galactose)–NaCl–water systems at 298.15 K 383

## Nano-probe NMR

Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD 375

*Neisseria meningitidis* LOS

Polymer-supported and chemoenzymatic synthesis of the *Neisseria meningitidis* pentasaccharide: a methodological comparison 3

## Nitrogen heterocycles

A general approach to the synthesis of dideoxy and trideoxyiminoalditols from  $\beta$ -D-glycosides 467

## NMR

Characterisation of the high-molecular weight fructan isolated from garlic (*Allium sativum* L.) 177

The phase transformations in starch during gelatinisation: a liquid crystalline approach 165

## NMR spectroscopy

Structural characterization of  $\beta$ -D-(1 $\rightarrow$ 3, 1 $\rightarrow$ 6)-linked glucans using NMR spectroscopy 331

Studies on the structure of a lithium-treated soybean pectin: characteristics of the fragments and determination of the carbohydrate substituents of galacturonic acid 539

## Nojirimycin

A general approach to the synthesis of dideoxy and trideoxyiminoalditols from  $\beta$ -D-glycosides 467

*Nocton*

The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis 77

*N*<sup>ε</sup>-[(*R*)-1-Carboxyethyl]-L-lysine

Isolation using triflic acid solvolysis and identification of *N*<sup>ε</sup>-[(*R*)-1-carboxyethyl]-*N*<sup>ε</sup>-(D-galacturonoyl)-L-lysine as a component of the O-specific polysaccharide of *Proteus mirabilis* O13 441

## O-Acetylation

Structure of an O-acetylated acidic O-specific polysaccharide of *Proteus vulgaris* O46 229

Octakis(2,3,6-tri-*O*-methyl)- $\gamma$ -CD

Crystal structure of octakis(2,3,6-tri-*O*-methyl)- $\gamma$ -cyclodextrin-4.5 H<sub>2</sub>O: evidence for conformational flexibility of permethylated cyclodextrins 399

## O-Glycans

NMR assignments for glucosylated and galactosylated *N*-acetylhexosaminotols: oligosaccharide alditols related to O-linked glycans from the protozoan parasite *Trypanosoma cruzi* 321

## O-Glycosylation

Total synthesis of the natural antigen involved in the hyperacute rejection response to xenotransplants 459

## Oligogalacturonate

Observations on the crystallization of oligogalacturonates 235

## Oligosaccharide

Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD 375

The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis 77

## Oligosaccharides

New derivatives of reducing oligosaccharides and their use in enzymatic reactions: efficient synthesis of sialyl Lewis x and sialyl dimeric Lewis x glycoconjugates 525

## O-specific polysaccharide

Isolation using triflic acid solvolysis and identification of *N*<sup>ε</sup>-[(*R*)-1-carboxyethyl]-*N*<sup>ε</sup>-(D-galacturonoyl)-L-lysine as a component of the O-specific polysaccharide of *Proteus mirabilis* O13 441

## O-Specific polysaccharide, structure

Structure of an O-acetylated acidic O-specific polysaccharide of *Proteus vulgaris* O46 229

6-*O*-Sulfo sialyl Le<sup>x</sup>, sulfated sialyl- $\alpha$ -(2 $\rightarrow$ 3)-neolactotetraose

Systematic synthesis of sulfated sialyl- $\alpha$ -(2 $\rightarrow$ 3)-neolactotetraose derivatives and their acceptor specificity for an  $\alpha$ -(1 $\rightarrow$ 3)-fucosyltransferase (Fuc-TVII) involved in the biosynthesis of L-selectin ligand 85

## Oxazolidine

Anomeric effects in non-carbohydrate compounds: conformational differences between the oxazolidine rings of a cis-fused bicyclic system 127

## Oxidation

Bromide-free TEMPO-mediated oxidation of primary alcohol groups in starch and methyl  $\alpha$ -D-glucopyranoside 355

## Oxidative cross-linking

Oxidative cross-linking of pectic polysaccharides from sugar beet pulp 199

## Palladium

Cu, Pt, and Pd complexes of the 3-deoxy-1,2-bis(thiosemicarbazone) derived from D-glucose 425

## Parasite mucins

NMR assignments for glucosylated and galactosylated *N*-acetylhexosaminotols: oligosaccharide alditols related to O-linked glycans from the protozoan parasite *Trypanosoma cruzi* 321

## Pectin

Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp 185

CP-MAS NMR analysis of carbohydrate fractions of soybean hulls and endosperm 549

Observations on the crystallization of oligogalacturonates 235

Oxidative cross-linking of pectic polysaccharides from sugar beet pulp 199

Studies on the structure of a lithium-treated soybean pectin: characteristics of the fragments and determination of the carbohydrate substituents of galacturonic acid 539

*Penicillium multicolor*

Enzymatic synthesis of fucose-containing disaccharides employing the partially purified  $\alpha$ -L-fucosidase from *Penicillium multicolor* 293

## pH influence

Behavior of free sugar thiosemicarbazones toward heterocyclization reactions 481

## Phytopathogen

O-specific polysaccharide structure of the aqueous lipopolysaccharide fraction from *Xanthomonas campestris* pv. *vitiensis* strain 1839 435

## Phytosphingosine

Total synthesis of  $\alpha$ -galactosyl cerebroside 95

## Platinum

Cu, Pt, and Pd complexes of the 3-deoxy-1,2-bis(thiosemicarbazone) derived from D-glucose 425

*Pleurotus tuber-regium*

A  $\beta$ -D-glucan from the sclerotia of *Pleurotus tuber-regium* (Fr.) Sing 629

- Polymer-supported synthesis  
Polymer-supported and chemoenzymatic synthesis of the *Neisseria meningitidis* pentasaccharide: a methodological comparison 3
- Polysaccharide derivatives  
Determination of substituents distribution in carboxymethylpullulans by NMR spectroscopy 343
- Polysaccharides  
Preparation of mixed 10-undecenyl/phenylaminocarbonyl or benzoyl derivatives of chitosan 617
- Polysaccharide, structural studies  
A  $\beta$ -D-glucan from the sclerotia of *Pleurotus tuber-regium* (Fr.) Sing 629
- Potato amylopectin starch  
Characterisation of the substituent distribution in hydroxypropylated potato amylopectin starch 365
- Pr(III)–saccharide complexes, Nd(III)–saccharide complexes  
Interaction of saccharides with rare earth metal ions: synthesis and characterisation of Pr(III)– and Nd(III)–saccharide complexes 103
- Primary alcohol oxidation  
Selective oxidation of primary alcohol groups of  $\beta$ -cyclodextrin mediated by 2,2,6,6-tetramethylpiperidine-1-oxyl radical (TEMPO) 585
- Proteus*  
The structure of the carbohydrate backbone of the core–lipid A region of the lipopolysaccharide from *Proteus vulgaris* serotype O25 533
- Proteus mirabilis*  
Isolation using triflic acid solvolysis and identification of  $N^{\epsilon}$ -[(*R*)-1-carboxyethyl]- $N^{\alpha}$ -(D-galacturonoyl)-L-lysine as a component of the O-specific polysaccharide of *Proteus mirabilis* O13 441
- Proteus vulgaris*  
Structure of an O-acetylated acidic O-specific polysaccharide of *Proteus vulgaris* O46 229
- Pullulan  
Determination of substituents distribution in carboxymethylpullulans by NMR spectroscopy 343
- Quantitative structure–property relationship  
Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl- $\beta$ -cyclodextrin with steric and hydrophobicity parameters 635
- Rare earth metal ions  
Interaction of saccharides with rare earth metal ions: synthesis and characterisation of Pr(III)– and Nd(III)–saccharide complexes 103
- Reaction with raw starch  
Enzyme modification of starch granules: formation and retention of cyclomaltodextrins inside starch granules by reaction of cyclomaltodextrin glucanotransferase with solid granules 509
- Red shift  
Infrared spectra and hydrogen bonding of pentitols and pyranosides at 20 to 300 K 307
- Reductive cleavage  
Characterisation of the high-molecular weight fructan isolated from garlic (*Allium sativum* L.) 177
- Rhamnan  
O-specific polysaccharide structure of the aqueous lipopolysaccharide fraction from *Xanthomonas campestris* pv. *vitiensis* strain 1839 435
- Rhamnogalacturonan  
Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp 185  
Oxidative cross-linking of pectic polysaccharides from sugar beet pulp 199
- Rhamnose  
Acid-catalyzed hydrolysis of hesperidin at elevated temperatures 141
- (25*R*)-Spirost-5-en-3 $\beta$ -ol  
The synthesis of diosgenyl 2-amino-2-deoxy- $\beta$ -D-glucopyranoside hydrochloride 249
- Saccharides  
Interaction of saccharides with rare earth metal ions: synthesis and characterisation of Pr(III)– and Nd(III)–saccharide complexes 103
- Schizophyllan tetrasaccharide repeating unit  
Synthesis of the HSA-conjugate of the *S*-linked thiomimetic of the branched tetrasaccharide repeating unit of the immunostimulant polysaccharide, schizophyllan. Evaluation as potential immunomodulator 71
- Scleroglucan  
Structural characterization of  $\beta$ -D-(1 $\rightarrow$ 3, 1 $\rightarrow$ 6)-linked glucans using NMR spectroscopy 331
- Seed  
Molecular structure of fagopyritol A1 (*O*- $\alpha$ -D-galactopyranosyl-(1 $\rightarrow$ 3)-D-*chiro*-inositol) by NMR 623
- Selective cleavage  
Structure of an O-acetylated acidic O-specific polysaccharide of *Proteus vulgaris* O46 229
- Selective (de)silylation  
Preparation of sucrose heptaesters unsubstituted at the C-1 hydroxy group of the fructose moiety via selective *O*-desilylation 419
- Sialyl donor  
A convergent synthesis of trisaccharides with  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -D-Gal-(1 $\rightarrow$ 4)- $\beta$ -D-GlcNAc and  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -D-Gal-(1 $\rightarrow$ 3)- $\alpha$ -D-GalNAc sequences 147
- Sialyltransferase  
The total synthesis of ganglioside GM3 489
- Single isomer chiral resolving agent  
Synthesis and analytical characterization of the sodium salt of heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)cyclomaltoheptaose, a chiral resolving agent candidate for capillary electrophoresis 277
- S*-Linked thioanalogue  
Synthesis of the HSA-conjugate of the *S*-linked thiomimetic of the branched tetrasaccharide repeating unit of the immunostimulant polysaccharide, schizophyllan. Evaluation as potential immunomodulator 71
- Solubility  
Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl- $\beta$ -cyclodextrin with steric and hydrophobicity parameters 635
- Soybean  
CP-MAS NMR analysis of carbohydrate fractions of soybean hulls and endosperm 549
- Spiroketal derivative  
The conversion of 3-*C*- $\beta$ -D-galactopyranosyl phloracetophenone to a spiroketal derivative 599
- Starch  
Bromide-free TEMPO-mediated oxidation of primary alcohol groups in starch and methyl  $\alpha$ -D-glucopyranoside 355  
The phase transformations in starch during gelatinisation: a liquid crystalline approach 165
- Starch granules  
Enzyme modification of starch granules: formation and retention of cyclomaltodextrins inside starch granules by reaction of cyclomaltodextrin glucanotransferase with solid granules 509
- Stereoselective  
Synthesis of a novel asparagine-linked heptasaccharide structure via *p*-methoxybenzyl-assisted  $\beta$ -mannosylation 263
- Stereoselective synthesis  
Novobiocin-related compounds: synthesis of 3-benzoylamino-2-oxo-2*H*-1-benzopyran-7-yl D-glycopyranosides by the trichloroacetimidate methodology 591
- Steric fit  
Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl- $\beta$ -cyclodextrin with steric and hydrophobicity parameters 635

## Structural analysis, lithium degradation

Studies on the structure of a lithium-treated soybean pectin: characteristics of the fragments and determination of the carbohydrate substituents of galacturonic acid 539

## Structure

Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD 375

Isolation using triflic acid solvolysis and identification of  $N^{\epsilon}$ -[(*R*)-1-carboxyethyl]- $N^{\alpha}$ -(*D*-galacturonoyl)-L-lysine as a component of the O-specific polysaccharide of *Proteus mirabilis* O13 441

## Substituent distribution

Characterisation of the substituent distribution in hydroxypropylated potato amylopectin starch 365

## Sucrose

Preparation of sucrose heptaesters unsubstituted at the C-1 hydroxy group of the fructose moiety via selective *O*-desilylation 419

## Sucrose heptaester

Preparation of sucrose heptaesters unsubstituted at the C-1 hydroxy group of the fructose moiety via selective *O*-desilylation 419

## Sugar amino acids

Preparation and structure determination of two sugar amino acids via corresponding hydantoin derivatives 115

## Sugar beet pulp

Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp 185

Oxidative cross-linking of pectic polysaccharides from sugar beet pulp 199

## Sugar hemiacetal

A convenient synthesis of glycosyl chlorides from sugar hemiacetals using triphosgene as the chlorine source 431

## Sugar lactone

Syntheses of four *D*- and *L*-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17

## Sugar thiadiazolines

Behavior of free sugar thiosemicarbazones toward heterocyclization reactions 481

## Sugar thiosemicarbazones

Behavior of free sugar thiosemicarbazones toward heterocyclization reactions 481

## Sulfated arabinose

A wide diversity of sulfated polysaccharides are synthesized by different species of marine sponges 209

## Sulfated fucose

A wide diversity of sulfated polysaccharides are synthesized by different species of marine sponges 209

## Sulfated polysaccharide

A wide diversity of sulfated polysaccharides are synthesized by different species of marine sponges 209

## Sulfenamides

A one-pot synthesis of novel *N,N*-dialkyl-*S*-glycosylsulfenamides 287

## Sulfur-linked thiotetrasaccharide conjugate

Synthesis of the HSA-conjugate of the *S*-linked thiomimetic of the branched tetrasaccharide repeating unit of the immunostimulant polysaccharide, schizophyllan. Evaluation as potential immunomodulator 71

## Surface plasmon resonance

Studies on the structure of a lithium-treated soybean pectin: characteristics of the fragments and determination of the carbohydrate substituents of galacturonic acid 539

## Synthesis

A one-pot synthesis of novel *N,N*-dialkyl-*S*-glycosylsulfenamides 287

Highly stereoselective  $\alpha$ -*O*-glucosylation of heterocyclic ketene aminals 253

Synthesis of galactosyl and lactosyl derivatives as potential anti-metastasis compounds 611

Total synthesis of  $\alpha$ -galactosyl cerebroside 95

Total synthesis of the natural antigen involved in the hyperacute rejection response to xenotransplants 459

## Talose

Syntheses of four *D*- and *L*-hexoses via diastereoselective and enantioselective dihydroxylation reactions 17

## Tautomerization

Enzymatic synthesis of UDP-(3-deoxy-3-fluoro)-*D*-galactose and UDP-(2-deoxy-2-fluoro)-*D*-galactose and substrate activity with UDP-galactopyranose mutase 473

## TEMPO

Bromide-free TEMPO-mediated oxidation of primary alcohol groups in starch and methyl  $\alpha$ -*D*-glucopyranoside 355

## TEMPO oxidation

Selective oxidation of primary alcohol groups of  $\beta$ -cyclodextrin mediated by 2,2,6,6-tetramethylpiperidine-1-oxyl radical (TEMPO) 585

Tetrahydrospiro{benzofuran-2(3*H*), 2'-[2*H*]pyran}

The conversion of 3-*C*- $\beta$ -*D*-galactopyranosyl phloracetophenone to a spiroketal derivative 599

## Thioglycoside

Rapid access to uronic acid-based mimetics of Kdn2en from *D*-glucurono-6,3-lactone 445

## Tin, promoter

Hydrogenation of fructose on Ru/C catalysts 449

*trans*-Cinnamic acid

The crystal structure of the 1:1 complex of  $\beta$ -cyclodextrin with *trans*-cinnamic acid 135

## Transglycosylation

Enzymatic synthesis of fucose-containing disaccharides employing the partially purified  $\alpha$ -*L*-fucosidase from *Penicillium multicolor* 293

## Trichloroacetimidate

The total synthesis of ganglioside GM3 489

## Trichloroacetimidates

Total synthesis of  $\alpha$ -galactosyl cerebroside 95

## Triflic acid solvolysis

Isolation using triflic acid solvolysis and identification of  $N^{\epsilon}$ -[(*R*)-1-carboxyethyl]- $N^{\alpha}$ -(*D*-galacturonoyl)-L-lysine as a component of the O-specific polysaccharide of *Proteus mirabilis* O13 441

Structure of an O-acetylated acidic O-specific polysaccharide of *Proteus vulgaris* O46 229

## Triphosgene

A convenient synthesis of glycosyl chlorides from sugar hemiacetals using triphosgene as the chlorine source 431

## Trisaccharide

A convergent synthesis of trisaccharides with  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -*D*-Gal-(1 $\rightarrow$ 4)- $\beta$ -*D*-GlcNAc and  $\alpha$ -Neu5Ac-(2 $\rightarrow$ 3)- $\beta$ -*D*-Gal-(1 $\rightarrow$ 3)- $\alpha$ -*D*-GalNAc sequences 147

*Trypanosoma cruzi*

NMR assignments for glucosylated and galactosylated *N*-acetylhexosaminotols: oligosaccharide alditols related to O-linked glycans from the protozoan parasite *Trypanosoma cruzi* 321

## UDP-(2-deoxy-2-fluoro)-galactose

Enzymatic synthesis of UDP-(3-deoxy-3-fluoro)-*D*-galactose and UDP-(2-deoxy-2-fluoro)-*D*-galactose and substrate activity with UDP-galactopyranose mutase 473

## UDP-galactopyranose mutase

Enzymatic synthesis of UDP-(3-deoxy-3-fluoro)-*D*-galactose and UDP-(2-deoxy-2-fluoro)-*D*-galactose and substrate activity with UDP-galactopyranose mutase 473

## UDP-sugars

Enzymatic synthesis of UDP-(3-deoxy-3-fluoro)-*D*-galactose and UDP-(2-deoxy-2-fluoro)-*D*-galactose and substrate activity with UDP-galactopyranose mutase 473



Uridine 5' - (3 - deoxy - 3 - fluoro - D - galactopyranosyl diphosphate)  
 Enzymatic synthesis of UDP-(3-deoxy-3-fluoro)-D-galactose and  
 UDP-(2-deoxy-2-fluoro)-D-galactose and substrate activity with  
 UDP-galactopyranose mutase 473

#### $\Delta^4$ -Uronic acids

Rapid access to uronic acid-based mimetics of Kdn2en from D-glu-  
 curono-6,3-lactone 445

#### Vinylfuran

Syntheses of four D- and L-hexoses via diastereoselective and enan-  
 tioselective dihydroxylation reactions 17

#### Viscosity

Oxidative cross-linking of pectic polysaccharides from sugar beet  
 pulp 199

#### Volumetric interaction parameter

Volumetric properties for the monosaccharide (D-xylose, D-ara-  
 binose, D-glucose, D-galactose)–NaCl–water systems at 298.15  
 K 383

#### Water

A dielectric analysis of liquid and glassy solid glucose/water solu-  
 tions 573

#### Water, self-diffusion, viscosity

*c*, *T*-Dependence of the viscosity and the self-diffusion coefficients  
 in some aqueous carbohydrate solutions 561

#### *Xanthomonas*

O-specific polysaccharide structure of the aqueous lipopolysaccha-  
 ride fraction from *Xanthomonas campestris* pv. *vitians* strain  
 1839 435

#### Xenotransplantation

Total synthesis of the natural antigen involved in the hyperacute re-  
 jection response to xenotransplants 459

#### X-ray

The phase transformations in starch during gelatinisation: a liquid  
 crystalline approach 165

#### X-ray analysis

Preparation and structure determination of two sugar amino acids  
 via corresponding hydantoin derivatives 115

#### X-ray crystal structure

Crystal structures of heptakis(2,6-di-*O*-*tert*-butyldimethylsilyl)-  
 cyclomaltoheptaose, heptakis(2-*O*-methyl-3,6-di-*O*-*tert*-butyldime-  
 thylsilyl)cyclomaltoheptaose and heptakis(2-*O*-methyl)cyclo-  
 maltoheptaose 217

#### X-ray diffraction

Molecular and crystal structure of galactinol dihydrate [1-*O*-( $\alpha$ -D-  
 galactopyranosyl)-*myo*-inositol dihydrate] 241

#### X-ray structure

Anomeric effects in non-carbohydrate compounds: conformational  
 differences between the oxazolidine rings of a cis-fused bicyclic sys-  
 tem 127

#### Xyloglucan

Characterization of arabinose and ferulic acid rich pectic polysac-  
 charides and hemicelluloses from sugar beet pulp 185