
Contents of Volume 329

Rapid Communication

- M. Dolores Díaz, Stefan Berger (Leipzig, Germany) 1 Studies of the complexation of sugars by diffusion-ordered NMR spectroscopy

Full papers

- Heidi J. Rosenberg, Andrew M. Riley (Bath, UK),
Vanessa Correa, Colin W. Taylor (Cambridge, UK),
Barry V.L. Potter (Bath, UK) 7 C-Glycoside based mimics of D-*myo*-inositol 1,4,5-trisphosphate
- Yuguo Du, Qingfeng Pan, Fanzuo Kong (Beijing, PR
China) 17 An efficient and concise regioselective synthesis of α -(1 $\rightarrow$ 5)-linked L-arabinofura-
nosyl oligosaccharides
- Éva Bozó, Adél Medgyes, Sándor Boros, János Kusz-
mann (Budapest, Hungary) 25 Synthesis of 4-substituted phenyl 2,5-anhydro-1,6-dithio- α -D-glucosyl- and - α -L-gu-
loseptanosides possessing antithrombotic activity
- Patricia A.M. Williams, Susana B. Etcheverry, En-
rique J. Baran (La Plata, Argentina) 41 Characterization of new oxovanadium(IV) complexes of saccharides
- Jörgen Ohlsson, Göran Magnusson (Lund, Sweden) 49 Galabiosyl donors; efficient synthesis from 1,2,3,4,6-penta-*O*-acetyl- β -D-galactopy-
ranose
- Peter Degn, Kim L. Larsen (Aalborg, Denmark),
Jens Ø. Duus, Bent O. Petersen (Valby, Denmark),
Wolfgang Zimmermann (Aalborg, Denmark) 57 Two-step enzymatic synthesis of maltooligosaccharide esters
- Petra Spangenberg, Corinne André, Michel Dion,
Claude Rabiller (Nantes, France), Ralf Mattes
(Stuttgart, Germany) 65 Comparative study of new α -galactosidases in transglycosylation reactions
- Willemiek H.M. van Casteren, Mirjana Eimermann,
Lambertus A.M. van den Broek, Jean-Paul Vincken,
Henk A. Schols, Alphons G.J. Voragen (Wageningen,
The Netherlands) 75 Purification and characterisation of a β -galactosidase from *Aspergillus aculeatus*
with activity towards (modified) exopolysaccharides from *Lactococcus lactis* subsp.
cremoris B39 and B891
- Fabiana Sussich, Attilio Cesàro (Trieste, Italy) 87 The kinetics of periodate oxidation of carbohydrates: a calorimetric approach
- Lene Duedahl-Olesen (Aalborg, Denmark), Karsten
Matthias Kragh (Brabrand, Denmark), Wolfgang
Zimmermann (Aalborg, Denmark) 97 Purification and characterisation of a malto-oligosaccharide-forming amylase active
at high pH from *Bacillus clausii* BT-21
- Lene Duedahl-Olesen, Lars Haastrup Pedersen, Kim
Lambertsen Larsen (Aalborg, Denmark) 109 Suitability and limitations of methods for characterisation of activity of malto-
oligosaccharide-forming amylases
- Mario A. Monteiro (Ottawa, Canada), Durda Slavic
(Guelph, Canada), Frank St. Michael, Jean-Robert
Brisson (Ottawa, Canada), Janet I. MacInnes
(Guelph, Canada), Malcolm B. Perry (Ottawa,
Canada) 121 The first description of a (1 $\rightarrow$ 6)- β -D-glucan in prokaryotes: (1 $\rightarrow$ 6)- β -D-glucan is a
common component of *Actinobacillus suis* and is the basis for a serotyping system
- Bruce Coxon (Gaithersburg, MD, USA) 131 Boat conformations. Analysis and simulation of the complex ^1H NMR spectrum of
methyl 2,6:3,4-dianhydro- α -D-altropyranoside
- Céline Monteiro, Sandrine Neyret, Jade Leforestier,
Catherine Hervé du Penhoat (Grenoble, France) 141 Solution conformation of various uridine diphosphoglucose salts as probed by
NMR spectroscopy

- Rosa Erra-Balsells, Adriana A. Kolender, María C. Matulewicz (Buenos Aires, Argentina), Hiroshi Nonami (Matsuyama, Japan), Alberto S. Cerezo (Buenos Aires, Argentina) 157 Matrix-assisted ultraviolet laser-desorption ionization time-of-flight mass spectrometry of sulfated mannans from the red seaweed *Nothogenia fastigiata*
- Warren C. Kett, Michael Batley, John W. Redmond (North Ryde, Australia) 169 Heterocyclic derivatives of sugars: the formation of 1-glycosyl-3-methylpyrazol-5-ones from hydrazones
- Stefan Kasapis, Shyam S. Sablani (Al-Khod, Oman), Costas G. Biliaderis (Thessaloniki, Greece) 179 Dynamic oscillation measurements of starch networks at temperatures above 100 °C
- Cheryl M. El Hilali, Thomas A. Lamosse, Gary R. Gray (Minneapolis, MN, USA) 189 Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydrosorbitol
- Notes**
- José Parada, Sergio Bunel, Carmen Ibarra, Guillermo Larrazabal, Exequiel Moraga (Santiago, Chile), Nicholas D. Gillitt, Clifford A. Bunton (Santa Barbara, CA, USA) 195 Complexation of sucrose with cobalt(III)bis(phenanthroline)
- Yuliang Zhu, Fanzuo Kong (Beijing, PR China) 199 A facile synthesis of the tetrasaccharide repeating unit of mannoglucan from *Microellobosporia grisea*
- Driss Bouhlal (Kénitra, Morocco), Paul Godé, Gérard Goethals (Amiens, France), Mohamed Massoui (Kénitra, Morocco), Pierre Villa, Patrick Martin (Amiens, France) 207 Synthesis and amphiphilic properties of glycosyl-1,4-benzodiazepin-2,5-diones
- Serge David, Annie Malleron (Orsay, France) 215 The intermolecular migration of polyol stannylenes as a reaction contributing to the regioselectivity of substitution
- Jindřich Volc, Petr Sedmera, Petr Halada, Věra Přikrylová (Prague, Czech Republic), Dietmar Haltrich (Vienna, Austria) 219 Double oxidation of D-xylose to D-glycero-pentos-2,3-diulose (2,3-diketo-D-xylose) by pyranose dehydrogenase from the mushroom *Agaricus bisporus*
- Reine Eserstam (Huddinge, Sweden), Caroline Slater (Hull, UK), Per-Erik Jansson (Huddinge, Sweden), Göran Widmalm, Torgny Rundlöf (Stockholm, Sweden), Stephen G. Wilkinson (Hull, UK) 227 Structure of the acidic microcapsular glycan from the reference strain (C.D.C. 6320-58) for *Serratia marcescens* serotype O14:K12
- Joanna Kübler, Ewa Katzenellenbogen, Andrzej Gamian, Maria Bogulska (Wrocław, Poland), Andrzej Ejchart (Warsaw, Poland), Elzbieta Romanowska (Wrocław, Poland) 233 Structure of the lipopolysaccharide core region of *Hafnia alvei* strains 1185 and 1204
- Edwin. A. Yates, Francesco Santini, Barbara De Cristofano, Nathalie Payre, Cesare Cosentino, Marco Guerrini, Annamaria Naggi, Giangiacomo Torri, Miloš Hricovini (Milan, Italy) 239 Effect of substitution pattern on ¹H, ¹³C NMR chemical shifts and ¹J_{CH} coupling constants in heparin derivatives
- Anna Trynda, Janusz Madaj, Antoni Konitz, Andrzej Wiśniewski (Gdańsk, Poland) 249 X-Ray diffraction and high resolution NMR analysis of methyl D-glucopyranuronate derivatives
- Wenji Li, Shaoshun Li (Shanghai, PR China) 253 X-ray crystal structure analysis of 4,7,8,9-tetra-O-acetyl-N-acetyl-2,3-dehydro-2-deoxy-4-epi-neuraminic acid methyl ester
- iii Graphical Abstracts
- Full papers**
- Lars Andersson, Lennart Kenne (Uppsala, Sweden) 257 Lactones of methyl 3-O-[(R)- and (S)-1-carboxyethyl]-α-D-gluc-, galacto-, and manno-pyranosides
- Éva Bozó, Sándor Boros, László Párkányi, János Kuszmann (Budapest, Hungary) 269 Synthesis of 4-cyano- and 4-nitrophenyl 2,5-anhydro-1,6-dithio-α-D-gluc- and -α-L-guloseptanosides carrying different substituents at C-3 and C-4
- Arun K. Sarkar, Jillian R. Brown, Jeffrey D. Esko (La Jolla, CA, USA) 287 Synthesis and glycan priming activity of acetylated disaccharides
- Andrew Falshaw, Joanne B. Hart, Peter C. Tyler (Lower Hutt, New Zealand) 301 New syntheses of 1D- and 1L-1,2-anhydro-*myo*-inositol and assessment of their glycosidase inhibitory activities

- Anatoly Chernyak, Stefan Oscarson, Dominika Turek (Stockholm, Sweden) 309 Synthesis of the Lewis b hexasaccharide and squarate acid–HSA conjugates thereof with various saccharide loadings
- Anton Štimac, Jože Kobe (Ljubljana, Slovenia) 317 Stereoselective synthesis of 1,2-*cis*- and 2-deoxyglycofuranosyl azides from glycosyl halides
- Yoshihiko Kobayashi (Kawasaki, Japan), Tetsuro Ohgami, Katsura Ohtsuki (Yokohama, Japan), Tsutomu Tsuchiya (Kawasaki, Japan) 325 Synthesis of kanamycin A analogs containing a 6-amino-6-deoxyglycofuranose moiety
- Yuri E.M. van der Burgt (Utrecht, The Netherlands), Jack Bergsma, Ido P. Bleeker, Paul J.H.C. Mijland (Foxhol, The Netherlands), Anca van der Kerk-van Hoof, Johannis P. Kamerling, Johannes F.G. Vliegthart (Utrecht, The Netherlands) 341 FAB CIDMS/MS analysis of partially methylated maltotrioses derived from methylated amylose: a study of the substituent distribution
- Evgeny Vinogradov (Ottawa, Canada), Joanna Radziejewska-Lebrecht (Katowice, Poland) 351 The structure of the carbohydrate backbone of the core–lipid A region of the lipopolysaccharide from *Proteus mirabilis* serotype O28
- Jason P. Dworkin, Stanley L. Miller (La Jolla, CA, USA) 359 A kinetic estimate of the free aldehyde content of aldoses
- Antonio Senso, Pilar Franco (Barcelona, Spain), Laureano Oliveros (Paris, France), Cristina Minguilón (Barcelona, Spain) 367 Characterization of doubly substituted polysaccharide derivatives
- Yvonne M. Gunning, Roger Parker, Stephen G. Ring (Norwich, UK) 377 Diffusion of short chain alcohols from amorphous maltose–water mixtures above and below their glass transition temperature
- M. Luísa Ramos, M. Madalena Caldeira, Victor M.S. Gil (Coimbra, Portugal) 387 NMR study of the complexation of D-gulonic acid with tungsten(VI) and molybdenum(VI)
- Stefan Kasapis, Ahmed Al-Alawi, Nejib Guizani, Akhtar J. Khan (Al-Khod, Oman), John R. Mitchell (Loughborough, UK) 399 Viscoelastic properties of pectin–co-solute mixtures at iso-free-volume states
- Nabila Tbeur, Touria Rhallou (Mont-Saint-Aignan, France), Miloudi Hlaïbi (Casablanca, Morocco), Dominique Langevin, Michel Métayer, Jean-François Verchère (Mont-Saint-Aignan, France) 409 Molecular recognition of carbohydrates by a resorcinarene. Selective transport of alditols through a supported liquid membrane
- Claire J. Kedward, William MacNaughtan, John R. Mitchell (Loughborough, UK) 423 Isothermal and non-isothermal crystallization in amorphous sucrose and lactose at low moisture contents
- Notes
- Jean-Pierre Utille, Bernard Priem (Grenoble, France) 431 Synthesis of allyl 2-*O*-(α -L-arabinofuranosyl)-6-*O*-(α -D-mannopyranosyl)- β -D-mannopyranoside, a unique plant *N*-glycan motif containing arabinose
- Antonio Molinaro, Rosa Lanzetta, Anna Mancino (Naples, Italy), Antonio Evidente (Portici, Italy), Massimo Di Rosa, Angela Ianaro (Naples, Italy) 441 Immunostimulant (1 $\rightarrow$ 3)-D-glucans from the cell wall of *Cryphonectria parasitica* (Murr.) Barr strain 263
- Shu-Ling Lin, Sadako Inoue, Yasuo Inoue (Taipei, Taiwan) 447 Acid–base properties of the reaction product of sialic acid with fluorogenic reagent, 1,2-diamino-4,5-methylenedioxybenzene (DMB)
- Alexander S. Shashkov, Sof'ya N. Senchenkova, Evgeny V. Vinogradov, George V. Zatonsky, Yuriy A. Knirel (Moscow, Russia), Elzbieta Literacka, Wiesław Kaca (Łódź, Poland) 453 Full structure of the O-specific polysaccharide of *Proteus mirabilis* O24 containing 3,4-*O*-[(*S*)-1-carboxyethylidene]-D-galactose
- Adam Choma (Lublin, Poland), Piotr Sowiński (Gdańsk, Poland), Hubert Mayer (Freiburg-Zähringen, Germany) 459 Structure of the O-specific polysaccharide of *Mesorhizobium huakuii* IFO15243T
- Zhennai Yang (Helsinki, Finland), Mikael Staaf (Stockholm, Sweden), Eine Huttunen (Helsinki, Finland), Göran Widmalm (Stockholm, Sweden) 465 Structure of a viscous exopolysaccharide produced by *Lactobacillus helveticus* K16
- Tadashi Nakamura (Hokkaido, Japan), William A. Bubbs (Sydney, Australia), Tadao Saito (Miyagi, Japan), Ikichi Arai, Tadasu Urashima (Hokkaido, Japan) 471 An NMR study of the lactonization of α -N-acetylneuraminy-(2 $\rightarrow$ 3)-lactose

- Janusz Madaj (Cleveland, OH, USA), Yoko Nishikawa (Tokyo, Japan), V. Prakash Reddy, Peter Rinaldi (Cleveland, OH, USA), Tadao Kurata (Tokyo, Japan), Vincent M. Monnier (Cleveland, OH, USA) 477 6-Deoxy-6-fluoro-L-ascorbic acid: crystal structure and oxidative degradation

iii Graphical Abstracts

Full papers

- De Hua Huang, John M. Risley (Charlotte, NC, USA) 487 Synthesis of *N*⁴-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-L-asparagine analogues: Succinamide, L-2-hydroxysuccinamide, and L-2-hydroxysuccinamic acid hydrazide analogues
- Xingquan Ma, Biao Yu, Yongzheng Hui, Dong Xiao, Jian Ding (Shanghai, PR China) 495 Synthesis of glycosides bearing the disaccharide of OSW-1 or its 1→4-linked analogue and their antitumor activities
- Toshihiro Kumazawa, Tomomi Minatogawa, Shigeru Matsuba, Shingo Sato, Jun-ichi Onodera (Yamagata, Japan) 507 An effective synthesis of isoorientin: the regioselective synthesis of a 6-C-glucosylflavone
- Marcus A. Glomb, Christoph Pfahler (Berlin, Germany) 515 Synthesis of 1-deoxy-D-*erythro*-hexo-2,3-diulose, a major hexose Maillard intermediate
- Éva Bozó, Sándor Boros, János Kuzsman (Budapest, Hungary) 525 Synthesis of 4-substituted phenyl 3,6-anhydro-1,3-dithio-D-glucofuranosides and -pyranosides as well as 2,6-anhydro-1,2-dithio-α-D-altrofuranosides possessing antithrombotic activity
- Hoa D. Ly, Steven Howard, Kelly Shum, Shouming He (Vancouver, Canada), Alex Zhu (New York, NY, USA), Stephen G. Withers (Vancouver, Canada) 539 The synthesis, testing and use of 5-fluoro-α-D-galactosyl fluoride to trap an intermediate on green coffee bean α-galactosidase and identify the catalytic nucleophile
- Norbert Wimmer (Vienna, Austria), Helmut Brade (Borstel, Germany), Paul Kosma (Vienna, Austria) 549 Synthesis of neoglycoproteins containing D-*glycero*-D-*talo*-oct-2-ulopyranosylonic acid (Ko) ligands corresponding to core units from *Burkholderia* and *Acinetobacter* lipopolysaccharide
- Jie Xia, T. Srikrishnan, James L. Alderfer, R.K. Jain, Conrad F. Piskorz, Khushi L. Matta (Buffalo, NY, USA) 561 Chemical synthesis of sulfated oligosaccharides with a β-D-Gal-(1→3)-[β-D-Gal-(1→4)-(α-L-Fuc-(1→3)-β-D-GlcNAc-(1→6)]-α-D-GalNAc sequence
- Lili Kandra, Gyöngyi Gyémánt (Debrecen, Hungary) 579 Examination of the active sites of human salivary α-amylase (HSA)
- Berit H. Falch, Terje Espevik, Liv Ryan, Bjørn T. Stokke (Trondheim, Norway) 587 The cytokine stimulating activity of (1→3)-β-D-glucans is dependent on the triple helix conformation
- Kazuaki Harata (Ibaraki, Japan), Humitoshi Hirayama, Kaneto Uekama (Kumamoto, Japan) 597 Crystal structures of heptakis(2,6-di-*O*-ethyl)cyclomaltoheptaose [heptakis(2,6-di-*O*-ethyl)-β-cyclodextrin]. Solvent-regulated helical assembly of macrocycles
- Piet J.H. Daas, Henk A. Schols, Harmen H.J. de Jongh (Wageningen, The Netherlands) 609 On the galactosyl distribution of commercial galactomannans
- Robin Manelius (Turku, Finland), Alain Buléon (Nantes, France), Kari Nurmi (Raisio, Finland), Eric Bertoft (Turku, Finland) 621 The substitution pattern in cationised and oxidised potato starch granules
- Peter Capek, Marta Kubačková, Juraj Alföldi, Ladislav Bilisics, Desana Lišková, Daniela Kákoniová (Bratislava, Slovak Republic) 635 Galactoglucomannan from the secondary cell wall of *Picea abies* L. Karst
- Paola Cescutti (Trieste, Italy), Jean-Pierre Utille (Grenoble, France), Roberto Rizzo (Trieste, Italy) 647 Host–guest complex formation in cyclotrikis-(1→6)-[α-D-glucopyranosyl-(1→4)-β-D-glucopyranosyl]
- Gail M. Bradbrook, Katrin Gessler (Grenoble, France), Gregory L. Côté, Frank Momany (Peoria, IL, USA), Peter Biely (Bratislava, Slovakia), Pierre Bordet, Serge Pérez, Anne Imberty (Grenoble, France) 655 X-ray structure determination and modeling of the cyclic tetrasaccharide *cyclo*-{→6)-α-D-Glcp-(1→3)-α-D-Glcp-(1→6)-α-D-Glcp-(1→3)-α-D-Glcp-(1→}
- Notes
- Nadine Barroca, Jean-Claude Jacquinet (Orléans, France) 667 Syntheses of β-D-GalpNAc4SO₃-(1→4)-L-IdopA2SO₃, a disaccharide fragment of dermatan sulfate, and of its methyl α-L-glycoside derivative

Natsu Nishimura, Haruna Hisamitsu, Michiharu Sugiura, Isamu Maeba (Nagoya, Japan)	681	Novel ring transformation of 5-(2,3,5-tri- <i>O</i> -benzoyl- β -D-ribofuranosyl)isoxazole-4-carbaldehyde with 1,2-diaminobenzenes to 3-cyano-1,5-benzodiazepine <i>C</i> -nucleosides
Wiesława Kudelska (Lodz, Poland)	687	The cyanation reaction of <i>O</i> -acetylated <i>S</i> -glycosyl phosphorothioates
Jens Andersch, Lothar Hennig, Horst Wilde (Leipzig, Germany)	693	N-Glycosidation of D- <i>arabino</i> -hex-2-ulosonic acid
Yoshio Shirokane, Keiichi Ichikawa, Masaru Suzuki (Noda City, Japan)	699	A novel enzymic determination of maltose
Barbara Dmochowska, Dorota Bednarczyk, Andrzej Nowacki, Antoni Konitz, Wiesław Wojnowski, Andrzej Wiśniewski (Gdańsk, Poland)	703	Preparation, chemical and crystal structures of <i>N</i> -(2-acetamido-3,4,6-tri- <i>O</i> -acetyl-2-deoxy- β -D-glucopyranosyl)pyridinium chloride
	iii	Graphical Abstracts
Full Papers		
Tong Zhu, Geert-Jan Boons (Athens, GA, USA)	709	Intermolecular aglycon transfer of ethyl thioglycosides can be prevented by judicious choice of protecting groups
Andrei V. Kornilov, Andrey A. Sherman, Leonid O. Kononov, Alexander S. Shashkov, Nikolay E. Nifant'ev (Moscow, Russia)	717	Synthesis of 3- <i>O</i> -sulfoglucuronyl lacto- <i>N</i> -neotetraose 2-aminoethyl glycoside and biotinylated neoglycoconjugates thereof
Sung Won Tina Choe, Michael E. Jung (Los Angeles, CA, USA)	731	Preparation of various C-2 branched carbohydrates using intramolecular radical reactions
Meizheng Liu, Biao Yu, Xiangyang Wu, Yongzheng Hui (Shanghai, China), Kwok-Pui Fung (Hong Kong)	745	Synthesis of (25 <i>R</i>)-ruscogenin-1-yl β -D-xylopyranosyl-(1 $\rightarrow$ 3)-[β -D-glucopyranosyl-(1 $\rightarrow$ 2)]- β -D-fucopyranoside
Maria Carmelita Z. Kasuya (Yokohama, Japan), Lai X. Wang, Yuan C. Lee (Baltimore, MA, USA), Motoaki Mitsuki, Hideki Nakajima, Yoshiaki Miura, Toshinori Sato, Kenichi Hatanaka, Sadako Yamagata, Tatsuya Yamagata (Yokohama, Japan)	755	Azido glycoside primer: a versatile building block for the biocombinatorial synthesis of glycosphingolipid analogues
Koji Matsuoka, Hidehiro Kurosawa, Yasuaki Esumi, Daiyo Terunuma, Hiroyoshi Kuzuhara (Saitama, Japan)	765	Introduction of monosaccharides having functional groups onto a carbosilane dendrimer: A broadly applicable one-pot reaction in liquid ammonia involving Birch reduction and subsequent S _N 2 reaction
Sumie Ando, Yuko Nakahara, Yukishige Ito, Tomoya Ogawa, Yoshiaki Nakahara (Saitama, Japan)	773	Solid-phase synthesis of the glycopeptide of human glycophorin AM bearing the consecutive sialyl-T antigen
Oliver Schulze, Stefan Bruns, Jürgen Voss, Gunadi Adiwidjaja (Hamburg, Germany)	781	The thio-Mitsunobu reaction of D-glucitol, D-mannitol, galactitol and 1-seleno-D-xylitol
Heinrich Lünsdorf (Braunschweig, Germany), Eva Kniep (Hannover, Germany), Bernhard Kniep (Dresden, Germany)	791	Immunocytochemical localization of CDw60 antigens on human peripheral T cells
Larry E. Elvebak II (Worcester, MA, USA), Sarah O. Smith, Gary R. Gray (Minneapolis, MN, USA)	799	Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoyleated methyl 2-(acetylmethylamino)-2-deoxy- β -D-glucopyranoside
Anita Teleman (Stockholm, Sweden), Jon Lundqvist, Folke Tjerneld, Henrik Stålbrand (Lund, Sweden), Olof Dahlman (Stockholm, Sweden)	807	Characterization of acetylated 4- <i>O</i> -methylglucuronoxylan isolated from aspen employing ¹ H and ¹³ C NMR spectroscopy
Lars I. Nord, Lennart Kenne (Uppsala, Sweden)	817	Novel acetylated triterpenoid saponins in a chromatographic fraction from <i>Quillaja saponaria</i> Molina
Sofya N. Senchenkova, Alexander S. Shashkov (Moscow, Russia), Mihály L. Kecskés, Bonaventure C. Ahohuendo (Göttingen, Germany), Yuriy A. Knirel (Moscow, Russia), Klaus Rudolph (Göttingen, Germany)	831	Structure of the O-specific polysaccharides of the lipopolysaccharides of <i>Xanthomonas campestris</i> pv. <i>vignicola</i> GSPB 2795 and GSPB 2796

Timothy R. Noel, Roger Parker, Stephen G. Ring (Norwich, UK)	839	Effect of molecular structure and water content on the dielectric relaxation behaviour of amorphous low molecular weight carbohydrates above and below their glass transition
Limin Yang, Zheming Wang, Ying Zhao, Wen Tian, Yizhuang Xu, Shifu Weng, Jinguang Wu (Beijing, PR China)	847	Complexation of trivalent lanthanide cations by inositols in the solid state: crystal structure and an FT-IR study of $\text{PrCl}_3 \cdot \text{myo-inositol} \cdot 9 \text{H}_2\text{O}$
Notes		
Toshihiro Kumazawa, Tomoki Saito, Shigeru Matsuba, Shingo Sato, Jun-ichi Onodera (Yamagata, Japan)	855	Synthesis of <i>C</i> -pentopyranosylphloroacetophenone derivatives and their anomericization
Bernd Renneberg, Yue-Ming Li, Hartmut Laatsch (Göttingen, Germany), Heinz-Herbert Fiebig (Freiburg, Germany)	861	A short and efficient transformation of rhamnose into activated daunosamine, acosamine, ristosamine and <i>epi</i> -daunosamine derivatives, and synthesis of an anthracycline antibiotic acosaminy- ϵ - <i>iso</i> -rhodomycinone
Jianwen Fang, Xi Chen, Wei Zhang, Adam Janczuk, Peng George Wang (Detroit, MI, USA)	873	Synthesis of α -Gal epitope derivatives with a galactosyltransferase–epimerase fusion enzyme
Zunyi Yang (Shanghai, PR China), Wenbin Lin (Guangzhou, PR China), Biao Yu (Shanghai, PR China)	879	Rearrangement of sugar 1,2-orthoesters to glycosidic products: a mechanistic implication
Jhillu S. Yadav, Basi V. Subba Reddy (Hyderabad, India)	885	A mild and selective cleavage of trityl ethers by CBr_4 –MeOH
Tomonari Ikeda, Hidetoshi Yamada (Nishinomiya, Japan)	889	β -Selective O-rhamnosylation with a rhamnosyl trichloroacetimidate that has the ${}^4\text{C}_1$ conformation
Sergey S. Pertel, Vasily Ya. Chirva, Andrey L. Kadun, Elena S. Kakayan (Simferopol, Ukraine)	895	The application of the intermediate 2-methyl-glyco-[2,1- <i>d</i>]-2-oxazolines for glycoside synthesis
Zuberoa González, Alberto González (Pamplona, Spain)	901	Synthesis of branched-chain sugar derivatives from 1,2;5,6-di- <i>O</i> -isopropylidene- α -D- <i>ribo</i> -hexofuranos-3-ulose and 1,2;4,5-di- <i>O</i> -isopropylidene- β -D- <i>erythro</i> -2-hexulopyranos-3-ulose
Thomas J.-M. Deconinck, Antoine Ciza, Georges M. Sinnaeve, Jean T. Laloux, Philippe Thonart (Gembloux, Belgium)	907	High-performance anion-exchange chromatography — DAD as a tool for the identification and quantification of oligogalacturonic acids in pectin depolymerisation
Pahn S. Chang, Rupendra Mukerjee, D. Bruce Fulton, John F. Robyt (Ames, IA, USA)	913	Action of <i>Azotobacter vinelandii</i> poly- β -D-mannuronic acid C-5-epimerase on synthetic D-glucuronans
	923	Author Index of Volume 329
	927	Subject Index of Volume 329
	939	Contents of Volume 329