

Contents of Volume 338

	1	Graphical abstracts
Full Papers		
Youlin Zeng, Jianjun Zhang, Jun Ning, Fanzuo Kong (Beijing, China)	5	Synthesis of a mannose heptasaccharide existing in baker's yeast, <i>Saccharomyces cerevisiae</i> X2180-1A wild-type strain
Zbigniew J. Witzak (Wilkes-Barre, PA, USA), Peter Kaplon (Storrs, CT, USA), P. Markus Dey (Wilkes-Barre, PA, USA)	11	Thio sugars VII. Effect of 3-deoxy-4- <i>S</i> -(β -D-glucopyranosyl- and β -D-galactopyranosyl)-4-thiodisaccharides and their sulfoxides and sulfones on the viability and growth of selected murine and human tumor cell lines
Jianjun Zhang, Fanzuo Kong (Beijing, PR China)	19	Synthesis of β -D-GlcpNAc-(1 $\rightarrow$ 3)- α -L-Rhap-(1 $\rightarrow$ 2)-[β -L-Xylp-(1 $\rightarrow$ 4)]- α -L-Rhap-(1 $\rightarrow$ 3)- α -L-Rhap, the repeating unit of the O-antigen produced by <i>Pseudomonas solanacearum</i>
Joon Hun Choi, Yearn Seong Choe, Kyung-Han Lee, Yong Choi, Sang Eun Kim, Byung-Tae Kim (Seoul, Republic of Korea)	29	Synthesis of radioiodine-labeled 2-phenylethyl 1-thio- β -D-galactopyranoside for imaging of <i>LacZ</i> gene expression
Hassan Amer, Andreas Hofinger, Paul Kosma (Vienna, Austria)	35	Synthesis of neoglycoproteins containing O-methylated trisaccharides related to excretory/secretory antigens of <i>Toxocara</i> larvae
Yukiko Watanabe, Kumiko Miura, Masao Shiozaki, Saori Kanai, Shin-ichi Kurakata, Masahiro Nishijima (Tokyo, Japan)	47	Synthesis of lipid A type carboxymethyl derivatives with ether chains instead of ester chains and their LPS-antagonistic activities
Jun Ning, Ying Xing, Fanzuo Kong (Beijing, PR China)	55	A new and efficient strategy for the synthesis of shimofuridin analogs: 2'- <i>O</i> -(4- <i>O</i> -stearoyl- α -L-fucopyranosyl)thymidine and -uridine
Lindsay P. Harding, Valerie M. Marshall, Mark Elvin, Yucheng Gu, Andrew P. Laws (Huddersfield, UK)	61	Structural characterisation of a perdeuteriomethylated exopolysaccharide by NMR spectroscopy: characterisation of the novel exopolysaccharide produced by <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> EU23
Mirjam A. Kabel, Pieter de Waard, Henk A. Schols, Alphons G.J. Voragen (Wageningen, The Netherlands)	69	Location of <i>O</i> -acetyl substituents in xylo-oligosaccharides obtained from hydrothermally treated <i>Eucalyptus</i> wood
B. Roig, O. Thomas (Alès, France)	79	UV monitoring of sugars during wine making
Lars Andersson, Lennart Kenne (Uppsala, Sweden)	85	The absolute configuration of 1-carboxyethyl substituents on common hexoses by circular dichroism
Carlos A. Stortz, Alberto S. Cerezo (Buenos Aires, Argentina)	95	Depicting the MM3 potential energy surfaces of trisaccharides by single contour maps: application to β -cellobiose and α -maltotriose
Note		
Michael Ramm, Martina Lobe, Matthias Hamburger (Jena, Germany)	109	A simple method for preparation of D-rhamnose
	I	Instructions to Authors
	113	Graphical abstracts
Rapid Communication		
Ming Li, Xiuwen Han (Dalian, China), Biao Yu (Shanghai, China)	117	Synthesis of monomethylated dioscin derivatives and their antitumor activities

Full Papers

- Giuseppe Capozzi (Sesto Fiorentino (FI), Italy), Giorgio Catelani, Felicia D'Andrea (Pisa, Italy), Stefano Menichetti (Messina, Italy), Cristina Nativi (Sesto Fiorentino (FI), Italy) 123 Conformational evaluation of some 4-deoxyhex-4-enopyranose derivatives and their use in the preparation of a previously undescribed class of 3-thio-L-sorbopyranosides and their 6-*C*-methoxy analogues
- Henryk Myszk, Dorota Bednarczyk (Gdańsk, Poland), Maria Najder (Łódź, Poland), Wiesław Kaca (Łódź, Kielce, Poland) 133 Synthesis and induction of apoptosis in B cell chronic leukemia by diosgenyl 2-amino-2-deoxy- β -D-glucopyranoside hydrochloride and its derivatives
- Sergey N. Lavrenov, Alexander M. Korolev, Marina I. Reznikova, Andrey V. Sosnov, Maria N. Preobrazhenskaya (Moscow, Russia) 143 Study of 1-deoxy-1-(indol-3-yl)-L-sorbose, 1-deoxy-1-(indol-3-yl)-L-tagatose, and their analogs
- Nora M.A. Ponce, Carlos A. Pujol, Elsa B. Damonte (Buenos Aires, Argentina), María L. Flores (Comodoro Rivadavia, Argentina), Carlos A. Stortz (Buenos Aires, Argentina) 153 Fucoidans from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies
- Malgorzata Mieszala, Grigorij Kogan, Harold J. Jennings (Ottawa, Canada) 167 Conjugation of meningococcal lipooligosaccharides through their lipid A terminus conserves their inner epitopes and results in conjugate vaccines having improved immunological properties

Notes

- Sami Halila, Mohammed Benazza, Gilles Demailly (Amiens, France) 177 Peracetylated 1,6-dibromo-D-glucitol as efficient precursor of 1,6-diiodo and some mono-, disubstituted and heterocyclic D-glucitol derivatives
- Andrzej Temeriusz, Magdalena Rowińska, Katarzyna Paradowska, Iwona Wawer (Warszawa, Poland) 183 Synthesis and solid state ^{13}C and ^1H NMR analysis of new oxamide derivatives of methyl 2-amino-2-deoxy- α -D-glucopyranoside and ester of amino acids or dipeptides
- Iben Damager, Carl Erik Olsen, Andreas Blennow (Frederiksberg C, Denmark), Kay Denyer (Norfolk, UK), Birger Lindberg Møller, Mohammed Saddik Motawia (Frederiksberg C, Denmark) 189 Chemical synthesis of methyl 6'- α -maltosyl- α -maltotrioxide and its use for investigation of the action of starch synthase II
- Kim Larsen, Carl Erik Olsen, Mohammed Saddik Motawia (Copenhagen, Denmark) 199 A facile protocol for direct conversion of unprotected sugars into phenyl 4,6-*O*-benzylidene-per-*O*-acetylated-1,2-*trans*-thioglycosides

203 Graphical abstracts

Full Papers

- Qing Li, Bin Su, Hui Li, Xiang-Bao Meng, Meng-Shen Cai, Zhong-Jun Li, Rou-Li Zhou, Ta-Lin Suo (Beijing, PR China) 207 Synthesis and potential antimetastatic activity of monovalent and divalent β -D-galactopyranosyl-(1 $\rightarrow$ 4)-2-acetamido-2-deoxy-D-glucopyranosides
- Kazuo Okemoto, Takamasa Uekita, Yoichi Tsumura, Yohichi Hashimoto (Saitama, Japan), Takeshi Kasama (Tokyo, Japan) 219 Purification and characterization of an endo- β -(1 $\rightarrow$ 6)-galactanase from *Trichoderma viride*
- Christiane Ernst, Manuel Piacenza, Stefan Grimme (Münster, Germany), Werner Klaffke (Münster, Germany; Vlaardingen, The Netherlands) 231 Epoxidation of C-branched glycals: unexpected stereochemical results and their theoretical rationale
- M. Eugenia Soria-Díaz, Pilar Tejero-Mateo, José L. Espartero, Miguel A. Rodríguez-Carvajal, Belén Morón, Carolina Sousa, Manuel Megías (Sevilla, Spain), Noelle Amarger (Dijon, France), Jane Thomas-Oates (Manchester, UK), Antonio M. Gil-Serrano (Sevilla, Spain) 237 Structural determination of the lipo-chitin oligosaccharide nodulation signals produced by *Rhizobium giardinii* bv. giardinii H152
- María O. Longas (Hammond, IN, USA), Hari G. Garg (Boston, MA, USA), Jennifer M. Trinkle-Pereira (Hammond, IN, USA), Charles A. Hales (Boston, MA, USA) 251 Heparin antiproliferative activity on bovine pulmonary artery smooth muscle cells requires both N-acetylation and N-sulfonation

- Jianxin Yu (Wulumqi, Beijing, China), Suna Zhang (Wulumqi, China), Zhongjun Li (Beijing, China), Wenjie Lu (Jiangmen, China), Rong Zhou, Yuting Liu (Wulumqi, China), Mengshen Cai (Beijing, China) 257 Stereoselective synthesis of 1,2:4,5-di-*O*-isopropylidene-3-*C*-(5-phenyl-1,2,4-oxadiazol-3-yl)- β -D-psicopyranose and its X-ray crystallographic analysis
- Shinobu Sakai (Chiba, Japan), Wan Seok Kim, In Sun Lee, Yeong Shik Kim (Seoul, South Korea), Ayako Nakamura, Toshihiko Toida, Toshio Imanari (Chiba, Japan) 263 Purification and characterization of dermatan sulfate from the skin of the eel, *Anguilla japonica*
- Yury A. Skorik, Carlos A.R. Gomes, M. Teresa S.D. Vasconcelos (Porto, Portugal), Yury G. Yatluk (Ekaterinburg, Russian Federation) 271 *N*-(2-Carboxyethyl)chitosans: regioselective synthesis, characterisation and protolytic equilibria
- Antonio Molinaro, Alba Silipo, Rosa Lanzetta (Napoli, Italy), Mari-Anne Newman (Frederiksberg C, Denmark), J. Maxwell Dow (Norwich, UK), Michelangelo Parrilli (Napoli, Italy) 277 Structural elucidation of the O-chain of the lipopolysaccharide from *Xanthomonas campestris* strain 8004
- Notes**
- Tatsuo Oshikawa, Kuniaki Seo (Numazu, Japan), Mitsuji Yamashita (Hamamatsu, Japan), Tadashi Hanaya (Tsushima-naka, Japan), Yoshihiro Hamazu (Numazu, Japan), Hiroshi Yamamoto (Tsushima-naka, Japan) 283 Synthesis and structural analyses of 3-acetamido-1,4-di-*O*-acetyl-2,3,5-trideoxy-5-*C*-(isopropylphosphinyl)-D-*erythro*-pentopyranoses
- Lidcay Herrera, Holger Feist, Manfred Michalik (Rostock, Germany), José Quincoces (Sao Paulo, Brazil), Klaus Peseke (Rostock, Germany) 293 Synthesis of anellated carbasugars from (–)-quinic acid
- 299 Graphical abstracts
- Full Papers**
- Pothukuchi Sairam, Ramachandra Puranik, Bhatraju Sreenivasa Rao, Ponnappalli Veerabhadra Swamy, Sharad Chandra (Hyderabad, India) 303 Synthesis of 1,2,3-tri-*O*-acetyl-5-deoxy-D-ribofuranose from D-ribose
- Ying Zeng, Jun Ning, Fanzuo Kong (Beijing, China) 307 Remote control of α - or β -stereoselectivity in (1 $\rightarrow$ 3)-glucosylations in the presence of a C-2 ester capable of neighboring-group participation
- Elena V. Eneyskaya (St. Petersburg, Russia), Harry Brumer III (Stockholm, Sweden), Leon V. Backinowsky (Moscow, Russia), Dina R. Ivanen, Anna A. Kulminkaya, Konstantin A. Shabalin, Kirill N. Neustroev (St. Petersburg, Russia) 313 Enzymatic synthesis of β -xylanase substrates: transglycosylation reactions of the β -xylosidase from *Aspergillus* sp.
- Andrei V. Perepelov (Moscow, Russian Federation), Beata Bartodziejska (Lodz, Poland), Sofya N. Senchenkova, Alexander S. Shashkov (Moscow, Russian Federation), Antoni Rozalski (Lodz, Poland), Yuriy A. Knirel (Moscow, Russian Federation) 327 Structure of the O-specific polysaccharide of *Proteus vulgaris* O45 containing 3-acetamido-3,6-dideoxy-D-galactose
- Lingyun Chen, Yumin Du, Xiaoqing Zeng (Wuhan, China) 333 Relationships between the molecular structure and moisture-absorption and moisture-retention abilities of carboxymethyl chitosan II. Effect of degree of deacetylation and carboxymethylation
- John N. Glushka, Mark Terrell, William S. York, Malcolm A. O'Neill, Angela Gucwa, Alan G. Darvill, Peter Albersheim, James H. Prestegard (Athens, GA, USA) 341 Primary structure of the 2-*O*-methyl- α -L-fucose-containing side chain of the pectic polysaccharide, rhamnogalacturonan II
- Kazuaki Harata (Ibaraki, Japan) 353 Crystallographic analysis of the thermal motion of the inclusion complex of cyclomaltoheptaose (β -cyclodextrin) with hexamethylenetetramine
- Bhesh R. Bhandari (St. Lucia, Australia), Yrjö H. Roos (Cork, Ireland) 361 Dissolution of sucrose crystals in the anhydrous sorbitol melt

Notes

- Xuezheng Song, Rawle I. Hollingsworth (East Lansing, MI, USA) 369 Remote site bromination via a cascade rearrangement involving two bridging dioxonium species during oxidative cleavage of a benzylidene acetal
- Myriam Roussel (Rennes, Pleubian, France), Stéphane Moutard, Bruno Perly (Gif-Sur-Yvette, France), Martine Lefevre, Thierry Benvegny, Daniel Plusquellec (Rennes, France) 375 β -Anomeric selectivity in the glycosidation of D-mannofuranurono-6,3-lactone catalyzed by boron trifluoride diethyl etherate
- Laurent Bédouet, Bernard Courtois, Josiane Courtois (Amiens, France) 379 Rapid quantification of *O*-acetyl and *O*-methyl residues in pectin extracts
- Evgeny Vinogradov (Ottawa, Canada), Anton Korenevsky, Terry J. Beveridge (Guelph, Canada) 385 The structure of the O-specific polysaccharide chain of the *Shewanella algae* BrY lipopolysaccharide
- 389 Graphical abstracts

Rapid Communication

- Robert Eklund, Göran Widmalm (Stockholm, Sweden) 393 Molecular dynamics simulations of an oligosaccharide using a force field modified for carbohydrates

Full Papers

- Juan Xie (Paris, France) 399 Synthesis of new sugar amino acid derivatives of D-glucosamine
- Ślawomir Jarosz, Stanisław Skóra, Izabela Kościółowska (Warsaw, Poland) 407 Convenient approach to higher carbon sugars. First synthesis of the free C12-sugar: D-erythro-L-manno-D-manno-dodecose
- David K.Y. Poon, Philip Webster, Stephen G. Withers, Lawrence P. McIntosh (Vancouver, Canada) 415 Characterizing the pH-dependent stability and catalytic mechanism of the family 11 xylanase from the alkalophilic *Bacillus agaradhaerens*
- Nicola Wiethölter, Barbara Graeßner, Manfred Mierau (Münster, Germany), William G.T. Willats, J. Paul Knox (Leeds, UK), Bruno M. Moerschbacher (Münster, Germany) 423 Isolation and characterisation of the homogalacturonan from type II cell walls of the commelinoid monocot wheat using HF-solvolysis
- Timothy R. Noel, Roger Parker, Stephen G. Ring (Norwich, UK) 433 Effect of molecular structure on the conductivity of amorphous carbohydrate–water–KCl mixtures in the supercooled liquid state
- Thammarat Aree (Bangkok, Thailand), Narongsak Chaichit (Pathum Thani, Thailand) 439 Crystal structure of β -cyclodextrin–benzoic acid inclusion complex

Notes

- Tülay Polat, Robert J. Linhardt (Iowa City, IA, USA) 447 Zinc triflate–benzoyl bromide: a versatile reagent for the conversion of ether into benzoate protecting groups and ether glycosides into glycosyl bromides
- Ho Law, Isabelle Baussanne (Meylan, France), José M. García Fernández (Sevilla, Spain), Jacques Defaye (Meylan, France) 451 Regioselective sulfonylation at O-2 of cyclomaltoheptaose with 1-(*p*-tolylsulfonyl)-(1*H*)-1,2,4-triazole
- Gabriela Pistia-Brueggeman, Rawle I. Hollingsworth (East Lansing, MI, USA) 455 The use of the *o*-nitrophenyl group as a protecting/activating group for 2-acetamido-2-deoxyglucose
- Jimmy Muldoon (Galway, Ireland), Andrei V. Perepelov, Alexander S. Shashkov (Moscow, Russia), Evgeny L. Nazarenko, Vladimir A. Zubkov, Raisa P. Gorshkova, Elena P. Ivanova, Natalya M. Gorshkova (Vladivostok, Russia), Yuriy A. Knirel (Moscow, Russia), Angela V. Savage (Galway, Ireland) 459 Structure of an acidic polysaccharide from the marine bacterium *Pseudoalteromonas flavipulchra* NCIMB 2033^T
- Hironori Yoshida (Kagoshima, Japan), Koichi Nozaki (Sapporo, Japan), Isao Hanashiro, Fumio Yagi (Kagoshima, Japan), Hiroyuki Ito, Mamoru Honma, Hirokazu Matsui (Sapporo, Japan), Yasuhito Takeda (Kagoshima, Japan) 463 Structure and physicochemical properties of starches from kidney bean seeds at immature, premature and mature stages of development
- Yasuhito Takeda, Shunpei Shibahara, Isao Hanashiro (Kagoshima, Japan) 471 Examination of the structure of amylopectin molecules by fluorescent labeling
- K.K. Balasubramanian, B. Shanmugasundaram, Babu Varghese (Chennai, India) 477 Corrigendum

	479	Graphical abstracts
Full Papers		
Ronghua Huang, Yumin Du, Jianhong Yang, Lihong Fan (Wuhan, China)	483	Influence of functional groups on the in vitro anticoagulant activity of chitosan sulfate
Srdanka Tomić, Vesna Petrović, Maja Matanović (Zagreb, Croatia)	491	Synthesis, intramolecular migrations and enzymic hydrolysis of partially pivaloylated methyl α -D-mannopyranosides
Feng Yang, Yuguo Du (Beijing, PR China)	495	A practical synthesis of a (1 $\rightarrow$ 6)-linked β -D-glucosamine nonasaccharide
Takayuki Ando, Hideharu Ishida, Makoto Kiso (Gifu, Japan)	503	First total synthesis of α -(2 $\rightarrow$ 3)/ α -(2 $\rightarrow$ 6)-disialyl lactotetraosyl ceramide and disialyl Lewis A ganglioside as cancer-associated carbohydrate antigens
Saleh A. Mohamed (Copenhagen K, Denmark; Cairo, Egypt), Tove M.I.E. Christensen, Jorn Dalgaard Mikkelsen (Copenhagen K, Denmark)	515	New polygalacturonases from <i>Trichoderma reesei</i> : characterization and their specificities to partially methylated and acetylated pectins
Anita Teleman, Maria Nordström (Stockholm, Sweden), Maija Tenkanen (VTT, Finland), Anna Jacobs, Olof Dahlman (Stockholm, Sweden)	525	Isolation and characterization of <i>O</i> -acetylated glucomannans from aspen and birch wood
Caiqi Wang, Yuping Dong, Huimin Tan (Beijing, People's Republic of China)	535	Study on lyotropic liquid-crystalline properties of trimethylsilyl hydroxypropylcellulose
María F. Mazzobre (Buenos Aires, Argentina), José M. Aguilera (Santiago, Chile), María P. Buera (Buenos Aires, Argentina)	541	Microscopy and calorimetry as complementary techniques to analyze sugar crystallization from amorphous systems
Notes		
Inmaculada Molina Pinilla, Manuel Bueno Martínez, Juan A. Galbis (Sevilla, Spain)	549	Synthesis of 2,3,4,5-tetra- <i>O</i> -methyl-D-glucono-1,6-lactone as a monomer for the preparation of copolyesters
Hitoshi Sashiwa, Norioki Kawasaki, Atsuyoshi Nakayama, Einosuke Muraki (Osaka, Japan), Hirofumi Yajima (Tokyo, Japan), Naoki Yamamori, Yoshifumi Ichinose (Osaka, Japan), Junzo Sunamoto (Ehime, Japan), Sei-ichi Aiba (Osaka, Japan)	557	Chemical modification of chitosan. Part 15: Synthesis of novel chitosan derivatives by substitution of hydrophilic amine using <i>N</i> -carboxyethylchitosan ethyl ester as an intermediate
Guylaine M. Defossefont, David J. Mincher (Edinburgh, UK)	563	Stereospecific synthesis of chiral caprolactone monomers from D-glucose
Cristina de Castro, Antonio Molinaro, Rosa Nunziata (Napoli, Italy), William Grant, Andrew Wallace (Leicester, UK), Michelangelo Parrilli (Napoli, Italy)	567	The O-specific chain structure of the major component from the lipopolysaccharide fraction of <i>Halomonas magadii</i> strain 21 MI (NCIMB 13595)
Ramona Rozen, Gilad Bachrach, Batia Zaks, Moshe Bronshteyn, Itzhak Gedalia, Doron Steinberg (Jerusalem, Israel)	571	Effect of chlorhexidine on molecular weight distribution of fructans produced by fructosyltransferase in solution and immobilized on surface
	577	Graphical abstracts
Full Papers		
Jeongseok Han, Rajendrakumar Reddy Gadikota, Patrick R. McCarren, Todd L. Lowary (Columbus, OH, USA)	581	Synthesis of octyl arabinofuranosides as substrates for mycobacterial arabinosyltransferases
Balaram Mukhopadhyay, Nirmolendu Roy (Calcutta, India)	589	Synthesis of the pentasaccharide related to the repeating unit of the antigen from <i>Shigella dysenteriae</i> type 4 in the form of its methyl ester 2-(trimethylsilyl)ethyl glycoside
Dmitry V. Evtuguin, Jorge L. Tomás, Artur M.S. Silva, Carlos Pascoal Neto (Aveiro, Portugal)	597	Characterization of an acetylated heteroxylan from <i>Eucalyptus globulus</i> Labill
Tomasz Lipiński (Wrocław, Poland), Christopher Jones, Xavier Lemercinier (Herts, UK), Agnieszka Korzeniowska-Kowal (Wrocław, Poland), Magdalena Strus (Kraków, Poland), Jacek Rybka, Andrzej Gamian (Wrocław, Poland), Piotr B. Heczko (Kraków, Poland)	605	Structural analysis of the <i>Lactobacillus rhamnosus</i> strain KL37C exopolysaccharide

Jae-Wook Yoon, Seung-Taik Lim (Seoul, Republic of Korea)	611	Molecular fractionation of starch by density-gradient ultracentrifugation
Maritza Martínez, Gladys León de Pinto, Lilian Sanabria, Olga Beltrán (Maracaibo, Venezuela), José M. Igartuburu (Cádiz, Spain), Ali Bahsas (Mérida, Venezuela)	619	Structural features of an arabinogalactan gum exudates from <i>Spondias dulcis</i> (Anacardiaceae)
Andrea Mele, Giuseppina Raffaini, Fabio Ganazzoli (Milano, Italy), Markus Juza (Zürich, Switzerland), Volker Schurig (Tübingen, Germany)	625	Macrocyclic conformation and self-inclusion phenomena in octakis(3- <i>O</i> -butanoyl-2,6-di- <i>O</i> -pentyl)- γ -cyclodextrin (Lipodex E) by NMR spectroscopy and molecular dynamics
Christoph Rosenbohm, Inge Lundt (Lyngby, Denmark), Tove M.I.E. Christensen (Copenhagen K, Denmark), Niall W.G. Young (Brabrand, Denmark)	637	Chemically methylated and reduced pectins: preparation, characterisation by ^1H NMR spectroscopy, enzymatic degradation, and gelling properties
Miguel A. Rodríguez-Carvajal, Catherine Hervé du Penhoat, Karim Mazeau (Grenoble, France), Thierry Doco (Montpellier, France), Serge Pérez (Grenoble, France)	651	The three-dimensional structure of the mega-oligosaccharide rhamnogalacturonan II monomer: a combined molecular modeling and NMR investigation
Notes		
João R. de Freitas Filho, Rajendra M. Srivastava, Waldenberg J.P. da Silva (Recife, Brazil), Louis Cottier, Denis Sinou (Villeurbanne, France)	673	Synthesis of new branched-chain amino sugars
Anna Dilhas, David Bonaffé (Orsay, France)	681	Efficient selective preparation of methyl-1,2,4-tri- <i>O</i> -acetyl-3- <i>O</i> -benzyl- β -L-idopyranuronate from methyl 3- <i>O</i> -benzyl-L-iduronate
Frederic Caufrier (Crete, Greece; Brussel, Belgium), Aggeliki Martinou (Crete, Greece), Claude Dupont (Laval, Canada), Vassilis Bouriotis (Crete, Greece)	687	Carbohydrate esterase family 4 enzymes: substrate specificity
	693	Graphical abstracts
Full Papers		
Andrei A. Sherman, Yuri V. Mironov, Olga N. Yudina, Nikolay E. Nifantiev (Moscow, Russia)	697	The presence of water improves reductive openings of benzylidene acetals with trimethylaminoborane and aluminium chloride
Jihee Kim, Joon Hee Hong (Kwangju, Republic of Korea)	705	Synthesis of novel apionucleosides: a short and concise synthesis of 2-deoxyapio-L-furanosyl acetate from D-lactose
Jolanta Girmiene, Arnaud Tatibouët (Orléans, France), Algirdas Sackus (Kaunas, Lithuania), Jing Yang, Geoffrey D. Holman (Bfllath, UK), Patrick Rollin (Orléans, France)	711	Inhibition of the D-fructose transporter protein GLUT5 by fused-ring glyco-1,3-oxazolidin-2-thiones and -oxazolidin-2-ones
Chuan-Chun Zou, Shu-Jie Hou, Yang Shi, Ping-Sheng Lei, Xiao-Tian Liang (Beijing, PR China)	721	The synthesis of gracillin and dioscin: two typical representatives of spirostanol glycosides
Wei Li, Kazuo Koike (Chiba, Japan), Yoshihisa Asada, Takafumi Yoshikawa (Tokyo, Japan), Tamotsu Nikaido (Chiba, Japan)	729	Biotransformation of low-molecular-weight alcohols by <i>Coleus forskohlii</i> hairy root cultures
Vera Goclik, Petra Mischnick (Braunschweig, Germany)	733	Determination of the DS and substituent distribution of cationic alkyl polyglycosides and cationic starch ethers by GLC after dealkylation with morpholine
Gaëlle Chauvelon, Alain Buléon, Jean-François Thibault, Luc Saulnier (Nantes, France)	743	Preparation of sulfoacetate derivatives of cellulose by direct esterification
Gaëlle Chauvelon, Jean-Louis Doublier, Alain Buléon, Jean-François Thibault, Luc Saulnier (Nantes, France)	751	Rheological properties of sulfoacetate derivatives of cellulose
Maud Thomas, Gaëlle Chauvelon, Marc Lahaye, Luc Saulnier (Nantes, France)	761	Location of sulfate groups on sulfoacetate derivatives of cellulose
Elizabeth L. Adams, Paul A. Kroon, Gary Williamson, Victor J. Morris (Norwich, UK)	771	Characterisation of heterogeneous arabinoxylans by direct imaging of individual molecules by atomic force microscopy

Tzvetana Bojinova, Heinz Gornitzka, Nancy Lauth-de Viguerie, Isabelle Rico-Lattes (Toulouse, France)	781	Crystal structure of the dimeric β -cyclodextrin complex with 1,12-dodecanediol
Stefan Kasapis, Insaf M. Al-Marhoobi (Al-Khod, Oman), John R. Mitchell (Loughborough, UK)	787	Testing the validity of comparisons between the rheological and the calorimetric glass transition temperatures
Notes		
Beata Liberek, Artur Sikorski, Anna Melcer, Antoni Konitz (Gdansk, Poland)	795	X-ray diffraction and high-resolution NMR spectroscopy of methyl 3-azido-2,3-dideoxy- α -D-lyxo-hexopyranoside
Gudneppanavar Rajsekhar, Chebrolu P. Rao (Mumbai, India), Philippe Guionneau (Pessac, France)	801	First crystallographic evidence for the formation of β -D-ribopyranosylamine from the reaction of ammonia with of D-ribose
	807	Graphical abstracts
Full Papers		
Alan H. Haines (Norwich, UK)	813	Synthesis of L-trehalose and observations on isomer and by-product formation
Warren C. Kett (North Ryde, Australia)	819	The reaction of acetylacetone with amino sugars: implications for the formation of glycosylpyrazole derivatives
Jiansong Sun, Xiuwen Han (Dalian, PR China), Biao Yu (Shanghai, PR China)	827	Synthesis of a typical <i>N</i> -acetylglucosamine-containing saponin, oleanolic acid 3-yl α -L-arabinopyranosyl-(1 $\rightarrow$ 2)- α -L-arabinopyranosyl-(1 $\rightarrow$ 6)-2-acetamido-2-deoxy- β -D-glucopyranoside
Laiqiang Ying, Jacquelyn Gervay-Hague (Davis, CA, USA)	835	General methods for the synthesis of glycopyranosyluronic acid azides
Ying Zeng, Fanzuo Kong (Beijing, China)	843	Regioselective glycosylation of 4,6- <i>O</i> -benzylidenated glucopyranosides
Andreas H. Franz, Vyacheslav V. Samoshin (Stockton, CA, USA), Chris Myers, Allen D. Hunter (Youngstown, OH, USA), Paul H. Gross (Stockton, CA, USA)	851	C–H-Deprotonation mediated by a remote <i>syn</i> -axial acetoxy group—an unprecedented double bond formation upon cyanation of the dimer from L-fucal
Gaëtan Richard, Sandrine Morel, René-Marc Willemot, Pierre Monsan, Magali Remaud-Simeon (Toulouse, France)	855	Glucosylation of α -butyl- and α -octyl-D-glucopyranosides by dextranucrase and alternansucrase from <i>Leuconostoc mesenteroides</i>
Isabelle André (Toronto, Canada), Igor Tvaroška (Toronto, Canada; Bratislava, Slovak Republic), Jeremy P. Carver (Toronto, Canada)	865	On the reaction pathways and determination of transition-state structures for retaining α -galactosyltransferases
Hideki Okada (Ebetsu, Japan), Eri Fukushi (Sapporo, Japan), Shuichi Onodera (Ebetsu, Japan), Tomoyuki Nishimoto (Okayama, Japan), Jun Kawabata (Sapporo, Japan), Masanori Kikuchi, Norio Shiomi (Ebetsu, Japan)	879	Synthesis and structural analysis of five novel oligosaccharides prepared by glucosyltransfer from β -D-glucose 1-phosphate to isokestose and nystose using <i>Thermoanaerobacter brockii</i> kojibiose phosphorylase
E.V. Chandrasekaran, Ram Chawda, John M. Rhodes, Robert D. Locke, Conrad F. Piskorz, Khushi L. Matta (Buffalo, NY, USA)	887	The binding characteristics and utilization of <i>Aleuria aurantia</i> , <i>Lens culinaris</i> and few other lectins in the elucidation of fucosyltransferase activities resembling cloned FT VI and apparently unique to colon cancer cells
Joseph G. Joyce, Chitrananda Abeygunawardana, Qiuwei Xu, James C. Cook, Robert Hepler, Craig T. Przysiecki, Karen M. Grimm, Keith Roper, Charlotte C. Yu Ip, Leslie Cope, Donna Montgomery, Mason Chang, Sherilyn Campie, Martha Brown, Tessie B. McNeely, Julie Zorman (West Point, PA, USA), Tomas Maira-Litrán, Gerald B. Pier (Boston, MA, USA), Paul M. Keller, Kathrin U. Jansen, George E. Mark III (West Point, PA, USA)	903	Isolation, structural characterization, and immunological evaluation of a high-molecular-weight exopolysaccharide from <i>Staphylococcus aureus</i>
Naomi Sato, Futoshi Nakazawa, Teiichiro Ito, Tsutomu Hoshino, Etsuro Hoshino (Niigata, Japan)	923	The structure of the antigenic polysaccharide produced by <i>Eubacterium saburreum</i> T15
Grigorij Kogan, Peter Rauko, Eva Machová (Bratislava, Slovakia)	931	Fungal chitin–glucan derivatives exert protective or damaging activity on plasmid DNA
Varawut Tangpasuthadol, Noppong Pongchaisirikul, Vipavee P. Hoven (Bangkok, Thailand)	937	Surface modification of chitosan films. Effects of hydrophobicity on protein adsorption

Maria I. Errea, Maria C. Matulewicz (Buenos Aires, Argentina)	943	Unusual structures in the polysaccharides from the red seaweed <i>Pterocladia capillacea</i> (Gelidiaceae, Gelidiales)
Norman W.H. Cheetham, Paramita Dasgupta, Graham E. Ball (Sydney, Australia)	955	NMR and modelling studies of disaccharide conformation
Sigthor Petursson (Akureyri, Iceland)	963	Tin(II) chloride catalyzed reactions of diazodiphenylmethane with vicinal diols in an aprotic solvent. The reactions with <i>cis</i> - and <i>trans</i> -1,2-cyclohexanediols and 1,2-propanediol
Kazimiera Smiataczowa, Jarosław Kosmalski, Teresa Widernik, Zygmunt Warnke (Gdańsk, Poland)	969	Mechanism of the transition-metal-catalyzed mutarotation reaction of <i>N</i> -(<i>p</i> -chlorophenyl)- β -D-glucopyranosylamine in methanol
O. Nimz, K. Geßler (Berlin, Germany), I. Usón (Göttingen, Germany), S. Laettig, H. Welfle (Berlin-Buch, Germany), G.M. Sheldrick (Göttingen, Germany), W. Saenger (Berlin, Germany)	977	X-ray structure of the cyclomaltohexaicosaoose triiodide inclusion complex provides a model for amylose–iodine at atomic resolution
Katsunori Teranishi, Tatsuya Nishiguchi (Mie, Japan), Haruhisa Ueda (Tokyo, Japan)	987	Enhanced chemiluminescence of 6-(4-methoxyphenyl)imidazo[1,2- <i>a</i>]pyrazin-3(7 <i>H</i>)-one by attachment of a cyclomaltooligosaccharide (cyclodextrin). Attachment of cyclomaltanonaose (δ -cyclodextrin)
Notes		
Ghislaine Cousins (Wellington, New Zealand), Andrew Falshaw (Lower Hutt, New Zealand), John O. Hoberg (Wellington, New Zealand)	995	Monoesterification of di- <i>O</i> -isopropylidene and di- <i>O</i> -cyclohexylidene <i>chiro</i> -inositols
Manash P. Sarmah, Mysore S. Shashidhar (Pune, India)	999	Sulfonate protecting groups. Improved synthesis of <i>scyllo</i> -inositol and its orthoformate from <i>myo</i> -inositol
Lenka Weignerová, Petra Vavrušková, Andrea Pišvejcová (Prague, Czech Republic), Joachim Thiem (Hamburg, Germany), Vladimír Křen (Prague, Czech Republic)	1003	Fungal β - <i>N</i> -acetylhexosaminidases with high β - <i>N</i> -acetylgalactosaminidase activity and their use for synthesis of β -GalNAc-containing oligosaccharides
Nina A. Kocharova, George V. Zatonsky (Moscow, Russia), Agnieszka Torzewska, Zuzanna Macieja (Lodz, Poland), Olga V. Bystrova, Aleksander S. Shashkov, Yuriy A. Knirel (Moscow, Russia), Antoni Rozalski (Lodz, Poland)	1009	Structure of the O-specific polysaccharide of <i>Providencia rustigianii</i> O14 containing <i>N</i> ^ε -[(<i>S</i>)-1-carboxyethyl]- <i>N</i> ^α -(D-galacturonoyl)-L-lysine
	1017	Graphical abstracts
Full Papers		
Jianjun Zhang, Jun Ning, Fanzuo Kong (Beijing, China)	1023	Efficient synthesis of a heptasaccharide, the repeating unit of the O-chain lipopolysaccharide produced by <i>Xanthomonas campestris</i> strain 642
Hairong Wang, Guohua Zhang, Jun Ning (Beijing, China)	1033	First synthesis of β -D-Galp-(1 $\rightarrow$ 3)-D-Galp—the repeating unit of the backbone structure of the O-antigenic polysaccharide present in the lipopolysaccharide (LPS) of the genus <i>Klebsiella</i>
Ivone Carvalho (Ribeirão Preto, Brazil; Fife, Norwich, UK), Shona L. Scheuerl (Fife, UK), K.P. Ravindranathan Kartha, Robert A. Field (Fife, Norwich, UK)	1039	Practical synthesis of the 2-acetamido-3,4,6-tri- <i>O</i> -acetyl-2-deoxy- β -D-glucosides of Fmoc-serine and Fmoc-threonine and their benzyl esters
Ari Asnani, France-Isabelle Auzanneau (Guelph, Canada)	1045	Synthesis of Lewis X trisaccharide analogues in which glucose and rhamnose replace <i>N</i> -acetylglucosamine and fucose, respectively
Noritaka Hashii, Yasunori Isshiki, Takehiro Iguchi, Kazuhito Hisatsune, Seiichi Kondo (Saitama, Japan)	1055	Structure and serological characterization of 5,7-diamino-3,5,7,9-tetradecoxy-non-2-ulosonic acid isolated from lipopolysaccharides of <i>Vibrio parahaemolyticus</i> O2 and O-untypable strain KX-V212
Noritaka Hashii, Yasunori Isshiki, Takehiro Iguchi, Seiichi Kondo (Saitama, Japan)	1063	Structural analysis of the carbohydrate backbone of <i>Vibrio parahaemolyticus</i> O2 lipopolysaccharides
Maki Takatani, Ichiro Matsuo, Yukishige Ito (Saitama, Japan)	1073	Pentafluoropropionyl and trifluoroacetyl groups for temporary hydroxyl group protection in oligomannoside synthesis
Stefano Tiziani, Fabiana Sussich, Attilio Cesàro (Trieste, Italy)	1083	The kinetics of periodate oxidation of carbohydrates 2. Polymeric substrates

Jihad R. Albani (Villeneuve d'Ascq, France)	1097	Relation between the secondary structure of carbohydrate residues of α_1 -acid glycoprotein (orosomucoid) and the fluorescence of the protein
Gloria Uccello-Barretta, Giuseppe Sicoli, Federica Balzano, Piero Salvadori (Pisa, Italy)	1103	A conformational model of per- <i>O</i> -acetyl-cyclomaltoheptaose (β -cyclodextrin) in solution: detection of partial inversion of glucopyranose units by NMR spectroscopy
Miguel G. Neumann, Carla C. Schmitt, Eduardo T. Iamazaki (São Carlos, Brazil)	1109	A fluorescence study of the interactions between sodium alginate and surfactants
Notes		
Manuel Mancera, Isaac Roffé, Manuel Rivas, Juan A. Galbis (Sevilla, Spain)	1115	New derivatives of D-mannaric and galactaric acids. Synthesis of a new stereoregular Nylon 66 analog from carbohydrate-based monomers having the D- <i>manno</i> configuration
Mildred L. Dulin, Lincoln A. Noecker, W. Scott Kassel, Robert M. Giuliano (Villanova, PA, USA)	1121	An unusual course of thioglycoside activation with bromine: synthesis and crystal structure of 4- <i>O</i> -acetyl-2-bromo-2,3,6-trideoxy-3- <i>C</i> -methyl-3-trifluoroacetamido- α -L-altropyranosyl bromide
Seung-Heon Yoon, Rupendra Mukerjee, John F. Robyt (Ames, IA, USA)	1127	Specificity of yeast (<i>Saccharomyces cerevisiae</i>) in removing carbohydrates by fermentation
Yutaka Kariya, Shugo Watabe, Hideo Mochizuki, Kyoko Imai, Hiroshi Kikuchi, Kiyoshi Suzuki, Mamoru Kyogashima (Tokyo, Japan), Tadashi Ishii (Ibaraki, Japan)	1133	Modification of di- and tetrasaccharides from shark cartilage keratan sulphate by refined anhydromethanolic hydrochloric acid-treatments and evaluation of their specific desulphation
Ivan Donati, Amelia Gamini, Gudmund Skjåk-Bræk, Amedeo Vetere, Cristiana Campa, Anna Coslovi, Sergio Paoletti (Trieste, Italy)	1139	Determination of the diadic composition of alginate by means of circular dichroism: a fast and accurate improved method
Sanghoo Lee, Seunho Jung (Seoul, South Korea)	1143	Enantioseparation using cyclophosphoroses as a novel chiral additive in capillary electrophoresis
	1147	Corrigendum
	1149	Graphical abstracts
Full Papers		
Tatiana Ivannikova, Fabrice Bintein, Annie Malleron (Orsay, France), Sylvie Juliant, Martine Cerutti (Saint Christol lez Alès, France), Anne Harduin-Lepers, Philippe Delannoy (Villeneuve d'Ascq, France), Claudine Augé, André Lubineau (Orsay, France)	1153	Recombinant (2 $\rightarrow$ 3)- α -sialyltransferase immobilized on nickel-Agarose for preparative synthesis of sialyl Lewis ^x and Lewis ^a precursor oligosaccharides
Fabrice Bintein, Claudine Augé, André Lubineau (Orsay, France)	1163	Chemo-enzymatic synthesis of a divalent sialyl Lewis ^x ligand with restricted flexibility
Yoshio Okawa, Kouichi Monma, Nobuyuki Shibata, Hidemitsu Kobayashi, Yasuyo Yamada (Miyagi, Japan)	1175	A new mannoheptaose containing α and β -(1 $\rightarrow$ 2) linkages isolated from the mannan of <i>Torulaspora delbrueckii</i> : ELISA inhibition studies
Doman Kim (Gwangju, Republic of Korea), John F. Robyt (Ames, IA, USA), So-Young Lee, Jin-Ha Lee (Gwangju, Republic of Korea), Young-Min Kim (Sapporo, Japan)	1183	Dextran molecular size and degree of branching as a function of sucrose concentration, pH, and temperature of reaction of <i>Leuconostoc mesenteroides</i> B-512FMCM dextranase
Anna N. Kondakova (Moscow, Russia), Rafal Fudala (Lodz, Poland), Sof'ya N. Senchenkova, Aleksander S. Shashkov, Yuriy A. Knirel (Moscow, Russia), Wieslaw Kaca (Lodz, Poland)	1191	Structural and serological studies of the O-antigen of <i>Proteus mirabilis</i> O-9
Zhonghua Jia, Qiang Qin, Alan G. Darvill, William S. York (Athens, GA, USA)	1197	Structure of the xyloglucan produced by suspension-cultured tomato cells
Jürgen Sartori, Antje Potthast (Vienna, Austria), Alois Ecker, Herbert Sixta (Lenzing, Austria), Thomas Rosenau, Paul Kosma (Vienna, Austria)	1209	Alkaline degradation kinetics and CE-separation of cello- and xylooligomers. Part I
Semiha Çakir, Emine Coskun, Ender Biçer, Osman Çakir (Kurupelit–Samsun, Turkey)	1217	Electrochemical study of the complexes of aspartame with Cu(II), Ni(II) and Zn(II) ions in the aqueous medium

- Andrew D. Cox (Ottawa, Canada), Michael D. Howard, Thomas J. Inzana (Blacksburg, VA, USA) 1223 Structural analysis of the lipooligosaccharide from the commensal *Haemophilus somnus* strain 1P
- Amornrat Lertworasirikul, Shin-ichiro Tsue, Keiichi Noguchi, Kenji Okuyama (Tokyo, Japan), Kozo Ogawa (Osaka, Japan) 1229 Two different molecular conformations found in chitosan type II salts
- Xiao-Ming Chen, Geng-Yuan Tian (Shanghai, PR China) 1235 Structural elucidation and antitumor activity of a fructan from *Cyathula officinalis* Kuan
- Notes
- Pavle Hadžić (Novi Sad, Yugoslavia), Nada Vukojević (Belgrade, Yugoslavia) 1243 Efficient nitrogen alkylation with carbohydrates
- Antonio Molinaro, Emiliano Bedini, Renata Ferrara, Rosa Lanzetta, Michelangelo Parrilli (Napoli, Italy), Antonio Evidente (Portici, Italy), Pietro Lo Cantore, Nicola Sante Iacobellis (Potenza, Italy) 1251 Structural determination of the O-specific chain of the lipopolysaccharide from the mushrooms pathogenic bacterium *Pseudomonas tolaasii*
- 1259 Corrigendum
- 1261 Graphical abstracts
- Full Papers
- Indrani Choudhury (Mukherjee), Norihiko Minoura, Hirotaka Uzawa (Ibaraki, Japan) 1265 Chemoenzymatic synthesis of the sialyl- α -(2 $\rightarrow$ 3')-lactosamine trisaccharide with a 3-aminopropyl group as a spacer at the reducing end
- Laurent Mignon, Christophe Goichot, Philippe Ratel (Daix, France), Gérard Cagnin, Michel Baudry, Jean-Pierre Praly (Villeurbanne, France), Benaïssa Boubia, Véronique Barberousse (Daix, France) 1271 New 1-C-(5-thio-D-xylopyranosyl) derivatives as potential orally active venous antithrombotics
- Farooqahamed S. Kittur, Acharya B. Vishu Kumar, Rudrapatnam N. Tharanathan (Mysore, India) 1283 Low molecular weight chitosans—preparation by depolymerization with *Aspergillus niger* pectinase, and characterization
- Jinyou Duan, Xuesong Wang, Qun Dong, Ji-nian Fang, Xiaoyu Li (Shanghai, PR China) 1291 Structural features of a pectic arabinogalactan with immunological activity from the leaves of *Diospyros kaki*
- Dina Keglević, Biserka Kojić-Prodić, Zrinka Banić Tomišić (Zagreb, Croatia) 1299 Synthesis and conformational analysis of the repeating units of bacterial spore peptidoglycan
- E. Tojo, J. Prado (Pontevedra, Spain) 1309 Chemical composition of carrageenan blends determined by IR spectroscopy combined with a PLS multivariate calibration method
- Notes
- Feng Yang, Yuxia Hua, Yuguo Du (Beijing, PR China) 1313 Synthesis of biantennary β -D-(1 $\rightarrow$ 6) glucosamine oligosaccharides
- Marietta Tóth, László Somsák (Debrecen, Hungary) 1319 Preparation of 2,6-anhydro-aldose acylhydrazones, -semicarbazones and -oximes from 2,6-anhydro-aldononitriles (glycosyl cyanides)
- Ming-Yi Chen, Laxmikant Narhari Patkar, Hui-Ting Chen, Chun-Cheng Lin (Taipei, Taiwan, ROC) 1327 An efficient and selective method for preparing glycosyl sulfoxides by oxidizing glycosyl sulfides with OXONE or *t*-BuOOH on SiO₂
- Judicaël Parisot, Virginie Langlois, Vehary Sakanyan, Claude Rabiller (Nantes, France) 1333 Cloning expression and characterization of a thermostable exopolygalacturonase from *Thermotoga maritima*
- Sukhoon Koh, Joongsu Kim, Hyun-Jae Shin, Duck-Hee Lee, Jungdon Bae, Dooil Kim, Dae-Sil Lee (Daejeon, Republic of Korea) 1339 Mechanistic study of the intramolecular conversion of maltose to trehalose by *Thermus caldophilus* GK24 trehalose synthase
- 1345 Graphical abstracts
- Full Papers
- Bohumil Steiner, Júlia Mičová, Miroslav Koš (Bratislava, Slovakia), Vratislav Langer (Gothenburg, Sweden), Dalma Gyepesová (Bratislava, Slovakia) 1349 Some non-anomerically C–C-linked carbohydrate amino acids related to leucine—synthesis and structure determination
- Eugenia N. Olsufyeva, Anna N. Tevyashova, Ivan D. Trestchalin, Maria N. Preobrazhenskaya (Moscow, Russia), David Platt, Anatole Klyosov (Newton, MA, USA) 1359 Synthesis and antitumor activity of new D-galactose-containing derivatives of doxorubicin

Latino Loureiro Morais, Khalil Bennis, Isabelle Ripoche (Aubière, France), Liang Liao, France-Isabelle Auzanneau (Guelph, Canada), Jacques Gelas (Aubière, France)	1369	Synthesis of S-linked thiooligosaccharide analogues of Nod factors: synthesis of new protected thiodisaccharide and thiotrisaccharide intermediates
Benjamin S. Prebyl, Conrad Kaczmarek, Albert A. Tuinman, David C. Baker (Knoxville, TN, USA)	1381	Characterizing the electrospray-ionization mass spectral fragmentation pattern of enzymatically derived hyaluronic acid oligomers
Ewa Katzenellenbogen (Wrocław, Poland), Nina A. Kocharova, George V. Zatonsky (Moscow, Russian Federation), Maria Bogulska, Jacek Rybka, Andrzej Gamian (Wrocław, Poland), Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation)	1389	Structure of the O-specific polysaccharide from the lipopolysaccharide of <i>Citrobacter gillenii</i> O11, strain PCM 1540
Alexander Richter, Wolfgang Wagenknecht (Golm, Germany)	1397	Synthesis of amylose acetates and amylose sulfates with high structural uniformity
Ruth Falshaw, Richard H. Furneaux, Herbert Wong (Lower Hutt, New Zealand)	1403	Analysis of pyruvylated β -carrageenan by 2D NMR spectroscopy and reductive partial hydrolysis
Felipe Hernández-Luis, Eliseo Amado-González, Miguel A. Estes (Tenerife, Spain)	1415	Activity coefficients of NaCl in trehalose–water and maltose–water mixtures at 298.15 K
Notes		
Nina A. Kocharova (Moscow, Russia), Agnieszka Maszewska (Lodz, Poland), George V. Zatonsky, Olga V. Bystrova (Moscow, Russia), Andrzej Ziolkowski, Agnieszka Torzewska (Lodz, Poland), Aleksander S. Shashkov, Yuriy A. Knirel (Moscow, Russia), Antoni Rozalski (Lodz, Poland)	1425	Structure of the O-polysaccharide of <i>Providencia alcalifaciens</i> O21 containing 3-formamido-3,6-dideoxy-D-galactose
Filip V. Toukach, Andrei V. Perepelov (Moscow, Russian Federation), Beata Bartodziejska (Lodz, Poland), Alexander S. Shashkov (Moscow, Russian Federation), Aleksandra Blaszczyk (Lodz, Poland), Nikolay P. Arbatsky (Moscow, Russian Federation), Antoni Rozalski (Lodz, Poland), Yuriy A. Knirel (Moscow, Russian Federation)	1431	Structure of the O-polysaccharide of <i>Proteus vulgaris</i> O44: a new O-antigen that contains an amide of D-glucuronic acid with L-alanine
	1437	Graphical abstracts
Full Papers		
Karen Plé (Reims, France)	1441	Synthesis of the trisaccharide portion of soyasaponin β g: evaluation of a new glucuronic acid acceptor
Rainer Borriss, Martin Krah (Berlin, Germany), Harry Brumer III (Stockholm, Sweden), Maxim A. Kerzhner, Dina R. Ivanen, Elena V. Eneyskaya (St. Petersburg, Russian Federation), Lyudmila A. Elyakova (Vladivostok, Russian Federation), Sergei M. Shishlyannikov, Konstantin A. Shabalin, Kirill N. Neustroev (St. Petersburg, Russian Federation)	1455	Enzymatic synthesis of 4-methylumbelliferyl (1 $\rightarrow$ 3)- β -D-glucooligosaccharides—new substrates for β -1,3-1,4-D-glucanase
A.K.M. Shofiqur Rahman, Koji Kato, Shingo Kawai, Kazuhiro Takamizawa (Gifu, Japan)	1469	Substrate specificity of the α -L-arabinofuranosidase from <i>Rhizomucor pusillus</i> HHT-1
Kazuko Inoue, Jun Hiratake, Masaharu Mizutani (Kyoto, Japan), Masayasu Takada, Mikio Yamamoto (Shizuoka, Japan), Kanzo Sakata (Kyoto, Japan)	1477	β -Glycosylamidine as a ligand for affinity chromatography tailored to the glycon substrate specificity of β -glycosidases
Douglas W. Lowman (Kingsport, TN, Johnson City, TN, USA), Donald A. Ferguson Jr., David L. Williams (Johnson City, TN, USA)	1491	Structural characterization of (1 $\rightarrow$ 3)- β -D-glucans isolated from blastospore and hyphal forms of <i>Candida albicans</i>
Ana Reis, M. Rosário M. Domingues, Pedro Domingues, A.J. Ferrer-Correia, Manuel A. Coimbra (Aveiro, Portugal)	1497	Positive and negative electrospray ionisation tandem mass spectrometry as a tool for structural characterisation of acid released oligosaccharides from olive pulp glucuronoxylans
Yong Jin, Lina Zhang, Li Chen, Yan Chen (Wuhan, PR China), Peter Chi Keung Cheung (Hong Kong), Ligu Chen (Wuhan, PR China)	1507	Effect of culture media on the chemical and physical characteristics of polysaccharides isolated from <i>Poria cocos</i> mycelia

Notes

- Yong Jin, Lina Zhang, Mei Zhang, Li Chen (Wuhan, PR China), Peter Chi Keung Cheung, V.E.C. Oi (Hong Kong), Yulu Lin (Wuhan, PR China) 1517 Antitumor activities of heteropolysaccharides of *Poria cocos* mycelia from different strains and culture media

- Shigehiro Kamitori, Masayo Tanaka, Yasuki Akita (Tokyo, Japan), Kazuhiro Yamamoto (Shiga, Japan) 1523 Crystal structure of chartreusin derivative A132

- 1527 Graphical abstracts

Rapid Communication

- Hideyuki Nagai, Shuichi Matsumura, Kazunobu Toshima (Yokohama, Japan) 1531 Environmentally benign and stereoselective formation of β -mannosidic linkages utilizing 2,3-di-*O*-benzyl-4,6-*O*-benzylidene-protected mannopyranosyl phosphite and montmorillonite K-10

Full Papers

- Juan Costamagna, Luis E. Lillo, Betty Matsuhira (Santiago, Chile), Miguel D. Nosedá (Paraná, Brazil), Manuel Villagrán (Santiago, Chile) 1535 Ni(II) complexes with Schiff bases derived from amino sugars

- David Brevet, Yves Mugnier (Dijon, France), Soth Samreth (Daix, France), Philippe Dellis (Chenôve, France) 1543 New efficient electrochemical synthesis of 1,5-dithioxylopyranosides in the presence of a sacrificial anode

- Akashi Ohtaki, Akihiro Iguchi, Masahiro Mizuno, Takashi Tonzuka, Yoshiyuki Sakano, Shigehiro Kamitori (Tokyo, Japan) 1553 Mutual conversion of substrate specificities of *Thermoactinomyces vulgaris* R-47 α -amylases TVAI and TVAII by site-directed mutagenesis

- Marc Lahaye, Corinne Rondeau-Mouro, Estelle Deniaud, Alain Buléon (Nantes, France) 1559 Solid-state ^{13}C NMR spectroscopy studies of xylans in the cell wall of *Palmaria palmata* (L. Kuntze, Rhodophyta)

- Lars Andersson (Uppsala, Sweden), Michael A. Cotta (Peoria, IL, USA), Lennart Kenne (Uppsala, Sweden) 1571 Structural studies of the extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain H10b

- Thammarat Aree (Bangkok, Thailand), Narongsak Chaichit (Pathum Thani, Thailand) 1581 A new crystal form of β -cyclodextrin–ethanol inclusion complex: channel-type structure without long guest molecules

Notes

- Laurent Devel, Louis Hamon, Hubert Becker, Annie Thellend, Anne Vidal-Cros (Paris, France) 1591 Synthesis of protected 2-amino-2-deoxy-D-xylothionolactam derivatives and some aspects of their reactivity

- Guofeng Gu, Yuguo Du, Hongyan Hu, Cheng Jin (Beijing, PR China) 1603 Synthesis of 2-chloro-4-nitrophenyl α -L-fucopyranoside: a substrate for α -L-fucosidase (AFU)

- Omar Ishurd (Hangzhou, PR China), Yousef Ali (Tripoli, Libya), Wanxing Wei (Hangzhou, PR China), Fatma Bashir, Amna Ali, Ahmed Ashour (Tripoli, Libya), Yuanjiang Pan (Hangzhou, PR China) 1609 An alkali-soluble heteroxyylan from seeds of *Phoenix dactylifera* L.

- 1613 Graphical abstracts

Full Papers

- M. Serdar Gültekin, Emine Salamci (Erzurum, Turkey), Metin Balci (Ankara, Turkey) 1615 A novel and short synthesis of (1,4/2)-cyclohex-5-ene-triol and its conversion to ($\pm$)-*proto*-quercitol

- Hiromi Ito, Hideharu Ishida (Gifu, Japan), Brian E. Collins, Susan E. Fromholt, Ronald L. Schnaar (Baltimore, MD, USA), Makoto Kiso (Gifu, Japan) 1621 Systematic synthesis and MAG-binding activity of novel sulfated GM1b analogues as mimics of Chol-1 (α -series) gangliosides: highly active ligands for neural siglecs

- Tadashi Hanaya, Ken-ichi Sugiyama, Heizan Kawamoto, Hiroshi Yamamoto (Okayama, Japan) 1641 Stereoselectivity in deoxygenation of 5-hydroxy-5-phosphinyl-hexofuranoses (α -hydroxyphosphonates)

- Sara I.F.S. Martins, Antonius T.M. Marcelis, Martinus A.J.S. van Boekel (Wageningen, The Netherlands) 1651 Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part I—Reaction mechanism

- Sara I.F.S. Martins, Martinus A.J.S. Van Boekel (Wageningen, The Netherlands) 1665 Kinetic modelling of Amadori *N*-(1-deoxy-D-fructos-1-yl)-glycine degradation pathways. Part II—Kinetic analysis

- Carlos A. Stortz, Alberto S. Cerezo (Buenos Aires, Argentina) 1679 MM3 Potential energy surfaces of the 2-linked glucosyl trisaccharides α -kojitriose and β -sophorotriose

Notes

- Aneli M. Barbosa (Londrina, Brazil), Rosângela M. Steluti (Presidente Prudente, Brazil), Robert F.H. Dekker (Londrina, Brazil), Marilsa S. Cardoso, M.L. Corradi da Silva (Presidente Prudente, Brazil) 1691 Structural characterization of Botryosphaeran: a (1 → 3;1 → 6)-β-D-glucan produced by the ascomyceteous fungus, *Botryosphaeria* sp.
- Yanming Dong, Yusong Wu, Yaqing Zhao, Huiwu Wang, Yonghong Ruan, Hui Zhang, Xueming Fang (Xiamen, PR China) 1699 Change of handedness in cholesteric liquid crystalline phase for *N*-phthaloylchitosan solutions in organic solvents
- 1707 Graphical abstracts

Full Papers

- Jianjun Zhang, Zuchao Ma, Fanzuo Kong (Beijing, PR China) 1711 Synthesis of a mannose nonasaccharide existing in the exopolysaccharide of *Cryphonectria parasitica*
- Jianjun Zhang, Fanzuo Kong (Beijing, PR China) 1719 Synthesis of a hexasaccharide, the repeating unit of *O*-deacetylated GXM of *C. neoformans* serotype A
- Zicheng Wu, Fanzuo Kong (Beijing, PR China) 1727 Synthesis of mannose-containing analogues of (1 → 6)-branched (1 → 3)-glucohexaose (I)
- Hong-Min Liu, Fuyi Zhang, Jianye Zhang, Shi Li (Zhengzhou, PR China) 1737 Novel autoxidation and Michael addition of a butenolide-containing sugar leading to a C-branched-chain glucopyranosidulose, and X-ray structure of intermediates
- Guilhermina R. Noleto, Cesar A. Tischer, Philip A.J. Gorin, Marcello Iacomini, Maria Benigna M. Oliveira (Curitiba, Brazil) 1745 Complexes of sodium vanadate(V) with methyl α-D-mannopyranoside, methyl α- and β-D-galactopyranoside, and selected *O*-methyl derivatives: a ⁵¹V and ¹³C NMR study
- Yu Liu, Li Li, Heng-Yi Zhang, Peng Liang, Hao Wang (Tianjin, PR China) 1751 Inclusion complexation behavior of dyestuff guest molecules by a bridged bis(cyclo-maltoheptaose)[bis(β-cyclodextrin)] with a pyromellitic acid diamide tether
- R.P. Singh, J.K. Pandey (Pune, India), D. Rutot, Ph. Degée, Ph. Dubois (Mons, Belgium) 1759 Biodegradation of poly(ε-caprolactone)/starch blends and composites in composting and culture environments: the effect of compatibilization on the inherent biodegradability of the host polymer
- Patrick Berthault (Gif sur Yvette, France), Damien Jeannerat (Genève, Switzerland), Franck Camerel (Nantes, France), Francisco Alvarez Salgado, Yves Boulard (Gif sur Yvette, France), Jean-Christophe P. Gabriel (Nantes, France; Emeryville, CA, USA), Hervé Desvaux (Gif sur Yvette, France) 1771 Dilute liquid crystals used to enhance residual dipolar couplings may alter conformational equilibrium in oligosaccharides

Notes

- Miklós Hornyák, Ferenc Sztaricskai, István F. Pelyvás, Gyula Batta (Debrecen, Hungary) 1787 Synthesis of a novel N-O-interglycosidic disaccharide
- Yongmin Zhang, Pierre Sinaÿ (Paris, France) 1793 Synthesis and characterization of a sulfated pentasaccharide containing the Lewis^x motif
- Mads H. Clausen (Leeds, UK; Lyngby, Denmark), William G.T. Willats, J. Paul Knox (Leeds, UK) 1797 Synthetic methyl hexagalacturonate hapten inhibitors of anti-homogalacturonan monoclonal antibodies LM7, JIM5 and JIM7
- Olga V. Bystrova (Moscow, Russian Federation; Borstel, Germany), Buko Lindner, Herman Moll (Borstel, Germany), Nina A. Kocharova (Moscow, Russian Federation), Yuriy A. Knirel (Moscow, Russian Federation; Borstel, Germany), Ulrich Zähringer (Borstel, Germany), Gerald B. Pier (Boston, MA, USA) 1801 Structure of the biological repeating unit of the O-antigen of *Pseudomonas aeruginosa* immunotype 4 containing both 2-acetamido-2,6-dideoxy-D-glucose and 2-acetamido-2,6-dideoxy-D-galactose
- 1807 Graphical abstracts

Full Papers

- Rupendra Mukerjee, John F. Robyt (Ames, IA, USA) 1811 Starch biosynthesis: sucrose as a substrate for the synthesis of a highly branched component found in 12 varieties of starches
- Bruno Giuliano Garisto Donzelli (Geneva, NY, USA), Gary Ostroff (Eagan, MN, USA), Gary E. Harman (Geneva, NY, USA) 1823 Enhanced enzymatic hydrolysis of langostino shell chitin with mixtures of enzymes from bacterial and fungal sources

- Rafal Fudala (Lodz, Poland), Anna N. Kondakova (Moscow, Russian Federation), Katarzyna Bednarska (Lodz, Poland), Sofya N. Senchenkova, Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Ulrich Zähringer (Borstel, Germany), Wieslaw Kaca (Lodz, Poland) 1835 Structure and serological characterization of the O-antigen of *Proteus mirabilis* O18 with a phosphocholine-containing oligosaccharide phosphate repeating unit
- Juliana Maurer-Menestrina, Guilherme L. Sassaki, Fernanda F. Simas, Philip A.J. Gorin, Marcello Iacomini (Curitiba, Brazil) 1843 Structure of a highly substituted β -xylan of the gum exudate of the palm *Livistona chinensis* (Chinese fan)
- René Verhoef, Pieter de Waard, Henk A. Schols (Wageningen, The Netherlands), Matti Siika-aho (Espoo, Finland), Alphons G.J. Voragen (Wageningen, The Netherlands) 1851 *Methylobacterium* sp. isolated from a Finnish paper machine produces highly pyruvated galactan exopolysaccharide
- Paola Sist, Paola Cescutti, Silvia Skerlavaj, Ranieri Urbani (Trieste, Italy), Jorge H. Leitão, Isabel Sá-Correia (Lisbon, Portugal), Roberto Rizzo (Trieste, Italy) 1861 Macromolecular and solution properties of Cepacian: the exopolysaccharide produced by a strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient
- Anna Jacobs (Stockholm, Sweden), Magnus Palm, Guido Zacchi (Lund, Sweden), Olof Dahlman (Stockholm, Sweden) 1869 Isolation and characterization of water-soluble hemicelluloses from flax shive

Notes

- Romualdo Caputo, Pasquale Festa, Annalisa Guaragna, Giovanni Palumbo, Silvana Pedatella (Napoli, Italy) 1877 A novel approach to the stereocontrolled synthesis of C-vinyl β -D-galactopyranosides
- Petros Katapodis (Athens, Greece), Maria Vršanská (Bratislava, Slovak Republic), Dimitris Kekos (Athens, Greece), Wim Nerinckx (Ghent, Belgium), Peter Biely (Bratislava, Slovak Republic), Marc Claeysens (Ghent, Belgium), Basil J. Macris, Paul Christakopoulos (Athens, Greece) 1881 Biochemical and catalytic properties of an endoxylanase purified from the culture filtrate of *Sporotrichum thermophile*
- Cristina De Castro, Emiliano Bedini, Rosa Nunziata, Rosita Rinaldi, Lorenzo Mangoni, Michelangelo Parrilli (Napoli, Italy) 1891 Elucidation of the O-chain structure from the lipopolysaccharide of *Agrobacterium tumefaciens* strain C58
- Olga V. Bystrova (Moscow, Russia; Borstel, Germany), Buko Lindner, Herman Moll (Borstel, Germany), Nina A. Kocharova (Moscow, Russia), Yuriy A. Knirel (Moscow, Russia; Borstel, Germany), Ulrich Zähringer (Borstel, Germany), Gerald B. Pier (Boston, MA, USA) 1895 Structure of the lipopolysaccharide of *Pseudomonas aeruginosa* O-12 with a randomly O-acetylated core region
- Harsha Joshi, Virendra P. Kapoor (Lucknow, India) 1907 *Cassia grandis* Linn. f. seed galactomannan: structural and crystallographical studies
- 1913 Graphical abstracts

Full Papers

- Júlia Mičová, Bohumil Steiner, Miroslav Koš (Bratislava, Slovakia), Vratislav Langer (Gothenburg, Sweden), Dalma Gyepesová (Bratislava, Slovakia) 1917 Characterisation and X-ray crystallography of products from the Bucherer–Bergs reaction of methyl 2,3-O-isopropylidene- α -D-lyxo-pentodialdo-1,4-furanoside
- Serge A. Svarovsky, Joseph J. Barchi, Jr. (Frederick, MD, USA) 1925 Highly efficient preparation of tumor antigen-containing glycopeptide building blocks from novel pentenyl glycosides
- Ian Cumpstey, Terry D. Butters, Richard J. Tennant-Eyles, Antony J. Fairbanks, Robert R. France, Mark R. Wormald (Oxford, UK) 1937 Synthesis of fluorescence-labelled disaccharide substrates of glucosidase II
- Fanny Guillaumie (Lyngby, Denmark), Jason D. Sterling (Athens, GA, USA), Knud J. Jensen (Fredriksberg, Denmark), Owen R.T. Thomas (Lyngby, Denmark), Debra Mohnen (Athens, GA, USA) 1951 Solid-supported enzymatic synthesis of pectic oligogalacturonides and their analysis by MALDI-TOF mass spectrometry

Gregory L. Côté, Christopher A. Dunlap (Peoria, IL, USA)	1961	Alternansucrase acceptor reactions with methyl hexopyranosides
Seung-Heon Yoon, John F. Robyt (Ames, IA, USA)	1969	Study of the inhibition of four α amylases by acarbose and its 4 ^{IV} - α -maltohexaosyl and 4 ^{IV} - α -maltododecaosyl analogues
Keiko Shintate, Motomitsu Kitaoka, Yeon-Kye Kim, Kiyoshi Hayashi (Ibaraki, Japan)	1981	Enzymatic synthesis of a library of β -(1 $\rightarrow$ 4) hetero- D-glucose and D-xylose-based oligosaccharides employing cellodextrin phosphorylase
Evgeny Vinogradov (Ottawa ON, Canada), Anton Korenevsky, Terry J. Beveridge (Guelph ON, Canada)	1991	The structure of the rough-type lipopolysaccharide from <i>Shewanella oneidensis</i> MR-1, containing 8-amino-8-deoxy-Kdo and an open-chain form of 2-acetamido-2-deoxy-D-galactose
Anna N. Kondakova (Moscow, Russian Federation), Katarzyna Kolodziejka, Krystyna Zych (Łódź, Poland), Sof'ya N. Senchenkova, Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Zygmunt Sidorczyk (Łódź, Poland)	1999	Structure of the N-acetyl-L-rhamnosamine-containing O-polysaccharide of <i>Proteus vulgaris</i> TG 155 from a new <i>Proteus</i> serogroup, O55
B. Muktha, O. Srinivas, M.R. Amresh, T.N. Guru Row, N. Jayaraman, K. Sekar (Bangalore, India)	2005	The crystal structure of 1,2,3,4,6-penta-O-benzoyl- α -D-mannopyranose: observation of C–H $\cdots$ π interaction as a surrogate to O–H $\cdots$ O interaction of a free sugar
Notes		
Nilgün Yenil, Levent Yüceer (Izmir, Turkey)	2013	1,2-O-Trichloroethylidene acetal group protected 3,5-dieno-1,4-furanose derivatives
Thomas Peterbauer (Vienna, Austria), Ian Brereton (Queensland, Australia), Andreas Richter (Vienna, Austria)	2017	Identification of a digalactosyl ononitol from seeds of adzuki bean (<i>Vigna angularis</i>)
Alexander S. Shashkov, Galina M. Streshinskaya, Larisa N. Kosmachevskaya, Sof'ya N. Senchenkova (Moscow, Russian Federation), Lyudmila I. Evtushenko (Pushchino, Russian Federation), Irina B. Naumova (Moscow, Russian Federation)	2021	NMR-based identification of cell wall galactomannan of <i>Streptomyces</i> sp. VKM Ac-2125
Sof'ya N. Senchenkova, Yuriy A. Knirel, Alexander S. Shashkov (Moscow, Russian Federation), Mamdoh Ahmed, Athanasios Mavridis, Klaus Rudolph (Göttingen, Germany)	2025	Structure of the O-polysaccharide of <i>Erwinia carotovora</i> ssp. <i>carotovora</i> GSPB 436
Yunlan Su, Limin Yang, Zheming Wang, Chunhua Yan, Shifu Weng, Jinguang Wu (Beijing, PR China)	2029	Sugar complexes with neodymium nitrate. Spectroscopic and structural studies of two Nd(NO ₃) ₃ –galactitol complexes
	2035	Graphical abstracts
Full Papers		
Jianjun Zhang, Zuchao Ma, Fanzuo Kong (Beijing, PR China)	2039	Efficient synthesis of a 3,6-branched mannose hepta- and octasaccharide
Ying Zeng, Fanzuo Kong (Beijing, PR China)	2047	Highly efficient synthesis of alternate α - and β -(1 $\rightarrow$ 3)-linked glucose hepta- and octasaccharides
Martin Šala, Renata Jakše, Jurij Svete, Amalija Golobič, Ljubo Golič, Branko Stanovnik (Ljubljana, Slovenia)	2057	Synthesis of 3-(α - and β -D-arabinofuranosyl)-6-chloro-1,2,4-triazolo[4,3- <i>b</i>]-pyridazine
Hideko Inoue, Naoto Tone, Hirokazu Nakayama, Mitsutomu Tsuchioka (Kobe, Japan)	2067	Stereoselective phosphorylation of branched cyclodextrins with inorganic cyclo-triphosphate
Kenji Arakawa, Simeon G. Bowers, Benjamin Michels, Vu Trin, Taifo Mahmud (Seattle, WA, USA)	2075	Biosynthetic studies on the α -glucosidase inhibitor acarbose: the chemical synthesis of isotopically labeled 2- <i>epi</i> -5- <i>epi</i> -valiolone analogs
Angela Michelle Scheppokat, Hagen Bretting, Joachim Thiem (Hamburg, Germany)	2083	Fast and efficient synthesis of a novel homologous series of L-fucosylated trisaccharides using the <i>Helix pomatia</i> α -(1 $\rightarrow$ 2)-L-galactosyltransferase
Florence Djedaïni-Pilard (Amiens, France), Marie-Claire Nevers, Sandrine Weisse, Jacques Grassi, Bruno Perly, Christophe Créminon (Gif sur Yvette, France)	2091	A sensitive and specific enzyme immunoassay for the detection of methyl ether derivatives of cyclomaltoheptaose
Fikri Y. Avci (Troy, NY, USA), Toshihiko Toida (Chiba, Japan), Robert J. Linhardt (Troy, NY, USA)	2101	Chondroitin O-methyl ester: an unusual substrate for chondroitin AC lyase

Katarzyna Kołodziejka (Łódź, Poland), Anna N. Kondakova (Moscow, Russian Federation), Krystyna Zych (Łódź, Poland), Sof'ya N. Senchenkova, Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Zygmunt Sidorczyk (Łódź, Poland)	2105	Structure of the O-polysaccharide of a serologically separate strain of <i>Proteus mirabilis</i> , TG 332, from a new proposed <i>Proteus</i> serogroup O50
Diego A. Navarro, Carlos A. Stortz (Buenos Aires, Argentina)	2111	Determination of the configuration of 3,6-anhydrogalactose and cyclizable α -galactose 6-sulfate units in red seaweed galactans
Thomas Mikeska, Martin Nieger (Bonn, Germany), Heidi Mansikkamäki (Jyväskylä, Finland), Jörg Daniels, Thomas Kolter (Bonn, Germany)	2119	Crystal structures of <i>O</i> -acetylated 2-acylamino-2-deoxy-D-galactose derivatives
Shojiro Shimojo (Yokohama, Japan), Chong-Su Cho, In-Kyu Park (Suwon, Republic of Korea), Megumi Kunou (Yokohama, Japan), Mitsuaki Goto (Tokyo, Japan), Toshihiro Akaike (Yokohama, Japan)	2129	Helical structure of sugar-carrying polystyrene in aqueous solution by circular dichroism
Michael J. Ridout, Mary L. Parker, Cliff L. Hedley, Tatiana Y. Bogracheva, Victor J. Morris (Norwich, UK)	2135	Atomic force microscopy of pea starch granules: granule architecture of wild-type parent, <i>r</i> and <i>rb</i> single mutants, and the <i>rrb</i> double mutant
Notes		
Balaram Mukhopadhyay, Robert A. Field (Norwich, UK)	2149	A simple one-pot method for the synthesis of partially protected mono- and disaccharide building blocks using an orthoesterification–benzylation–orthoester rearrangement approach
Ewa Katzenellenbogen (Wrocław, Poland), Nina A. Kocharova, George V. Zatonsky (Moscow, Russian Federation), Agnieszka Korzeniowska-Kowal (Wrocław, Poland), Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation)	2153	Structure of the O-polysaccharide from the lipopolysaccharide of <i>Hafnia alvei</i> strain PCM 1546
	2159	Graphical abstracts
Rapid Communication		
Ichiro Matsuo, Yukishige Ito (Kawaguchi, Japan)	2163	Synthesis of an octamannosylated glycan chain, the key oligosaccharide structure in ER-associated degradation
Full Papers		
Langqiu Chen, Fanzuo Kong (Beijing, PR China)	2169	A practical synthesis of α -D-Manp-(1 $\rightarrow$ 3)- α -D-Manp-(1 $\rightarrow$ 2)-[α -D-Glcp-(1 $\rightarrow$ 3)]- α -D-Manp-(1 $\rightarrow$ 2)- α -D-Manp-(1 $\rightarrow$ 2)- α -D-Manp, an O-specific heterohexasaccharide fragment of <i>Citrobacter braakii</i> O7a, 3b, 1c
María I. Mangione, Alejandra G. Suárez, Rolando A. Spanevello (Rosario, Argentina)	2177	Neighboring-group participation in benzylidene acetal ring-opening of a 2-cyano-2-deoxypyranoside derivative by diethylaluminum cyanide
Alix Dubes, Ghania Degobert, Hatem Fessi, Hélène Parrot-Lopez (Villeurbanne, France)	2185	Synthesis and characterisation of sulfated amphiphilic α -, β - and γ -cyclodextrins: application to the complexation of acyclovir
Marie-Astrid Ottenhof, William MacNaughtan, Imad A. Farhat (Loughborough, UK)	2195	FTIR study of state and phase transitions of low moisture sucrose and lactose
Zicheng Wu, Jun Ning, Fanzuo Kong (Beijing, PR China)	2203	Synthesis of β -(1 $\rightarrow$ 6)-branched (1 $\rightarrow$ 3)-glucododecaose and -glucopentadecaose with alternate β - and α -bonds in the backbone
Yeon-Kye Kim (Ibaraki, Japan; Kyungbuk, Republic of Korea), Motomitsu Kitaoka, Kiyoshi Hayashi (Ibaraki, Japan), Cheorl-Ho Kim (Kyungbuk, Republic of Korea), Gregory L. Côté (Peoria, IL, USA)	2213	A synergistic reaction mechanism of a cycloalternan-forming enzyme and a D-glucosyltransferase for the production of cycloalternan in <i>Bacillus</i> sp. NRRL B-21195
Kazuhiro Yoshinaga, Jun-ichi Abe (Kagoshima, Japan), Toshiko Tanimoto, Kyoko Koizumi (Nishinomiya, Japan), Susumu Hizukuri (Kagoshima, Japan)	2221	Preparation and reactivity of a novel disaccharide, glucosyl 1,5-anhydro-D-fructose (1,5-anhydro-3- <i>O</i> - α -glucopyranosyl-D-fructose)
Simona Lai, Emanuela Locci, Alessandra Piras, Silvia Porcedda, Adolfo Lai, Bruno Marongiu (Mon-serrato, Italy)	2227	Imazalil–cyclomaltoheptaose (β -cyclodextrin) inclusion complex: preparation by supercritical carbon dioxide and ^{13}C CPMAS and ^1H NMR characterization

Jihad R. Albani (Villeneuve d'Ascq, France)	2233	Förster energy-transfer studies between Trp residues of α_1 -acid glycoprotein (orosomucoid) and the glycosylation site of the protein
Notes		
Saibal Kumar Das, Joyita Roy, Kalusani Anantha Reddy, Chandrasekhar Abbineni (Hyderabad, India)	2237	A mild and convenient indium(III) chloride-catalyzed synthesis of thioglycosides
Jérôme Lalot, Imane Stasik, Gilles Demailly, Daniel Beaupère (Amiens, France)	2241	Efficient synthesis of 5-thio-D-arabinopyranose and 5-thio-D-xylopyranose from the corresponding D-pentono-1,4-lactones
Corrado Muzzarelli, Giorgio Tosi, Oriano Francescangeli, Riccardo A.A. Muzzarelli (Ancona, Italy)	2247	Alkaline chitosan solutions
	2257	Graphical abstracts
	2263	Preface
Perspective		
El-Sayed H. El-Ashry, Ahmed El Nemr (Alexandria, Egypt)	2265	Synthesis of mono- and di-hydroxylated prolines and 2-hydroxymethylpyrrolidines from non-carbohydrate precursors
Full Papers		
Abdellfattah Z. Haikal (Alain, United Arab Emirates), El Sayed H. El Ashry (Alexandria, Egypt), Joseph Banoub (Newfoundland, St. John's, Canada)	2291	Synthesis and structural characterization of 1-(D-glycosyloxy)phthalazines
Hamida Mohamed Abdel Hamid (Alexandria, Egypt)	2301	A novel synthesis of acyclonucleosides via allylation of 3-[1-(phenylhydrazono)-L-threo-2,3,4-trihydroxybut-1-yl]quinoxalin-2(1H)one
Christophe Len (Amiens, France), Grahame Mackenzie, David F. Ewing (Hull, UK), George Sheppard, Joseph Banoub (St. John's, Canada)	2311	Electrospray tandem mass-spectrometric analysis of diastereo- and stereoisomeric pyrimidine nucleoside analogues based on the 1,3-dihydrobenzo[c]furan core
Bjorn Larsen (Trondheim, Norway), Dalia M.S.A. Salem, Mohammed A.E. Sallam, Morcos M. Mishrikey, Ali I. Beltagy (Alexandria, Egypt)	2325	Characterization of the alginates from algae harvested at the Egyptian Red Sea coast
Notes		
Sameh E. Soliman, Rafik W. Bassily, Ramadan I. El-Sokkary, Mina A. Nashed (Alexandria, Egypt)	2337	Acetylated methyl glucopyranuronate trichloroacetimidate as a glycosyl donor for efficient synthesis of disaccharides
Magdi F. Iskander, Mohamed A.E. Shaban, Susan M. El-Badry (Alexandria, Egypt)	2341	Sugar hydrazone–metal complexes: transition- and non-transition metal complexes of monosaccharide S-alkylhydrazonocarbodithioates and dehydro-L-ascorbic acid bis(S-alkylhydrazonocarbodithioates)
Regular Papers		
Giorgio Catelani (Pisa, Italy), Antonino Corsaro (Catania, Italy), Felicia D'Andrea, Manuela Mariani (Pisa, Italy), Venerando Pistarà, Elisa Vittorino (Catania, Italy)	2349	Convenient preparation of L-arabino-hexos-5-ulose derivatives from lactose
Youlin Zeng, Fanzuo Kong (Beijing, PR China)	2359	Synthesis of β -D-glucose oligosaccharides from <i>Phytophthora parasitica</i>
Christopher A. Dunlap, Gregory L. Côté, Frank A. Momany (Peoria, IL, USA)	2367	Oxidation and metal-ion affinities of a novel cyclic tetrasaccharide
Benedikt Streicher, Bernhard Wunsch (Münster, Germany)	2375	Synthesis of amino-substituted hexo- and heptopyranoses from D-galactose
Anna N. Kondakova, Sof'ya N. Senchenkova, Andrei I. Gremyakov, Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russia), Rafal Fudala, Wieslaw Kaca (Lodz, Poland)	2387	Structure of the O-polysaccharide of <i>Proteus mirabilis</i> O38 containing 2-acetamidoethyl phosphate and N-linked D-aspartic acid
Xue-Song Wang, Qun Dong, Jian-Ping Zuo, Ji-Nian Fang (Shanghai, PR China)	2393	Structure and potential immunological activity of a pectin from <i>Centella asiatica</i> (L.) Urban
Albert Linton Charles (Pingtung, Taiwan), Hsien-Ming Kao (Chung-Li, Taiwan), Tzou-Chi Huang (Pingtung, Taiwan)	2403	Physical investigations of surface membrane–water relationship of intact and gelatinized wheat–starch systems

Notes

- Alain Morère, Fouzi Mouffouk, Audrey Jeanjean, Alain Leydet, Jean-Louis Montero (Montpellier, France) 2409 High yield regioselective monobenzyloxycarbonylation of secondary alcohols in glycopyranoside series
- Christelle Simon-Colin (Plouzané, France), François Michaud (Brest, France), Jean-Michel Léger (Bordeaux, France), Eric Deslandes (Plouzané, France) 2413 Crystal structure and chirality of natural floridoside
- Thomas Lecourt, Jean-Maurice Mallet, Pierre Sinaÿ (Paris, France) 2417 An efficient preparation of 6^{L,IV} dihydroxy permethylated β -cyclodextrin
- 2421 Graphical Abstracts
- 2429 Foreword

Perspectives/Reviews

- Martine Caroff, Doris Karibian (Orsay, France) 2431 Structure of bacterial lipopolysaccharides
- Evgeny L. Nazarenko, Nadezhda A. Komandrova, Raisa P. Gorshkova, Svetlana V. Tomshich, Vladimir A. Zubkov (Vladivostok, Russian Federation), Michelle Kilcoyne, Angela V. Savage (Galway, Ireland) 2449 Structures of polysaccharides and oligosaccharides of some Gram-negative marine *Proteobacteria*
- Marit Sletmoen, Gjertrud Maurstad, Pawel Sikorski (Trondheim, Norway), Berit Smestad Paulsen (Oslo, Norway), Bjørn T. Stokke (Trondheim, Norway) 2459 Characterisation of bacterial polysaccharides: steps towards single-molecular studies
- Klaus Brandenburg, Jörg Andrä, Mareike Müller (Borstel, Germany), Michel H.J. Koch (Hamburg, Germany), Patrick Garidel (Halle, Germany) 2477 Physicochemical properties of bacterial glycopolymers in relation to bioactivity
- Chris Whitfield, Anne Paiment (Ontario, Canada) 2491 Biosynthesis and assembly of Group 1 capsular polysaccharides in *Escherichia coli* and related extracellular polysaccharides in other bacteria
- Gabrielle Samuel, Peter Reeves (Sydney, Australia) 2503 Biosynthesis of O-antigens: genes and pathways involved in nucleotide sugar precursor synthesis and O-antigen assembly
- Mikael Skurnik (Helsinki, Finland), José A. Bengoechea (Palma de Mallorca, Spain) 2521 The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersinia*
- Arthur Tzianabos, Julia Y. Wang, Dennis L. Kasper (Boston, MA, USA) 2531 Biological chemistry of immunomodulation by zwitterionic polysaccharides
- Andrej Weintraub (Stockholm, Sweden) 2539 Immunology of bacterial polysaccharide antigens
- Gerald B. Pier (Boston, MA, USA) 2549 Promises and pitfalls of *Pseudomonas aeruginosa* lipopolysaccharide as a vaccine antigen

Full Papers

- Andreas Stadelmaier, Richard R. Schmidt (Konstanz, Germany) 2557 Synthesis of phosphatidylinositol mannosides (PIMs)
- Alla Zamyatina (Vienna, Austria), Sabine Gronow (Borstel, Germany), Michael Puchberger, Andrea Graziani, Andreas Hofinger, Paul Kosma (Vienna, Austria) 2571 Efficient chemical synthesis of both anomers of ADP L-glycero- and D-glycero-D-manno-heptopyranose
- Rina Saksena, Xingquan Ma, Pavol Kováč (Bethesda, MD, USA) 2591 One-pot preparation of a series of glycoconjugates with predetermined antigen–carrier ratio from oligosaccharides that mimic the O-PS of *Vibrio cholerae* O:1, serotype Ogawa
- Mia Alpe, Stefan Oscarson (Stockholm, Sweden) 2605 Synthesis of tetra- and pentasaccharides corresponding to the capsular polysaccharide of *Streptococcus pneumoniae* type 9A&L, 9N and 9A
- John A.F. Joosten, Johannis P. Kamerling, Johannes F.G. Vliegthart (Utrecht, The Netherlands) 2611 Chemo-enzymatic synthesis of a tetra- and octasaccharide fragment of the capsular polysaccharide of *Streptococcus pneumoniae* type 14

- John A.F. Joosten, Bart J. Lazet, Johannes P. Kamerling, Johannes F.G. Vliegenthart (Utrecht, The Netherlands) 2629 Chemo-enzymatic synthesis of tetra-, penta-, and hexasaccharide fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type 14
- Evgeny Vinogradov, Malcolm B. Perry (Ottawa, Canada), William W. Kay (Victoria, Canada) 2653 The structure of the glycopeptides from the fish pathogen *Flavobacterium columnare*
- Yasunori Isshiki (Tokyo, Japan; Borstel, Germany), Ulrich Zähringer (Borstel, Germany), Kazuyoshi Kawahara (Tokyo, Japan) 2659 Structure of the core-oligosaccharide with a characteristic D-glycero- α -D-talo-oct-2-ulosylate-(2 $\rightarrow$ 4)-3-deoxy-D-manno-oct-2-ulosonate [α -Ko-(2 $\rightarrow$ 4)-Kdo] disaccharide in the lipopolysaccharide from *Burkholderia cepacia*
- Oliver Kooistra (Borstel, Germany), Gilles Bedoux (Borstel, Germany; Lorient, France), Lothar Brecker, Buko Lindner, Patricia Sánchez Carballo, Dominique Haras, Ulrich Zähringer (Borstel, Germany) 2667 Structure of a highly phosphorylated lipopolysaccharide core in the Δ algC mutants derived from *Pseudomonas aeruginosa* wild-type strains PAO1 (serogroup O5) and PAC1R (serogroup O3)
- Jacek Rybka, Katarzyna Zielińska-Kuźniarz, Agnieszka Korzeniowska-Kowal, Aneta Sondej, Andrzej Gamian (Wrocław, Poland) 2679 Substitution pattern of 3-deoxy-D-manno-oct-2-ulosonic acid in bacterial lipopolysaccharides investigated by methylation analysis of whole LPS
- Paola Cescutti (Trieste, Italy), Giuseppe Impalomeni, Domenico Garozzo, Luisa Sturiale (Catania, Italy), Yury Herasimenka, Cristina Lagatolla, Roberto Rizzo (Trieste, Italy) 2687 Exopolysaccharides produced by a clinical strain of *Burkholderia cepacia* isolated from a cystic fibrosis patient
- Anna N. Kondakova (Moscow, Russian Federation; Borstel, Germany), Evgeny Vinogradov (Ottawa ON, Canada), Buko Lindner (Borstel, Germany), Yuriy A. Knirel (Moscow, Russian Federation), Ken-ichi Amano (Akita, Japan) 2697 Structural studies on the lipopolysaccharide core of *Proteus* OX strains used in Weil–Felix test: a mass spectrometric approach
- Noritaka Hashii, Yasunori Isshiki, Takehiro Iguchi, Seiichi Kondo (Saitama, Japan) 2711 Structural characterization of the carbohydrate backbone of the lipopolysaccharide of *Vibrio parahaemolyticus* O-untypeable strain KX-V212 isolated from a patient
- Antonio Molinaro, Cristina De Castro, Rosa Lanzetta, Michelangelo Parrilli (Napoli, Italy), Aida Raio, Astolfo Zoina (Portici, Italy) 2721 Structural elucidation of a novel core oligosaccharide backbone of the lipopolysaccharide from the new bacterial species *Agrobacterium larrymoorei*
- Elke K.H. Schweda, Malin K. Landerholm (Huddinge, Sweden), Jianjun Li (Ottawa, Canada), E. Richard Moxon (Oxford, UK), James C. Richards (Ottawa, Canada) 2731 Structural profiling of lipopolysaccharide glycoforms expressed by non-typeable *Haemophilus influenzae*: phenotypic similarities between NTHi strain 162 and the genome strain Rd
- Natalia V. Potekhina, Alexander S. Shashkov (Moscow, Russian Federation), Lyudmila I. Evtushenko (Moscow Region, Russian Federation), Sof'ya N. Senchenkova, Irina B. Naumova (Moscow, Russian Federation) 2745 A mannitol teichoic acid containing rhamnose and pyruvic acid acetal from the cell wall of *Brevibacterium permense* VKM Ac-2280
- 2773 Graphical abstracts
- 2777 Obituary
- Full Papers**
- Régis Périon (Rennes, La Frenaye, France), Lénaïck Lemée, Vincent Ferrières (Rennes, France), Raphaël Duval (La Frenaye, France), Daniel Plusquellec (Rennes, France) 2779 A new synthesis of the oligosaccharide domain of acarbose
- Masanori Yamaguchi, Hideharu Ishida (Gifu, Japan), Akiko Kanamori (Nagoya, Japan), Reiji Kannagi (Nagoya, Tokyo, Japan), Makoto Kiso (Gifu, Tokyo, Japan) 2793 Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-O-sulfo Lewis X and other novel gangliosides containing lactamized neuraminic acid
- Wei Zhao, Guangbin Yang, Fanzuo Kong (Beijing, PR China) 2813 Synthesis of two heptasaccharide analogues of the lentinan repeating unit
- Jiří Kroutil, Jindřich Karban, Miloš Buděšínský (Prague, Czech Republic) 2825 Utilization of nosylepimines of 1,6-anhydro- β -D-hexopyranoses for the preparation of halogenated aminosaccharides

- Lukas Kubala (Brno, Czech Republic), Jana Ruzickova, Kristina Nickova (Usti nad Orlici, Czech Republic), Jozef Sandula (Bratislava, Slovakia), Milan Ciz, Antonin Lojek (Brno, Czech Republic) 2835 The effect of (1 → 3)-β-D-glucans, carboxymethylglucan and schizophyllan on human leukocytes in vitro
- Eri Shimizu, Takao Ojima, Kiyoyoshi Nishita (Hokkaido, Japan) 2841 cDNA cloning of an alginate lyase from abalone, *Haliotis discus hannai*
- Wojciech Lesniak, John Mc Laren (Ann Arbor, MI, USA), Wesley R. Harris (St. Louis, MO, USA), Vincent L. Pecoraro, Jochen Schacht (Ann Arbor, MI, USA) 2853 An isocratic separation of underivatized gentamicin components, ¹H NMR assignment and protonation pattern
- Mei Zhang, Lina Zhang, Yifeng Wang (Wuhan, China), Peter Chi Keung Cheung (Hong Kong, China) 2863 Chain conformation of sulfated derivatives of β-glucan from sclerotia of *Pleurotus tuber-regium*
- Yuta Nakazawa, Ya-Jane Wang (Fayetteville, AR, USA) 2871 Acid hydrolysis of native and annealed starches and branch-structure of their Naegeli dextrins
- Denis Lourdin, Paul Colonna (Nantes, France), Stephen G. Ring (Norwich, UK) 2883 Volumetric behaviour of maltose–water, maltose–glycerol and starch–sorbitol–water systems mixtures in relation to structural relaxation
- Rengaswami Chandrasekaran, Srinivas Janaswamy (West Lafayette, IN, USA), Victor J. Morris (Colney, UK) 2889 Acetan:glucomannan interactions—a molecular modeling study

Notes

- S. Vijayaradhi, Indrapal Singh Aidhen, Babu Varghese (Madras, India) 2899 Consequences of rigidity and conformational locking in a 4,4-dimethyl-1,3-dioxolane ring system during protection of internal diol
- Mario A. Monteiro, Maria Fortuna-Nevin, John Farley, Viliam Pavliak (West Henrietta, NY, USA) 2905 Phase-variation of the truncated lipo-oligosaccharide of *Neisseria meningitidis* NMB phosphoglucomutase isogenic mutant NMB-R6
- Yan Lu, Guocai Deng, Fangming Miao, Zhengming Li (Tianjin, PR China) 2913 Metal ion interactions with sugars. The crystal structure and FT-IR study of the NdCl₃–ribose complex
- Tong-Chun Bai, Guo-Bing Yan (Suzhou, PR China) 2921 Viscosity B-coefficients and activation parameters for viscous flow of a solution of heptanedioic acid in aqueous sucrose solution

- I Author Index of Volume 338
 XI Subject Index of Volume 338
 XLVII Contents of Volume 338