


Contents

FULL PAPERS

Synthesis of new analogues of salacinol containing a pendant hydroxymethyl group as potential glycosidase inhibitors

pp 2305–2311


Ravindranath Nasi and B. Mario Pinto*



Synthesis of new amino sugar derivatives from keto-sugars of D-xylose

pp 2312–2320


Xiao-Ming Ji, Juan Mo, Hong-Min Liu* and He-Ping Sun



Synthesis of novel σ -receptor ligands from methyl α -D-mannopyranoside


pp 2321–2334

Kathrin Wiedemeyer and Bernhard Wünsch*




Synthesis of sucrose analogues and the mechanism of action of *Bacillus subtilis* fructosyltransferase (levansucrase) pp 2335–2349

Jürgen Seibel,* Roxana Moraru, Sven Götze, Klaus Buchholz, Shukrallah Na'amnieh, Alice Pawlowski and Hans-Jürgen Hecht




Construction and characterization of chimeric enzymes of kojibiose phosphorylase and trehalose phosphorylase from *Thermoanaerobacter brockii* pp 2350–2359

Takuo Yamamoto,* Hiroshi Yamashita, Kazuhisa Mukai, Hikaru Watanabe, Michio Kubota, Hiroto Chaen and Shigeharu Fukuda




Monosaccharide–H₂O₂ reactions as a source of glycolate and their stimulation by hydroxyl radicals pp 2360–2369

Vuk Maksimović,* Miloš Mojović and Željko Vučinić



Glycan analysis of recombinant *Aspergillus niger* endo-polygalacturonase A pp 2370–2378


Bryan D. Woosley, Young Hwan Kim, V. S. Kumar Kolli, Lance Wells, Dan King, Ryan Poe, Ron Orlando and Carl Bergmann*



Dehydration of fructose to 5-hydroxymethylfurfural in sub-critical water over heterogeneous zirconium phosphate catalysts


pp 2379–2387

Feridoun Salak Asghari and Hiroyuki Yoshida*

**Structure of a capsular polysaccharide isolated from *Salmonella enteritidis***

pp 2388–2397

David Scott Snyder, Deanna Gibson, Christian Heiss, William Kay and Parastoo Azadi*




Repeating unit of salmonella capsular polysaccharide.

Cinnamate derivatives of fructo-oligosaccharides from *Lindelfia stylosa*


pp 2398–2405

M. Iqbal Choudhary,* Afshan Begum, Ahmed Abbaskhan, Shafiq-ur-Rehman and Atta-ur-Rahman

**6-Amino-6-deoxy-chitosan. Sequential chemical modifications at the C-6 positions of N-phthaloyl-chitosan and evaluation as a gene carrier**

pp 2406–2413


Taku Satoh,* Hiroshi Kano, Mika Nakatani, Nobuo Sakairi, Seiji Shinkai and Takeshi Nagasaki



Phase-transition and aggregation characteristics of a thermoresponsive dextran derivative in aqueous solutions

pp 2414–2419

Huan-Ying Shi and Li-Ming Zhang*




NOTES

Synthesis of a di- and a trisaccharide related to the O-antigen of *Escherichia coli* O83:K24:H31

pp 2420–2425


Geetanjali Agnihotri and Anup Kumar Misra*



Synthesis of Lewis A trisaccharide analogues in which D-glucose and L-rhamnose replace D-galactose and L-fucose, respectively

pp 2426–2433


Liang Liao and France-Isabelle Auzanneau*



C-Branched pyrrolidines from 2-C-acetylmethyl-glycosylazides. Reduction of imines formed by monosaccharide ring opening

pp 2434–2438


Huawu Shao, Dean T. Williams, Shih-Hsiung Wu and Wei Zou*



Synthesis and characterization of the hexenuronic acid model methyl 4-deoxy- β -L-threo-hex-4-enopyranosiduronic acid

pp 2439–2443


Immanuel Adorjan,* Anna-Stiina Jääskeläinen and Tapani Vuorinen



Isolation and characterization of two new saponins from *Lysimachia capillipes*

pp 2444–2448


Bo Liang, Lin Zhang, Jingkui Tian,* Lizhen Xu and Shilin Yang



Structural characterisation of novel lichen heteroglycans by NMR spectroscopy and methylation analysis

pp 2449–2455

Sesselja Omarsdottir, Bent O. Petersen, Berit Smestad Paulsen, Adiaratou Togola, Jens Ø. Duus and Elin S. Olafsdottir*



The biofilm matrix of *Pseudomonas* sp. OX1 grown on phenol is mainly constituted by alginate oligosaccharides

pp 2456–2461

Serena Leone, Antonio Molinaro,* Fabiana Alfieri, Valeria Cafaro, Rosa Lanzetta, Alberto Di Donato and Michelangelo Parrilli



*Corresponding author

 Supplementary data available via ScienceDirect

COVER

Image represents a key process of malaria parasites multiplying in, and rupturing from the human blood cell. The parasite surface is coated with glycosylphosphatidylinositols (GPIs), which have been identified as the malaria toxin by a collaborative effort between the research groups headed by Peter Seeberger (Swiss Federal Institute of Technology (ETH) Zürich, Switzerland) and Louis Schofield (Walter and Eliza Hall Institute of Medical Research, Australia). The space filling model represents the native GPI molecule from malaria parasite that has been chemically synthesized by the Seeberger group. Professor Peter Seeberger was presented with the Carbohydrate Research Award at the 13th European Carbohydrate Symposium (Bratislava, 2005).

© 2006 P. H. Seeberger, L. Schofield, X. Liu and B. Berry. Published by Elsevier Ltd.

Available online at www.sciencedirect.com



Indexed/Abstracted in: Chem. Abstr.: Curr. Contents: Phys., Chem. & Earth Sci. Life Sci. Current Awareness in Bio. Sci (CABS). Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database which is available on STN® International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®



ELSEVIER

ISSN 0008-6215