


Contents

FULL PAPERS

DFT studies of the role of C-2-O-2 bond rotation in neighboring-group glycosylation reactions

pp 1291–1304


Dennis M. Whitfield* and Tomoo Nukada



Synthesis of aryl-2-deoxy-D-lyxolarabino-hexopyranosides from 2-deoxy-1-thioglycosides

pp 1305–1314


Somak Paul and Narayanaswamy Jayaraman*



Physicochemical and biological properties of 6¹,6³,6⁵-tri-O-α-maltosyl-cyclomaltoheptaose (6¹,6³,6⁵-tri-O-α-maltosyl-β-cyclodextrin)

pp 1315–1322

Yasuyo Okada,* Masanori Semma and Atsushi Ichikawa



B3LYP/6-311++G study of structure and spin–spin coupling constant in heparin disaccharide**

pp 1350–1356


M. Hricovíni,* E. Scholtzová and F. Bízik

Structures and spin–spin coupling constants of two stable conformations (1C_4 and 2S_0) of heparin disaccharide have been analyzed by DFT at the B3LYP/6-311++G** level of theory.

Crystallization kinetics of amorphous lactose, whey-permeate and whey powders


pp 1357–1365

Alexander Ibach* and Matthias Kind

**NOTES****Synthesis of substituted septanosyl-1,2,3-triazoles**


pp 1366–1372

Steve Castro, Emily C. Cherney, Nicole L. Snyder and Mark W. Pecuh*

**Solid-state hydrolysis of cellulose and methyl α - and β -D-glucopyranosides in presence of magnesium chloride**

pp 1373–1377


Naoki Shimada, Haruo Kawamoto* and Shiro Saka



A pseudoaminic acid-containing O-specific polysaccharide from a marine bacterium
Cellulophaga fucicola

pp 1378–1381


Andrei V. Perepelov, Alexander S. Shashkov, Svetlana V. Tomshich,* Nadezhda A. Komandrova and
 Ol'ga I. Nedashkovskaya




Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of *K*-carrageenan by alkaline permanganate

pp 1382–1386

Gamal A. Ahmed, Ahmed Fawzy and Refat M. Hassan*



*Corresponding author

 Supplementary data available via ScienceDirect

COVER

The image shows the ball-and-stick representation of a potent *n*-butyl thiazoline inhibitor of *Q*-GlcNAcase, bound in the active centre of the enzyme. The work is the result of collaboration between the groups of Professors David Vocadlo (Simon Fraser University, British Columbia, Canada) and Gideon Davies (University of York, UK). The image, generated with PYMOL (DeLano Scientific LLC, <http://pymol.sourceforge.net/>), shows the observed electron density as a blue “wire-cage” inside the active centre pocket represented by the smooth surface.

Professor Davies was presented with the Roy L Whistler Award of the International Carbohydrate Organization at the XXIIIrd International Carbohydrate Symposium in Whistler in 2006.

© 2007 G. Davies. Published by Elsevier Ltd.

Available online at www.sciencedirect.com



Indexed/Abstracted in: Chem. Abstr.: Curr. Contents: Phys., Chem. & Earth Sci. Life Sci. Current Awareness in Bio. Sci. (CABS). Science Citation Index. Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database which is available on STN® International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®



ELSEVIER

ISSN 0008-6215