

## Subject Index of Volume 342

### Ab initio calculation

The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202

### Acetal migration

Acyl chloride/DABCO-promoted acetal migration of 1,2:4,5-di-*O*-isopropylidene-*D*-fructopyranose, 1101

### 2-(4-Acetamido-2-sulfanamide)-chitosan

Synthesis and antifungal properties of sulfanilamide derivatives of chitosan, 2390

### Acetic acid

Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129

### Acetolysis

Synthesis of 7-*O*-galloyl-*D*-sedoheptulose, 1510

### Acetyl chloride

Regio- and stereoselective anomeric esterification of glucopyranose 1,2-diols and a facile preparation of 2-*O*-acetylated glucopyranosyl trichloroacetimidates from the corresponding 1,2-diols, 797

### Acetylation

Acyl chloride/DABCO-promoted acetal migration of 1,2:4,5-di-*O*-isopropylidene-*D*-fructopyranose, 1101

### Acetylenic carbohydrates

Alkynyl polysaccharides: synthesis of propargyl potato starch followed by subsequent derivatizations, 2049

Modification of methyl *O*-propargyl-*D*-glucosides: model studies for the synthesis of alkynyl based functional polysaccharides, 2031

### Acid–alcohol treated starches

Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103

### Acid-catalysed hydrolysis

Kinetics of hydrolysis of chitin/chitosan oligomers in concentrated hydrochloric acid, 1055

### Acremonium

Characterisation of the extracellular polysaccharides produced by isolates of the fungus *Acremonium*, 2481

### Acyclic sugar

Synthesis of the four 1-(1-deoxy-*D*-pentitol-1-yl)thymine and conformational properties of the acyclic sugar chain, 806

### Acylation

Silver(I) oxide-mediated regioselective 2-monoacylation in 3-*O*-benzyl- $\alpha$ -L-rhamnopyranosides and application in synthesis of a protected tetrasaccharide fragment of potent cytotoxic saponins gleditsiosides C and D, 1175

### Acylium cations

Acyl chloride/DABCO-promoted acetal migration of 1,2:4,5-di-*O*-isopropylidene-*D*-fructopyranose, 1101

### ADP Heptose

Synthesis of a deoxy analogue of ADP L-glycero-*D*-manno-heptose, 2537

### AgaA

A simple method of preparing diverse neoagaro-oligosaccharides with  $\beta$ -agarase, 1030

### AgaB

A simple method of preparing diverse neoagaro-oligosaccharides with  $\beta$ -agarase, 1030

### Agarose

A simple method of preparing diverse neoagaro-oligosaccharides with  $\beta$ -agarase, 1030

### Agarose activation

Binding of glycosaminoglycans to cyano-activated agarose membranes: kinetic and diffusional effects on yield and homogeneity, 2192

### Aggregates

Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434

### AIDS

Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881

### Aldonamides

Crystal structure and NMR spectroscopy of aldonamides derived from *D*-glycero-*D*-gulo-heptono-1,4-lactone, 243

### Aldonic acids

The Ruff degradation: a review of previously proposed mechanisms with evidence that the reaction proceeds by a Hofer–Moest-type reaction, 407

### Aldose

Aldose–ketose interconversion in pyridine in the presence of aluminium oxide, 1992

### Algal polysaccharides

Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil, 2766

### Aleppo tannin

Aleppo tannin: structural analysis and salivary amylase inhibition, 717

### Aleuria aurantia lectin

Preparation and characterization of 6<sup>l</sup>,6<sup>n</sup>-di-*O*-(L-fucopyranosyl)- $\beta$ -cyclodextrin (*n*=II–IV) and investigation of their functions, 2173

### Algal polysaccharide

Electrospray ionization mass spectrometry of oligosaccharides derived from fucoidan of *Ascophyllum nodosum*, 826

### Alginate

Extraction and physicochemical characterization of *Sargassum vulgare* alginate from Brazil, 2067

### Alginate oligomers

Stimulation of multiple cytokine production in mice by alginate oligosaccharides following intraperitoneal administration, 1133

### Alkaline medium

Kinetics and mechanism of the Ir(III)-catalyzed oxidation of xylose and maltose by potassium iodate in aqueous alkaline medium, 1078

- Alkanethiols**  
Efficient synthesis of  $\omega$ -mercaptoalkyl 1,2-*trans*-glycosides from sugar peracetates, 1009
- Alkyl C2-hydroxy-glycoside**  
Zeolite-catalyzed Helferich-type glycosylation of long-chain alcohols. Synthesis of acetylated alkyl 1,2-*trans* glucopyranosides and alkyl 1,2-*cis* C2-hydroxy-glycopyranosides, 704
- Allose**  
DFT study of  $\alpha$ - and  $\beta$ -D-allopyranose at the B3LYP/6-311++G\*\* level of theory, 196
- Allyl chloroformate**  
Regio- and stereoselective anomeric esterification of glucopyranose 1,2-diols and a facile preparation of 2-O-acetylated glucopyranosyl trichloroacetimidates from the corresponding 1,2-diols, 797
- Allyl deprotection**  
Allyl deprotection of galacturonic acid derivatives: mechanistic aspects of mercuric-catalyzed prop-1-enyl acetal cleavage, 2635
- Allyl vinyl ether**  
From lactose towards a novel galactosylated cyclooctenone, 1238
- Almond shells**  
Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122
- Alpha-amylases**  
Formation of covalent  $\beta$ -linked carbohydrate–enzyme intermediates during the reactions catalyzed by  $\alpha$ -amylases, 55
- Aluminium oxide**  
Aldose–ketose interconversion in pyridine in the presence of aluminium oxide, 1992
- Amadori compound**  
Crystal structure of *N*-(1-deoxy- $\beta$ -D-fructopyranos-1-yl)-L-proline—an Amadori compound, 1264  
Solubility and crystal structure of *N*-(1-deoxy- $\beta$ -D-fructopyranos-1-yl)-L-histidine monohydrate ('D-fructose-L-histidine'), 131
- Amides**  
The synthesis of cyclic imidates from amides of glucuronic acid and investigation of glycosidation reactions, 111
- AmidesGlycosyl azides**  
Synthesis of sugar-lactams from azides of glucuronic acid, 1953
- Aminals**  
New and general synthesis of  $\beta$ -C-glycosylformaldehydes from easily available  $\beta$ -C-glycosylpropanones, 2716
- Amination**  
Synthesis of (2*R*,5*S*)-dihydroxymethyl-(3*R*,4*R*)-dihydroxypyrrolidine (DGDP) via stereoselective amination using chlorosulfonyl isocyanate, 1502
- Amine**  
Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189
- Amino acid conjugate**  
Iminoalditol-amino acid hybrids: synthesis and evaluation as glycosidase inhibitors, 1850
- 1-Amino-1-deoxyalditols**  
*O*-Oligosaccharidyl-1-amino-1-deoxyalditols as intermediates for fluorescent labelling of oligosaccharides, 44
- 2-Amino-2-deoxysugars**  
Recent trends in the synthesis of *O*-glycosides of 2-amino-2-deoxysugars, 374
- 5-Amino-5-deoxy-D-alonic acids**  
A concise synthesis of 5-amino-5-deoxyaldonic acids as monomers for the preparation of nylon 5, 2807
- 6-Amino-6-deoxycellulose**  
The application of microwave heating to the synthesis of 6-amino-6-deoxycellulose, 2456
- Amino sugars**  
A Karplus equation for  $^3J_{\text{HCCN}}$  in amino sugar derivatives, 1044
- Aminoconduritol**  
Practical synthesis of (–)-1-amino-1-deoxy-*myo*-inositol from achiral precursors, 1947
- Aminoglycoside antibiotics**  
Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA, 499
- Aminoglycosides**  
Synthetic access to spacer-linked 3,6-diamino-2,3,6-trideoxy- $\alpha$ -D-glucopyranosides—potential aminoglycoside mimics for the inhibition of the HIV-1 TAR-RNA/Tat-peptide complex, 1704
- Aminoinositol**  
Practical synthesis of (–)-1-amino-1-deoxy-*myo*-inositol from achiral precursors, 1947
- Aminoxy**  
Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621
- Aminophenyl glycoside**  
Effective chemoenzymatic synthesis of *p*-aminophenyl glycosides of sialyl *N*-acetylglucosamine and analysis of their interactions with lectins, 1244
- Aminotransferase**  
Enzymatic synthesis of dTDP-4-amino-4,6-dideoxy-D-glucose using GerB (dTDP-4-keto-6-deoxy-D-glucose aminotransferase), 1412
- Aminoxylated fucopyranosyl**  
 $\alpha$  and  $\beta$  L-Fucopyranosyl oxyamines: key intermediates for the preparation of fucose-containing glycoconjugates by oxime ligation, 894
- Ammonia**  
Resistance to deglycosylation by ammonia of IgA1 O-glycopeptides: implications for the  $\beta$ -elimination of *O*-glycans linked to serine and threonine, 2322
- Ammonium ions**  
Zwitterionic glycosidase inhibitors: salacinol and related analogues, 1551
- Amorphous**  
An X-ray diffraction analysis of crystallised whey and whey-permeate powders, 2354
- Amorphous powder**  
Crystallization kinetics of amorphous lactose, whey-permeate and whey powders, 1357
- Amorphous trehalose–water mixtures**  
The glass transition temperatures of amorphous trehalose–water mixtures and the mobility of water: an experimental and in silico study, 1470
- Amphiphilic  $\gamma$ -cyclodextrin**  
Crystal and molecular structure of octakis(6-bromo-6-deoxy)- $\gamma$ -cyclodextrin. A novel stacking of a distorted macrocycle, 1519
- Amylase**  
Hydrolysis of soluble starch using *Bacillus licheniformis*  $\alpha$ -amylase immobilized on superporous CELBEADS, 997
- Amylopectin**  
Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103
- Amylopectin chain-length distribution**  
Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization, 2253
- Amylopectin mimics**  
Synthesis of triazole-linked *pseudo*-starch fragments, 529
- Amylose**  
Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103
- Amylose content**  
Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization, 2253

- 1,5-Anhydro-D-fructose  
1,5-Anhydro-D-fructose from D-fructose, 1249
- 1,6-Anhydro ring  
Characterization of di- and monosulfated, unsaturated heparin disaccharides with terminal N-sulfated 1,6-anhydro- $\beta$ -D-glucosamine or N-sulfated 1,6-anhydro- $\beta$ -D-mannosamine residues, 835
- 2,6-Anhydroaldose dimethyl acetal  
One-pot synthesis of 2-C-glycosylated benzimidazoles from the corresponding methanal dimethyl acetals, 119
- 2,7-Anhydro-D-sedoheptulose  
Synthesis of 7-O-galloyl-D-sedoheptulose, 1510
- 3,6-Anhydro-galactose  
Synthesis of a cyanoethylidene derivative of 3,6-anhydro-D-galactose and its application as glycosyl donor, 520
- Anhydrosugars  
The Wittig-cyclization procedure: acid promoted intramolecular formation of 3-C-branched-chain 3,6-anhydro furano sugars via 2'-oxopropylene derivatives, 1091
- Anhydrous DMSO  
A new NMR method for directly monitoring and quantifying the dissolution kinetics of starch in DMSO, 2604
- Anhydrous trehalose  
Innovative crystal transformation of dihydrate trehalose to anhydrous trehalose using ethanol, 819
- Anomeric configuration  
Synthesis of ketopyranosyl glycosides and determination of their anomeric configuration on the basis of the three-bond carbon-proton couplings, 1393
- Anomeric mixture  
 $\alpha$  and  $\beta$  L-Fucopyranosyl oxyamines: key intermediates for the preparation of fucose-containing glycoconjugates by oxime ligation, 894
- Anomeric pairs  
Synthesis of ketopyranosyl glycosides and determination of their anomeric configuration on the basis of the three-bond carbon-proton couplings, 1393
- Anomeric phosphodiester  
Natural phosphoglycans containing glycosyl phosphate units: structural diversity and chemical synthesis, 297
- Anomerisation  
The synthesis of cyclic imidates from amides of glucuronic acid and investigation of glycosidation reactions, 111
- Anomers  
Crystal structures of ethyl 3-azido-2,3-dideoxy-D-arabino-hexopyranoside anomers, 1450
- Anti-inflammation  
Synthesis and anti-inflammatory activity of N-phthalimidomethyl 2,3-dideoxy- and 2,3-unsaturated glycosides, 1169
- Antibacterial  
Facile synthesis of cleistetroside-2, a partially acetylated oligorhamnoside from *Cleistopholis glauca* and *patens*, 1496  
Synthesis and biological evaluation of a small library of nojirimycin-derived bicyclic iminosugars, 1813  
Total synthesis of cleistetroside-2, partially acetylated dodecanyl tetra-rhamnoside derivative isolated from *Cleistopholis patens* and *Cleistopholis glauca*, 1159
- Antibacterial property  
Surface structure of chitosan and hybrid chitosan-amylose films—restoration of the antibacterial properties of chitosan in the amylose film, 2490
- Antibiotics  
Synthetic access to spacer-linked 3,6-diamino-2,3,6-trideoxy- $\alpha$ -D-glucopyranosides—potential aminoglycoside mimics for the inhibition of the HIV-1 TAR-RNA/Tat-peptide complex, 1704
- Antibody  
Synthesis of spacer-containing chlamydial disaccharides as analogues of the  $\alpha$ -Kdop-(2 $\rightarrow$ 8)- $\alpha$ -Kdop-(2 $\rightarrow$ 4)- $\alpha$ -Kdop trisaccharide epitope, 576
- Anticancer  
Study on glycosylated prodrugs of toxoflavins for antibody-directed enzyme tumor therapy, 1254
- Anticoagulant  
A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity, 2326
- Anticonvulsant  
Crystal structure and anticonvulsant activity of ( $\pm$ )-1,2,4,5-di-O-isopropylidene-3,6-di-O-(2-propylpentanoyl)-myo-inositol, 1456
- Antifungal activity  
Antifungal properties of Schiff bases of chitosan, N-substituted chitosan and quaternized chitosan, 1329  
Synthesis and antifungal properties of sulfanilamide derivatives of chitosan, 2390
- Antifungal agent  
Synthesis of the four 1-(1-deoxy-D-pentitol-1-yl)thymines and conformational properties of the acyclic sugar chain, 806
- Anthelmintic  
A short alternative preparation of the bengazoles polyol side-chain segment, 744
- Antimicrobial activity  
Supramolecular self-assembly of  $\beta$ -cyclodextrin: an effective carrier of the antimicrobial agent chlorhexidine, 2286
- Antioxidant  
Inhibitory effects of different antioxidants on hyaluronan depolymerization, 96
- Antioxidants  
Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, 190
- Antitumor activity  
Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium, 870  
Synthesis of azole nucleoside analogues of D-pinitol as potential antitumor agents, 865
- Antiviral agent  
Synthesis of the four 1-(1-deoxy-D-pentitol-1-yl)thymines and conformational properties of the acyclic sugar chain, 806
- Apoptosis  
Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122
- Aqueous reaction and recognition  
Chelation-controlled regioselectivity in the lanthanum-promoted monobenzylation of monosaccharides in water, 1998
- Aqueous solution  
Direct dissolution of cellulose in NaOH/thiourea/urea aqueous solution, 851
- Arabinogalactan  
Structural characterization and immunological activity of two cold-water extractable polysaccharides from *Cistanche deserticola* Y. C. Ma, 1343
- Arabinoxylan  
Structure elucidation of arabinoxylan isomers by normal phase HPLC-MALDI-TOF/TOF-MS/MS, 724
- Aryl glycosides  
A new glycosidation method through nitrite displacement on substituted nitrobenzenes, 440  
Synthesis of aryl-2-deoxy-D-lyxol-arabino-hexopyranosides from 2-deoxy-1-thioglycosides, 1305
- Ascorbic acid  
Solution properties of high-molar-mass hyaluronans: the biopolymer degradation by ascorbate, 1071

- Assignment of anomeric configuration  
Differentiation of the anomeric configuration and ring form of glucosyl-glycolaldehyde anions in the gas phase by mass spectrometry: isomeric discrimination between  $m/z$  221 anions derived from disaccharides and chemical synthesis of  $m/z$  221 standards, 217
- Asteraceae  
A new 5-deoxyflavone glycoside from the aerial parts of *Calea clauseniana*, 1261
- Astraeus hygrometricus*  
Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus *Astraeus hygrometricus*, 982
- Asymmetric epoxidation  
Enantioselective epoxidation of non-functionalized alkenes using carbohydrate based salen–Mn(III) complexes, 254
- Atomic force microscopy  
Conformational changes in single carboxymethylcellulose chains on a highly oriented pyrolytic graphite surface under different salt conditions, 954  
Molecular imaging of single cellulose chains aligned on a highly oriented pyrolytic graphite surface, 2593
- Au nanosheets  
Mass synthesis of single-crystal gold nanosheets based on chitosan, 2494
- Autoclaved starches  
Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103
- AutoDock  
The fate of  $\beta$ -D-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Axial preference  
The anomeric effect revisited. A possible role of the CH/ $n$  hydrogen bond, 1202
- Aza- and thia-spiroheterocycles  
Synthesis of aza- and thia-spiroheterocycles and attempted synthesis of spiro sulfonium compounds related to salacinol, 2163
- Azasugars  
Synthesis and NMR experiments of (4,5,6- $^{13}\text{C}$ )-deoxymannojirimycin. A new entry to  $^{13}\text{C}$ -labeled glycosidase inhibitors, 1805
- Azido bicyclic nucleosides  
First example of 5/6-O-linked pseudosaccharides: synthesis of bicyclic nucleosides containing azido or extended carbohydrate moiety, 2511
- Azide displacement  
Practical preparation of 2-azido-2-deoxy- $\beta$ -D-mannopyranosyl carbonates and their application in the synthesis of oligosaccharides, 2810
- 2-Azido-2-deoxy- $\beta$ -D-mannopyranose  
Practical preparation of 2-azido-2-deoxy- $\beta$ -D-mannopyranosyl carbonates and their application in the synthesis of oligosaccharides, 2810
- 5-Azido-5-deoxy-D-alonic acids sodium salts  
A concise synthesis of 5-amino-5-deoxyaldonic acids as monomers for the preparation of nylon 5, 2807
- 5-Azido-5-deoxy-D-arabinono-1,4-lactone  
A concise synthesis of 5-amino-5-deoxyaldonic acids as monomers for the preparation of nylon 5, 2807
- 5-Azido-5-deoxy-D-ribono-1,4-lactone  
A concise synthesis of 5-amino-5-deoxyaldonic acids as monomers for the preparation of nylon 5, 2807
- 5-Azido-5-deoxy-D-xylono-1,4-lactone  
A concise synthesis of 5-amino-5-deoxyaldonic acids as monomers for the preparation of nylon 5, 2807
- 6-Azido-6-deoxycellulose  
The application of microwave heating to the synthesis of 6-amino-6-deoxycellulose, 2456
- Azidosugars  
Synthetic access to spacer-linked 3,6-diamino-2,3,6-trideoxy- $\alpha$ -D-glucopyranosides—potential aminoglycoside mimics for the inhibition of the HIV-1 TAR-RNA/Tat-peptide complex, 1704
- Aziridines  
Preparation of diamino pseudodisaccharide derivatives from 1,6-anhydro- $\beta$ -D-hexopyranoses via aziridine-ring cleavage, 147
- B3LYP/6-311++G\*\*  
DFT study of  $\alpha$ - and  $\beta$ -D-allopyranose at the B3LYP/6-311++G\*\* level of theory, 196
- Bacillus subtilis*  
Study on the production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation, 2423
- Bacterial polysaccharide structure  
A pseudoamino acid-containing O-specific polysaccharide from a marine bacterium *Cellulophaga fucicola*, 1378  
Close relation of the O-polysaccharide structure of *Escherichia coli* O168 and revised structure of the O-polysaccharide of *Shigella dysenteriae* type 4, 2676  
Structure of a glucosyl phosphate-containing O-polysaccharide of *Proteus vulgaris* O42, 2826  
Structural relation of the antigenic polysaccharides of *Escherichia coli* O40, *Shigella dysenteriae* type 9, and *E. coli* K47, 1275
- Basis set  
DFT studies of the disaccharide,  $\alpha$ -maltose: relaxed isopotential maps, 2270
- Bengazoles  
A short alternative preparation of the bengazoles polyol side-chain segment, 744
- Benzamide  
The crystal structure of the 1:1 inclusion complex of  $\beta$ -cyclodextrin with benzamide, 767
- Benzimidazole-2-glycosyl  
One-pot synthesis of 2-C-glycosylated benzimidazoles from the corresponding methanal dimethyl acetals, 119
- Benzimidazolineoxidation  
One-pot synthesis of 2-C-glycosylated benzimidazoles from the corresponding methanal dimethyl acetals, 119
- Benzofuran derivative  
Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913
- Benzotriazole  
Synthesis of azole nucleoside analogues of D-pinitol as potential antitumor agents, 865
- Benzoyl methyl phosphate  
Chelation-controlled regioselectivity in the lanthanum-promoted monobenzoylation of monosaccharides in water, 1998
- Benzylidene  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- Benzylidene acetal  
Use of methanesulfonic acid in the reductive ring-opening of O-benzylidene acetals, 627
- Bernet–Vasella reaction  
Convenient conversion of wheat hemicelluloses pentoses (D-xylose and L-arabinose) into a common intermediate, 2450
- Berries  
Bilberry xyloglucan—novel building blocks containing  $\beta$ -xylose within a complex structure, 170
- Bilberry  
Bilberry xyloglucan—novel building blocks containing  $\beta$ -xylose within a complex structure, 170
- Binding epitope  
Donor substrate binding to trans-sialidase of *Trypanosoma cruzi* as studied by STD NMR, 1904

- Biofuels**  
 Selective ketopentose analysis in concentrate carbohydrate syrups by HPLC, 859
- Bioinorganic chemistry**  
 On the basics of carbohydrate–metal chemistry: complexes of palladium(II) with hydroxylaldehyde and -ketone hydrates, 1419
- Biological repeating unit**  
 Structural determination of the O-antigenic polysaccharide from *Escherichia coli* O166, 274
- Biomaterials**  
 In vitro synthesis of artificial polysaccharides by glycosidases and glycosynthases, 1581  
 Preparation and properties of a pH/temperature-responsive carboxymethyl chitosan/poly(*N*-isopropylacrylamide)semi-IPN hydrogel for oral delivery of drugs, 2416
- Bioremediation**  
 Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 933  
 Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 927
- (+)-Biotin**  
 An improved synthesis of a key intermediate for (+)-biotin from D-mannose, 2461
- Biotinylation**  
 Effective chemoenzymatic synthesis of *p*-aminophenyl glycosides of sialyl *N*-acetylglucosaminide and analysis of their interactions with lectins, 1244
- Blintol analogues**  
 Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888
- Boat**  
 DFT study of  $\alpha$ - and  $\beta$ -D-allopyranose at the B3LYP/6-311++G\*\* level of theory, 196
- Boat chair**  
 From lactose towards a novel galactosylated cyclooctenone, 1238
- Borates**  
 Borate esters of the methyl D-glucopyranosides, 2801
- Bordetella**  
 The structure of the core–O-chain linkage region of the lipopolysaccharide from *Bordetella hinzii*, 638
- Bordetella hinzii**  
 The structure of the core–O-chain linkage region of the lipopolysaccharide from *Bordetella hinzii*, 638
- Borrelia burgdorferi**  
 Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621
- Branched cyclodextrin**  
 Physicochemical and biological properties of 6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl-cyclomaltoheptaose (6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl- $\beta$ -cyclodextrin), 1315
- Branched-chain sugars**  
 Synthesis and reactivity of nonstabilized diazo sugars, 31  
 The Wittig-cyclization procedure: acid promoted intramolecular formation of 3-C-branched-chain 3,6-anhydro furano sugars via 2'-oxopropylene derivatives, 1091
- Branching enzyme**  
 Mutation of the maize *shb1a* and *ae* genes alters morphology and physical behavior of wx-type endosperm starch granules, 2619
- 6-Bromo-6-deoxycellulose**  
 The application of microwave heating to the synthesis of 6-amino-6-deoxycellulose, 2456
- Brown alga**  
 A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity, 2326
- Brown algae**  
 Extraction and physicochemical characterization of *Sargassum vulgare* alginate from Brazil, 2067
- C-Glycosyl compounds**  
 New and general synthesis of  $\beta$ -C-glycosylformaldehydes from easily available  $\beta$ -C-glycosylpropanones, 2716
- C-2 Epimerization**  
 Characterization of di- and monosulfated, unsaturated heparin disaccharides with terminal N-sulfated 1,6-anhydro- $\beta$ -D-glucosamine or N-sulfated 1,6-anhydro- $\beta$ -D-mannosamine residues, 835
- C-4 Analog**  
 Synthesis of C-4 and C-7 triazole analogs of zanamivir as multivalent sialic acid containing scaffolds, 1636
- C-7 Analog**  
 Synthesis of C-4 and C-7 triazole analogs of zanamivir as multivalent sialic acid containing scaffolds, 1636
- C-Alkylation**  
 Synthesis of 3'-C-substituted thymidine derivatives by free-radical techniques: scope and limitations, 259
- C-Disaccharide**  
 Synthesis of a C-linked hyaluronic acid disaccharide mimetic, 1668
- C-Glycosides**  
 Conformational behaviour of glycomimetics: NMR and molecular modelling studies of the C-glycoside analogue of the disaccharide methyl  $\beta$ -D-galactopyranosyl-(1 $\rightarrow$ 3)- $\beta$ -D-glucopyranoside, 1910  
 Synthesis of a C-linked hyaluronic acid disaccharide mimetic, 1668  
 The conformation of the C-glycosyl analogue of *N*-acetyl-lactosamine in the free state and bound to a toxic plant agglutinin and human adhesion/growth-regulatory galectin-1, 1918  
 The solution conformation of C-glycosyl analogues of the sialyl-Tn antigen, 1974
- C-glycosides**  
 The conformational behaviour of the C-glycosyl analogue of sulfatide studied by NMR in SDS micelles, 1966
- C-Glycosylation**  
 Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913
- C-Ketosides**  
 Ritter-based glycoconjugation of amino acids and peptides—access to novel glycoconjugates displaying a  $\beta$ -amide linkage between amino acid and sugar moiety, 7
- CA**  
 Linkage and pyranosyl ring twisting in cyclodextrins, 1223
- Caking**  
 An X-ray diffraction analysis of crystallised whey and whey-permeate powders, 2354
- Calea clauseniana**  
 A new 5-deoxyflavone glycoside from the aerial parts of *Calea clauseniana*, 1261
- Calix[4]arene**  
*N*-Acetyl-D-glucosamine substituted calix[4]arenes as stimulators of NK cell-mediated antitumor immune response, 1781
- Calorimetric measurements**  
 Two interconverting pentaiodide forms in the cyclomaltohexaose ( $\alpha$ -cyclodextrin) polyiodide inclusion complex with sodium ion: dielectric and Raman spectroscopy studies, 2075
- Capillary electrophoresis**  
 Bilberry xyloglucan—novel building blocks containing  $\beta$ -xylose within a complex structure, 170  
 Enantioseparation of some chiral flavanones using microbial cyclic  $\beta$ -(1 $\rightarrow$ 3),(1 $\rightarrow$ 6)-glucans as novel chiral additives in capillary electrophoresis, 762
- Carbanilate**  
 Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434

- Carbasugars**  
*gem*-Difluoro-carbasugars, the cases of mannopyranose and galactopyranose, 1689
- Carbazole**  
 An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442
- Carbazole assay**  
 Variability in the carbazole assay for N-desulfonated/N-acylated heparin derivatives, 2664
- Carbocyclic azole nucleoside**  
 Synthesis of azole nucleoside analogues of D-pinitol as potential antitumor agents, 865
- Carbohydrases**  
 Influence of ultraviolet-C on the compositions of cell-wall polysaccharides and carbohydrase activities of *Silene vulgaris* callus, 182
- Carbohydrate**  
 Enantioselective epoxidation of non-functionalized alkenes using carbohydrate based salen–Mn(III) complexes, 254  
 First example of 5/6-O-linked pseudosaccharides: synthesis of bicyclic nucleosides containing azido or extended carbohydrate moiety, 2511  
 Linkage and pyranosyl ring twisting in cyclodextrins, 1223  
 Octa-*O*-propanoyl- $\beta$ -maltose: crystal structure, acyl stacking, related structures, and conformational analysis, 1210  
 Recent advances in the glycosylation of sphingosines and ceramides, 1595
- Carbohydrate antigens**  
 Preparation of multifunctional glyconanoparticles as a platform for potential carbohydrate-based anticancer vaccines, 448
- Carbohydrate conformation**  
 The fate of  $\beta$ -D-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Carbohydrate mass spectrometry**  
 Differentiation of the anomeric configuration and ring form of glucosyl-glycolaldehyde anions in the gas phase by mass spectrometry: isomeric discrimination between *m/z* 221 anions derived from disaccharides and chemical synthesis of *m/z* 221 standards, 217
- Carbohydrate mimics**  
 First round of a focused library of cholera toxin inhibitors, 1651  
 Synthesis and conformational analysis of an  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 2)- $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranose mimic, 1859
- Carbohydrate–protein interaction**  
 Effective chemoenzymatic synthesis of *p*-aminophenyl glycosides of sialyl *N*-acetylglucosaminide and analysis of their interactions with lectins, 1244
- Carbohydrates**  
 Borate esters of the methyl D-glucopyranosides, 2801  
 On the basics of carbohydrate–metal chemistry: complexes of palladium(II) with hydroxyaldehyde and -ketone hydrates, 1419  
 Recent trends in the synthesis of *O*-glycosides of 2-amino-2-deoxysugars, 374  
 Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of *K*-carrageenan by alkaline permanganate, 1382  
 Synthesis of fluorescently labelled and internally quenched UDP-Gal probes, 1831  
 Zeolite-catalyzed Helferich-type glycosylation of long-chain alcohols. Synthesis of acetylated alkyl 1,2-*trans* glycopyranosides and alkyl 1,2-*cis* C2-hydroxy-glycopyranosides, 704
- 5-Carbon extended analogues**  
 Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888
- Carboxamide**  
 Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA, 499
- Carboxylate counterion**  
 Synthesis of analogues of salacinol containing a carboxylate inner salt and their inhibitory activities against human maltase glucoamylase, 1661
- Carboxymethylcellulose**  
 Conformational changes in single carboxymethylcellulose chains on a highly oriented pyrolytic graphite surface under different salt conditions, 954
- Carboxymethylchitosan**  
 Preparation and properties of a pH/temperature-responsive carboxymethyl chitosan/poly(*N*-isopropylacrylamide)semi-IPN hydrogel for oral delivery of drugs, 2416
- 2-(4-Acetamido-2-sulfanamide)-6-carboxymethyl-chitosan**  
 Synthesis and antifungal properties of sulfanilamide derivatives of chitosan, 2390
- Carrageenans**  
 Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of *K*-carrageenan by alkaline permanganate, 1382
- Carrier**  
 Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization, 1105
- Catalysis**  
 Chelation-controlled regioselectivity in the lanthanum-promoted monobenzoylation of monosaccharides in water, 1998
- Catalytic carbohydrate**  
 Cyclophorohexadecaose and succinoglycan monomers as catalytic carbohydrates for the Strecker reaction, 2682
- CD69**  
*N*-Acetyl-D-glucosamine substituted calix[4]arenes as stimulators of NK cell-mediated antitumor immune response, 1781
- <sup>13</sup>C  $\gamma$ -effect**  
 The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202
- Cell cultures**  
 Influence of ultraviolet-C on the compositions of cell-wall polysaccharides and carbohydrase activities of *Silene vulgaris* callus, 182
- Cellulophaga fucicola***  
 A pseudoaminic acid-containing O-specific polysaccharide from a marine bacterium *Cellulophaga fucicola*, 1378
- Cell wall galactomannan**  
 Structure of a galactomannan isolated from the cell wall of the fungus *Lineolata rhizophorae*, 2599
- Cell wall polysaccharides**  
 Bilberry xyloglucan—novel building blocks containing  $\beta$ -xylose within a complex structure, 170
- Cell-wall biosynthesis**  
 Synthesis of deoxy and methoxy analogs of octyl  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis, 1741
- Cellobiosan**  
 A kinetic model for production of glucose by hydrolysis of levoglucosan and cellobiosan from pyrolysis oil, 2365
- Cellobiose mimics**  
 Synthesis of 4-O-glycosylated 1-deoxynojirimycin derivatives as disaccharide mimics-based inhibitors of human  $\beta$ -glucocerebrosidase, 1960
- Celldextrins**  
 Synthesis of methyl 4'-*O*-methyl- $\beta$ -D-cellobioside-<sup>13</sup>C<sub>12</sub> from D-glucose-<sup>13</sup>C<sub>6</sub>. Part 2: Solid-state NMR studies, 65
- Cellulase**  
 Unexpected regioselectivity of *Humicola insolens* Cel7B glycosynthase mutants, 710

- Cellulose**  
 Direct dissolution of cellulose in NaOH/thiourea/urea aqueous solution, 851  
 Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using a ionic liquid as reaction medium, 919  
 Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129  
 Molecular imaging of single cellulose chains aligned on a highly oriented pyrolytic graphite surface, 2593  
 Solid-state hydrolysis of cellulose and methyl  $\alpha$ - and  $\beta$ -D-glucopyranosides in presence of magnesium chloride, 1373  
 Synthesis of methyl 4'-O-methyl- $\beta$ -D-cellobioside- $^{13}\text{C}_{12}$  from D-glucose- $^{13}\text{C}_6$ . Part 2: Solid-state NMR studies, 65
- Cellulose I**  
 Regioselective synthesis of  $1^{\text{I}}, 1^{\text{II}}, 5^{\text{I}}, 5^{\text{II}}, 6^{\text{I}}, 6^{\text{II}}, 6^{\text{II-2}}\text{H}_8$ -cellobiose, 2546
- Cellulose modification**  
 Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization, 1105
- Centchroman**  
 Glutaraldehyde cross-linked chitosan microspheres for controlled release of centchroman, 2244
- Ceramiales**  
 Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil, 2766
- Ceramides**  
 Recent advances in the glycosylation of sphingosines and ceramides, 1595
- Cereal  $\beta$ -glucans**  
 Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434
- C-Glycosides**  
 First round of a focused library of cholera toxin inhibitors, 1651
- C-Glycosyl compounds**  
 Synthesis of a C-linked hyaluronic acid disaccharide mimetic, 1668  
 New and general synthesis of  $\beta$ -C-glycosylformaldehydes from easily available  $\beta$ -C-glycosylpropanones, 2716
- CH/*n* hydrogen bond**  
 The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202
- CH/halogen hydrogen bond**  
 The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202
- Chacotriose**  
 Synthesis of neosaponins and neoglycolipids containing a chacotriose moiety, 2182
- Chain conformation**  
 Conformational changes in single carboxymethylcellulose chains on a highly oriented pyrolytic graphite surface under different salt conditions, 954  
 Synthesis of the four 1-(1-deoxy-D-pentitol-1-yl)thymine and conformational properties of the acyclic sugar chain, 806
- Chain-modified analogues**  
 Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888
- Chair**  
 DFT study of  $\alpha$ - and  $\beta$ -D-allopyranose at the B3LYP/6-311++G\*\* level of theory, 196
- Charge density**  
 Experimental charge density of sucrose at 20K: bond topological, atomic, and intermolecular quantitative properties, 1480
- Chemical gelation**  
 Characterization of the chemical degradation of hyaluronic acid during chemical gelation in the presence of different cross-linker agents, 2776
- Chemoenzymatic glycosylation**  
 Synthesis and evaluation of glycosyl donors with novel leaving groups for transglycosylations employing  $\beta$ -galactosidase from bovine testes, 467
- Chemotaxonomy**  
 Fungal cell wall polysaccharides isolated from *Discula destructiva* spp., 1138
- Chiral additive**  
 Enantioseparation of some chiral flavanones using microbial cyclic  $\beta$ -(1 $\rightarrow$ 3),(1 $\rightarrow$ 6)-glucans as novel chiral additives in capillary electrophoresis, 762
- Chiral pool**  
 An improved synthesis of a key intermediate for (+)-biotin from D-mannose, 2461
- Chitin**  
 In vitro gene delivery to HepG2 cells using galactosylated 6-amino-6-deoxychitosan as a DNA carrier, 1427  
 Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124  
 Study on the production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation, 2423
- Chitosan**  
 Enzymatic desorption of layer-by-layer assembled multilayer films and effects on the release of encapsulated indomethacin microcrystals, 2237  
 Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, 190  
 Glutaraldehyde cross-linked chitosan microspheres for controlled release of centchroman, 2244  
 In vitro gene delivery to HepG2 cells using galactosylated 6-amino-6-deoxychitosan as a DNA carrier, 1427  
 Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124  
 Mass synthesis of single-crystal gold nanosheets based on chitosan, 2494  
 Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189  
 Study on the production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation, 2423  
 Theoretical investigation of hydrogen bonding effects on oxygen, nitrogen, and hydrogen chemical shielding and electric field gradient tensors of chitosan/HI salt, 2396
- Chitosan derivative**  
 Preparation and characterization of *N*-(2-carboxybenzyl)chitosan as a potential pH-sensitive hydrogel for drug delivery, 87
- Chitosan-amylose film**  
 Surface structure of chitosan and hybrid chitosan-amylose films—restoration of the antibacterial properties of chitosan in the amylose film, 2490
- Chitosan/HI type I salt**  
 Theoretical investigation of hydrogen bonding effects on oxygen, nitrogen, and hydrogen chemical shielding and electric field gradient tensors of chitosan/HI salt, 2396
- Chitosan hydrolysis**  
 High yield production of monomer-free chitosan oligosaccharides by pepsin catalyzed hydrolysis of a high deacetylation degree chitosan, 2750
- Chitosan oligosaccharides**  
 High yield production of monomer-free chitosan oligosaccharides by pepsin catalyzed hydrolysis of a high deacetylation degree chitosan, 2750
- Chondrophycus**  
 Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil, 2766
- $^{13}\text{C}$  Isotopic labeling**  
 Synthesis of methyl 4'-O-methyl- $\beta$ -D-cellobioside- $^{13}\text{C}_{12}$  from D-glucose- $^{13}\text{C}_6$ . Part 2: Solid-state NMR studies, 65

*Cistanche deserticola*

Structural characterization and immunological activity of two cold-water extractable polysaccharides from *Cistanche deserticola* Y. C. Ma, 1343

## Chlamydia

Synthesis of spacer-containing chlamydial disaccharides as analogues of the  $\alpha$ -Kdop-(2 $\rightarrow$ 8)- $\alpha$ -Kdop-(2 $\rightarrow$ 4)- $\alpha$ -Kdop trisaccharide epitope, 576

*Chlamydomonas reinhardtii*

Structural analysis of linear hydroxyproline-bound O-glycans of *Chlamydomonas reinhardtii*—conservation of the inner core in *Chlamydomonas* and land plants, 2557

## Chlorhexidine

Supramolecular self-assembly of  $\beta$ -cyclodextrin: an effective carrier of the antimicrobial agent chlorhexidine, 2286

## Chlorosulfonyl isocyanate

Synthesis of (2*R*,5*S*)-dihydroxymethyl-(3*R*,4*R*)-dihydropyrrolidine (DGDP) via stereoselective amination using chlorosulfonyl isocyanate, 1502

## Cholera toxin

First round of a focused library of cholera toxin inhibitors, 1651

## Chondroitin sulfate

Binding of glycosaminoglycans to cyano-activated agarose membranes: kinetic and diffusional effects on yield and homogeneity, 2192

## Chromogenic substrate

Chromogenic substrates for feruloyl esterases, 2316

1',2'-*cis*-Glycoside

Facile synthesis of 1',2'-*cis*- $\beta$ -pyranosyladenine nucleosides, 2641

1,2-*cis*-Glycosides

Synthesis of fused bicyclic thioglycosides of N-acylated glucosamine as analogues of mycothiol, 1943

## Claisen rearrangement

From lactose towards a novel galactosylated cyclooctenone, 1238

## Clarhamnoside

Concise synthesis of clarhamnoside, a novel glycosphingolipid isolated from the marine sponge *Agela clathrodes*, 2003

## Cleistetroside

Facile synthesis of cleistetroside-2, a partially acetylated oligorhamnoside from *Cleistopholis glauca* and *patens*, 1496

Total synthesis of cleistetroside-2, partially acetylated dodecanyl tetra-rhamnoside derivative isolated from *Cleistopholis patens* and *Cleistopholis glauca*, 1159

## Click

Synthesis of C-4 and C-7 triazole analogs of zanamivir as multivalent sialic acid containing scaffolds, 1636

## Click chemistry

Synthesis of a fluorescence-labeled K30 antigen repeating unit using click chemistry, 975

## Click-chemistry

Alkynyl polysaccharides: synthesis of propargyl potato starch followed by subsequent derivatizations, 2049

## CMP-Neu5Ac

Synthesis of CMP-9'-modified-sialic acids as donor substrate analogues for mammalian and bacterial sialyltransferases, 1680

<sup>13</sup>C NMR chemical shifts

A Karplus equation for <sup>3</sup>*J*<sub>HCCN</sub> in amino sugar derivatives, 1044

*Codium yezeense*

Structure of a highly pyruvylated galactan sulfate from the Pacific green alga *Codium yezeense* (Bryopsidales, Chlorophyta), 586

## Colitose

Structure of a colitose-containing O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O6, 2144

## Complex-type glycans

Synthesis of complex-type glycans derived from parasitic helminths, 675

## Composition of solubilized starches

Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103

## Computation

Linkage and pyranosyl ring twisting in cyclodextrins, 1223

## Computer simulation

Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097

## Conduritol B

Practical synthesis of (–)-1-amino-1-deoxy-*myo*-inositol from achiral precursors, 1947

## Conformation

B3LYP/6-311++G\*\* study of structure and spin–spin coupling constant in heparin disaccharide, 1350

Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434

Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097

Crystal structure and NMR spectroscopy of aldonamides derived from D-glycero-D-gulo-heptono-1,4-lactone, 243

DFT studies of the disaccharide,  $\alpha$ -maltose: relaxed isopotential maps, 2270

DFT study of  $\alpha$ - and  $\beta$ -D-allopyranose at the B3LYP/6-311++G\*\* level of theory, 196

Linkage and pyranosyl ring twisting in cyclodextrins, 1223

Octa-O-propanoyl- $\beta$ -maltose: crystal structure, acyl stacking, related structures, and conformational analysis, 1210

Relationship between structure and three-bond proton–proton coupling constants in glycosaminoglycans, 779

Synthesis of a bicyclic analog of L-iduronic acid adopting the biologically relevant <sup>2</sup>*S*<sub>0</sub> conformation, 1876

The first structural study on a cyclic tricoordinate phosphorochloridite and a pentacoordinate phosphorane based on 1,2,3,5-protected *myo*-inositol—a new conformation of 1,3,2-dioxaphosphorinane ring, 1182

## Conformational analysis

Conformational behaviour of glycomimetics: NMR and molecular modelling studies of the C-glycoside analogue of the disaccharide methyl  $\beta$ -D-galactopyranosyl-(1 $\rightarrow$ 3)- $\beta$ -D-glucopyranoside, 1910

Incorporation of a S-glycosidic linkage into a glyconucleoside changes the conformational preference of both furanose sugars, 16

Synthesis and conformational analysis of an  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 2)- $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranose mimic, 1859

The conformation of the C-glycosyl analogue of N-acetyl-lactosamine in the free state and bound to a toxic plant agglutinin and human adhesion/growth-regulatory galectin-1, 1918

The solution conformation of C-glycosyl analogues of the sialyl-Tn antigen, 1974

## Conjugation

Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621

## Contact time

Study of hydration of cross-linked high amylose starch by solid state <sup>13</sup>C NMR spectroscopy, 1525

## Controlled release

Enzymatic desorption of layer-by-layer assembled multilayer films and effects on the release of encapsulated indomethacin microcrystals, 2237

## Conventional and time-resolved Laue X-ray crystallography

Dissecting the catalytic mechanism of a plant  $\beta$ -D-glucan glucohydrolase through structural biology using inhibitors and substrate analogues, 1613



- Conventional heating  
The application of microwave heating to the synthesis of 6-amino-6-deoxycellulose, 2456
- Convergent synthesis  
Synthesis of  $\beta$ -(1 $\rightarrow$ 6)-linked glucosamine oligosaccharides corresponding to fragments of the bacterial surface polysaccharide poly-*N*-acetylglucosamine, 567
- Coordination chemistry  
On the basics of carbohydrate–metal chemistry: complexes of palladium(II) with hydroxylaldehyde and -ketone hydrates, 1419
- Copper catalyst  
Synthesis of glycosyl-triazole linked 1,2,4-oxadiazoles, 2440
- Copper coatings  
Application of saccharose as copper(II) ligand for electroless copper plating solutions, 71
- Copper(II)  
Application of saccharose as copper(II) ligand for electroless copper plating solutions, 71
- Cordyceps sinensis*  
Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium, 870
- Core  
The structure of the carbohydrate backbone of the LPS from *Myxococcus xanthus* strain DK1622, 2474
- Core type 1  
Desialylation of core type 1 *O*-glycan in the equine embryonic capsule coincides with immobilization of the conceptus in the uterus, 1110
- COSY  
A Karplus equation for  $^3J_{\text{HCCN}}$  in amino sugar derivatives, 1044
- Cryptococcus laurentii*  
Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881
- Cryptococcus neoformans*  
Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881
- Covalent intermediates  
Formation of covalent  $\beta$ -linked carbohydrate–enzyme intermediates during the reactions catalyzed by  $\alpha$ -amylases, 55
- Cross-linking  
Study of hydration of cross-linked high amylose starch by solid state  $^{13}\text{C}$  NMR spectroscopy, 1525
- Crosslinking mechanism  
High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: a proposal for the reaction mechanism, 943
- Cryoprobe  
A Karplus equation for  $^3J_{\text{HCCN}}$  in amino sugar derivatives, 1044
- Crystal packing  
Crystal structure and NMR spectroscopy of aldonamides derived from *D*-glycero-*D*-gulo-heptono-1,4-lactone, 243
- Crystal structure  
An investigation of the inclusion complex of  $\beta$ -cyclodextrin with *p*-nitrobenzoic acid in the solid state, 2500  
 $\alpha$  and  $\beta$  *L*-Fucopyranosyl oxyamines: key intermediates for the preparation of fucose-containing glycoconjugates by oxime ligation, 894  
Linkage and pyranosyl ring twisting in cyclodextrins, 1223  
Solubility and crystal structure of *N*-(1-deoxy- $\beta$ -*D*-fructopyranos-1-yl)-*L*-histidine monohydrate ("D-fructose-*L*-histidine"), 131  
The crystal structure of the 1:1 inclusion complex of  $\beta$ -cyclodextrin with benzamide, 767  
The crystal structures of 1,2,3,4,6-penta-*O*-trimethylacetyl- and 1,2,3,4,6-penta-*O*-dimethylacetyl- $\beta$ -*D*-glucopyranose, 2264
- Crystal transformation  
Innovative crystal transformation of dihydrate trehalose to anhydrous trehalose using ethanol, 819
- Crystallinity  
Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using an ionic liquid as reaction medium, 919
- Crystallisation  
An X-ray diffraction analysis of crystallised whey and whey-permeate powders, 2354
- Crystallization  
Crystallization kinetics of amorphous lactose, whey-permeate and whey powders, 1357  
Electrophoretic separation and characterization of urinary glycosaminoglycans and their roles in urolithiasis, 79
- Crystallography  
Structural view of glycosaminoglycan–protein interactions, 430
- $^{13}\text{C}$  solid state NMR spectroscopy  
Study of hydration of cross-linked high amylose starch by solid state  $^{13}\text{C}$  NMR spectroscopy, 1525
- 1,5-Linked-4-deoxy-5-*C*-thiodisaccharides  
A click chemistry approach to glycomimetics: Michael addition of 2,3,4,6-tetra-*O*-acetyl-1-thio- $\beta$ -*D*-glucopyranose to 4-deoxy-1,2-*O*-isopropylidene-*L*-glycero-pent-4-enopyranos-3-ulose – a convenient route to novel 4-deoxy-(1 $\rightarrow$ 5)-5-*C*-thiodisaccharides, 1929
- Curtius rearrangement  
Synthesis of aza- and thia-spiroheterocycles and attempted synthesis of spiro sulfonium compounds related to salacinol, 2163
- Cyanate ester degradation kinetics  
Binding of glycosaminoglycans to cyano-activated agarose membranes: kinetic and diffusional effects on yield and homogeneity, 2192
- Cyanoalkylidene  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- 1-Cyano-4-(dimethylamino)pyridinium tetrafluoroborate (CDAP)  
Binding of glycosaminoglycans to cyano-activated agarose membranes: kinetic and diffusional effects on yield and homogeneity, 2192
- Cyanoethylidene derivatives  
Synthesis of a cyanoethylidene derivative of 3,6-anhydro-*D*-galactose and its application as glycosyl donor, 520
- Cyanosugar  
Preparation of 2-*C*- and 3-*C*-cyano-2-enopyranoside derivatives and their epoxidation, 2339
- Cyclic  $\beta$ -(1 $\rightarrow$ 3),(1 $\rightarrow$ 6)-glucans  
Enantioseparation of some chiral flavanones using microbial cyclic  $\beta$ -(1 $\rightarrow$ 3),(1 $\rightarrow$ 6)-glucans as novel chiral additives in capillary electrophoresis, 762
- Cyclic carbamate  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- Cyclic carbonate  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- Cyclic protection  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- Cyclic sulfate  
Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888
- Cyclic sulfates  
Regioselective synthesis of 6-*S*-alkyl and 6-*S*-glycosyl-6-thio-*D*-mannofuranose derivatives from 5,6-*O*-cyclic sulfate precursors, 1490  
Zwitterionic glycosidase inhibitors: salacinol and related analogues, 1551
- Cyclic sulfite  
Regioselective synthesis of 6-*S*-alkyl and 6-*S*-glycosyl-6-thio-*D*-mannofuranose derivatives from 5,6-*O*-cyclic sulfate precursors, 1490

- Cyclization**  
 Synthesis and conformational behavior of the difluoromethylene linked C-glycoside analog of  $\beta$ -galactopyranosyl-(1 $\leftrightarrow$ 1)- $\alpha$ -mannopyranoside, 1624
- [3+2] Cycloaddition  
 Synthesis of glycosyl-triazole linked 1,2,4-oxadiazoles, 2440
- Cycloamylose**  
 Linkage and pyranosyl ring twisting in cyclodextrins, 1223
- Cyclodextrin**  
 Per-*O*-(3-hydroxy)propyl- $\beta$ -cyclodextrin: a cyclodextrin derivative bearing only primary hydroxyl groups, 1989
- $\beta$ -Cyclodextrin**  
 An investigation of the inclusion complex of  $\beta$ -cyclodextrin with *p*-nitrobenzoic acid in the solid state, 2500  
 Crystal structure of a cyclomaltoheptaose-4-hydroxybiphenyl inclusion complex, 1530  
 Supramolecular self-assembly of  $\beta$ -cyclodextrin: an effective carrier of the antimicrobial agent chlorhexidine, 2286  
 The crystal structure of the 1:1 inclusion complex of  $\beta$ -cyclodextrin with benzamide, 767
- Cyclodextrins**  
 NMR Studies on the interaction between (–)-epigallocatechin gallate and cyclodextrins, free and bonded to silica gels, 843  
 Two interconverting pentaoidide forms in the cyclomaltohexaose ( $\alpha$ -cyclodextrin) polyiodide inclusion complex with sodium ion: dielectric and Raman spectroscopy studies, 2075
- Cyclomaltoheptaose**  
 Supramolecular self-assembly of  $\beta$ -cyclodextrin: an effective carrier of the antimicrobial agent chlorhexidine, 2286
- Cyclomaltoheptaose inclusion complex**  
 An investigation of the inclusion complex of  $\beta$ -cyclodextrin with *p*-nitrobenzoic acid in the solid state, 2500
- Cyclomaltooligosaccharides**  
 Two interconverting pentaoidide forms in the cyclomaltohexaose ( $\alpha$ -cyclodextrin) polyiodide inclusion complex with sodium ion: dielectric and Raman spectroscopy studies, 2075
- Cyclooctenone**  
 From lactose towards a novel galactosylated cyclooctenone, 1238
- $\alpha$ -Cyclosophorohexadecaose**  
 Cyclosophorohexadecaose and succinoglycan monomers as catalytic carbohydrates for the Strecker reaction, 2682
- Cystic fibrosis**  
 Exopolysaccharides produced by *Inquilinus limosus*, a new pathogen of cystic fibrosis patients: novel structures with usual components, 2404
- Cytokine**  
 Monophosphoryl lipid A analogues with varying 3-*O*-substitution: synthesis and potent adjuvant activity, 784  
 Stimulation of multiple cytokine production in mice by alginate oligosaccharides following intraperitoneal administration, 1133
- Cytokine release**  
 2,5-Deoxyfructosazine, a *D*-glucosamine derivative, inhibits T-cell interleukin-2 production better than *D*-glucosamine, 2745
- Cytotoxicity**  
 Physicochemical and biological properties of 6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl-cyclomaltoheptaose (6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl- $\beta$ -cyclodextrin), 1315  
 Synthesis of neosaponins and neoglycolipids containing a chaco-triosyl moiety, 2182  
 Synthesis, cytotoxicity, and hemolytic activity of 6'-*O*-substituted dioscin derivatives, 2705
- D*-1,4-Anhydrogalactitol**  
 Structural and functional characterization of galactooligosaccharides in *Nostoc commune*:  $\beta$ -*D*-galactofuranosyl-(1 $\rightarrow$ 6)-[ $\beta$ -*D*-galactofuranosyl-(1 $\rightarrow$ 6)]<sub>2</sub>- $\beta$ -*D*-1,4-anhydrogalactitol and  $\beta$ -(1 $\rightarrow$ 6)-galactofuranosylated homologues, 2757
- D*-Altro-hept-2-ulose**  
 Synthesis of 7-*O*-galloyl-*D*-sedoheptulose, 1510
- D*-Fructose-L-histidine**  
 Solubility and crystal structure of *N*-(1-deoxy- $\beta$ -*D*-fructopyranos-1-yl)-L-histidine monohydrate ('*D*-fructose-L-histidine'), 131
- D*-Glucal**  
 Synthesis of sporiolide B from *D*-glucal, 1405
- D*-Glucosamine**  
 2,5-Deoxyfructosazine, a *D*-glucosamine derivative, inhibits T-cell interleukin-2 production better than *D*-glucosamine, 2745  
 High yield production of monomer-free chitosan oligosaccharides by pepsin catalyzed hydrolysis of a high deacetylation degree chitosan, 2750
- D*-Glucose**  
 First example of 5/6-*O*-linked pseudosaccharides: synthesis of bicyclic nucleosides containing azido or extended carbohydrate moiety, 2511
- D*-Glucuronic acids**  
 The Hofer–Moest decarboxylation of *D*-glucuronic acid and *D*-glucuronosides, 610
- D*-Glucuronosides**  
 The Hofer–Moest decarboxylation of *D*-glucuronic acid and *D*-glucuronosides, 610
- D*-Mannose**  
 An improved synthesis of a key intermediate for (+)-biotin from *D*-mannose, 2461
- $\beta$ -*D*-Mannuronyl donor**  
 Glucuronic acid-based ulosyl donors for introducing  $\alpha$ -*D*-GlcA and  $\beta$ -*D*-ManA units, 2132
- D*-Pinitol**  
 Synthesis of azole nucleoside analogues of *D*-pinitol as potential antitumor agents, 865
- D*-Ribose**  
 A short alternative preparation of the benzazoles polyol side-chain segment, 744
- D*-Xylose**  
 Convenient conversion of wheat hemicelluloses pentoses (*D*-xylose and L-arabinose) into a common intermediate, 2450
- DABCO**  
 Acyl chloride/DABCO-promoted acetal migration of 1,2,4,5-di-*O*-isopropylidene-*D*-fructopyranose, 1101
- De novo**  
 Synthesis and conformational behavior of the difluoromethylene linked C-glycoside analog of  $\beta$ -galactopyranosyl-(1 $\leftrightarrow$ 1)- $\alpha$ -mannopyranoside, 1624
- Deacetylation**  
 Glutaraldehyde cross-linked chitosan microspheres for controlled release of centchroman, 2244
- Deacetylation degree**  
 High yield production of monomer-free chitosan oligosaccharides by pepsin catalyzed hydrolysis of a high deacetylation degree chitosan, 2750
- Deamination**  
 Structure of a new ribitol teichoic acid-like *O*-polysaccharide of a serologically separate *Proteus vulgaris* strain, TG 276-1, classified into a new *Proteus* serogroup O53, 2061
- Decarboxylation**  
 The Hofer–Moest decarboxylation of *D*-glucuronic acid and *D*-glucuronosides, 610  
 The Ruff degradation: a review of previously proposed mechanisms with evidence that the reaction proceeds by a Hofer–Moest-type reaction, 407
- $\alpha$ -*D*-Glucan**  
 Structural characterization and immunological activity of two cold-water extractable polysaccharides from *Cistanche deserticola* Y. C. Ma, 1343

- Structure elucidation and sulfated derivatives preparation of two  $\alpha$ -D-glucans from *Gastrodia elata* Bl. and their anti-dengue virus bioactivities, 2230
- $\beta$ -D-Glucan  
NMR characterization of the structure of a  $\beta$ -(1 $\rightarrow$ 3)-D-glucan isolate from cultured fruit bodies of *Sparassis crispa*, 2611
- Degradation  
Characterization of the chemical degradation of hyaluronic acid during chemical gelation in the presence of different cross-linker agents, 2776
- Degradation products  
Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, 190
- Degree of deacetylation  
Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124
- Degree of substitution  
Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434
- Dengue virus  
Structure elucidation and sulfated derivatives preparation of two  $\alpha$ -D-glucans from *Gastrodia elata* Bl. and their anti-dengue virus bioactivities, 2230
- Density functional  
DFT studies of the disaccharide,  $\alpha$ -maltose: relaxed isopotential maps, 2270
- Density functional theory  
DFT studies of the ionization of alpha and beta glycopyranosyl donors, 1726  
O-2 Substituted pyranosyl oxacarbenium ions are C-2–O-2 2-fold rotors with a strong *syn* preference, 2793  
Theoretical investigation of hydrogen bonding effects on oxygen, nitrogen, and hydrogen chemical shielding and electric field gradient tensors of chitosan/HI salt, 2396
- Deoxy analogs  
Synthesis of deoxy and methoxy analogs of octyl  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis, 1741
- 5-Deoxyflavone glycoside  
A new 5-deoxyflavone glycoside from the aerial parts of *Calea clauseniana*, 1261
- 6-Deoxy-L-talose  
The structure of the O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulonic acid, 665
- Deoxy sugar  
Synthesis of a deoxy analogue of ADP L-glycero-D-manno-heptose, 2537
- Deoxy-sugar  
Synthesis and anti-inflammatory activity of N-phthalimidomethyl 2,3-dideoxy- and 2,3-unsaturated glycosides, 1169
- Deoxygenated furanosides  
Investigation of the specificity of an  $\alpha$ -L-arabinofuranosidase using C-2 and C-5 modified  $\alpha$ -L-arabinofuranosides, 2202
- Deoxygenation  
Synthesis of mono- and dideoxygenated  $\alpha$ , $\alpha$ -trehalose analogs, 2014
- Deoxyribose 5-phosphate  
The multiple Maillard reactions of ribose and deoxyribose sugars and sugar phosphates, 2575
- Deoxysugars  
Synthesis of aryl-2-deoxy-D-lyxolarabino-hexopyranosides from 2-deoxy-1-thioglycosides, 1305  
The behaviour of deoxyhexose trihaloacetimidates in selected glycosylations, 1021
- Deoxytrehalose  
Synthesis of mono- and dideoxygenated  $\alpha$ , $\alpha$ -trehalose analogs, 2014
- Desiccation  
Structural and functional characterization of galactooligosaccharides in *Nostoc commune*:  $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)-[ $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)]<sub>2</sub>- $\beta$ -D-1,4-anhydrogalactitol and  $\beta$ -(1 $\rightarrow$ 6)-galactofuranosylated homologues, 2757
- Deuteration  
Preparation of 6,6,1',1',6',6'-hexadeutero sucrose, 2303
- Dextran  
O-Allyl decoration on  $\alpha$ -glucan isolated from the haloalkaliphilic *Halomonas pantelleriensis* bacterium, 1271
- DFT  
DFT studies of the role of C-2–O-2 bond rotation in neighboring-group glycosylation reactions, 1291  
New Karplus equations for  $^2J_{HH}$ ,  $^3J_{HH}$ ,  $^2J_{CH}$ ,  $^3J_{CH}$ ,  $^3J_{COCH}$ ,  $^3J_{CSCH}$ , and  $^3J_{CCCH}$  in some aldohexopyranoside derivatives as determined using NMR spectroscopy and density functional theory calculations, 2086
- DFT calculations  
B3LYP/6-311++G\*\* study of structure and spin–spin coupling constant in heparin disaccharide, 1350  
Relationship between structure and three-bond proton–proton coupling constants in glycosaminoglycans, 779
- DGDP  
Synthesis of (2*R*,5*S*)-dihydroxymethyl-(3*R*,4*R*)-dihydroxypyrrolidine (DGDP) via stereoselective amination using chlorosulfonyl isocyanate, 1502
- 2-Acetamido-2-deoxy-D-glucopyranose  
N-Acetyl-D-glucosamine substituted calix[4]arenes as stimulators of NK cell-mediated antitumor immune response, 1781
- Diacetal protection  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- 5,7-Diacetamido-3,5,7,9-tetraoxynon-2-ulonic acid  
Structure of the O-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetraoxo-L-glycero-D-galacto-non-2-ulonic acid, 653
- Diastereoselectivity  
The synthesis of 2-, 3-, 4- and 6-O- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793
- Diazo sugars  
Synthesis and reactivity of nonstabilized diazo sugars, 31
- 2,5-Dideoxy-2,5-imino-D-glucitol  
Synthesis of (2*R*,5*S*)-dihydroxymethyl-(3*R*,4*R*)-dihydroxypyrrolidine (DGDP) via stereoselective amination using chlorosulfonyl isocyanate, 1502
- 2,6-Dideoxysugars  
On the synthesis of the 2,6-dideoxysugar L-digitoxose, 2695
- Dielectric spectroscopy  
Two interconverting pentaoidide forms in the cyclomaltohexaose ( $\alpha$ -cyclodextrin) polyiodide inclusion complex with sodium ion: dielectric and Raman spectroscopy studies, 2075
- Differential scanning calorimetry  
The glass transition temperatures of amorphous trehalose–water mixtures and the mobility of water: an experimental and in silico study, 1470
- Differentiation of ring form  
Differentiation of the anomeric configuration and ring form of glucosyl-glycolaldehyde anions in the gas phase by mass spectrometry: isomeric discrimination between *m/z* 221 anions derived from disaccharides and chemical synthesis of *m/z* 221 standards, 217

## Diffusion

The glass transition temperatures of amorphous trehalose–water mixtures and the mobility of water: an experimental and in silico study, 1470

## Diffusion-ordered NMR

Self-association of bis-( $\alpha,\beta$ -D-glucopyranosyl)-polyisobutylene, 1323

## Dihydrate trehalose

Innovative crystal transformation of dihydrate trehalose to anhydrous trehalose using ethanol, 819

## Diketal

Crystal structure and anticonvulsant activity of ( $\pm$ )-1,2,4,5-di-*O*-isopropylidene-3,6-di-*O*-(2-propylpentanoyl)-*myo*-inositol, 1456

## Dimedone

Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913

## Dimeric glycamines

*O*-Oligosaccharidyl-1-amino-1-deoxyalditols as intermediates for fluorescent labelling of oligosaccharides, 44

## Dimeric sugars

Synthesis and reactivity of nonstabilized diazo sugars, 31

## Dioscin

Synthesis, cytotoxicity, and hemolytic activity of 6'-*O*-substituted dioscin derivatives, 2705

## 1,3-Dioxane

The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202

## Dipolar cycloaddition

Synthesis of triazole-linked *pseudo*-starch fragments, 529

## Direct dissolution

Direct dissolution of cellulose in NaOH/thiourea/urea aqueous solution, 851

## Disaccharide

B3LYP/6-311++G\*\* study of structure and spin–spin coupling constant in heparin disaccharide, 1350

DFT studies of the disaccharide,  $\alpha$ -maltose: relaxed isopotential maps, 2270

## Disaccharides

Characterization of di- and monosulfated, unsaturated heparin disaccharides with terminal N-sulfated 1,6-anhydro- $\beta$ -D-glucosamine or N-sulfated 1,6-anhydro- $\beta$ -D-mannosamine residues, 835

The synthesis of 2-, 3-, 4- and 6-*O*- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793

## Discrimination of disaccharide product anions

Differentiation of the anomeric configuration and ring form of glucosyl-glycolaldehyde anions in the gas phase by mass spectrometry: isomeric discrimination between *m/z* 221 anions derived from disaccharides and chemical synthesis of *m/z* 221 standards, 217

## Dissolution kinetics

A new NMR method for directly monitoring and quantifying the dissolution kinetics of starch in DMSO, 2604

## Dissolution mechanism

Direct dissolution of cellulose in NaOH/thiourea/urea aqueous solution, 851

## DNA condensation

Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, 190

## Docking

The fate of  $\beta$ -D-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163

## Domain movements

Dissecting the catalytic mechanism of a plant  $\beta$ -D-glucan glucohydrolase through structural biology using inhibitors and substrate analogues, 1613

## Drug delivery

In vitro gene delivery to HepG2 cells using galactosylated 6-amino-6-deoxychitosan as a DNA carrier, 1427

## Drug delivery system

Preparation and characterization of *N*-(2-carboxybenzyl)chitosan as a potential pH-sensitive hydrogel for drug delivery, 87

## Drug delivery systems

Preparation and properties of a pH/temperature-responsive carboxymethyl chitosan/poly(*N*-isopropylacrylamide)semi-IPN hydrogel for oral delivery of drugs, 2416

## DSC

Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961

## dTDP-4-Amino-4,6-dideoxy-D-glucose

Enzymatic synthesis of dTDP-4-amino-4,6-dideoxy-D-glucose using GerB (dTDP-4-keto-6-deoxy-D-glucose aminotransferase), 1412

## dTDP-4-Keto-6-deoxy-D-glucose

Enzymatic synthesis of dTDP-4-amino-4,6-dideoxy-D-glucose using GerB (dTDP-4-keto-6-deoxy-D-glucose aminotransferase), 1412

## Dynamic light scattering

Characterization of the chemical degradation of hyaluronic acid during chemical gelation in the presence of different cross-linker agents, 2776

## Dynamic light scattering (DLS)

A new NMR method for directly monitoring and quantifying the dissolution kinetics of starch in DMSO, 2604

## Dynamics

Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097

## E-Selectin ligand

Spacer-separated sialyl LewisX cyclopeptide conjugates as potential E-selectin ligands, 541

## Ectomycorrhiza

Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus *Astraeus hygrometricus*, 982

## Electroless copper deposition

Application of saccharose as copper(II) ligand for electroless copper plating solutions, 71

## Electrophoresis

Electrophoretic separation and characterization of urinary glycosaminoglycans and their roles in urolithiasis, 79

## Electrospray ionization

High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and N,N-dimethylation, 1462

 $\beta$ -Elimination

Resistance to deglycosylation by ammonia of IgA1 O-glycopeptides: implications for the  $\beta$ -elimination of O-glycans linked to serine and threonine, 2322

## ELLSA

Multivalent II [ $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc] and T $\alpha$  [ $\beta$ -D-Galp-(1 $\rightarrow$ 3)- $\alpha$ -D-GalpNAc] specific Moraceae family plant lectin from the seeds of *Ficus bengalensis* fruits, 1034

## Embryonic capsule

Desialylation of core type 1 O-glycan in the equine embryonic capsule coincides with immobilization of the conceptus in the uterus, 1110

## Enantiomer

Practical synthesis of (–)-1-amino-1-deoxy-*myo*-inositol from achiral precursors, 1947

## Enantioseparation

Enantioseparation of some chiral flavanones using microbial cyclic  $\beta$ -(1 $\rightarrow$ 3),(1 $\rightarrow$ 6)-glucans as novel chiral additives in capillary electrophoresis, 762

- Enolate of  $\alpha$ -amino ketone  
Synthesis of aza- and thia-spiroheterocycles and attempted synthesis of spiro sulfonium compounds related to salacinol, 2163
- Enolate of  $\alpha$ -thio ketone  
Synthesis of aza- and thia-spiroheterocycles and attempted synthesis of spiro sulfonium compounds related to salacinol, 2163
- Enoxysilanes  
New and general synthesis of  $\beta$ -C-glycosylformaldehydes from easily available  $\beta$ -C-glycosylpropanones, 2716
- Enzymatic desorption  
Enzymatic desorption of layer-by-layer assembled multilayer films and effects on the release of encapsulated indomethacin microcrystals, 2237
- Enzymatic glycosylation  
Investigation of the specificity of an  $\alpha$ -L-arabinofuranosidase using C-2 and C-5 modified  $\alpha$ -L-arabinofuranosides, 2202
- Enzymatic hydrolysis  
A simple method of preparing diverse neoagaro-oligosaccharides with  $\beta$ -agarase, 1030  
Characterisation of the extracellular polysaccharides produced by isolates of the fungus *Acremonium*, 2481
- Enzymatic synthesis  
In vitro synthesis of artificial polysaccharides by glycosidases and glycosynthases, 1581  
Synthesis of CMP-9'-modified-sialic acids as donor substrate analogues for mammalian and bacterial sialyltransferases, 1680  
Unexpected regioselectivity of *Humicola insolens* Cel7B glycosynthase mutants, 710
- Enzyme catalysis  
Effective chemoenzymatic synthesis of *p*-aminophenyl glycosides of sialyl *N*-acetylglucosaminide and analysis of their interactions with lectins, 1244
- Enzyme inhibitors  
Synthesis and biological evaluation of a small library of nojirimycin-derived bicyclic iminosugars, 1813
- Enzyme mechanism  
The fate of  $\beta$ -D-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Enzymes  
Structural and functional characterization of galactooligosaccharides in *Nostoc commune*:  $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)-[ $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)]<sub>2</sub>- $\beta$ -D-1,4-anhydrogalactitol and  $\beta$ -(1 $\rightarrow$ 6)-galactofuranosylated homologues, 2757
- Epigallocatechin gallate  
NMR Studies on the interaction between (–)-epigallocatechin gallate and cyclodextrins, free and bonded to silica gels, 843
- 8-Epilegionaminic acid  
Structure of the O-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetra-deoxy-L-glycero-D-galacto-non-2-ulosonic acid, 653
- Epoxidation  
Preparation of 2-C- and 3-C-cyano-2-enopyranoside derivatives and their epoxidation, 2339
- Epoxide opening  
Synthesis of analogues of salacinol containing a carboxylate inner salt and their inhibitory activities against human maltase glucoamylase, 1661
- Equine pregnancy  
Desialylation of core type 1 O-glycan in the equine embryonic capsule coincides with immobilization of the conceptus in the uterus, 1110
- Erbium(III)  
A facile Er(OTf)<sub>3</sub>-catalyzed synthesis of 2,3-unsaturated O- and S-glycosides, 2125
- Ericales  
Bilberry xyloglucan—novel building blocks containing  $\beta$ -xylose within a complex structure, 170
- Escherichia coli*  
Close relation of the O-polysaccharide structure of *Escherichia coli* O168 and revised structure of the O-polysaccharide of *Shigella dysenteriae* type 4, 2676  
Structural and functional characterization of galactooligosaccharides in *Nostoc commune*:  $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)-[ $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)]<sub>2</sub>- $\beta$ -D-1,4-anhydrogalactitol and  $\beta$ -(1 $\rightarrow$ 6)-galactofuranosylated homologues, 2757  
Structural determination of the O-antigenic polysaccharide from *Escherichia coli* O166, 274  
Structural relation of the antigenic polysaccharides of *Escherichia coli* O40, *Shigella dysenteriae* type 9, and *E. coli* K47, 1275  
Structure of the O-polysaccharide of *Escherichia coli* O150 containing 2-acetamido-4-O-[(S)-1-carboxyethyl]-2-deoxy-D-glucose, 648  
Synthesis of the 'primer-adaptor' trisaccharide moiety of *Escherichia coli* O8, O9, and O9a lipopolysaccharide, 2818
- ESIMS  
Electrospray ionization mass spectrometry of oligosaccharides derived from fucoidan of *Ascophyllum nodosum*, 826  
Exopolysaccharides produced by *Inquilinus limosus*, a new pathogen of cystic fibrosis patients: novel structures with usual components, 2404
- Esterification  
Alkenyl and alkenoyl amphiphilic derivatives of D-xylose and their surfactant properties, 154  
Regio- and stereoselective anomeric esterification of glucopyranose 1,2-diols and a facile preparation of 2-O-acetylated glucopyranosyl trichloroacetimidates from the corresponding 1,2-diols, 797  
Regioselective formation of 6-O-acylsucroses and 6,3'-di-O-acylsucroses via the stannylene acetal method, 2657
- Ethanol  
Innovative crystal transformation of dihydrate trehalose to anhydrous trehalose using ethanol, 819
- Ethyl 3-azido-2,3-dideoxy-D-arabino-hexopyranoside  
Crystal structures of ethyl 3-azido-2,3-dideoxy-D-arabino-hexopyranoside anomers, 1450
- Ethyl chloroformate  
Regio- and stereoselective anomeric esterification of glucopyranose 1,2-diols and a facile preparation of 2-O-acetylated glucopyranosyl trichloroacetimidates from the corresponding 1,2-diols, 797
- Euler angles  
Theoretical investigation of hydrogen bonding effects on oxygen, nitrogen, and hydrogen chemical shielding and electric field gradient tensors of chitosan/HI salt, 2396
- Exocellular polysaccharide  
The structure of the exocellular polysaccharide produced by *Rhodococcus* sp. RHA1, 2223
- Exopolysaccharide  
Exopolysaccharides produced by *Inquilinus limosus*, a new pathogen of cystic fibrosis patients: novel structures with usual components, 2404  
Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B26, 2430  
Structural determination of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B332, 2735
- Extracellular polysaccharide  
Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 933  
Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 927
- Extrusion  
Impact of the extrusion process on xanthan gum behaviour, 1333

- Fatty alcohols  
Zeolite-catalyzed Helferich-type glycosylation of long-chain alcohols. Synthesis of acetylated alkyl 1,2-*trans* glycopyranosides and alkyl 1,2-*cis* C2-hydroxy-glycopyranosides, 704
- FBA  
Multivalent II [ $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc] and T $\alpha$  [ $\beta$ -D-Galp-(1 $\rightarrow$ 3)- $\alpha$ -D-GalpNAc] specific Moraceae family plant lectin from the seeds of *Ficus bengalensis* fruits, 1034
- Ferrier rearrangement  
Ferrier sulfonamidoglycosylation of D-glycals, 2297
- Feruloyl  
Total synthesis of phenylpropanoid glycosides, grayanoid A and syringalide B, through a common intermediate, 2309
- Feruloyl esterase  
Chromogenic substrates for feruloyl esterases, 2316
- Ficus bengalensis*  
Multivalent II [ $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc] and T $\alpha$  [ $\beta$ -D-Galp-(1 $\rightarrow$ 3)- $\alpha$ -D-GalpNAc] specific Moraceae family plant lectin from the seeds of *Ficus bengalensis* fruits, 1034
- Flavanones  
Enantioseparation of some chiral flavanones using microbial cyclic  $\beta$ -(1 $\rightarrow$ 3),(1 $\rightarrow$ 6)-glucans as novel chiral additives in capillary electrophoresis, 762
- Flexneri*  
O-Acetylation in the O-specific polysaccharide isolated from *Shigella flexneri* serotype 2a, 643
- Floridoside  
Separation of floridoside and isofloridosides by HPLC and complete  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectral assignments for D-isofloridoside, 2470
- Fluorescence  
Synthesis of a fluorescence-labeled K30 antigen repeating unit using click chemistry, 975
- Fluorescence labeling  
Functionalization of oligosaccharide mimetics and multimerization using squaric diester-mediated coupling, 696  
Synthesis of reference standards to enable single cell metabolomic studies of tetramethylrhodamine-labeled ganglioside GM1, 482
- Fluorescent labelling  
O-Oligosaccharidyl-1-amino-1-deoxyalditols as intermediates for fluorescent labelling of oligosaccharides, 44
- Fluorine  
*gem*-Difluoro-carbasugars, the cases of mannopyranose and galactopyranose, 1689
- Fluorouracil  
Preparation and characterization of *N*-(2-carboxybenzyl)chitosan as a potential pH-sensitive hydrogel for drug delivery, 87
- Formic acid  
Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129
- Fragility  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- Free radicals  
Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, 190
- Free-radical  
Synthesis of 3'-C-substituted thymidine derivatives by free-radical techniques: scope and limitations, 259
- Free-radical desulfurization  
Synthesis of the four 1-(1-deoxy-D-pentitol-1-yl)thymines and conformational properties of the acyclic sugar chain, 806
- Fru-Pro  
Crystal structure of *N*-(1-deoxy- $\beta$ -D-fructopyranos-1-yl)-L-proline—an Amadori compound, 1264
- Fructosazine  
2,5-Deoxyfructosazine, a D-glucosamine derivative, inhibits T-cell interleukin-2 production better than D-glucosamine, 2745
- Fructose  
Acyl chloride/DABCO-promoted acetal migration of 1,2:4,5-di-*O*-isopropylidene-D-fructopyranose, 1101
- Fructose-amino acid  
Solubility and crystal structure of *N*-(1-deoxy- $\beta$ -D-fructopyranos-1-yl)-L-histidine monohydrate ('D-fructose-L-histidine'), 131
- Fructosyl-proline  
Crystal structure of *N*-(1-deoxy- $\beta$ -D-fructopyranos-1-yl)-L-proline—an Amadori compound, 1264
- FT-IR  
Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122  
Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434
- Fucoidan  
Electrospray ionization mass spectrometry of oligosaccharides derived from fucoidan of *Ascophyllum nodosum*, 826
- Fucose migration  
High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and N,N-dimethylation, 1462
- Functional peptide  
Structural transition of a 15 amino acid residue peptide induced by GM1, 1895
- Fungal extracellular polysaccharide  
Characterisation of the extracellular polysaccharides produced by isolates of the fungus *Acremonium*, 2481
- G-CSF  
Stimulation of multiple cytokine production in mice by alginate oligosaccharides following intraperitoneal administration, 1133
- Galactofuranose  
Fungal cell wall polysaccharides isolated from *Discula destructiva* spp., 1138  
Structural analysis of linear hydroxyproline-bound O-glycans of *Chlamydomonas reinhardtii*—conservation of the inner core in *Chlamydomonas* and land plants, 2557  
Structural and functional characterization of galactooligosaccharides in *Nostoc commune*:  $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)-[ $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)] $_2$ - $\beta$ -D-1,4-anhydrogalactitol and  $\beta$ -(1 $\rightarrow$ 6)-galactofuranosylated homologues, 2757  
Synthesis and biological evaluation of galactofuranosyl alkyl thioglycosides as inhibitors of mycobacteria, 1773
- Galactofuranosyl donor  
Differential O-3/O-4 regioselectivity in the glycosylation of  $\alpha$  and  $\beta$  anomers of 6-O-substituted *N*-dimethylmaleoyl-protected D-glucosamine acceptors, 2522
- Galactopyranosyl donor  
Differential O-3/O-4 regioselectivity in the glycosylation of  $\alpha$  and  $\beta$  anomers of 6-O-substituted *N*-dimethylmaleoyl-protected D-glucosamine acceptors, 2522
- Galactose  
Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097  
New Karplus equations for  $^2J_{\text{HH}}$ ,  $^3J_{\text{HH}}$ ,  $^2J_{\text{CH}}$ ,  $^3J_{\text{CH}}$ ,  $^3J_{\text{COCH}}$ ,  $^3J_{\text{CSCH}}$ , and  $^3J_{\text{CCCH}}$  in some aldohexopyranoside derivatives as determined using NMR spectroscopy and density functional theory calculations, 2086
- Galactosidases  
Synthesis and evaluation of glycosyl donors with novel leaving groups for transglycosylations employing  $\beta$ -galactosidase from bovine testes, 467

- Galactosyltransferase  
Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881
- Galactosyltransferases  
Synthesis of fluorescently labelled and internally quenched UDP-Gal probes, 1831
- Galacturonic acid  
Allyl deprotection of galacturonic acid derivatives: mechanistic aspects of mercuric-catalyzed prop-1-enyl acetal cleavage, 2635  
An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442
- Galectin  
Synthesis of galactose-mimicking 1*H*-(1,2,3-triazol-1-yl)-mannosides as selective galectin-3 and 9N inhibitors, 1869
- Gallotannin  
Aleppo tannin: structural analysis and salivary amylase inhibition, 717
- Galloylation  
Synthesis of 7-*O*-galloyl-*D*-sedoheptulose, 1510
- Ganglioside  
Synthesis of reference standards to enable single cell metabolomic studies of tetramethylrhodamine-labeled ganglioside GM1, 482
- Gastrodia elata*  
Structure elucidation and sulfated derivatives preparation of two  $\alpha$ -*D*-glucans from *Gastrodia elata* Bl. and their anti-dengue virus bioactivities, 2230
- Gaucher disease  
Synthesis of 4-*O*-glycosylated 1-deoxynojirimycin derivatives as disaccharide mimics-based inhibitors of human  $\beta$ -glucocerebrosidase, 1960
- GC–MS standards  
An alternative method for the rapid synthesis of partially *O*-methylated alditol acetate standards for GC–MS analysis of carbohydrates, 2149
- gem*-Dihalo sugars  
Synthesis and reactivity of nonstabilized diazo sugars, 31
- Gene therapy  
Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, 190
- Gene transfer  
In vitro gene delivery to HepG2 cells using galactosylated 6-amino-6-deoxychitosan as a DNA carrier, 1427
- GH47  
The fate of  $\beta$ -*D*-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Glass forming liquids  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- Glass transition  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- Glass transition temperatures  
The glass transition temperatures of amorphous trehalose–water mixtures and the mobility of water: an experimental and in silico study, 1470
- Gleditsioside  
Silver(I) oxide-mediated regioselective 2-monoacylation in 3-*O*-benzyl- $\alpha$ -*L*-rhamnopyranosides and application in synthesis of a protected tetrasaccharide fragment of potent cytotoxic saponins gleditsiosides C and D, 1175
- Glucan derivatives  
Modification of methyl *O*-propargyl-*D*-glucosides: model studies for the synthesis of alkynyl based functional polysaccharides, 2031
- (1 $\rightarrow$ 3,1 $\rightarrow$ 6)- $\beta$ -glucans  
Characterisation of the extracellular polysaccharides produced by isolates of the fungus *Acremonium*, 2481
- Glucoamylase  
Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization, 1105
- Glucofuranose  
Enantioselective epoxidation of non-functionalized alkenes using carbohydrate based salen–Mn(III) complexes, 254
- Gluconolactone  
Regioselective synthesis of 1<sup>I</sup>,1<sup>II</sup>,5<sup>I</sup>,5<sup>II</sup>,6<sup>I</sup>,6<sup>II</sup>,6<sup>II</sup>-<sup>2</sup>H<sub>8</sub>-cellobiose, 2546
- Glucopyranose 1,2-diols  
Regio- and stereoselective anomeric esterification of glucopyranose 1,2-diols and a facile preparation of 2-*O*-acetylated glucopyranosyl trichloroacetimidates from the corresponding 1,2-diols, 797
- Glucosamine acceptors  
Differential *O*-3/*O*-4 regioselectivity in the glycosylation of  $\alpha$  and  $\beta$  anomers of 6-*O*-substituted *N*-dimethylmaleoyl-protected *D*-glucosamine acceptors, 2522
- Glucose  
A kinetic model for production of glucose by hydrolysis of levoglucosan and cellobiosan from pyrolysis oil, 2365  
Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097  
New Karplus equations for <sup>2</sup>*J*<sub>HH</sub>, <sup>3</sup>*J*<sub>HH</sub>, <sup>2</sup>*J*<sub>CH</sub>, <sup>3</sup>*J*<sub>CH</sub>, <sup>3</sup>*J*<sub>COCH</sub>, <sup>3</sup>*J*<sub>CSCCH</sub>, and <sup>3</sup>*J*<sub>CCCH</sub> in some aldohexopyranoside derivatives as determined using NMR spectroscopy and density functional theory calculations, 2086  
Self-association of bis-( $\alpha$ , $\beta$ -*D*-glucopyranosyl)-polyisobutylene, 1323
- Glucosidase  
Iminoalditol-amino acid hybrids: synthesis and evaluation as glycosidase inhibitors, 1850
- $\beta$ -Glucosidase  
Study on glycosylated prodrugs of toxoflavins for antibody-directed enzyme tumor therapy, 1254
- Glucosidase inhibitors  
Synthesis of *S*-alkylated sulfonium-ions and their glucosidase inhibitory activities against recombinant human maltase glucoamylase, 901
- Glucosides  
Borate esters of the methyl *D*-glucopyranosides, 2801
- Glucosyl phosphate  
Structure of a glucosyl phosphate-containing *O*-polysaccharide of *Proteus vulgaris* O42, 2826
- Glycosyl processing enzymes  
*O*-2 Substituted pyranosyl oxacarbenium ions are C-2–*O*-2 2-fold rotors with a strong *syn* preference, 2793
- Glycosylation  
*O*-2 Substituted pyranosyl oxacarbenium ions are C-2–*O*-2 2-fold rotors with a strong *syn* preference, 2793  
On the synthesis of the 2,6-dideoxysugar *L*-digitoxose, 2695
- Glucuronic acid  
An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442  
Synthesis of sugar-lactams from azides of glucuronic acid, 1953  
The synthesis of cyclic imidates from amides of glucuronic acid and investigation of glycosidation reactions, 111
- Glucuronic acid donor  
Synthesis of urine drug metabolites: glucuronic acid glycosides of phenol intermediates, 970
- Glucuronidase  
Synthesis and biological evaluation of a small library of nojirimycin-derived bicyclic iminosugars, 1813

- Glucurono-2-ulosides  
 Glucuronic acid-based ulosyl donors for introducing  $\alpha$ -D-GlcA and  $\beta$ -D-ManA units, 2132
- Glutaraldehyde  
 Glutaraldehyde cross-linked chitosan microspheres for controlled release of centchroman, 2244
- Glutaraldehyde cross-linked chitosan  
 Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189
- Glycal  
 Synthesis and anti-inflammatory activity of *N*-phthalimidomethyl 2,3-dideoxy- and 2,3-unsaturated glycosides, 1169
- Glycals  
 Ferrier sulfonamidoglycosylation of D-glycals, 2297
- Glycamines  
*O*-Oligosaccharidyl-1-amino-1-deoxyalditols as intermediates for fluorescent labelling of oligosaccharides, 44
- Glycation  
 The multiple Maillard reactions of ribose and deoxyribose sugars and sugar phosphates, 2575
- Glycocluster  
 $\alpha$  and  $\beta$  L-Fucopyranosyl oxyamines: key intermediates for the preparation of fucose-containing glycoconjugates by oxime ligation, 894
- Glycoconjugate  
 Hydrolysis rates of 1-glucosyl-2-benzoylhydrazines in aqueous solution, 749  
 Synthesis of neosaponins and neoglycolipids containing a chactriosyl moiety, 2182
- Glycoconjugates  
 Ritter-based glycoconjugation of amino acids and peptides—access to novel glycoconjugates displaying a  $\beta$ -amide linkage between amino acid and sugar moiety, 7
- Glycodendrimers  
 Synthesis of new polyether glycodendrons as oligosaccharide mimetics, 1715
- Glycofuranosides  
 Investigation of the specificity of an  $\alpha$ -L-arabinofuranosidase using C-2 and C-5 modified  $\alpha$ -L-arabinofuranosides, 2202
- Glycogen  
 Relationship between structure and immunostimulating activity of enzymatically synthesized glycogen, 2371
- Glycolipid  
 Monophosphoryl lipid A analogues with varying 3-O-substitution: synthesis and potent adjuvant activity, 784  
 Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621
- Glycolipid metabolism  
 Synthesis of reference standards to enable single cell metabolomic studies of tetramethylrhodamine-labeled ganglioside GM1, 482
- Glycolipids  
 Efficient synthesis of  $\omega$ -mercaptoalkyl 1,2-*trans*-glycosides from sugar peracetates, 1009
- Glycolipoprotein  
 Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621
- Glycomimetic  
 Synthesis and conformational behavior of the difluoromethylene linked C-glycoside analog of  $\beta$ -galactopyranosyl-(1 $\leftrightarrow$ 1)- $\alpha$ -mannopyranoside, 1624  
 Synthesis of galactose-mimicking 1*H*-(1,2,3-triazol-1-yl)-mannosides as selective galectin-3 and 9N inhibitors, 1869
- Glycomimetics  
 Conformational behaviour of glycomimetics: NMR and molecular modelling studies of the C-glycoside analogue of the disaccharide methyl  $\beta$ -D-galactopyranosyl-(1 $\rightarrow$ 3)- $\beta$ -D-glucopyranoside, 1910  
 First round of a focused library of cholera toxin inhibitors, 1651
- Ritter-based glycoconjugation of amino acids and peptides—access to novel glycoconjugates displaying a  $\beta$ -amide linkage between amino acid and sugar moiety, 7
- Synthesis and conformational analysis of an  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 2)- $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranose mimic, 1859
- Synthesis of fused bicyclic thioglycosides of *N*-acylated glucosamine as analogues of mycothiol, 1943
- Synthesis of new polyether glycodendrons as oligosaccharide mimetics, 1715
- The conformation of the C-glycosyl analogue of *N*-acetyl-lactosamine in the free state and bound to a toxic plant agglutinin and human adhesion/growth-regulatory galectin-1, 1918
- The conformational behaviour of the C-glycosyl analogue of sulfatide studied by NMR in SDS micelles, 1966
- The solution conformation of C-glycosyl analogues of the sialyl-Tn antigen, 1974
- Glyconucleosides  
 Incorporation of a S-glycosidic linkage into a glyconucleoside changes the conformational preference of both furanose sugars, 16
- Glycopeptides  
 Spacer-separated sialyl LewisX cyclopeptide conjugates as potential E-selectin ligands, 541
- Glycoprotein  
 Synthesis of complex-type glycans derived from parasitic helminths, 675
- Glycoproteins  
 Electrophoretic separation and characterization of urinary glycosaminoglycans and their roles in urolithiasis, 79
- Glycosaminoglycans  
 Binding of glycosaminoglycans to cyano-activated agarose membranes: kinetic and diffusional effects on yield and homogeneity, 2192  
 Electrophoretic separation and characterization of urinary glycosaminoglycans and their roles in urolithiasis, 79  
 Relationship between structure and three-bond proton–proton coupling constants in glycosaminoglycans, 779  
 Structural view of glycosaminoglycan–protein interactions, 430  
 Synthesis of a bicyclic analog of L-iduronic acid adopting the biologically relevant  ${}^2S_0$  conformation, 1876
- Glycosidase  
 Synthesis of substituted septanosyl-1,2,3-triazoles, 1366
- Glycosidase inhibitor  
 Iminoalditol-amino acid hybrids: synthesis and evaluation as glycosidase inhibitors, 1850
- Glycosidase inhibitors  
 Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888  
 Synthesis and NMR experiments of (4,5,6- ${}^{13}\text{C}$ )-deoxymannojirimycin. A new entry to  ${}^{13}\text{C}$ -labeled glycosidase inhibitors, 1805  
 Synthesis of analogues of salacinol containing a carboxylate inner salt and their inhibitory activities against human maltase glucoamylase, 1661  
 Synthesis of aza- and thia-spiroheterocycles and attempted synthesis of spiro sulfonium compounds related to salacinol, 2163  
 Synthesis of 4-O-glycosylated 1-deoxynojirimycin derivatives as disaccharide mimics-based inhibitors of human  $\beta$ -glucocerebrosidase, 1960  
 Synthesis of phosphate derivatives related to the glycosidase inhibitor salacinol, 1934  
 Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside, 2212  
 Zwitterionic glycosidase inhibitors: salacinol and related analogues, 1551
- Glycosidases  
 In vitro synthesis of artificial polysaccharides by glycosidases and glycosynthases, 1581



- Synthesis and biological evaluation of a small library of nojirimycin-derived bicyclic iminosugars, 1813
- Synthesis and evaluation of glycosyl donors with novel leaving groups for transglycosylations employing  $\beta$ -galactosidase from bovine testes, 467
- Glycosidation**
- Regioselective synthesis of  $1^I, 1^{II}, 5^I, 5^{II}, 6^I, 6^{II}, 6^{II}, 2H_8$ -cellobiose, 2546
- The synthesis of cyclic imidates from amides of glucuronic acid and investigation of glycosidation reactions, 111
- Glycosidic bond**
- Synthesis of methyl 4'-O-methyl- $\beta$ -D-cellobioside- $^{13}C_{12}$  from D-glucose- $^{13}C_6$ . Part 2: Solid-state NMR studies, 65
- Glycosphingolipids**
- Concise synthesis of clarhamnoside, a novel glycosphingolipid isolated from the marine sponge *Agela clathrodes*, 2003
- Recent advances in the glycosylation of sphingosines and ceramides, 1595
- Glycosyl N-phenyl trifluoroacetimidates**
- The behaviour of deoxyhexose trihaloacetimidates in selected glycosylations, 1021
- Glycosyl amino acids**
- Ritter-based glycoconjugation of amino acids and peptides—access to novel glycoconjugates displaying a  $\beta$ -amide linkage between amino acid and sugar moiety, 7
- Glycosyl azide**
- Synthesis of glycosyl-triazole linked 1,2,4-oxadiazoles, 2440
- Glycosyl azides**
- Spacer-separated sialyl LewisX cyclopeptide conjugates as potential E-selectin ligands, 541
- Glycosyl processing enzymes**
- DFT studies of the ionization of alpha and beta glucopyranosyl donors, 1726
- O-2 Substituted pyranosyl oxacarbenium ions are C-2–O-2-fold rotors with a strong *syn* preference, 2793
- Glycosyl tetrazoles**
- Microwave-assisted efficient preparation of novel carbohydrate tetrazole derivatives, 1096
- Glycosyl trichloroacetimidates**
- The behaviour of deoxyhexose trihaloacetimidates in selected glycosylations, 1021
- Glycosylation**
- A new glycosidation method through nitrite displacement on substituted nitrobenzenes, 440
- Alkenyl and alkenoyl amphiphilic derivatives of D-xylose and their surfactant properties, 154
- DFT studies of the ionization of alpha and beta glucopyranosyl donors, 1726
- DFT studies of the role of C-2–O-2 bond rotation in neighboring-group glycosylation reactions, 1291
- Efficient synthesis of  $\omega$ -mercaptoalkyl 1,2-*trans*-glycosides from sugar peracetates, 1009
- Facile synthesis of cleistetroside-2, a partially acetylated oligorhamnoside from *Cleistopholis glauca* and *patens*, 1496
- First synthesis of tepidopterin [2'-O-(2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl)-L-*threo*-biopterin], 2159
- Glucuronic acid-based ulosyl donors for introducing  $\alpha$ -D-GlcA and  $\beta$ -D-ManA units, 2132
- Glycosylation in room temperature ionic liquid using unprotected and unactivated donors, 614
- $\alpha$  and  $\beta$  L-Fucopyranosyl oxyamines: key intermediates for the preparation of fucose-containing glycoconjugates by oxime ligation, 894
- O-2 Substituted pyranosyl oxacarbenium ions are C-2–O-2-fold rotors with a strong *syn* preference, 2793
- On the synthesis of the 2,6-dideoxysugar L-digitoxose, 2695
- Recent advances in the glycosylation of sphingosines and ceramides, 1595
- Synthesis of a cyanoethylidene derivative of 3,6-anhydro-D-galactose and its application as glycosyl donor, 520
- Synthesis of a fluorescence-labeled K30 antigen repeating unit using click chemistry, 975
- Synthesis of ketopyranosyl glycosides and determination of their anomeric configuration on the basis of the three-bond carbon–proton couplings, 1393
- Synthesis of 4-O-glycosylated 1-deoxynojirimycin derivatives as disaccharide mimics-based inhibitors of human  $\beta$ -glucocerebrosidase, 1960
- Synthesis of urine drug metabolites: glucuronic acid glycosides of phenol intermediates, 970
- Glycosylations**
- Synthesis of aryl-2-deoxy-D-*lyxol*arabino-hexopyranosides from 2-deoxy-1-thioglycosides, 1305
- Synthesis of fluorescently labelled and internally quenched UDP-Gal probes, 1831
- The behaviour of deoxyhexose trihaloacetimidates in selected glycosylations, 1021
- Glycosylhydrazides**
- Hydrolysis rates of 1-glucosyl-2-benzoylhydrazines in aqueous solution, 749
- Glycosynthase**
- Unexpected regioselectivity of *Humicola insolens* Cel7B glycosynthase mutants, 710
- Glycosynthases**
- In vitro synthesis of artificial polysaccharides by glycosidases and glycosynthases, 1581
- GM1**
- Structural transition of a 15 amino acid residue peptide induced by GM1, 1895
- Synthesis of reference standards to enable single cell metabolomic studies of tetramethylrhodamine-labeled ganglioside GM1, 482
- GM1 ganglioside**
- First round of a focused library of cholera toxin inhibitors, 1651
- Gold glyconanoparticles**
- Preparation of multifunctional glyconanoparticles as a platform for potential carbohydrate-based anticancer vaccines, 448
- Gram-positive bacteria**
- Total synthesis of cleistetroside-2, partially acetylated dodecanyl tetrarhamnoside derivative isolated from *Cleistopholis patens* and *Cleistopholis glauca*, 1159
- Granocel**
- Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization, 1105
- Graphitized carbon column**
- High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and N,N-dimethylation, 1462
- Grayanoside A**
- Total synthesis of phenylpropanoid glycosides, grayanoside A and syringalide B, through a common intermediate, 2309
- Green algae**
- Structure of a highly pyruvylated galactan sulfate from the Pacific green alga *Codium yezoense* (Bryopsidales, Chlorophyta), 586
- Grignard addition**
- A short alternative preparation of the bengazoles polyol side-chain segment, 744
- Halide catalysis**
- The synthesis of 2-, 3-, 4- and 6-O- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793
- $^1H$ ,  $^{13}C$  NMR
- Self-association of bis-( $\alpha$ , $\beta$ -D-glucopyranosyl)-polyisobutylene, 1323

- <sup>5</sup>H<sub>4</sub> Conformation  
X-ray diffraction and high-resolution NMR spectroscopy of methyl 3,4-di-*O*-acetyl-1,5-anhydro-2-deoxy-*D*-arabino-hex-1-enopyranuronate, 1280
- 1,5,6,6-<sup>2</sup>H<sub>4</sub>-*D*-Glucose  
Regioselective synthesis of 1<sup>1</sup>,1<sup>11</sup>,5<sup>1</sup>,5<sup>11</sup>,6<sup>1</sup>,6<sup>11</sup>,6<sup>11</sup>-<sup>2</sup>H<sub>8</sub>-cellobiose, 2546
- 1<sup>1</sup>,1<sup>11</sup>,5<sup>1</sup>,5<sup>11</sup>,6<sup>1</sup>,6<sup>11</sup>,6<sup>11</sup>-<sup>2</sup>H<sub>8</sub>-cellobiose  
Regioselective synthesis of 1<sup>1</sup>,1<sup>11</sup>,5<sup>1</sup>,5<sup>11</sup>,6<sup>1</sup>,6<sup>11</sup>,6<sup>11</sup>-<sup>2</sup>H<sub>8</sub>-cellobiose, 2546
- Heat protection  
Structural and functional characterization of galactooligosaccharides in *Nostoc commune*: β-*D*-galactofuranosyl-(1→6)-[β-*D*-galactofuranosyl-(1→6)]<sub>2</sub>-β-*D*-1,4-anhydrogalactitol and β-(1→6)-galactofuranosylated homologues, 2757
- Helferich glycosylation  
Zeolite-catalyzed Helferich-type glycosylation of long-chain alcohols. Synthesis of acetylated alkyl 1,2-*trans* glycopyranosides and alkyl 1,2-*cis* C2-hydroxy-glycopyranosides, 704
- Hemicellulose  
Bilberry xyloglucan—novel building blocks containing β-xylose within a complex structure, 170
- Hemicelluloses  
Convenient conversion of wheat hemicelluloses pentoses (*D*-xylose and *L*-arabinose) into a common intermediate, 2450
- Hemolytic activity  
Preparation and characterization of 6<sup>1</sup>,6<sup>11</sup>-di-*O*-(*L*-fucopyranosyl)-β-cyclodextrin (*n*=II–IV) and investigation of their functions, 2173  
Synthesis, cytotoxicity, and hemolytic activity of 6'-*O*-substituted dioscin derivatives, 2705
- <sup>2</sup>H enrichment  
Regioselective synthesis of 1<sup>1</sup>,1<sup>11</sup>,5<sup>1</sup>,5<sup>11</sup>,6<sup>1</sup>,6<sup>11</sup>,6<sup>11</sup>-<sup>2</sup>H<sub>8</sub>-cellobiose, 2546
- Heparin  
B3LYP/6-311++G\*\* study of structure and spin-spin coupling constant in heparin disaccharide, 1350  
Characterization of di- and monosulfated, unsaturated heparin disaccharides with terminal N-sulfated 1,6-anhydro-β-*D*-glucosamine or N-sulfated 1,6-anhydro-β-*D*-mannosamine residues, 835  
Synthesis of a bicyclic analog of *L*-iduronic acid adopting the biologically relevant <sup>2</sup>S<sub>0</sub> conformation, 1876  
Variability in the carbazole assay for N-desulfonated/N-acylated heparin derivatives, 2664
- Heparin cofactor II  
A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity, 2326
- Heparin derivatives  
Variability in the carbazole assay for N-desulfonated/N-acylated heparin derivatives, 2664
- Heptaose  
Linkage and pyranosyl ring twisting in cyclodextrins, 1223
- Heptose  
Synthesis of a deoxy analogue of ADP *L*-glycero-*D*-manno-heptose, 2537
- Hessian  
DFT study of α- and β-*D*-allopentose at the B3LYP/6-311++G\*\* level of theory, 196
- Heterocycles  
Potential sialyltransferase inhibitors based on neuraminyl substitution by hetaryl rings, 558
- Hexaose  
Linkage and pyranosyl ring twisting in cyclodextrins, 1223
- Hexenuronic acid  
An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442
- High amylose corn starch  
Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization, 2253
- High amylose starch  
Study of hydration of cross-linked high amylose starch by solid state <sup>13</sup>C NMR spectroscopy, 1525
- High-energy CID  
Structure elucidation of arabinoxylan isomers by normal phase HPLC–MALDI-TOF/TOF-MS/MS, 724
- Highly oriented pyrolytic graphite  
Conformational changes in single carboxymethylcellulose chains on a highly oriented pyrolytic graphite surface under different salt conditions, 954  
Molecular imaging of single cellulose chains aligned on a highly oriented pyrolytic graphite surface, 2593
- HMBC  
A Karplus equation for <sup>3</sup>J<sub>HCCN</sub> in amino sugar derivatives, 1044
- <sup>1</sup>H NMR chemical shifts  
A Karplus equation for <sup>3</sup>J<sub>HCCN</sub> in amino sugar derivatives, 1044
- <sup>1</sup>H NMR  
Comparative <sup>1</sup>H NMR and molecular modeling study of hydroxy protons of β-*D*-Galp-(1→4)-β-*D*-GlcNAc-(1→2)-α-*D*-Manp-(1→O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> analogues in aqueous solution, 597
- <sup>1</sup>H NMR spectroscopy  
Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124  
<sup>1</sup>H and <sup>13</sup>C NMR: Almond shell xylo-oligosaccharides exhibiting immunostimulatory, 1122
- Horner–Emmons olefination  
An improved synthesis of a key intermediate for (+)-biotin from *D*-mannose, 2461
- HPAEC  
The *trans*-sialidase from *Trypanosoma cruzi* efficiently transfers α-(2→3)-linked *N*-glycolylneuraminic acid to terminal β-galactosyl units, 2465
- HR-MAS NMR  
NMR Studies on the interaction between (–)-epigallocatechin gallate and cyclodextrins, free and bonded to silica gels, 843
- HSA  
Aleppo tannin: structural analysis and salivary amylase inhibition, 717
- HSQC  
A Karplus equation for <sup>3</sup>J<sub>HCCN</sub> in amino sugar derivatives, 1044
- HSQMBc  
A Karplus equation for <sup>3</sup>J<sub>HCCN</sub> in amino sugar derivatives, 1044
- Human maltase glucoamylase  
Synthesis of analogues of salacinol containing a carboxylate inner salt and their inhibitory activities against human maltase glucoamylase, 1661
- Human maltase glucoamylase (MGA)  
Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888
- Hyaluronan  
Inhibitory effects of different antioxidants on hyaluronan depolymerization, 96
- Hyaluronan degradation  
Solution properties of high-molar-mass hyaluronans: the biopolymer degradation by ascorbate, 1071
- Hyaluronic acid  
Characterization of the chemical degradation of hyaluronic acid during chemical gelation in the presence of different cross-linker agents, 2776
- Hyaluronic acid mimetic  
Synthesis of a C-linked hyaluronic acid disaccharide mimetic, 1668
- Hybrid  
Octa-*O*-propanoyl-β-maltose: crystal structure, acyl stacking, related structures, and conformational analysis, 1210

## Hydration

Impact of the extrusion process on xanthan gum behaviour, 1333

## Hydroboration

A short alternative preparation of the bengazoles polyol side-chain segment, 744

## Hydrogels

High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: a proposal for the reaction mechanism, 943

## Hydrogen bonding

Crystal structure and NMR spectroscopy of aldonamides derived from D-glycero-D-gulo-heptono-1,4-lactone, 243

Crystal structures of ethyl 3-azido-2,3-dideoxy-D-arabino-hexopyranoside anomers, 1450

## Hydrogen peroxide

Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129

 $\alpha$ -Hydroxyketones

New and general synthesis of  $\beta$ -C-glycosylformaldehydes from easily available  $\beta$ -C-glycosylpropanones, 2716

## Hydrolysis

A kinetic model for production of glucose by hydrolysis of levoglucosan and cellobiosan from pyrolysis oil, 2365

Donor substrate binding to trans-sialidase of *Trypanosoma cruzi* as studied by STD NMR, 1904

Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization, 1105

Hydrolysis of soluble starch using *Bacillus licheniformis*  $\alpha$ -amylase immobilized on superporous CELBEADS, 997

Solid-state hydrolysis of cellulose and methyl  $\alpha$ - and  $\beta$ -D-glucopyranosides in presence of magnesium chloride, 1373

## Hydrolysis rates

Hydrolysis rates of 1-glucosyl-2-benzoylhydrazines in aqueous solution, 749

## 4-Hydroxybiphenyl

Crystal structure of a cyclomaltoheptaose-4-hydroxybiphenyl inclusion complex, 1530

## Hydroxy protons

Comparative  $^1\text{H}$  NMR and molecular modeling study of hydroxy protons of  $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc-(1 $\rightarrow$ 2)- $\alpha$ -D-Manp-(1 $\rightarrow$ O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> analogues in aqueous solution, 597

## Hydroxyproline-bound O-glycans

Structural analysis of linear hydroxyproline-bound O-glycans of *Chlamydomonas reinhardtii*—conservation of the inner core in *Chlamydomonas* and land plants, 2557

## Hydroxyproline-rich glycoproteins

Structural analysis of linear hydroxyproline-bound O-glycans of *Chlamydomonas reinhardtii*—conservation of the inner core in *Chlamydomonas* and land plants, 2557

## 3-Hydroxy-butanoyl

The O-chain structure from the LPS of the bacterium *Naxibacter alkalitolerans* YIM 31775<sup>T</sup>, 757

## Hypomanganate(V)

Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of K-carrageenan by alkaline permanganate, 1382

## Iduronic acid

Synthesis of a bicyclic analog of L-iduronic acid adopting the biologically relevant  $^2\text{S}_0$  conformation, 1876

## IgA

Resistance to deglycosylation by ammonia of IgA1 O-glycopeptides: implications for the  $\beta$ -elimination of O-glycans linked to serine and threonine, 2322

## Imidates

The synthesis of cyclic imidates from amides of glucuronic acid and investigation of glycosidation reactions, 111

## Imine

Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189

## Iminoalditol

Iminoalditol-amino acid hybrids: synthesis and evaluation as glycosidase inhibitors, 1850

## Iminosugars

Synthesis and biological evaluation of a small library of nojirimycin-derived bicyclic iminosugars, 1813

Synthesis of 4-O-glycosylated 1-deoxynojirimycin derivatives as disaccharide mimics-based inhibitors of human  $\beta$ -glucocerebrosidase, 1960

Zwitterionic glycosidase inhibitors: salacinol and related analogues, 1551

## Immobilization

Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization, 1105

Hydrolysis of soluble starch using *Bacillus licheniformis*  $\alpha$ -amylase immobilized on superporous CELBEADS, 997

## Immune cell

2,5-Deoxyfructosazine, a D-glucosamine derivative, inhibits T-cell interleukin-2 production better than D-glucosamine, 2745

## Immunological activity

Structural characterization and immunological activity of two cold-water extractable polysaccharides from *Cistanche deserticola* Y. C. Ma, 1343

## Immunostimulant

Monophosphoryl lipid A analogues with varying 3-O-substitution: synthesis and potent adjuvant activity, 784

## Immunostimulating activity

Relationship between structure and immunostimulating activity of enzymatically synthesized glycogen, 2371

## Immunostimulatory

Concise synthesis of clarhamnoside, a novel glycosphingolipid isolated from the marine sponge *Agela clathrodes*, 2003

*Inquilinus limosus*

Exopolysaccharides produced by *Inquilinus limosus*, a new pathogen of cystic fibrosis patients: novel structures with usual components, 2404

## In vitro test

In vitro gene delivery to HepG2 cells using galactosylated 6-amino-6-deoxychitosan as a DNA carrier, 1427

## Inclusion complex

Crystal structure of a cyclomaltoheptaose-4-hydroxybiphenyl inclusion complex, 1530

Physicochemical and biological properties of 6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-O- $\alpha$ -maltoosyl-cyclomaltoheptaose (6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-O- $\alpha$ -maltosyl- $\beta$ -cyclodextrin), 1315

The crystal structure of the 1:1 inclusion complex of  $\beta$ -cyclodextrin with benzamide, 767

## Infants

The synthesis of 2-, 3-, 4- and 6-O- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793

## Inhibition

Synthesis and biological evaluation of galactofuranosyl alkyl thioglycosides as inhibitors of mycobacteria, 1773

## Inhibitor

Aleppo tannin: structural analysis and salivary amylase inhibition, 717

## Inhibitors

Potential sialyltransferase inhibitors based on neuraminyl substitution by hetaryl rings, 558

## Inositol

gem-Difluoro-carbasugars, the cases of mannopyranose and galactopyranose, 1689

## Interactions

Structural view of glycosaminoglycan–protein interactions, 430

## Intramolecular ring-closure

The Wittig-cyclization procedure: acid promoted intramolecular formation of 3-C-branched-chain 3,6-anhydro furano sugars via 2'-oxopropylene derivatives, 1091

## Intraperitoneal immuno-stimulation

Stimulation of multiple cytokine production in mice by alginate oligosaccharides following intraperitoneal administration, 1133

## Iodination

Convenient conversion of wheat hemicelluloses pentoses (D-xylose and L-arabinose) into a common intermediate, 2450

## Ion-trap mass spectrometry

High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and N,N-dimethylation, 1462

## Ionic liquid

Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using an ionic liquid as reaction medium, 919

## Ionic-liquid solvent

Preparation of diamino pseudodisaccharide derivatives from 1,6-anhydro- $\beta$ -D-hexopyranoses via aziridine-ring cleavage, 147

## IR spectroscopy

Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124

## Ir(III) Catalysis

Kinetics and mechanism of the Ir(III)-catalyzed oxidation of xylose and maltose by potassium iodate in aqueous alkaline medium, 1078

## Isofloridoside

Separation of floridoside and isofloridosides by HPLC and complete  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectral assignments for D-isofloridoside, 2470

## Isomerization

Selective ketopentose analysis in concentrate carbohydrate syrups by HPLC, 859

## Isomers

Structure elucidation of arabinoxylan isomers by normal phase HPLC–MALDI-TOF/TOF-MS/MS, 724

## Isomuramic acid

Structure of the O-polysaccharide and serological cross-reactivity of the lipopolysaccharide of *Providencia alcalifaciens* O32 containing N-acetylismuramic acid, 268

## Isopotential relaxed maps

DFT studies of the disaccharide,  $\alpha$ -maltose: relaxed isopotential maps, 2270

## Isothiobiurets

Synthesis of N- and S-bis-protected lactosyl isothiobiurets, 753

## Isotope

Preparation of 6,6,1',1',6',6'-hexadeutero sucrose, 2303

## J-HMBC

New Karplus equations for  $^2J_{\text{HH}}$ ,  $^3J_{\text{HH}}$ ,  $^2J_{\text{CH}}$ ,  $^3J_{\text{CH}}$ ,  $^3J_{\text{COCH}}$ ,  $^3J_{\text{CSCH}}$ , and  $^3J_{\text{CCCH}}$  in some aldohexopyranoside derivatives as determined using NMR spectroscopy and density functional theory calculations, 2086

## K30 Antigen

Synthesis of a fluorescence-labeled K30 antigen repeating unit using click chemistry, 975

## Karplus

New Karplus equations for  $^2J_{\text{HH}}$ ,  $^3J_{\text{HH}}$ ,  $^2J_{\text{CH}}$ ,  $^3J_{\text{CH}}$ ,  $^3J_{\text{COCH}}$ ,  $^3J_{\text{CSCH}}$ , and  $^3J_{\text{CCCH}}$  in some aldohexopyranoside derivatives as determined using NMR spectroscopy and density functional theory calculations, 2086

## Karplus equation

A Karplus equation for  $^3J_{\text{HCCN}}$  in amino sugar derivatives, 1044

## Karplus relationship

Synthesis of ketopyranosyl glycosides and determination of their anomeric configuration on the basis of the three-bond carbon–proton couplings, 1393

## Kdo

Synthesis of spacer-containing chlamydial disaccharides as analogues of the  $\alpha$ -Kdop-(2 $\rightarrow$ 8)- $\alpha$ -Kdop-(2 $\rightarrow$ 4)- $\alpha$ -Kdop trisaccharide epitope, 576

The structure of the O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulosonic acid, 665

## Kdo glycosides

Evaluation of thioglycosides of Kdo as glycosyl donors, 631

## Ketopyranosyl glycosides

Synthesis of ketopyranosyl glycosides and determination of their anomeric configuration on the basis of the three-bond carbon–proton couplings, 1393

## Ketose

Aldose–ketose interconversion in pyridine in the presence of aluminium oxide, 1992

## Kidney stones

Electrophoretic separation and characterization of urinary glycosaminoglycans and their roles in urolithiasis, 79

## Kinetic analysis

Aleppo tannin: structural analysis and salivary amylase inhibition, 717

## Kinetic resolution

Practical synthesis of (–)-1-amino-1-deoxy-*myo*-inositol from achiral precursors, 1947

*Klebsiella pneumoniae*

Synthesis of the 'primer–adaptor' trisaccharide moiety of *Escherichia coli* O8, O9, and O9a lipopolysaccharide, 2818

## KRN7000

Concise synthesis of clarhamnoside, a novel glycosphingolipid isolated from the marine sponge *Agela clathrodes*, 2003

## L-Digitoxose

On the synthesis of the 2,6-dideoxysugar L-digitoxose, 2695

## Labeled compounds

Synthesis and NMR experiments of (4,5,6- $^{13}\text{C}$ )-deoxymannojirimycin. A new entry to  $^{13}\text{C}$ -labeled glycosidase inhibitors, 1805

## Labelled compounds

Preparation of 6,6,1',1',6',6'-hexadeutero sucrose, 2303

## LacNAc-Man

Comparative  $^1\text{H}$  NMR and molecular modeling study of hydroxy protons of  $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc-(1 $\rightarrow$ 2)- $\alpha$ -D-Manp-(1 $\rightarrow$ O)(CH $_2$ ) $_7$ CH $_3$  analogues in aqueous solution, 597

## Lactic acid bacteria

Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B26, 2430

Structural determination of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B332, 2735

*Lactobacillus delbrueckii* ssp. *bulgaricus*

Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B26, 2430

Structural determination of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B332, 2735

## Lactose

An X-ray diffraction analysis of crystallised whey and whey-permeate powders, 2354

Crystallization kinetics of amorphous lactose, whey-permeate and whey powders, 1357

From lactose towards a novel galactosylated cyclooctenone, 1238

The synthesis of 2-, 3-, 4- and 6-O- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793

## Lactosyl isocyanate

Synthesis of N- and S-bis-protected lactosyl isothiobiurets, 753

*Laminaria cichorioides*

A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity, 2326

## Lanthanide

Chelation-controlled regioselectivity in the lanthanum-promoted monobenzylation of monosaccharides in water, 1998

## Lanthanide triflates

A study of *n*-pentenyl orthoesters having *manno*, *gluco* and *galacto* configurations in regioselective glycosylations, 490

 $\alpha$ -L-Arabinofuranosidase

Investigation of the specificity of an  $\alpha$ -L-arabinofuranosidase using C-2 and C-5 modified  $\alpha$ -L-arabinofuranosides, 2202

 $\alpha$ -L-Arabinofuranosyl-D-xylopyranosides

Synthesis of a library of allyl  $\alpha$ -L-arabinofuranosyl- $\alpha$ - or  $\beta$ -D-xylopyranosides; route to higher oligomers, 2649

## L-Arabinose

Convenient conversion of wheat hemicelluloses pentoses (D-xylose and L-arabinose) into a common intermediate, 2450

## Layer-by-layer

Enzymatic desorption of layer-by-layer assembled multilayer films and effects on the release of encapsulated indomethacin microcrystals, 2237

## LC-ESI-MS

Determination of regioisomeric distribution in carbohydrate fatty acid monoesters by LC-ESI-MS, 236

## Leaving group

Synthesis and evaluation of glycosyl donors with novel leaving groups for transglycosylations employing  $\beta$ -galactosidase from bovine testes, 467

## Lectin

Multivalent II [ $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc] and T $\alpha$  [ $\beta$ -D-Galp-(1 $\rightarrow$ 3)- $\alpha$ -D-GalpNAc] specific Moraceae family plant lectin from the seeds of *Ficus bengalensis* fruits, 1034

Synthesis of galactose-mimicking 1*H*-(1,2,3-triazol-1-yl)-mannosides as selective galectin-3 and 9N inhibitors, 1869

## Levogluconan

A kinetic model for production of glucose by hydrolysis of levogluconan and cellobiosan from pyrolysis oil, 2365

## Lewis acid

Solid-state hydrolysis of cellulose and methyl  $\alpha$ - and  $\beta$ -D-glucopyranosides in presence of magnesium chloride, 1373

The synthesis of cyclic imidates from amides of glucuronic acid and investigation of glycosidation reactions, 111

## Lewis acids

Efficient synthesis of  $\omega$ -mercaptoalkyl 1,2-*trans*-glycosides from sugar peracetates, 1009

## Lewis catalyst

A facile Er(OTf)<sub>3</sub>-catalyzed synthesis of 2,3-unsaturated O- and S-glycosides, 2125

L-Fucopyranosyl- $\beta$ CD

Preparation and characterization of 6<sup>I</sup>,6<sup>II</sup>-di-O-(L-fucopyranosyl)- $\beta$ -cyclodextrin (*n*=II–IV) and investigation of their functions, 2173

## L-Glutamic acid

Enzymatic synthesis of dTDP-4-amino-4,6-dideoxy-D-glucose using GerB (dTDP-4-keto-6-deoxy-D-glucose aminotransferase), 1412

<sup>1</sup>H and <sup>13</sup>C NMR

Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122

## Library

Synthesis of a library of allyl  $\alpha$ -L-arabinofuranosyl- $\alpha$ - or  $\beta$ -D-xylopyranosides; route to higher oligomers, 2649

## Ligand

Application of saccharose as copper(II) ligand for electroless copper plating solutions, 71

## Light scattering

Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434

## Lignocellulosic biomass

Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129

*Lineolata*

Structure of a galactomannan isolated from the cell wall of the fungus *Lineolata rhizophorae*, 2599

## Lipoarabinomannan

Synthesis of deoxy and methoxy analogs of octyl  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis, 1741

## Lipopolysaccharide

New structure for the O-polysaccharide of *Providencia alcalifaciens* O27 and revised structure for the O-polysaccharide of *Providencia stuartii* O43, 1116

Structural determination of the O-antigenic polysaccharide from *Escherichia coli* O166, 274

Structure of a colitose-containing O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O6, 2144

Synthesis of a deoxy analogue of ADP L-glycero-D-manno-heptose, 2537

Structure of a glucosyl phosphate-containing O-polysaccharide of *Proteus vulgaris* O42, 2826

Structure of the O-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetradeoxy-L-glycero-D-galacto-non-2-ulonic acid, 653

Structure of the O-polysaccharide and serological cross-reactivity of the lipopolysaccharide of *Providencia alcalifaciens* O32 containing N-acetyl isomuramic acid, 268

Synthesis of the 'primer-adaptor' trisaccharide moiety of *Escherichia coli* O8, O9, and O9a lipopolysaccharide, 2818

Synthesis of spacer-containing chlamydial disaccharides as analogues of the  $\alpha$ -Kdop-(2 $\rightarrow$ 8)- $\alpha$ -Kdop-(2 $\rightarrow$ 4)- $\alpha$ -Kdop trisaccharide epitope, 576

The O-chain structure from the LPS of the bacterium *Naxibacter alkalitolerans* YIM 31775<sup>T</sup>, 757

The O-specific polysaccharide structure from the lipopolysaccharide of the Gram-negative bacterium *Raoultella terrigena*, 1514

The structure of the O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulonic acid, 665

The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28), 2138

## Loculoascomycetes

Structure of a galactomannan isolated from the cell wall of the fungus *Lineolata rhizophorae*, 2599

## Low molecular weight heparin (LMWH)

Characterization of di- and monosulfated, unsaturated heparin disaccharides with terminal N-sulfated 1,6-anhydro- $\beta$ -D-glucosamine or N-sulfated 1,6-anhydro- $\beta$ -D-mannosamine residues, 835

## LPS

O-Acetylation in the O-specific polysaccharide isolated from *Shigella flexneri* serotype 2a, 643

The structure of the carbohydrate backbone of the LPS from *Myxococcus xanthus* strain DK1622, 2474

The structure of the core-O-chain linkage region of the lipopolysaccharide from *Bordetella hinzii*, 638

## L-Rhamnose

Silver(I) oxide-mediated regioselective 2-monoacylation in 3-O-benzyl- $\alpha$ -L-rhamnopyranosides and application in synthesis of a protected tetrasaccharide fragment of potent cytotoxic saponins gleditsiosides C and D, 1175

## L-threo-Biopterin

First synthesis of tepidopterin [2'-O-(2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl)-L-threo-biopterin], 2159

- Lyme disease**  
 Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621
- Lysosomal diseases**  
 Synthesis of 4-O-glycosylated 1-deoxynojirimycin derivatives as disaccharide mimics-based inhibitors of human  $\beta$ -glucocerebrosidase, 1960
- Macrolides**  
 Synthesis of sporiolide B from D-glucal, 1405
- Macrophage**  
 Relationship between structure and immunostimulating activity of enzymatically synthesized glycogen, 2371
- Magnesium chloride**  
 Solid-state hydrolysis of cellulose and methyl  $\alpha$ - and  $\beta$ -D-glucopyranosides in presence of magnesium chloride, 1373
- Maillard**  
 The multiple Maillard reactions of ribose and deoxyribose sugars and sugar phosphates, 2575
- Maize**  
 Mutation of the maize *sh1a* and *ae* genes alters morphology and physical behavior of wx-type endosperm starch granules, 2619
- MALDI-TOF MS**  
 Resistance to deglycosylation by ammonia of IgA1 O-glycopeptides: implications for the  $\beta$ -elimination of O-glycans linked to serine and threonine, 2322
- MALDI-TOF-MS**  
 Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122
- MALDI-TOF/TOF**  
 Structure elucidation of arabinoxylan isomers by normal phase HPLC–MALDI-TOF/TOF-MS/MS, 724
- Maltase glucoamylase**  
 Synthesis of phosphate derivatives related to the glycosidase inhibitor salacinol, 1934  
 Synthesis of S-alkylated sulfonium-ions and their glucosidase inhibitory activities against recombinant human maltase glucoamylase, 901
- Maltodextrins**  
 Hydrolysis of soluble starch using *Bacillus licheniformis*  $\alpha$ -amylase immobilized on superporous CELBEADS, 997
- Maltose**  
 DFT studies of the disaccharide,  $\alpha$ -maltose: relaxed isopotential maps, 2270  
 Kinetics and mechanism of the Ir(III)-catalyzed oxidation of xylose and maltose by potassium iodate in aqueous alkaline medium, 1078
- Manganate(VI)**  
 Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of K-carrageenan by alkaline permanganate, 1382
- Mannitol**  
 Inhibitory effects of different antioxidants on hyaluronan depolymerization, 96
- Mannoglucan**  
 Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium, 870
- Mannose**  
 A comparative study of different glycosylation methods for the synthesis of D-mannopyranosides of N $\alpha$ -fluorenylmethoxycarbonyl-*trans*-4-hydroxy-L-proline allyl ester, 2628  
 Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097  
 The fate of  $\beta$ -D-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Mannose receptor**  
 Design and synthesis of novel multivalent mannosides targeting the mannose receptor, 2729
- Mannosidase**  
 Iminoalditol-amino acid hybrids: synthesis and evaluation as glycosidase inhibitors, 1850  
 The fate of  $\beta$ -D-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Mannoside**  
 Synthesis of galactose-mimicking 1H-(1,2,3-triazol-1-yl)-mannosides as selective galectin-3 and 9N inhibitors, 1869  
 Design and synthesis of novel multivalent mannosides targeting the mannose receptor, 2729
- Mannosyltransferase**  
 Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881  
 Synthesis of deoxy and methoxy analogs of octyl  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis, 1741
- Mannotriose**  
 Synthesis and conformational analysis of an  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 2)- $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranose mimic, 1859
- Marine bacterium**  
 A pseudoaminic acid-containing O-specific polysaccharide from a marine bacterium *Cellulophaga fucicola*, 1378
- Mass spectrometry**  
 O-Allyl decoration on  $\alpha$ -glucan isolated from the haloalkaliphilic *Halomonas pantelleriensis* bacterium, 1271  
 Desialylation of core type 1 O-glycan in the equine embryonic capsule coincides with immobilization of the conceptus in the uterus, 1110  
 Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B26, 2430  
 Structural determination of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B332, 2735  
 The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28), 2138
- Mechanism**  
 Allyl deprotection of galacturonic acid derivatives: mechanistic aspects of mercuric-catalyzed prop-1-enyl acetal cleavage, 2635  
 Formation of covalent  $\beta$ -linked carbohydrate–enzyme intermediates during the reactions catalyzed by  $\alpha$ -amylases, 55  
 Kinetics and mechanism of the Ir(III)-catalyzed oxidation of xylose and maltose by potassium iodate in aqueous alkaline medium, 1078
- Mechanism-based Inhibitors**  
 Dissecting the catalytic mechanism of a plant  $\beta$ -D-glucan glucohydrolase through structural biology using inhibitors and substrate analogues, 1613
- Membrane recycling**  
 Synthesis of reference standards to enable single cell metabolomic studies of tetramethylrhodamine-labeled ganglioside GM1, 482
- Metabolites**  
 Synthesis of urine drug metabolites: glucuronic acid glycosides of phenol intermediates, 970
- Metabolomics**  
 Synthesis of reference standards to enable single cell metabolomic studies of tetramethylrhodamine-labeled ganglioside GM1, 482
- Metal interaction**  
 Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189  
 Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189
- Metal–polymer complexes**  
 Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189

*Metapenaeopsis dobsoni*

Study on the production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation, 2423

## Methanesulfonic acid

Use of methanesulfonic acid in the reductive ring-opening of *O*-benzylidene acetals, 627

## Methanolysis

An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442

## Methodology

Close relation of the O-polysaccharide structure of *Escherichia coli* O168 and revised structure of the O-polysaccharide of *Shigella dysenteriae* type 4, 2676

## Methoxy analogs

Synthesis of deoxy and methoxy analogs of octyl  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis, 1741

Methyl  $\alpha$ - and  $\beta$ -D-Glucopyranosides

Solid-state hydrolysis of cellulose and methyl  $\alpha$ - and  $\beta$ -D-glucopyranosides in presence of magnesium chloride, 1373

Methyl 2,3,4,5-tetra-deoxy-7,8-*O*-isopropylidene-D-*arabino*-nanonate

An improved synthesis of a key intermediate for (+)-biotin from D-mannose, 2461

Methyl 3,4-di-*O*-acetyl-D-glucuronal

X-ray diffraction and high-resolution NMR spectroscopy of methyl 3,4-di-*O*-acetyl-1,5-anhydro-2-deoxy-D-*arabino*-hex-1-enopyranuronate, 1280

Methyl 6-[ $^3H$ ]- $\alpha$ -maltooligosaccharide glycosides

Formation of covalent  $\beta$ -linked carbohydrate-enzyme intermediates during the reactions catalyzed by  $\alpha$ -amylases, 55

## Methylation

An alternative method for the rapid synthesis of partially O-methylated alditol acetate standards for GC-MS analysis of carbohydrates, 2149

Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium, 870

## Methylation analysis

Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil, 2766

## Micelles

The conformational behaviour of the C-glycosyl analogue of sulfatide studied by NMR in SDS micelles, 1966

## Michael addition

A click chemistry approach to glycomimetics: Michael addition of 2,3,4,6-tetra-*O*-acetyl-1-thio- $\beta$ -D-glucopyranose to 4-deoxy-1,2-*O*-isopropylidene-L-*glycero*-pent-4-enopyranos-3-ulose – a convenient route to novel 4-deoxy-(1 $\rightarrow$ 5)-5-*C*-thiodisaccharides, 1929

Synthesis of non-glycosidic 4,6'-thioether-linked disaccharides as hydrolytically stable glycomimetics, 1841

## Microbial carbohydrate

Cyclosophorohexadecaose and succinoglycan monomers as catalytic carbohydrates for the Strecker reaction, 2682

## Microspheres

Glutaraldehyde cross-linked chitosan microspheres for controlled release of centchroman, 2244

## Microwave heating

The application of microwave heating to the synthesis of 6-amino-6-deoxycellulose, 2456

## Microwave irradiation

Microwave-assisted efficient preparation of novel carbohydrate tetrazole derivatives, 1096

## Milk oligosaccharides

High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and N,N-dimethylation, 1462

## Mimics

*gem*-Difluoro-carbasugars, the cases of mannopyranose and galactopyranose, 1689

## Mitogenic and comitogenic activity

Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122

## Mixed glycodendrons

Synthesis of new polyether glycodendrons as oligosaccharide mimetics, 1715

## 1M NaOH

Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103

## Model compounds

Synthesis of methyl 4'-*O*-methyl- $\beta$ -D-cellobioside- $^{13}C_{12}$  from D-glucose- $^{13}C_6$ . Part 2: Solid-state NMR studies, 65

## Modified nucleoside

Incorporation of a S-glycosidic linkage into a glyconucleoside changes the conformational preference of both furanose sugars, 16

## Modified substrates

Investigation of the specificity of an  $\alpha$ -L-arabinofuranosidase using C-2 and C-5 modified  $\alpha$ -L-arabinofuranosides, 2202

## Molecular

Octa-*O*-propanoyl- $\beta$ -maltose: crystal structure, acyl stacking, related structures, and conformational analysis, 1210

## Molecular alignment

Molecular imaging of single cellulose chains aligned on a highly oriented pyrolytic graphite surface, 2593

## Molecular dynamics

A Karplus equation for  $^3J_{HCCN}$  in amino sugar derivatives, 1044  
Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097

## Molecular dynamics simulation

Comparative  $^1H$  NMR and molecular modeling study of hydroxy protons of  $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcNAc-(1 $\rightarrow$ 2)- $\alpha$ -D-Manp-(1 $\rightarrow$ O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> analogues in aqueous solution, 597

## Molecular dynamics simulations

The glass transition temperatures of amorphous trehalose-water mixtures and the mobility of water: an experimental and in silico study, 1470

## Molecular induction

Structural transition of a 15 amino acid residue peptide induced by GM1, 1895

## Molecular mechanics

The solution conformation of C-glycosyl analogues of the sialyl-Tn antigen, 1974

## Molecular modeling

Structural view of glycosaminoglycan-protein interactions, 430

## Molecular recognition

Structural transition of a 15 amino acid residue peptide induced by GM1, 1895

The conformation of the C-glycosyl analogue of *N*-acetyl-lactosamine in the free state and bound to a toxic plant agglutinin and human adhesion/growth-regulatory galectin-1, 1918

## Molecular structure

Crystal and molecular structure of octakis(6-bromo-6-deoxy)- $\gamma$ -cyclodextrin. A novel stacking of a distorted macrocycle, 1519

Relationship between structure and immunostimulating activity of enzymatically synthesized glycogen, 2371

## Molecular weight

Carbanilation of cereal  $\beta$ -glucans for molecular weight determination and conformational studies, 1434

## Monophosphoryl lipid A

Monophosphoryl lipid A analogues with varying 3-*O*-substitution: synthesis and potent adjuvant activity, 784

## Monosaccharide

Total synthesis of phenylpropanoid glycosides, grayanoside A and syringalide B, through a common intermediate, 2309

## Moraceae

Multivalent II [ $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc] and T $\alpha$  [ $\beta$ -D-Galp-(1 $\rightarrow$ 3)- $\alpha$ -D-GalpNAc] specific Moraceae family plant lectin from the seeds of *Ficus bengalensis* fruits, 1034

*Moringa oleifera*

Structural investigation of a heteropolysaccharide isolated from the pods (fruits) of *Moringa oleifera* (Sajina), 2380

## Morphology

Mutation of the maize *shb1a* and *ae* genes alters morphology and physical behavior of wx-type endosperm starch granules, 2619

## Multifunctional nanoparticles

Preparation of multifunctional glyconanoparticles as a platform for potential carbohydrate-based anticancer vaccines, 448

## Multivalent

Design and synthesis of novel multivalent mannosides targeting the mannose receptor, 2729

## Multivalent neoglycoconjugates

Functionalization of oligosaccharide mimetics and multimerization using squaric diester-mediated coupling, 696

## Mushroom

A water-soluble glucan isolated from an edible mushroom *Termitomyces microcarpus*, 2484

## Mushroom polysaccharide

Structural analysis of a water-soluble glucan (Fr.I) of an edible mushroom, *Pleurotus sajor-caju*, 2670

## Mutation

Mutation of the maize *shb1a* and *ae* genes alters morphology and physical behavior of wx-type endosperm starch granules, 2619

## Mycobacteria

Synthesis of deoxy and methoxy analogs of octyl  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis, 1741

## Mycobacterial sulfotransferase

Synthesis of mono- and dideoxygenated  $\alpha,\alpha$ -trehalose analogs, 2014

## Mycobacterium

Synthesis and biological evaluation of galactofuranosyl alkyl thioglycosides as inhibitors of mycobacteria, 1773

*Mycobacterium smegmatis*

Synthesis and biological evaluation of galactofuranosyl alkyl thioglycosides as inhibitors of mycobacteria, 1773

*Mycobacterium smegmatis*

Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA, 499

*Mycobacterium tuberculosis*

Synthesis of fused bicyclic thioglycosides of N-acylated glucosamine as analogues of mycothiol, 1943

## Mycothiol

Synthesis of fused bicyclic thioglycosides of N-acylated glucosamine as analogues of mycothiol, 1943

*myo*-Inositol

Practical synthesis of (–)-1-amino-1-deoxy-*myo*-inositol from achiral precursors, 1947

The first structural study on a cyclic tricoordinate phosphorochloridite and a pentacoordinate phosphorane based on 1,2,3,5-protected *myo*-inositol—a new conformation of 1,3,2-dioxaphosphorinane ring, 1182

## N,O-Acylated glycosylamines

Matrix-assisted ultraviolet laser desorption/ionization time-of-flight (UV-MALDI-TOF) mass spectra of N-acylated and N,O-acylated glycosylamines, 2567

## N-Acetyl-D-glucosamine

High yield production of monomer-free chitosan oligosaccharides by pepsin catalyzed hydrolysis of a high deacetylation degree chitosan, 2750

## N-Acylated glycosylamines

Matrix-assisted ultraviolet laser desorption/ionization time-of-flight (UV-MALDI-TOF) mass spectra of N-acylated and N,O-acylated glycosylamines, 2567

## N-Alkylated imino sugars

Synthesis of S-alkylated sulfonium-ions and their glucosidase inhibitory activities against recombinant human maltase glucoamylase, 901

## N-Substituted chitosan

Antifungal properties of Schiff bases of chitosan, N-substituted chitosan and quaternized chitosan, 1329

## N-Acetylhexosaminidase

Substrate specificity of N-acetylhexosaminidase from *Aspergillus oryzae* to artificial glycosyl acceptors having various substituents at the reducing ends, 23

## Nano-imaging

Molecular imaging of single cellulose chains aligned on a highly oriented pyrolytic graphite surface, 2593

## Native starches

Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103

## Natural bond order analysis

O-2 Substituted pyranosyl oxacarbenium ions are C-2–O-2 2-fold rotors with a strong *syn* preference, 2793

## Natural bonding orbital

The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202

## Natural killer cell receptors

N-Acetyl-D-glucosamine substituted calix[4]arenes as stimulators of NK cell-mediated antitumor immune response, 1781

## Natural products

O-Allyl decoration on  $\alpha$ -glucan isolated from the haloalkaliphilic *Halomonas pantelleriensis* bacterium, 1271

Synthesis of sporiolide B from D-glucal, 1405

On the synthesis of the 2,6-dideoxysugar L-digitoxose, 2695

*Naxibacter alkalitolerans*

The O-chain structure from the LPS of the bacterium *Naxibacter alkalitolerans* YIM 31775<sup>T</sup>, 757

## N-Dimethylmaleoyl group

Differential O-3/O-4 regioselectivity in the glycosylation of  $\alpha$  and  $\beta$  anomers of 6-O-substituted N-dimethylmaleoyl-protected D-glucosamine acceptors, 2522

## Neighboring group participation

DFT studies of the role of C-2–O-2 bond rotation in neighboring-group glycosylation reactions, 1291

## Neoagaro-oligosaccharides

A simple method of preparing diverse neoagaro-oligosaccharides with  $\beta$ -agarase, 1030

## Neoglycoconjugate

Synthesis of the 'primer-adaptor' trisaccharide moiety of *Escherichia coli* O8, O9, and O9a lipopolysaccharide, 2818

## Neoglycolipid

Synthesis of neosaponins and neoglycolipids containing a chaco-triosyl moiety, 2182

## Neoglycopeptides

Ritter-based glycoconjugation of amino acids and peptides—access to novel glycoconjugates displaying a  $\beta$ -amide linkage between amino acid and sugar moiety, 7

## Neosaponin

Synthesis of neosaponins and neoglycolipids containing a chaco-triosyl moiety, 2182



## Neu5Gc transfer

The *trans*-sialidase from *Trypanosoma cruzi* efficiently transfers  $\alpha$ -(2 $\rightarrow$ 3)-linked *N*-glycolylneuraminic acid to terminal  $\beta$ -galactosyl units, 2465

## Nitric oxide

Relationship between structure and immunostimulating activity of enzymatically synthesized glycogen, 2371

## Nitrobenzenesulfonamides

Preparation of diamino pseudodisaccharide derivatives from 1,6-anhydro- $\beta$ -D-hexopyranoses via aziridine-ring cleavage, 147

## Nitroindazole

Synthesis of azole nucleoside analogues of D-pinitol as potential antitumor agents, 865

## NMR

Exopolysaccharides produced by *Inquilinus limosus*, a new pathogen of cystic fibrosis patients: novel structures with usual components, 2404

Incorporation of a S-glycosidic linkage into a glyconucleoside changes the conformational preference of both furanose sugars, 16

New Karplus equations for  $^2J_{HH}$ ,  $^3J_{HH}$ ,  $^2J_{CH}$ ,  $^3J_{CH}$ ,  $^3J_{COCH}$ ,  $^3J_{CSCH}$ , and  $^3J_{CCCH}$  in some aldohexopyranoside derivatives as determined using NMR spectroscopy and density functional theory calculations, 2086

NMR characterization of the structure of a  $\beta$ -(1 $\rightarrow$ 3)-D-glucan isolate from cultured fruit bodies of *Sparassis crispa*, 2611

Physicochemical and biological properties of 6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl-cyclomaltoheptaose (6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl- $\beta$ -cyclodextrin), 1315

Separation of floridoside and isofloridosides by HPLC and complete <sup>1</sup>H and <sup>13</sup>C NMR spectral assignments for D-isofloridoside, 2470

Structural determination of the O-antigenic polysaccharide from *Escherichia coli* O166, 274

Structure of a highly pyruvylated galactan sulfate from the Pacific green alga *Codium yezoense* (Bryopsidales, Chlorophyta), 586

The conformation of the C-glycosyl analogue of *N*-acetyl-lactosamine in the free state and bound to a toxic plant agglutinin and human adhesion/growth-regulatory galectin-1, 1918

The conformational behaviour of the C-glycosyl analogue of sulfatide studied by NMR in SDS micelles, 1966

The O-specific polysaccharide structure from the lipopolysaccharide of the Gram-negative bacterium *Raoultella terrigena*, 1514

The solution conformation of C-glycosyl analogues of the sialyl-Tn antigen, 1974

The structure of the carbohydrate backbone of the LPS from *Myxococcus xanthus* strain DK1622, 2474

The structure of the core-O-chain linkage region of the lipopolysaccharide from *Bordetella hinzii*, 638

The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28), 2138

## NMR analysis

A new 5-deoxyflavone glycoside from the aerial parts of *Calea clauseniana*, 1261

Structural investigation of a heteropolysaccharide isolated from the pods (fruits) of *Moringa oleifera* (Sajina), 2380

<sup>17</sup>O, <sup>14</sup>N, and <sup>2</sup>H Electric field gradient tensor

Theoretical investigation of hydrogen bonding effects on oxygen, nitrogen, and hydrogen chemical shielding and electric field gradient tensors of chitosan/HI salt, 2396

## NMR and IR spectroscopy

Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium, 870

## NMR coupling constants

B3LYP/6-311++G\*\* study of structure and spin–spin coupling constant in heparin disaccharide, 1350

<sup>15</sup>N NMR

Crystal structure and NMR spectroscopy of aldonamides derived from D-glycero-D-gulo-heptono-1,4-lactone, 243

<sup>15</sup>N NMR coupling constants

A Karplus equation for  $^3J_{HCCN}$  in amino sugar derivatives, 1044

## NMR spectroscopy

O-Allyl decoration on  $\alpha$ -glucan isolated from the haloalkaliphilic *Halomonas pantelleriensis* bacterium, 1271

A novel teichoic acid from the cell wall of *Streptomyces* sp. VKM Ac-2275, 659

A water-soluble glucan isolated from an edible mushroom *Termitomyces microcarpus*, 2484

Characterization of di- and monosulfated, unsaturated heparin disaccharides with terminal N-sulfated 1,6-anhydro- $\beta$ -D-glucosamine or N-sulfated 1,6-anhydro- $\beta$ -D-mannosamine residues, 835

Extraction and physicochemical characterization of *Sargassum vulgare* alginate from Brazil, 2067

Fungal cell wall polysaccharides isolated from *Discula destructiva* spp., 1138

Structural analysis of a water-soluble glucan (Fr.I) of an edible mushroom, *Pleurotus sajor-caju*, 2670

Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 933

Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 927

Structural elucidation of a 3-*O*-methyl-D-galactose-containing neutral polysaccharide from the fruiting bodies of *Phellinus igniarius*, 1063

Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus *Astraeus hygrometricus*, 982

Structure of a galactomannan isolated from the cell wall of the fungus *Lineolata rhizophorae*, 2599

Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B26, 2430

Structure of a new ribitol teichoic acid-like O-polysaccharide of a serologically separate *Proteus vulgaris* strain, TG 276-1, classified into a new *Proteus* serogroup O53, 2061

Synthesis of mono- and dideoxygenated  $\alpha,\alpha$ -trehalose analogs, 2014

Synthesis of the four 1-(1-deoxy-D-pentitol-1-yl)thymine and conformational properties of the acyclic sugar chain, 806

The structure of the exocellular polysaccharide produced by *Rhodococcus* sp. RHA1, 2223

Structural determination of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B332, 2735

Structure of a glucosyl phosphate-containing O-polysaccharide of *Proteus vulgaris* O42, 2826

Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil, 2766

## Nojirimycin

Synthesis and biological evaluation of a small library of nojirimycin-derived bicyclic iminosugars, 1813

## Non-ionic surfactant

Zeolite-catalyzed Helferich-type glycosylation of long-chain alcohols. Synthesis of acetylated alkyl 1,2-*trans* glycopyranosides and alkyl 1,2-*cis* C2-hydroxy-glycopyranosides, 704

## Normal phase HPLC

Structure elucidation of arabinoxylan isomers by normal phase HPLC–MALDI-TOF/TOF-MS/MS, 724

*Nostoc commune*

Structural and functional characterization of galactooligosaccharides in *Nostoc commune*:  $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)-[ $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)]<sub>2</sub>- $\beta$ -D-1,4-anhydrogalactitol and  $\beta$ -(1 $\rightarrow$ 6)-galactofuranosylated homologues, 2757

- n*-Pentenylorthoesters  
A study of *n*-pentenylorthoesters having *manno*, *gluco* and *galacto* configurations in regioselective glycosylations, 490
- Nucleophilic addition reaction  
Preparation of 2-*C*- and 3-*C*-cyano-2-enopyranoside derivatives and their epoxidation, 2339
- Nucleophilic displacement  
Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside and galactopyranoside, 2212
- Nucleophilic opening  
Regioselective synthesis of 6-*S*-alkyl and 6-*S*-glycosyl-6-thio-D-mannofuranose derivatives from 5,6-*O*-cyclic sulfate precursors, 1490
- Nucleophilic substitution  
A new glycosidation method through nitrite displacement on substituted nitrobenzenes, 440
- Nucleoside  
Synthesis of 3'-*C*-substituted thymidine derivatives by free-radical techniques: scope and limitations, 259
- Nucleoside analogue  
Synthesis of the four 1-(1-deoxy-D-pentitol-1-yl)thymines and conformational properties of the acyclic sugar chain, 806
- Nucleosides  
Novel chalcogenides of thymidine and uridine: synthesis, properties and applications, 1151
- Nucleotides  
Synthesis of fluorescently labelled and internally quenched UDP-Gal probes, 1831
- Nutritional  
The synthesis of 2-, 3-, 4- and 6-*O*- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793
- O-Acetylation  
O-Acetylation in the O-specific polysaccharide isolated from *Shigella flexneri* serotype 2a, 643
- O-Allyl decoration  
O-Allyl decoration on  $\alpha$ -glucan isolated from the haloalkaliphilic *Halomonas pantelleriensis* bacterium, 1271
- O-Antigen  
Close relation of the O-polysaccharide structure of *Escherichia coli* O168 and revised structure of the O-polysaccharide of *Shigella dysenteriae* type 4, 2676  
New structure for the O-polysaccharide of *Providencia alcalifaciens* O27 and revised structure for the O-polysaccharide of *Providencia stuartii* O43, 1116  
Structural relation of the antigenic polysaccharides of *Escherichia coli* O40, *Shigella dysenteriae* type 9, and *E. coli* K47, 1275  
Structure of a glucosyl phosphate-containing O-polysaccharide of *Proteus vulgaris* O42, 2826  
Structure of the O-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetradeoxy-L-glycero-D-galacto-non-2-ulonic acid, 653  
Structure of the O-polysaccharide and serological cross-reactivity of the lipopolysaccharide of *Providencia alcalifaciens* O32 containing *N*-acetylismuramic acid, 268  
Structure of the O-polysaccharide of *Escherichia coli* O150 containing 2-acetamido-4-*O*-[(*S*)-1-carboxyethyl]-2-deoxy-D-glucose, 648  
The structure of the O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulonic acid, 665
- O-antigen  
Structure of a colitose-containing O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O6, 2144
- O-AntigenNMR spectroscopy  
The O-chain structure from the LPS of the bacterium *Naxibacter alkalitolerans* YIM 31775<sup>T</sup>, 757
- 7-*O*-Galloyl-D-sedoheptulose  
Synthesis of 7-*O*-galloyl-D-sedoheptulose, 1510
- O-Glycan  
Desialylation of core type 1 O-glycan in the equine embryonic capsule coincides with immobilization of the conceptus in the uterus, 1110
- O-Glycopeptide  
Resistance to deglycosylation by ammonia of IgA1 O-glycopeptides: implications for the  $\beta$ -elimination of O-glycans linked to serine and threonine, 2322
- O-Glycosylation  
A comparative study of different glycosylation methods for the synthesis of D-mannopyranosides of *N* $\alpha$ -fluorenylmethoxycarbonyl-*trans*-4-hydroxy-L-proline allyl ester, 2628  
A facile Er(OTf)<sub>3</sub>-catalyzed synthesis of 2,3-unsaturated O- and S-glycosides, 2125
- O-Linked glycoprotein synthesis  
Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881
- <sup>17</sup>O, <sup>15</sup>N, <sup>13</sup>C, and <sup>1</sup>H Chemical shielding  
Theoretical investigation of hydrogen bonding effects on oxygen, nitrogen, and hydrogen chemical shielding and electric field gradient tensors of chitosan/HI salt, 2396
- O-Polysaccharide structure  
Structure of the O-polysaccharide of *Escherichia coli* O150 containing 2-acetamido-4-*O*-[(*S*)-1-carboxyethyl]-2-deoxy-D-glucose, 648  
The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28), 2138
- 2-Acetamido-4-*O*-[(*S*)-1-carboxyethyl]-2-deoxy-D-glucose  
Structure of the O-polysaccharide of *Escherichia coli* O150 containing 2-acetamido-4-*O*-[(*S*)-1-carboxyethyl]-2-deoxy-D-glucose, 648
- 4-*O*-Methylglucuronic acid  
An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442
- O-Specific chain  
O-Acetylation in the O-specific polysaccharide isolated from *Shigella flexneri* serotype 2a, 643
- O-specific polysaccharide  
A pseudoaminic acid-containing O-specific polysaccharide from a marine bacterium *Cellulophaga fucicola*, 1378
- O-Specific polysaccharide  
The O-specific polysaccharide structure from the lipopolysaccharide of the Gram-negative bacterium *Raoultella terrigena*, 1514
- 6-*O*-Sulfo-*N*-acetyl- $\beta$ -D-glucosaminide  
Substrate specificity of *N*-acetylhexosaminidase from *Aspergillus oryzae* to artificial glycosyl acceptors having various substituents at the reducing ends, 23
- Octakis(6-bromo-6-deoxy)- $\gamma$ -cyclodextrin  
Crystal and molecular structure of octakis(6-bromo-6-deoxy)- $\gamma$ -cyclodextrin. A novel stacking of a distorted macrocycle, 1519
- Octaose  
Linkage and pyranosyl ring twisting in cyclodextrins, 1223
- Olefin metathesis  
Synthetic access to spacer-linked 3,6-diamino-2,3,6-trideoxy- $\alpha$ -D-glucopyranosides—potential aminoglycoside mimics for the inhibition of the HIV-1 TAR-RNA/Tat-peptide complex, 1704
- Olefination  
Synthesis of carbohydrate-based vinyl selenides via Wittig-type reactions, 736
- Oligoethylene glycol spacer  
Spacer-separated sialyl LewisX cyclopeptide conjugates as potential E-selectin ligands, 541
- Oligoglucosamines  
Synthesis of  $\beta$ -(1 $\rightarrow$ 6)-linked glucosamine oligosaccharides corresponding to fragments of the bacterial surface polysaccharide poly-*N*-acetylglucosamine, 567

- Oligomer**  
Kinetics of hydrolysis of chitin/chitosan oligomers in concentrated hydrochloric acid, 1055
- Oligorhamnoside**  
Total synthesis of cleistroside-2, partially acetylated dodecanyl tetrarhamnoside derivative isolated from *Cleistopholis patens* and *Cleistopholis glauca*, 1159
- Oligosaccharide**  
Determination of regioisomeric distribution in carbohydrate fatty acid monoesters by LC–ESI-MS, 236  
Synthesis of the 'primer–adaptor' trisaccharide moiety of *Escherichia coli* O8, O9, and O9a lipopolysaccharide, 2818
- Oligosaccharide fatty acid monoesters**  
Determination of regioisomeric distribution in carbohydrate fatty acid monoesters by LC–ESI-MS, 236
- Oligosaccharide labelling**  
Hydrolysis rates of 1-glucosyl-2-benzoylhydrazines in aqueous solution, 749
- Oligosaccharide mimetics**  
Functionalization of oligosaccharide mimetics and multimerization using squaric diester-mediated coupling, 696
- Oligosaccharide synthesis**  
Recent studies on reaction pathways and applications of sugar orthoesters in synthesis of oligosaccharides, 345  
Recent trends in the synthesis of *O*-glycosides of 2-amino-2-deoxysugars, 374
- Oligosaccharides**  
High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and N,N-dimethylation, 1462  
Synthesis of a library of allyl  $\alpha$ -L-arabinofuranosyl- $\alpha$ - or  $\beta$ -D-xylopyranosides; route to higher oligomers, 2649  
Synthesis of fluorescently labelled and internally quenched UDP-Gal probes, 1831  
Structural and functional characterization of galactooligosaccharides in *Nostoc commune*:  $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)-[ $\beta$ -D-galactofuranosyl-(1 $\rightarrow$ 6)] $_2$ - $\beta$ -D-1,4-anhydrogalactitol and  $\beta$ -(1 $\rightarrow$ 6)-galactofuranosylated homologues, 2757
- Opening of epoxy ring reaction**  
Synthesis of azole nucleoside analogues of D-pinitol as potential antitumor agents, 865
- Orthoester**  
Recent studies on reaction pathways and applications of sugar orthoesters in synthesis of oligosaccharides, 345  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- Oxacarbenium ions**  
DFT studies of the ionization of alpha and beta glycopyranosyl donors, 1726
- 1,2,4-Oxadiazole**  
Synthesis of glycosyl-triazole linked 1,2,4-oxadiazoles, 2440
- Oxane**  
The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202
- Oxidation**  
Direct oxidation of sugar nucleotides to the corresponding uronic acids: TEMPO and platinum-based procedures, 460  
Preparation of 6,6,1',1',6',6'-hexadeutero sucrose, 2303  
Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of *K*-carrageenan by alkaline permanganate, 1382  
Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA, 499
- Oxidation inhibitor**  
Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129
- Oxime**  
Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621  
Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA, 499
- Oxime ligation**  
 $\alpha$  and  $\beta$  L-Fucopyranosyl oxyamines: key intermediates for the preparation of fucose-containing glycoconjugates by oxime ligation, 894
- Oxocarbenium ion**  
Synthesis and conformational behavior of the difluoromethylene linked C-glycoside analog of  $\beta$ -galactopyranosyl-(1 $\leftrightarrow$ 1)- $\alpha$ -mannopyranoside, 1624
- p3 Peptide**  
Structural transition of a 15 amino acid residue peptide induced by GM1, 1895
- Parasitic helminths**  
Synthesis of complex-type glycans derived from parasitic helminths, 675
- Paromomycin**  
Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA, 499
- Partially O-methylated alditol acetates**  
An alternative method for the rapid synthesis of partially O-methylated alditol acetate standards for GC–MS analysis of carbohydrates, 2149
- Pathogenic yeasts growth inhibition effect**  
One-pot synthesis of 2-C-glycosylated benzimidazoles from the corresponding methanal dimethyl acetals, 119
- Pectin**  
Influence of ultraviolet-C on the compositions of cell-wall polysaccharides and carbohydrase activities of *Silene vulgaris* callus, 182
- Penta-O-acyl- $\beta$ -D-glucopyranose**  
The crystal structures of 1,2,3,4,6-penta-O-trimethylacetyl- and 1,2,3,4,6-penta-O-dimethylacetyl- $\beta$ -D-glucopyranose, 2264
- Pentacoordinate**  
The first structural study on a cyclic tricoordinate phosphorochloridite and a pentacoordinate phosphorane based on 1,2,3,5-protected *myo*-inositol—a new conformation of 1,3,2-dioxaphosphorinane ring, 1182
- Pentaiodide ions**  
Two interconverting pentaoidide forms in the cyclomaltohexaose ( $\alpha$ -cyclodextrin) polyiodide inclusion complex with sodium ion: dielectric and Raman spectroscopy studies, 2075
- Pentitols**  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- Pentose**  
Selective ketopentose analysis in concentrate carbohydrate syrups by HPLC, 859
- Pentoses**  
Convenient conversion of wheat hemicelluloses pentoses (D-xylose and L-arabinose) into a common intermediate, 2450
- Pepsin**  
Enzymatic desorption of layer-by-layer assembled multilayer films and effects on the release of encapsulated indomethacin microcrystals, 2237  
High yield production of monomer-free chitosan oligosaccharides by pepsin catalyzed hydrolysis of a high deacetylation degree chitosan, 2750
- Per-(3-hydroxypropyl)- $\beta$ -cyclodextrin**  
Per-O-(3-hydroxy)propyl- $\beta$ -cyclodextrin: a cyclodextrin derivative bearing only primary hydroxyl groups, 1989

- Per-6-brominated  $\gamma$ -cyclodextrin  
Crystal and molecular structure of octakis(6-bromo-6-deoxy)- $\gamma$ -cyclodextrin. A novel stacking of a distorted macrocycle, 1519
- Periodate and chromium trioxide oxidation  
Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium, 870
- pH-temperature-responsive polymer  
Preparation and properties of a pH/temperature-responsive carboxymethyl chitosan/poly(*N*-isopropylacrylamide)semi-IPN hydrogel for oral delivery of drugs, 2416
- pH-Potentiometry  
Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124
- pH-Sensitive hydrogel  
Preparation and characterization of *N*-(2-carboxybenzyl)chitosan as a potential pH-sensitive hydrogel for drug delivery, 87
- Phellinus igniarius*  
Structural elucidation of a 3-*O*-methyl-D-galactose-containing neutral polysaccharide from the fruiting bodies of *Phellinus igniarius*, 1063
- Phenolic glucuronide  
Synthesis of urine drug metabolites: glucuronic acid glycosides of phenol intermediates, 970
- Phenolics  
Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122
- Phenylpropanoid glycosides  
Total synthesis of phenylpropanoid glycosides, grayanoxide A and syringalide B, through a common intermediate, 2309
- Phosphate derivatives  
Synthesis of phosphate derivatives related to the glycosidase inhibitor salacinol, 1934
- Phosphoglycans  
Natural phosphoglycans containing glycosyl phosphate units: structural diversity and chemical synthesis, 297
- Phosphonates  
Potential sialyltransferase inhibitors based on neuraminyl substitution by hetaryl rings, 558
- Phosphoranes  
The first structural study on a cyclic tricoordinate phosphorochloridite and a pentacoordinate phosphorane based on 1,2,3,5-protected *myo*-inositol—a new conformation of 1,3,2-dioxaphosphorinane ring, 1182
- Phthalimidomethyl sugar derivatives  
Synthesis and anti-inflammatory activity of *N*-phthalimidomethyl 2,3-dideoxy- and 2,3-unsaturated glycosides, 1169
- Physical behavior  
Mutation of the maize *sh6a* and *ae* genes alters morphology and physical behavior of *wx*-type endosperm starch granules, 2619
- Phytosphingosine  
Recent advances in the glycosylation of sphingosines and ceramides, 1595
- Platinum  
Direct oxidation of sugar nucleotides to the corresponding uronic acids: TEMPO and platinum-based procedures, 460
- Pleurotus sajor-caju*  
Structural analysis of a water-soluble glucan (Fr.I) of an edible mushroom, *Pleurotus sajor-caju*, 2670
- PNAG  
Synthesis of  $\beta$ -(1 $\rightarrow$ 6)-linked glucosamine oligosaccharides corresponding to fragments of the bacterial surface polysaccharide poly-*N*-acetylglucosamine, 567
- p*-Nitrobenzoic acid  
An investigation of the inclusion complex of  $\beta$ -cyclodextrin with *p*-nitrobenzoic acid in the solid state, 2500
- <sup>31</sup>P Nuclear magnetic resonance spectroscopy  
High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: a proposal for the reaction mechanism, 943
- Poly- $\beta$ -(1 $\rightarrow$ 6)-*N*-acetyl glucosamine  
Synthesis of  $\beta$ -(1 $\rightarrow$ 6)-linked glucosamine oligosaccharides corresponding to fragments of the bacterial surface polysaccharide poly-*N*-acetylglucosamine, 567
- Polyisobutylene  
Self-association of bis-( $\alpha,\beta$ -D-glucopyranosyl)-polyisobutylene, 1323
- Polysaccharide  
NMR characterization of the structure of a  $\beta$ -(1 $\rightarrow$ 3)-D-glucan isolate from cultured fruit bodies of *Sparassis crispa*, 2611  
Structural elucidation of a 3-*O*-methyl-D-galactose-containing neutral polysaccharide from the fruiting bodies of *Phellinus igniarius*, 1063  
Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus *Astraeus hygrometricus*, 982  
Structural investigation of a heteropolysaccharide isolated from the pods (fruits) of *Moringa oleifera* (Sajina), 2380  
The structure of the carbohydrate backbone of the LPS from *Myxococcus xanthus* strain DK1622, 2474
- Polysaccharide F1SS  
Structure of a galactomannan isolated from the cell wall of the fungus *Lineolata rhizophorae*, 2599
- Polysaccharide structure  
New structure for the O-polysaccharide of *Providencia alcalifaciens* O27 and revised structure for the O-polysaccharide of *Providencia stuartii* O43, 1116  
Structure of a colitose-containing O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O6, 2144  
Structure of the O-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetradeoxy-L-glycero-D-galacto-non-2-ulonic acid, 653  
Structure of the O-polysaccharide and serological cross-reactivity of the lipopolysaccharide of *Providencia alcalifaciens* O32 containing *N*-acetylismuramic acid, 268  
The structure of the O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulonic acid, 665
- Polysaccharides  
In vitro synthesis of artificial polysaccharides by glycosidases and glycosynthases, 1581  
Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124  
Natural phosphoglycans containing glycosyl phosphate units: structural diversity and chemical synthesis, 297
- Polysaccharide  
Structural characterization and immunological activity of two cold-water extractable polysaccharides from *Cistanche deserticola* Y. C. Ma, 1343
- Porphyra umbilicalis*  
Separation of floridoside and isofloridosides by HPLC and complete <sup>1</sup>H and <sup>13</sup>C NMR spectral assignments for D-isofloridoside, 2470
- Potassium iodate  
Kinetics and mechanism of the Ir(III)-catalyzed oxidation of xylose and maltose by potassium iodate in aqueous alkaline medium, 1078
- Pre-term  
The synthesis of 2-, 3-, 4- and 6-*O*- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793
- Precursor concentrations  
Mass synthesis of single-crystal gold nanosheets based on chitosan, 2494

## Primary hydroxyl groups

Per-*O*-(3-hydroxy)propyl- $\beta$ -cyclodextrin: a cyclodextrin derivative bearing only primary hydroxyl groups, 1989

## Pristane

Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 933

Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 927

## Prodrugs

Study on glycosylated prodrugs of toxoflavins for antibody-directed enzyme tumor therapy, 1254

## Propargyl ethers

Modification of methyl *O*-propargyl-D-glucosides: model studies for the synthesis of alkynyl based functional polysaccharides, 2031

## Propionate

Octa-*O*-propanoyl- $\beta$ -maltose: crystal structure, acyl stacking, related structures, and conformational analysis, 1210

## Propofol

Inhibitory effects of different antioxidants on hyaluronan depolymerization, 96

## Protecting groups

Recent trends in the synthesis of *O*-glycosides of 2-amino-2-deoxysugars, 374

*Proteus vulgaris*

Structure of a new ribitol teichoic acid-like *O*-polysaccharide of a serologically separate *Proteus vulgaris* strain, TG 276-1, classified into a new *Proteus* serogroup O53, 2061

Structure of a glucosyl phosphate-containing *O*-polysaccharide of *Proteus vulgaris* O42, 2826

## Proton NMR

Formation of covalent  $\beta$ -linked carbohydrate-enzyme intermediates during the reactions catalyzed by  $\alpha$ -amylases, 55

*Providencia alcalifaciens*

New structure for the *O*-polysaccharide of *Providencia alcalifaciens* O27 and revised structure for the *O*-polysaccharide of *Providencia stuartii* O43, 1116

Structure of a colitose-containing *O*-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O6, 2144

Structure of the *O*-polysaccharide and serological cross-reactivity of the lipopolysaccharide of *Providencia alcalifaciens* O32 containing *N*-acetylglucosaminic acid, 268

The structure of the *O*-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulonic acid, 665

*Providencia stuartii*

New structure for the *O*-polysaccharide of *Providencia alcalifaciens* O27 and revised structure for the *O*-polysaccharide of *Providencia stuartii* O43, 1116

Structure of the *O*-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetra-deoxy-L-glycero-D-galacto-non-2-ulonic acid, 653

## PSD UV-MALDI-TOF-MS

Matrix-assisted ultraviolet laser desorption/ionization time-of-flight (UV-MALDI-TOF) mass spectra of *N*-acylated and *N,O*-acylated glycosylamines, 2567

## Pseudosaccharides

First example of 5/6-*O*-linked pseudosaccharides: synthesis of bicyclic nucleosides containing azido or extended carbohydrate moiety, 2511

## Pteridine

First synthesis of tepidopterin [2'-*O*-(2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl)-L-threo-biopterin], 2159

## Pterin glycoside

First synthesis of tepidopterin [2'-*O*-(2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl)-L-threo-biopterin], 2159

## Pullulan

High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: a proposal for the reaction mechanism, 943

## Pyranose

The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond, 1202

## Pyranosyl nucleoside

Facile synthesis of 1',2'-*cis*- $\beta$ -pyranosyladenine nucleosides, 2641

## Pyranosyladenine

Facile synthesis of 1',2'-*cis*- $\beta$ -pyranosyladenine nucleosides, 2641

## Pyrazole

Synthesis and reactivity of nonstabilized diazo sugars, 31

## Pyridine

Aldose-ketose interconversion in pyridine in the presence of aluminium oxide, 1992

## Pyrolysis oil

A kinetic model for production of glucose by hydrolysis of levoglucosan and cellobiosan from pyrolysis oil, 2365

## Pyruvic acid

The *O*-specific polysaccharide structure from the lipopolysaccharide of the Gram-negative bacterium *Raoultella terrigena*, 1514

## Pyruvic acid acetal

Structural relation of the antigenic polysaccharides of *Escherichia coli* O40, *Shigella dysenteriae* type 9, and *E. coli* K47, 1275

## Pyruvylated galactan sulfate

Structure of a highly pyruvylated galactan sulfate from the Pacific green alga *Codium yezoense* (Bryopsidales, Chlorophyta), 586

## Quantum chemistry

*O*-2 Substituted pyranosyl oxacarbenium ions are C-2-*O*-2 fold rotors with a strong *syn* preference, 2793

## Quantum mechanics

Octa-*O*-propanoyl- $\beta$ -maltose: crystal structure, acyl stacking, related structures, and conformational analysis, 1210

## Quaternized chitosan

Antifungal properties of Schiff bases of chitosan, *N*-substituted chitosan and quaternized chitosan, 1329

## Raman spectroscopy

Two interconverting pentaiodide forms in the cyclomaltohexaose ( $\alpha$ -cyclodextrin) polyiodide inclusion complex with sodium ion: dielectric and Raman spectroscopy studies, 2075

*Raoultella terrigena*

The *O*-specific polysaccharide structure from the lipopolysaccharide of the Gram-negative bacterium *Raoultella terrigena*, 1514

## Reaction rate constants

Kinetics of hydrolysis of chitin/chitosan oligomers in concentrated hydrochloric acid, 1055

## Reaction-diffusion model

Binding of glycosaminoglycans to cyano-activated agarose membranes: kinetic and diffusional effects on yield and homogeneity, 2192

## Reactive oxygen species

Inhibitory effects of different antioxidants on hyaluronan depolymerization, 96

## Rearrangement

Recent studies on reaction pathways and applications of sugar orthoesters in synthesis of oligosaccharides, 345

Recombinant  $\beta$ -agarase

A simple method of preparing diverse neoagaro-oligosaccharides with  $\beta$ -agarase, 1030

## Recyclable

Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913

## Red seaweeds

Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil, 2766

- Reduction**  
Use of methanesulfonic acid in the reductive ring-opening of *O*-benzylidene acetals, 627
- Reductive amination**  
*O*-Oligosaccharidyl-1-amino-1-deoxyalditols as intermediates for fluorescent labelling of oligosaccharides, 44  
High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and *N,N*-dimethylation, 1462
- Regioisomeric separation**  
Determination of regioisomeric distribution in carbohydrate fatty acid monoesters by LC–ESI–MS, 236
- Regioselective**  
Regioselective formation of 6-*O*-acetylsucroses and 6,3'-di-*O*-acetylsucroses via the stannylene acetal method, 2657
- Regioselective glycosidation**  
A study of *n*-pentenylorthoesters having *manno*, *gluco* and *galacto* configurations in regioselective glycosylations, 490
- Regioselective monoacylation**  
Chelation-controlled regioselectivity in the lanthanum-promoted monobenzylation of monosaccharides in water, 1998
- Regioselectivity**  
Differential O-3/O-4 regioselectivity in the glycosylation of  $\alpha$  and  $\beta$  anomers of 6-*O*-substituted *N*-dimethylmaleoyl-protected D-glucosamine acceptors, 2522  
Silver(I) oxide-mediated regioselective 2-monoacylation in 3-*O*-benzyl- $\alpha$ -L-rhamnopyranosides and application in synthesis of a protected tetrasaccharide fragment of potent cytotoxic saponins gleditsiosides C and D, 1175  
Unexpected regioselectivity of *Humicola insolens* Cel7B glycosynthase mutants, 710  
Use of methanesulfonic acid in the reductive ring-opening of *O*-benzylidene acetals, 627
- Relative free energy**  
DFT study of  $\alpha$ - and  $\beta$ -D-allopyranose at the B3LYP/6-311++G\*\* level of theory, 196
- $\alpha$ -Relaxation**  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- $\beta$ -Relaxation**  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- Rhamnogalacturonan I**  
Structural characterization and immunological activity of two cold-water extractable polysaccharides from *Cistanche deserticola* Y. C. Ma, 1343
- Rhamnose**  
Fungal cell wall polysaccharides isolated from *Discula destructiva* spp., 1138
- Rhamnoside**  
Facile synthesis of cleistetoside-2, a partially acetylated oligorhamnoside from *Cleistopholis glauca* and *patens*, 1496
- Rheology**  
Impact of the extrusion process on xanthan gum behaviour, 1333  
Characterization of the chemical degradation of hyaluronic acid during chemical gelation in the presence of different cross-linker agents, 2776
- Rhodium complex**  
Allyl deprotection of galacturonic acid derivatives: mechanistic aspects of mercuric-catalyzed prop-1-enyl acetal cleavage, 2635
- Rhodococcus**  
Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 933
- Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 927  
The structure of the exocellular polysaccharide produced by *Rhodococcus* sp. RHA1, 2223
- Ribitol phosphate**  
Structure of a new ribitol teichoic acid-like O-polysaccharide of a serologically separate *Proteus vulgaris* strain, TG 276-1, classified into a new *Proteus* serogroup O53, 2061
- Ribose 5-phosphate**  
The multiple Maillard reactions of ribose and deoxyribose sugars and sugar phosphates, 2575
- Ribulose**  
Selective ketopentose analysis in concentrate carbohydrate syrups by HPLC, 859
- Rice hulls**  
Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129
- Ring-opening reactions**  
Preparation of diamino pseudodisaccharide derivatives from 1,6-anhydro- $\beta$ -D-hexopyranoses via aziridine-ring cleavage, 147
- Room temperature ionic liquids**  
Glycosylation in room temperature ionic liquid using unprotected and unactivated donors, 614
- Rotational viscometry**  
Solution properties of high-molar-mass hyaluronans: the biopolymer degradation by ascorbate, 1071
- Ruff degradation**  
The Ruff degradation: a review of previously proposed mechanisms with evidence that the reaction proceeds by a Hofer–Moest-type reaction, 407
- S-Alkylated sulfonium-ions**  
Synthesis of S-alkylated sulfonium-ions and their glucosidase inhibitory activities against recombinant human maltase glucoamylase, 901
- S-Glycosylation**  
A facile Er(OTf)<sub>3</sub>-catalyzed synthesis of 2,3-unsaturated O- and S-glycosides, 2125
- S<sub>N</sub>2 double-displacement reaction**  
Formation of covalent  $\beta$ -linked carbohydrate–enzyme intermediates during the reactions catalyzed by  $\alpha$ -amylases, 55
- Saccharose**  
Application of saccharose as copper(II) ligand for electroless copper plating solutions, 71
- Salacinol**  
Synthesis of aza- and thia-spiroheterocycles and attempted synthesis of spiro sulfonium compounds related to salacinol, 2163
- Salacinol analogues**  
Synthesis and glucosidase inhibitory activities of chain-modified analogues of the glucosidase inhibitors salacinol and blintol, 1888  
Synthesis of analogues of salacinol containing a carboxylate inner salt and their inhibitory activities against human maltase glucoamylase, 1661  
Zwitterionic glucosidase inhibitors: salacinol and related analogues, 1551
- Salacinol-related compounds**  
Synthesis of phosphate derivatives related to the glucosidase inhibitor salacinol, 1934
- Salen–Mn(III) complexes**  
Enantioselective epoxidation of non-functionalized alkenes using carbohydrate based salen–Mn(III) complexes, 254
- Salicylaldehyde derivative**  
Enantioselective epoxidation of non-functionalized alkenes using carbohydrate based salen–Mn(III) complexes, 254

- S-Alkyl-thiomannofuranose**  
Regioselective synthesis of 6-*S*-alkyl and 6-*S*-glycosyl-6-thio-*D*-mannofuranose derivatives from 5,6-*O*-cyclic sulfate precursors, 1490
- 6-*S*-Alkyl-6-thio-*D*-mannofuranose**  
Regioselective synthesis of 6-*S*-alkyl and 6-*S*-glycosyl-6-thio-*D*-mannofuranose derivatives from 5,6-*O*-cyclic sulfate precursors, 1490
- Salmonella* Dakar**  
The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28), 2138
- Samarium diiodide**  
Synthesis of a C-linked hyaluronic acid disaccharide mimetic, 1668
- Sargassum vulgare***  
Extraction and physicochemical characterization of *Sargassum vulgare* alginate from Brazil, 2067
- Sawdust**  
Impact of phenolic compounds on hydrothermal oxidation of cellulose, 1129
- Sc(OTf)<sub>3</sub>**  
Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913
- Sc<sup>3+</sup>-mont**  
Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913
- Scaffold**  
Synthesis of a bicyclic analog of L-iduronic acid adopting the biologically relevant <sup>2</sup>S<sub>0</sub> conformation, 1876
- Schardinger dextrin**  
Linkage and pyranosyl ring twisting in cyclodextrins, 1223
- Schiff base**  
Metal complexation of chitosan and its glutaraldehyde cross-linked derivative, 1189
- Schiff bases of chitosan**  
Antifungal properties of Schiff bases of chitosan, N-substituted chitosan and quaternized chitosan, 1329
- Schizophyllum commune***  
NMR characterization of the structure of a β-(1→3)-*D*-glucan isolate from cultured fruit bodies of *Sparassis crispa*, 2611
- Seaweed**  
Structure of a highly pyruvylated galactan sulfate from the Pacific green alga *Codium yezoense* (Bryopsidales, Chlorophyta), 586
- Secondary relaxations**  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- Sedoheptulose**  
Synthesis of 7-*O*-galloyl-*D*-sedoheptulose, 1510
- Selectivity**  
Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA, 499
- Selenium**  
Synthesis of carbohydrate-based vinyl selenides via Wittig-type reactions, 736
- Seleno-carbohydrates**  
Synthesis of carbohydrate-based vinyl selenides via Wittig-type reactions, 736
- Selenonium ions**  
Zwitterionic glycosidase inhibitors: salacinol and related analogues, 1551
- Selenonium salt**  
Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888
- Self-assembly**  
Self-association of bis-(α,β-*D*-glucopyranosyl)-polyisobutylene, 1323
- Semi-IPN polyampholyte hydrogel**  
Preparation and properties of a pH/temperature-responsive carboxymethyl chitosan/poly(*N*-isopropylacrylamide)semi-IPN hydrogel for oral delivery of drugs, 2416
- Septanose carbohydrates**  
Synthesis of substituted septanosyl-1,2,3-triazoles, 1366
- Serogroup O:28**  
The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28), 2138
- Serological classification**  
Structure of a new ribitol teichoic acid-like O-polysaccharide of a serologically separate *Proteus vulgaris* strain, TG 276-1, classified into a new *Proteus* serogroup O53, 2061
- Sharpless epoxidation**  
Synthesis and NMR experiments of (4,5,6-<sup>13</sup>C)-deoxymannojirimycin. A new entry to <sup>13</sup>C-labeled glycosidase inhibitors, 1805
- Shigella dysenteriae***  
Close relation of the O-polysaccharide structure of *Escherichia coli* O168 and revised structure of the O-polysaccharide of *Shigella dysenteriae* type 4, 2676  
Structural relation of the antigenic polysaccharides of *Escherichia coli* O40, *Shigella dysenteriae* type 9, and *E. coli* K47, 1275
- Shigella***  
O-Acetylation in the O-specific polysaccharide isolated from *Shigella flexneri* serotype 2a, 643
- Shrimp shell**  
Study on the production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation, 2423
- Sialic acid**  
Desialylation of core type 1 O-glycan in the equine embryonic capsule coincides with immobilization of the conceptus in the uterus, 1110  
Donor substrate binding to trans-sialidase of *Trypanosoma cruzi* as studied by STD NMR, 1904
- Sialyl LewisX**  
Spacer-separated sialyl LewisX cyclopeptide conjugates as potential E-selectin ligands, 541
- Sialyltransferase**  
Synthesis of CMP-9''-modified-sialic acids as donor substrate analogues for mammalian and bacterial sialyltransferases, 1680
- Sialyltransferases**  
Potential sialyltransferase inhibitors based on neuraminyl substitution by hetaryl rings, 558
- Silene vulgaris***  
Influence of ultraviolet-C on the compositions of cell-wall polysaccharides and carbohydrase activities of *Silene vulgaris* callus, 182
- Silica beads**  
NMR Studies on the interaction between (–)-epigallocatechin gallate and cyclodextrins, free and bonded to silica gels, 843
- Silver(I) oxide**  
Silver(I) oxide-mediated regioselective 2-monoacylation in 3-*O*-benzyl-α-L-rhamnopyranosides and application in synthesis of a protected tetrasaccharide fragment of potent cytotoxic saponins gleditsiosides C and D, 1175
- Single crystal**  
X-ray diffraction and high-resolution NMR spectroscopy of methyl 3,4-di-*O*-acetyl-1,5-anhydro-2-deoxy-*D*-arabino-hex-1-enopyranuronate, 1280
- S*-Lactosyl arylisothiocarbamides**  
Synthesis of *N*- and *S*-bis-protected lactosyl isothiobiurets, 753
- Skew**  
DFT study of α- and β-*D*-allopyranose at the B3LYP/6-311++G\*\* level of theory, 196

- Sodium cyanoborohydride  
Use of methanesulfonic acid in the reductive ring-opening of *O*-benzylidene acetals, 627
- Sodium trimetaphosphate  
High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: a proposal for the reaction mechanism, 943
- 85:15 Me<sub>2</sub>SO–H<sub>2</sub>O  
Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103
- Solanaceous plant  
Synthesis of neosaponins and neoglycolipids containing a chactriosyl moiety, 2182
- Solid state <sup>13</sup>C NMR  
Characterisation of the extracellular polysaccharides produced by isolates of the fungus *Acremonium*, 2481
- Solid-state hydrolysis  
Solid-state hydrolysis of cellulose and methyl  $\alpha$ - and  $\beta$ -D-glucopyranosides in presence of magnesium chloride, 1373
- Solid-state NMR  
Synthesis of methyl 4'-*O*-methyl- $\beta$ -D-cellobioside-<sup>13</sup>C<sub>12</sub> from D-glucose-<sup>13</sup>C<sub>6</sub>. Part 2: Solid-state NMR studies, 65
- Solubility  
Solubility and crystal structure of *N*-(1-deoxy- $\beta$ -D-fructopyranosyl)-L-histidine monohydrate ('D-fructose-L-histidine'), 131
- Solvation  
Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097
- Spacer  
Synthesis of spacer-containing chlamydial disaccharides as analogues of the  $\alpha$ -Kdop-(2→8)- $\alpha$ -Kdop-(2→4)- $\alpha$ -Kdop trisaccharide epitope, 576
- Sparassis crispa*  
NMR characterization of the structure of a  $\beta$ -(1→3)-D-glucan isolate from cultured fruit bodies of *Sparassis crispa*, 2611
- Sphingosine  
Recent advances in the glycosylation of sphingosines and ceramides, 1595
- Spirocyclopropane  
Synthesis and reactivity of nonstabilized diazo sugars, 31
- Sponge  
Concise synthesis of clarhamnoside, a novel glycosphingolipid isolated from the marine sponge *Agela clathrodes*, 2003
- Sporiolide B  
Synthesis of sporiolide B from D-glucal, 1405
- Squaric acid coupling  
Functionalization of oligosaccharide mimetics and multimerization using squaric diester-mediated coupling, 696
- Stability  
Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097
- Stannylene  
From lactose towards a novel galactosylated cyclooctenone, 1238
- Stannylene acetal  
Regioselective formation of 6-*O*-acylsucroses and 6,3'-di-*O*-acylsucroses via the stannylene acetal method, 2657
- Staphylococcus aureus*  
Synthesis of  $\beta$ -(1→6)-linked glucosamine oligosaccharides corresponding to fragments of the bacterial surface polysaccharide poly-N-acetylglucosamine, 567
- Starch  
A new NMR method for directly monitoring and quantifying the dissolution kinetics of starch in DMSO, 2604
- Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization, 1105
- Hydrolysis of soluble starch using *Bacillus licheniformis*  $\alpha$ -amylase immobilized on superporous CELBEADS, 997
- Mutation of the maize *sbe1a* and *ae* genes alters morphology and physical behavior of wx-type endosperm starch granules, 2619
- Octa-*O*-propanoyl- $\beta$ -maltose: crystal structure, acyl stacking, related structures, and conformational analysis, 1210
- Starch propargyl ethers  
Alkynyl polysaccharides: synthesis of propargyl potato starch followed by subsequent derivatizations, 2049
- Starch structure  
Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization, 2253
- Starch swelling  
Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization, 2253
- STD NMR  
Donor substrate binding to trans-sialidase of *Trypanosoma cruzi* as studied by STD NMR, 1904
- Stereochemistry  
Preparation of 2-*C*- and 3-*C*-cyano-2-enopyranoside derivatives and their epoxidation, 2339
- Stereoisomer  
Physicochemical and biological properties of 6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl-cyclomaltoheptaose (6<sup>1</sup>,6<sup>3</sup>,6<sup>5</sup>-tri-*O*- $\alpha$ -maltosyl- $\beta$ -cyclodextrin), 1315
- Stereoselective glycosylation  
Recent trends in the synthesis of *O*-glycosides of 2-amino-2-deoxysugars, 374  
The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview, 419
- Stereospecific synthesis  
Preparation of diamino pseudodisaccharide derivatives from 1,6-anhydro- $\beta$ -D-hexopyranoses via aziridine-ring cleavage, 147
- Steroid saponins  
Synthesis, cytotoxicity, and hemolytic activity of 6'-*O*-substituted dioscin derivatives, 2705
- Strecker reaction  
Cyclosophorohexadecaose and succinoglycan monomers as catalytic carbohydrates for the Strecker reaction, 2682
- Streptomycetes  
A novel teichoic acid from the cell wall of *Streptomyces* sp. VKM Ac-2275, 659
- Streptomyces* sp. Geri-155  
Enzymatic synthesis of dTDP-4-amino-4,6-dideoxy-D-glucose using GerB (dTDP-4-keto-6-deoxy-D-glucose aminotransferase), 1412
- Strongly acidic cation-exchange resin, catalysis  
One-pot synthesis of 2-*C*-glycosylated benzimidazoles from the corresponding methanal dimethyl acetals, 119
- Structural analysis  
Structural elucidation of a 3-*O*-methyl-D-galactose-containing neutral polysaccharide from the fruiting bodies of *Phellinus igniarius*, 1063  
Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B26, 2430  
Structural determination of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B332, 2735
- Structure  
A water-soluble glucan isolated from an edible mushroom *Termitomyces microcarpus*, 2484  
Exopolysaccharides produced by *Inquilinus limosus*, a new pathogen of cystic fibrosis patients: novel structures with usual components, 2404  
Natural phosphoglycans containing glycosyl phosphate units: structural diversity and chemical synthesis, 297



- Structural analysis of a water-soluble glucan (Fr.I) of an edible mushroom, *Pleurotus sajor-caju*, 2670
- Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 933
- Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4, 927
- Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus *Astraeus hygrometricus*, 982
- Structural investigation of a heteropolysaccharide isolated from the pods (fruits) of *Moringa oleifera* (Sajina), 2380
- The structure of the carbohydrate backbone of the LPS from *Myxococcus xanthus* strain DK1622, 2474
- The structure of the core-O-chain linkage region of the lipopolysaccharide from *Bordetella hinzii*, 638
- The structure of the exocellular polysaccharide produced by *Rhodococcus* sp. RHA1, 2223
- Structure elucidation
- O*-Allyl decoration on  $\alpha$ -glucan isolated from the haloalkaliphilic *Halomonas pantelleriensis* bacterium, 1271
- Structure–function relationship
- The fate of  $\beta$ -D-mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Substituent distribution
- Alkynyl polysaccharides: synthesis of propargyl potato starch followed by subsequent derivatizations, 2049
- Substrate analogues
- Dissecting the catalytic mechanism of a plant  $\beta$ -D-glucan glucohydrolase through structural biology using inhibitors and substrate analogues, 1613
- Substrate specificity
- Substrate specificity of *N*-acetylhexosaminidase from *Aspergillus oryzae* to artificial glycosyl acceptors having various substituents at the reducing ends, 23
- Succinic anhydride
- Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using a ionic liquid as reaction medium, 919
- Succinoglycan monomer
- Cyclophosphorohexadecaose and succinoglycan monomers as catalytic carbohydrates for the Strecker reaction, 2682
- Sucrose
- Experimental charge density of sucrose at 20K: bond topological, atomic, and intermolecular quantitative properties, 1480
- Preparation of 6,6,1',1',6',6'-hexadeutero sucrose, 2303
- Regioselective formation of 6-*O*-acylsucroses and 6,3'-di-*O*-acylsucroses via the stannylene acetal method, 2657
- Sucrose ester
- Determination of regioisomeric distribution in carbohydrate fatty acid monoesters by LC–ESI-MS, 236
- Sugar aldehydes
- New and general synthesis of  $\beta$ -C-glycosylformaldehydes from easily available  $\beta$ -C-glycosylpropanones, 2716
- Sugar amino acids
- A comparative study of different glycosylation methods for the synthesis of D-mannopyranosides of *N* $\alpha$ -fluorenylmethoxycarbonyl-*trans*-4-hydroxy-L-proline allyl ester, 2628
- Synthesis of sugar-lactams from azides of glucuronic acid, 1953
- Sugar enones
- A click chemistry approach to glycomimetics: Michael addition of 2,3,4,6-tetra-*O*-acetyl-1-thio- $\beta$ -D-glucopyranose to 4-deoxy-1,2-*O*-isopropylidene-L-glycero-pent-4-enopyranos-3-ulose – a convenient route to novel 4-deoxy-(1 $\rightarrow$ 5)-5-*C*-thiodisaccharides, 1929
- Synthesis of non-glycosidic 4,6'-thioether-linked disaccharides as hydrolytically stable glycomimetics, 1841
- Sugar-lactams
- Synthesis of sugar-lactams from azides of glucuronic acid, 1953
- Sugar-lactones
- Synthesis of sugar-lactams from azides of glucuronic acid, 1953
- Sugar nucleotide
- Direct oxidation of sugar nucleotides to the corresponding uronic acids: TEMPO and platinum-based procedures, 460
- Synthesis of a deoxy analogue of ADP L-glycero-D-manno-heptose, 2537
- Sugar nucleotides
- Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881
- Sugar peracetates
- Efficient synthesis of  $\omega$ -mercaptoalkyl 1,2-*trans*-glycosides from sugar peracetates, 1009
- Sugarcane bagasse
- Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using a ionic liquid as reaction medium, 919
- Sulfamidate
- Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucosyl- and galactopyranoside, 2212
- Sulfated fucose
- Electrospray ionization mass spectrometry of oligosaccharides derived from fucoidan of *Ascophyllum nodosum*, 826
- Sulfated polysaccharide
- A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity, 2326
- Structure elucidation and sulfated derivatives preparation of two  $\alpha$ -D-glucans from *Gastrodia elata* Bl. and their anti-dengue virus bioactivities, 2230
- Sulfated xylomannan
- Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil, 2766
- Sulfatide
- The conformational behaviour of the C-glycosyl analogue of sulfatide studied by NMR in SDS micelles, 1966
- 2-(4-Acetamido-2-sulfanamide)-6-sulfo-chitosan
- Synthesis and antifungal properties of sulfanilamide derivatives of chitosan, 2390
- Sulfonamides
- Ferrier sulfonamidoglycosylation of D-glycals, 2297
- Sulfonamidoglycosylation
- Ferrier sulfonamidoglycosylation of D-glycals, 2297
- Sulfone
- Synthesis and biological evaluation of galactofuranosyl alkyl thioglycosides as inhibitors of mycobacteria, 1773
- Sulfonium ions
- Zwitterionic glycosidase inhibitors: salacinol and related analogues, 1551
- Sulfonium salt
- Synthesis and glycosidase inhibitory activities of chain-modified analogues of the glycosidase inhibitors salacinol and blintol, 1888
- Supplement
- The synthesis of 2-, 3-, 4- and 6-*O*- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793
- Supramolecular interactions
- Supramolecular self-assembly of  $\beta$ -cyclodextrin: an effective carrier of the antimicrobial agent chlorhexidine, 2286
- Surface gelatinization
- Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization, 2253
- Surface plasmon resonance
- Effective chemoenzymatic synthesis of *p*-aminophenyl glycosides of sialyl *N*-acetylactosaminide and analysis of their interactions with lectins, 1244
- Preparation and characterization of 6',6''-di-*O*-(L-fucopyranosyl)- $\beta$ -cyclodextrin (*n*=II–IV) and investigation of their functions, 2173

- Surface roughness  
Application of saccharose as copper(II) ligand for electroless copper plating solutions, 71
- Surface structure  
Surface structure of chitosan and hybrid chitosan-amylose films—restoration of the antibacterial properties of chitosan in the amylose film, 2490
- Surfactants  
Alkenyl and alkenoyl amphiphilic derivatives of D-xylose and their surfactant properties, 154
- Synthesis  
1,5-Anhydro-D-fructose from D-fructose, 1249  
Concise synthesis of clarhamnoside, a novel glycosphingolipid isolated from the marine sponge *Agela clathrodes*, 2003  
First example of 5/6-O-linked pseudosaccharides: synthesis of bicyclic nucleosides containing azido or extended carbohydrate moiety, 2511  
Natural phosphoglycans containing glycosyl phosphate units: structural diversity and chemical synthesis, 297  
Preparation of multifunctional glyconanoparticles as a platform for potential carbohydrate-based anticancer vaccines, 448  
Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881  
Synthesis of deoxy and methoxy analogs of octyl  $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis, 1741  
Synthesis of *N*- and *S*-bis-protected lactosyl isothiobiurets, 753  
Synthesis of phosphate derivatives related to the glycosidase inhibitor salacinol, 1934  
The synthesis of 2-, 3-, 4- and 6-*O*- $\alpha$ -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants, 1793  
Total synthesis of cleistetroside-2, partially acetylated dodecanyl tetraarhamnoside derivative isolated from *Cleistopholis patens* and *Cleistopholis glauca*, 1159  
Total synthesis of phenylpropanoid glycosides, grayanoside A and syringalide B, through a common intermediate, 2309  
Synthesis of the 'primer-adaptor' trisaccharide moiety of *Escherichia coli* O8, O9, and O9a lipopolysaccharide, 2818  
Synthesis, cytotoxicity, and hemolytic activity of 6'-O-substituted dioscin derivatives, 2705
- Synthetic analogues  
Comparative  $^1\text{H}$  NMR and molecular modeling study of hydroxy protons of  $\beta$ -D-Galp-(1 $\rightarrow$ 4)- $\beta$ -D-GlcpNAc-(1 $\rightarrow$ 2)- $\alpha$ -D-Manp-(1 $\rightarrow$ O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> analogues in aqueous solution, 597
- Synthetic product ion standards  
Differentiation of the anomeric configuration and ring form of glucosyl-glycolaldehyde anions in the gas phase by mass spectrometry: isomeric discrimination between *m/z* 221 anions derived from disaccharides and chemical synthesis of *m/z* 221 standards, 217
- Synthetic vaccines  
Preparation of multifunctional glyconanoparticles as a platform for potential carbohydrate-based anticancer vaccines, 448
- Syringalide B  
Total synthesis of phenylpropanoid glycosides, grayanoside A and syringalide B, through a common intermediate, 2309
- Talose  
Conformation, dynamics, solvation and relative stabilities of selected  $\beta$ -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field, 2097
- Teichoic acid  
A novel teichoic acid from the cell wall of *Streptomyces* sp. VKM Ac-2275, 659
- TEMPO  
Direct oxidation of sugar nucleotides to the corresponding uronic acids: TEMPO and platinum-based procedures, 460
- Preparation of 6,6,1',1',6',6'-hexadeutero sucrose, 2303
- Tepidopterin  
First synthesis of tepidopterin [2'-*O*-(2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl)-*L*-threo-biopterin], 2159
- Termitomyces microcarpus*  
A water-soluble glucan isolated from an edible mushroom *Termitomyces microcarpus*, 2484
- Tetraselenotungstate  
Novel chalcogenides of thymidine and uridine: synthesis, properties and applications, 1151
- Tetrathiomolybdate  
Novel chalcogenides of thymidine and uridine: synthesis, properties and applications, 1151
- Tetrazoles  
Microwave-assisted efficient preparation of novel carbohydrate tetrazole derivatives, 1096
- Theoretical model  
Kinetics of hydrolysis of chitin/chitosan oligomers in concentrated hydrochloric acid, 1055
- Thermogravimetry  
Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124
- Thioarabinol  
Synthesis of analogues of salacinol containing a carboxylate inner salt and their inhibitory activities against human maltase glucoamylase, 1661
- Thiodisaccharides  
Regioselective synthesis of 6-*S*-alkyl and 6-*S*-glycosyl-6-thio-D-mannofuranose derivatives from 5,6-*O*-cyclic sulfate precursors, 1490
- Thioether-linked disaccharide analogues  
Synthesis of non-glycosidic 4,6'-thioether-linked disaccharides as hydrolytically stable glycomimetics, 1841
- 4,6'-Thioether-linked sugars  
Synthesis of non-glycosidic 4,6'-thioether-linked disaccharides as hydrolytically stable glycomimetics, 1841
- 3-ThioGalNAc  
Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside and galactopyranoside, 2212
- 4-Thio-GalNAc  
Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside and galactopyranoside, 2212
- 3-ThioGlcNAc  
Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside and galactopyranoside, 2212
- 4-ThioGlcNAc  
Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside and galactopyranoside, 2212
- Thioglycoside  
Incorporation of a S-glycosidic linkage into a glyconucleoside changes the conformational preference of both furanose sugars, 16  
Synthesis and biological evaluation of galactofuranosyl alkyl thioglycosides as inhibitors of mycobacteria, 1773
- Thioglycoside donors  
Evaluation of thioglycosides of Kdo as glycosyl donors, 631
- Thioglycosides  
Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside and galactopyranoside, 2212  
Synthesis of a fluorescence-labeled K30 antigen repeating unit using click chemistry, 975  
Synthesis of aryl-2-deoxy-D-lyxol-arabino-hexopyranosides from 2-deoxy-1-thioglycosides, 1305
- Thionoamide  
Synthesis of 3'-C-substituted thymidine derivatives by free-radical techniques: scope and limitations, 259

- Thionoester**  
Synthesis of 3'-C-substituted thymidine derivatives by free-radical techniques: scope and limitations, 259
- Thiophilic promoters**  
Evaluation of thioglycosides of Kdo as glycosyl donors, 631
- Thiourea**  
Inhibitory effects of different antioxidants on hyaluronan depolymerization, 96
- Three-bond carbon–proton coupling constant**  
Synthesis of ketopyranosyl glycosides and determination of their anomeric configuration on the basis of the three-bond carbon–proton couplings, 1393
- Three-bond coupling constants**  
Relationship between structure and three-bond proton–proton coupling constants in glycosaminoglycans, 779
- Thymidine**  
Synthesis of 3'-C-substituted thymidine derivatives by free-radical techniques: scope and limitations, 259
- Time-resolved  $^1\text{H}$  nuclear magnetic resonance (NMR)**  
A new NMR method for directly monitoring and quantifying the dissolution kinetics of starch in DMSO, 2604
- Titration**  
Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan, 124
- TNF- $\alpha$**   
Relationship between structure and immunostimulating activity of enzymatically synthesized glycogen, 2371  
Stimulation of multiple cytokine production in mice by alginate oligosaccharides following intraperitoneal administration, 1133
- Topological analysis**  
Experimental charge density of sucrose at 20K: bond topological, atomic, and intermolecular quantitative properties, 1480
- Torsion angle**  
X-ray diffraction and high-resolution NMR spectroscopy of methyl 3,4-di-*O*-acetyl-1,5-anhydro-2-deoxy- $\text{D}$ -*arabino*-hex-1-enopyranuronate, 1280
- Total synthesis**  
Synthesis of sporiolide B from  $\text{D}$ -glucal, 1405
- Toxoflavin glycosides**  
Study on glycosylated prodrugs of toxoflavins for antibody-directed enzyme tumor therapy, 1254
- Toxoflavins**  
Study on glycosylated prodrugs of toxoflavins for antibody-directed enzyme tumor therapy, 1254
- trans*-4-Hydroxy-proline**  
A comparative study of different glycosylation methods for the synthesis of  $\text{D}$ -mannopyranosides of *N* $\alpha$ -fluorenylmethoxycarbonyl-*trans*-4-hydroxy-L-proline allyl ester, 2628
- trans*-Sialidase**  
The *trans*-sialidase from *Trypanosoma cruzi* efficiently transfers  $\alpha$ -(2 $\rightarrow$ 3)-linked *N*-glycolylneuraminic acid to terminal  $\beta$ -galactosyl units, 2465
- Trans-sialidase**  
Donor substrate binding to trans-sialidase of *Trypanosoma cruzi* as studied by STD NMR, 1904
- Transesterification**  
Determination of regioisomeric distribution in carbohydrate fatty acid monoesters by LC–ESI-MS, 236
- Transfection**  
Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, 190
- Transformation**  
Aldose–ketose interconversion in pyridine in the presence of aluminium oxide, 1992
- Transition metals**  
On the basics of carbohydrate–metal chemistry: complexes of palladium(II) with hydroxyaldehyde and -ketone hydrates, 1419
- Transition state**  
The fate of  $\beta$ - $\text{D}$ -mannopyranose after its formation by endoplasmic reticulum  $\alpha$ -(1 $\rightarrow$ 2)-mannosidase I catalysis, 163
- Transition states**  
DFT studies of the ionization of alpha and beta glycopyranosyl donors, 1726  
DFT studies of the role of C-2–O-2 bond rotation in neighboring-group glycosylation reactions, 1291
- Transition-state analogs**  
Potential sialyltransferase inhibitors based on neuraminy substituent by hetaryl rings, 558
- Transition-state mimics**  
Dissecting the catalytic mechanism of a plant  $\beta$ - $\text{D}$ -glucan glucohydrolase through structural biology using inhibitors and substrate analogues, 1613
- 6 $^1$ ,6 $^3$ ,6 $^5$ -Tri-*O*- $\alpha$ -maltosyl- $\beta$ -cyclodextrin**  
Physicochemical and biological properties of 6 $^1$ ,6 $^3$ ,6 $^5$ -tri-*O*- $\alpha$ -maltosyl-cyclomaltoheptaose (6 $^1$ ,6 $^3$ ,6 $^5$ -tri-*O*- $\alpha$ -maltosyl- $\beta$ -cyclodextrin), 1315
- Triazole**  
Synthesis of galactose-mimicking 1*H*-(1,2,3-triazol-1-yl)-mannosides as selective galectin-3 and 9N inhibitors, 1869  
Synthesis of substituted septanosyl-1,2,3-triazoles, 1366
- 1,2,4-Triazole**  
Synthesis of azole nucleoside analogues of  $\text{D}$ -pinitol as potential antitumor agents, 865
- Trichloroacetimidate**  
Regioselective synthesis of 1 $^1$ ,1 $^1$ ,5 $^1$ ,6 $^1$ ,6 $^1$ ,6 $^1$ ,6 $^1$ - $\text{H}_8$ -cellobiose, 2546
- Triflate**  
A facile Er(OTf) $_3$ -catalyzed synthesis of 2,3-unsaturated O- and S-glycosides, 2125
- Triflation**  
Practical preparation of 2-azido-2-deoxy- $\beta$ - $\text{D}$ -mannopyranosyl carbonates and their application in the synthesis of oligosaccharides, 2810
- Triflic acid solvolysis**  
Structure of the O-polysaccharide of *Escherichia coli* O150 containing 2-acetamido-4-*O*-[(*S*)-1-carboxyethyl]-2-deoxy- $\text{D}$ -glucose, 648
- 6 $^1$ ,6 $^3$ ,6 $^5$ -Tri-*O*- $\alpha$ -maltosyl-cyclomaltoheptaose**  
Physicochemical and biological properties of 6 $^1$ ,6 $^3$ ,6 $^5$ -tri-*O*- $\alpha$ -maltosyl-cyclomaltoheptaose (6 $^1$ ,6 $^3$ ,6 $^5$ -tri-*O*- $\alpha$ -maltosyl- $\beta$ -cyclodextrin), 1315
- Trypanosoma cruzi***  
The *trans*-sialidase from *Trypanosoma cruzi* efficiently transfers  $\alpha$ -(2 $\rightarrow$ 3)-linked *N*-glycolylneuraminic acid to terminal  $\beta$ -galactosyl units, 2465
- TSDC**  
Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry, 961
- UDP-Gal mimetics**  
Synthesis of fluorescently labelled and internally quenched UDP-Gal probes, 1831
- Ulosyl bromides**  
Glucuronic acid-based ulosyl donors for introducing  $\alpha$ - $\text{D}$ -GlcA and  $\beta$ - $\text{D}$ -ManA units, 2132
- Ultraviolet-C**  
Influence of ultraviolet-C on the compositions of cell-wall polysaccharides and carbohydrase activities of *Silene vulgaris* callus, 182
- Unactivated donor**  
Glycosylation in room temperature ionic liquid using unprotected and unactivated donors, 614
- Unprotected donor**  
Glycosylation in room temperature ionic liquid using unprotected and unactivated donors, 614

- Urolithiasis**  
Electrophoretic separation and characterization of urinary glycosaminoglycans and their roles in urolithiasis, 79
- Uronic acid**  
An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442  
Direct oxidation of sugar nucleotides to the corresponding uronic acids: TEMPO and platinum-based procedures, 460
- Uronic acids**  
Preparation of 6,6,1',1',6',6'-hexadeutero sucrose, 2303
- UV-MALDI-TOF-MS**  
Matrix-assisted ultraviolet laser desorption/ionization time-of-flight (UV-MALDI-TOF) mass spectra of N-acylated and N,O-acylated glycosylamines, 2567
- UV-vis spectra**  
Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of *K*-carrageenan by alkaline permanganate, 1382
- Vaccine**  
Synthesis of an experimental glycolipoprotein vaccine against Lyme disease, 621
- Vaccine adjuvant**  
Monophosphoryl lipid A analogues with varying 3-O-substitution: synthesis and potent adjuvant activity, 784
- Vaccines and C-lectins**  
A comparative study of different glycosylation methods for the synthesis of D-mannopyranosides of *N*α-fluorenylmethoxycarbonyl-*trans*-4-hydroxy-L-proline allyl ester, 2628
- Vaccinium myrtillus**  
Bilberry xyloglucan—novel building blocks containing β-xylose within a complex structure, 170
- Valproic acid**  
Crystal structure and anticonvulsant activity of (±)-1,2,4,5-di-*O*-isopropylidene-3,6-di-*O*-(2-propylpentanoyl)-*myo*-inositol, 1456
- Vinpocetine**  
Inhibitory effects of different antioxidants on hyaluronan depolymerization, 96
- Vinyl selenides**  
Synthesis of carbohydrate-based vinyl selenides via Wittig-type reactions, 736
- Viscosity**  
Extraction and physicochemical characterization of *Sargassum vulgare* alginate from Brazil, 2067  
Impact of the extrusion process on xanthan gum behaviour, 1333
- Water**  
Chelation-controlled regioselectivity in the lanthanum-promoted monobenzylation of monosaccharides in water, 1998  
Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913
- Water solubility**  
Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues, 103
- Wheat bran**  
Selective ketopentose analysis in concentrate carbohydrate syrups by HPLC, 859
- Whey**  
An X-ray diffraction analysis of crystallised whey and whey-permeate powders, 2354  
Crystallization kinetics of amorphous lactose, whey-permeate and whey powders, 1357
- Whey-permeate**  
Crystallization kinetics of amorphous lactose, whey-permeate and whey powders, 1357
- Wittig**  
Synthesis of carbohydrate-based vinyl selenides via Wittig-type reactions, 736
- Wittig-cyclization**  
The Wittig-cyclization procedure: acid promoted intramolecular formation of 3-C-branched-chain 3,6-anhydro furano sugars via 2'-oxopropylene derivatives, 1091
- X-ray crystal structure**  
Crystal structure of *N*-(1-deoxy-β-D-fructopyranos-1-yl)-L-proline—an Amadori compound, 1264  
Crystal structure of a cyclomaltoheptaose-4-hydroxybiphenyl inclusion complex, 1530
- X-ray crystallography**  
Modification of methyl *O*-propargyl-D-glucosides: model studies for the synthesis of alkynyl based functional polysaccharides, 2031  
Novel chalcogenides of thymidine and uridine: synthesis, properties and applications, 1151  
The crystal structures of 1,2,3,4,6-penta-*O*-trimethylacetyl- and 1,2,3,4,6-penta-*O*-dimethylacetyl-β-D-glucopyranose, 2264
- X-ray diffraction**  
Crystal structure and anticonvulsant activity of (±)-1,2,4,5-di-*O*-isopropylidene-3,6-di-*O*-(2-propylpentanoyl)-*myo*-inositol, 1456  
Crystal structures of ethyl 3-azido-2,3-dideoxy-D-*arabino*-hexopyranoside anomers, 1450  
X-ray diffraction and high-resolution NMR spectroscopy of methyl 3,4-di-*O*-acetyl-1,5-anhydro-2-deoxy-D-*arabino*-hex-1-enopyranuronate, 1280
- X-ray photoelectron spectroscopy**  
Surface structure of chitosan and hybrid chitosan-amylose films—restoration of the antibacterial properties of chitosan in the amylose film, 2490
- X-ray structure**  
Synthesis of a cyanoethylidene derivative of 3,6-anhydro-D-galactose and its application as glycosyl donor, 520  
The first structural study on a cyclic tricoordinate phosphorochloridite and a pentacoordinate phosphorane based on 1,2,3,5-protected *myo*-inositol—a new conformation of 1,3,2-dioxaphosphorinane ring, 1182
- Xanthan gum**  
Impact of the extrusion process on xanthan gum behaviour, 1333
- Xanthan gum particles**  
Impact of the extrusion process on xanthan gum behaviour, 1333
- Xanthene derivative**  
Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution, 913
- Xylan**  
An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides, 1442
- Xylitol**  
The Hofer–Moest decarboxylation of D-glucuronic acid and D-glucuronosides, 610
- Xylo-oligosaccharides**  
Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity, 1122
- xylo-Pentodialdose**  
The Hofer–Moest decarboxylation of D-glucuronic acid and D-glucuronosides, 610
- Xyloglucan**  
Bilberry xyloglucan—novel building blocks containing β-xylose within a complex structure, 170
- Xylose**  
Alkenyl and alkenoyl amphiphilic derivatives of D-xylose and their surfactant properties, 154  
Kinetics and mechanism of the Ir(III)-catalyzed oxidation of xylose and maltose by potassium iodate in aqueous alkaline medium, 1078

$\beta$ -Xylose

Bilberry xyloglucan—novel building blocks containing  $\beta$ -xylose within a complex structure, 170

## Xylosyltransferase

Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*, 881

## Xylulose

Selective ketopentose analysis in concentrate carbohydrate syrups by HPLC, 859

## Zanamivir

Synthesis of C-4 and C-7 triazole analogs of zanamivir as multivalent sialic acid containing scaffolds, 1636

 $\beta$  Zeolite

Zeolite-catalyzed Helferich-type glycosylation of long-chain alcohols. Synthesis of acetylated alkyl 1,2-*trans* glycopyranosides and alkyl 1,2-*cis* C2-hydroxy-glycopyranosides, 704

## Zeta potential

Surface structure of chitosan and hybrid chitosan-amylose films—restoration of the antibacterial properties of chitosan in the amylose film, 2490