

Contents of Volume 342

1 Graphical contents list

FULL PAPERS

- | | | |
|---|-----|--|
| Marlin Penner, Frank Schweizer (Manitoba, Canada) | 7 | Ritter-based glycoconjugation of amino acids and peptides—access to novel glycoconjugates displaying a β -amide linkage between amino acid and sugar moiety |
| Joanne Buckingham, John A. Brazier, Julie Fisher, (Leeds, UK) Richard Cosstick (Liverpool, UK) | 16 | Incorporation of a S-glycosidic linkage into a glyconucleoside changes the conformational preference of both furanose sugars |
| Makoto Ogata (Gifu, Japan; Tsukuba, Japan), Xiaoxiong Zeng (Tsukuba, Japan; Nanjing, PR China), Taichi Usui (Gifu, Japan; Shizuoka, Japan), Hirotaka Uzawa (Tsukuba, Japan) | 23 | Substrate specificity of <i>N</i> -acetylhexosaminidase from <i>Aspergillus oryzae</i> to artificial glycosyl acceptors having various substituents at the reducing ends |
| Michael S. Alexander, Derek Horton (Washington, USA) | 31 | Synthesis and reactivity of nonstabilized diazo sugars |
| Janice G. Miller (Edinburgh, UK), Vladimír Farkaš (Bratislava, Slovakia), Sandra C. Sharples, Stephen C. Fry (Edinburgh, UK) | 44 | <i>O</i> -Oligosaccharidyl-1-amino-1-deoxyalditols as intermediates for fluorescent labeling of oligosaccharides |
| Seung-Heon Yoon, D. Bruce Fulton, John F. Robyt (Ames, USA) | 55 | Formation of covalent β -linked carbohydrate–enzyme intermediates during the reactions catalyzed by α -amylases |
| Frank Malz (Berlin, Germany), Yuko Yoneda (Vienna, Austria), Toshinari Kawada (Kyoto, Japan), Kurt Mereiter, Paul Kosma, Thomas Rosenau (Vienna, Austria), Christian Jäger (Berlin, Germany) | 65 | Synthesis of methyl 4'- <i>O</i> -methyl- β -D-cellobioside- $^{13}\text{C}_{12}$ from D-glucose- $^{13}\text{C}_6$. Part 2: Solid-state NMR studies |
| Eugenijus Norkus, Kęstutis Prušinskas, Algirdas Vaškešis, Janė Jačiauskienė, Irena Stalnionienė (Vilnius, Lithuania), Donald L. Macalady (Golden, USA) | 71 | Application of saccharose as copper(II) ligand for electroless copper plating solutions |
| Mayur Danny I. Gohel, Daisy K. Y. Shum, Po Chor Tam (Hong Kong, China) | 79 | Electrophoretic separation and characterization of urinary glycosaminoglycans and their roles in urolithiasis |
| Youwen Lin, Qing Chen, Hongbing Luo (Fuzhou, People's Republic of China) | 87 | Preparation and characterization of <i>N</i> -(2-carboxybenzyl)chitosan as a potential pH-sensitive hydrogel for drug delivery |
| Gracia Mendoza, Ana I. Álvarez, Mivis M. Pulido, Antonio J. Molina, Gracia Merino, Rebeca Real (Leon, Spain), Peter Fernandes (Geneva, Switzerland), Julio G. Prieto (Leon, Spain) | 96 | Inhibitory effects of different antioxidants on hyaluronan depolymerization |
| Rupendra Mukerjee, Giles Slocum, John F. Robyt (Ames, USA) | 103 | Determination of the maximum water solubility of eight native starches and the solubility of their acidic-methanol and -ethanol modified analogues |

NOTES

- Linda Cronin, Manuela Tosin, Helge Müller-Bunz, Paul V. Murphy (Dublin, Ireland) 111 The synthesis of cyclic imidates from amides of glucuronic acid and investigation of glycosidation reactions
- Michal Vojtech, Mária Petrušová, Elena Sláviková, Slávka Bekešová, Ladislav Petruš (Bratislava, Slovakia) 119 One-pot synthesis of 2-C-glycosylated benzimidazoles from the corresponding methanal dimethyl acetals
- Nándor Balázs, Pál Sipos (Szeged, Hungary) 124 Limitations of pH-potentiometric titration for the determination of the degree of deacetylation of chitosan
- Valeri V. Mossine, Charles L. Barnes, Thomas P. Mawhinney (Columbia, USA) 131 Solubility and crystal structure of *N*-(1-deoxy- β -D-fructopyranos-1-yl)-L-histidine monohydrate ('D-fructose-L-histidine')
- Guofeng Gu, Hui Liu, B. Mario Pinto (Columbia, Canada) 139 Corrigendum to "Facile synthesis of sulfonium ion derivatives of 1,5-anhydro-5-thio-L-fucitol as potential α -L-fucosidase inhibitors". [Carbohydr. Res. 341 (2006) 2478]
- 141 Graphical contents list

FULL PAPERS

- Jiří Kroutil, Miloš Buděšínský (Prague, Czech Republic) 147 Preparation of diamino pseudodisaccharide derivatives from 1,6-anhydro- β -D-hexopyranoses via aziridine-ring cleavage
- Céline Damez, Sandrine Bouquillon, Dominique Harakat, Françoise Hénin, Jacques Muzart (Reims, France), Isabelle Pezron, Ljepša Komunjer (Compiègne, France) 154 Alkenyl and alkenoyl amphiphilic derivatives of D-xylose and their surfactant properties
- Chandrika Mulakala (Ames, USA), Wim Nerinckx (Ghent, Belgium), Peter J. Reilly (Ames, USA) 163 The fate of β -D-mannopyranose after its formation by endoplasmic reticulum α -(1 $\rightarrow$ 2)-mannosidase I catalysis
- Hauke Hilz, Laura E. de Jong, Mirjam A. Kabel, René Verhoef, Henk A. Schols, Alphons G. J. Voragen (Wageningen, The Netherlands) 170 Bilberry xyloglucan—novel building blocks containing β -xylose within a complex structure
- Elena A. Günter, Olga M. Kapustina, Oxana V. Popeyko, Yuri S. Ovodov (Syktyvkar, Russia) 182 Influence of ultraviolet-C on the compositions of cell-wall polysaccharides and carbohydrase activities of *Silene vulgaris* callus
- Keelara V. Harish Prashanth, Shylaja M. Dharmesh, Kosagi S. Jagannatha Rao, Rudrapatnam N. Tharanathan (Mysore, India) 190 Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage
- Udo Schnupf, J. L. Willett, Wayne B. Bosma, Frank A. Momany (Peoria, USA) 196 DFT study of α - and β -D-allopyranose at the B3LYP/6-311++G** level of theory
- Tammy T. Fang, Joseph Zirrolli, Brad Bendiak (Aurora, USA) 217 Differentiation of the anomeric configuration and ring form of glucosyl-glycolaldehyde anions in the gas phase by mass spectrometry: isomeric discrimination between *m/z* 221 anions derived from disaccharides and chemical synthesis of *m/z* 221 standards
- Ignacio Pérez-Victoria, Alberto Zafra, Juan Carlos Morales (Granada, Spain) 236 Determination of regioisomeric distribution in carbohydrate fatty acid monoesters by LC-ESI-MS
- Alejandro J. Metta-Magaña, Reyna Reyes-Martínez, Hugo Tlahuext (México, Mexico) 243 Crystal structure and NMR spectroscopy of aldonamides derived from D-glycero-D-gulo-heptono-1,4-lactone

NOTES

- Shanshan Zhao, Jiquan Zhao, Dongmin Zhao (Tianjin, PR China) 254 Enantioselective epoxidation of non-functionalized alkenes using carbohydrate based salen-Mn(III) complexes

Derek Horton, Kuangmin Chen, Zaesung No, Howard C. Lee (Washington, USA)	259	Synthesis of 3'-C-substituted thymidine derivatives by free-radical techniques: scope and limitations
Ivan S. Bushmarinov, Olga G. Ovchinnikova, Nina A. Kocharova, Filip V. Toukach (Moscow, Russian Federation), Agnieszka Torzewska (Lodz, Poland), Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Antoni Rozalski (Lodz, Poland)	268	Structure of the O-polysaccharide and serological cross-reactivity of the lipopolysaccharide of <i>Providencia alcalifaciens</i> O32 containing <i>N</i> -acetylisomuramic acid
Tara Ali, Andrej Weintraub, Göran Widmalm (Stockholm, Sweden)	274	Structural determination of the O-antigenic polysaccharide from <i>Escherichia coli</i> O166
	279	Meeting Announcement
	281	Graphical contents list
	291	Foreword
Leon Backinowsky, Yuriy Knirel, Andrei Nikolaev (Canada)	293	Nikolay Konstantinovich Kochetkov 1915–2005
REVIEWS		
Andrei V. Nikolaev (Dundee, UK), Irina V. Botvinko (Moscow, Russian Federation), Andrew J. Ross (Dundee, UK)	297	Natural phosphoglycans containing glycosyl phosphate units: structural diversity and chemical synthesis
Fanzuo Kong (Beijing, China)	345	Recent studies on reaction pathways and applications of sugar orthoesters in synthesis of oligosaccharides
Aileen F. G. Bongat, Alexei V. Demchenko (St. Louis, USA)	374	Recent trends in the synthesis of <i>O</i> -glycosides of 2-amino-2-deoxysugars
Jonathan A. Stapley, James N. BeMiller (West Lafayette, USA)	407	The Ruff degradation: a review of previously proposed mechanisms with evidence that the reaction proceeds by a Hofer–Moest-type reaction
Remy E. J. N. Litjens, Leendert J. van den Bos, Jeroen D. C. Codée, Herman S. Overkleeft, Gijsbert A. van der Marel (Leiden, The Netherlands)	419	The use of cyclic bifunctional protecting groups in oligosaccharide synthesis—an overview
Anne Imberty, Hugues Lortat-Jacob, Serge Pérez (Grenoble, France)	430	Structural view of glycosaminoglycan–protein interactions
FULL PAPERS		
Xavier Álvarez-Micó, Mario J. F. Calvete, Michael Hanack, Thomas Ziegler (Tuebingen, Germany)	440	A new glycosidation method through nitrite displacement on substituted nitrobenzenes
Rafael Ojeda, Jose Luis de Paz, Africa G. Barrientos, Manuel Martín-Lomas, Soledad Penadés (Seville, Spain)	448	Preparation of multifunctional glyconanoparticles as a platform for potential carbohydrate-based anticancer vaccines
Martin Rejzek, Balaram Mukhopadhyay (Norwich, UK), Cory Q. Wenzel, Joseph S. Lam (Guelph, Canada), Robert A. Field (Norwich, UK)	460	Direct oxidation of sugar nucleotides to the corresponding uronic acids: TEMPO and platinum-based procedures
Lars Kröger, Joachim Thiem (Hamburg, Germany)	467	Synthesis and evaluation of glycosyl donors with novel leaving groups for transglycosylations employing β -galactosidase from bovine testes

- E. Andreas Larsson, Ulf Olsson (Valby-Copenhagen, Denmark), Colin D. Whitmore (Seattle, USA), Rita Martins (Valby-Copenhagen, Denmark), Guido Tettamanti (Segrate, Italy), Ronald L. Schnaar (Baltimore, USA), Norman J. Dovichi (Seattle, USA), Monica M. Palcic, Ole Hindsgaul (Valby-Copenhagen, Denmark) 482 Synthesis of reference standards to enable single cell metabolomic studies of tetra-methylrhodamine-labeled ganglioside GM1
- K. N. Jayaprakash, Bert Fraser-Reid (Pittsboro, USA) 490 A study of *n*-pentenylorthoesters having *manno*, *gluco* and *galacto* configurations in regioselective glycosylations
- Iwona Kudyba, Déborah Perez Fernandez, Erik C. Böttger, Andrea Vasella (Zürich, Switzerland) 499 Synthesis of paromomycin derivatives modified at C(5'') to selectively target bacterial rRNA
- Christian Vogel, Galina Morales Torres, Helmut Reinke, Dirk Michalik, Alice Voss (Rostock, Germany) 520 Synthesis of a cyanoethylidene derivative of 3,6-anhydro-D-galactose and its application as glycosyl donor
- Sergey A. Nepogodiev, Simone Dedola, Laurence Marmuse, Marcelo T. de Oliveira, Robert A. Field (Norwich, UK) 529 Synthesis of triazole-linked *pseudo*-starch fragments
- Holger Herzner, Horst Kunz (Mainz, Germany) 541 Spacer-separated sialyl LewisX cyclopeptide conjugates as potential E-selectin ligands
- Bini Mathew, Richard R. Schmidt (Konstanz, Germany) 558 Potential sialyltransferase inhibitors based on neuraminyl substitution by hetaryl rings
- Marina L. Gening, Yury E. Tsvetkov (Moscow, Russia), Gerald B. Pier (Boston, USA), Nikolay E. Nifantiev (Moscow, Russia) 567 Synthesis of β -(1 $\rightarrow$ 6)-linked glucosamine oligosaccharides corresponding to fragments of the bacterial surface polysaccharide poly-*N*-acetylglucosamine
- Georg Sixta, Andreas Hofinger, Paul Kosma (Vienna, Austria) 576 Synthesis of spacer-containing chlamydial disaccharides as analogues of the α -Kdop-(2 $\rightarrow$ 8)- α -Kdop-(2 $\rightarrow$ 4)- α -Kdop trisaccharide epitope
- Maria I. Bilan, Ekaterina V. Vinogradova, Alexander S. Shashkov, Anatolii I. Usov (Moscow, Russian Federation) 586 Structure of a highly pyruvylated galactan sulfate from the Pacific green alga *Codium yezoense* (Bryopsidales, Chlorophyta)
- Philippe F. Rohfritsch, Martin Frank (Utrecht, The Netherlands), Corine Sandström, Lennart Kenne (Uppsala, Sweden), Johannes F. G. Vliegthart, Johannes P. Kamerling (Utrecht, The Netherlands) 597 Comparative ^1H NMR and molecular modeling study of hydroxy protons of β -D-Galp-(1 $\rightarrow$ 4)- β -D-GlcpNAc-(1 $\rightarrow$ 2)- α -D-Manp-(1 $\rightarrow$ O)(CH₂)₇CH₃ analogues in aqueous solution
- NOTES
- Jonathan A. Stapley, James N. BeMiller (Lafayette, USA) 610 The Hofer–Moest decarboxylation of D-glucuronic acid and D-glucuronosides
- Tae-Joon Park, Michel Weiwer, Xuejun Yuan, Sultan N. Baytas, Eva M. Munoz, Saravanababu Murugesan (Troy, USA), Robert J. Linhardt (Troy, USA; Albany, USA) 614 Glycosylation in room temperature ionic liquid using unprotected and unactivated donors
- Vince Pozsgay, Joanna Kubler-Kielb (Bethesda, USA) 621 Synthesis of an experimental glycolipoprotein vaccine against Lyme disease
- Alexander I. Zinin, Nelly N. Malysheva, Anna M. Shpirt, Vladimir I. Torgov, Leonid O. Kononov (Moscow, Russian Federation) 627 Use of methanesulfonic acid in the reductive ring-opening of *O*-benzylidene acetals
- Karin Mannerstedt, Kerstin Ekelöf, Stefan Oscarson (Stockholm, Sweden) 631 Evaluation of thioglycosides of Kdo as glycosyl donors

- Evgeny Vinogradov (Ottawa, Canada) 638 The structure of the core–O-chain linkage region of the lipopolysaccharide from *Bordetella hinzii*
- Joanna Kubler-Kielb (Bethesda, USA), Evgeny Vinogradov (Ottawa, Canada), Chiayung Chu, Rachel Schneerson (Bethesda, USA) 643 O-Acetylation in the O-specific polysaccharide isolated from *Shigella flexneri* serotype 2a
- Andrei V. Perepelov (Moscow, Russian Federation), Weiqing Han (Tianjin, PR China), Sofya N. Senchenkova, Sergei D. Shevelev, Alexander S. Shashkov (Moscow, Russian Federation), Lu Feng, Yanqun Liu (Tianjin, PR China), Yuriy A. Knirel (Moscow, Russian Federation), Lei Wang (Tianjin, PR China) 648 Structure of the O-polysaccharide of *Escherichia coli* O150 containing 2-acetamido-4-O-[(S)-1-carboxyethyl]-2-deoxy-D-glucose
- Alexander S. Shashkov, Nina A. Kocharova, George V. Zatonsky (Moscow, Russian Federation), Aleksandra Błaszczyk (Lodz, Poland), Yuriy A. Knirel (Moscow, Russian Federation), Antoni Rozalski (Lodz, Poland) 653 Structure of the O-antigen of *Providencia stuartii* O20, a new polysaccharide containing 5,7-diacetamido-3,5,7,9-tetradeoxy-L-glycero-D-galacto-non-2-ulosonic acid
- Galina M. Streshinskaya, Alexander S. Shashkov, Sofya N. Senchenkova (Moscow, Russia), Olga V. Bueva, Oleg S. Stupar, Ludmila I. Evtushenko (Moscow Region, Russia) 659 A novel teichoic acid from the cell wall of *Streptomyces* sp. VKM Ac-2275
- Nina A. Kocharova, Olga G. Ovchinnikova (Moscow, Russian Federation), Agnieszka Torzewska (Lodz, Poland), Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Antoni Rozalski (Lodz, Poland) 665 The structure of the O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O36 containing 3-deoxy-D-manno-oct-2-ulosonic acid

671 Graphical contents list

FULL PAPERS

- Jun Nakano (Saitama, Japan; Yakohama, Japan), Akihiro Ishiwata (Saitama, Japan), Hiromichi Ohta (Yokohama, Japan), Yukishige Ito (Saitama, Japan) 675 Synthesis of complex-type glycans derived from parasitic helminths
- Oliver Sperling, Michael Dubber, Thisbe K. Lindhorst (Kiel, Germany) 696 Functionalization of oligosaccharide mimetics and multimerization using squaric diester-mediated coupling
- Udayanath Aich, Duraikkannu Loganathan (Chennai, India) 704 Zeolite-catalyzed Helferich-type glycosylation of long-chain alcohols. Synthesis of acetylated alkyl 1,2-*trans* glycopyranosides and alkyl 1,2-*cis* C2-hydroxy-glycopyranosides
- Sophie Blanchard, Sylvie Armand (Grenoble, France), Pedro Couthino (Marseille, France), Shamkant Patkar, Jesper Vind (Bagsvaerd, Denmark), Eric Samain, Hugues Driguez, Sylvain Cottaz (Grenoble, France) 710 Unexpected regioselectivity of *Humicola insolens* Cel7B glycosynthase mutants
- Ágnes Zajác, Gyöngyi Gyémánt (Debrecen, Hungary), Natale Vittori (Coppell, USA), Lili Kandra (Debrecen, Hungary) 717 Aleppo tannin: structural analysis and salivary amylase inhibition
- Sarah L. Maslen, Florence Goubet (Cambridge, UK), Alex Adam (Surrey, UK), Paul Dupree, Elaine Stephens (Cambridge, UK) 724 Structure elucidation of arabinoxylan isomers by normal phase HPLC–MALDI-TOF/TOF-MS/MS

NOTES

- Omar Boutureira, M. Isabel Matheu, Yolanda Díaz, Sergio Castellón (Tarragona, Spain) 736 Synthesis of carbohydrate-based vinyl selenides via Wittig-type reactions
- John K. Gallos, Christos I. Stathakis, Maria J. Salapassidou, Constantinos E. Grammatoglou, Alexandros E. Koumbis (Thessaloniki, Greece) 744 A short alternative preparation of the bengazoles polyol side-chain segment
- Anna V. Gudmundsdottir, Mark Nitz (Toronto, Canada) 749 Hydrolysis rates of 1-glucosyl-2-benzoylhydrazines in aqueous solution
- Anvita S. Dandale (Akola, India), Dattatraya V. Mangte (Thane, India), Shirish P. Deshmukh (Akola, India) 753 Synthesis of *N*- and *S*-bis-protected lactosyl isothiobiurets
- Alba Silipo, Antonio Molinaro (Napoli, Italy), Jiang Cheng-Lin, Yi Jiang, Ping Xu, Li-Hua Xu, (Yunnan, People's Republic of China), Rosa Lanzetta, Michelangelo Parrilli (Napoli, Italy) 757 The O-chain structure from the LPS of the bacterium *Naxibacter alkalitolerans* YIM 31775^T
- Chanho Kwon, Heylin Park, Seunho Jung (Seoul, South Korea) 762 Enantioseparation of some chiral flavanones using microbial cyclic β -(1 $\rightarrow$ 3),(1 $\rightarrow$ 6)-glucans as novel chiral additives in capillary electrophoresis
- En-Ju Wang, Zhao-Xun Lian, Jiwen Cai (Guangzhou, PR China) 767 The crystal structure of the 1:1 inclusion complex of β -cyclodextrin with benzamide
- Markus Stark, Joachim Thiem (Hamburg, Germany) 772 Corrigendum to “Highly functionalized glyco-conjugated hexahydroazepindiones from saccharide imides via the Norrish type II reaction”. [Carbohydr. Res. 341 (2006) 1543]
- Shingo Sato, Hiroya Masukawa, Toshihiro Sato (Yamagata, Japan) 773 Corrigendum to “Direct C-glycosylation of indole with unprotected mono-, di- and trisaccharides: a one-pot synthesis of 1-deoxy-1,1-bis(3-indolyl)alditols”. [Carbohydrate Research 341 (2006) 2731]
- 775 Graphical contents list

RAPID COMMUNICATION

- M. Hricovíni, F. Bízik (Bratislava, Slovakia) 779 Relationship between structure and three-bond proton–proton coupling constants in glycosaminoglycans

FULL PAPERS

- Zi-Hua Jiang, Wladyslaw A. Budzynski, Dongxu Qiu, Damayanthi Yalamati, R. Rao Koganty (Alberta, Canada) 784 Monophosphoryl lipid A analogues with varying 3-O-substitution: synthesis and potent adjuvant activity
- Jianjun Zhang, Xiaomei Liang, Daoquan Wang, Fanzuo Kong (Beijing, China) 797 Regio- and stereoselective anomeric esterification of glucopyranose 1,2-diols and a facile preparation of 2-O-acetylated glucopyranosyl trichloroacetimidates from the corresponding 1,2-diols
- Scott M. Vejck, Derek Horton (Washington, USA) 806 Synthesis of the four 1-(1-deoxy-D-pentitol-1-yl)thymines and conformational properties of the acyclic sugar chain
- Tetsuya Ohashi (Tottori, Japan; Okayama, Japan), Hidefumi Yoshii, Takeshi Furuta (Tottori, Japan) 819 Innovative crystal transformation of dihydrate trehalose to anhydrous trehalose using ethanol
- Régis Daniel (Evry, France), Lionel Chevolot (Cayenne, French Guiana), Montse Carrascal (Barcelona, Spain), Bérangère Tissot (Evry, France), Paulo A. S. Mourão (Rio de Janeiro, Brazil), Joaquín Abian (Barcelona, Spain) 826 Electrospray ionization mass spectrometry of oligosaccharides derived from fucoidan of *Ascophyllum nodosum*

- Giuseppe Mascellani (Modena, Italy), Marco Guerrini, Giangiacomo Torri (Milan, Italy), Lino Liverani, Franco Spelta, Pietro Bianchini (Modena, Italy) 835 Characterization of di- and monosulfated, unsaturated heparin disaccharides with terminal N-sulfated 1,6-anhydro- β -D-glucosamine or N-sulfated 1,6-anhydro- β -D-mannosamine residues
- Jun Xu, Tianwei Tan (Beijing, China), Jan-Christer Janson, Lennart Kenne, Corine Sandström (Uppsala, Sweden) 843 NMR Studies on the interaction between (–)-epigallocatechin gallate and cyclodextrins, free and bonded to silica gels
- Huajin Jin, Chunxi Zha, Lixia Gu (Shanghai, China) 851 Direct dissolution of cellulose in NaOH/thiourea/urea aqueous solution
- Sebastien Givry, Christophe Bliard, Francis Duchiron (Remis Cedex, France) 859 Selective ketopentose analysis in concentrate carbohydrate syrups by HPLC

NOTES

- Tianrong Zhan (Qingdao, Republic of China; Jinan, Republic of China), Hongxiang Lou (Jinan, Republic of China) 865 Synthesis ofazole nucleoside analogues of D-pinitol as potential antitumor agents
- Yalin Wu, Nan Hu, Yuanjiang Pan (Hangzhou, People's Republic of China), Lijun Zhou (Zhejiang, People's Republic of China), Xuxia Zhou (Hangzhou, People's Republic of China) 870 Isolation and characterization of a mannoglucan from edible *Cordyceps sinensis* mycelium
- 877 Graphical contents list

PERSPECTIVE

- John Schutzbach (Ontario, Canada), Helmut Ankel (Paris, France), Inka Brockhausen (Ontario, Canada) 881 Synthesis of cell envelope glycoproteins of *Cryptococcus laurentii*

FULL PAPERS

- Vincent Duléry, Olivier Renaudet, Christian Philouze, Pascal Dumy (Grenoble Cedex, France) 894 α and β L-Fucopyranosyl oxyamines: key intermediates for the preparation of fucose-containing glycoconjugates by oxime ligation
- Sankar Mohan (Burnaby, Canada), Lyann Sim, David R. Rose (Toronto, Canada), B. Mario Pinto (Burnaby, Canada) 901 Synthesis of S-alkylated sulfonium-ions and their glucosidase inhibitory activities against recombinant human maltase glucoamylase
- Shingo Sato, Yuzo Naito, Kazuyori Aoki (Yamagata, Japan) 913 Scandium cation-exchanged montmorillonite catalyzed direct C-glycosylation of a 1,3-diketone, dimedone, with unprotected sugars in aqueous solution
- C. F. Liu (Guangzhou, China), R. C. Sun (Guangzhou, China; Beijing China), A. P. Zhang, J. L. Ren, X. A. Wang (Guangzhou, China), M. H. Qin (Jinan, China), Z. N. Chao, W. Luo (Guangzhou, China) 919 Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using a ionic liquid as reaction medium
- Makoto Urai, Hiroshi Yoshizaki, Hiroshi Anzai, Jun Ogihara, Noriyuki Iwabuchi (Kanagawa, Japan), Shigeaki Harayama (Iwate, Japan), Michio Sunairi, Mutsuyasu Nakajima (Kanagawa, Japan) 927 Structural analysis of mucoidan, an acidic extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4
- Makoto Urai, Hiroshi Yoshizaki, Hiroshi Anzai, Jun Ogihara, Noriyuki Iwabuchi (Kanagawa, Japan), Shigeaki Harayama (Iwate, Japan), Michio Sunairi, Mutsuyasu Nakajima (Kanagawa, Japan) 933 Structural analysis of an acidic, fatty acid ester-bonded extracellular polysaccharide produced by a pristane-assimilating marine bacterium, *Rhodococcus erythropolis* PR4
- Stéphane Lack, Virginie Dulong, Luc Picton, Didier Le Cerf, Eric Condamine (Mont Saint Aignan, France) 943 High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: a proposal for the reaction mechanism

- Tomotsugu Ueno, Shingo Yokota, Takuya Kitaoka, Hiroyuki Wariishi (Fukuoka, Japan) 954 Conformational changes in single carboxymethylcellulose chains on a highly oriented pyrolytic graphite surface under different salt conditions
- Hermínio P. Diogo, Susana S. Pinto, Joaquim J. Moura Ramos (Lisboa, Portugal) 961 Slow molecular mobility in the crystalline and amorphous solid states of pentitols: a study by thermally stimulated depolarisation currents and by differential scanning calorimetry

NOTES

- Carl Johan Arewång (Södertälje, Sweden), Martina Lahmann, Stefan Oscarson (Stockholm, Sweden), Anna-Karin Tidén (Södertälje, Sweden) 970 Synthesis of urine drug metabolites: glucuronic acid glycosides of phenol intermediates
- Lijian Cheng, Qi Chen, Jun Liu, Yuguo Du (Beijing, China) 975 Synthesis of a fluorescence-labeled K30 antigen repeating unit using click chemistry
- Indranil Chakraborty, Soumitra Mondal, Dilip Rout, Krishnendu Chandra, Syed S. Islam (West Bengal, India) 982 Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus *Astraeus hygrometricus*
- 989 Graphical contents list

FULL PAPERS

- Satish D. Shewale, Aniruddha B. Pandit (Mumbai, India) 997 Hydrolysis of soluble starch using *Bacillus licheniformis* α -amylase immobilized on superporous CELBEADS
- Teiichi Murakami, Reiko Hirono, Yukari Sato, Kiyotaka Furusawa (Ibaraki, Japan) 1009 Efficient synthesis of ω -mercaptoalkyl 1,2-*trans*-glycosides from sugar peracetates
- Daniela Comegna, Emiliano Bedini, Annalida Di Nola, Alfonso Iadonisi, Michelangelo Parrilli (Napoli, Italy) 1021 The behaviour of deoxyhexose trihaloacetimidates in selected glycosylations
- Jingbao Li, Feng Han, Xinzhi Lu, Xiaoyan Fu, Cuiping Ma, Yan Chu, Wengong Yu (Qingdao, China) 1030 A simple method of preparing diverse neoagaro-oligosaccharides with β -agarase
- Biswajit Singha, Mausumi Adhya, Bishnu P. Chatterjee (Kolkata, India) 1034 Multivalent II [β -D-Galp-(1 $\rightarrow$ 4)- β -D-GlcpNAc] and T α [β -D-Galp-(1 $\rightarrow$ 3)- α -D-Galp-NAc] specific Moraceae family plant lectin from the seeds of *Ficus bengalensis* fruits
- Bruce Coxon (Bethesda, USA) 1044 A Karplus equation for $^3J_{\text{HCCN}}$ in amino sugar derivatives
- Aslak Einbu, Hans Grasdalen, Kjell M. Vårum (Trondheim, Norway) 1055 Kinetics of hydrolysis of chitin/chitosan oligomers in concentrated hydrochloric acid
- Yan Yang (Jiangsu, China; Shanghai, China), JingSong Zhang, YanFang Liu, QingJiu Tang, ZiGao Zhao (Shanghai, China), WenShui Xia (Jiangsu, China) 1063 Structural elucidation of a 3-*O*-methyl-D-galactose-containing neutral polysaccharide from the fruiting bodies of *Phellinus igniarius*
- Ladislav Šoltés, Katarína Valachová (Bratislava, Slovakia), Raniero Mendichi (Milano, Italy), Grigorij Kogan (Bratislava, Slovakia), Juergen Arnhold (Leipzig, Germany), Peter Gemeiner (Bratislava, Slovakia) 1071 Solution properties of high-molar-mass hyaluronans: the biopolymer degradation by ascorbate
- Ashok Kumar Singh, Shalini Srivastava, Jaya Srivastava, Reena Singh (Allahabad, India) 1078 Kinetics and mechanism of the Ir(III)-catalyzed oxidation of xylose and maltose by potassium iodate in aqueous alkaline medium

NOTES

- Kadir Ay (Manisa, Turkey; Izmir, Turkey), Fatma Çetin, Levent Yüceer (Izmir, Turkey) 1091 The Wittig-cyclization procedure: acid promoted intramolecular formation of 3-C-branched-chain 3,6-anhydro furano sugars via 2'-oxopropylene derivatives
- Mara Rubia Couri, Inácio Luduvico, Leandro Santos, Rosemeire Alves, Maria Auxiliadora Prado, Rossimiriam Freitas Gil (Belo Horizonte, Brazil) 1096 Microwave-assisted efficient preparation of novel carbohydrate tetrazole derivatives
- Xiang-Bao Meng, Yun-Feng Li, Zhong-Jun Li (Beijing China) 1101 Acyl chloride/DABCO-promoted acetal migration of 1,2:4,5-di-*O*-isopropylidene- β -fructopyranose
- Jolanta Bryjak (Wrocław, Poland), Jolita Aniulyte, Jolanta Liesiene (Kaunas, Lithuania) 1105 Evaluation of man-tailored cellulose-based carriers in glucoamylase immobilization
- Sharif Arar (Guelph, Canada), Kenneth H. Chan (Ottawa, Canada), Bette A. Quinn, Rudolf O. Waelchli, M. Anthony Hayes, Keith J. Betteridge, Mario A. Monteiro (Guelph, Canada) 1110 Desialylation of core type 1 *O*-glycan in the equine embryonic capsule coincides with immobilization of the conceptus in the uterus
- Olga G. Ovchinnikova, Ivan S. Bushmarinov, Nina A. Kocharova, Filip V. Toukach (Moscow, Russian Federation), Marianna Wykrota (Łódź, Poland), Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Antoni Rozalski (Łódź Poland) 1116 New structure for the O-polysaccharide of *Providencia alcalifaciens* O27 and revised structure for the O-polysaccharide of *Providencia stuartii* O43
- Debora Nabarlatz, Daniel Montané (Catalunya, Spain), Alžbeta Kardošová, Slávka Bekešová (Bratislava, Slovakia), Věra Hříbalová (Prague, Czech Republic), Anna Ebringerová (Bratislava, Slovakia) 1122 Almond shell xylo-oligosaccharides exhibiting immunostimulatory activity
- Fangming Jin, Jianxun Cao (Sendai, Japan), Hisanori Kishida (Kyoto, Japan), Takehiko Moriya, Heiji Enomoto (Sendai, Japan) 1129 Impact of phenolic compounds on hydrothermal oxidation of cellulose
- Yoshiko Yamamoto, Maki Kurachi, Kenichi Yamaguchi, Tatsuya Oda (Nagasaki, Japan) 1133 Stimulation of multiple cytokine production in mice by alginate oligosaccharides following intraperitoneal administration
- Oussama Ahrazem, Alicia Prieto, Juan Antonio Leal, M. Inmaculada Giménez-Abián, Jesús Jiménez-Barbero, Manuel Bernabé (Madrid, Spain) 1138 Fungal cell wall polysaccharides isolated from *Discula destructiva* spp.
- 1145 Graphical contents list

FULL PAPERS

- Kirubakaran Sivapriya, Perumal Suguna, S. Shubashree, Perali Ramu Sridhar, Srinivasan Chandrasekaran (Bangalore, India) 1151 Novel chalcogenides of thymidine and uridine: synthesis, properties and applications
- Zaihong Zhang, Peng Wang, Ning Ding, Gaopeng Song, Yingxia Li (Qingdao, China) 1159 Total synthesis of cleistetroside-2, partially acetylated dodecanyl tetra- α -mannoside derivative isolated from *Cleistopholis patens* and *Cleistopholis glauca*
- Xiang-Bao Meng, Dong Han, Su-Na Zhang, Wei Guo, Jing-Rong Cui, Zhong-Jun Li (Beijing, China) 1169 Synthesis and anti-inflammatory activity of *N*-phthalimidomethyl 2,3-dideoxy- and 2,3-unsaturated glycosides
- Qian Yang, Ming Lei, Qin-Jian Yin, Jin-Song Yang (Chengdu, China) 1175 Silver(I) oxide-mediated regioselective 2-monoacylation in 3-*O*-benzyl- α -L-rhamno-pyranosides and application in synthesis of a protected tetrasaccharide fragment of potent cytotoxic saponins gleditsiosides C and D

- K. V. P. Pavan Kumar, K. C. Kumara Swamy (Hyderabad, India) 1182 The first structural study on a cyclic tricoordinate phosphorochloridite and a pentacoordinate phosphorane based on 1,2,3,5-protected *myo*-inositol—a new conformation of 1,3,2-dioxaphosphorinane ring
- Athena Webster, Merrill D. Halling, David M. Grant (Salt Lake City, USA) 1189 Metal complexation of chitosan and its glutaraldehyde cross-linked derivative
- Osamu Takahashi, Katsuyoshi Yamasaki (Higashi-Hiroshima, Japan), Yuji Kohno, Ryuta Ohtaki, Kazuyoshi Ueda (Yokohama, Japan), Hiroko Suezawa (Marunouchi, Japan), Yoji Umezawa, Motohiro Nishio (Tokyo, Japan) 1202 The anomeric effect revisited. A possible role of the CH/*n* hydrogen bond
- Glenn P. Johnson, Edwin D. Stevens, Alfred D. French (New Orleans, United States) 1210 Octa-*O*-propanoyl- β -maltose: crystal structure, acyl stacking, related structures, and conformational analysis
- Alfred D. French, Glenn P. Johnson (New Orleans, United States) 1223 Linkage and pyranosyl ring twisting in cyclodextrins

NOTES

- Stefan Jürs, Joachim Thiem (Hamburg, Germany) 1238 From lactose towards a novel galactosylated cyclooctenone
- Xiaoxiong Zeng, Yi Sun, Hong Ye, Jun Liu, Xiaoli Xiang, Bei Zhou (Jiangsu, PR China), Hirotaka Uzawa (Tsukuba, Japan) 1244 Effective chemoenzymatic synthesis of *p*-aminophenyl glycosides of sialyl *N*-acetyl-lactosaminide and analysis of their interactions with lectins
- Gyula Dekany, Inge Lundt (Lyngby, Denmark), Fabian Niedermair, Sabine Bichler, Josef Spreitz, Friedrich K. (Fitz) Sprenger, Arnold E. Stütz (Graz, Austria) 1249 1,5-Anhydro-D-fructose from D-fructose
- Shusheng Wang, Dan Liu (Changchun, PR China; Hefei, PR China), Xu Zhang, Shengyu Li, Yongxu Sun, Jia Li, Yifa Zhou, Liping Zhang (Changchun, PR China) 1254 Study on glycosylated prodrugs of toxoflavins for antibody-directed enzyme tumor therapy
- Andréa Mendes do Nascimento, Dionéia Camilo Rodrigues de Oliveira (Ribeirão Preto, Brazil) 1261 A new 5-deoxyflavone glycoside from the aerial parts of *Calea clauseniana*
- Mirosław Tarnawski (Wrocławskie, Poland), Katarzyna Slepokura, Tadeusz Lis (Wrocław, Poland), Renata Kuliś-Orzechowska, Bogdan Szelepin (Wrocławskie, Poland) 1264 Crystal structure of *N*-(1-deoxy- β -D-fructopyranos-1-yl)-L-proline—an Amadori compound
- Maria Michela Corsaro (Napoli, Italy), Agata Gambacorta (Pozzuoli, Italy), Rosa Lanzetta (Napoli, Italy), Barbara Nicolaus (Pozzuoli, Italy), Giuseppina Pieretti (Napoli, Italy), Ida Romano (Pozzuoli, Italy), Michelangelo Parrilli (Napoli, Italy) 1271 *O*-Allyl decoration on α -glucan isolated from the haloalkaliphilic *Halomonas pantelleriensis* bacterium
- Guang Zhao (Tianjin, PR China), Andrei V. Perepelov, Sofya N. Senchenkova, Alexander S. Shashkov (Moscow, Russian Federation), Lu Feng, Xiaomin Li (Tianjin, PR China), Yuriy A. Knirel (Moscow, Russian Federation), Lei Wang (Tianjin, PR China) 1275 Structural relation of the antigenic polysaccharides of *Escherichia coli* O40, *Shigella dysenteriae* type 9, and *E. coli* K47
- Beata Liberek, Dorota Tuwalska, Antoni Konitz, Artur Sikorski (Gdańsk, Poland) 1280 X-ray diffraction and high-resolution NMR spectroscopy of methyl 3,4-di-*O*-acetyl-1,5-anhydro-2-deoxy-D-*arabino*-hex-1-enopyranuronate
- Jeong-Ah Seo, S. J. Kim, Hyun-Joung Kwon, Y. S. Yang, Hyung Kook Kim, Yoon-Hwae Hwang (Busan, Republic of Korea) 1285 Corrigendum to “The glass transition temperatures of sugar mixtures”. [Carbohydr. Res. 341 (2006) 2516]

1287 Graphical contents list

FULL PAPERS

- Dennis M. Whitfield (Ottawa, Canada), Tomoo Nukada (Tokyo, Japan) 1291 DFT studies of the role of C-2–O-2 bond rotation in neighboring-group glycosylation reactions
- Somak Paul, Narayanaswamy Jayaraman (Bangalore, India) 1305 Synthesis of aryl-2-deoxy-D-*lyxol*arabino-hexopyranosides from 2-deoxy-1-thioglycosides
- Yasuyo Okada, Masanori Semma, Atsushi Ichikawa (Nishinomiya, Japan) 1315 Physicochemical and biological properties of 6¹,6³,6⁵-tri-*O*- α -maltosyl-cyclomaltose (6¹,6³,6⁵-tri-*O*- α -maltosyl- β -cyclodextrin)
- László Orosz, Gyula Batta, Sándor Kéki, Miklós Nagy, György Deák, Miklós Zsuga (Debrecen, Hungary) 1323 Self-association of bis-(α , β -D-glucopyranosyl)-polyisobutylene
- Zhanyong Guo (Qingdao, China; Beijing, China), Rong Xing (Qingdao, China), Song Liu (Qingdao, China; Beijing, China), Zhimei Zhong, Xia Ji, Lin Wang (Qingdao, China; Beijing, China), Pengcheng Li (Qingdao, China) 1329 Antifungal properties of Schiff bases of chitosan, N-substituted chitosan and quaternized chitosan
- Nuno M. Sereno, Sandra E. Hill, John R. Mitchell (Loughborough, UK) 1333 Impact of the extrusion process on xanthan gum behaviour
- Qun Dong, Jian Yao, Ji-nian Fang, Kan Ding (Shanghai, China) 1343 Structural characterization and immunological activity of two cold-water extractable polysaccharides from *Cistanche deserticola* Y. C. Ma
- M. Hricovini, E. Scholtzová, F. Bízík (Bratislava, Slovakia) 1350 B3LYP/6-311++G** study of structure and spin–spin coupling constant in heparin disaccharide
- Alexander Ibach, Matthias Kind (Karlsruhe, Germany) 1357 Crystallization kinetics of amorphous lactose, whey-permeate and whey powders

NOTES

- Steve Castro, Emily C. Cherney, Nicole L. Snyder, Mark W. Pecuh (Storrs, United States) 1366 Synthesis of substituted septanosyl-1,2,3-triazoles
- Naoki Shimada, Haruo Kawamoto, Shiro Saka (Kyoto, Japan) 1373 Solid-state hydrolysis of cellulose and methyl α - and β -D-glucopyranosides in presence of magnesium chloride
- Andrei V. Perepelov, Alexander S. Shashkov (Moscow, Russian Federation), Svetlana V. Tomshich, Nadezhda A. Komandrova, Ol'ga I. Nedashkovskaya (Vladivostok, Russian Federation) 1378 A pseudoaminic acid-containing O-specific polysaccharide from a marine bacterium *Cellulophaga fucicola*
- Gamal A. Ahmed, Ahmed Fawzy, Refat M. Hassan (Assiut, Egypt) 1382 Spectrophotometric evidence for the formation of short-lived hypomanganate(V) and manganate(VI) transient species during the oxidation of *K*-carrageenan by alkaline permanganate
- 1537 Graphical contents list

FULL PAPERS

- Gábor Májer, Anikó Borbás, Tünde Zita Illyés, László Szilágyi, Attila Csaba Béneyi, András Lipták (Debrecen, Hungary) 1393 Synthesis of ketopyranosyl glycosides and determination of their anomeric configuration on the basis of the three-bond carbon–proton couplings
- Qi Chen, Yuguo Du (Beijing, PR China) 1405 Synthesis of sporiolide B from D-glucal

- Young Soo Chung (Daejeon, South Korea; Chungnam, South Korea), Dae Hee Kim, Won Min Seo (Daejeon, South Korea), Hei Chan Lee, Kwangkyoung Liou (Chungnam, South Korea), Tae-Jin Oh, Jae Kyung Sohng (Chungnam, South Korea) 1412 Enzymatic synthesis of dTDP-4-amino-4,6-dideoxy-D-glucose using GerB (dTDP-4-keto-6-deoxy-D-glucose aminotransferase)
- Thorsten Allscher, Peter Klüfers, Oliver Labisch (Munich, Germany) 1419 On the basics of carbohydrate–metal chemistry: complexes of palladium(II) with hydroxyaldehyde and -ketone hydrates
- Taku Satoh (Osaka, Japan; JST, Japan), Shinji Kakimoto, Hiroshi Kano, Mika Nakatani (Osaka, Japan), Seiji Shinkai (Fukuoka, Japan), Takeshi Nagasaki (Osaka, Japan) 1427 In vitro gene delivery to HepG2 cells using galactosylated 6-amino-6-deoxychitosan as a DNA carrier
- Wei Li, Qi Wang, Steve W. Cui (Guelph, Canada), Walther Burchard (Freiburg, Germany), Rickey Yada (Guelph, Canada) 1434 Carbanilation of cereal β -glucans for molecular weight determination and conformational studies
- Jiebing Li, Koki Kisara, Sverker Danielsson, Mikael E. Lindström, Göran Gellerstedt (Stockholm, Sweden) 1442 An improved methodology for the quantification of uronic acid units in xylans and other polysaccharides
- Aleksandra Dąbrowska, Dagmara Jacewicz, Agnieszka Chylewska (Gdańsk, Poland), Andrzej Wojtczak (Toruń, Poland), Lech Chmurzyński (Gdańsk, Poland) 1450 Crystal structures of ethyl 3-azido-2,3-dideoxy-D-arabino-hexopyranoside anomers
- Sung C. Moon, Gustavo A. Echeverría, Graciela Punte (La Plata, Argentina), Javier Ellena (São, Brazil), Luis E. Bruno-Blanch (La Plata, Argentina) 1456 Crystal structure and anticonvulsant activity of ($\pm$)-1,2:4,5-di-O-isopropylidene-3,6-di-O-(2-propylpentanoyl)-*myo*-inositol
- Anders Broberg (Uppsala, Sweden) 1462 High-performance liquid chromatography/electrospray ionization ion-trap mass spectrometry for analysis of oligosaccharides derivatized by reductive amination and N,N-dimethylation
- Alexandra Simperler (Cambridge, UK), Andreas Kornherr (Wien, Austria), Reenu Chopra, William Jones, W. D. Samuel Motherwell (Cambridge, UK), Gerhard Zifferer (Wien, Austria) 1470 The glass transition temperatures of amorphous trehalose–water mixtures and the mobility of water: an experimental and in silico study
- Da'san M. M. Jaradat (Berlin, Germany; Amman, Jordan), Stefan Mebs (Berlin, Germany), Lilianna Chęcińska (Berlin, Germany; Łódź, Poland), Peter Luger (Berlin, Germany) 1480 Experimental charge density of sucrose at 20 K: bond topological, atomic, and intermolecular quantitative properties
- NOTES
- Anne Wadouachi, Ludivine Lescureux, David Lesur, Daniel Beaupère (Amiens, France) 1490 Regioselective synthesis of 6-S-alkyl and 6-S-glycosyl-6-thio-D-mannofuranose derivatives from 5,6-O-cyclic sulfate precursors
- Lijian Cheng, Qi Chen, Yuguo Du (Beijing, China) 1496 Facile synthesis of cleistetroside-2, a partially acetylated oligorhamnoside from *Cleistopholis glauca* and *patens*
- In Su Kim, Sin Jung Kim, Jae Koo Lee, Qing Ri Li, Young Hoon Jung (Suwon, Republic of Korea) 1502 Synthesis of (2R,5S)-dihydroxymethyl-(3R,4R)-dihydropyrrolidine (DGDP) via stereoselective amination using chlorosulfonyl isocyanate
- Yupeng Xie, Yimin Zhao (Beijing, China) 1510 Synthesis of 7-O-galloyl-D-sedoheptulose
- Serena Leone, Antonio Molinaro (Napoli, Italy), Ian Dubery (Auckaland Park, South Africa), Rosa Lanzetta, Michelangelo Parrilli (Napoli, Italy) 1514 The O-specific polysaccharide structure from the lipopolysaccharide of the Gram-negative bacterium *Raoultella terrigena*
- Anastasia Paulidou, Petros Giastas, Nikolaos Mourtzis, Konstantina Yannakopoulou, Irene M. Mavridis (Athens, Greece) 1519 Crystal and molecular structure of octakis(6-bromo-6-deoxy)- γ -cyclodextrin. A novel stacking of a distorted macrocycle

Héloïse Thérien-Aubin, Florence Janvier, Wilms E. Baille, X. X. Zhu, Robert H. Marchessault (Québec, Canada)	1525	Study of hydration of cross-linked high amylose starch by solid state ^{13}C NMR spectroscopy
En-Ju Wang, Zier Yan, Jiwen Cai (Guangzhou, PR China)	1530	Crystal structure of a cyclomaltoheptaose–4-hydroxybiphenyl inclusion complex
	1535	Meeting Announcement
	1537	Graphical contents list
	1549	Foreword

REVIEWS

Sankar Mohan, B. Mario Pinto (Columbia, Canada)	1551	Zwitterionic glycosidase inhibitors: salacinol and related analogues
Magda Faijes, Antoni Planas (Barcelona, Spain)	1581	In vitro synthesis of artificial polysaccharides by glycosidases and glycosynthases
José Antonio Morales-Serna, Omar Boutureira, Yolanda Díaz, M. Isabel Matheu, Sergio Castellón (Taragona, Spain)	1595	Recent advances in the glycosylation of sphingosines and ceramides
Maria Hrmova, Geoffrey B. Fincher (Osmond, Australia)	1613	Dissecting the catalytic mechanism of a plant β -D-glucan glucohydrolase through structural biology using inhibitors and substrate analogues

FULL PAPERS

Richard W. Denton, Kuriserry A. Tony (New York, United States), José Juan Hernández-Gay, F. Javier Cañada, Jesús Jiménez-Barbero (Madrid, Spain), David R. Mootoo (New York, United States)	1624	Synthesis and conformational behavior of the difluoromethylene linked C-glycoside analog of β -galactopyranosyl-(1 $\leftrightarrow$ 1)- α -mannopyranoside
Yan Lu, Jacquelyn Gervay-Hague (Davis, United States)	1636	Synthesis of C-4 and C-7 triazole analogs of zanamivir as multivalent sialic acid containing scaffolds
Črtomir Podlipnik, Ingrid Velter, Barbara La Ferla, Gilles Marcou, Laura Belvisi, Francesco Nicotra, Anna Bernardi (Milano, Italy)	1651	First round of a focused library of cholera toxin inhibitors
Wang Chen (Columbia, Canada), Lyann Sim, David R. Rose (Toronto, Canada), B. Mario Pinto (Columbia, Canada)	1661	Synthesis of analogues of salacinol containing a carboxylate inner salt and their inhibitory activities against human maltase glucoamylase
Zhong-Xu Ren, Qiang Yang, Kenneth N. Price, Tianniu Chen, Cara Nygren, John F. C. Turner, David C. Baker (Knoxville, USA)	1668	Synthesis of a C-linked hyaluronic acid disaccharide mimetic
Yasuhiro Kajihara, Toshimi Kamitani (Yokohama, Japan), Reiko Sato (Yokohama, Japan), Naoki Kamei (Chiba, Japan), Tatsuo Miyazaki, Ryo Okamoto (Yokohama, Japan), Thoru Sakakibara (Yokohama, Japan), Takashi Tsuji (Chiba, Japan), Takeshi Yamamoto (Shizuoka, Japan)	1680	Synthesis of CMP-9''-modified-sialic acids as donor substrate analogues for mammalian and bacterial sialyltransferases
João Sardinha (Paris, France; Lisboa, Portugal), Samuel Guieu, Aurélie Deleuze (Paris, France), M. Carmen Fernández-Alonso (Madrid, Spain), Amelia Pilar Rauter (Lisboa, Portugal), Pierre Sinaÿ (Paris, France), Jérôme Marrot (Cedex, France), Jesús Jiménez-Barbero (Madrid, Spain), Matthieu Sollogoub (Paris, France)	1689	<i>gem</i> -Difluoro-carbasugars, the cases of mannopyranose and galactopyranose

- Thomas Jöge, Martin Jesberger, Patrick Bröker, 1704 Synthetic access to spacer-linked 3,6-diamino-2,3,6-trideoxy- α -D-glucopyranosides—potential aminoglycoside mimics for the inhibition of the HIV-1 TAR-RNA/Tat-peptide complex
Andreas Kirschning (Hannover, Germany)
- Katharina Elsner, Mike M. K. Boysen, Thisbe 1715 Synthesis of new polyether glycodendrons as oligosaccharide mimetics
K. Lindhorst (Kiel, Germany)
- Dennis M. Whitfield (Ottawa, Canada) 1726 DFT studies of the ionization of alpha and beta glycopyranosyl donors
- Pui-Hang Tam, Todd L. Lowary (Edmonton, Canada) 1741 Synthesis of deoxy and methoxy analogs of octyl α -D-mannopyranosyl-(1 $\rightarrow$ 6)- α -D-mannopyranoside as probes for mycobacterial lipoarabinomannan biosynthesis
- Chris B. Davis (Queensland, Australia), Regan 1773 Synthesis and biological evaluation of galactofuranosyl alkyl thioglycosides as inhibitors of mycobacteria
D. Hartnell (Queensland, Australia), Paul D. Madge (Queensland, Australia), David J. Owen (Queensland, Australia), Robin J. Thomson (Queensland, Australia), Andrew K. J. Chong (Queensland, Australia), Ross L. Coppel (Clayton, Australia), Mark von Itzstein (Queensland, Australia)
- Karel Křenek, Markéta Kuldová, Katarína Hulíková, 1781 *N*-Acetyl-D-glucosamine substituted calix[4]arenes as stimulators of NK cell-mediated antitumor immune response
Ivan Stibor, Pavel Lhoták, Miroslav Dudič, Jan Budka, Helena Pelantová, Karel Bezouška, Anna Fišerová, Vladimír Křen (Praha, Czech Republic)
- Peter J. Meloncelli, Tracey M. Williams, Peter 1793 The synthesis of 2-, 3-, 4- and 6-*O*- α -D-glucopyranosyl-D-galactopyranose, and their evaluation as nutritional supplements for pre-term infants
E. Hartmann, Robert V. Stick (Crawley, Australia)
- Caterina Murruzzu, Mònica Alonso (Barcelona, 1805 Synthesis and NMR experiments of (4,5,6- 13 C)-deoxymannojirimycin. A new entry to 13 C-labeled glycosidase inhibitors
Spain), Angeles Canales (Madrid, Spain), Jesus Jiménez-Barbero (Madrid, Spain), Antoni Riera (Barcelona, Spain)
- Laura Cipolla, Marcos Reis Fernandes, 1813 Synthesis and biological evaluation of a small library of nojirimycin-derived bicyclic iminosugars
Maria Gregori, Cristina Airoidi, Francesco Nicotra (Milano, Italy)
- Frank Schweizer (Manitoba, Canada) 1831 Synthesis of fluorescently labelled and internally quenched UDP-Gal probes
- María Laura Uhrig (Buenos Aires, Argentina), 1841 Synthesis of non-glycosidic 4,6'-thioether-linked disaccharides as hydrolytically stable glycomimetics
László Szilágyi, Katalin E. Kövér (Debrecen, Hungary), Oscar Varela (Buenos Aires, Argentina)
- Andreas J. Steiner, Arnold E. Stütz (Graz, Austria), 1850 Iminoalditol-amino acid hybrids: synthesis and evaluation as glycosidase inhibitors
Chris A. Tarling, Stephen G. Withers (Vancouver, Canada), Tanja M. Wrodnigg (Graz, Austria)
- Silvia Mari (Madrid, Spain), Inmaculada Sánchez- 1859 Synthesis and conformational analysis of an α -D-mannopyranosyl-(1 $\rightarrow$ 2)- α -D-mannopyranosyl-(1 $\rightarrow$ 6)- α -D-mannopyranose mimic
Medina, Pierangelo Mereghetti, Laura Belvisi (Milano, Italy), Jesus Jiménez-Barbero (Madrid, Spain), Anna Bernardi (Milano, Italy)
- Johan Tejler, Fredrik Skogman, Hakon Leffler, Ulf 1869 Synthesis of galactose-mimicking 1*H*-(1,2,3-triazol-1-yl)-mannosides as selective galectin-3 and 9N inhibitors
J. Nilsson (Lund, Sweden)
- Antonio J. Herrera, Marita T. Beneitez, Luis Amorim 1876 Synthesis of a bicyclic analog of L-iduronic acid adopting the biologically relevant 2S_0 conformation
(Paris Cedex, France; Paris, France), F. Javier Cañada, Jesús Jiménez-Barbero (Madrid, Spain), Pierre Sinaÿ, Yves Blériot (Paris Cedex, France; Paris, France)

- Ravindranath Nasi (British Columbia, Canada), 1888 Synthesis and glycosidase inhibitory activities of chain-modified analogues of the
Lyann Sim, David R. Rose (Toronto, Canada), B. glycosidase inhibitors salacinol and blintol
Mario Pinto (British Columbia, Canada)
- Naoki Fujitani, Hiroki Shimizu (Sapporo, Japan), 1895 Structural transition of a 15 amino acid residue peptide induced by GM1
Teruhiko Matsubara (Yokohama, Japan),
Takashi Ohta, Yuuki Komata, Nobuaki Miura
(Sapporo, Japan), Toshinori Sato (Yokohama,
Japan), Shin-Ichiro Nishimura (Sapporo,
Japan)
- Astrid Blume (Lübeck, Germany), Björn Neubacher, 1904 Donor substrate binding to trans-sialidase of *Trypanosoma cruzi* as studied by STD
Joachim Thiem (Hamburg, Germany), Thomas Peters NMR
(Lübeck, Germany)
- Paloma Vidal (Madrid, Spain), Boris Vauzeilles 1910 Conformational behaviour of glycomimetics: NMR and molecular modelling studies
(Orsay, France), Yves Blériot, Matthieu Sollogoub, of the C-glycoside analogue of the disaccharide methyl β -D-galactopyranosyl-(1 $\rightarrow$ 3)-
Pierre Sinaÿ (Paris Cedex, France; Paris, France), β -D-glucopyranoside
Jesús Jiménez-Barbero, Juan F. Espinosa (Madrid,
Spain)
- Víctor García-Aparicio (Madrid, Spain), 1918 The conformation of the C-glycosyl analogue of N-acetyl-lactosamine in the free state
Matthieu Sollogoub, Yves Blériot, Virginie Colliou and bound to a toxic plant agglutinin and human adhesion/growth-regulatory
(Paris Cedex, France; Paris, France), Sabine André galectin-1
(München, Germany), Juan L. Asensio, F.
Javier Cañada (Madrid, Spain), Hans-
Joachim Gabius (München, Germany), Pierre Sinaÿ
(Paris Cedex, France; Paris, France), Jesús Jiménez-
Barbero (Madrid, Spain)
- NOTES
- Zbigniew J. Witzak, David Lorchak, 1929 A click chemistry approach to glycomimetics: Michael addition of 2,3,4,6-tetra-*O*-
Nguyen Nguyen (Wilkes-Barre, United States) acetyl-1-thio- β -D-glucopyranose to 4-deoxy-1,2-*O*-isopropylidene-L-glycero-pent-4-
enopyranos-3-ulose – a convenient route to novel 4-deoxy-(1 $\rightarrow$ 5)-5-*C*-thiodi-
saccharides
- Ramakrishna G. Bhat, Nag S. Kumar, B. Mario Pinto 1934 Synthesis of phosphate derivatives related to the glycosidase inhibitor salacinol
(British Columbia, Canada)
- Rikard Slättegård (Stockholm, Sweden), David 1943 Synthesis of fused bicyclic thioglycosides of N-acylated glucosamine as analogues of
W. Gammon (Rondebosch, South Africa), mycothiol
Stefan Oscarson (Stockholm, Sweden)
- Patricia Gonzalez-Bulnes, Josefina Casas, 1947 Practical synthesis of (–)-1-amino-1-deoxy-*myo*-inositol from achiral precursors
Antonio Delgado, Amadeu Llebaria (Barcelona, Spain)
- Christina Loukou, Manuela Tosin, Helge Müller- 1953 Synthesis of sugar-lactams from azides of glucuronic acid
Bunz, Paul V. Murphy (Dublin, Ireland)
- Charlotte Boucheron, Sylvestre Toumieux, 1960 Synthesis of 4-*O*-glycosylated 1-deoxynojirimycin derivatives as disaccharide mimics-
Philippe Compain, Olivier R. Martin (Orléans, based inhibitors of human β -glucocerebrosidase
France), Kyoko Ikeda, Naoki Asano (Kanazawa, Japan)
- José Juan Hernández-Gay (Madrid, Spain), 1966 The conformational behaviour of the C-glycosyl analogue of sulfatide studied by
Luigi Panza (Novara, Italy), Fiamma Ronchetti NMR in SDS micelles
(Milano, Italy), F. Javier Cañada (Madrid, Spain), Federica Compostella (Milano, Italy),
Jesús Jiménez-Barbero (Madrid, Spain)

- Víctor García-Aparicio (Madrid, Spain), Adeline Malapelle, Zouleika Abdallah, Gilles Doisneau (Orsay Cedex, France), José Ignacio Santos, Juan Luis Asensio, Francisco Javier Cañada (Madrid, Spain), Jean Marie Beau (Orsay Cedex, France), Jesús Jiménez-Barbero (Madrid, Spain) 1974 The solution conformation of C-glycosyl analogues of the sialyl-Tn antigen

- 1983 Graphical contents list

RAPID COMMUNICATION

- Nezha Badi, Philippe Guégan (Evry, France) 1989 Per-O-(3-hydroxy)propyl- β -cyclodextrin: a cyclodextrin derivative bearing only primary hydroxyl groups

FULL PAPERS

- Dag Ekeberg, Svein Morgenlie, Yngve Stenstrøm (Ås, Norway) 1992 Aldose–ketose interconversion in pyridine in the presence of aluminium oxide
- Ian James Gray, Ronald Kluger (Ontario, Canada) 1998 Chelation-controlled regioselectivity in the lanthanum-promoted monobenzoylation of monosaccharides in water
- Ning Ding, Chunxia Li, Yunpeng Liu, Zaihong Zhang, Yingxia Li (Qingdao, China) 2003 Concise synthesis of clathramnoside, a novel glycosphingolipid isolated from the marine sponge *Agela clathrodes*
- Fiona L. Lin, Herman van Halbeek, Carolyn R. Bertozzi (Berkeley, United States) 2014 Synthesis of mono- and dideoxygenated α,α -trehalose analogs
- Pascal F. Tankam, Petra Mischnick, Henning Hopf, Peter G. Jones (Braunschweig, Germany) 2031 Modification of methyl O-propargyl-D-glucosides: model studies for the synthesis of alkynyl based functional polysaccharides
- Pascal F. Tankam, Romy Müller, Petra Mischnick, Henning Hopf (Braunschweig, Germany) 2049 Alkynyl polysaccharides: synthesis of propargyl potato starch followed by subsequent derivatizations
- Nikolay P. Arbatsky, Anna N. Kondakova, Sofya N. Senchenkova (Moscow, Russia), Malgorzata Siwińska (Łódź, Poland), Alexander S. Shashkov (Moscow, Russia), Krystyna Zych (Łódź, Poland), Yuriy A. Knirel (Moscow, Russia), Zygmunt Sidorczyk (Łódź, Poland) 2061 Structure of a new ribitol teichoic acid-like O-polysaccharide of a serologically separate *Proteus vulgaris* strain, TG 276-1, classified into a new *Proteus* serogroup O53
- Marcia R. Torres, Alessandra P. A. Sousa, Eduardo A. T. Silva Filho, Dirce F. Melo, Judith P. A. Feitosa, Regina C. M. de Paula, Maria G. S. Lima (Ceará, Brazil) 2067 Extraction and physicochemical characterization of *Sargassum vulgare* alginate from Brazil
- Vasileios G. Charalampopoulos, John C. Papaioannou (Athens, Greece) 2075 Two interconverting pentaoidide forms in the cyclomaltohexaose (α -cyclodextrin) polyiodide inclusion complex with sodium ion: dielectric and Raman spectroscopy studies
- Mohsen Tafazzoli, Mina Ghiasi (Tehran, Iran) 2086 New Karplus equations for $^2J_{HH}$, $^3J_{HH}$, $^2J_{CH}$, $^3J_{CH}$, $^3J_{COCH}$, $^3J_{CSCH}$, and $^3J_{CCCH}$ in some aldohexopyranoside derivatives as determined using NMR spectroscopy and density functional theory calculations
- Vincent Kräutler, Martin Müller, Philippe H. Hünenberger (Zürich, Switzerland) 2097 Conformation, dynamics, solvation and relative stabilities of selected β -hexopyranoses in water: a molecular dynamics study with the GROMOS 45A4 force field

NOTES

- Antonio Procopio (Roccelletta di Borgia, Italy), Renato Dalpozzo, Antonio De Nino, Loredana Maiuolo, Monica Nardi (Arcavacata di Rende, Italy), Manuela Oliverio, Beatrice Russo (Roccelletta di Borgia, Italy) 2125 A facile $\text{Er}(\text{OTf})_3$ -catalyzed synthesis of 2,3-unsaturated O- and S-glycosides
- Matthias Lergenmüller, Frieder W. Lichtenthaler (Darmstadt, Germany) 2132 Glucuronic acid-based ulosyl donors for introducing α -D-GlcA and β -D-ManA units
- Jolanta Kumirska, Janusz Szafraniek, Małgorzata Czerwicka, Monika Paszkiewicz, Halina Dziadziuszko, Danuta Kunikowska, Piotr Stepnowski (Gdańsk, Poland) 2138 The structure of the O-polysaccharide isolated from the lipopolysaccharide of *Salmonella* Dakar (serogroup O:28)
- Olga G. Ovchinnikova, Nina A. Kocharova (Moscow, Russian Federation), Marianna Wykrota (Łódź, Poland), Alexander S. Shashkov, Yuriy A. Knirel (Moscow, Russian Federation), Antoni Rozalski (Łódź, Poland) 2144 Structure of a colitose-containing O-polysaccharide from the lipopolysaccharide of *Providencia alcalifaciens* O6
- Zhong-Fu Wang, Yuan He, Lin-Juan Huang (Xi'an, China) 2149 An alternative method for the rapid synthesis of partially O-methylated alditol acetate standards for GC–MS analysis of carbohydrates
- 2153 Graphical contents list

RAPID COMMUNICATION

- Tadashi Hanaya, Hiroki Baba, Hiroshi Yamamoto (Okayama, Japan) 2159 First synthesis of tepidopterin [2'-O-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-L-threo-biopterin]

FULL PAPERS

- Wang Chen, B. Mario Pinto (British Columbia, Canada) 2163 Synthesis of aza- and thia-spiroheterocycles and attempted synthesis of spiro sulfonium compounds related to salacinol
- Yuki Nishi, Naoe Yamane, Toshiko Tanimoto (Nishinomiya, Japan) 2173 Preparation and characterization of 6¹,6ⁿ-di-O-(L-fucopyranosyl)- β -cyclodextrin ($n = \text{II–IV}$) and investigation of their functions
- Hiroyuki Miyashita, Tsuyoshi Ikeda, Toshihiro Nohara (Kumamoto, Japan) 2182 Synthesis of neosaponins and neoglycolipids containing a chacotriosyl moiety
- Kristin J. Mattern, William M. Deen (Cambridge, USA) 2192 Binding of glycosaminoglycans to cyano-activated agarose membranes: kinetic and diffusional effects on yield and homogeneity
- Gérald Lopez, Caroline Nugier-Chauvin (Rennes, France), Caroline Rémond, Michael O'Donohue (Reims, France) 2202 Investigation of the specificity of an α -L-arabinofuranosidase using C-2 and C-5 modified α -L-arabinofuranosides
- Hong-Ming Chen, Stephen G. Withers (British Columbia, Canada) 2212 Syntheses of the 3- and 4-thio analogues of 4-nitrophenyl 2-acetamido-2-deoxy- β -D-glucopyranoside and galactopyranoside
- Malcolm B. Perry, Leann L. MacLean (Ottawa, Canada), Marianna A. Patrauchan (British Columbia, Canada), Evgeny Vinogradov (Ottawa, Canada) 2223 The structure of the exocellular polysaccharide produced by *Rhodococcus* sp. RHA1
- Hong Qiu, Wei Tang, Xiankun Tong, Kan Ding, Jianping Zuo (Shanghai, China) 2230 Structure elucidation and sulfated derivatives preparation of two α -D-glucans from *Gastrodia elata* Bl. and their anti-dengue virus bioactivities
- Chaoyang Wang, Shiqu Ye, Lin Dai, Xinxing Liu, Zhen Tong (Guangzhou, China) 2237 Enzymatic desorption of layer-by-layer assembled multilayer films and effects on the release of encapsulated indomethacin microcrystals

- K. C. Gupta, Fawzi Habeeb Jabrail (Roorkee, India) 2244 Glutaraldehyde cross-linked chitosan microspheres for controlled release of cenchroman
- Daris Kuakpetoon (Bangkok, Thailand), Ya-Jane Wang (Fayetteville, USA) 2253 Internal structure and physicochemical properties of corn starches as revealed by chemical surface gelatinization
- Alan H. Haines, David L. Hughes (Norwich, UK) 2264 The crystal structures of 1,2,3,4,6-penta-*O*-trimethylacetyl- and 1,2,3,4,6-penta-*O*-dimethylacetyl- β -D-glucopyranose
- Udo Schnupf, J. L. Willett, Wayne B. Bosma, Frank A. Momany (Peoria, United States) 2270 DFT studies of the disaccharide, α -maltose: relaxed isopotential maps
- Â. M. L. Denadai (Belo Horizonte, Brazil; Uned Timóteo, Brazil), Karina I. Teixeira, Marcelo M. Santoro, Adriano M. C. Pimenta (UFMG, Brazil), Maria E. Cortés (Uned Timóteo, Brazil), Rubén D. Sinisterra (Belo Horizonte, Brazil) 2286 Supramolecular self-assembly of β -cyclodextrin: an effective carrier of the anti-microbial agent chlorhexidine

NOTES

- Pedro A. Colinas, Rodolfo D. Bravo (La Plata, Argentina) 2297 Ferrier sulfonamidoglycosylation of D-glycals
- Marie-Hélène Gouy, Mathieu Danel, Maud Gayral (Villeurbanne, France), Alain Bouchu (Thumeries, France), Yves Queneau (Villeurbanne, France) 2303 Preparation of 6,6,1',1',6',6'-hexadeutero sucrose
- Saibal Kumar Das, K. Anantha Reddy, K. Mukkanti (Hyderabad, India) 2309 Total synthesis of phenylpropanoid glycosides, grayanoside A and syringalide B, through a common intermediate
- Laurence Marmuse (Grenoble, France), Michèle Asther, David Navarro, Laurence Lesage-Meessen, Marcel Asther (Marseille, France), Sébastien Fort, Hugues Driguez (Grenoble, France) 2316 Chromogenic substrates for feruloyl esterases
- Edward Tarelli (London, UK) 2322 Resistance to deglycosylation by ammonia of IgA1 O-glycopeptides: implications for the β -elimination of *O*-glycans linked to serine and threonine
- Seon-Joo Yoon (Rio de Janeiro, Brazil; Seoul, Republic of Korea), Yu-Ryang Pyun, Jae-Kwan Hwang (Seoul, Republic of Korea), Paulo A. S. Mourão (Rio de Janeiro, Brazil) 2326 A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity
- 2331 Graphical contents list

FULL PAPERS

- Tohru Sakakibara, Shinya Narumi, Ichiro Matsuo, Saeko Okada, Takanori Nakamura (Yakohama, Japan) 2339 Preparation of 2-C- and 3-C-cyano-2-enopyranoside derivatives and their epoxidation
- Justin Nijdam (Christchurch, New Zealand), Alexander Ibach, Klaus Eichhorn, Matthias Kind (Karlsruhe, Germany) 2354 An X-ray diffraction analysis of crystallised whey and whey-permeate powders
- Steve Helle (Prince George, Canada), Nicole M. Bennett, Karen Lau, Justin H. Matsui, Sheldon J. B. Duff (Vancouver, Canada) 2365 A kinetic model for production of glucose by hydrolysis of levoglucosan and cello-biosan from pyrolysis oil
- Ryo Kakutani (Osaka, Japan), Yoshiyuki Adachi (Tokyo, Japan), Hideki Kajiura, Hiroki Takata, Takashi Kuriki (Osaka, Japan), Naohito Ohno (Tokyo, Japan) 2371 Relationship between structure and immunostimulating activity of enzymatically synthesized glycogen

- Sadhan K. Roy, Krishnendu Chandra, Kaushik Ghosh, Subhas Mondal, Debabrata Maiti, Arnab K. Ojha, Debsankar Das, Soumitra Mondal, Indranil Chakraborty, Syed S. Islam (West Bengal, India) 2380 Structural investigation of a heteropolysaccharide isolated from the pods (fruits) of *Moringa oleifera* (Sajina)
- Zhimei Zhong (Qingdao, China; Beijing, China), Rong Chen, Rong Xing (Qingdao, China), Xiaolin Chen, Song Liu, Zhanyong Guo, Xia Ji, Lin Wang (Qingdao, China; Beijing, China), Pengcheng Li (Qingdao, China) 2390 Synthesis and antifungal properties of sulfanilamide derivatives of chitosan
- Sajjad Khodaei, Nasser L. Hadipour (Tehran, Iran), Mohammad Reza Kasaii (Mazandaran, Iran) 2396 Theoretical investigation of hydrogen bonding effects on oxygen, nitrogen, and hydrogen chemical shielding and electric field gradient tensors of chitosan/HI salt
- Yury Herasimenka, Paola Cescutti (Trieste, Italy), Giuseppe Impallomeni (Catania, Italy), Roberto Rizzo (Trieste, Italy) 2404 Exopolysaccharides produced by *Inquilinus limosus*, a new pathogen of cystic fibrosis patients: novel structures with usual components
- Bao-Lin Guo, Qing-Yu Gao (Henan, People's Republic of China) 2416 Preparation and properties of a pH/temperature-responsive carboxymethyl chitosan/poly(*N*-isopropylacrylamide)semi-IPN hydrogel for oral delivery of drugs
- Theruvathil K. Sini, Sethumadhavan Santhosh, Paruthapara T. Mathew (Kerala, India) 2423 Study on the production of chitin and chitosan from shrimp shell by using *Bacillus subtilis* fermentation
- Inmaculada Sánchez-Medina, Gerrit J. Gerwig (Utrecht, The Netherlands), Zoltan L. Urshev (Sofia, Bulgaria), Johannis P. Kamerling (Utrecht, The Netherlands) 2430 Structure of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B26

NOTES

- Janaína V. dos Anjos (Villeurbanne, France; Recife, Brazil), Denis Sinou (Villeurbanne, France), Sebastiao J. de Melo, Rajendra M. Srivastava (Recife, Brazil) 2440 Synthesis of glycosyl-triazole linked 1,2,4-oxadiazoles
- Ariane Bercier, Richard Plantier-Royon, Charles Portella (Reims, France) 2450 Convenient conversion of wheat hemicelluloses pentoses (D-xylose and L-arabinose) into a common intermediate
- Toshiyuki Takano, Junya Ishikawa, Hiroshi Kamitakahara, Fumiaki Nakatsubo (Kyoto, Japan) 2456 The application of microwave heating to the synthesis of 6-amino-6-deoxycellulose
- Fen-Er Chen, Jian-Feng Zhao, Fang-Jun Xiong, Bin Xie, Ping Zhang (Shanghai, People's Republic of China) 2461 An improved synthesis of a key intermediate for (+)-biotin from D-mannose
- Rosal Agustí, María Eugenia Giorgi, Rosa M. de Lederkremer (Buenos Aires, Argentina) 2465 The *trans*-sialidase from *Trypanosoma cruzi* efficiently transfers α -(2→3)-linked *N*-glycolylneuraminic acid to terminal β -galactosyl units
- Stéphanie Bondu (Plouzané, France), Nelly Kervarec (Brest, France), Eric Deslandes (Plouzané, France), Roger Pichon (Brest, France) 2470 Separation of floridoside and isofloridosides by HPLC and complete ^1H and ^{13}C NMR spectral assignments for D-isofloridoside
- Leann MacLean, Malcolm B. Perry, Ludmila Nossova (Ottawa, Canada), Heidi Kaplan (Houston, USA), Evgeny Vinogradov (Ottawa, Canada) 2474 The structure of the carbohydrate backbone of the LPS from *Myxococcus xanthus* strain DK1622
- Frank Schmid (Bendiga, Australia), Frances Separovic (Melbourne, Australia), Barbara M. McDougall (Bendiga, Australia), Bruce A. Stone, Robert T. C. Brownlee (Bundoora, Australia), Robert J. Seviour (Bendiga, Australia) 2481 Characterisation of the extracellular polysaccharides produced by isolates of the fungus *Acremonium*

- Krishnendu Chandra, Kaushik Ghosh, Sadhan K. Roy, Subhas Mondal, Debabrata Maiti, Arnab K. Ojha, Debsankar Das (West Midnapore, India), Soumitra Mondal (Purba Medinipur, India), Syed S. Islam (West Midnapore, India) 2484 A water-soluble glucan isolated from an edible mushroom *Termitomyces microcarpus*
- Shiho Suzuki (Osaka, Japan), Bo Ying, Hideki Yamane (Kyoto, Japan), Hideki Tachi, Katsumasa Shimahashi, Kozo Ogawa, Shinichi Kitamura (Osaka, Japan) 2490 Surface structure of chitosan and hybrid chitosan-amylose films—restoration of the antibacterial properties of chitosan in the amylose film
- Dongwei Wei, Weiping Qian, Yi Shi, Shaohua Ding, Yan Xia (Nanjing, PR China) 2494 Mass synthesis of single-crystal gold nanosheets based on chitosan
- Zhi Fan, Chun-Hua Diao, Min-Jie Guo, Rong-Juan Du, Yuan-Fang Song, Zuo-Liang Jing, Ming Yu (Tianjin, PR China) 2500 An investigation of the inclusion complex of β -cyclodextrin with *p*-nitrobenzoic acid in the solid state

2505 Graphical contents list

FULL PAPERS

- Joy Krishna Maity, Subhranshu Mukherjee (Kolkata, India), Michael G. B. Drew (Whiteknights, UK), Basudeb Achari, Sukhendu B. Mandal (Kolkata, India) 2511 First example of 5/6-O-linked pseudosaccharides: synthesis of bicyclic nucleosides containing azido or extended carbohydrate moiety
- María L. Bohn, María I. Colombo, Pablo L. Pisano (Rosario, Argentina), Carlos A. Stortz (Buenos Aires, Argentina), Edmundo A. Rúveda (Rosario, Argentina) 2522 Differential O-3/O-4 regioselectivity in the glycosylation of α and β anomers of 6-O-substituted *N*-dimethylmaleoyl-protected D-glucosamine acceptors
- Edit Balla, Alla Zamyatina, Andreas Hofinger, Paul Kosma (Vienna, Austria) 2537 Synthesis of a deoxy analogue of ADP L-glycero-D-manno-heptose
- Fuyi Zhang, Andrea Vasella (Zürich, Switzerland) 2546 Regioselective synthesis of 1^I,1^{II},5^I,5^{II},6^I,6^{II},6^{II}-²H₈-cellobiose
- Klaus Bollig, Marc Lamshöft (Koeln, Germany), Kristian Schweimer (Bayreuth, Germany), Franz-Josef Marner, Herbert Budzikiewicz, Sabine Waffenschmidt (Koeln, Germany) 2557 Structural analysis of linear hydroxyproline-bound O-glycans of *Chlamydomonas reinhardtii*—conservation of the inner core in *Chlamydomonas* and land plants
- Yasuto Sato, Yuko Fukuyama, Hiroshi Nonami (Matsuyama, Japan), Rosa Erra-Balsells, Carlos A. Stortz, Alberto S. Cerezo, María C. Matulewicz (Buenos Aires, Argentina) 2567 Matrix-assisted ultraviolet laser desorption/ionization time-of-flight (UV-MALDI-TOF) mass spectra of N-acylated and N,O-acylated glycosylamines
- Admir Munanairi, Steven K. O'Banion, Ryan Gamble, Elizabeth Breuer, Andrew W. Harris, Roger K. Sandwick (Middlebury, United States) 2575 The multiple Maillard reactions of ribose and deoxyribose sugars and sugar phosphates
- Shingo Yokota, Tomotsugu Ueno, Takuya Kitaoka, Hiroyuki Wariishi (Fukuoka, Japan) 2593 Molecular imaging of single cellulose chains aligned on a highly oriented pyrolytic graphite surface
- M. Inmaculada Giménez-Abián, Manuel Bernabé, J. Antonio Leal, Jesús Jiménez-Barbero, Alicia Prieto (Madrid, Spain) 2599 Structure of a galactomannan isolated from the cell wall of the fungus *Lineolata rhizophorae*
- Anthony Dona (Sydney, Australia; St Lucia, Australia), Chun-Wai Wayne Yuen (Sydney, Australia), Jonathan Peate (Sydney, Australia; St Lucia, Australia), Robert G. Gilbert (St Lucia, Australia), Patrice Castignolles, Marianne Gaborieau (Sydney, Australia; St Lucia, Australia) 2604 A new NMR method for directly monitoring and quantifying the dissolution kinetics of starch in DMSO

- Rui Tada (Tokyo, Japan), Toshie Harada (Tokyo, Japan; Saitama, Japan), Noriko Nagi-Miura, Yoshiyuki Adachi (Tokyo, Japan), Mitsuhiro Nakajima (Saitama, Japan), Toshiro Yadomae (Tokyo, Japan; Saitama, Japan), Naohito Ohno (Tokyo, Japan) 2611 NMR characterization of the structure of a β -(1 $\rightarrow$ 3)-D-glucan isolate from cultured fruit bodies of *Sparassis crispa*

- Ji-Hong Li, Mark J. Guiltinan, Donald B. Thompson (University Park, USA) 2619 Mutation of the maize *sbe1a* and *ae* genes alters morphology and physical behavior of wx-type endosperm starch granules

NOTES

- Dong Jun Lee, Renata Kowalczyk, Victoria J. Muir (Auckland, New Zealand), Phillip M. Rendle (Lower Hutt, New Zealand), Margaret A. Brimble (Auckland, New Zealand) 2628 A comparative study of different glycosylation methods for the synthesis of D-mannopyranosides of *N* α -fluorenylmethoxycarbonyl-*trans*-4-hydroxy-L-proline allyl ester

- Maximilien Barbier, Eric Grand, José Kovensky (Amiens, France) 2635 Allyl deprotection of galacturonic acid derivatives: mechanistic aspects of mercuric-catalyzed prop-1-enyl acetal cleavage

- Takayuki Ando, Hisashi Shinohara, Xiong Luo, Mahmoud Kandeel, Yukio Kitade (Gifu, Japan) 2641 Facile synthesis of 1',2'-*cis*- β -pyranosyladenine nucleosides

- Jean-Pierre Utille, Isabelle Jeacomine (Grenoble Cedex, France) 2649 Synthesis of a library of allyl α -L-arabinofuranosyl- α - or β -D-xylopyranosides; route to higher oligomers

- Qinghui Wang, Shufen Zhang, Jinzong Yang (Dalian, PR China) 2657 Regioselective formation of 6-*O*-acetylsucroses and 6,3'-di-*O*-acetylsucroses via the stannylene acetal method

- Christopher M. Hattan, Robert J. Kerns (Iowa City, United States) 2664 Variability in the carbazole assay for N-desulfonated/N-acetylated heparin derivatives

- Malay Pramanik, Indranil Chakraborty, Soumitra Mondal, Syed S. Islam (West Bengal, India) 2670 Structural analysis of a water-soluble glucan (Fr.I) of an edible mushroom, *Pleurotus sajor-caju*

- Andrei V. Perepelov (Moscow, Russian Federation), Bin Liu (Tianjin, PR China), Sof'ya N. Senchenkova, Alexander S. Shashkov (Moscow, Russian Federation), Lu Feng (Tianjin, PR China), Yuriy A. Knirel (Moscow, Russian Federation), Lei Wang (Tianjin, PR China) 2676 Close relation of the O-polysaccharide structure of *Escherichia coli* O168 and revised structure of the O-polysaccharide of *Shigella dysenteriae* type 4

- Sangho Lee, Eunae Cho, Chanho Kwon, Seunho Jung (Seoul, Republic of Korea) 2682 Cyclophosphorohexadecaose and succinoglycan monomers as catalytic carbohydrates for the Strecker reaction

- 2689 Graphical contents list

FULL PAPERS

- Shannon C. Timmons, David L. Jakeman (Nova Scotia, Canada) 2695 On the synthesis of the 2,6-dideoxysugar L-digitoxose

- Wei Li, Zaozao Qiu, Yibing Wang, Yichun Zhang, Ming Li, Jia Yu, Lihong Zhang, Ziyang Zhu, Biao Yu (Shanghai, China) 2705 Synthesis, cytotoxicity, and hemolytic activity of 6'-O-substituted dioscin derivatives

- Stéphanie Norsikian, Jennifer Zeitouni, Stéphanie Rat, Sylvie Gérard, André Lubineau (Orsay, France) 2716 New and general synthesis of β -C-glycosylformaldehydes from easily available β -C-glycosylpropanones

- Zhao-Jun Yin, Qing Li, Xiang-Bao Meng, Zhong-Jun Li (Beijing, PR China) 2729 Design and synthesis of novel multivalent mannosides targeting the mannose receptor

- Inmaculada Sánchez-Medina, Gerrit J. Gerwig (CH Utrecht, The Netherlands), Zoltan L. Urshev (Sofia, Bulgaria), Johann P. Kamerling (CH Utrecht, The Netherlands) 2735 Structural determination of a neutral exopolysaccharide produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* LBB.B332
- Aiping Zhu, Ji-Biao Huang, Andrea Clark (Ann Arbor, United States), Roberto Romero (Detroit, United States), Howard R. Petty (Ann Arbor, United States) 2745 2,5-Deoxyfructosazine, a D-glucosamine derivative, inhibits T-cell interleukin-2 production better than D-glucosamine
- Tomás Roncal, Alberto Oviedo, Iratxe López de Armentia, Laura Fernández, M. Carmen Villarán (Miñano, Spain) 2750 High yield production of monomer-free chitosan oligosaccharides by pepsin catalyzed hydrolysis of a high deacetylation degree chitosan
- Ralph Wieneke, Susanne Klein, Armin Geyer (Marburg, Germany), Eckhard Loos (Regensburg, Germany) 2757 Structural and functional characterization of galactooligosaccharides in *Nostoc commune*: β -D-galactofuranosyl-(1 $\rightarrow$ 6)-[β -D-galactofuranosyl-(1 $\rightarrow$ 6)]₂- β -D-1,4-anhydrogalactitol and β -(1 $\rightarrow$ 6)-galactofuranosylated homologues
- Marco A. Cardoso, Miguel D. Nosedá (Paraná, Brazil), Mutue T. Fujii (São Paulo, Brazil), Rosiane G. M. Zibetti, Maria E. R. Duarte (Paraná, Brazil) 2766 Sulfated xylomannans isolated from red seaweeds *Chondrophycus papillosus* and *C. flagelliferus* (Ceramiales) from Brazil
- Atoosa Maleki, Anna-Lena Kjøniksen, Bo Nyström (Oslo, Norway) 2776 Characterization of the chemical degradation of hyaluronic acid during chemical gelation in the presence of different cross-linker agents
- Andrei R. Ionescu, Dennis M. Whitfield, Marek Z. Zgierski (Ottawa, Canada) 2793 O-2 Substituted pyranosyl oxacarbenium ions are C-2–O-2 2-fold rotors with a strong *syn* preference
- Klaus Benner, Peter Klüfers, Oliver Labisch (Munich, Germany) 2801 Borate esters of the methyl D-glucopyranosides

NOTES

- Céline Falentin, Daniel Beaupère, Gilles Demailly, Imane Stasik (Amiens, France) 2807 A concise synthesis of 5-amino-5-deoxyaldonic acids as monomers for the preparation of nylon 5
- Jianjun Zhang, Shiqiang Yan, Xiaomei Liang, Jingping Wu, Daoquan Wang, Fanzuo Kong (Beijing, China) 2810 Practical preparation of 2-azido-2-deoxy- β -D-mannopyranosyl carbonates and their application in the synthesis of oligosaccharides
- Chunjuan Liu, Fredrik Skogman, Ye Cai, Todd L. Lowary (Edmonton, Canada) 2818 Synthesis of the 'primer-adaptor' trisaccharide moiety of *Escherichia coli* O8, O9, and O9a lipopolysaccharide
- Andrei V. Perepelov (Moscow, Russian Federation), Beata Bartodziejska (Lodz, Poland), Alexander S. Shashkov (Moscow, Russian Federation), Marianna Wykrota (Lodz, Poland), Yuriy A. Knirel (Moscow, Russian Federation), Antoni Rozalski (Lodz, Poland) 2826 Structure of a glucosyl phosphate-containing O-polysaccharide of *Proteus vulgaris* O42

I–V Author Index of Volume 342

VI–XLII Subject Index of Volume 342

XLIII–LXIV Contents of Volume 342