

List of Abstracts from the 36th Annual Meeting of the Japanese Association for the Study of Taste and Smell (JASTS XXXVI)

The full content of these abstracts is available online at www.chemse.oupjournals.org

Evolution of the sense of taste—from single cells to vertebrates

T.E. Finger

From taste receptor system to feeding behavior

N. Sako

Synaptic and molecular mechanisms of olfactory aversive learning

F. Okutani

Synaptic plasticity in the mouse accessory olfactory bulb

G.-Z. Huang and H. Kaba

Transduction pathways in squid olfactory receptor neurons

M.T. Lucero and A. Sitthichai

Odorant-induced olfactory receptor neural oscillations and their effects on the processing of odor information in the channel catfish

J. Caprio

Glutamatergic signaling in the zebrafish olfactory bulb

W.C. Michel

Plasticity in the developing central gustatory brainstem

D.L. Hill, S.I. Sollars and O.L. May

Early inductive interactions in taste bud development

L.A. Barlow

Notch signaling genes expression in developing taste papilla and taste bud

Y. Seta

Immunohistochemistry of developing rodent taste receptors

S. Wakisaka

The diagnosis of olfactory disturbance: present status and view in Japan

T. Miwa

Therapies for olfactory disorder: the endoscopic endonasal sinus surgery and direct injection of steroid into the nasal mucosa

K. Fukazawa

Clinical evaluation of the sense of taste

A. Inokuchi

Treatment of taste disorder—coping in practice

T. Aiba

Computer simulation of oscillatory current responses of olfactory receptor neurons

N. Suzuki, M. Takahata and K. Sato

Fractal analysis of the feeding behavior of *Drosophila* learning/memory mutants

M. Koganezawa, Y. Hayakawa and I. Shimada

Multivariate time series analysis of reduced glutathione-induced response of *Hydra*

K. Hanai

The development of a software to control a gustatory GO/NOGO task and to measure neural spikes

T. Nakamura and H. Ogawa

Chronic recording from single fibers of the chorda tympani nerve using an implantable sieve electrode array

Y. Shimatani, S. Nikles, K. Najafi and R.M. Bradley

Screening for taste bud-specific genes using DNA microarray

Y. Shindo, Y. Kusakabe, M.-R. Kim, R. Hashimoto, M. Tagami, H. Kato, H. Miura and A. Hino

Quantitative detection of suppression of bitterness using taste sensor and high-performance liquid chromatography

R. Takamatsu, S. Arita, K. Toko and H. Takeguchi

Effects of bonito bouillon-flavored dextrin intake in the conditioned place preference test in mice

H. Kawasaki, A. Yamada, R. Fuse and T. Fushiki

Immunohistochemical distribution of a neurotrophin receptor in the olfactory mucosa by triple-labeling laser scanning microscopy

S. Takami, R. Hasegawa and F. Nishiyama

Induction of cellular differentiation for tyrosine hydroxylase containing neurons in the dissociated co-culture system of the accessory olfactory bulb and vomeronasal organ

K. Muramoto, T. Osada, M. Kato-Negishi, K. Moriya, Y. Kuroda, H. Kaba and M. Ichikawa

Changes in pheromone sensitivity of female mice vomeronasal receptors according to the estrus cycle

T. Hatanaka

Spatio-temporal properties of synchronous responses evoked by odorant stimulation in glomeruli of the cockroach antennal lobe

H. Ai, M. Nishikawa, T. Itoh and F. Yokohari

Brain activation in response to olfactory stimulations in rats detected by functional magnetic resonance imaging

T. Kondoh, S. Yamada, S. Shioda and K. Torii

Cerebral oxygenated hemoglobin changes during the olfactory stimulations in humans

H. Harada, M. Tanaka, T. Kato, T. Mori and F. Rikimaru

Structural feature of odorant receptors inferred from the length analyses of G-protein-coupled receptors

J.M. Otaki, H. Yamamoto and S. Firestein

Taste quality imagined by odor affects the taste intensity

M. Kawai

The study of the importance of the influence of the oral stimuli and post-ingestive effects to the reinforcing effects of corn oil

A. Suzuki, T. Yamane, M. Imaizumi and T. Fushiki

Early experience with a bonito-bouillon flavored diet enhances the later preference for bonito-bouillon flavor

H. Kawasaki, A. Yamada and T. Fushiki

Effects of the major odor component, (*R*)-(-)-linalool, in jasmine tea on autonomic nervous system

K. Kuroda, N. Inoue, Y. Ito, K. Kubota, A. Sugimoto, T. Kakuda and T. Fushiki

An effect of 1-menthol and ethanol of the mouth refresh spray on mood change using frequency-fluctuation rhythm measurement

H. Ogawa, Y. Watanabe, K. Tokumoto, Y. Tsuchiya, T. Gomi and T. Yoshida

Masticatory function and taste liking—feeding tube nutrition (gastrointestinal chemical senses)

M. Takita, M. Tsukaguchi, W. Ishitani, H. Kyomoto and N. Nishikawa

Detection of proteins concerning bitter taste in saliva

N. Shimazaki, S. Baba, Y. Ikuta, K. Seino, M. Ozaki and T. Marui

Suitability of the Odor Stick Identification Test for Japanese in patients suffering from olfactory disturbance

M. Kobayashi, K. Nishida, S. Nakamura, M. Oishi, Y. Majima, T. Maeda, S. Furuta, S. Saito and Y. Takashima

Usefulness of the Odor Stick Identification Test for Japanese patients with olfactory dysfunction

Y. Hashimoto, K. Fukazawa, M. Fujii, S. Takayasu, T. Muto, S. Saito, Y. Takashima and M. Sakagami

The cases of olfactory loss with dysosmia

M. Fujii, K. Fukazawa, Y. Hashimoto, S. Takayasu and M. Sakagami

Reappearance of amilorido-sensitive neural responses and PGP9.5 immunoreactive cells in fungiform papillae after crush of the chorda tympani in mice

K. Yasumatsu, H. Kojima, Y. Yokota and Y. Ninomiya

Effects of amiloride on NaCl-induced increase in cytosolic calcium concentrations of mouse taste bud cells

T. Kumazawa, T. Matsumoto, K. Eguchi, Y. Ikeda and K. Yoshii

Time-dependent changes of BrdU-labeled cell profiles in vallate papillae in the developing mouse.

A. Fukunaga, H. Uematsu and K. Sugimoto

The effect of fragrance on weight estimation

K. Shoji and S. Taguchi

Sedative effects of cedrol inhalation and its mechanism of action (2)

D. Kagawa, H. Jokura, R. Ochiai, I. Tokimitsu and H. Tsubone

Odor induced taste enhancement is affected by the effect of taste image for odor

N. Sakai, Y. Ishihara and S. Saito

Age-related changes in olfactory responses

F. Kanemura and K. Tonosaki

Research for masking effect of adding flavor to five basic tastes

T. Ito, S. Noguchi, K. Kusafusa and H. Sasaki

Investigation of odor identification processing with a protocol analysis

H. Sugiyama, S. Ayabe-Kanamura and T. Kikuchi

A study on the Odor Stick Identification Test using a two-step categorical method for patients with olfactory disturbance

E. Suzuki, M. Shino, K. Kamakazu, E. Shibuya, N. Asahina, H. Suzuki, S. Saito and Y. Takashima

Investigation of fundamental odors

H. Kawaki, S. Ohnishi and Y. Kurioka

Induction of salivary gurmarin-binding proteins by the diet containing *Gymnema sylvestre* in the rat

A. Yamada, D. Sugita, H. Katsukawa, T. Sugimura, M. Nakata and Y. Ninomiya

Lysine-deficient diet and salivary lysine-binding proteins of rats fed it

H. Katsukawa, K. Nakashima, S. Kanda, Y. Ninomiya and T. Sugimura

Expression of metabotropic glutamate receptor type I in rat gustatory papillae

T. Toyono, S. Kataoka, Y. Seta and K. Toyoshima

Expression of ATP-gated P2X3 receptors in rat taste buds, with special reference to taste receptor cells expressing α -gustducin and PLC β 2

S. Kataoka, T. Toyono, Y. Seta, H. Harada, J. Fukuda and K. Toyoshima

Behavioral and molecular analyses of the *dpa* (D-phenylalanine sensitivity) locus in mice

N. Shigemura, Y. Kawato, K. Sasamoto and Y. Ninomiya

Effect of dietary carbonic anhydrase inhibitor on taste reception in SD rats

M. Komai, T. Miyagawa, T. Goto, H. Yabuki, H. Shirakawa and Y. Furukawa

NMDA receptors are functional early in zebrafish olfactory development

Y. Sakata and W.C. Michel

Overlapping features of mouse olfactory receptor codes

J. Hirono and T. Sato

The neural mechanism of coding a mixture of the four basic tastants in the cortical taste area in rats

K. Hasegawa, S. Otawa, I. Ikeda and H. Ogawa

Neuron activities during ingestion of taste solutions in freely moving rats

Y. Kanamori, T. Shimura, T. Fushiki and T. Yamamoto

Roles of noradrenaline on reconsolidation and retrieval in aversive taste memory

Y. Yasoshima, M. Kikuchi, T. Yamamoto and K. Kobayashi

Responses of neurons in the insular cortex to chemical stimulation of the thalamic reticular nucleus in rats

T. Hanamori

Inhibition of CTA memory retention by intravenous anesthetics

T. Miyamoto, S. Ishitobi, K. Oi and K. Toda

Immunohistochemical study for the brain mechanism of the conditioned temperature aversion

R. Ohashi, N. Sako, N. Sakai, K. Yatani and T. Sugimura

Expression of NeuroD and Hes 6 in the olfactory epithelium, vomeronasal organ and non-sensory patch

Y. Suzuki

The postnatal changes in the neural excitation of the rat accessory olfactory bulb

T. Miyazawa, T. Sugai, M. Sugitani, K. Tomoda and N. Onoda

A group II metabotropic glutamate receptor agonist suppresses reciprocal synaptic currents recorded from mitral cells in the mouse accessory olfactory bulb in slice preparations

M. Taniguchi and H. Kaba

A new experimental setup for recording of electrical signals from taste bud cells in mice

R. Yoshida, S. Ishizuka and Y. Ninomiya

Establishment and characterization of a cell line derived from mouse tongue epithelial cells

K. Kawamoto, T. Ookura, Y. Mikami, Y. Ito, M. Okano, Y. Shindo and A. Hino

Discrimination of types of Japanese sake using SPR taste sensor and QCM odor sensor

H. Nanto, M. Komura, Y. Sekikawa, T. Miyatake, Y. Kitade, Y. Takei, E. Kusano and A. Kinbara

Odor recorder for dynamical change of odor using the QCM sensor array

T. Yamanaka and T. Nakamoto

Effects of Ni^{2+} on voltage-dependent currents in the cells of the frog taste organ

T. Suwabe, K. Narita, K. Okuda-Akabane, M. Kubota and Y. Kitada

Role of Cl^- in Ni^{2+} enhanced Na^+ response of the frog glossopharyngeal nerve

Y. Iwabuchi, K. Okuda-Akabane, K. Narita and Y. Kitada

Effects of acetic acid on intracellular Ca^{2+} in bullfrog taste disc cells

K.G. Imendra, T. Miyamoto, Y. Okada, K. Miura and K. Toda

Existence of MSG taste receptors in fish

T. Marui, K. Ohsuga and M. Ozaki

Contribution of NO to the transduction cascade in the labellar sugar receptor cell of the blowfly, *Phormia regina*

M. Mashiko, Y. Murata, M. Ozaki, T. Amakawa and T. Nakamura

Stimulating action of the artificial sweeteners saccharin and its sodium salt on the labellar chemoreceptor organ of the fly

T. Tsutsumi, A. Ahamed and T. Amakawa

Study of proteins in isolated labellar chemosensory hairs from *Phormia regina*

K. Seno, T. Nakamura and M. Ozaki

A study of designing techniques to incorporate consumers' 'kansei' into tea beverage (1)

G. Ikeda, M. Hioki, H. Nagai and Y. Sagara

A study of designing techniques to incorporate consumers' 'kansei' into tea beverage (2)

G. Ikeda, M. Hioki, H. Nagai and Y. Sagara

The effect of coffee aroma on human cognitive function: the psychophysiological evaluation of differences in effect of aroma induced by various kinds of coffee beans

C. Konagai and Y. Koga

HPLC isolation technique of terpenes in *Citrus unshiu* peel

H. Tamura, J. Mookdasanit, K. Shishibori, A. Shimada and Y. Ronghua

Circadian rhythms in sensitivities to various taste stimuli and their relation to plasma leptin and glucose levels in human

R. Ohta, N. Sigemura, K. Koyano and Y. Ninomiya

Influence of lunch on taste and heart rate induced by taste stimuli in the human

T. Horio

The effect of mere exposure on sweet taste

S. Ayabe-Kanamura, R. Kawano and N. Ohta

Analysis of human brain magnetic fields evoked by electrogustatory stimuli

C. Yamamoto, S. Takehara, K. Morikawa, S. Nakagawa, M. Yamaguchi, S. Iwaki, M. Tonoike and T. Yamamoto

Patients' taste and palatability—oral cancer patients with prosthesis

W. Ishitani, M. Takita, M. Tsukaguchi, H. Kyomoto and N. Nishikawa

Taste disturbance by serum iron deficiency

A. Negoro, M. Umemoto, Y. Hashimoto and M. Sakagami

Patients' taste and palatability—investigation of subjects with dentures by questionnaires at a dental clinic

Y. Takita, M. Takita, M. Tsukaguchi and W. Ishitani

Measurement of TIMP-1,2 and MMP-9 levels in saliva from patients with primary Sjögren's syndrome

M. Asatsuma, M. Watanabe, A. Igarashi, N. Kato and S. Nomura

Localization of metallothioneins in rat taste buds

H. Kanazawa, I. Hozumi, Z. Matsuyama, T. Inutsuka, Y. Uchida and A. Naganuma

The role of carbonic anhydrase, and the chorda tympani and lingual trigeminal nerve on discrimination of carbonated water

H. Yabuki and M. Komai

An analysis of the taste-nerve dependent taste bud maintenance in the adult mouse

H. Miura, Y. Kusakabe, Y. Ninomiya, J. Motoyama, H. Kato, M. Tagami and A. Hino

Responses of electroencephalogram during seaweed like odor stimulation in humans

Y. Akakabe, E. Nakayama, K. Matsui, T. Kajiwara, N. Okada, S. Yoshimine and T. Ichimura

Effects of odor on salivary secretory IgA in CPT

T. Eguchi, N. Kaneki, H. Yamada, H. Kamimura, K. Shimada, H. Tanaka

Examination through a 'scent' of the stress mitigation by care, and the improvement effect in immunity power

A. Ito

The effect of the perfume of essential oil of the natural plant in the exercise test

M. Yamaguchi, H. Kawaki, Y. Kishi, N. Ikeda and M. Tonoike

Scent evaluation of food using startle blink reflex paradigm

N. Dodo, M. Hata, K. Masumoto, M. Yamaguchi, H. Nagai, F. Yamada and M. Tonoike

EEG asymmetry changes classified by age groups in stimuli of odors

B.-C. Min, E.-J. Sung, S.-H. Jin, I.-H. Kang and K. Sakamoto

EEG responses to odors in professional perfume researches

I.-H. Kang, B.-C. Min, S.-H. Jin and G.-J. Jeon

Activity of the brain regions by pleasant and unpleasant odor stimulation: an fMRI study

Y. Hirano, M. Niwa, N. Takahashi, K. Tonosaki and T. Takewaki

Tasting dietary fat as lipolytic free fatty acids

T. Kawai and T. Fushiki

Roles of orexin-A in sweetness-induced overconsumption and gastric activities in rats

Y. Furudono, C. Yamamoto, M. Kobashi, R. Matsuo and T. Yamamoto

Modulation of submandibular salivary protein components by a theobromine-containing diet

D. Sugita, A. Yamada and Y. Ninomiya

Intrabulbar infusion of brain-derived neurotrophic factor facilitates olfactory aversive learning

F. Okutani, J.-J. Zhang and H. Kaba

Expression patterns of T1R3 and various taste perception related genes

K. Mi-Ryung, Y. Kusakabe, H. Miura, Y. Shindo, Y. Ninomiya and A. Hino

The effect of *GAD65* gene deficiency on the consumption of taste fluids

U. Watanabe, T. Shimura, Y. Yanagawa and T. Yamamoto

Expression of fatty acid transporter in rat taste buds

A. Souma, S. Matsumoto, Y. Hayashi and T. Mori

Effects of a blocker of glutamate transporter, DL-threo- β -benzyloxaspartate, for the receptor mechanism of umami taste

N. Sako, T. Yamamoto and T. Sugimura

Involvement of G protein in umami synergism transduction

K. Iseki, Y. Hayashi and T. Mori

Seasonal cell dynamics in the olfactory epithelium of the Japanese toad (*Bufo japonicus*): a study with antiserum to olfactory marker protein

H. Nakazawa, M. Ichikawa and T. Nagai

Role of Cl^- ion on newt electro-olfactogram

H. Kato and T. Nakamura

Furosemide-sensitive Cl^- transporter in bullfrog olfactory cells

M. Yoshioka and T. Nakamura

Expression of *c-fos* mRNA on the acquisition and retrieval of conditioned taste aversion in rats

T. Inui and T. Yamamoto

The effects of intraventricular injection of hypothalamic neuropeptides on the intake of taste solution in rats

C. Ando, Y. Furudono and T. Yamamoto

Forebrain mediation of pontine parabrachial taste activity in rats

K. Tokita, T. Shimura and T. Yamamoto

Roles of the parabrachial nuclei on induction of salivary cystatin S by a capsaicin-containing diet in rats: *c-fos* expression and electrical lesion studies

Y. Shang, K. Mishima, H. Katsukawa, M. Nakata and Y. Ninomiya

Oral thermal sense-related areas in the mouse brainstem: a study with the *c-fos* method

T. Hayama, M. Umano, M. Murasato, K. Hashimoto and H. Ogawa

Characteristic aspects of external appetite activated by VMH lesion in mice

T. Itou, T. Ishii, T. Takewaki and M. Nishimura

Morphological analysis for noradrenergic nerve terminals and GABAergic synapses in an accessory olfactory bulb

S. Takigami, T. Miyashita, Y. Wakabayashi and M. Ichikawa

Augmentation of activities of male urinary pheromones after sexual experiences

M. Tomioka, T. Yoshida, K. Inamura and M. Kashiwayanagi

Experimental study of constructing of the neuronal connections in co-culture systems of vomeronasal pockets and accessory olfactory bulb cells

K. Moriya, K. Muramoto, Y. Yoshihara, K. Yamagishi and M. Ichikawa

Expression of putative pheromone receptor genes and G protein alpha subunits in two distinct olfactory organs in goats

Y. Wakabayashi, Y. Mori, M. Ichikawa, K. Yazaki and K. Yamagishi

Behavioral genetic analysis on responses to umami substances in mice

F. Hiroki, T. Suzuki, Y. Kawato, N. Shigemura, K. Sasamoto and Y. Ninomiya

Effects of chorda tympani denervation on behavioral responses to various taste stimuli in C57BL mice fed an L-lysine-deficient diet

K. Nakashima, H. Katsukawa, T. Sugimura, K. Yasumatsu and Y. Ninomiya

Quantification of pungent-tasting strength using a surface polarity-controlled sensor

M.-J. Ju, K. Hayama, K. Hayashi and K. Toko

Responses of taste cells and nerves elicited by Ca^{2+} and Ca^{2+} -receptor agonist in frogs

Y. Okada, K.G. Imendra, T. Miyazaki, T. Miyamoto and K. Toda

Effects of thermal acclimation on extractive components in fish muscle

Y. Murata, M. Kaneniwa, I. Oohara, Y. Omura, Y. Yamashita and E. Okazaki

Feeding behavior of *Aurelia aurita* towards *Artemia* and artificial pellets

M.V. Archdale, T. Yamanouchi and K. Anraku

Effect of water-soluble solvents on taste responses in insects

K. Asaoka, T.A. Inoue, A. Ichikawa, M. Kihara and K. Tsuchihara

Effects of floral scents and their memory on the appetite in insects

M. Ozaki, A. Seto, T. Nisimura and R. Yamaoka

Localization of G-protein alpha subunits in the chemosensory organs of the silkworm (*Bombyx mori*)

N. Miura and R. Sato

Bitter stimulus denatonium is transduced by G protein-independent and/or -dependent mechanisms

S. Sawano, Y. Hayashi and T. Mori