

List of Abstracts from the 37th Annual Meeting of the Japanese Association for the Study of Taste and Smell (JASTS XXXVI)

The full content of these abstracts is available online at www.chemse.oupjournals.org

Non-invasive measuring methods for clinical olfactometry

T. Ishimaru

Evaluation of taste and smell using with multi-channel lipid membrane taste sensor

H. Ikezaki and K. Toko

Measurement of fruit flavor using odor sensing system

T. Nakamoto

'Kansei' information processing of palatability

M. Tonoike, M. Yamaguchi, C. Yamamoto, T. Yamamoto, H. Nagai and I. Kaetsu

Initial process of salt taste reception: anion modulation of cation-induced responses of taste nerves

Y. Kitada

Reformation of salt neural coding after crush of the chorda tympani nerve

K. Yasumatsu, H. Katsukawa, N. Shigemura, R. Yoshida and Y. Ninomiya

Ca-sensing in parathyroid glands

Y. Okada, K.G. Imendra, T. Miyazaki, H. Hotokezaka, R. Fujiyama, J.L. Zeredo, T. Miyamoto and K. Toda

Alarm pheromones in rats: mechanisms of production, release and perception

T. Kikusui, Y. Kiyokawa and Y. Mori

Role of glutamate receptors in reciprocal synaptic currents in accessory olfactory bulb

M. Taniguchi and H. Kaba

Maturation of the vomeronasal receptor neurons in vomeronasal pockets

K. Moriya, T. Osada, Y. Ishimatsu, T. Kobayashi and M. Ichikawa

Odor-concentration coding in the guinea pig anterior piriform cortex

T. Sugai, T. Miyazawa, H. Yoshimura and N. Onoda

The effect of fragrance on the temperature sensation

K. Shoji, S. Taguchi and Y. Terajima

Evaluation of feeling for fragrance of body soaps by the period-fluctuation rhythm measurement of alpha wave

H. Ogawa, K. Suzuki, Y. Tsuchiya and T. Yoshida

Cross cultural study of odor cognition—correlation with familiarity

A. Oshida, S. Hikichi and P. Dalton

Study on function of fatty acid transporter (FAT) in recognition of fat

A. Souma, S. Matsumoto, Y. Hayashi and T. Mori

Expression of metabotropic glutamate receptors, mGluR2 and mGluR3, in rat gustatory papillae

T. Toyono, S. Kataoka, Y. Seta and K. Toyoshima

Expression patterns of the Tlr family and gustducin in circumvallate and fungiform papillae

Y. Kusakabe, K. Mi-Ryung, H. Miura, Y. Shindo, M. Okano, Y. Ninomiya and A. Hino

Feeding preference altered by smells and their memory in the blowfly *Phormia regina*

A. Seto, K. Nakamura, T. Nisimura, T. Nagao, S. Tamotsu, R. Yamaoka and M. Ozaki

Early experience with bonito-bouillon flavored diet in lactation period affects later food preference

A. Yamada, H. Kawasaki and T. Fushiki

Neuronal activity in the parabrachial nucleus during the retrieval of conditioned taste aversion to NaCl

K. Tokita, T. Shimura and T. Yamamoto

Optical recording of NaCl taste responses in the rat gustatory cortex—effects of bicuculline

T. Yokota, T. Shirozu and K. Hiraba

Studies of sweet taste modification by gymnemic sylvestre extracts using taste sensor with lipid/polymer membranes

M. Habara, H. Ikezaki, T. Arimura, M. Iwakura, K. Toko and T. Imoto

Development of technology for extracting bitter substances in mixed solution

R. Takamatsu, K. Toko and H. Takeguchi

Discrimination of taste solutions using an ultrasonic wave sensor

Y. Kojima, T. Mikami and F. Kimura

An odor sensor utilizing surface plasmon resonance phenomenon

Y. Kitade, S. Naka, Y. Sekikawa, Y. Takei, N. Kubota and H. Nanto

An odor sensing system for early fire detection

T. Tashiro, T. Kobayashi, Y. Takei, N. Kubota, H. Nanto, Y. Iwasaki and H. Kasahara

The effect of leptin on taste responses in normal and fatty Wistar rats

Y. Kajii, T. Shingai, Y. Takahashi, S. Fukushima and Y. Taguchi

Taste properties of L-amino acid solutions at suprathreshold concentration

Y. Hayakawa and M. Kawai

Effect of dietary zinc deficiency on the lingual trigeminal nerve sensitivity in SD rats

S. Fushimi, H. Suzuki and M. Komai

Effect of gymnema tea on activity of α -amylase in the human saliva

T. Goto and H. Suzuki

Rat chorda tympani nerve recordings of gluconic acid and gluconate responses

Y. Hayashi, S. Sawano and T. Mori

Relationships between insulin release and taste

Y. Hori, A. Matsutani, Y. Shimizu, K. Sugita and K. Tonosaki

Investigation of fundamental odors 2

H. Kawaki and S. Ohnishi

The effect of visual images and appropriateness on estimation of odor intensity

N. Sakai, S. Imada, S. Saito, T. Kobayakawa and Y. Takashima

Visualization of gustatory neuron circuits in a blowfly's brain with a lipophilic dye

X. Lan, M. Ozaki and T. Nakamura

Chemical communication in the ant, *Camponotus japonicus*: sensory organ for nestmate recognition

M. Ozaki, A. Wada-Katsumata, M. Iwasaki, F. Yokohari, T. Amakawa and R. Yamaoka

Discriminative preference learning between the tastes of sucrose and saccharin in mice

Y. Yasoshima, K. Kobayashi and T. Yamamoto

The role of the hypothalamic neuropeptides on ingestive behavior of taste fluid

C. Ando and T. Yamamoto

The effect of taste and feeding on histamine release in the anterior hypothalamus of freely moving rats

Y. Treesukosol, T. Ishizuka, A. Yamatodani and T. Yamamoto

Expression of brain-derived neurotrophic factor mRNA in conditioned taste aversion in the rat

T. Inui and T. Yamamoto

The effect of glutathione on taste in mice

U. Watanabe and T. Yamamoto

Palatability-induced ingestion is mediated by GABAergic neurotransmission in the ventral pallidum

H. Imaoka, T. Shimura and T. Yamamoto

Effects of aging on taste preference in the rat

N. Kanemaru and S. Harada

Neonatal capsaicin treatment enhances water intake in rats

S. Fukushima, T. Shingai, Y. Takahashi, Y. Kajii, H. Kijima and Y. Taguchi

Changes in circadian rhythms of plasma leptin and glucose levels by fasting and their influence on taste sensitivities in humans

R. Ohta, K. Koyano and Y. Ninomiya

Preference for extracts of sea urchin in mice

Y. Murata, M. Kaneniwa, Y. Kura, H. Yamada, T. Fujita, K. Saito and I. Oohara

Examination of participation of the digestive absorption process to the rewarding effect for fat

T. Yamane

Acceptability of bitter tastants included in food products for C57BL/6J mice

S. Sawano, Y. Hayashi and T. Mori

Relationships between food preferences and perception for PROP (6-*n*-propylthiouracil)

R. Kosugi and T. Horio

Changes in olfactory perception during the menstrual cycle—androstenol, cyclopentadecanolide and phenylethyl alcohol

K. Sueda, H. Suzuki and K. Katayama

Changes in pheromone sensitivity of female mice vomeronasal receptors according to pregnancy

T. Hatanaka

Induction of Fos immunoreactivity in oxytocin neurons in the paraventricular nucleus after female odor exposure in male rats: effects of sexual experience

S. Nishitani, T. Moriya, Y. Kondo, Y. Sakuma and K. Shinohara

Adrenergic β -receptors are involved in aversive olfactory learning in young rats

F. Okutani, J.-J. Zhang and H. Kaba

Measuring system of dwell time in paired-cage for evaluation of odor preference in rats

K. Katahira and K. Yamazaki

Aggressive behavior by contact stimulation with cuticular hydrocarbons in *Camponotus japonicus*

Y. Satoji, I. Ohashi, M. Kuwahara, K. Hanai, R. Yamaoka and M. Ozaki

Video analysis of ant behavior in the presence of colony discrimination substance

K. Hanai, E. Nakagawa, I. Ohashi, M. Ozaki and R. Yamaoka

Evaluation of molar occlusal force in denture wearers—pleasure of eating life

Y. Takita, M. Takita, M. Tsukaguchi and A. Matuura

Importance of oral sense in nutrition—terminal patients with pathological mandibular fracture related to progressive oral cancer

M. Tsukaguchi, M. Takita, H. Kyomoto, N. Nishikawa, A. Matsuura and Y. Kitagawa

Importance of special senses in terminal patient care—examination of the Program/Proceedings of the Japanese Society for Palliative Medicine

M. Takita, M. Tsukaguchi, N. Nishikawa, H. Kyomoto, A. Matsuura and Y. Kitagawa

Clinical analysis in patients suffering from gustatory disturbance

Y. Imanishi, M. Kobayashi, K. Nishida, M. Oishi, H. Sakaida, M. Adachi, S. Nakamura and Y. Majima

On the evaluation of taste disorder patients by evoked potential

H. Fukuda, Y. Naito, B.C. Min and K. Sakamoto

Treatment of taste disturbance using seaweed

M. Umemoto, A. Negoro, N. Tomomi and M. Sakagami

A new whole-mouth gustatory test

T. Nin, M. Umemoto, A. Negoro and M. Sakagami

Relationship among Self-rating Depression Scale and the function of taste and salivary flow

A. Negoro, M. Umemoto, T. Nin and M. Sakagami

The treatment of olfactory dysfunction following head trauma

Y. Hashimoto, K. Fukazawa, M. Fujii, S. Takayasu and M. Sakagami

The Odor Stick Identification Test for Japanese in patients suffering from olfactory disturbance: effects of aging and suitability as a olfactory detection test

M. Kobayashi, Y. Imanishi, K. Nishida, M. Oishi, S. Nakamura, H. Sakaida, Y. Majima, T. Maeda, S. Furuta, T. Matsuura, Y. Takashima and S. Saito

Recording system for gamma band oscillation elicited by intravenous olfactory stimulation

T. Ishimaru

Effects of β -caryophyllene on the depressive mood during the menstrual cycle

M. Morofushi, S. Nishitani and K. Shinohara

Educational practice report of the taste using miracle fruit and gymnema sylvestre

M. Shimamura

Chorda tympani nerve responses to umami substances mixed with 1-aminoinidan-1,5-dicarboxylic acid, a potent antagonist for mGluR1, in rats and mice

N. Sako, U. Watanabe, T. Yamamoto, H. Katsukawa, K. Eguchi and T. Sugimura

Analysis of the response in the mouse taste nerve of the amino acid that activates T1R1/T1R3 receptor

M. Narukawa, Y. Hayashi and T. Mori

Changes in expression of taste cell-specific proteins and renewal of taste bud cells through life span in mouse vallate papillae

A. Fukunaga, H. Uematsu and K. Sugimoto

The distributions of new candidate taste receptor THTR family within organs and its response to some taste substances

T. Takao, K. Takao, Y. Yoshida, H. Koike, H. Kazama, T. Konishi, A. Mori, S. Takeda, T. Haga and H. Suga

Expression of insulin-like growth factor family in rodent taste buds

Y. Suzuki

Identification of BDNF-producing cells in the foliate papillae of adult rats

S. Takami and F. Nisijama

The function of the insulin-like signaling pathway in the plasticity of salt chemotaxis in *C. elegans*

M. Tomioka, H. Kunitomo and Y. Iino

Is ionotropic glutamate receptor involved in taste of fish?

T. Marui, A. Furuyama and K. Ohsuga

***dpa* (D-phenylalanine sensitivity) locus may influence umami sensitivity**

N. Shigemura, Y. Kawato, K. Yasumatsu and Y. Ninomiya

Co-expression pattern of *Shh* with *Prox1* and that of *Nkx2.2* with *Mash1* in mouse taste bud

H. Miura, H. Kato, Y. Kusakabe, M. Tagami, J. Miura-Ohnuma, Y. Ninomiya and A. Hino

Statistical analyses on response specificity of mouse fungiform taste bud cells to four taste stimuli

R. Yoshida, N. Shigemura, K. Yasumatsu and Y. Ninomiya

Expression patterns of P2Y₁ in rat taste buds

S. Kataoka, T. Toyono, Y. Seta and K. Toyoshima

Regulation of taste bud differentiation by Notch signaling pathway

Y. Seta, T. Toyono, S. Kataoka and K. Toyoshima

Sodium salt-responses of the frog glossopharyngeal nerve: modulation by anions

Y. Iwabuchi, K. Okuda-Akabane, K. Narita and Y. Kitada

Voltage-gated currents recorded from morphologically identified cells in the frog taste organ

T. Suwabe, K. Narita, K. Okuda-Akabane, M. Kubota and Y. Kitada

Stereospecificity of glycerol receptor site of the labellar sugar receptor cell in *Drosophila*

T. Koseki, A. Furuyama, M. Koganezawa and I. Shimada

Reduction of adaptation by introduction of Gq specific antibody in sugar taste receptor cell of *Phormia regina*

K. Seno, T. Nakamura and M. Ozaki

cDNA cloning of a novel odorant-binding protein in the taste organ of the blowfly, *Phormia regina*

C. Tada, K. Fujikawa, K. Seno, R. Yamaoka and M. Ozaki

Response characteristics of cultured taste receptor neurons isolated from labellar of pupal blowfly, *Phormia regina*

Y. Murata, M. Ozaki and T. Nakamura

The production and the transduction systems of NO in the labellar sugar receptor cells of the blowfly, *Phormia regina*

M. Mashiko, Y. Murata, M. Ozaki, T. Amakawa and T. Nakamura

Bacterial expression and ligand binding of an odorant-binding protein, CRLBP, from the blowfly *Phormia regina*

K. Fujikawa and M. Ozaki

Essential functions of the Ras-MAP kinase pathway and non-NMDA-type glutamate receptor GLR-1 in olfactory adaptation in *Caenorhabditis elegans*

T. Hirotsu and Y. Iino

Generation mechanism of EOG oscillations

N. Suzuki, M. Takahata and T. Shoji

Analysis of TrkB-immunoreactive olfactory receptor neurons in the rat olfactory epithelium by confocal laser scanning microscopy

R. Hasegawa, S. Takami and F. Nishiyama

Developmental changes in oscillatory and slow responses of the rat accessory olfactory bulb

T. Miyazawa, T. Sugai, K. Tomoda and N. Onoda

Odorant receptor expression in the mouse cerebral cortex

J.M. Otaki, H. Yamamoto and S. Firestein

Fluctuations of the spontaneous discharge in the posterior insular cortex neurons associated with the changes in the cardiovascular system in rats

T. Hanamori

Spatial aspects of chemotopy in the neocortex

H. Yoshimura, T. Sugai, M. Honjo, N. Segami and N. Onoda

The relation between gustatory-evoked magnetic fields and reaction times in presentation sequences

C. Yamamoto, K. Morikawa, S. Nakagawa, M. Yamaguchi, M. Tonoike and T. Yamamoto

Functional interconnections between olfaction and taste

W. Fu, T. Sugai, H. Yoshimura and N. Onoda

On the olfactory sense of birds

K. Sugita and K. Tonosaki

Visualization of rat olfactory circuit by manganese-enhanced magnetic resonance imaging

T. Kondoh, R. Shibata and K. Torii

Responses of electroencephalogram to (8Z,11Z,14Z)-8,11,14-heptadecatrienal in humans

Y. Akakabe, E. Nakayama, K. Matsui, T. Kajiwara and T. Ichimura

Influences of the odors of the mold and the aromatic deodorant on brain function

C. Konagai, S. Imai and Y. Koga

Mutual information analysis of EEG in stimuli of odors

B.C. Min, I.H. Kang, H.J. Park, D.H. Lee and K. Sakamoto

Induction of cystatin S in rat saliva by a bitter tastant (quinine) in diets

H. Katsukawa, K. Nakashima, M. Tadano, N. Sako, Y. Ninomiya, T. Sugimura

A study of perceived food quality modeling for novel bittersweet beverage

G. Ikeda, M. Hioki, H. Nagai and Y. Sagara

Identification and analysis of salivary gurmarin binding proteins induced by gymnema-containing diet in rats

A. Yamada, D. Sugita, H. Katsukawa and Y. Ninomiya

Taste responses to a fatty acid on CD36-null mice

T. Kawai, T. Nishizuka, Y. Kajii, T. Shingai, T. Kuwasako, K. Hirano, S. Yamashita, T. Kawada and T. Fushiki

Calcium imaging to fatty acids in taste bud cells

T. Nishizuka, T. Kawai and T. Fushiki

Preference for 'bonito bouillon' in taste nerve-sectioned mice in the conditioned place preference test and the two-bottle preference test

H. Kawasaki, A. Yamada, R. Fuse, W. Ishihara and T. Fushiki

Effects of bitter taste repeated exposure: liking and acceptance of bitter flavor

M. Hioki, G. Ikeda, H. Nagai, Y. Tsuda and Y. Sagara

The taste of cucumbers. 1. Astringency

H. Horie, H. Ito, K. Ippoushi, K. Azuma and I. Igarashi

Development of designing procedures for sesame-flavored dressing using gas chromatography/olfactometry

A. Tomizawa, G. Ikeda, Y. Imayoshi, N. Kako and Y. Sagara

Study on the preference for a particular sake in physiological aspects

Y. Manabe, H. Utsunomiya, K. Gotoh, T. Kurosu and T. Fushiki

Study on taste sensation in the diabetes patients

K. Sawada and T. Horio

Acidic volatile compounds contribute to human axillary odor

M. Yabuki, Y. Hasegawa and M. Matsukane

The effect of visual images and appropriateness on estimation of odor liking/disliking

S. Imada, N. Sakai, S. Saito, T. Kobayakawa and Y. Takashima

Free radical scavenging activity induced by aroma

T. Atsumi and K. Tonosaki