

surface is not carbon rich, decomposition of SiC occurs and titanium silicides and titanium carbide are formed.

Acknowledgment. This work was supported by the State of Connecticut, Department of Higher Education,

High Technology Grant Number 42.

Registry No. Ti, 7440-32-6; B, 7440-42-8; SiC, 409-21-2; TiC, 12070-08-5; SiO₂, 7631-86-9; TiO₂, 13463-67-7; titanium silicides, 12738-91-9.

Additions and Corrections

1989, Volume 1.

Duncan W. Bruce,* David A. Dunmur, Peter M. Maitlis, Peter Styring, Miguel A. Esteruelas, Luis A. Oro, M. Blanca Ros, José-Luis Serrano, and Eduardo Sola: Nematic Phases in Ionic Melts: Mesogenic Ionic Complexes of Silver(I).

Page 479. In the paper, we reported the phase behavior of [Ag(4-OPhVPy)₂][DOS] incorrectly. The correct behavior is described according to

K-S _A	147 °C	$\Delta H = 32.68 \text{ J g}^{-1}$	$\Delta S_m/R = 8.1$
S _A -N	166 °C	$\Delta H = 0.7 \text{ J g}^{-1}$	$\Delta S_m/R = 0.6$
N-I	178 °C	$\Delta H = 0.2 \text{ J g}^{-1}$	$\Delta S_m/R = 0.07$

Further, the mesophase does not change on treatment of the sample with wet acetone. Simply the strongly homeotropic texture of the S_A phase is replaced by the more readily identifiable focal conic texture.

1991, Volume 3.

David K. Liu,* Roger J. Chin, and Angela L. Lai: Photochemical Vapor Deposition of Iron-Cobalt Thin Films: Wavelength and Temperature Control of Film Compositions.

Page 14. In the second paragraph, sixth sentence, the units for saturation moment should be μ_B/mol .