

SUBJECT INDEX

- Additive partial field gradient model 96
Antimony trichloride adducts, secondary bonding in 47
Asymmetry parameter of electric field gradient 13, 34
Bismuth trichloride
 aspects of bonding 48—50
 structural aspects 39—41
 π -bonding in
 Al_2Br_7^- 144
 Bhal_3 118
 $\text{Bhal}_3 \cdot \text{Me}_3\text{N}$ 118
 cations *trans*- $[\text{M}(\text{en})_2\text{Cl}_2]^+$ ($\text{M} = \text{Co}, \text{Rh}$) 97
 $\text{Cu}_2\text{hal}_2(\text{PPh}_3)_3$ 160
 MoCl_3 155
 Nahal_5 154
 NbCl_5 135—136
 $\text{NbCl}_5 \cdot \text{POCl}_3$ 135—136
 ReCl_5 155
 Tahal_5 154
 tetrahedral R_3Nihal_2 complexes 77
 $\text{TiCl}_4 \cdot n\text{L}$ 129—130
 WCl_5 155
Charge transfer amount in
 $\text{GaCl}_3 \cdot \text{L}$ 107
 $\text{SbCl}_3 \cdot \text{L}$ 122
 $\text{SbCl}_5 \cdot \text{L}$ 107
cis-trans-Isomerism in
 $\text{HfCl}_4 \cdot 2\text{MeCN}$ 131
 $\text{MoCl}_4 \cdot 2\text{MeCN}$ 131
 PtI_2L_2 207
cis-trans-Isomerism in
 $\text{SnCl}_4 \cdot 2\text{L}$ 111—113
 $\text{TiCl}_4 \cdot 2\text{L}$ 128, 130
 $\text{ZrCl}_4 \cdot 2\text{MeCN}$ 131
 ^{35}Cl NQR frequencies vs heats of formation for
 $\text{GaCl}_3 \cdot \text{L}$ 103
 $\text{SbCl}_5 \cdot \text{L}$ 107
 $\text{SnCl}_4 \cdot 2\text{L}$ 113
Compounds in glassy and crystalline state
 As_2S_3 198
 As_2Se_3 198
 $\text{P}_2\text{O}_5\text{Cl}_4$ 198—199
Continuous wave techniques 22—24
Cotton and Harris model 35
Crystallographic inequivalence 37, 63
Double resonance techniques 27
Dual functions of TeCl_4 124—128
Effective charges on the atoms in
 $\text{GaCl}_3 \cdot \text{L}$ 107
 Ga_2Br_6 147
 Ga_2Cl_6 147
 KAl_2Br_7 144
 $(\text{Me}_4\text{N})_2\text{Ga}_2\text{Br}_6$ 147
 $(\text{Me}_4\text{N})_2\text{Ga}_2\text{Cl}_6$ 147
 NaGaCl_4 107
 RAl_2Br_7 143
 RSbCl_6 107
 $\text{SbCl}_5 \cdot \text{L}$ 107
Effective charges on the atoms of V-shaped cations

- (SbBr_2^+ , ICl_2^+ , I_2Cl^+ , I_3^+) in ionic complexes 90
- EFG-contributions at
- Ag_3SbS_3 173
 - ^{75}As in Ag_3AsS_3 173
 - ^{209}Bi in BiOhal 182—184
 - ^{81}Br in CdBr_2 178—181
 - ^{25}Cl in CsGeCl_3 190
 - CsPbCl_3 190
 - CuSbS_3 173
 - ^{127}I in CdI_2 178—181
 - ^{127}I in NaIO_4 99—100
 - ^{93}Nb in alloys Nb_3M 209
 - ^{185}Re in KReO_4 99—100
 - Sb in Ag_3SbS_4 173
 - ^{121}Sb in Menshukin complexes 121
- Electric field gradient, EFG 10, 28, 29
- Electroacoustic echo 210—211
- Ferro- and antiferroelectric properties of
- Ag_3AsS_3 192
 - Ag_3SbS_3 192
 - BiVO_4 189
 - CsGeCl_3 190
 - CsPbCl_3 190
 - KNbO_3 189—190
 - LiNbO_3 189—190
 - LiTaO_3 189—190
 - NaNbO_3 189—190
 - SbNbO_4 189
 - SbTaO_4 189
 - Sb_2S_3 192
- Ferroelastic properties of
- LaNbO_4 189
 - LuNbO_4 189
 - $\alpha\text{-Sb}_5\text{O}_7\text{I}$ 184
- Field-frequency method 18—19
- Hexachlorometallates(IV), ion-ion repulsions in 54—58
- Hexachlorometallates(V), spectral splittings in 63—64
- Innersphere conversions in
- cis*- $\text{Pt}(\text{etNH}_2)_2\text{I}_2$ 206
 - cis*- $\text{Pt}(\text{meNH}_2)_2\text{I}_2$ 206
- Ligand donating power in
- $\text{GaCl}_3 \cdot \text{L}$ 106
 - $\text{SbCl}_5 \cdot \text{L}$ 109
 - $\text{SnCl}_4 \cdot 2\text{L}$ 111
- Marino and Toyama method 21
- Mercury iodide adducts, secondary bonding in 47
- ^{93}Nb QCC in alloys
- Nb_3Al 208
 - Nb_3Ga 208
 - Nb_3Ge 208
 - Nb_3Ir 208
 - Nb_3Os 208
 - Nb_3Pt 208
 - Nb_3Sn 208
- NQR in the systems
- $\text{CdSb} + \text{ZnSb}$ 201
 - $\text{Na}_2\text{S} + \text{Sb}_2\text{S}_3$ 200—201
 - $\text{Sb}_2\text{S}_3 + \text{Bi}_2\text{S}_3$ 194—195
- NQR spectra of
- $\text{Ag}_3^{121,123}\text{SbS}_4$ 172
 - $^{27}\text{Al}^{81}\text{Br}_3$ 119, 139—140
 - $\text{Al}^{61}\text{Br}_3 \cdot \text{L}$ 119
 - $\text{Al}^{127}\text{I}_3$ 139
 - $^{75}\text{As}_2\text{S}_3$ 170, 196
 - $^{75}\text{As}_2\text{Se}_3$ 170, 196
 - $^{75}\text{As}_2\text{Te}_3$ 170
 - $\text{Au}^{35}\text{Cl}_3$ 139
 - B^{81}Br_3 116
 - $\text{B}^{81}\text{Br}_3 \cdot \text{Me}_3\text{N}$ 116
 - B^{35}Cl_3 116
 - $\text{B}^{35}\text{Cl}_3 \cdot \text{Me}_3\text{N}$ 116
 - B^{127}I_3 116
 - $\text{B}^{127}\text{I}_3 \cdot \text{Me}_3\text{N}$ 116
 - $\text{Ba}^{81}\text{Br}_2 \cdot 2\text{H}_2\text{O}$ 177
 - $^{137}\text{Ba}^{81}\text{Br}_2 \cdot 2\text{H}_2\text{O}$ 177
 - $^{137}\text{BaCl}_2 \cdot 2\text{H}_2\text{O}$ 177
 - $\text{Ba}^{127}\text{I}_2 \cdot 2\text{H}_2\text{O}$ 177
 - BiCl_3 40
 - $^{209}\text{Bi}^{35}\text{Cl}_3$ 124
 - $^{209}\text{Bi}^{35}\text{Cl}_3 \cdot \text{L}$ 124
 - $^{209}\text{Bi}^{35}\text{Cl}_3 \cdot 2\text{L}$ 124
 - $\text{Bi}^{127}\text{I}_3$ 179
 - $^{209}\text{BiNbO}_4$ 187
 - $^{209}\text{BiOhal}$ 183
 - $^{209}\text{BiTaO}$ 187

NQR spectra of

$^{209}\text{BiVO}_4$	187
$^{209}\text{Bi}_2\text{Mo}_2\text{O}_{12}$	190
$^{209}\text{Bi}_2\text{S}_3$	170, 196
$^{209}\text{Bi}_2\text{WO}_6$	190
$^{209}\text{Bi}_3\text{O}_4\text{Br}$	183
$^{209}\text{Bi}_3\text{O}_4\text{Cl}$	183
$^{209}\text{Bi}_4\text{Ge}_3\text{O}_{12}$	190
$^{209}\text{Bi}_4\text{Ti}_3\text{O}_{12}$	190
$^{209}\text{Bi}_{12}\text{GeO}_{20}$	190
$^{209}\text{Bi}_{12}\text{SiO}_{20}$	190
$\text{Ca}^{81}\text{Br}_2$	177
$\text{Ca}^{81}\text{Br}_2 \cdot 2\text{H}_2\text{O}$	177
$\text{Ca}^{127}\text{I}_2 \cdot 6\text{H}_2\text{O}$	177
$\text{Cd}^{81}\text{Br}_2$	177
$\text{Cd}^{127}\text{I}_2$	177
$\text{Cd}^{121,123}\text{Sb}$	201
$\text{Co}^{35}\text{Cl}_2$	177
$\text{Co}^{35}\text{Cl}_2 \cdot 2\text{H}_2\text{O}$	177
$\text{Co}^{35}\text{Cl}_2 \cdot 6\text{H}_2\text{O}$	177
$\text{Cr}^{81}\text{Br}_3$	179
$\text{Cr}^{35}\text{Cl}_2$	177
$\text{Cr}^{35}\text{Cl}_3$	179
$\text{CrO}_2^{35}\text{Cl}_2$	166
$\text{Cs}^{69}\text{Ga}_2^{127}\text{I}_7$	142
$\text{Cs}^{121,123}\text{Sb}_2^{35}\text{Cl}_9$	145
$\text{Cs}_3^{121,123}\text{Sb}_2^{61}\text{Br}_9$	145
$\text{Cs}_3^{121,123}\text{Sb}_2^{127}\text{I}_9$	145
$\text{Cu}^{81}\text{Br}_2$	167
$\text{Cu}^{35}\text{Cl}_2$	167
$^{63}\text{Cu}_2^{81}\text{Br}_3(\text{PPh}_3)_3$	157, 159
$^{63}\text{Cu}_2\text{Cl}_3(\text{PPh}_3)_3$	159
$^{63}\text{Cu}_2^{127}\text{I}_3(\text{PPh}_3)_3$	157, 159
$(\text{Et}_4\text{N})_2^{69}\text{Ga}_2^{81}\text{Br}_6$	146
$(\text{Et}_4\text{N})_2^{69}\text{Ga}_2^{35}\text{Cl}_6$	146
$\text{Fe}^{35}\text{Cl}_2$	177
$\text{Fe}^{35}\text{Cl}_3$	179
$^{69}\text{Ga}^{81}\text{Br}_3$	139—140
GaCl_3	20
$^{69}\text{Ga}^{35}\text{Cl}_3$	139—140
$^{69}\text{Ga}^{127}\text{I}_3$	139—140
GeCl_4	20
$\text{Hf}^{81}\text{Br}_4$	166
$\text{Hf}^{35}\text{Cl}_4$	166
$\text{Hf}^{35}\text{Cl}_4 \cdot 2\text{MeCN}$	131
$\text{HfCl}_4 \cdot n\text{PO}^{35}\text{Cl}_3$	131

NQR spectra of

$\text{Hf}^{127}\text{I}_4$	166
$\text{Hg}^{81}\text{Br}_2$	167
HgCl_2	20
$\text{Hg}^{35}\text{Cl}_2$	167
$\text{Hg}^{127}\text{I}_2$	167
$^{127}\text{I}^{35}\text{Cl}_3$	139—140
$^{115}\text{In}^{127}\text{I}_3$	139—140
ionic compounds with V-shaped cations	
$(\text{SbBr}_3^+, \text{SbI}_3^+, \alpha\text{-I}_3^+, \text{I}_2\text{Cl}^+, \text{ClF}_2^+, \text{BrF}_2^+)$	
88—89, 93	
ionic tetrafluorohalide(V)fluoroantimonates(V)	
93	
ionic trichlorosulphonium(IV)chlorometallates (^{35}Cl)	
83—84	
$\text{KHg}^{127}\text{I}_3 \cdot \text{H}_2\text{O}$	167
$\text{K}^{93}\text{NbO}_3$	190
$^{139}\text{La}^{93}\text{NbO}_4$	187
$\text{Li}^{93}\text{NbO}_3$	190
$^{176}\text{LuNbO}_4$	187
$(\text{Me}_4\text{N})_2^{69}\text{Ga}_2^{81}\text{Br}_6$	146
$(\text{Me}_4\text{N})_2^{69}\text{Ga}_2^{35}\text{Cl}_6$	146
$(\text{Me}_4\text{N})_2\text{Bi}_2^{81}\text{Br}_6$	145
$(\text{Me}_4\text{N})_2\text{Bi}_2^{35}\text{Cl}_6$	145
$(\text{MeNH}_3)_3\text{Bi}_2^{81}\text{Br}_6$	145
$(\text{MeNH}_3)_3^{209}\text{Bi}_2^{35}\text{Cl}_6$	145
$(\text{MeNH}_3)_3\text{Sb}_2^{81}\text{Br}_6$	145
$\text{Me}_4\text{NHg}^{127}\text{I}_3$	167
$\text{Mo}^{35}\text{Cl}_4 \cdot 2\text{MeCN}$	131
$\text{Mo}^{35}\text{Cl}_5$	148
$\text{MoO}^{35}\text{Cl}_4$	157
$\text{MoO}_2^{35}\text{Cl}_4$	166
$\text{Na}^{93}\text{NbO}_3$	190
$^{93}\text{Nb}^{81}\text{Br}_5$	148—149
$^{93}\text{Nb}^{35}\text{Cl}_5$	148—149
$^{93}\text{Nb}^{35}\text{Cl}_5 \cdot \text{L}$	134—135
$\text{Nb}^{125}\text{I}_5$	149
$\text{NbO}^{81}\text{Br}_3$	157
$^{93}\text{NbO}^{35}\text{Cl}_3$	157, 159
$^{93}\text{Nb}_2^{81}\text{Br}_6(\text{SC}_4\text{H}_9)_3$	158, 159
$^{93}\text{Nb}_2^{35}\text{Cl}_6(\text{SC}_4\text{H}_9)_3$	158, 159
$^{93}\text{Nb}_2^{127}\text{I}_6(\text{SC}_4\text{H}_9)_3$	158, 159
$\text{Nd}^{81}\text{Br}_3$	179
octahedral complexes of $^{59}\text{Co(III)}$	
95	
$\text{Pb}^{81}\text{Br}_2$	167, 177

NQR spectra of

$\text{Pb}^{127}\text{I}_2$	177
$\alpha\text{-Pd}^{35}\text{Cl}_2$	166
$\beta\text{-Pd}^{35}\text{Cl}_2$	166
periodates $\text{A}^{127}\text{IO}_4$	99
perrhenates $\text{A}^{185}\text{ReO}_4$	99
$\beta\text{-Pt}^{35}\text{Cl}_2$	166
$\text{RAl}_2^{81}\text{Br}_7$	141—142
$\text{R}^{63}\text{Ga}_2^{81}\text{Br}_7$	142
$\text{R}^{63}\text{Ga}_2^{35}\text{Cl}_7$	142
$\text{RH}_2^{75}\text{AsO}_4$	100
$\text{R}^{121,123}\text{SbS}_2$	172
$\text{R}^{121,123}\text{SbSe}_2$	172
$\text{R}_2\text{H}^{75}\text{AsO}_4$	100
$\text{R}_3^{209}\text{BiS}_3$	172
$\text{R}_3^{121,123}\text{SbS}_3$	172
$\text{Re}^{35}\text{Cl}_5$	149
$\text{Ru}^{35}\text{Cl}_3$	179
$^{121,123}\text{Sb}^{35}\text{Cl}_5$	139—140
$^{121,123}\text{SbF}_3$	162
$^{121,123}m\text{SbF}_3 \cdot n\text{M}'\text{hal}$	162
$^{121,123}\text{SbNbO}_4$	187
$^{121,123}\text{SbPO}_4$	187
$^{121,123}\text{SbTaO}_4$	187
$^{121,123}\alpha\text{-Sb}_2\text{O}_4$	187
$^{121,123}\beta\text{-Sb}_2\text{O}_4$	187
$^{121,123}\text{Sb}_2\text{S}_3$	170, 190
$^{121,123}\text{Sb}_2\text{Se}_3$	170, 196
$^{121,123}\text{Sb}_4\text{O}_5\text{Cl}_2$	183
$^{121,123}\alpha\text{-Sb}_5\text{O}_7^{127}\text{I}$	183
$\text{Sc}^{127}\text{I}_3$	179
$\text{Sn}^{81}\text{Br}_2$	167
$\text{Sn}^{35}\text{Cl}_2$	167
SnCl_2	168
$\text{Sn}^{35}\text{Cl}_4 \cdot 2\text{L}$	110
square-planar $(\text{Bu}_3^o\text{P})_2\text{Ni}^{79}\text{Br}_2$	77
square-planar $(\text{Bu}_3^o\text{P})_2\text{Ni}^{35}\text{Cl}_2$	77
square-planar $(\text{Pr}_3^o\text{P})_2\text{Ni}^{79}\text{Br}_2$	77
square-planar $(\text{Pr}_3^o\text{P})_2\text{Ni}^{35}\text{Cl}_2$	77
$\text{Sr}^{81}\text{Br}_2 \cdot 2\text{H}_2\text{O}$	177
$\text{Sr}^{127}\text{I}_2 \cdot 6\text{H}_2\text{O}$	177
$^{181}\text{Ta}^{81}\text{Br}_5$	148, 150
TaCl_5	147, 151
$^{181}\text{Ta}^{35}\text{Cl}_5$	148, 149
$^{181}\text{Ta}^{35}\text{Cl}_5 \cdot \text{L}$	132—133
$^{181}\text{Ta}^{127}\text{I}_5$	149, 150

NQR spectra of

$\text{Ta}_2^{81}\text{Br}_6(\text{Sc}_4\text{H}_8)_2$	158
$\text{Ta}_2^{35}\text{Cl}_6(\text{SCl}_4\text{H}_6)_2$	158
$\text{Te}^{81}\text{Br}_4 \cdot \text{AlBr}_3$	126
$\text{Te}^{81}\text{Br}_4$	126
$\text{Te}^{35}\text{Cl}_4$	126
$\text{Te}^{35}\text{Cl}_4 \cdot \text{AlCl}_3$	126
$\text{Te}^{35}\text{Cl}_4 \cdot 2(\text{CH}_3)_2\text{SO}$	126
$\text{Te}^{35}\text{Cl}_4 \cdot (\text{C}_2\text{H}_5)_2\text{S}$	126
$\text{Te}^{35}\text{Cl}_4 \cdot \text{PO}^{35}\text{Cl}_3$	126
tetrabromocadmates(II)	79
tetrachloriodates(III)	69
tetrahaloaluminates(III)	69
tetrahaloaurates(III)	69
tetrahalogallates(III)	69
tetrahalomercurates(II)	79
tetrahalopalladates(II)	69
tetrahaloplatinates(II)	69
tetrahalozincates(II)	78—79
tetrahedral $(\text{Ph}_3\text{P})_2\text{Ni}^{79}\text{Br}_2$	77
tetrahedral $(\text{Ph}_3\text{P})_2\text{Ni}^{35}\text{Cl}_2$	77
tetrahedral $(\text{Ph}_3\text{P})_2\text{Ni}^{127}\text{I}_2$	77
tetraiodothallates(III)	69
$\text{Ti}^{81}\text{Br}_3$	179
$\text{Ti}^{35}\text{Cl}_2$	177
$\text{Ti}^{35}\text{Cl}_3$	179
$\text{Ti}^{35}\text{Cl}_4$	128
$\text{Ti}^{35}\text{Cl}_4 \cdot \text{L}$	128
$\text{Ti}^{35}\text{Cl}_4 \cdot 2\text{L}$	128
transition metal hexahalides(IV)	59
U^{35}Cl_3	179
U^{127}I_3	179
V^{35}Cl_3	179
W^{35}Cl_5	148
$\text{WO}^{35}\text{Cl}_3$	157, 166
$\text{WO}^{35}\text{Cl}_4$	166
Y^{35}Cl_3	179
$\text{Yb}^{223}\text{NbO}_4$	187
$\text{Zn}^{81}\text{Br}_2$	167
$\text{Zn}^{35}\text{Cl}_2$	167
$\text{Zn}^{127}\text{I}_2$	167
$\text{Zn}^{121,123}\text{Sb}$	201
$\text{Zr}^{81}\text{Br}_4$	166
$\text{Zr}^{35}\text{Cl}_4$	166
$\text{Zr}^{35}\text{Cl}_4 \cdot 2\text{MeCN}$	131
$\text{ZrCl}_4 \cdot n\text{PO}^{35}\text{Cl}_3$	131

- NQR spectra of
 $\text{Zr}^{127}\text{I}_4$ 166
- Nuclear quadrupole moment 10
- Nuclear quadrupole resonance spectra of
 hexachloroantimonates(V) 63
 hexachlorometallates(IV) 63
 hexachlorometallates(V) 63
 hexahalobismuthates(V) 63
 hexahalometallates(III) 64
- Phase transitions in
 AgAsS_3 192
 Ag_3AsS_3 192
 Ag_3SbS_3 192
 Cs_2CdBr_4 81
 Cs_2HgBr_4 81
 K_2ZnCl_4 81
 $(\text{NH}_4)_2\text{ZnCl}_4$ 81
 Rb_2ZnCl_4 81
 TlAsSe_2 192
- Piezoelectric properties of
 Ag_3AsS_3 192
 Ag_3SbS_3 192
 $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ 191
 $\text{Bi}_{12}\text{GeO}_{20}$ 191
 $\text{Bi}_{12}\text{SiO}_{20}$ 191
- Polymorphic transitions in
 As_2S_3 202—203
 As_4S_3 203—204
cis- $\text{Pt}(\text{meNH}_2)_2\text{I}_2$ 205—206
- Pulsed line narrowing 25—26
- Quadrupole coupling constant, QCC
 13, 31
- Secondary bonding in
 ionic compounds with V-shaped cations 90—92
 ionic trichlorosulphonium(IV) chlorometallates 87
- Solid-state effect in
 octahedral complexes of Co(III) 96—97
 tetrahalozincates(II) 82
- Spin-echo or pulse technique 24—25
- Spin-echo Zeeman experiments 21
- Spin-lattice relaxation time T_1 25
- Spin-spin relaxation time T_2 25
- Sternheimer antishielding 55
 in $\text{K}^{185}\text{ReO}_4$ 99
 in $\text{Na}^{127}\text{IO}_4$ 99
- Structural data for
 AgAsS_3 171
 AgSbS_3 171
 AlBr_3 138
 AlCl_3 181
 As_2S_3 169, 171
 As_2Se_3 171
 As_2Te_3 171
 $\text{BaBr}_2 \cdot 2\text{H}_2\text{O}$ 176
 $\text{BaCl}_2 \cdot 2\text{H}_2\text{O}$ 176
 BiCl_3 181
 BiNbO_4 188
 BiOhal 182
 BiTaO_4 188
 Bi_2S_3 170
 $\text{Bi}_4\text{Ge}_3\text{O}_{12}$ 191
 $\text{Bi}_4\text{Si}_3\text{O}_{12}$ 191
 $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ 191
 $\text{Bi}_{12}\text{GeO}_{20}$ 191
 CdBr_2 180
 CdI_2 180
 CrCl_3 181
 CsSbClF_3 165
 CsSbF_4 164
 CsSb_2F_7 164
 $\text{Cs}_3\text{Sb}_2\text{hal}_9$ 144
 Cuhal_3 168
 CuSbS_2 171
 FeCl_3 181
 GaCl_3 138
 HfCl_4 165
 HfI_4 165
 Hghal_2 168
 ICl_3 138
 InI_3 138
 ionic compounds with V-shaped cations 90—91, 92
 ionic tetrafluorohalide(V)polyfluoroantimonates(V) 92—93
 KAl_2Br_7 139
 $\text{KHgI}_2 \cdot \text{H}_2\text{O}$ 168
 KSbClF_3 163

Structural data for

KSbF_4 165
 KSb_2F_7 161
 $(\text{Me}_4\text{N})_2\text{Ga}_2\text{Cl}_6$ 147
 Me_4NHgI_3 168
 MoCl_5 147
 NbBr_5 147, 151
 NbCl_5 147, 151
 $\text{NbCl}_5 \cdot \text{POCl}_3$ 135
 PdCl_2 168
 pentahalozincates(II) 81—82
 periodates $\text{Al}^{\text{VII}}\text{O}_4$ 99
 perrhenates $\text{ARe}^{\text{VII}}\text{O}_4$ 99
 PrBr_3 181
 PtCl_2 168
 ReCl_5 147
 SbNbO_4 188
 SbPO_4 188
 SbTaO_4 188
 $\beta\text{-Sb}_2\text{O}_4$ 186
 $\alpha\text{-Sb}_2\text{O}_4$ 186
 Sb_2S_3 171
 Sb_2Se_3 171
 $\text{Sb}_4\text{O}_5\text{Cl}_2$ 184
 $\alpha\text{-Sb}_5\text{O}_7\text{I}$ 184
 $\text{SnBr}_2 \cdot \text{H}_2\text{O}$ 177

Structural data for

SrBr_2 176
 TiAsS_2 171
 TiCl_3 181
 $\text{TiCl}_4 \cdot \text{L}$ 129
 TlBr_3 181
 trichlorosulphonium(IV) tetrachloro-
 aluminate(III), $\text{SCl}_3^+ \cdot \text{AlCl}_4^-$ 85—86
 trichlorosulphonium(IV) tetrachloro-
 iodate(III), $\text{SCl}_3^+ \cdot \text{ICl}_4^-$ 85—86
 UI_3 181
 $\alpha\text{-ZnCl}_2$ 168
 ZnI_2 168
 ZrCl_4 165
 ZrI_4 165

Townes and Dailey approach, bonding
 model in terms of 30—32, 43—45
 Transition metal hexachloroanions(IV),
 contributions to ^{35}Cl frequency tem-
 perature coefficient in 58—61

Width of NQR line 25

Zeeman experiments 16—22

Zero-splitting locus method 17—18