

SUBJECT INDEX

Absorbance

- relation to molar absorption coefficient 8
- relation to the intensity of incident and absorbed light 8

Absorption spectra

- general considerations in relation to types of transition, for the spectra of individual compounds, see the compound formulae

Aluminium complexes

- [Al(Pc)Cl] 15, 52
- [Al(TBPc)Cl] 50
- [Al(TBPc)OH] 50
- [Al(TPP)Cl] 37, 50
- [Al(TPP)OH] 50

Anthracene substituted 49

Azulene 34

Back intersystem crossing in excited

- chromium complexes 36, 135

Cadmium complexes

- [Cd(TPP)] 37

Cage-type complexes 164

- carcerands, catenands, cryptands, sepulchrates 164
- their photochemistry and photophysics 164

Calcium complexes

- [Ca(PO₃C₂H₅-CH₂-C₆H₄(C₄H₉)OH)₂], IRGANOX 1425 188

Chemiluminescence inducers 152

Chemiluminescence of

- chromium complexes 10
- ruthenium complexes 10

Chromium complexes

- [Cr(acac)₃] 45, 46, 68, 95, 96, 98, 172

[Cr(acac)₂L], L = alanine, valine, phenylalanine 172

[Cr(bpy)₃]³⁺ 9, 27, 65

CrBr₃ 35

CrCl₃ 35

[Cr(CN)₆]³⁻ 121, 128

[Cr(CN)₅NO]³⁻ 23

[Cr(CO)₆] 67, 172

[Cr(4,4'-(COO)₂bpy)₃]³⁻ 143

[Cr(cyclam)Cl₂]⁺ 127

[Cr(cyclam)Cl(H₂O)]²⁺ 127

[Cr(dpm)₃] 46

[Cr(en)₃]³⁺ 96, 142

[Cr(en)₂Br₂]⁺ 13

[Cr(en)₂Cl₂]⁺ 13, 127

[Cr(en)₂F₂]⁺ 13, 132

[Cr(en)(Hen)(H₂O)F₂]²⁺ 141

[Cr(en)(H₂O)₂(OH)₂]⁺ 116

[Cr(en)₂(H₂O)(OH)]²⁺ 116

[Cr(en)₂(NCS)₂]⁺ 36

[Cr(en)₂(OH)₂]⁺ 116

[Cr(en)₃]Cl₃ 172

[CrF₃(H₂O)]SiF₆ 35

[CrF₃(H₂O)₃] 35

[CrF₃(H₂O)₃].H₂O 35

[CrF₃(H₂O)₃].2H₂O 35

[Cr(H₂O)₆]³⁺ 9, 115

[Cr(H₂O)₆]F₃ 35

[Cr(H₂O)₅X]²⁺, X = Cl, NCS 115, 128

[Cr(NCS)₆]³⁻ 128

[Cr(NH₃)₆]³⁺ 36, 128

[Cr(NH₃)₅Br]²⁺ 112

[Cr(NH₃)₅Cl]²⁺ 112, 132

[Cr(NH₃)₄Cl₂]⁺ 112, 127

[Cr(NH₃)₄(CN)F]⁺ 135, 136

[Cr(NH₃)₄(CN)H₂O]²⁺ 135, 136

- $[\text{Cr}(\text{NH}_3)_4(\text{CN})\text{NCS}]^+ 135$
 $[\text{Cr}(\text{NH}_3)_4(\text{DMF})\text{Cl}]^{2+} 116, 133$
 $[\text{Cr}(\text{NH}_3)_4(\text{DMF})(\text{H}_2\text{O})]^{3+} 116, 133$
 $[\text{Cr}(\text{NH}_3)_3(\text{DMF})(\text{H}_2\text{O})\text{Cl}]^{2+} 133$
 $[\text{Cr}(\text{NH}_3)_3\text{F}]^{2+} 121$
 $[\text{Cr}(\text{NH}_3)_4\text{F}_2]^+ 128, 132$
 $[\text{Cr}(\text{NH}_3)_3(\text{H}_2\text{O})(\text{CN})\text{X}]^+, \text{X} = \text{F}, \text{NCS} 135$
 $[\text{Cr}(\text{NH}_3)_5(\text{H}_2\text{O})]^{3+} 112$
 $[\text{Cr}(\text{NH}_3)_4(\text{H}_2\text{O})_2]^{3+} 103$
 $[\text{Cr}(\text{NH}_3)_4(\text{H}_2\text{O})\text{X}]^{2+}, \text{X} = \text{Cl}, \text{Br}, \text{NCS} 112, 116, 133$
 $[\text{Cr}(\text{NH}_3)_2(\text{NCS})_4]^- 124$
 $[\text{Cr}(\text{ox})_3]^{3-} 96, 97$
 $[\text{Cr}(\text{ox})_2\text{phen}]^- 96$
 $[\text{Cr}(\text{ox})(\text{phen})_2]^+ 96$
 $[\text{CrPc}] 15$
 $[\text{Cr}(\text{phen})_3]^{3+} 10, 52, 95, 96$
 $[\text{Cr}(\text{phen})_3]^{2+} 10$
 $[\text{Cr}(\text{salen})\text{N}_3] \cdot \text{H}_2\text{O} 75, 172$
 $[\text{Cr}(\text{salen})\text{N}] \cdot \text{H}_2\text{O} 75, 172$
 $[\text{Cr}(\text{sep})]^{2+} 164$
 $[\text{Cr}(\text{tet})\text{Cl}_2]^+ 127$
 $[\text{Cr}(\text{urea})_6]^{3+} 35, 38, 39$
 Cr^{3+} -doped compounds 35
 $\text{H}_{0.7}[\text{Cr}(\text{NH}_3)_6]_{0.1}\text{UO}_2\text{PO}_4 \cdot 6\text{H}_2\text{O} 117$
 $\text{K}_2[\text{CrF}_5(\text{H}_2\text{O})] 35$
 $(\text{NH}_4)[\text{Cr}(\text{en})\text{F}_4] 35$
 $(\text{NH}_4)_3[\text{CrF}_6] 35$
 $[(\text{NH}_3)_4(\text{H}_2\text{O})\text{Cr}-\text{NC}-\text{Fe}(\text{CN})_5]^- 87$
 $[(\text{NH}_3)_3\text{Cr}-\text{NC}-\text{Co}(\text{CN})_5] 45, 46$
 $[(\text{NH}_3)_3\text{Cr}-\text{OH}-\text{Cr}(\text{NH}_3)_4\text{Cl}]^{4+} 116$
- Cobalt complexes**
- $[\text{Co}(\text{acac})_3] 95, 98, 186$
 $[\text{Co}(\text{acac})_2] 186$
 $[\text{Co}(\text{[14]aneN}_4)](\text{ClO}_4)_2 176$
 $[\text{Co}(\text{[14]aneN}_4)(\text{H}_2\text{O})(\text{CH}_3)](\text{ClO}_4)_2 176$
 $[\text{Co}(\text{bpy})_3]^+ 10, 95$
 $[\text{Co}(\text{bpy})_2(\text{NH}_2\text{CH}_2\text{COO})]^{2+} 142, 176$
 $[\text{Co}(\text{bpy})_2(\text{NH}_2\text{CH}_2)]^{2+} 142, 176$
 $[\text{Co}_3\text{C}(\text{CO})_9\text{H}] 89$
 $[\text{Co}_2(\text{CO})_8] 89$
 $[\text{Co}(\text{CO})_3(\text{NO})] 20$
 $[\text{Co}(\text{CN})_6\{32-\text{N}_8\text{H}_8\}]^{5+} 114$
 $[\text{Co}(\text{CN})_6]^{3-} 39, 44, 113, 114, 128$
 $[\text{Co}(\text{CN})_5(\text{H}_2\text{O})\{32-\text{N}_8\}]^{6+} 114$
 $[\text{Co}(\text{CN})_5\text{N}_3]^{3-} 77$
 $[\text{Co}(\text{Cp})(\text{diene})] 102$
 $[\text{Co}(4,11\text{-[14]dieneN}_4)](\text{ClO}_4)_2 176$
 $[\text{Co}(4,11\text{-[14]dieneN}_4)(\text{H}_2\text{O})(\text{CH}_3)](\text{ClO}_4)_2 176$
 $[\text{Co}(\text{EDTeP})]^- 177$
 $[\text{Co}(\text{EDTrP})(\text{H}_2\text{O})] 177$
 $[\text{Co}(\text{en})_3]^{2+} 148$
 $[\text{Co}(\text{en})_3]^{3+} 148$
 $[\text{Co}(\text{en})_3]\text{Cl}_3 176$
 $[\text{Co}(\text{en})_2\text{Cl}_2]^+ 103, 117, 176$
 $[\text{Co}(\text{en})_2\text{CO}_3]^+ 117, 176$
 $[\text{Co}(\text{en})_2(\text{NH}_2\text{CH}_2)](\text{ClO}_4)_2 176$
 $[\text{Co}(\text{en})_2(\text{NH}_2\text{CH}_2\text{COO})](\text{ClO}_4)_2 176$
 $[\text{Co}(\text{en})_2(\text{RCONHO})]\text{Cl}_2, \text{R} = \text{Me}, \text{Et}, \text{Ph} 117, 176$
 $[\text{Co}(\text{en})_2(\text{SO}_2\text{C}_2\text{H}_4\text{NH}_2)_2]^{2+} 109, 176$
 $[\text{Co}(\text{HEDTrA}(\text{en}))]\text{ClO}_4 \cdot 2\text{H}_2\text{O} 175$
 $[\text{Co}(\text{HEDTrA}(\text{en}))]\text{Cl} \cdot 3\text{H}_2\text{O} 175$
 $[\text{CoH}(\text{PF}_3)_4] 89, 176$
 $[\text{Co}(\text{H}_2\text{O})_6]^{2+} 9$
 $[\text{Co}(\text{htc})_3] 148$
 $[\text{Co}(\text{htc})_3]^- 148$
 $[\text{Co}(\text{im-hist})]\text{ClO}_4 176$
 $[\text{Co}(\text{NH}_3)_6]^{3+} 7, 69, 86, 113$
 $[\text{Co}(\text{NH}_3)_6]^{3+} \cdot \text{I}^- 19$
 $[\text{Co}(\text{NH}_3)_5\text{Br}]^{2+} 81$
 $[\text{Co}(\text{NH}_3)_5(\text{CH}_3\text{COO})](\text{ClO}_4)_2 176$
 $[\text{Co}(\text{NH}_3)_5(\text{C}_6\text{H}_5\text{NO}_2)]^{2+} 62$
 $[\text{Co}(\text{NH}_3)_5\text{Cl}]^{2+} 81, 113, 165, 183$
 $[\text{Co}(\text{NH}_3)_5(\text{H}_2\text{O})]^{3+} 87$
 $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})\text{N}_3]^{2+} 118$
 $[\text{Co}(\text{NH}_3)_5(\text{HCOO})]^{2+} 109, 110$
 $[\text{Co}(\text{NH}_3)_5\text{I}]^{2+} 81$
 $[\text{Co}(\text{NH}_3)_5\text{N}_3]^{2+} 77, 81, 118, 183$
 $[\text{Co}(\text{NH}_3)_5(\text{NO}_2)]^{2+} 79, 81, 108, 109$
 $[\text{Co}(\text{NH}_3)_5(\text{NO}_2)]\text{X}_2, \text{X} = \text{Cl}, \text{Br}, \text{NO}_3 109, 176, 184$
 $[\text{Co}(\text{NH}_3)_5(\text{SCN})]^{2+} 81, 108, 109, 183$
 $[\text{Co}(4,4\text{-Me}_2\text{bpy})_3]^+ 10$
 $[\text{Co}(\text{Me}_4[14]\text{tetraeneN}_4)\text{Cl}_2]\text{ClO}_4 176$
 $[\text{Co}(\text{Me}_4[14]\text{tetraeneN}_4)(\text{H}_2\text{O})_2](\text{ClO}_4)_3 176$
 $[\text{Co}(\text{ox})_3]^{3-} 95, 168$
 $[\text{Co}(\text{Pc})_2]^- 93$
 $[\text{Co}(\text{Pc})\text{X}]^{4-}, \text{X} = \text{Cl}, \text{Br}, \text{NCS} 93$
 $[\text{Co}(\text{phen})_3]^{3+} 76, 95$
 $[\text{Co}(\text{phen})_2(\text{NH}_2\text{CH}_2)]^{2+} 142, 176$
 $[\text{Co}(\text{phen})_2(\text{NH}_2\text{CH}_2\text{COO})]^{2+} 142, 176$
 $[\text{Co}(\text{sep})]^{2+} 69, 176$
 $[\text{Co}(\text{sep})]^{3+} 69, 164, 176$
 $[\text{Co}(\text{S}_2\text{C}-\text{N}(\text{R})-\text{CH}_2\text{R})_3], \text{R} = \text{alkyl} 186$
 $[\text{Co}(\text{TPP})] 77$
 $[\text{Co}(\text{TPP})\text{O}_2] 74$
 $[\text{Co}(\text{TPPS})] 150$
 $[(\text{NC})_5\text{Co}-\text{CN}-\text{Cr}(\text{NH}_3)_5] 18, 45$
 $[(\text{NC})_5\text{Co}-\text{NC}-\text{Fe}(\text{CN})_5]^{6-} 18$
 $[(\text{NC})_5\text{Co}-\text{NC}-\text{Os}(\text{CN})_5]^{6-} 18$

- $[(\text{NC})_5\text{Co}-\text{NC}-\text{Ru}(\text{CN})_5]^{6-}$ 18
 $[(\text{NH}_3)_5\text{Co}-\text{NC}-\text{Ru}(\text{CN})_5]^-$ 18, 86
 $[(\text{NH}_3)_5\text{Co}-\text{O}_2-\text{Co}(\text{NH}_3)_5]^{5+}$ 87
 $[(\text{PF}_3)_3\text{Co}(\mu\text{-H})(\mu\text{-PF}_2)\text{Co}(\text{PF}_3)_3]$ 89, 176
 $[(\text{PF}_3)_3\text{Co}(\mu\text{-H})(\mu\text{-PF}_2)\text{Ir}(\text{PF}_3)_3]$ 89, 176
 $\text{Na}_2[\text{Co}(\text{en})_2\text{Cl}-\text{NC}-\text{Fe}(\text{CN})_5] \cdot 5\text{H}_2\text{O}$ 176
 $\text{Zn}_3[(\text{im-hist})\text{Co}-\text{NC}-\text{Ru}(\text{CN})_5]_2$ 176
- Cobalamines 139
 Cobaloximes 140
 Cobalt cobyrinate complexes 92, 175
 Cobalt corrinoid complexes 92, 175
 Complex, definition of 3
 Concave chemistry 164
 Coordination compounds, definition of 4
 Copper complexes
 $[\text{Cu}(\text{acac})_2]$ 181
 $[\text{Cu}(\text{acac})(\text{PPh}_3)_2]$ 181
 $[\text{Cu}(\text{BH}_4)(\text{diphos})]$ 157
 $[\text{Cu}(\text{BH}_4)(\text{PMePh}_2)_2]$ 157
 $[\text{Cu}(\text{BH}_4)(\text{PPh}_3)_2]$ 49, 151, 157
 $[\text{Cu}(\text{BH}_4)(\text{PPh}_3)(\text{NBD})]$ 151
 CuBr 156
 $\text{Cu}(\text{CH}_3\text{COO})$ 156
 $[\text{Cu}(\text{CH}_3\text{COO})]^+$ 75
 CuCl 149, 156
 CuCl_2 17
 $[\text{CuCl}_3]^{2-}$ 78
 $[\text{CuCl}_4]^{2-}$ 78, 83
 $[\text{CuCl}_3(\text{CH}_3\text{CN})]^-$ 83
 $[\text{CuCl}_2(\text{CH}_3\text{CN})_2]$ 83
 $[\text{CuCl}(\text{CH}_3\text{CN})_3]^+$ 83
 $[\text{Cu}(\text{CH}_3\text{CN})_4]^{2+}$ 83
 $[\text{Cu}(\text{CH}_3\text{CN})_4]^+-\text{biL}$ 157
 $[\text{CuCl}(\text{NBD})]$ 150, 156
 $[\text{Cu}(\text{dpp})_2]^+$ 65, 166, 167
 $[\text{Cu}(\text{H}_2\text{O})_4]^{2+}$ 9
 $[\text{Cu}(\text{HAOX})_2]$ 186
 $[\text{CuHB}(\text{pz})_3]\text{CO}$ 156
 CuI 156
 $[\text{Cu}(\text{Me}_4\text{en})\text{Cl}_2]_2$ 17
 $[\text{CuPc}]$ 15
 $[\text{Cu}(\text{PPh}_3)_2(\text{phen})]^+$ 51
 $[\text{Cu}(\text{serine})_2]$ 184
 $[\text{Cu}(\text{S}_2\text{C}-\text{N}(\text{R})-\text{CH}_2-\text{R})_2]$ 186
 $[\text{Cu}(\text{TSPc})]_2^{8-}$ 93
 $[\text{Co}(\text{NH}_3)_6][\text{CuCl}_3]$ 17
 $\text{Cs}_2[\text{CuCl}_4]$ 17
 $(\text{MeNH}_3)_2[\text{CuCl}_4]$ 17
 CYASORB UV 1084 188
 DERCOS 137, 138
 DOSENCO 137, 138
 Doublet excited state of
 chromium complexes 9, 10, 36, 45, 46,
 120–124, 135, 193
 Doublet-quartet hypothesis 120, 193
 EDTA 162, 163
 Electron transfer processes, theory of
 Marcus 64
 Rehm–Weller 45, 64
 Energy transfer, mechanisms of
 exchange 9
 intramolecular 44
 long-range resonance 9
 non-radiative 9
 radiative 9
 static quenching 44
 Energy transfer, quenching of excited
 cobalt complexes 44
 organic donors 45
 ruthenium complexes 44
 uranyl compounds 117
 Europium complexes
 $\text{Eu}^{2+}(\text{aq})$ 65
 $[\text{Eu}(\text{oac})]^{3+}$ 19, 69
 Excimer formation and deactivation of com-
 plexes of
 aluminium 52
 chromium 52, 55
 palladium 52, 55
 platinum 52, 55
 silicon 52, 56
 uranium 52
 zinc 52, 55, 56
 Exciplex formation and deactivation of com-
 plexes of
 aluminium 50
 copper 49, 51, 151
 gallium 50
 indium 50, 54
 iridium 49
 lutetium 49
 magnesium 50, 53
 neodymium 49
 palladium 50, 53
 platinum 51
 rhenium 49, 53
 ruthenium 49, 51
 tin 48, 49
 titanium 50
 uranium 49

- yttrium 49
zinc 50, 51, 53, 54
- Excitation "double" 193
- Excited state of complexes, thermodynamic properties of
acid-base equilibria 25, 143, 144
redox potentials 25, 26
threshold energy of reaction 27, 80, 81, 113
- Excited states of complexes, classification according to transition
chromium complexes 22
platinum complexes 22
rhodium complexes 32
ruthenium complexes 22
- Excited states of complexes, classification according to transition
central atom localized LF (*d-d*, *f-f*), Rydberg 13, 14
charge transfer to solvent (CTTS) 20
intraligand (IL) 15
intravalence charge transfer (IVCT) 18, 19
ion-pair charge transfer (IPCT) 19, 20
ligand to ligand charge transfer (LLCT) 15, 16
ligand to metal charge transfer (LMCT) 16, 17
metal to ligand charge transfer (MLCT) 17, 18
polymetal moiety localized 14, 15
- Excited states of complexes, modes of formation
application of mechanical energy 11
chemical reaction 10
energy transfer 8, 9
photoexcitation 5-8
- Excited states of complexes, molecular structure of
chromium complexes 21, 122, 123
cobalt complexes 21
molybdenum complexes 23
osmium complexes 23
platinum complexes 21, 23
rhenium complexes 21
tungsten complexes 23
- Fluorescence of
chromium complexes 35, 36, 38, 39
manganese complexes 35
platinum complexes 36
porphyrin ligand in complexes 37
rhodium complexes 32
thulium complexes 36
- Franck-Condon factors 8, 11, 24
- Frozen orbitals 6
- Gallium complexes
[Ga (TPP)(OH)] 50
- Gold complexes
[Au(PE₃)(CD₃)], E₃ = MePh₂, Ph₃ 139
[Au(PE₃)(CH₃)], E₃ = MePh₂, Ph₃ 139
[Au(PE₃)(C₂F₄CH₃)], E₃ = MePh₂, Ph₃ 139
- Hot ground-state reaction 58
- Ideal photosensitizer 161
- Ideal relay 164
- Indium complexes
[In(TBPc)(OH)] 50
[In(TPP)]⁺ 50
[In(TPP)(MV)]³⁺ 50
[In(TPP)(OH)] 50
[In(TPP)(TEA)]⁺ 50
- Internal conversion in
iron complexes 60, 87
rhodium complexes 32, 118
- Intersystem crossing in
chromium complexes 36
gadolinium complexes 32, 33
iron complexes 33, 100, 120
lanthanum complexes 32, 33
lutetium complexes 32, 33
rhenium complexes 101
rhodium complexes 32
ruthenium complexes 120
- IRGANOX 1425 188
- IRGASTAB 2002 188
- Iridium complexes
[Ir(bpy)₃(H₂O)]³⁺ 98, 99
[Ir(bpy)₃(OH)]²⁺ 143
[IrBr₃(PY₃)₃], Y₃ = Me₃, Et₃, Bu₃, Me₂Ph, Et₂Ph, Pr₂Ph, Bu₂Ph 178
[Ir(C₆H₄PPh₂)(PPh₃)₂] 179
[IrCl₆]²⁻ 76
[IrCl₂(bpy)]⁺ 38
[IrCl₃(H₂O)]²⁻ 76
[IrCl₂(Mephen)]⁺ 37
[IrCl₂(5,6-Me₂phen)]⁺ 37, 120
[IrCl₂(phen)]⁺ 37
[IrCl₄(phen)]⁻ 37
[IrCl(PPh₃)₃] 179
[IrCl₃L₃], L = PMe₃, PEt₃, PBu₃, PMe₂Ph, PEt₂Ph, PPr₂Ph, PBu₂Ph, AsMe₂Ph, SEt₂ 178

- $[\text{Ir}(\text{C}^3, N'-\text{bpy})(\text{bpy})_2]^{2+}$ 49
 $[\text{Ir}(\text{C}^3, N'-\text{bpy})(\text{bpy})_2\text{Br}]^+$ 49
 $[\text{IrH}(\text{PF}_3)_4]$ 89, 178
 $[\text{IrHCl}(\text{C}_6\text{H}_4\text{PPh}_2)(\text{PPh}_3)_2]$ 179
 $[\text{IrH}_2\text{Cl}(\text{PPh}_3)_3]$ 179
 $[\text{IrH}_3(\text{PPh}_3)_3]$ 179
 $[\text{IrH}_5(\text{PPh}_3)_2]$ 179
 $[\text{IrHX}_2(\text{PY})_3]$, $\text{Y} = \text{Pr}_2\text{Ph}$, Bu_2Ph , $\text{X} = \text{Br}$, Cl , I 178
 $[\text{Ir}(\text{NCO})_3(\text{PEt}_3)_3]$ 178
 $[\text{Ir}(\text{NH}_3)_6]^{3+}$ 113
 $[\text{Ir}(\text{NH}_3)_5(\text{H}_2\text{O})]^{3+}$ 113
 $[\text{Ir}(\text{NH}_3)_5\text{N}_3]^{2+}$ 178
 $[\text{Ir}(\text{NH}_3)_5\text{N}]^{2+}$ 178
 $[\text{Ir}(\text{NH}_3)_5\text{NH}_2\text{Cl}]^{2+}$ 178
 $[\text{Ir}(\text{NH}_3)_5\text{NH}_2\text{SO}_3]\text{Cl}_2$ 178
 $[\text{IrX}_3(\text{PEt}_3)_3]$, $\text{X} = \text{I}$, NCS , N_3 178
 $[(\text{PF}_3)_4\text{Ir}-\text{Ir}(\text{PF}_3)_4]$ 89, 178
 $[(\text{PF}_3)_4\text{Ir}(\mu-\text{H})(\mu-\text{PF}_2)\text{Co}(\text{PF}_3)_3]$ 89, 176
 $[(\text{SEt}_2)_2\text{Cl}_2\text{Ir}(\mu-\text{Cl})(\mu-\text{SEt}_2)\text{IrCl}_2(\text{SEt}_2)_2]$ 178
 $[(\text{SEt}_2)_2\text{Cl}_2\text{Ir}(\mu-\text{Cl})_2\text{IrCl}_2(\text{SEt}_2)_2]$ 178
- Iron complexes**
- $[\text{Fe}(\text{acac})_3]$ 174
 $[\text{Fe}(\text{bpy})_3]^{2+}$ 165
 $[\text{FeBr}_4]^-$ 78
 $[\text{Fe}(\text{byim})_3]^{2+}$ 33
 Fe_2Cl_6 75
 $[\text{FeCl}_4]^-$ 78
 $[\text{FeCl}(\text{Et}_2\text{dtc})_2]$ 175
 $[\text{Fe}(\text{CN}_6)]^{4-}$ 19, 60, 176
 $[\text{Fe}(\text{CN})_5(\text{py}-\text{X})]^{3-}$ 120
 $[\text{Fe}(\text{CN})_5(\text{PBu}_3)]^{3-}$ 60
 $[\text{Fe}(\text{CO})_5]$ 174
 $[\text{Fe}(\text{CO})(\text{Cp})]_4$ 20
 $[\text{Fe}(\text{CO})_4(\text{C}_2\text{H}_2\text{Br}_2)]$ 71
 $[\text{Fe}(\text{CO})_4(\text{C}_2\text{H}_2\text{Br})\text{Br}]$ 71
 $[\text{Fe}(\text{CO})_2(\text{Cp})(\text{SiCl}_3)_2]$ 73
 $[\text{Fe}(\text{CO})(\text{Cp})(\text{SiCl}_3)]$ 73
 $[\text{Fe}(\text{CO})(\text{Cp})\text{H}(\text{SiCl}_3)_2]$ 73
 $[\text{Fe}(\text{CO})_2(\text{Cp})(\text{SCN})]$ 109, 110
 $[\text{Fe}(\text{Cp})_2]$ 144, 168
 $[\text{Fe}(\text{Cp})_2]^+$ 168
 $[\text{Fe}(\text{Cp})(\text{C}_5\text{H}_4\text{CH}_2\text{OC}_2\text{H}_5)]$ 144
 $[\text{Fe}(\text{dbacac})_3]$ 175
 $[\text{Fe}(\text{dibenzoylmethane})_3]$ 174, 188
 $[\text{Fe}(\text{diphos})_2]$ 73, 175
 $[\text{Fe}(\text{diphos})_2(\text{CH}_3\text{CN})]$ 175
 $[\text{Fe}(\text{diphos})_2(\text{CD}_3\text{CN})]$ 175
 $[\text{Fe}(\text{diphos})_2(\text{CH}_3\text{CN})_2]$ 94
 $[\text{Fe}(\text{diphos})_2(\text{CD}_3\text{CN})_2]$ 94
 $[\text{Fe}(\text{diphos})_2(\text{C}_4\text{H}_8\text{N}_2)]$ 94, 175
- $[\text{FeD}_2(\text{diphos})_2]$ 73, 175
 $[\text{Fe}(\text{H}_2\text{O})_6]^{3+}$ 9, 67, 68
 $[\text{Fe}(\text{H}_2\text{O})_6]^{2+}$ 67
 $[\text{Fe}(\text{HAOX})_3]$ 189
 $[\text{FeH}(\text{C}_6\text{H}_4\text{PhPC}_2\text{H}_4\text{PPh}_2)(\text{diphos})]$ 175
 $[\text{FeH}_2(\text{PF}_3)_4]$ 174
 $[\text{FeH}_2(\text{diphos})_2]$ 73, 175
 $[\text{Fe}(\text{hfacac})_3]$ 174
 $[\text{Fe}(\text{8-hydroxyquinolate})_3]$ 174
 $[\text{Fe-glucose}]$ 184
 $[\text{Fe}(\text{2-pic})_3]\text{Cl}_2 \cdot \text{C}_2\text{H}_5\text{OH}$ 100
 $[\text{Fe}(\text{phen})_2(\text{NCS})_2]$ 100
 $[\text{Fe}(\text{phenmethoxa})_3]^{2+}$ 33
 $[\text{Fe}(\text{proline})(\text{OCH}_3)(\text{H}_2\text{O})_2](\text{ClO}_4)_2 \cdot 2\text{CH}_3\text{OH}$ 175
 $[\text{Fe}(\text{PF}_3)_3]$ 174
 $[\text{Fe}_3(\text{proline})_6\text{O}(\text{H}_2\text{O})_3](\text{ClO}_4)_7$ 175
 $[\text{Fe}(\text{ptz})_4(\text{BF}_4)_2$ 99
 $[\text{Fe}([15]\text{pyaneN}_3)\text{X}_2]^+$, $\text{X} = \text{Br}$, Cl , N_3 27
 $[\text{Fe}([15]\text{pydieneN}_3)\text{X}_2]^+$, $\text{X} = \text{Br}$, Cl , N_3 27
 $[\text{Fe}(\text{R}_2\text{dtc})_2]$, $\text{R} = \text{alkyl}$ 189
 $[\text{Fe}(\text{R}_2\text{dtc})_3]$, $\text{R} = \text{alkyl}$ 175, 186, 189
 $[\text{Fe}(\text{SCN})_3(\text{py})_3]$ 183–185
 $[\text{Fe}(\text{TPP})]$ 87
 $[\text{Fe}(\text{TPP})\text{O}]$ 87
 $[\text{Fe}(\text{TSPc})]_2^{2-}$ 93
 $(\text{Et}_4\text{N})[\text{FeBr}_4]$ 17
 $(\text{Et}_4\text{N})_2[\text{FeBr}_4]$ 17
 $(\text{Et}_4\text{N})[\text{FeCl}_4]$ 17
 $(\text{Et}_4\text{N})_2[\text{FeCl}_4]$ 17
 $(\text{Et}_4\text{N})[\text{FeI}_4]$ 17
 $\text{Cs}_2\text{Na}[\text{Y}(\text{Fe})\text{Cl}_6]$ 17
 $(\text{NH}_4)_2[\text{In}(\text{Fe})\text{Cl}_4(\text{H}_2\text{O})]$ 17
 $\text{Na}_2[(\text{NC})_3\text{Fe}-\text{CN}-\text{Co}(\text{en})_2\text{Cl}]$ 176
 $[(\text{PF}_3)_3\text{Fe}(\mu-\text{I})(\mu-\text{PF}_2)\text{Fe}(\text{PF}_3)_3]$ 174
 $[(\text{PF}_3)_3\text{Fe}(\mu-\text{SEt})(\mu-\text{PF}_2)\text{Fe}(\text{PF}_3)_3]$ 174
 $[(\text{NC})_3\text{Fe}-\text{CN}-\text{Co}(\text{CN})_5]^{3-}$ 18
 $[(\text{NC})_3\text{Fe}-\text{CN}-\text{Cr}(\text{NH}_3)_4(\text{H}_2\text{O})]^-$ 18
 $[(\text{NC})_3\text{Fe}-\text{CN}-\text{Fe}(\text{CN})_5]^{6-}$ 18
 $[(\text{NC})_3\text{Fe}-\text{pyr}-\text{Fe}(\text{CN})_5]^{5-}$ 18
 $[(\text{TPP})\text{Fe}-\text{O}-\text{Fe}(\text{TPP})]$ 87
 cytochrome P-450 87
 haemoglobin 99
 horseradish peroxidase 87
- Lanthanum complexes**
- $[\text{La}(\text{Me-sal})_3]$ 32
 LAS — light absorption sensitizer 152
- Laws**
- Lamber–Beer law 1

- the first law of photochemistry (Grotthuss-Draper) 1
- the second law of photochemistry (Einstein-Stark) 1
- LES — light emission sensitizer 152
- Lifetime
- definition of 29
 - measurement of 34
 - relation to quantum yield 29
 - relation to Stern–Volmer equation 30
- Lutetium complexes
- [Lu(Me-sal)₃] 32
 - [Lu(TBP)Cl] 37
 - [Lu(TPP)(acac)] 37
 - [Pc–Lu–PcH] 49
- Magnesium complexes
- chlorophylls 50
 - [Mg(Etio)] 50
 - [MgPc] 15
 - [Mg(TBPc)] 50
 - [Mg(TPP)] 50
 - [Mg(TPP)(py)] 50
- Manganese complexes
- [Mn(acac)₃] 183, 184
 - [Mn(acac)₂] 184
 - [Mn(CO)₂Cl] 88
 - [Mn(H₂O)₆]²⁺ 9, 13
 - [Mn(tpican)₃] 189
 - [(OC)₂Mn–Re(CO)₅] 88
- Marcus inverted region 65
- Marcus theory 64
- Mercury complexes
- [Hg(dithizonate)₂] 98
- Models
- edge displacement model, Kirk's model 126
 - Ford's model 128
 - MO–LF σ/π bonding models 132
 - of the photochemical reactivity 130
 - VC (I*) model 127
 - Zink's model 132
- Molar absorption coefficient, the range of values for
- CTTS transitions 20
 - IL transitions 15
 - IPCT transitions 19
 - IVCT transitions 18
 - LF (*d*–*d*, *f*–*f*) transitions 13
 - LLCT transitions 16
 - LMCT transitions 16
 - MLCT transitions 16
 - polymetal moiety localized transitions 15
 - Rydberg transitions 14
- Molar absorption coefficient
- relation to absorbance 8
 - relation to dissymmetry factor 95
 - solvent effect on 20
- Molybdenum complexes
- [Mo(acac)₃] 172
 - [MoBr(N₂)(diphos)₂] 174
 - [MoBr(N₂R)(diphos)₂], R = Me, Et, Pr, Bu, C₆H₁₂ 173
 - [MoBr(N₂R₂)(diphos)₂]Br, R = Me, Et, Pr, Bu 173
 - [MoBr(N₂HR)(diphos)₂]Br, R = Me, Et, Pr, Bu 173
 - [MoBr(N₂CH)(CH₂)₃OH(diphos)₂]Br 174
 - [Mo₂(CF₃COO)₄] 23
 - [Mo₂Cl₈]^{4–} 89, 90
 - [Mo₆Cl₁₄]^{2–} 89
 - [MoCl(N₂)(diphos)₂] 174
 - [Mo(CN)₈]^{4–} 60, 77
 - [Mo(CN)₈]^{3–} 77
 - [Mo(CN)₇]^{2–} 77
 - [Mo(CN)₈]^{3–} 77
 - [Mo₂(CN)₁₅]^{6–} 78
 - [Mo(CO)₆] 172
 - [Mo(CO)₃(Cp)(NCS)] 109
 - [Mo(CO)_x(Cp)(PPh₃)_{3–x}(NCO)], *x* = 1, 2 145
 - [Mo(CO)_x(Cp)(PPh₃)_{3–x}N₃], *x* = 1, 2 145
 - [Mo₂HCl₈]^{4–} 90
 - [MoH₄L₄], L = PMePh₂, PEtPh₂, PET₂Ph, PPrPh₂, PBuPh₂, 1/2 diphos 173
 - [Mo(N₂)₂L₄], L = PMePh₂, PEtPh₂, PET₂Ph, PPrPh₂, PBuPh₂, 1/2 diphos 173, 174
 - [MoI(N₂R)(diphos)₂], R = Me, C₆H₁₂ 174
 - [Mo(OH)₃(CN)(bpy)₂] · 3H₂O 173
 - [Mo(OH)₃(CN)(phen)₂] · 2H₂O 173
 - [Mo(S₂C₂(CF₃)₂)₃] 157
 - Cd₂[Mo(CN)₆(H₂O)₂] · *n*H₂O 173
 - Cd₂[Mo(CN)₈] · 2NH₃ · 4H₂O 173
 - Cd₂[Mo(CN)₈] · 2N₂H₄ · 4H₂O 173
 - H₂[Mo(CN)₆(H₂O)] 172
 - K₃[Mo(CN)₄(OH)] · 2H₂O 172
 - K₄[Mo(CN)₄(OH)] 172
 - K₄[Mo(CN)₄(OH)₄] 173
 - K₂[Mo(CN)₄(OH)₂(bpy)] 173
 - K₂[Mo(CN)₄(OH)₂(phen)] 173
 - K₆[Mo₃(CN)₈O₈] · 2H₂O 172
 - M₃[Mo(CN)₇(H₂O)], M = H, Ag 172
 - M₄[Mo(CN)₈], M = H, Na, K 172

- $M_4[Mo(CN)_4O_2] \cdot 8H_2O$, $M = Na, K$ 172
 $Mn_2[Mo(CN)_8] \cdot 2NH_3$ 173
 Multiple state emission 40

Neodymium complexes

[Pc–Nd–PcH] 49

Nickel complexes

- $[Ni_2(dehydrobis[14]aneN_4)](ClO_4)_4$ 177
 $[Ni(CH_2CHCN)_2]$ 157
 $[Ni([14]aneN_4)](ClO_4)_2$ 177
 $[Ni(1,5-C_8H_{12})_2]$ 157
 $NiCl_2$ 184
 $[NiCl_2(dpp)]$ 103
 $[Ni(CO)C_3(Ph)_3X]$, $X = Cl, Br$ 157
 $[Ni(Cp)(C_3H_7O)]$ 143
 $[Ni(Cp)(CO)(C_4H_7)]$ 143
 $[Ni(DIPS)_2]$ 186
 $[Ni(DTP)_2]$ 186
 $[Ni(H_2O)_6]^{2+}$ 9
 $[Ni(HAOX)_2]$ 186
 $[Ni(NBS)_2]$ 186
 $[Ni(NH_2C_4H_9)(O_2S)(C_6H_5-C_6H_{17})_2]$ 188
 $[Ni(OEP)]$ 141
 $[Ni(OEP)(py)_2]$ 141
 $[Ni(O_2C_3(C_9H_{14})CNCH_3NC_6H_5)_2]$ 188
 $[Ni(PO_3C_2H_5-CH_2-C_6H_4(C_4H_9)_2OH)_2]$ 188
 $[Ni(S_2C-N(R)-CH_2-R)_2]$ 186
 $[Ni(SDT)_2]$ 186, 189
 $[Ni(S_2C_2(CF_3)_2)_3]$ 157
 $[Ni(tet)]^{2+}$ 140
 $[Ni(tet)(H_2O)_2]^{2+}$ 140
 $[Ni(TPP)]$ 141
 $[Ni(TPP)(py)_2]$ 141
 $[NiX_2(PMe_3)_2]$, $X = Br, CN, I$ 140
 $[NiX_2(PMe_3)_3]$, $X = Br, CN, I$ 140
 $Ni(I)$ haemoglobin 141
 $Ni(II)$ myoglobin 141

Nitrosodurene (ND) 77

Nitrous oxide (N_2O) 61

Norbornadiene (NBD) 149–152, 155–158

Oscillator strength 6, 7

Osmium complexes

- $[Os(bpy)_3]^{2+}$ 12, 23, 42
 $[Os(bpy)_x(P_2)_3-x]^{2+}$, $P = Ph_2PC_2H_2PPh_2$,
 $x = 1, 2, 3$ 23
 $[Os(CN)_6]^{4-}$ 19
 $[Os(phen)_3]^{2+}$ 42
 $[(NC)_3Os-CN-Co(CN)_3]^{6-}$ 18

Palladium complexes

- $[PdBr_2(PPr_3)_2]$ 103, 179
 $[PdCl_2(dppm)]$ 179
 $[Pd_2Cl_2(dppm)_2]$ 179
 $[Pd_2Cl_2(dppm)_2]CNPh$ 179
 $[PdCl_2(PBu_3)_2]$ 179
 $[PdCl_2(NBD)]$ 157
 $[PdCl_2(PEt_3)_2]$ 179
 $[PdCl_2(PPr_3)_2]$ 103, 179
 $[Pd_2Cl_4(PPr_3)_2]$ 179
 $[PdI_2(PPr_3)_2]$ 103, 179
 $[Pd(TPP)]$ 50, 52

Phosphorescence of complexes of

- cadmium 40
 chromium 36, 38, 39
 cobalt 39
 copper 41
 europium 39, 40
 iridium 37–39, 41
 manganese 43
 osmium 41, 42
 platinum 36, 39, 43
 rhenium 41
 rhodium 32, 33, 37, 39, 42
 ruthenium 32, 40, 42, 43
 thulium 39
 uranyl 43
 zinc 40

Phosphorescence of porphyrin coordinated ligand 40

Photocatalysis, general considerations and mechanisms

- catalyzed photolysis 149
 catalyzed photoreaction 150
 photoassisted reaction 149
 photoassistor (pseudo-catalyst) 149
 photogenerated catalysis 147
 photoinduced catalytic reaction 147
 photosensitized reactions 151
 sensitized photochemical reactions 151
 sensitizer 151
 true photocatalysis 147

Photocatalyzed

- conversion of solar energy into chemical energy 153–169
 formation of $[Co(htc)_3]$ 148
 hydrogenations of alkanes 150
 isomerizations of alkenes 150
 isomerization of norbornadiene to quadricyclene 149–151, 155, 156
 oxidation of aliphatic alcohols 150

- oxidations of phenols 150
- Photochemical additions of complexes of
 - chromium 141
 - nickel 141
 - zinc 142
- Photochemical eliminations of complexes of
 - cobalt 142
 - nickel 140, 141
- Photochemical insertions of complexes of
 - cobalt 140
 - gold 139
 - titanium 139
- Photochemical kinetic analysis 191
- Photochemical reactions 3
 - classification of 57
 - "slow" or "fast" 58
- Photochemical reactions, general considerations
 - photoadditions 72, 141
 - photoeliminations 72, 140
 - photoinsertions 139
 - photoisomerizations of coordinated ligands 91
 - photoisomerizations of geometrical isomers 102
 - photoisomerizations of linkage isomers 107
 - photoisomerizations of optical isomers 95
 - photoisomerizations of spin isomers 99
 - photoredox inner-sphere reactions 75
 - photoredox intramolecular rearrangements 70
 - photoredox outer-sphere reactions 62
 - photoredox reactions of coordinated ligands 100
 - photoredox reactions of polynuclear complexes 85
 - photoredox solvated electron formations 59
 - photosubstitutions 111
 - phototautomerizations 98, 99
- Photochemical synthesis of coordination compounds
 - chromium complexes 172, 182
 - cobalt complexes 175–177, 182
 - copper complexes 181
 - general considerations 170
 - iridium complexes 176, 178, 179, 182
 - iron complexes 174–176, 182
 - mercury complexes 190
 - molybdenum complexes 172–174
 - nickel complexes 177
 - palladium complexes 171, 179, 182
 - platinum complexes 171, 179, 180
 - rhenium complexes 174
 - rhodium complexes 178, 182
 - ruthenium complexes 176–178
 - tungsten complexes 172–174
 - uranium complexes 171, 180, 181
- Photochemical titration (photometric titration) 191
- Photochemistry, definition of 3
- Photodestruction of polymers initiated by coordination compounds
 - cobalt complexes 189
 - iron complexes 189
 - manganese complexes 189
 - polyethylene 189
 - polyisobutylene Vistanex L-140 189
 - polypropylene 189
- Photoinitiation of polymerization
 - acrylamide 184
 - acrylonitrile 184
 - methyl methacrylate 184
 - monomers, mechanisms of polymerization 183, 185
 - styrene 184
 - vinyl monomers 184
- Photoinitiators – coordination compounds
 - cobalt complexes 183, 184
 - copper complexes 183, 184
 - iron complexes 183, 184
 - manganese complexes 183, 184
 - nickel complexes 184
 - vanadium complexes 183, 184
- Photoisomerization reactions of
 - chromium complexes 95–97, 104–106
 - cobalt complexes 102–104, 108–110, 130
 - iridium complexes 98, 99, 104, 106, 130
 - iron complexes 99, 100, 109, 110
 - mercury complexes 98
 - molybdenum complexes 109, 110
 - nickel complexes 103, 106
 - palladium complexes 101, 103, 104
 - platinum complexes 104, 105, 109, 110
 - rhenium complexes 101
 - rhodium complexes 98, 103, 130
 - ruthenium complexes 96, 98, 101, 103
 - tungsten complexes 101
 - zinc complexes 101
- Photonic molecular device (PMD) 195
- Photophysical deactivations of excited complexes, general considerations,
 - back intersystem crossing 31

- classification of 28
- energy-transfer quenchings 43
- exciplex formation and deactivation 47
- fluorescence 35
- internal conversion 31
- intersystem crossing 31
- non-radiative transition to the ground state 33
- phosphorescence 37
- vibrational deactivation 30
- Photoredox reactions of excited complexes
 - chromium complexes 65, 75, 87
 - cobalt complexes 62, 69, 74, 76, 77, 79, 86, 87, 89, 92, 93
 - copper complexes 75, 78, 83, 93
 - europium complexes 65, 66, 69
 - iridium complexes 76, 89
 - iron complexes 60, 67, 69, 71, 73, 75, 78, 87, 93, 94
 - magnesium complexes 84
 - manganese complexes 88
 - molybdenum complexes 60, 69, 77, 90
 - platinum complexes 61, 71–74, 90, 91
 - rhenium complexes 88, 90
 - rhodium complexes 79, 88, 93
 - ruthenium complexes 60, 61, 66, 67, 69, 86
 - tin complexes 92
 - tungsten complexes 69
 - uranium complexes 66, 67
 - zinc complexes 84
- Photoresolution reactions of
 - chromium complexes 96
 - cobalt complexes 98
- Photostabilization of polymers
 - isoprene–styrene 186
 - polyethylene 187, 189
 - polypropylene 187, 189
 - poly(vinyl chloride) (PVC) 187, 189
- Photostabilizers
 - antimony complexes 186
 - bismuth complexes 186
 - cadmium complexes 186
 - calcium complexes 188
 - chromium complexes 188
 - cobalt complexes 186, 187
 - copper complexes 186, 187
 - iron complexes 186, 188
 - lead complexes 186
 - nickel complexes 186–189
 - tin complexes 187
 - zinc complexes 186–188
- Photosubstitution reactions of
 - chromium complexes 11–113, 115, 116, 126, 127, 133, 135
 - cobalt complexes 113, 114, 117, 118
 - iridium complexes 111, 113
 - iron complexes 111, 120
 - molybdenum complexes 111
 - nickel complexes 111
 - platinum complexes 111
 - rhenium complexes 120
 - rhodium complexes 111, 113, 115, 116, 118, 120
 - ruthenium complexes 111, 117, 118
 - technetium complexes 111
 - tungsten complexes 111, 120
- Phenyl-*N*-*tert*-butylnitron (PBN) 77
- Phthalocyanine (Pc) 15
- Platinum complexes
 - $[\text{Pt}(\text{bpy})_2\text{Cl}_2]$ 73
 - $[\text{Pt}(\text{bpy})\text{Cl}_4]$ 73
 - $[\text{Pt}(\text{bpy})(\text{tdt})]$ 16, 61
 - $[\text{Pt}(\text{bpy})_2][\text{Pt}(\text{CN})_4]$ 13
 - $[\text{PtBr}_4]^{2-}$ 21
 - $[\text{PtBr}_2(\text{PPh}_3)_2]$ 179
 - $[\text{PtCl}_4]^{2-}$ 13, 21
 - $[\text{PtCl}_6]^{2-}$ 90
 - $[\text{PtClH}(\text{PPh}_3)_2]$ 71, 180
 - $[\text{PtCl}(\text{CHCl})\text{X}]$, X = H, Cl; L = Phpy, Thpy 180
 - $[\text{Pt}_2\text{Cl}(\text{THF})(\text{dppm})]\text{PF}_6$ 180
 - $[\text{PtCl}_2(\text{NH}_3)_2]$ 180
 - $[\text{PtCl}_2(\text{isoquinoline})_2]$ 179
 - $[\text{Pt}_2\text{Cl}(\text{Me})_2(\text{dppm})_2]^+$ 179
 - $[\text{PtCl}_2(\text{PEt}_3)_2]$ 103
 - $[\text{PtCl}_2(\text{PPh}_3)_2]$ 103, 179
 - $[\text{PtCl}_2(\text{py})_2]$ 179
 - $[\text{Pt}(\text{C}_5\text{H}_9\text{SO}_2)_2]$ 180
 - $[\text{Pt}(\text{C}_6\text{H}_4\text{PPh}_2)(\text{PPh}_3)(\text{C}_2\text{H}_5)]$ 180
 - $[\text{Pt}(\text{CN})_4]^{2-}$ 74
 - $[\text{Pt}(\text{CN})_4(\text{N}_3)_2]^{2-}$ 74
 - $[\text{Pt}(\text{Etio})]$ 52
 - $[\text{PtHX}(\text{PPh}_3)_2]$ 73, 180
 - $[\text{PtHXY}(\text{Ph}_2\text{P}-\text{CH}_2-\text{PPh}_2)_2]^+$, X = Y = H, CH₃ 180
 - $[\text{Pt}_2\text{H}(\text{dppm})\text{L}]\text{PF}_6$, L = CH₃CN, THF 180
 - $[\text{Pt}_2\text{H}(\text{dppm})_2(\text{py})]\text{PF}_6$ 180
 - $[\text{Pt}_2\text{H}_3(\text{dppm})_2]\text{PF}_6$ 180
 - $[\text{Pt}_2\text{H}_3\text{Cl}(\text{dppm})_2]\text{PF}_6$ 180
 - $[\text{Pt}_2\text{H}(\text{PPh}_2-\text{CH}_2-\text{PPh}_2)_2]^+$ 90, 180
 - $[\text{Pt}_2\text{Me}(\text{PPh}_2-\text{CH}_2-\text{PPh}_2)_2]^+$ 90, 180
 - $[\text{Pt}_2\text{Me}_3(\text{dppm})_2]^+$ 179

- $[\text{Pt}(\text{Me})_2(\text{phen})]$ 72, 179
 $[\text{Pt}(\text{Me})_2\text{I}(\text{phen})]$ 72
 $[\text{Pt}(\text{Me})_2\text{I}_2(\text{phen})]$ 72, 179
 $[\text{Pt}(\text{Me})_2(\text{i-Pr})\text{I}(\text{phen})]$ 73, 179
 $[\text{Pt}(\text{NH}_3)_4]^{2+}$ 14
 $[\text{Pt}(\text{NH}_3)_4][\text{PtCl}_4]$ 14
 $[\text{Pt}(\text{NH}_3)_4(\text{NH}_2)(\text{NO}_2)]^{2+}$ 109
 $[\text{Pt}(\text{NH}_3)_2(\text{H}_2\text{O})_2]\text{SO}_4$ 180
 $[\text{Pt}_2(\text{NH}_3)_4(\text{OH})_2](\text{ClO}_4)_2$ 180
 $[\text{Pt}_2(\text{NH}_3)_4(\text{OH})_2]\text{SO}_4$ 180
 $[\text{PtO}_2(\text{PPh}_3)_2]$ 74
 $[\text{Pt}(\text{OH})_2(\text{C}_3\text{H}_5\text{SO}_2)_2]$ 180
 $[\text{PtPc}]$ 15
 $[\text{Pt}(\text{Phpy})_2]$ 73, 180
 $[\text{Pt}_2(\text{P}_2\text{O}_5\text{H}_2)_4]^{4-}$ 22, 51, 91
 $[\text{Pt}_2(\text{P}_2\text{O}_5\text{H}_2)_4\text{X}_2]^{4-}$, X = Br, Cl, I 15, 179
 $[\text{Pt}_2(\text{P}_2\text{O}_5\text{H}_2)_4\text{ArX}]^{4-}$, X = Br, I, Ar = aryl 91, 179
 $[\text{Pt}_2(\text{PPh}_3)_4]$ 180
 $[\text{Pt}(\text{PPh}_3)_2\text{L}]$, L = NCC_2CN , $(\text{NC})_2\text{C}_2(\text{CN})_2$, C_2H_4 71, 180
 $[\text{Pt}(\text{PPh}_3)_2\text{L}(\text{CN})]$, L = C_2CN , $\text{CNC}_2(\text{CN})_2$ 71
 $[\text{Pt}(\text{PPh}_3)_2\text{L}_2]$, L = CO_3 , 1/2 ox, PPh_3 , 1/2 C_2H_4 , CO 72, 180
 $[\text{PtP}_2\text{L}_2]$, P = AsPh_3 , PMePh_2 , L = CO, 1/2 CO_3 , 1/2 C_2H_4 180
 $[\text{Pt}(\text{Phpy})_2(\text{CHCl}_2)\text{Cl}]$ 73, 180
 $[\text{Pt}(\text{Phpy})_2(\text{CH}_2\text{Cl})\text{Cl}]$ 73, 180
 $[\text{Pt}(\text{Thpy})_2]$ 73, 180
 $[\text{Pt}(\text{Thpy})_2(\text{CHCl}_2)\text{Cl}]$ 73, 180
 $[\text{Pt}(\text{Thpy})_2(\text{CH}_2\text{Cl})\text{Cl}]$ 73, 180
 $[\text{K}[\text{PtCl}_3(\text{NH}_3)]]$ 180
 $\text{H}_2[\text{Pt}_4\text{Cl}_3(\text{OH})_9(\text{NH}_3)_3] \cdot \text{H}_2\text{O}$ 180
 Post-photochemical reaction 148
 Praseodymium complexes
 $[\text{Pr}(\text{H}_2\text{O})_9]^{3+}$ 13

 Quadricyclene 149, 150, 155–158
 Quantum yield, values of
 fluorescence 32, 37
 internal conversion 32
 intersystem crossing 32, 33
 non-radiative deactivation 33
 phosphorescence 32, 44
 photoisomerizations 96, 103, 109
 photoredox processes 47, 69, 76, 83, 87
 photosubstitutions 45, 116, 119
 solvated electron formation 60, 61
 Quartet excited state of
 chromium complexes 9, 36
 manganese complexes 36

 Rhenium complexes
 $[\text{Re}(\text{C}_6\text{H}_4\text{PhPC}_2\text{H}_4\text{PPh}_2)(\text{diphos})]$ 174
 $[\text{Re}_2\text{Cl}_8]^{2-}$ 21, 90
 $[\text{Re}(\text{CO})_5\text{Cl}]$ 88
 $[\text{Re}(\text{CO})_3\text{Br}(\text{bpy})]$ 169
 $[\text{Re}(\text{CO})_3\text{Cl}(\text{dpphen})]$ 49
 $[\text{Re}(\text{CO})_3\text{X}(\text{stpy})_2]$, X = Br, Cl 101
 $[\text{Re}(\text{Cp})(\text{CO})_2(\text{py-X})]$ 120
 $[\text{ReD}(\text{N}_2)(\text{diphos})_2]$ 174
 $[\text{Re}(\text{HCOO})(\text{diphos})_2]$ 174
 $[\text{ReH}_3(\text{diphos})_2]$ 174
 $[\text{ReH}(\text{N}_2)(\text{diphos})_2]$ 174
 $[\text{ReH}_3(\text{PMe}_2\text{Ph})_2]$ 174
 $[\text{Re}_2\text{H}_8(\text{PMe}_2\text{Ph})_4]$ 174
 $[(\text{OC})_5\text{Re-Mn}-(\text{CO})_5]$ 89
 $[(\text{OC})_5\text{Re-Re}(\text{CO})_3(\text{phen})]$ 89

 Rhodium complexes
 $[\text{Rh}(\text{bpy})_3]^{3+}$ 40, 95
 $[\text{Rh}(\text{bpy})_2(\text{phen})]^{3+}$ 40
 $[\text{Rh}(\text{bpy})(\text{phen})_2]^{3+}$ 40
 $[\text{RhBr}_2\text{L}_4]^+$, L = pyridine and its derivatives 39
 $[\text{RhCl}_2\text{L}_4]^+$, L = pyridine and its derivatives 39
 $[\text{RhCl}(\text{diene})_2]$ 157
 $[\text{Rh}_2(1,3-(\text{CN})_2\text{pn})_4]^{2+}$ 22, 32
 $[\text{Rh}(\text{CO})_2\text{Cl}_2]$ 157
 $[\text{Rh}(\text{en})_2(\text{NO}_2)_2\text{X}]$, X = Cl, NO_3 178
 $[\text{Rh}(\text{en})_2(\text{NO}_2)_2\text{O}_2\text{X}]$, X = Cl, NO_3 178
 $[\text{Rh}(\text{en})_2(\text{NO}_2)_2\text{X}]^+$, X = Cl, NO_2 , ONO 178
 $[\text{Rh}_2(\text{Me}_2(\text{CN})_2\text{hx})_4]^{2+}$ 33
 $[\text{Rh}(\text{NH}_3)_6]^{3+}$ 113
 $[\text{Rh}(\text{NH}_3)_5\text{Br}]^{2+}$ 115
 $[\text{Rh}_2(\text{en})_4(\text{O}_2)\text{X}_2]^{n+}$, X = NO_2^- , ONO^- 178
 $[\text{Rh}(\text{NH}_3)_4\text{Br}(\text{H}_2\text{O})]^{2+}$ 115
 $[\text{Rh}(\text{NH}_3)_5(\text{bzn})]^{3+}$ 120
 $[\text{Rh}(\text{NH}_3)_5\text{Cl}]^{2+}$ 42, 115, 116
 $[\text{Rh}(\text{NH}_3)_4\text{Cl}_2]^{3+}$ 116
 $[\text{Rh}(\text{NH}_3)_4\text{Cl}(\text{H}_2\text{O})]^{2+}$ 103, 115, 116
 $[\text{Rh}(\text{NH}_3)_5(\text{H}_2\text{O})]^{2+}$ 113
 $[\text{Rh}(\text{NH}_3)_4(\text{H}_2\text{O})_2]^{3+}$ 103
 $[\text{Rh}(\text{NH}_3)_5\text{I}]^{2+}$ 115, 118
 $[\text{Rh}(\text{NH}_3)_4\text{I}(\text{H}_2\text{O})]^{2+}$ 115, 118
 $[\text{Rh}(\text{NH}_3)_5\text{N}_3]^{2+}$ 178
 $[\text{Rh}(\text{NH}_3)_5\text{N}]^{2+}$ 178
 $[\text{Rh}(\text{NH}_3)_5\text{NH}_2\text{Cl}]^{2+}$ 178
 $[\text{Rh}(\text{NH}_3)_5\text{NH}_2\text{OH}]\text{Cl}_2$ 178
 $[\text{Rh}(\text{Pc})(\text{CH}_3\text{OH})\text{X}]^+$ 93

- $[\text{Rh}(\text{phen})_3]^{3+}$ 40, 95
 $[\text{Rh}(\text{tfacac})_3]$ 95, 98
 $[\text{Rh}(\text{TPP})_2]$ 88
 $[\text{Rh}(\text{TPP})\text{Cl}(\text{CO})]$ 88
 $[\text{Rh}(\text{TPP})(\text{CO})_2]$ 88
 $[(\text{OC})_2\text{Rh}(\mu\text{-TPP})\text{Rh}(\text{CO})_2]$ 58, 88
 Rhodamine B, quantum yield of luminescence 34
 Rules
 Adamson rules 2, 105, 126, 131–133, 135
 Badger rule 22
 Kasha rule 34
 Kirk rule 126
 of photochemical reactivity 14, 130
 stereochemical rule 126
 Walters–Adamson rule 137
 Wigner spin selection rule 9
 Woodward–Hoffman rules 127
 Ruthenium complexes
 $[\text{Ru}(\text{bpy})_3]^+$ 26
 $[\text{Ru}(\text{bpy})_3]^{2+}$ 10, 12, 26, 40–42, 49, 51, 61, 68, 96, 117, 162, 165, 166
 $[\text{Ru}(\text{bpy})_3]^{3+}$ 10, 26, 61, 120, 162
 $[\text{Ru}(\text{bpy})_2(\text{Bupy})_2](\text{PF}_6)_2$ 177
 $[\text{Ru}(\text{bpy})_2(\text{Bupy})(\text{CF}_3\text{COO})](\text{PF}_6)_2$ 177
 $[\text{Ru}(\text{bpy})_2(\text{CH}_3\text{CN})_2]^{2+}$ 117, 177
 $[\text{Ru}(\text{bpy})_2(\text{CH}_3\text{CN})\text{Cl}](\text{PF}_6)_2$ 177
 $[\text{Ru}(\text{bpy})_2(4,4'\text{-(COO)}_2\text{bpy})_2]$ 143
 $[\text{Ru}(\text{bpy})_2(4\text{-COO-4'-CH}_3\text{-bpy})_2]^+$ 143
 $[\text{Ru}(\text{bpy})_2(\text{CN})_2]$ 44, 143
 $[\text{Ru}(\text{bpy})_2(\text{H}_2\text{O})_2]^{2+}$ 103
 $[\text{Ru}(\text{bpy})_2(\text{NO})\text{Cl}](\text{PF}_6)_2$ 177
 $[\text{Ru}(\text{bpy})_2(\text{py})_2](\text{PF}_6)_2$ 177
 $[\text{Ru}(\text{bpy})_2(\text{py})(\text{H}_2\text{O})](\text{PF}_6)_2 \cdot \text{H}_2\text{O}$ 177
 $[\text{Ru}(\text{bpy})_2(\text{py})\text{X}]\text{PF}_6$, $\text{X} = \text{CH}_3\text{C}_6\text{H}_4\text{SO}_3$, Cl , NCS , NO_3 , NO_2 177
 $[\text{Ru}(\text{bpy})_2(\text{stpy})_2]^{2+}$ 101
 $[\text{Ru}(\text{bpy})_3]\text{X}_2$, $\text{X} = \text{Br}$, Cl , CN^- , I , IO_3^- , N_3 , NO_2 , NCS , $1/2$ malonate 177
 $[\text{Ru}(\text{bpy})_2\text{X}_2]$, $\text{X} = \text{Br}$, Cl , CN^- , I , IO_3^- , N_3 , NO_2 , NCS , $1/2$ malonate 177
 $[\text{Ru}(\text{bpz})_3]^{2+}$ 51
 $[\text{Ru}(\text{CN})_6]^{3-}$ 86
 $[\text{Ru}(\text{CN})_6]^{4-}$ 19, 86, 115
 $[\text{Ru}(\text{en})_2\text{Cl}_2]^+$ 130, 136
 $[\text{Ru}(\text{en})_3]^{3+} \cdot \text{I}^-$ 19
 $[\text{Ru}(4,7\text{-Me}_2\text{phen})_3]^{3+}$ 10
 $[\text{Ru}(\text{NH}_3)_6]^{2+}$ 120
 $[\text{Ru}(\text{NH}_3)_5\text{Cl}]^{2+}$ 19
 $[\text{Ru}(\text{NH}_3)_5(\text{dmapy})]^{3+}$ 18
 $[\text{Ru}(4,7\text{-Me}_2\text{bpy})_3]^{2+}$ 51
 $[\text{Ru}(\text{NH}_3)_5(\text{Me-4,4'-bpy})]^{3+}$ 18
 $[\text{Ru}(\text{NH}_3)_4(\text{H}_2\text{O})(\text{X-py})]^{2+}$, $\text{X} = \text{CHO}$, CONH_2 118, 119
 $[\text{Ru}(\text{NH}_3)_5(\text{X-py})]^{2+}$, $\text{X} = \text{CHO}$, CONH_2 118, 119
 $[\text{Ru}(\text{NH}_3)_5(\text{X-py})]^{2+}$, $\text{X} = \text{H}$, Br , Cl , Me 19
 $[\text{Ru}(\text{N}_3)(\text{das})_2\text{Cl}]$ 178
 $[\text{Ru}(\text{NO}_2)(\text{das})_2\text{Cl}]$ 178
 $[\text{Ru}(\text{Pc})\text{L}]_2$, $\text{L} = \text{py}$, CO , DMSO 49
 $[\text{Ru}(\text{phen})_2(\text{CN})_2]$ 43
 $[\text{Ru}(\text{R}_2\text{dtc})_3]$, $\text{R} = \text{Me}$, Et 178
 $[\text{Ru}(\text{R}_2\text{dtc})_3\text{Cl}]$, $\text{R} = \text{Me}$, Et 178
 $[\text{Ru}_2(\text{R}_2\text{dtc})_3\text{Cl}]$, $\text{R} = \text{Me}$, Et 178
 $[(\text{dp tet})_2\text{ClRu-L-Ru}(\text{bpy})_2\text{Cl}]^{3+}$, $\text{L} = 4,4'\text{-bpy}$, $\text{C}_5\text{NH}_4\text{-C}_2\text{H}_4\text{-C}_5\text{NH}_4$ 86
 $[(\text{NH}_3)_5\text{Ru-pyz-Ru}(\text{EDTA})]^+$ 86
 $[(\text{NH}_3)_5\text{Ru-pyr-Ru}(\text{bpy})_2\text{Cl}]^{3+}$ 18, 86
 $[(\text{NC})_5\text{Ru-CN-Co}(\text{CN})_5]^{6-}$ 18
 $[(\text{NC})_5\text{Ru-CN-Co}(\text{NH}_3)_5]^-$ 18, 86
 $\text{K}_2[\text{Ru}(\text{bpy})(\text{CN})_4]$ 177
 SANDUVOR NPU 188
 Silicon complexes
 $[\text{Si}(\text{Pc})(\text{OEt})_2]$ 52
 Singlet excited state of
 aluminium complexes 37
 cadmium complexes 37
 cobalt complexes 45
 lutetium complexes 37
 nickel complexes 140
 rhenium complexes 101
 rhodium complexes 58, 116
 ruthenium complexes 101
 thorium complexes 37
 tungsten complexes 101
 yttrium complexes 37
 zinc complexes 37, 50
 Spontaneous reactions, definition of 3
 Stern–Volmer equation 30, 43, 44, 66, 67
 Stokes shift 24, 35–38
 Supramolecular structures, supercomplexes 164
 photochemistry and photophysics of 164
 Supramolecular photochemistry 195
 Tantalum complexes
 $[\text{Ta}_6\text{Br}_{12}]^{2+}$ 89
 Technetium complexes
 $[\text{Tc}_2\text{Cl}_8]^{3-}$ 14
 Tetraphenylporphyrine (H_2TPP) 37
 Texi state 24, 31, 58
 Thorium complexes

- [Th(TPP)(acac)₂] 37
 Threshold energy 27, 80
 Thulium complexes
 [TmBr₆]³⁻ 36, 39
 Time-resolved resonance Raman spectra of excited complexes
 chromium complexes 23
 nickel complexes 141
 osmium complexes 12, 23
 rhenium complexes 12
 ruthenium complexes 12
 Tin complexes
 [Sn(TMPyP)]⁴⁺ 92
 [SnX₂R₂], X = maleate anion, mercaptide anion, R = Bu, Me, Oc 187
 [allyl-SnL₃], L = Br, Me 49
 [C₆H₅-CH₂-SnL₃], L = Me, Ph 49
 [4-X-C₆H₄-Sn(n-Bu)₃], X = H, F, Cl, CH₃, OCH₃ 49
 [SnMe₄] 49
 Titanium complexes
 [Ti(Cp)₂(CH₃)₂] 139
 [Ti(Cp)₂(CH₃)(PhC₂CH₃Ph)] 139
 [TiO(TPP)] 50
 [TiO(TBPc)] 50
 Transitions, relation to molar absorption coefficient
 dipole electric 6, 7, 36
 dipole magnetic 6, 36
 orbitally allowed 7, 15, 16, 20
 orbitally forbidden 7, 13
 quadrupole electric 6
 spin-allowed 7, 13, 15, 16, 20
 spin-forbidden 7, 14
 Triboluminescence of
 manganese complexes 11, 43
 platinum complexes 43
 uranium complexes 11, 43
 Triplet excited state of
 aluminium complexes 50
 cadmium complexes 40
 cobalt complexes 39, 113
 iridium complexes 37, 41, 49, 113
 lutetium complexes 49
 neodymium complexes 49
 nickel complexes 141
 organic donors 9, 45, 46
 osmium complexes 41
 palladium complexes 102
 platinum complexes 36, 39, 43
 porphyrine coordinated ligand 50
 rhenium complexes 48, 101
 rhodium complexes 37, 39, 113
 ruthenium complexes 42, 43, 49, 61
 tungsten complexes 101
 uranyl complexes 49, 52
 yttrium complexes 49
 zinc complexes 40, 102
 Triton X-100, X-114 43
 Tungsten complexes
 [W₆Br₁₄]²⁻ 89
 [WBr(N₂CH₂)(diphos)₂]Br 173
 [WBr(N₂=CH(CH₂)₃OH(diphos)₂]Br 174
 [WBr(N₂R)(diphos)₂], R = Me, Et, Pr, Bu 174
 [WBr(N₂R₂)(diphos)₂]Br, R = Me, Et, Pr, Bu 173
 [WBr(N₂HR)(diphos)₂]Br, R = Me, Et, Pr, Bu 173
 [W(CN)(OH)₃(bpy)₂].H₂O 173
 [W(CN)(OH)₃(phen)₂].2H₂O 173
 [W(CO)₆] 172
 [W(CO)₅(pip)] 23
 [W(CO)₅(py)] 23
 [W(CO)₅(py-X)], X = CHO, CONH₂ 120
 [WH₄L₄], L = PMePh₂, PEt₂Ph, PPrPh₂, PBuPh₂, PPh₃, 1/2 diphos 173
 [WH₄L₄], L = PMePh₂, PEt₂Ph, PPrPh₂, PBuPh₂, PPh₃, 1/2 diphos 173
 [WO₂(OH)(acac)₂] 172
 [W(S₂C₂(CF₃)₂)₃] 157
 K₂[W(CN)₄(OH)₂(bpy)] 173
 K₂[W(CN)₄(OH)₂(phen)] 173
 K₃[W₂Cl₉] 174
 K₄[W(CN)₈] 172
 K₄[W(CN)₄(OH)₄] 173
 K₃[W(CN)₇].H₂O 174
 Na₄[WO₂(CN)₄].8H₂O 172
 Uranium complexes
 UO₂²⁺ 19, 49, 52, 67
 [U(hfacac)₄] 181
 [U(C₂H₅O)₅] 181
 [UOCl₃] 181
 [UOCl₃(py-HCl)₂] 181
 [UOCl₃(py)₂] 181
 [UO₂(hfacac)₂].THF 181
 [UO₂(NO₃)₂] 181
 [UO₂(NO₃)₂(NH₂(CH)₄CHO)] 180
 [UO₂(py)(C₂H₅OH)(NO₃)₂] 180
 [UO₂(py)₂Cl₂] 181
 [UO₂(py)₂(NO₃)₂] 180

Vanadium complexes

VO²⁺ 19[VO(chin)₂] 184[VO(chin)₂(OCH₃)] 183, 184

Yttrium complexes

[Y(TPP)(acac)] 37

Pc-Y-PcH 49

Zinc complexes

Zn(II) amino acid complexes 142

[Zn(biqu)(tdt)] 15

[Zn(bpy)(tdt)] 15

[Zn(Etio)] 50, 52

[ZnPc] 15

[Zn(phen)(tdt)] 15

[Zn(phen)(4-Cl-PhS)₂] 40

[ZnP-R-Q] 84

[Zn(S₂C-N(R)-CH₂R)₂] 186

[Zn(TBP)] 37

[Zn(TMpy)]⁴⁺ 162

[Zn(TPP)] 37, 50, 51

[Zn(TMpyP)] 50