

Cumulative Indexes of Volumes 101-150: Permuted Title Word Index

17.5-Tesla

- Magnetic-Field 132:51
- Photooxidation 132:51
- Ruthenium(II)-trisDiimine-Complex 132:51
- Spin-Chemistry 132:51

1990

- Nickel 134A:1
- Ruthenium 134A:133
- Technetium 134A:75
- Vanadium 146:203
- Zinc 134A:99

1991

- Cobalt 134A:195
- Hafnium 134:171
- Molybdenum 134:1
- Nickel 142:153
- Rhodium 134A:307
- Zirconium 134:189

1992

- Actinide 141:1
- Annual-Survey 141:1
- Gold 142:101
- Hafnium 146A:141
- Iridium 146:269
- Iron 142:43
- Lanthanide 141:1
- Manganese 138:1
- Molybdenum 138:121
- Nickel 146A:1
- Niobium 138:161
- Osmium 138:87
- Palladium 138:195
- Platinum 142:123
- Rhenium 142:1
- Rhodium 146:235
- Ruthenium 138:219
- Scandium 142:147
- Silver 142:211
- Tantalum 138:181
- Technetium 142:21
- Titanium 138:71
- Tungsten 138:39

- Yttrium 138:27
- Zirconium 146A:91

1993

- Actinide 147:373
- Annual-Survey 141:63, 141:153, 141:371, 147:373
- Gold 146A:385
- Hydroformylation 141:371
- Iron 146A:225
- Lanthanide 147:373
- Manganese 146A:167
- Molybdenum 146:43
- Nickel 146:115
- Niobium 146:17
- Organic-Synthesis 141:153, 141:371
- Organometallic-Chemistry 147:373
- Osmium 141:63, 146:99
- Oxidation 141:371
- Palladium 146A:409
- Platinum 146A:431
- Reduction 141:371
- Rhenium 146A:207
- Ruthenium 141:63, 146A:307
- Scandium 146:37
- Tantalum 146:17
- Technetium 146A:191
- Titanium 146:1
- Transition-Metal 141:153, 141:371
- Yttrium 146A:155

1994

- Annual-Survey 147:547
- Application 147:547
- Hydroformylation 147:547
- Organic-Synthesis 147:443
- Transition-Metal 147:443, 147:547

3-Center

- Bond 128:245
- Coordinate 128:245

- Coordination-Compound 128:245
- Donor-Acceptor 128:245
- Extension 128:245
- Hydrogen-Bridge 128:245
- Lewis 128:245

5-Coordinate

- Alkene-Complex 133:67
- Palladium(II) 133:67
- Platinum(II) 133:67

5-Membered

- Heterocycle 126:237
- Monoheterocycle 126:237
- Organometallic-Complex 126:237
- Sigma-Pi-Complex 126:237

Absence

- Aluminum 149:167
- Interaction 149:167
- Phosphorylated 149:167
- Presence 149:167
- Protein 149:167
- Silicic-Acid 149:167

AC

- Application 111:83
- Device 111:83
- Electroluminescence 111:83
- Energy-Transfer 111:83
- Intramolecular 111:83
- Lattice 111:83
- Polyoxometaloeuropate 111:83

Acceptor

- Donor 132:87
- Luminescence 132:87
- Platinum(II)-Complex 132:87

Achiral

- Amine 148:199
- Chiral 148:199
- Complexation 148:199
- Cyclohexane-1,2-Diol-Derivative 148:199
- Meso-Crown-Ether 148:199
- Preparation 148:199

- Steric-Barrier 148:199
- Actinide**
 - 1992 141:1
 - 1993 147:373
 - Annual-Survey 141:1, 147:373
 - Complex-Formation 109:1
 - Lanthanide 109:1, 141:1, 147:373
 - Lower-Oxidation-State 109:1
 - Organometallic-Chemistry 147:373
- Activation**
 - Air 105:181
 - Alkane 105:181, 125:129
 - Aza-Macrocyclic-Complex 148:221
 - Biomimetics 125:129
 - C-H-Bond 132:155
 - Carbon-Dioxide 148:221
 - Catalyzed 105:181
 - Copper 106:25
 - Dinuclear-Complex 106:25
 - Intermolecular 132:155
 - Light 105:181
 - Metal 106:25
 - Metalloporphyrin 105:181
 - Organometallic-Complex 132:155
 - Oxidation 105:181
 - Photochemical-Mechanism 132:155
 - Reaction 132:155
 - Selective 105:181
 - Small-Molecule 106:25
 - Suprabiotic-System 105:181
- Acyclic-Ligand**
 - Coordination-Chemistry 137:201
 - Cyclic-Ligand 137:201
 - PNS 137:201
 - PNSE 137:201
 - Unsaturated 137:201
- Adamson-Arthur-W**
 - Celebration 110:1
 - Inorganic-Life 110:1
 - Interview 110:1
- Adduct**
 - Dissociation 132:175
 - Environment 126:1
 - Ligand 126:1
 - Metal-Chelate 126:1
 - Metalladithiazole 132:175
 - Metalladithiolene 132:175
 - Photochemical-Reaction 132:175
 - Rearrangement 132:175
 - Schiff-Base 126:1
 - Structure 126:1
 - Tetracoordinated 126:1
- Adiabatic-Channel**
 - cis-1,2-Diarylethene 125:251
 - Evidence 125:251
 - Fluorometry 125:251
 - Photoisomerization 125:251
 - Singlet 125:251
- Advance**
 - NMR 120:1
 - Paramagnetic-Molecule 120:1
 - Solution 120:1
- Advanced-Material**
 - Coordination-Chemistry 117:215
 - Liquid-Crystal 117:215
 - Transition-Metal 117:215
- Advantage**
 - Coordination-Compound 125:89
 - Disadvantage 125:89
 - Induced 125:89
 - Light-Sensitive 125:89
 - Photocatalysis 125:89
- Air**
 - Activation 105:181
 - Alkane 105:181
 - Catalyzed 105:181
 - Light 105:181
 - Metalloporphyrin 105:181
 - Oxidation 105:181
 - Selective 105:181
 - Suprabiotic-System 105:181
- Alcohol**
 - Hydrocarbon 105:23
 - Photoreaction 105:23
 - tetrakis(Pyrophosphito)-Diplatinate(II) 105:23
- Alcoholic**
 - Amide 148:315
 - Macrocyclic-Ligand 148:315
 - Oxygen-Donor 148:315
 - Pendent 148:315
- Alkali-Metal-Ion**
 - 1,10-Phenanthroline 148:285
 - Derivative 148:285
 - Ionophore 148:285
- Alkali-Metal-Salt**
 - Aqueous-Solution 140:27
 - Cesium-Ion 140:27
 - Precipitation 140:27
 - Solubility 140:27
- Alkane**
 - Activation 105:181, 125:129
 - Air 105:181
 - Bare 126:93
 - Biomimetics 125:129
 - Catalyzed 105:181
 - Gas-Phase-Chemistry 126:93
 - Light 105:181
 - Metal-Ion 126:93
- Metalloporphyrin 105:181
- Monosubstituted 126:93
- Oxidation 105:181
- R-X-Molecule 126:93
- Reaction 126:93
- Selective 105:181
- Suprabiotic-System 105:181
- Unified-Picture 126:93
- Alkene-Complex**
 - 5-Coordinate 133:67
 - Palladium(II) 133:67
 - Platinum(II) 133:67
- Alkyl-Derivative**
 - Aluminum 112:131
 - Gallium 112:131
 - Laser 112:131
 - Metal-Deposition 112:131
 - Precursor 112:131
 - Pyrolysis 112:131
 - Spectroscopy 112:131
- Alkylamine**
 - Charge-Transfer 128:225
 - Cobalt(III)-Complex 128:225
 - Photochemistry 128:225
 - Spectroscopy 128:225
- Alkylphosphoric-Acid**
 - Armed 148:97
 - Cation-Binding-Ability 148:97
 - Crown-Ether 148:97
 - Specific 148:97
- Alkyne**
 - Cyanide 104:13
 - Dinitrogen-Binding 104:13
 - Isocyanide 104:13
 - Reaction 104:13
 - Transition-Metal-Center 104:13
- Alkyne-Compound**
 - Copper(I) 143:113
 - Monomer 143:113
 - Polymer 143:113
 - Silver(I) 143:113
- Alkynylgermanium**
 - 1,1-Organoboration 145:125
 - Alkynyllead 145:125
 - Alkynylsilicon 145:125
 - Alkynyltin 145:125
- Alkynyllead**
 - 1,1-Organoboration 145:125
 - Alkynylgermanium 145:125
 - Alkynylsilicon 145:125
 - Alkynyltin 145:125
- Alkynylsilicon**
 - 1,1-Organoboration 145:125
 - Alkynylgermanium 145:125
 - Alkynyllead 145:125
 - Alkynyltin 145:125
- Alkynyltin**
 - 1,1-Organoboration 145:125
 - Alkynylgermanium 145:125

- Alkynyllead 145:125
- Alkynylsilicon 145:125
- Alpha-Diimine**
 - Complex 132:147
 - Metal-Alkyl-Bond 132:147
 - Metal-Halide-Bond 132:147
 - Metal-Metal-Bond 132:147
 - Organometallics 132:147
 - Photochemical-Formation 132:147
 - Radical 132:147
- Aluminum**
 - Absence 149:167
 - Alkyl-Derivative 112:131
 - Alzheimers-Disease 149:125
 - Aqueous 149:81
 - Aryloxide-Compound 130:63
 - Binding 149:347
 - Biological-System 149:1
 - Calmodulin 149:113
 - Chemical-Speciation 149:241
 - Coordination 149:113
 - Coordination-Compound 128:193
 - Copper 149:231
 - Cosmogenesis 149:367
 - Distribution 149:367
 - Earth 149:367
 - Environmental-Implication 149:81
 - Essentiality 149:231
 - Evolution 149:367
 - Gallium 112:131
 - Interaction 149:167, 149:231
 - Kinetics 149:81, 149:113
 - Laser 112:131
 - Mechanism 149:231
 - Metabolism 149:241
 - Metal 149:11
 - Metal-Deposition 112:131
 - Model-Study 149:125
 - Nitride 128:193
 - Phosphorylated 149:167
 - Precursor 112:131, 128:193
 - Presence 149:167
 - Protein 149:167
 - Pyrolysis 112:131
 - Relation 149:241
 - Serum-Protein 149:347
 - Sial 149:367
 - Silicic-Acid 149:167
 - Silicon 149:231
 - Speciation 149:11
 - Spectroscopy 112:131
 - Sterically-Crowded 130:63
 - Thermodynamic-Aspect 149:113
 - Toxicity 149:11, 149:241
 - Transport 149:347
- Aluminum(III)**
 - Bioinorganic-Chemistry 112:33
 - Biological-Aspect 149:329
 - Biological-System 149:311
 - Complexation 149:179
 - Coordination 149:311
 - Environment 149:311
 - Experimental-Toxicology 112:19
 - Implication 149:329
 - Interaction 149:193, 149:329
 - Metal 112:33
 - Molecular-Modeling 149:179
 - NMR 149:179
 - Peptide 149:179
 - Phosphate-Binding-Site 149:329
 - Relevant 112:33
 - Solution 112:19
 - Spectroscopy 149:193
 - Three-Dimensional-Structure 149:179
 - Thymic-Hormone 149:179
 - Toxicity 112:33
 - Transferrin 149:193
- Aluminum(III)-Complex**
 - Aluminum(III)-Heidi-System 149:281
 - Biologically-Relevant 149:59
 - Profile 149:281
 - Small-Organic-Ligand 149:281
 - Speciation 149:281
 - Structural-Analysis 149:59
 - X-Ray 149:59
- Aluminum(III)-Heidi-System**
 - Aluminum(III)-Complex 149:281
 - Profile 149:281
 - Small-Organic-Ligand 149:281
 - Speciation 149:281
- Aluminum-Complex**
 - Aqueous 149:33
 - Binding-Protein 149:95
 - Diphosphate 149:95
 - Experimental-Determination 149:33
 - Nucleoside 149:95
 - Thermodynamic-Property 149:33
 - Triphosphate 149:95
- Aluminum-Fluoride**
 - Ligand 149:23
 - Ternary-Complex 149:23
- Alzheimers-Disease**
 - Aluminum 149:125
 - Model-Study 149:125
- Ambidentate-Ligand**
 - Coordination-Chemistry 105:77
 - Schizophrenics 105:77
- Amide**
 - Alcoholic 148:315
 - Macrocyclic-Ligand 148:315
 - Oxygen-Donor 148:315
 - Pendent 148:315
- Amidine-Ligand**
 - Coordination-Chemistry 133:219
- Amine**
 - Achiral 148:199
 - Chiral 148:199
 - Complexation 148:199
 - Cyclohexane-1,2-Diol-Derivative 148:199
 - Meso-Crown-Ether 148:199
 - Preparation 148:199
 - Steric-Barrier 148:199
- Amino-Acid**
 - Cadmium(II) 117:45
 - Cobalt(II) 117:45
 - Complex-Compound 135/136:17
 - Copper(II) 117:45
 - Derivative 135/136:17
 - Metal(II)-Compound 117:45
 - N-Protected 117:45
 - Nickel(II) 117:45
 - Palladium(II) 117:45
 - Peptide 135/136:17
 - Platinum(II) 135/136:17
 - Platinum(IV) 135/136:17
 - Stability 117:45
 - Structure 117:45
 - Zinc(II) 117:45
- Aminoarsine**
 - Borane 112:117
 - Coordination 112:117
 - Selectivity 112:117
- Aminohydroxamic-Acid-Complex**
 - Hydroxamic-Acid-Complex 114:169
 - Metal-Ion 114:169
- Aminosilane**
 - Iminosilane 130:481
- Ammonium-Cation**
 - Artificial-Metalloprotein 148:301
 - Binding-Property 148:301
 - Conformation 148:301
 - Design 148:301
 - Macrocyclic 148:301
 - Metal-Organic 148:301
 - N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
 - Pseudopeptide 148:301
 - Synthesis 148:301
- Analysis**
 - Polyene 125:293
 - Potential-Energy 125:293

- Raman-Spectrum 125:293
- Resonance 125:293
- State- T_1 125:293
- Surface 125:293
- Time-Resolved 125:293
- Anation-Reaction**
 - Mechanistic-Consideration 128:175
 - Solid-State 128:175
- Anion**
 - Cation 110:17
 - Polyazacycloalkane-Complex 110:17
 - Thermodynamic-Aspect 110:17
- Annual-Survey**
 - 1992 141:1
 - 1993 141:63, 141:153, 141:371, 147:373
 - 1994 147:547
 - Actinide 141:1, 147:373
 - Application 147:547
 - Hydroformylation 141:371, 147:547
 - Lanthanide 141:1, 147:373
 - Organic-Synthesis 141:153, 141:371
 - Organometallic-Chemistry 147:373
 - Osmium 141:63
 - Oxidation 141:371
 - Reduction 141:371
 - Ruthenium 141:63
 - Transition-Metal 141:153, 141:371, 147:547
- Antiinflammatory-Drug**
 - Cell-Membrane 125:115
 - Design 125:115
 - Nonsteroidal 125:115
 - Photosensitizing-Action 125:115
 - Protective-System 125:115
- Antiviral-Property**
 - Artificial-Analog 144:287
 - Case-Study 144:287
 - Equilibrium 144:287
 - Intramolecular 144:287
 - Metal-Ion-Complex 144:287
 - Nucleotide 144:287
- Application**
 - 1994 147:547
 - AC 111:83
 - Annual-Survey 147:547
 - Catalysis 143:219
 - Cluster-Compound 143:219
 - Coordination 128:293
 - Coordination-Chemistry 114:201
 - d-Block 114:201
 - Device 111:83
 - Electroluminescence 111:83
 - Electron-Transfer-Reaction 132:29
 - Energy-Transfer 111:83
 - Excited-State 111:39
 - Gold 143:219
 - Hydroformylation 147:547
 - Intramolecular 111:83
 - Lattice 111:83
 - Local-Probe-Microscopy 125:231
 - Localization 111:39
 - Material-Science 128:293
 - Metal-Complex 147:339
 - Metal-Nucleus 114:201
 - Molecule 111:39
 - NMR 114:201
 - One-Dimensional 128:293
 - Organometallics 114:201
 - p-Block 114:201
 - Palladium 143:219
 - Phosphine-Stabilized 143:219
 - Photoinduced 132:29
 - Platinum 143:219
 - Polymer 128:293
 - Polyoxometaloeuropate 111:83
 - Polypyrrole-Film 147:339
 - Porphyrin-Quinone-System 132:29
 - $Ru(bpy)_3^{2+}$ 111:39
 - Semiconducting-Material 125:231
 - Solid-State 114:201
 - Spectroscopy 132:29
 - Synthesis 147:339
 - Time-Resolved-Pulsed-EPR 132:29
 - Transition-Metal 147:547
- Aqua-Ion**
 - Organometallics 135/136:623
 - Transition-Metal 135/136:623
- Aqueous**
 - Aluminum 149:81
 - Aluminum-Complex 149:33
 - Environmental-Implication 149:81
 - Experimental-Determination 149:33
 - Kinetics 149:81
 - Thermodynamic-Property 149:33
- Aqueous-Solution**
 - Alkali-Metal-Salt 140:27
 - Buildup 143:97
 - Cesium-Ion 140:27
 - Cluster 143:97
 - Interaction 120:29
 - Ionic 120:29
 - Ionizable 120:29
 - Multinuclear 143:97
 - Organometallic-Compound 143:97
 - Precipitation 140:27
 - Solubility 140:27
 - Synthetic-Polymer 120:29
 - Water 143:97
- Architecture**
 - 2-Catenane 148:249
 - Assembly 148:249
 - Large 148:249
 - Macrocyclic 148:249
 - Organic 148:249
 - Transition-Metal-Directed 148:249
 - Void 148:249
 - Well-Defined 148:249
- Armed**
 - Alkylphosphoric-Acid 148:97
 - Assembly 148:1
 - Cation-Binding-Ability 148:97
 - Crown-Ether 148:97
 - Crown-Ether-Complex 148:1
 - Specific 148:97
 - Supramolecular 148:1
- Aromatic**
 - Bacterial 144:321
 - Biodegradation-Process 144:321
 - Biophysical-Investigation 144:321
 - Bridging-Ligand 106:227
 - Cyclometallating-Ligand 111:117
 - Dioxygenase 144:321
 - Extradial 144:321
 - Nitrogen-Heterocycle 106:227
 - Palladium(II)-Complex 111:117
 - Pt(II)-Complex 111:117
 - Spectroscopic-Property 111:117
 - Survey 106:227
 - Terdentate-Ligand 111:117
- Artificial**
 - Experiment 111:193
 - Photosynthesis 111:193
 - Silver 111:193
 - Zeolite 111:193
- Artificial-Analog**
 - Antiviral-Property 144:287
 - Case-Study 144:287
 - Equilibrium 144:287
 - Intramolecular 144:287
 - Metal-Ion-Complex 144:287
 - Nucleotide 144:287
- Artificial-Leaf**
 - Efficient 111:167
 - Electricity 111:167
 - Generation 111:167
 - Molecular 111:167
 - Photovoltaics 111:167

- Sunlight 111:167
- Artificial-Metalloprotein**
 - Ammonium-Cation 148:301
 - Binding-Property 148:301
 - Conformation 148:301
 - Design 148:301
 - Macrocyclic-Complex 140:169
 - Metal-Organic 148:301
 - N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
 - Pseudopeptide 148:301
 - Synthesis 148:301
- Artificial-Signaling**
 - Biologically-Important 148:265
 - Chemical-Species 148:265
 - Receptor 148:265
- Aryloxide-Compound**
 - Aluminum 130:63
 - Sterically-Crowded 130:63
- Assembly**
 - 2-Catenane 148:249
 - Architecture 148:249
 - Armed 148:1
 - Crown-Ether-Complex 148:1
 - Large 148:249
 - Macrocyclic 148:249
 - Organic 148:249
 - Supramolecular 148:1
 - Transition-Metal-Directed 148:249
 - Void 148:249
 - Well-Defined 148:249
- Associate**
 - $\text{Cr}(\text{NH}_3)_6^{3+}$ 111:249
 - Photochemistry 111:249
 - Photophysics 111:249
 - Polycarboxylate 111:249
 - Second-Sphere 111:249
- Associative**
 - Cluster 143:265
 - Kinetics 143:265
 - Metal-Carbonyl 143:265
 - Reaction 143:265
 - Ruthenium 143:265
 - Systematic 143:265
- Asymmetric**
 - Catalyst 140:189
 - Catalytic 140:189
 - Optically-Active 140:189
 - Oxidation 140:189
 - Salen-Manganese(III)-Complex 140:189
- Atmospheric-Chemistry**
 - Environmental-Interest 125:241
 - Gas-Phase-Reaction 125:241
 - Haloalkane 125:241
 - Hydroxyl-Radical 125:241
 - Rate-Constant 125:241
- Atom**
 - Calculation 119:1
 - Crystal-Field 119:1
 - Donor 119:1
 - Europium-Complex 119:1
 - Organic-Ligand 119:1
 - Oxygen 119:1
 - Parameter 119:1
 - Scalar 119:1
 - Strength 119:1
 - Symmetry 119:1
- Atrane**
 - Chemical-Feature 137:233
 - Main-Group 137:233
 - Structural-Feature 137:233
- Atrazine**
 - Irradiated 125:183
 - Nitrobenzene 125:183
 - Nitrogen-Containing-Organic-Compound 125:183
 - Phototransformation 125:183
 - Semiconductor-Metal-Oxide 125:183
 - Titanium-Oxide 125:183
 - Zinc-Oxide 125:183
- Autoxidation**
 - Carrier 128:117
 - Cyclidene-Iron(II) 128:117
 - Dioxygen 128:117
 - Intermediate 128:117
 - Kinetics 128:117
 - Solvent-System 128:117
 - Variety 128:117
- Avalanche**
 - CsCdCl_3 111:125
 - Doped 111:125
 - Dynamic 111:125
 - Excitation 111:125
 - Excited-State 111:125
 - Nickel(II) 111:125
- Axial-Coordination**
 - Azaferrocene 140:169
 - Macrocyclic-Complex 140:169
 - Photoactivation 140:169
 - Transition-Metal 140:169
- Aza-Cage**
 - Fast-Proton-Sponge 120:223
 - Lithium 120:223
 - Small 120:223
 - Strong-Binder 120:223
- Aza-Macrocyclic-Complex**
 - Polynuclear-Complex 120:51
 - Structural-Aspect 120:51
 - Thermodynamic-Aspect 120:51
 - Transition-Metal-Compound 120:51
- Aza-Macrocyclic-Complex**
 - Activation 148:221
- Carbon-Dioxide 148:221
- Azaferrocene**
 - Axial-Coordination 140:169
 - Macrocyclic-Complex 140:169
 - Photoactivation 140:169
 - Transition-Metal 140:169
- Azaporphyrin**
 - Complex-Formation 147:41
 - Reaction 147:41
 - Reaction-Center 147:41
 - Structure 147:41
- Azido-Transition-Metal-Complex**
 - Mixed-Ligand 111:131
 - Photocatalysis 111:131
 - Photochemistry 111:131
- Azole-Containing-Ligand**
 - Coordination-Compound 104:143
 - Copper 104:143
 - Model-System 104:143
 - Protein 104:143
 - Structure 104:143
 - Thioether 104:143
 - Type-I 104:143
- Bacterial**
 - Aromatic 144:321
 - Biodegradation-Process 144:321
 - Biophysical-Investigation 144:321
 - Dioxygenase 144:321
 - Extradiol 144:321
- Baillar-John**
 - Celebration 106:1
 - Coordination-Chemistry 128:1
 - Father 128:1
 - Inorganic-Life 106:1
 - Interview 106:1
 - United-States 128:1
- Bare**
 - Alkane 126:93
 - Gas-Phase-Chemistry 126:93
 - Metal-Ion 126:93
 - Monosubstituted 126:93
 - R-X-Molecule 126:93
 - Reaction 126:93
 - Unified-Picture 126:93
- Barium**
 - Beta-Diketonate 128:285
 - MOCVD-Precursor 128:285
 - Volatile 128:285
- Bent**
 - Electrochemical-Study 114:1
 - Sandwich-Complex 114:1
- Benzamidine**
 - Building-Block 137:403
 - Coordination-Chemistry 137:403
 - Main-Group 137:403

- N-Silylated 137:403
- Versatile 137:403
- Benzimidazole**
 - Bridged 132:99
 - Derivative 132:99
 - Dinuclear-Complex 132:99
 - Photoexcited-State 132:99
 - Proton-Dissociable 132:99
 - Ruthenium 132:99
- Beryllium**
 - Coordination-Chemistry 130:243
- Beta-Diketonate**
 - Barium 128:285
 - MOCVD-Precursor 128:285
 - Volatile 128:285
- Beta-Fluorosultone**
 - Reactivity 112:47
 - Structure 112:47
 - Synthesis 112:47
- Bibracchial**
 - Macrocyclic 148:19
 - Metal-Complex 148:19
 - Schiff-Base 148:19
- Bidentate**
 - Chelate 130:175
 - Donor 130:175
 - Germanium 130:175
 - Oxygen 130:175
 - Silicon 130:175
 - Tin 130:175
- Bidentate-Ligand**
 - Coordination-Chemistry 117:133
 - Mesocycles 117:133
- Bimetallic**
 - Catalyst 143:457
 - Cluster 143:457
 - Gold 143:611
 - Growth 143:611
 - Icosahedron 143:611
 - Nickel 143:611
 - Palladium 143:611
 - Pathway 143:611
 - Platinum 143:457, 143:611
 - Polyicosahedrality 143:611
 - Preference 143:611
 - Rhenium 143:457
 - Silver 143:611
 - Site 143:611
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracluster 143:611
 - Synthetic 143:611
 - Trimetallic 143:611
- Bimolecular**
 - Excited-State 111:153
 - Pressure-Effect 111:153
 - Process 111:153
- Binary-Complex**
 - Case-Study 122:227
 - Equilibrium 122:227
 - Intramolecular 122:227
 - Metal-Ion 122:227
 - N,N-bis(2-Hydroxyethyl)-Glycinate 122:227
 - Nucleoside 104:1
 - Nucleotide 104:1
 - Palladium(II) 104:1
 - Peptide 104:1
 - Quantification 122:227
 - Successive 122:227
 - Ternary-Complex 104:1
- Binding**
 - Aluminum 149:347
 - Serum-Protein 149:347
 - Transport 149:347
- Binding-Property**
 - Ammonium-Cation 148:301
 - Artificial-Metalloprotein 148:301
 - Conformation 148:301
 - Design 148:301
 - Macrocyclic 148:301
 - Metal-Organic 148:301
 - N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
 - Pseudopeptide 148:301
 - Synthesis 148:301
- Binding-Protein**
 - Aluminum-Complex 149:95
 - Diphosphate 149:95
 - Nucleoside 149:95
 - Triphosphate 149:95
- Binuclear-Complex**
 - Competitive 132:201
 - Electron-Transfer 132:201
 - Energy 132:201
 - Excited 132:201
 - Intramolecular-Process 132:201
 - Osmium(II) 132:201
 - Polypyridine 132:201
 - Quenching 132:201
 - Ruthenium(II) 132:201
- Bioavailability**
 - Coordination-Chemistry 105:155
 - Hydroxamic-Acid 105:155
 - Iron 105:155
- Biocatalytic-Complex**
 - Confacial 143:35
 - Molybdenum 143:35
 - Tungsten 143:35
- Biodegradation-Process**
 - Aromatic 144:321
 - Bacterial 144:321
 - Biophysical-Investigation 144:321
 - Dioxigenase 144:321
 - Extradiol 144:321
- Bioinorganic-Chemistry**
 - Aluminum(III) 112:33
 - Metal 112:33
 - Relevant 112:33
 - Toxicity 112:33
- Bioligand**
 - Coordination 140:1
 - Creatine 140:1
 - Creatinine 140:1
 - Property 140:1
 - Reaction-Medium 140:1
- Biological**
 - Coordination-Chemistry 135/136:165
 - Magnesium 135/136:165
 - Nucleotide-Binding-Site 135/136:165
 - Potassium 135/136:165
 - Protein 135/136:165
 - Sodium 135/136:165
- Biological-Aspect**
 - Aluminum(III) 149:329
 - Implication 149:329
 - Interaction 149:329
 - Phosphate-Binding-Site 149:329
- Biological-Study**
 - Copper(II) 123:49
 - Structural-Study 123:49
 - Thiosemicarbazone-Complex 123:49
- Biological-System**
 - Aluminum 149:1
 - Aluminum(III) 149:311
 - Coordination 149:311
 - Coordination-Chemistry 109:61
 - Environment 149:311
 - Vanadium 109:61
- Biologically-Important**
 - Artificial-Signaling 148:265
 - Chemical-Species 148:265
 - Receptor 148:265
- Biologically-Relevant**
 - Aluminum(III)-Complex 149:59
 - Structural-Analysis 149:59
 - X-Ray 149:59
- Biomimetics**
 - Activation 125:129
 - Alkane 125:129
 - Catalysis 125:143
 - Catalyst 144:39
 - Clay-Intercalated 144:39
 - Complex 144:39
 - Encapsulation 105:135
 - Iron-Porphyrin-Complex 125:143

- Metal 105:135, 144:39
- Model 144:39
- Overview 144:39
- Oxidation 144:39
- Photochemistry 125:143
- Phthalocyanine 144:39
- Porphyrin 144:39
- Schiff-Base 144:39
- Zeolite-Encapsulated 144:39
- Biophysical-Investigation**
 - Aromatic 144:321
 - Bacterial 144:321
 - Biodegradation-Process 144:321
 - Dioxxygenase 144:321
 - Extradiol 144:321
- Bipyridine** | Substituted-2,2'-»
 - Charge-Transfer 132:259
 - Ligand 132:259
 - Metal 132:259
 - Osmium(III)-Complex 132:259
 - Ruthenium(III)-Complex 132:259
 - Transition 132:259
- Bisalkylidyne**
 - Cluster-Compound 143:383
 - Iron 143:383
- Bismuthine-Ligand**
 - Coordination-Chemistry 133:115
 - Stibine-Ligand 133:115
- Bisporphyrin**
 - Electronic-Coupling 132:229
 - Oblique 132:229
- Bjerrum-Jannik**
 - Celebration 139:3
 - Inorganic-Life 139:3
 - Survey 139:3
- Bond**
 - 3-Center 128:245
 - Complex-Metal-Ligand 123:149
 - Coordinate 128:245
 - Coordination-Compound 128:245
 - Donor-Acceptor 128:245
 - Extension 128:245
 - Group 123:149
 - Hydrogen-Bridge 128:245
 - Lewis 128:245
 - Multiple 123:149
 - Theoretical-Analysis 123:149
 - Transition-Metal 123:149
- Bond** | C-H-»
 - Activation 132:155
 - Intermolecular 132:155
 - Organometallic-Complex 132:155
 - Photochemical-Mechanism 132:155
 - Reaction 132:155
- Bond-Activation**
 - Cr(CO)₄(bpy) 132:167
 - Excitation 132:167
 - MLCT 132:167
 - Organometallic-Compound 132:167
 - Prompt-CO-Photodissociation 132:167
- Bonded**
 - Cobalt(III) 135/136:587
 - Isomerism 135/136:587
 - Linkage 135/136:587
 - Thiocyanate 135/136:587
- Bonding**
 - Capability 120:361
 - Effective-Core-Potential 147:87
 - Element 145:27
 - Energetic 135/136:737
 - Heavier 145:27
 - Ligand 120:361
 - p-Block 145:27
 - Phosphine-Complex 145:27
 - Phosphorus(III)-Ligand 135/136:737
 - Reactivity 147:87
 - Structural-Flexibility 120:361
 - Structure 145:27, 147:87
 - Transition-Metal 120:361, 147:87
 - Transition-Metal-Complex 135/136:737
- Bonding-Property**
 - Copper(I)-Complex 140:115
 - Copper(II)-Complex 140:115
 - Thiocyanate-Group 140:115
- Borane**
 - Aminoarsine 112:117
 - Coordination 112:117
 - Selectivity 112:117
- Bottom-Up**
 - Luminescence 132:1
 - Metal-Complex 132:1
 - Nanometric-Dimension 132:1
 - Redox-Active 132:1
 - Strategy 132:1
- Bound**
 - Exchange-Rate 114:249
 - Hydrogen 114:249
 - Inert 114:249
 - Isotope 114:249
 - Polyamine 114:249
 - Transition-Metal-Complex 114:249
- Bridge**
 - Dinuclear-Complex 111:161
 - Osmium 111:161
 - Ruthenium 111:161
- Bridged**
 - Benzimidazole 132:99
- Derivative 132:99
- Dinuclear-Complex 132:99
- Photoexcited-State 132:99
- Proton-Dissociable 132:99
- Ruthenium 132:99
- Bridging-Ligand**
 - Aromatic 106:227
 - Component 111:255
 - Dinuclear-Metal-Complex 135/136:517
 - Energy-Transfer 111:255
 - Influence 135/136:517
 - Metal-Metal-Interaction 135/136:517
 - N-Donor 126:319
 - Nitrogen-Heterocycle 106:227, 135/136:517
 - Osmium-Based 111:255
 - Pattern 126:319
 - Peripheral-Ligand 135/136:517
 - Polynuclear-Complex 111:255
 - Reactivity 126:319
 - Ruthenium(I)-Complex 126:319
 - Ruthenium-Based 111:255
 - Structure 126:319
 - Survey 106:227
 - Synthesis 126:319
 - tris(Bipyridine) 111:255
- Bronsted-Base**
 - Ligand 123:229
 - Metal-Ion 123:229
 - Poly(Ethylenimine) 123:229
- Building-Block**
 - Benzamidine 137:403
 - Coordination-Chemistry 137:403
 - Main-Group 137:403
 - N-Silylated 137:403
 - Versatile 137:403
- Buildup**
 - Aqueous-Solution 143:97
 - Cluster 143:97
 - Multinuclear 143:97
 - Organometallic-Compound 143:97
 - Water 143:97
- Bulky**
 - Crown-Ether 148:135
 - Decalin-Subunit 148:135
 - Ion-Selective 148:135
 - Lithium 148:135
- Cadmium(II)**
 - Amino-Acid 117:45
 - Cobalt(II) 117:45
 - Copper(II) 117:45
 - Metal(II)-Compound 117:45
 - N-Protected 117:45
 - Nickel(II) 117:45
 - Palladium(II) 117:45

- Stability 117:45
- Structure 117:45
- Zinc(II) 117:45
- Cage**
 - C-13-Fullerene 143:169
 - Cluster 143:71, 143:169
 - Dual-Spin 143:169
 - Exo 143:169
 - Fusion 143:71
 - Metallacarborane 143:71
 - Model 143:169
 - n-Fold 143:169
 - NMR 143:169
 - Overview 143:169
 - Spin 143:169
 - Symmetry 143:169
- Calculation**
 - Atom 119:1
 - Crystal-Field 119:1
 - Donor 119:1
 - Europium-Complex 119:1
 - Organic-Ligand 119:1
 - Oxygen 119:1
 - Parameter 119:1
 - Scalar 119:1
 - Strength 119:1
 - Symmetry 119:1
- Calmodulin**
 - Aluminum 149:113
 - Coordination 149:113
 - Kinetics 149:113
 - Thermodynamic-Aspect 149:113
- Capability**
 - Bonding 120:361
 - Ligand 120:361
 - Structural-Flexibility 120:361
 - Transition-Metal 120:361
- Carbohydrate**
 - Coordination 122:171
 - Function 122:171
 - Metal 122:171
 - Structure 122:171
- Carbon-Dioxide**
 - Activation 148:221
 - Aza-Macrocyclic-Complex 148:221
 - Carbon-Disulfide 140:37
 - Carbonyl-Sulfide 140:37
 - Photochemical-Activation 132:195
 - Reactivity 140:37
 - Transition-Metal-Complex 132:195, 140:37
- Carbon-Disulfide**
 - Carbon-Dioxide 140:37
 - Carbonyl-Sulfide 140:37
 - Reactivity 140:37
- Transition-Metal-Complex 140:37
- Carbon-Monoxide**
 - Coordination-Chemistry 137:483
 - Ligand 137:483
 - Sigma-Donor 137:483
- Carbonyl**
 - Cluster 128:261
 - Hexanuclear 128:261
 - Organometallic-Chemistry 128:261
- Carbonyl-Compound**
 - Coordination 145:55
 - Lewis-Acid 145:55
 - Main-Group 145:55
 - Multidentate 145:55
 - Multiple 145:55
- Carbonyl-Sulfide**
 - Carbon-Dioxide 140:37
 - Carbon-Disulfide 140:37
 - Reactivity 140:37
 - Transition-Metal-Complex 140:37
- Carboxylate**
 - Complex 135/136:93
 - Coordination-Chemistry 135/136:93
 - Cyclopentadienyl 135/136:93
 - Titanium 135/136:93
- Carboxypeptidase-A**
 - Complex 120:309
 - Stereochemistry 120:309
 - X-Ray-Diffraction 120:309
 - Zinc 120:309
- Carrier**
 - Autoxidation 128:117
 - Cyclidene-Iron(II) 128:117
 - Dioxide 128:117
 - Intermediate 128:117
 - Kinetics 128:117
 - Solvent-System 128:117
 - Variety 128:117
- Case-Study**
 - Antiviral-Property 144:287
 - Artificial-Analog 144:287
 - Binary-Complex 122:227
 - Equilibrium 122:227, 144:287
 - Intramolecular 122:227, 144:287
 - Metal-Ion 122:227
 - Metal-Ion-Complex 144:287
 - N,N-bis(2-Hydroxyethyl)-Glycinate 122:227
 - Nucleotide 144:287
 - Quantification 122:227
 - Successive 122:227
- Catalysis**
 - Application 143:219
- Biomimetics 125:143
- Cluster-Compound 143:219
- Coordination-Chemistry 108:27
- Gold 143:219
- Hemilabile-Ligand 108:27
- Iron-Porphyrin-Complex 125:143
- Oxygen 108:27
- Palladium 143:219
- Phosphine-Stabilized 143:219
- Phosphorus 108:27
- Photochemistry 125:143
- Platinum 143:219
- Catalyst**
 - Asymmetric 140:189
 - Bimetallic 143:457
 - Biomimetics 144:39
 - Catalytic 140:189
 - Clay-Intercalated 144:39
 - Cluster 143:457
 - Complex 144:39
 - Electrochemical-Reaction 119:89
 - Metal 144:39
 - Metallophthalocyanine 119:89
 - Model 144:39
 - Optically-Active 140:189
 - Overview 144:39
 - Oxidation 140:189, 144:39
 - Phthalocyanine 144:39
 - Platinum 143:457
 - Porphyrin 144:39
 - Rhenium 143:457
 - Salen-Manganese(III)-Complex 140:189
 - Schiff-Base 144:39
 - Zeolite-Encapsulated 144:39
- Catalytic**
 - Asymmetric 140:189
 - Catalyst 140:189
 - Optically-Active 140:189
 - Oxidation 140:189
 - Salen-Manganese(III)-Complex 140:189
- Catalyzed**
 - Activation 105:181
 - Air 105:181
 - Alkane 105:181
 - Copper-Compound 119:171
 - Decomposition 105:251
 - Hydrogen-Peroxide 105:251
 - Insertion 119:171
 - Kinetics 105:251
 - Light 105:181
 - Manganese(III)-Gluconate 105:251
 - Mechanism 105:251
 - Metalloporphyrin 105:181
 - Organic-Substrate 119:171

- Oxidation 105:181
- Oxygen 119:171
- Selective 105:181
- Suprabiotic-System 105:181
- Catenane** [2-∞]
 - Architecture 148:249
 - Assembly 148:249
 - Large 148:249
 - Macrocyclic 148:249
 - Organic 148:249
 - Transition-Metal-Directed 148:249
 - Void 148:249
 - Well-Defined 148:249
- Catenated**
 - Fluorinated-Compound 112:169
 - Nitrogen-Atom 112:169
 - Oxygen 112:169
 - Sulfur 112:169
- Cation**
 - Anion 110:17
 - Complexation 148:349
 - Electron-Transfer 125:269
 - Fragmentation 125:269
 - Generation 125:269
 - Inner-Sphere 148:349
 - Lasalocid-A 148:349
 - Natural-Ionophore 148:349
 - Outer-Sphere 148:349
 - Photochemistry 125:269
 - Polyazacycloalkane-Complex 110:17
 - Radical 125:269
 - Thermodynamic-Aspect 110:17
- Cation-Binding**
 - Crown-Ether 148:171
 - Selective 148:171
 - Thallium(I) 148:171
- Cation-Binding-Ability**
 - Alkylphosphoric-Acid 148:97
 - Armed 148:97
 - Crown-Ether 148:97
 - Specific 148:97
- Celebration**
 - Adamson-Arthur-W 110:1
 - Bailar-John 106:1
 - Bjerrum-Jannik 139:3
 - Chatt-Joseph 108:4
 - Gutmann-Viktor 135/136:1
 - Inorganic-Life 106:1, 108:4, 110:1, 122:3, 135/136:1, 139:3
 - Interview 106:1, 108:4, 110:1, 122:3, 135/136:1
 - Survey 139:3
 - Williams-Robert-JP 122:3
- Cell-Membrane**
 - Antiinflammatory-Drug 125:115
 - Design 125:115
 - Nonsteroidal 125:115
 - Photosensitizing-Action 125:115
 - Protective-System 125:115
- Center**
 - Coordination-Compound 137:53
 - Donor-Acceptor-Interaction 137:53
 - Group 137:53
 - Intramolecular 137:53
 - Main-Group 137:53
 - N,N',N'-Trimethylethylenediamine 137:53
 - Phosphorus 137:53
 - Silicon 137:53
 - Substituent 137:53
 - Transition-Metal-Complex 137:53
- Ceramics**
 - Condensation 112:81
 - Hydrolysis 112:81
 - Precursor 112:81
 - Sol-Gel-Type 112:81
 - Solid-State 112:81
 - Solution 112:81
 - Structure 112:81
 - Tin(IV)-Alkoxide-Compound 112:81
 - Tin-Oxide 112:81
- Cesium-Ion**
 - Alkali-Metal-Salt 140:27
 - Aqueous-Solution 140:27
 - Precipitation 140:27
 - Solubility 140:27
- Chalcogen-Ring**
 - Heteroatomic 130:1
 - Homoatomic 130:1
- Change**
 - Coordination-Compound 117:159
 - Electronic-Response 117:159
 - Environment 117:159
 - Molecular 117:159
 - Molecule 117:159
 - Structural-Response 117:159
- Characterization**
 - Diastereomer 139:245
 - NMR-Spectroscopy 139:245
 - Preparation 130:301
 - Property 130:301
 - Selenium-Nitrogen-Compound 130:301
 - Tellurium-Nitrogen-Compound 130:301
- Charge**
 - Covalent-Link 111:291
 - Dyad 111:291
 - Electron-Acceptor 111:291
 - Electron-Donor 111:291
 - Osmium(II)-bis-Terpyridine 111:291
 - Photoinduced 111:291
 - Photosensitizer 111:291
 - Ruthenium(II)-bis-Terpyridine 111:291
 - Separation 111:291
 - Triad 111:291
- Charge-Separation**
 - Design 132:15
 - Excited-State 132:15
 - Preparation 132:15
 - Transition-Metal 132:15
 - Triad-System 132:15
- Charge-Transfer**
 - Alkylamine 128:225
 - Cobalt(III)-Complex 128:225
 - Dark-Conductivity 125:155
 - Design 125:155
 - Electrical 125:155
 - Intervalent-Complex 111:91
 - Ion-Pair 125:155
 - Ligand 132:259
 - Metal 132:259
 - Multielectron 111:91
 - Osmium(III)-Complex 132:259
 - Photochemistry 128:225
 - Photoconductivity 125:155
 - Photoinduced 111:91
 - Photoreactivity 125:155
 - Polymetallic 111:91
 - Ruthenium(III)-Complex 132:259
 - Solid 125:155
 - Solution 125:155
 - Spectroscopy 128:225
 - Substituted-2,2'-Bipyridine 132:259
 - Transition 132:259
- Chatt-Joseph**
 - Celebration 108:4
 - Inorganic-Life 108:4
 - Interview 108:4
- Chelate**
 - Bidentate 130:175
 - Donor 130:175
 - Factor 133:39
 - Germanium 130:175
 - Macrobicyclic-Complex 133:39
 - Macrocyclic-Complex 133:39
 - Model-System 120:325
 - Oxygen 130:175
 - Perspective 120:325
 - Pyrazole 120:325
 - Silicon 130:175
 - Solution 133:39
 - Stability 133:39

- Tin 130:175
- Chemical-Feature**
 - Atrane 137:233
 - Main-Group 137:233
 - Structural-Feature 137:233
- Chemical-Reactivity**
 - Electronic-Structure 108:163
 - Theoretical-Approach 108:163
 - Transition-Metal-Compound 108:163
- Chemical-Speciation**
 - Aluminum 149:241
 - Metabolism 149:241
 - Relation 149:241
 - Toxicity 149:241
- Chemical-Species**
 - Artificial-Signaling 148:265
 - Biologically-Important 148:265
 - Receptor 148:265
- Chemically-Modified**
 - Electrode 125:43
 - Photogalvanic-Cell 125:43
 - Photosensitive 125:43
- Chemistry**
 - Cluster 143:637
 - Electron-Pair 143:637
 - Frontier 110:275
 - Limitation 143:637
 - Metal-Ion 110:275
 - Organometallics 143:637
 - Polyhedral 143:637
 - Skeletal 143:637
 - Tetrametallic-System 143:637
 - Theory 143:637
 - Trimetallic-System 143:637
- Chiral**
 - Achiral 148:199
 - Amine 148:199
 - Complexation 148:199
 - Cyclohexane-1,2-Diol-Derivative 148:199
 - Meso-Crown-Ether 148:199
 - Preparation 148:199
 - Steric-Barrier 148:199
- Chloromercury(II)-Anion** 135/136:533
- Chromium(III)**
 - Complex 132:121
 - Cyano-Am(m)ine-Complex 129:195
 - Energy-Transfer 111:267
 - Intramolecular 111:267
 - Photoaquation 132:121
 - Photosubstitution 132:121
 - Polynuclear-Complex 111:267
 - Ruthenium(II) 111:267
 - Stereochemical-Change 132:121
 - trans-Dicyanotetram(m)ine 132:121
- Chromium(III)-trans-Cyanoacidotetraammine-Complex**
 - Comparison 125:35
 - Deactivation 125:35
 - Doublet-State 125:35
 - Model 125:35
 - Phosphorescence 125:35
 - Solution 125:35
- Chromium(IV)-Complex**
 - Redox-Chemistry 135/136:651
- Chromium(VI)**
 - Spectroscopy 109:223
- Chromophore**
 - Diimine 122:63
 - Electron 122:63
 - Energy-Transfer 122:63
 - Intramolecular 122:63
 - Rhenium(I) 122:63
- cis-1,2-Diarylethene**
 - Adiabatic-Channel 125:251
 - Evidence 125:251
 - Fluorometry 125:251
 - Photoisomerization 125:251
 - Singlet 125:251
- Clay-Intercalated**
 - Biomimetics 144:39
 - Catalyst 144:39
 - Complex 144:39
 - Metal 144:39
 - Model 144:39
 - Overview 144:39
 - Oxidation 144:39
 - Phthalocyanine 144:39
 - Porphyrin 144:39
 - Schiff-Base 144:39
 - Zeolite-Encapsulated 144:39
- Closed-Shell-Ion** $d^{10} \rightarrow$
 - Magnetic-Complex 132:43
 - Spectroscopy 132:43
- Cluster**
 - Aqueous-Solution 143:97
 - Associative 143:265
 - Bimetallic 143:457
 - Buildup 143:97
 - C-13-Fullerene 143:169
 - Cage 143:71, 143:169
 - Carbonyl 128:261
 - Catalyst 143:457
 - Chemistry 143:637
 - Copper(I)-Halide 132:129
 - Delocalization 144:199
 - Derivative 143:501
 - Dual-Spin 143:169
 - Electron 144:199
 - Electron-Pair 143:637
 - Exo 143:169
 - Fusion 143:71
 - Group-6 143:501
 - Group-9 143:501
 - Heterometallic 143:501
 - Hexanuclear 128:261
 - High-Valent 144:1
 - Homogeneous-Catalysis 143:407
 - Hydrocarbyl-Ligand 143:501
 - Iron-Sulfur 144:199
 - Kinetics 143:265
 - Limitation 143:637
 - Main-Group-Element 120:259
 - Mechanism 144:1
 - Metal-Carbonyl 143:265
 - Metallocarborane 143:71
 - Mixed 120:259
 - Mixed-15/16-Main-Group 137:131
 - Model 143:169
 - Molecular-Level 143:297
 - Multinuclear 143:97
 - n-Fold 143:169
 - NMR 143:169
 - Orbital-Interaction 144:199
 - Organometallic-Chemistry 128:261
 - Organometallic-Compound 143:97
 - Organometallics 143:637
 - Overview 132:129, 143:169
 - Oxomanganese 144:1
 - Oxygen-Anion 143:407
 - Oxygen-Evolving-Center 144:1
 - Photochemistry 132:129
 - Photophysics 132:129
 - Photosystem 144:1
 - Platinum 143:457
 - Polyhedral 143:637
 - Reaction 143:265
 - Reactivity 120:259
 - Rhenium 143:457
 - Ruthenium 143:265
 - Skeletal 143:637
 - Small 120:259
 - Spin 143:169
 - Spin-Coupling 144:199
 - Structure 144:1
 - Symmetry 143:169
 - Synthesis 120:259
 - Systematic 143:265
 - Tetrametallic-System 143:637
 - Tetranuclear 132:129
 - Theory 143:637
 - Transition-Metal 120:259, 143:407
 - Transition-Metal-Boride 143:297
 - Trimetallic-System 143:637
 - Water 143:97

Cluster-Complex

- Cyclopentadienyl 143:535
- Group-9 143:535
- Metal 143:535
- Transition-Metal 143:535

Cluster-Compound

- Application 143:219
- Bisalkylidyne 143:383
- Catalysis 143:219
- Gold 143:219
- Iron 143:383
- Palladium 143:219
- Phosphine-Stabilized 143:219
- Platinum 143:219

Cluster-Stabilized-Cation

- Molecular-Dynamics 143:331
- Reactivity 143:331
- Structure 143:331
- Synthesis 143:331

Clustering-Process

- Excitation 125:333
- Fast-Atom-Bombardment 125:333
- Fragmentation 125:333
- Metal-Complex 125:333
- Photochemical-Pathway 125:333
- Redox 125:333
- Relationship 125:333

CO-Photodissociation [Prompt-»

- Bond-Activation 132:167
- Cr(CO)₄(bpy) 132:167
- Excitation 132:167
- MLCT 132:167
- Organometallic-Compound 132:167

CO-Substitution

- Kinetics 128:69
- Metal-Carbonyl 128:69
- Oxygen-Atom 128:69
- Presence 128:69
- Reagent 128:69
- Transfer 128:69

Cobalt 124:107

- 1991 134A:195

Cobalt(II)

- Amino-Acid 117:45
- Cadmium(II) 117:45
- Copper(II) 117:45
- Metal(II)-Compound 117:45
- N-Protected 117:45
- Nickel(II) 117:45
- Palladium(II) 117:45
- Stability 117:45
- Structure 117:45
- Zinc(II) 117:45

Cobalt(III)

- Bonded 135/136:587
- Isomerism 135/136:587

- Linkage 135/136:587
- Thiocyanate 135/136:587

Cobalt(III)-Complex

- Alkylamine 128:225
- Charge-Transfer 128:225
- Photochemistry 128:225
- Spectroscopy 128:225

Comparative-Study

- [CASSCF/CCI-»
- Diimine 132:63
- Electronic-Spectrum 132:63
- Excited-State 132:63
- Manganese 132:63
- Singlet 132:63

Comparison

- Chromium(III)-trans-Cyanoacidotetraammine-Complex 125:35
- Deactivation 125:35
- Doublet-State 125:35
- Heterogeneous 125:173
- Model 125:35
- Number 125:173
- Parameter 125:173
- Phosphorescence 125:35
- Photocatalysis 125:173
- Photon-Absorption 125:173
- Quantitative 125:173
- Rate 125:173
- Solution 125:35
- Turnover 125:173

Competitive

- Binuclear-Complex 132:201
- Electron-Transfer 132:201
- Energy 132:201
- Excited 132:201
- Intramolecular-Process 132:201
- Osmium(II) 132:201
- Polypyridine 132:201
- Quenching 132:201
- Ruthenium(II) 132:201

Complex

- Alpha-Diimine 132:147
- Biomimetics 144:39
- Carboxylate 135/136:93
- Carboxypeptidase-A 120:309
- Catalyst 144:39
- Chromium(III) 132:121
- Clay-Intercalated 144:39
- Coordinating-Group 104:297
- Coordination-Chemistry 135/136:93
- Copper(I) 135/136:303
- Cyclopentadienyl 135/136:93
- Metal 144:39
- Metal-Alkyl-Bond 132:147
- Metal-Halide-Bond 132:147
- Metal-Metal-Bond 132:147
- Model 144:39

- Organodisulphide 119:137
- Organometallics 132:147

- Overview 144:39
- Oxidation 144:39
- Pendent 104:297
- Photoaquation 132:121
- Photochemical-Formation 132:147
- Photochemistry 135/136:303
- Photosubstitution 132:121
- Phthalocyanine 144:39
- Polyaza-Macrocyclic 104:297
- Porphyrin 144:39
- Radical 132:147
- Schiff-Base 144:39
- Stereochemical-Change 132:121
- Stereochemistry 120:309
- Titanium 135/136:93
- trans-Dicyanotetram(m)ine 132:121
- X-Ray-Diffraction 120:309
- Zeolite-Encapsulated 144:39
- Zinc 120:309

Complex-Compound

- Amino-Acid 135/136:17
- Derivative 135/136:17
- Peptide 135/136:17
- Platinum(II) 135/136:17
- Platinum(IV) 135/136:17

Complex-Formation

- Actinide 109:1
- Azaporphyrin 147:41
- Lanthanide 109:1
- Lower-Oxidation-State 109:1
- Reaction 147:41
- Reaction-Center 147:41
- Structure 147:41

Complex-Metal-Ligand

- Bond 123:149
- Group 123:149
- Multiple 123:149
- Theoretical-Analysis 123:149
- Transition-Metal 123:149

Complexation

- Achiral 148:199
- Aluminum(III) 149:179
- Amine 148:199
- Cation 148:349
- Chiral 148:199
- Cyclohexane-1,2-Diol-Derivative 148:199
- Inner-Sphere 148:349
- Lasalocid-A 148:349
- Meso-Crown-Ether 148:199
- Molecular-Modeling 149:179
- Natural-Ionophore 148:349
- NMR 149:179
- Outer-Sphere 148:349
- Peptide 149:179

- Preparation 148:199
- Steric-Barrier 148:199
- Three-Dimensional-Structure 149:179
- Thymic-Hormone 149:179

Component

- Bridging-Ligand 111:255
- Energy-Transfer 111:255
- Osmium-Based 111:255
- Polynuclear-Complex 111:255
- Ruthenium-Based 111:255
- tris(Bipyridine) 111:255

Computer-Program

- Determination 120:389
- Equilibrium-Constant 120:389
- Mathematical-Algorithm 120:389
- Measurement 120:389
- Potentiometry 120:389
- Spectrophotometry 120:389

Condensation

- Ceramics 112:81
- Hydrolysis 112:81
- Precursor 112:81
- Sol-Gel-Type 112:81
- Solid-State 112:81
- Solution 112:81
- Structure 112:81
- Tin(IV)-Alkoxide-Compound 112:81
- Tin-Oxide 112:81

Confacial

- Biocuboidal-Complex 143:35
- Molybdenum 143:35
- Tungsten 143:35

Conformation

- Ammonium-Cation 148:301
- Artificial-Metalloprotein 148:301
- Binding-Property 148:301
- Design 148:301
- Macrocyclic 148:301
- Metal-Organic 148:301
- N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
- Pseudopeptide 148:301
- Synthesis 148:301

Conformational-Change

- Coordination 128:167
- Induced 128:167
- Metal-Ion 128:167

Control

- Direction 111:227
- Electronic-Energy 111:227
- Luminescence 111:227
- Made-to-Order 111:227
- Metal-Complex 111:227
- Organometallic-Reaction 120:193

- Polyphosphine 120:193
- Selectivity 120:193
- Tetranuclear 111:227
- Transfer 111:227
- Tripodal-Ligand 120:193

Coordinate

- 3-Center 128:245
- Bond 128:245
- Coordination-Compound 128:245
- Donor-Acceptor 128:245
- Extension 128:245
- Hydrogen-Bridge 128:245
- Lewis 128:245

Coordinated

- Perrhenate 106:205

Coordinating-Group

- Complex 104:297
- Pendant 104:297
- Polyaza-Macrocyclic 104:297

Coordination

- Aluminum 149:113
- Aluminum(III) 149:311
- Aminoarsine 112:117
- Application 128:293
- Bioligand 140:1
- Biological-System 149:311
- Borane 112:117
- Calmodulin 149:113
- Carbohydrate 122:171
- Carbonyl-Compound 145:55
- Conformational-Change 128:167
- Coupling-Reaction 109:207
- Creatine 140:1
- Creatinine 140:1
- Electronic-Property 123:1
- Environment 149:311
- Equilibrium 109:207
- Function 122:171
- Induced 128:167
- Kinetics 149:113
- Lewis-Acid 145:55
- Ligand 123:1
- Main-Group 145:55
- Material-Science 128:293
- Metal 122:171
- Metal-Center 109:207
- Metal-Ion 128:167
- Multidentate 145:55
- Multiple 145:55
- One-Dimensional 128:293
- Phosphorylic-Unit 112:1
- Polymer 128:293
- Property 140:1
- Reaction-Medium 140:1
- Relation 123:1
- Selectivity 112:117
- Stereochemistry 123:1

- Structural-Aspect 105:61
- Structure 122:171, 123:1
- Thermodynamic-Aspect 149:113
- Thermodynamic-Property 123:1
- Thiophene 105:61
- Transition-Metal-Complex 105:61
- Unsaturated-Hydrocarbon 109:207

Coordination-Chemistry

- 2-Pyridone 139:313
- Acyclic-Ligand 137:201
- Advanced-Material 117:215
- Ambidentate-Ligand 105:77
- Amidine-Ligand 133:219
- Application 114:201
- Bailar-John 128:1
- Benzamidine 137:403
- Beryllium 130:243
- Bidentate-Ligand 117:133
- Bioavailability 105:155
- Biological 135/136:165
- Biological-System 109:61
- Bismuthine-Ligand 133:115
- Building-Block 137:403
- Carbon-Monoxide 137:483
- Carboxylate 135/136:93
- Catalysis 108:27
- Complex 135/136:93
- Copolymer 128:49
- Crown-Ether 112:227
- Cyclic-Ligand 137:201
- Cyclodiphosphazane-Ligand 129:1
- Cyclopentadienyl 135/136:93
- d-Block 114:201
- Derivative 139:313
- Diphosphinoamine-Ligand 129:1
- EDTA-Type 128:139
- Father 128:1
- Graph-Theory 122:91
- Heavy-Polychalcogenide-Ligand 130:509
- Hemilabile-Ligand 108:27
- Hexadentate-Ligand 128:139
- Hydroxamic-Acid 105:155
- Iron 105:155
- Isoxazole 109:251
- Ligand 137:483
- Liquid-Crystal 117:215
- M(III)-Ion 128:139
- Magnesium 135/136:165
- Main-Group 137:403
- Mathematical-Method 122:91
- Mesocycles 117:133
- Metal-Cluster 122:91
- Metal-Nucleus 114:201

- Metal-Oxide 114:107
- Molybdenum 114:107
- Monomer 128:49
- N-6-Macrocycle 135/136:129
- N-Silylated 137:403
- Niobium 113:1
- NMR 114:201
- Nucleotide-Binding-Site 135/136:165
- Organoaluminum 112:227
- Organometallics 114:201
- Oxygen 108:27, 112:227
- p-Block 114:201
- Phosphorus 108:27
- Pi-Acceptor 129:157
- PNS 137:201
- PNSE 137:201
- Polychalcogen-Anion 105:195
- Polyhedral-Isomerization 122:91
- Polynitrile 129:157
- Potassium 135/136:165
- Protein 135/136:165
- Schizophrenics 105:77
- Selenoether-Ligand 122:109
- Sigma-Donor 137:483
- Sodium 135/136:165
- Solid-State 114:201
- Solubility 114:107
- Stibine-Ligand 133:115
- Structural-Survey 112:227
- Sulfur 112:227
- Tantalum 113:1
- TCNE 129:157
- TCNQ 129:157
- Telluroether-Ligand 122:109
- Thiooxalate-Ligand 121:43
- Titanium 135/136:93
- Topology 122:91
- Transition-Metal 117:215
- Transition-Metal-Carbonyl 105:195
- United-States 128:1
- Unsaturated 137:201
- Vanadium 109:61, 114:107
- Versatile 137:403
- Coordination-Complex**
 - Mechanism 110:213
 - Metal 109:107
 - NMR-Spectroscopy 109:107
 - Octahedral 110:213
 - Organometallics 109:107
 - Solid-State 109:107
 - Substitution-Reaction 110:213
- Coordination-Compound**
 - 3-Center 128:245
 - Advantage 125:89
 - Aluminum 128:193
 - Azole-Containing-Ligand 104:143
 - Bond 128:245
 - Center 137:53
 - Change 117:159
 - Coordinate 128:245
 - Copper 104:143, 119:67
 - Disadvantage 125:89
 - Dissolution 135/136:65
 - Donor-Acceptor 128:245
 - Donor-Acceptor-Interaction 137:53
 - Electronic-Response 117:159
 - Electrosynthesis 135/136:65
 - Environment 117:159
 - Extension 128:245
 - Group 137:53
 - Hydrogen-Bridge 128:245
 - Hydroxynaphthaldehyde 119:67
 - Induced 125:89
 - Intersystem-Crossing 111:275
 - Intramolecular 137:53
 - Iron 119:67
 - Iron(II) 111:275
 - Lewis 128:245
 - Life 120:163
 - Light-Sensitive 125:89
 - Main-Group 137:53
 - Metal 135/136:65
 - Model-System 104:143
 - Modeling 126:177
 - Molecular 117:159
 - Molecular-Mechanics 126:177
 - Molecule 117:159
 - Molybdenum 123:73
 - N,N',N'-Trimethylethylene-diamine 137:53
 - Nickel 119:67
 - Nitride 128:193
 - ODMR-Spectroscopy 117:1
 - Phosphorus 137:53
 - Photocatalysis 125:89
 - Photochemistry 107:1, 132:75
 - Precursor 128:193
 - Process 120:163
 - Protein 104:143
 - Quantum-Chemistry 118:1
 - Redox-Process 120:237
 - Sacrificial-Anode 135/136:65
 - Salicylaldehyde 119:67
 - Schiff-Base 119:67
 - Silicon 137:53
 - Structural-Response 117:159
 - Structure 104:143
 - Substituent 137:53
 - Sulfur-Bridged 123:73
 - Supramolecular 120:237
 - Synthesis 123:73
 - Tailor-Made 132:75
 - Thermochemistry 119:29
 - Thioether 104:143
 - Transition-Metal-Complex 137:53
 - Tungsten 123:73
 - Type-I 104:143
- Coordinatively-Unsaturated**
 - DNA-Binding 132:105
 - Excited-State 132:105
 - Interaction 132:105
- Copolymer**
 - Coordination-Chemistry 128:49
 - Double-Bond 125:219
 - Innovative 125:219
 - Mechanism 125:219
 - Monomer 128:49
 - Photodegradable 125:219
 - Photooxidation 125:219
 - Polyolefin 125:219
- Copper** 124:63
 - Activation 106:25
 - Aluminum 149:231
 - Azole-Containing-Ligand 104:143
 - Coordination-Compound 104:143, 119:67
 - Dinuclear-Complex 106:25
 - Essentiality 149:231
 - Hydroxynaphthaldehyde 119:67
 - Interaction 149:231
 - Iron 119:67
 - Mechanism 149:231
 - Metal 106:25
 - Model-System 104:143
 - Nickel 119:67
 - Protein 104:143
 - Salicylaldehyde 119:67
 - Schiff-Base 119:67
 - Silicon 149:231
 - Small-Molecule 106:25
 - Structure 104:143
 - Thioether 104:143
 - Type-I 104:143
- Copper(I)**
 - Alkyne-Compound 143:113
 - Complex 135/136:303
 - Monomer 143:113
 - Photochemistry 135/136:303
 - Polymer 143:113
 - Silver(I) 143:113
- Copper(I)-Complex**
 - Bonding-Property 140:115
 - Copper(II)-Complex 140:115
 - Thiocyanate-Group 140:115
- Copper(I)-Compound**
 - Structural-Aspect 126:71
- Copper(I)-Halide**
 - Cluster 132:129
 - Overview 132:129

- Photochemistry 132:129
- Photophysics 132:129
- Tetranuclear 132:129
- Copper(II)**
 - Amino-Acid 117:45
 - Biological-Study 123:49
 - Cadmium(II) 117:45
 - Cobalt(II) 117:45
 - Metal(II)-Compound 117:45
 - N-Protected 117:45
 - Nickel(II) 117:45
 - Palladium(II) 117:45
 - Stability 117:45
 - Structural-Study 123:49
 - Structure 117:45
 - Thiosemicarbazone-Complex 123:49
 - Zinc(II) 117:45
- Copper(II)-Complex**
 - Bonding-Property 140:115
 - Copper(I)-Complex 140:115
 - Thiocyanate-Group 140:115
- Copper(II)-Free-Base**
 - Dimer 132:243
 - Energy-Transfer 132:243
 - Porphyrin 132:243
 - Process 132:243
 - Time-Resolved-ESR 132:243
 - Triplet-Triplet 132:243
- Copper(II)-Halide**
 - Multiple 109:181
 - Stereochemistry 109:181
- Copper-Complex**
 - Heterocyclic-Ligand 129:91
 - Thioamide 129:91
- Copper-Compound**
 - Catalyzed 119:171
 - Insertion 119:171
 - Organic-Substrate 119:171
 - Oxygen 119:171
- Cosmogogenesis**
 - Aluminum 149:367
 - Distribution 149:367
 - Earth 149:367
 - Evolution 149:367
 - Sial 149:367
- Coupling-Reaction**
 - Coordination 109:207
 - Equilibrium 109:207
 - Metal-Center 109:207
 - Unsaturated-Hydrocarbon 109:207
- Covalent-Link**
 - Charge 111:291
 - Dyad 111:291
 - Electron-Acceptor 111:291
 - Electron-Donor 111:291
 - Energy-Transfer 111:221
 - Intramolecular 111:221
 - Osmium(II)-bis-Terpyridine 111:291
 - Photoinduced 111:291
 - Photosensitizer 111:291
 - Polypyridine 111:221
 - Rhenium(I)-Complex 111:221
 - Ruthenium(II)-bis-Terpyridine 111:291
 - Ruthenium(II)-Complex 111:221
 - Separation 111:291
 - Triad 111:291
- Cr(CO)₄(bpy)**
 - Bond-Activation 132:167
 - Excitation 132:167
 - MLCT 132:167
 - Organometallic-Compound 132:167
 - Prompt-CO-Photodissociation 132:167
- Cr(CO)₅(phen)**
 - 1,10-Phenanthroline 132:161
 - Cr(CO)₆ 132:161
 - Intermediate 132:161
 - Photochemical-Substitution 132:161
- Cr(CO)₆**
 - 1,10-Phenanthroline 132:161
 - Cr(CO)₅(phen) 132:161
 - Intermediate 132:161
 - Photochemical-Substitution 132:161
- Cr(NH₃)₆³⁺**
 - Associate 111:249
 - Photochemistry 111:249
 - Photophysics 111:249
 - Polycarboxylate 111:249
 - Second-Sphere 111:249
- Creatine**
 - Bioligand 140:1
 - Coordination 140:1
 - Creatinine 140:1
 - Property 140:1
 - Reaction-Medium 140:1
- Creatinine**
 - Bioligand 140:1
 - Coordination 140:1
 - Creatine 140:1
 - Property 140:1
 - Reaction-Medium 140:1
- Crown-Ether**
 - Alkylphosphoric-Acid 148:97
 - Armed 148:97
 - Bulky 148:135
 - Cation-Binding 148:171
 - Cation-Binding-Ability 148:97
 - Coordination-Chemistry 112:227
 - Decalin-Subunit 148:135
 - Ion-Selective 148:135
 - Ionic-Conduction 148:41
 - Lithium 148:135
 - Organoaluminum 112:227
 - Oxygen 112:227
 - Photochromic 148:41
 - Photocontrol 148:41
 - Selective 148:171
 - Specific 148:97
 - Structural-Survey 112:227
 - Sulfur 112:227
 - Thallium(I) 148:171
- Crown-Ether-Complex**
 - Armed 148:1
 - Assembly 148:1
 - Supramolecular 148:1
- Crowned**
 - Dimer 132:57
 - Interaction 132:57
 - Interplanar 132:57
 - Metal-Free-Complex 132:57
 - Phthalocyanine 132:57
 - Porphyrin 132:57
 - Time-Resolved-EPR 132:57
 - Triplet 132:57
 - Zinc 132:57
- Crystal-Engineering**
 - Hydrogen-Bond 137:357
- Crystal-Field**
 - Atom 119:1
 - Calculation 119:1
 - Donor 119:1
 - Europium-Complex 119:1
 - Organic-Ligand 119:1
 - Oxygen 119:1
 - Parameter 119:1
 - Scalar 119:1
 - Strength 119:1
 - Symmetry 119:1
- CsCdCl₃**
 - Avalanche 111:125
 - Doped 111:125
 - Dynamic 111:125
 - Excitation 111:125
 - Excited-State 111:125
 - Nickel(II) 111:125
- Cyanide**
 - Alkyne 104:13
 - Dinitrogen-Binding 104:13
 - Isocyanide 104:13
 - Reaction 104:13
 - Transition-Metal-Center 104:13
- Cyano-Am(m)ine-Complex**
 - Chromium(III) 129:195
- Cyano-Bridge**
 - Electronic-Coupling 125:283
 - Metal-Center 125:283
 - Polynuclear-Complex 125:283
 - Remote 125:283

Cyanobridged

- Design 111:261
- Energy-Transfer 111:261
- Intramolecular 111:261
- Long-Chain 111:261
- Photoinduced 111:261
- Polynuclear 111:261
- Polynuclear-Species 111:261
- Ruthenium(II)-Polypyridine-Complex 111:261
- Vectorial 111:261

Cyclic

- Linear 130:137
- Phosphazene 130:137
- Polymer 130:137

Cyclic-Ligand

- Acyclic-Ligand 137:201
- Coordination-Chemistry 137:201
- PNS 137:201
- PNSE 137:201
- Unsaturated 137:201

Cyclidene-Iron(II)

- Autooxidation 128:117
- Carrier 128:117
- Dioxygen 128:117
- Intermediate 128:117
- Kinetics 128:117
- Solvent-System 128:117
- Variety 128:117

Cyclodextrin

- Host-Guest-Complex 125:261
- Photochemistry 125:261
- Polymer 148:115
- Preparation 148:115
- Structure 148:115
- Supramolecule 148:115

Cyclodiphosphazane-Ligand

- Coordination-Chemistry 129:1
- Diphosphinoamine-Ligand 129:1

Cyclohexane-1,2-Diol-Derivative

- Achiral 148:199
- Amine 148:199
- Chiral 148:199
- Complexation 148:199
- Meso-Crown-Ether 148:199
- Preparation 148:199
- Steric-Barrier 148:199

Cyclometalated

- High-Resolution-Spectroscopy 111:33
- Rhodium(III)-Complex 111:33

Cyclometallating-Ligand

- Aromatic 111:117
- Palladium(II)-Complex 111:117
- Pt(II)-Complex 111:117
- Spectroscopic-Property 111:117
- Terdentate-Ligand 111:117

Cyclopentadienyl

- Carboxylate 135/136:93
- Cluster-Complex 143:535
- Complex 135/136:93
- Coordination-Chemistry 135/136:93
- Group-9 143:535
- Half-Sandwich-Complex 116:1
- Metal 143:535
- Monosubstituted 116:1
- Titanium 135/136:93
- Transition-Metal 116:1, 143:535

Cyclophosphazene

- Cyclothiaphosphazene 112:247

Cyclothiaphosphazene

- Cyclophosphazene 112:247

Cytochrome-P-450

- Metalloporphyrin 108:115
- Model 108:115

d-Block

- Application 114:201
- Coordination-Chemistry 114:201
- Metal 110:161
- Metal-Nucleus 114:201
- NMR 110:161, 114:201
- Organometallic-System 110:161
- Organometallics 114:201
- p-Block 114:201
- Solid-State 114:201

Dark-Conductivity

- Charge-Transfer 125:155
- Design 125:155
- Electrical 125:155
- Ion-Pair 125:155
- Photoconductivity 125:155
- Photoreactivity 125:155
- Solid 125:155
- Solution 125:155

Deactivation

- Chromium(III)-trans-Cyanoacidotetraammine-Complex 125:35
- Comparison 125:35
- Doublet-State 125:35
- Model 125:35
- Phosphorescence 125:35
- Solution 125:35

Decalin-Subunit

- Bulky 148:135
- Crown-Ether 148:135
- Ion-Selective 148:135
- Lithium 148:135

Decomposition

- Catalyzed 105:251
- Hydrogen-Peroxide 105:251
- Kinetics 105:251

- Manganese(III)-Gluconate 105:251

- Mechanism 105:251

Degradation

- FeCl₃ 125:195
- Fenton-Reagent 125:195
- HO-Radical 125:195
- HO₂-Radical 125:195
- Hydrogen-Peroxide 125:195
- Photolysis 125:195
- Photooxidative 125:195
- Polymer 125:195

Delocalization

- Cluster 144:199
- Electron 144:199
- Iron-Sulfur 144:199
- Orbital-Interaction 144:199
- Spin-Coupling 144:199

Deoxygenation

- Mediated 139:375
- Metal-Ion 139:375
- Sulfoxide 139:375

Derivative

- 1,10-Phenanthroline 148:285
- 2-Pyridone 139:313
- Alkali-Metal-Ion 148:285
- Amino-Acid 135/136:17
- Benzimidazole 132:99
- Bridged 132:99
- Cluster 143:501
- Complex-Compound 135/136:17
- Coordination-Chemistry 139:313
- Dinuclear-Complex 132:99
- Enzymatic-Action 135/136:429
- Enzyme 135/136:429
- Group-1 145:75
- Group-2 145:75
- Group-6 143:501
- Group-9 143:501
- Heterometallic 143:501
- Hydrocarbyl-Ligand 143:501
- Ionophore 148:285
- Metal 145:75
- Metal-Complex 135/136:429
- Oxy ligand 121:131
- Peptide 135/136:17
- Photochemical-Reaction 111:215
- Photoexcited-State 132:99
- Platinum(II) 135/136:17
- Platinum(IV) 135/136:17
- Proton-Dissociable 132:99
- Relation 135/136:429
- Ruthenium 132:99
- Silicon 145:75
- Structural-Aspect 135/136:429
- Thiamine 135/136:429

- Triosmium-Dodecacarbonyl 121:131
- Vitamin-B12 111:215
- Design**
 - Ammonium-Cation 148:301
 - Antiinflammatory-Drug 125:115
 - Artificial-Metalloprotein 148:301
 - Binding-Property 148:301
 - Cell-Membrane 125:115
 - Charge-Separation 132:15
 - Charge-Transfer 125:155
 - Conformation 148:301
 - Cyanobridged 111:261
 - Dark-Conductivity 125:155
 - Electrical 125:155
 - Energy-Transfer 111:261
 - Excited-State 132:15
 - Intramolecular 111:261
 - Ion-Pair 125:155
 - Long-Chain 111:261
 - Macrocyclic 148:301
 - Metal-Organic 148:301
 - N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
 - Nonsteroidal 125:115
 - Photoconductivity 125:155
 - Photoinduced 111:261
 - Photoreactivity 125:155
 - Photosensitizing-Action 125:115
 - Polynuclear 111:261
 - Polynuclear-Species 111:261
 - Preparation 132:15
 - Protective-System 125:115
 - Pseudopeptide 148:301
 - Ruthenium(II)-Polypyridine-Complex 111:261
 - Solid 125:155
 - Solution 125:155
 - Synthesis 148:301
 - Transition-Metal 132:15
 - Triad-System 132:15
 - Vectorial 111:261
- Determination**
 - Computer-Program 120:389
 - Equilibrium-Constant 120:389
 - Mathematical-Algorithm 120:389
 - Measurement 120:389
 - Potentiometry 120:389
 - Spectrophotometry 120:389
- Device**
 - AC 111:83
 - Application 111:83
 - Electroluminescence 111:83
 - Energy-Transfer 111:83
 - Intramolecular 111:83
 - Lattice 111:83
 - Polyoxometaloeuropate 111:83
- Diastereomer**
 - Characterization 139:245
 - NMR-Spectroscopy 139:245
- Diazoalkane-Complex**
 - Reactivity 139:281
 - Synthesis 139:281
- Diimine**
 - CASSCF/CCI-Comparative-Study 132:63
 - Chromophore 122:63
 - Electron 122:63
 - Electronic-Spectrum 132:63
 - Energy-Transfer 122:63
 - Excited-State 132:63
 - Halide 111:331
 - Intramolecular 122:63
 - Manganese 111:331, 132:63
 - Photochemistry 111:331
 - Rhenium(I) 122:63
 - Singlet 132:63
- Dimer**
 - Copper(II)-Free-Base 132:243
 - Crowned 132:57
 - Energy-Transfer 132:243
 - Interaction 132:57
 - Interplanar 132:57
 - Metal-Free-Complex 132:57
 - Phthalocyanine 132:57
 - Porphyrin 132:57, 132:243
 - Process 132:243
 - Time-Resolved-EPR 132:57
 - Time-Resolved-ESR 132:243
 - Triplet 132:57
 - Triplet-Triplet 132:243
 - Zinc 132:57
- Dimethylaminoethyl-Cyclopentadienyl-Ligand**
 - Element 137:179
 - p-Block 137:179
 - s-Block 137:179
- Dinitrogen-Binding**
 - Alkyne 104:13
 - Cyanide 104:13
 - Isocyanide 104:13
 - Reaction 104:13
 - Transition-Metal-Center 104:13
- Dinuclear**
 - Energy-Transfer 132:209
 - Intramolecular 132:209
 - Metal 144:245
 - Model-Compound 144:245
 - Osmium(II) 132:209
 - Phenyl-Bridge 132:209
 - Protein 144:245
 - Rod-Like 132:209
 - Ruthenium(II) 132:209
 - Site 144:245
- Terpyridine-Type-Complex 132:209
- XAFS 144:245
- Dinuclear-Complex**
 - Activation 106:25
 - Benzimidazole 132:99
 - Bridge 111:161
 - Bridged 132:99
 - Copper 106:25
 - Derivative 132:99
 - Metal 106:25
 - Osmium 111:161
 - Photoexcited-State 132:99
 - Proton-Dissociable 132:99
 - Ruthenium 111:161, 132:99
 - Small-Molecule 106:25
- Dinuclear-Metal-Complex**
 - Bridging-Ligand 135/136:517
 - Influence 135/136:517
 - Metal-Metal-Interaction 135/136:517
 - Nitrogen-Heterocycle 135/136:517
 - Peripheral-Ligand 135/136:517
- Dioxophosphorane**
 - Metaphosphate 137:525
 - Practical-Aspect 137:525
 - Transient 137:525
- Dioxygen**
 - Autooxidation 128:117
 - Carrier 128:117
 - Cyclidene-Iron(II) 128:117
 - Intermediate 128:117
 - Kinetics 128:117
 - Metalloporphyrin 132:235
 - Photochemical-Reaction 132:235
 - Solvent-System 128:117
 - Variety 128:117
- Dioxygenase**
 - Aromatic 144:321
 - Bacterial 144:321
 - Biodegradation-Process 144:321
 - Biophysical-Investigation 144:321
 - Extradiol 144:321
- Dipeptide-Unit [N,N'-Ethylene-Bridged-]**
 - Ammonium-Cation 148:301
 - Artificial-Metalloprotein 148:301
 - Binding-Property 148:301
 - Conformation 148:301
 - Design 148:301
 - Macrocyclic 148:301
 - Metal-Organic 148:301
 - Pseudopeptide 148:301
 - Synthesis 148:301

Diphosphate

- Aluminum-Complex 149:95
- Binding-Protein 149:95
- Nucleoside 149:95
- Triphosphate 149:95

Diphosphinoamine-Ligand

- Coordination-Chemistry 129:1
- Cyclodiphosphazane-Ligand 129:1

Direction

- Control 111:227
- Electronic-Energy 111:227
- Luminescence 111:227
- Made-to-Order 111:227
- Metal-Complex 111:227
- Tetranuclear 111:227
- Transfer 111:227

Diruthenium-Complex

- Electron-Transfer 132:215
- Intramolecular 132:215
- Mixed-Valence 132:215

Disadvantage

- Advantage 125:89
- Coordination-Compound 125:89
- Induced 125:89
- Light-Sensitive 125:89
- Photocatalysis 125:89

Disilene

- Low-Coordinated 130:275
- Silicon-Compound 130:275
- Silylene 130:275

Dissociation

- Adduct 132:175
- Metalladithiazole 132:175
- Metalladithiolene 132:175
- Photochemical-Reaction 132:175
- Rearrangement 132:175

Dissolution

- Coordination-Compound 135/136:65
- Electrosynthesis 135/136:65
- Metal 135/136:65
- Sacrificial-Anode 135/136:65

Distortion

- Energy-Gap 111:1
- Excited-State 111:1
- Metal-Complex 111:1
- Pattern 111:1
- Repetitive 111:1
- Spectrum 111:1
- Structure 111:1
- Vibronic 111:1

Distribution

- Aluminum 149:367
- Cosmogenesis 149:367
- Earth 149:367
- Evolution 149:367

- Sial 149:367

Dithiolate |1,1->

- 1,2-Dithiolate 111:237
- Emissive-Property 111:237
- Pt(II)-Complex 111:237
- Solvatochromic 111:237

Dithiolate |1,2->

- 1,1-Dithiolate 111:237
- Emissive-Property 111:237
- Pt(II)-Complex 111:237
- Solvatochromic 111:237

Dithiolate |1,3-Dithiole-2-Thione-4,5-> 117:99

- Metal-Complex 110:115
- Molecular-Metal 110:115
- Superconductor 110:115

DNA-Binding

- Coordinatively-Unsaturated 132:105
- Excited-State 132:105
- Interaction 132:105

Donor

- Acceptor 132:87
- Atom 119:1
- Bidentate 130:175
- Calculation 119:1
- Chelate 130:175
- Crystal-Field 119:1
- Europium-Complex 119:1
- Germanium 130:175
- Group-Vb 119:199
- Ligand 119:199
- Luminescence 132:87
- Organic-Ligand 119:1
- Oxygen 119:1, 130:175
- Parameter 119:1
- Platinum(II)-Complex 132:87
- Ruthenium-Ammine-Complex 119:199
- Scalar 119:1
- Silicon 130:175
- Strength 119:1
- Symmetry 119:1
- Tin 130:175

Donor-Acceptor

- 3-Center 128:245
- Bond 128:245
- Coordinate 128:245
- Coordination-Compound 128:245
- Extension 128:245
- Hydrogen-Bridge 128:245
- Lewis 128:245

Donor-Acceptor-Interaction

- Center 137:53
- Coordination-Compound 137:53
- Group 137:53
- Intramolecular 137:53

- Main-Group 137:53

- N,N',N'-Trimethylethylenediamine 137:53
- Phosphorus 137:53
- Silicon 137:53
- Substituent 137:53
- Transition-Metal-Complex 137:53

Doped

- Avalanche 111:125
- CsCdCl₃ 111:125
- Dynamic 111:125
- Excitation 111:125
- Excited-State 111:125
- Nickel(II) 111:125

Double-Bond

- Copolymer 125:219
- Germanium 130:427
- Innovative 125:219
- Mechanism 125:219
- Photodegradable 125:219
- Photooxidation 125:219
- Polyolefin 125:219
- Stable-Compound 130:427

Doublet-State

- Chromium(III)-trans-Cyanoacidotetraammine-Complex 125:35
- Comparison 125:35
- Deactivation 125:35
- Model 125:35
- Phosphorescence 125:35
- Solution 125:35

Dual-Spin

- C-13-Fullerene 143:169
- Cage 143:169
- Cluster 143:169
- Exo 143:169
- Model 143:169
- n-Fold 143:169
- NMR 143:169
- Overview 143:169
- Spin 143:169
- Symmetry 143:169

Dyad

- Charge 111:291
- Covalent-Link 111:291
- Electron-Acceptor 111:291
- Electron-Donor 111:291
- Osmium(II)-bis-Terpyridine 111:291
- Photoinduced 111:291
- Photosensitizer 111:291
- Ruthenium(II)-bis-Terpyridine 111:291
- Separation 111:291
- Triad 111:291

Dynamic

- Avalanche 111:125

- CsCdCl₃ 111:125
- Doped 111:125
- Excitation 111:125
- Excited-State 111:125
- Nickel(II) 111:125
- Dynamic-Property**
 - Electron 120:281
 - Nucleus 120:281
 - Paramagnetism 120:281
- Early-Transition-Metal-Porphyrin-Compound** 140:137
- Early-Transition-Metal-Thiolate** 147:147
- Earth**
 - Aluminum 149:367
 - Cosmogenesis 149:367
 - Distribution 149:367
 - Evolution 149:367
 - Sial 149:367
- EDTA-Type**
 - Coordination-Chemistry 128:139
 - Hexadentate-Ligand 128:139
 - M(III)-Ion 128:139
- Effect**
 - Medium 125:301
 - Photochemistry 125:301
 - Photophysics 125:301
 - Polarity 125:301
 - Tict-Forming-Dye 125:301
- Effective-Core-Potential**
 - Bonding 147:87
 - Reactivity 147:87
 - Structure 147:87
 - Transition-Metal 147:87
- Efficient**
 - Artificial-Leaf 111:167
 - Electricity 111:167
 - Generation 111:167
 - Molecular 111:167
 - Photovoltaics 111:167
 - Sunlight 111:167
- Electrical**
 - Charge-Transfer 125:155
 - Dark-Conductivity 125:155
 - Design 125:155
 - Ion-Pair 125:155
 - Photoconductivity 125:155
 - Photoreactivity 125:155
 - Solid 125:155
 - Solution 125:155
- Electricity**
 - Artificial-Leaf 111:167
 - Efficient 111:167
 - Generation 111:167
 - Molecular 111:167
 - Photovoltaics 111:167
 - Sunlight 111:167
- Electrochemical-Reaction**
 - Catalyst 119:89
 - Metallophthalocyanine 119:89
- Electrochemical-Study**
 - Bent 114:1
 - Sandwich-Complex 114:1
- Electrode**
 - Chemically-Modified 125:43
 - Photogalvanic-Cell 125:43
 - Photosensitive 125:43
- Electroluminescence**
 - AC 111:83
 - Application 111:83
 - Device 111:83
 - Energy-Transfer 111:83
 - Intramolecular 111:83
 - Lattice 111:83
 - Polyoxometaloeuropate 111:83
- Electron**
 - Chromophore 122:63
 - Cluster 144:199
 - Delocalization 144:199
 - Diimine 122:63
 - Dynamic-Property 120:281
 - Energy-Transfer 111:47, 122:63
 - Exchange 122:41
 - Heteropoly 122:41
 - Intramolecular 122:63
 - Iron-Sulfur 144:199
 - Nucleus 120:281
 - Orbital-Interaction 144:199
 - Oxometalate 122:41
 - Paramagnetism 120:281
 - Photoinduced 111:47
 - Polymer 111:47
 - Rhenium(I) 122:63
 - Solubility 111:47
 - Spin-Coupling 144:199
 - Transfer-Reaction 122:41
- Electron-Acceptor**
 - Charge 111:291
 - Covalent-Link 111:291
 - Dyad 111:291
 - Electron-Donor 111:291
 - Osmium(II)-bis-Terpyridine 111:291
 - Photoinduced 111:291
 - Photosensitizer 111:291
 - Ruthenium(II)-bis-Terpyridine 111:291
 - Separation 111:291
 - Triad 111:291
- Electron-Donor**
 - Charge 111:291
 - Covalent-Link 111:291
 - Dyad 111:291
 - Electron-Acceptor 111:291
- Osmium(II)-bis-Terpyridine 111:291
- Photoinduced 111:291
- Photosensitizer 111:291
- Ruthenium(II)-bis-Terpyridine 111:291
- Separation 111:291
- Triad 111:291
- Electron-Pair**
 - Chemistry 143:637
 - Cluster 143:637
 - Limitation 143:637
 - Organometallics 143:637
 - Polyhedral 143:637
 - Skeletal 143:637
 - Tetrametallic-System 143:637
 - Theory 143:637
 - Trimetallic-System 143:637
- Electron-Paramagnetic-Resonance**
 - d⁵-Transition-Metal-Complex 135/136:203
 - Low-Spin 135/136:203
- Electron-Transfer**
 - Binuclear-Complex 132:201
 - Cation 125:269
 - Competitive 132:201
 - Diruthenium-Complex 132:215
 - Energy 132:201
 - Energy-Transfer 111:319
 - Excited 132:201
 - Excited-State 111:319
 - Fragmentation 125:269
 - Geminate-Pair 132:249
 - Generation 125:269
 - High-Exergonicity 132:249
 - Intramolecular 132:215
 - Intramolecular-Process 132:201
 - Kinetics 123:169
 - Magnesium 132:223
 - Mixed-Valence 132:215
 - Multimetal-System 111:319
 - Myoglobin 132:223
 - Nonaqueous 123:169
 - Osmium(II) 132:201
 - Outer-Sphere 123:169
 - Photochemistry 125:269
 - Photoinduced 132:223
 - Polypyridine 132:201
 - Quenching 132:201
 - Radical 125:269
 - Reaction 111:319, 132:223, 132:249
 - Ruthenium(II) 132:201
 - Transition-Metal-Complex 123:169
 - Zinc 132:223
- Electron-Transfer-Reaction**
 - Application 132:29

- Metal-Ion-Complex 109:125
- Photoinduced 132:29
- Porphyrin-Quinone-System 132:29
- Spectroscopy 132:29
- Stereoselectivity 109:125
- Time-Resolved-Pulsed-EPR 132:29
- Electronic-Coupling**
 - Bisporphyrin 132:229
 - Cyano-Bridge 125:283
 - Metal-Center 125:283
 - Oblique 132:229
 - Polynuclear-Complex 125:283
 - Remote 125:283
- Electronic-Energy**
 - Control 111:227
 - Direction 111:227
 - Luminescence 111:227
 - Made-to-Order 111:227
 - Metal-Complex 111:227
 - Tetranuclear 111:227
 - Transfer 111:227
- Electronic-Property**
 - Coordination 123:1
 - Ligand 123:1
 - Relation 123:1
 - Stereochemistry 123:1
 - Structure 123:1
 - Thermodynamic-Property 123:1
- Electronic-Response**
 - Change 117:159
 - Coordination-Compound 117:159
 - Environment 117:159
 - Molecular 117:159
 - Molecule 117:159
 - Structural-Response 117:159
- Electronic-Spectrum**
 - CASSCF/CI-Comparative-Study 132:63
 - Diimine 132:63
 - Excited-State 132:63
 - Manganese 132:63
 - Methyl 111:15
 - Photochemistry 111:15, 132:23
 - Platinum(II) 132:23
 - Platinum(IV)-Complex 111:15
 - Rhodium(III) 132:23
 - Singlet 132:63
 - Trichlorostannyl-Complex 132:23
- Electronic-State**
 - Property 132:35
 - Satellite 132:35
 - Structure 132:35
 - Transition-Metal-Complex 132:35
 - Vibrational 132:35
- Electronic-Structure**
 - Chemical-Reactivity 108:163
 - Enzyme 144:369
 - Excited-State 125:317
 - Ferrous 144:369
 - Geometric-Structure 144:369
 - Ground-State 125:317
 - Halide 126:149
 - Linear-Chain 111:145
 - Magnetic-Circular-Dichroism-Spectroscopy 144:369
 - Main-Group 126:149
 - Molecular-Geometry 126:149
 - Nonheme 144:369
 - Platinum(II)-Diimine-Complex 111:145
 - Probe 144:369
 - Quinone 125:317
 - Ruthenium 125:317
 - Structure 111:145
 - Theoretical-Approach 108:163
 - Transition-Metal-Compound 108:163
- Electrosynthesis**
 - Coordination-Compound 135/136:65
 - Dissolution 135/136:65
 - Metal 135/136:65
 - Sacrificial-Anode 135/136:65
- Element**
 - Bonding 145:27
 - Dimethylaminoethyl-Cyclopentadienyl-Ligand 137:179
 - Heavier 145:27
 - p-Block 137:179, 145:27
 - Phosphine-Complex 145:27
 - s-Block 137:179
 - Structure 145:27
- Element-Element-Bond**
 - Heterodinuclear-System 120:209
 - Homodinuclear-System 120:209
 - Property 120:209
 - Reactivity 120:209
 - Single 120:209
- Emissive-Property**
 - 1,1-Dithiolate 111:237
 - 1,2-Dithiolate 111:237
 - Pt(II)-Complex 111:237
 - Solvatochromic 111:237
- Encapsulation**
 - Biomimetics 105:135
 - Metal 105:135
- Energetic**
 - Bonding 135/136:737
 - Phosphorus(III)-Ligand 135/136:737
- Transition-Metal-Complex 135/136:737
- Energy**
 - Binuclear-Complex 132:201
 - Competitive 132:201
 - Electron-Transfer 132:201
 - Excited 132:201
 - Intramolecular-Process 132:201
 - Osmium(II) 132:201
 - Polypyridine 132:201
 - Quenching 132:201
 - Ruthenium(II) 132:201
- Energy-Gap**
 - Distortion 111:1
 - Excited-State 111:1
 - Metal-Complex 111:1
 - Pattern 111:1
 - Repetitive 111:1
 - Spectrum 111:1
 - Structure 111:1
 - Vibronic 111:1
- Energy-Transfer**
 - AC 111:83
 - Application 111:83
 - Bridging-Ligand 111:255
 - Chromium(III) 111:267
 - Chromophore 122:63
 - Component 111:255
 - Copper(II)-Free-Base 132:243
 - Covalent-Link 111:221
 - Cyanobridged 111:261
 - Design 111:261
 - Device 111:83
 - Diimine 122:63
 - Dimer 132:243
 - Dinuclear 132:209
 - Electroluminescence 111:83
 - Electron 111:47, 122:63
 - Electron-Transfer 111:319
 - Excited-State 111:319
 - Intramolecular 111:83, 111:221, 111:261, 111:267, 111:297, 122:63, 132:209
 - Lattice 111:83
 - Long-Chain 111:261
 - Metal-Center 111:297
 - Mixed-Metal-Complex 111:297
 - Multimetal-System 111:319
 - Osmium(II) 132:209
 - Osmium-Based 111:255
 - Phenyl-Bridge 132:209
 - Photoinduced 111:47, 111:261, 111:297
 - Polymer 111:47
 - Polynuclear 111:261
 - Polynuclear-Complex 111:255, 111:267
 - Polynuclear-Species 111:261
 - Polyoxometaloeuropate 111:83

- Polypyridine 111:221
- Porphyrin 132:243
- Process 132:243
- Reaction 111:319
- Rhenium 111:297
- Rhenium(I) 122:63
- Rhenium(I)-Complex 111:221
- Rod-Like 132:209
- Ruthenium 111:297
- Ruthenium(II) 111:267, 132:209
- Ruthenium(II)-Polypyridine-Complex 111:261
- Ruthenium(II)-Complex 111:221
- Ruthenium-Based 111:255
- Solubility 111:47
- Terpyridine-Type-Complex 132:209
- Time-Resolved-ESR 132:243
- Triplet-Triplet 132:243
- tris(Bipyridine) 111:255
- Vectorial 111:261

Environment

- Adduct 126:1
- Aluminum(III) 149:311
- Biological-System 149:311
- Change 117:159
- Coordination 149:311
- Coordination-Compound 117:159
- Electronic-Response 117:159
- Ligand 126:1
- Metal-Chelate 126:1
- Molecular 117:159
- Molecule 117:159
- Schiff-Base 126:1
- Structural-Response 117:159
- Structure 126:1
- Tetracoordinated 126:1

Environmental-Implication

- Aluminum 149:81
- Aqueous 149:81
- Kinetics 149:81

Environmental-Interest

- Atmospheric-Chemistry 125:241
- Gas-Phase-Reaction 125:241
- Haloalkane 125:241
- Hydroxyl-Radical 125:241
- Rate-Constant 125:241

Enzymatic-Action

- Derivative 135/136:429
- Enzyme 135/136:429
- Metal-Complex 135/136:429
- Relation 135/136:429
- Structural-Aspect 135/136:429
- Thiamine 135/136:429

Enzyme

- Derivative 135/136:429
- Electronic-Structure 144:369
- Enzymatic-Action 135/136:429
- Ferrous 144:369
- Geometric-Structure 144:369
- Magnetic-Circular-Dichroism-Spectroscopy 144:369
- Metal-Complex 135/136:429
- Nonheme 144:369
- Probe 144:369
- Relation 135/136:429
- Structural-Aspect 135/136:429
- Thiamine 135/136:429

Enzyme-Catalysis

- Potassium-Ion 144:147
- Pyridoxal-Phosphate 144:147
- Role 144:147
- Sodium-Ion 144:147

Equilibrium

- Antiviral-Property 144:287
- Artificial-Analog 144:287
- Binary-Complex 122:227
- Case-Study 122:227, 144:287
- Coordination 109:207
- Coupling-Reaction 109:207
- Intramolecular 122:227, 144:287
- Metal-Center 109:207
- Metal-Ion 122:227
- Metal-Ion-Complex 144:287
- N,N-bis(2-Hydroxyethyl)-Glycinate 122:227
- Nucleotide 144:287
- Quantification 122:227
- Successive 122:227
- Unsaturated-Hydrocarbon 109:207

Equilibrium-Constant

- Computer-Program 120:389
- Determination 120:389
- Mathematical-Algorithm 120:389
- Measurement 120:389
- Potentiometry 120:389
- Spectrophotometry 120:389

Essentiality

- Aluminum 149:231
- Copper 149:231
- Interaction 149:231
- Mechanism 149:231
- Silicon 149:231

Europium-Complex

- Atom 119:1
- Calculation 119:1
- Crystal-Field 119:1
- Donor 119:1
- Organic-Ligand 119:1
- Oxygen 119:1

- Parameter 119:1
- Scalar 119:1
- Strength 119:1
- Symmetry 119:1

Evidence

- Adiabatic-Channel 125:251
- cis-1,2-Diarylethene 125:251
- Fluorometry 125:251
- Photoisomerization 125:251
- Singlet 125:251

Evolution

- Aluminum 149:367
- Cosmogogenesis 149:367
- Distribution 149:367
- Earth 149:367
- Sial 149:367

Exchange

- Electron 122:41
- Heteropoly 122:41
- Oxometalate 122:41
- Transfer-Reaction 122:41

Exchange-Rate

- Bound 114:249
- Hydrogen 114:249
- Inert 114:249
- Isotope 114:249
- Polyamine 114:249
- Transition-Metal-Complex 114:249

Excitation

- Avalanche 111:125
- Bond-Activation 132:167
- Clustering-Process 125:333
- Cr(CO)₄(bpy) 132:167
- CsCdCl₃ 111:125
- Doped 111:125
- Dynamic 111:125
- Excited-State 111:125
- Fast-Atom-Bombardment 125:333
- Fragmentation 125:333
- Metal-Complex 125:333
- MLCT 132:167
- Nickel(II) 111:125
- Organometallic-Compound 132:167
- Photochemical-Pathway 125:333
- Prompt-CO-Photodissociation 132:167
- Redox 125:333
- Relationship 125:333

Excited

- Binuclear-Complex 132:201
- Competitive 132:201
- Electron-Transfer 132:201
- Energy 132:201
- Intramolecular-Process 132:201
- Osmium(II) 132:201

- Polypyridine 132:201
- Quenching 132:201
- Ruthenium(II) 132:201
- Excited-State**
 - Application 111:39
 - Avalanche 111:125
 - Bimolecular 111:153
 - CASSCF/CCI-Comparative-Study 132:63
 - Charge-Separation 132:15
 - Coordinatively-Unsaturated 132:105
 - CsCdCl₃ 111:125
 - Design 132:15
 - Diimine 132:63
 - Distortion 111:1
 - DNA-Binding 132:105
 - Doped 111:125
 - Dynamic 111:125
 - Electron-Transfer 111:319
 - Electronic-Spectrum 132:63
 - Electronic-Structure 125:317
 - Energy-Gap 111:1
 - Energy-Transfer 111:319
 - Excitation 111:125
 - Ground-State 125:317
 - Infrared-Spectroscopy 125:101
 - Interaction 132:105
 - Localization 111:39
 - Manganese 132:63
 - Metal-Complex 111:1
 - Molecule 111:39
 - Multimetal-System 111:319
 - Nickel(II) 111:125
 - Pattern 111:1
 - Preparation 132:15
 - Pressure-Effect 111:153
 - Process 111:153
 - Quinone 125:317
 - Reaction 111:319
 - Repetitive 111:1
 - Ru(bpy)₃²⁺ 111:39
 - Ruthenium 125:317
 - Singlet 132:63
 - Spectrum 111:1
 - Structure 111:1
 - Time-Resolved 125:101
 - Transition-Metal 132:15
 - Transition-Metal-Species 125:101
 - Triad-System 132:15
 - Vibronic 111:1
- Exergonicity** |High→
 - Electron-Transfer 132:249
 - Geminate-Pair 132:249
 - Reaction 132:249
- Exo**
 - C-13-Fullerene 143:169
 - Cage 143:169
 - Cluster 143:169
 - Dual-Spin 143:169
 - Model 143:169
 - n-Fold 143:169
 - NMR 143:169
 - Overview 143:169
 - Spin 143:169
 - Symmetry 143:169
- Experiment**
 - Artificial 111:193
 - Photosynthesis 111:193
 - Silver 111:193
 - Zeolite 111:193
- Experimental-Determination**
 - Aluminum-Complex 149:33
 - Aqueous 149:33
 - Thermodynamic-Property 149:33
- Experimental-Toxicology**
 - Aluminum(III) 112:19
 - Solution 112:19
- Extension**
 - 3-Center 128:245
 - Bond 128:245
 - Coordinate 128:245
 - Coordination-Compound 128:245
 - Donor-Acceptor 128:245
 - Hydrogen-Bridge 128:245
 - Lewis 128:245
- Extradiol**
 - Aromatic 144:321
 - Bacterial 144:321
 - Biodegradation-Process 144:321
 - Biophysical-Investigation 144:321
 - Dioxygenase 144:321
- Extramembraneous-Antenna**
 - Green 148:183
 - Photosynthetic-Bacterium 148:183
 - Structure 148:183
 - Supramolecular 148:183
- Factor**
 - Chelate 133:39
 - Macrobicyclic-Complex 133:39
 - Macrocyclic-Complex 133:39
 - Solution 133:39
 - Stability 133:39
- Fast-Atom-Bombardment**
 - Clustering-Process 125:333
 - Excitation 125:333
 - Fragmentation 125:333
 - Metal-Complex 125:333
 - Photochemical-Pathway 125:333
 - Redox 125:333
 - Relationship 125:333
- Fast-Proton-Sponge**
 - Aza-Cage 120:223
 - Lithium 120:223
 - Small 120:223
 - Strong-Binder 120:223
- Father**
 - Bailar-John 128:1
 - Coordination-Chemistry 128:1
 - United-States 128:1
- Fe(CO)₅**
 - Infrared 132:141
 - Photodecomposition 132:141
 - TEA-CO₂-Laser 132:141
- FeCl₃**
 - Degradation 125:195
 - Fenton-Reagent 125:195
 - HO-Radical 125:195
 - HO₂-Radical 125:195
 - Hydrogen-Peroxide 125:195
 - Photolysis 125:195
 - Photooxidative 125:195
 - Polymer 125:195
- Fenton-Reagent**
 - Degradation 125:195
 - FeCl₃ 125:195
 - HO-Radical 125:195
 - HO₂-Radical 125:195
 - Hydrogen-Peroxide 125:195
 - Photolysis 125:195
 - Photooxidative 125:195
 - Polymer 125:195
- Ferritin**
 - Iron 144:347
 - Molecular-Aspect 144:347
 - Storage 144:347
 - Uptake 144:347
- Ferrous**
 - Electronic-Structure 144:369
 - Enzyme 144:369
 - Geometric-Structure 144:369
 - Magnetic-Circular-Dichroism-Spectroscopy 144:369
 - Nonheme 144:369
 - Probe 144:369
- Florence**
 - Magnetism 120:137
- Fluorinated-Compound**
 - Catenated 112:169
 - Ligand-Exchange 130:355
 - Nitrogen-Atom 112:169
 - Oxygen 112:169
 - Reaction-Mechanism 130:355
 - Sulfur 112:169
- Fluorometry**
 - Adiabatic-Channel 125:251
 - cis-1,2-Diarylethene 125:251
 - Evidence 125:251
 - Photoisomerization 125:251
 - Singlet 125:251

Formation

- Intermediate 132:113
- Mechanism 132:113
- Monodentate-Ligand 132:113
- Photosubstitution 132:113
- Polypyridine 132:113
- Reaction 132:113
- Ruthenium(II)-Polypyridine-Complex 132:113

Fragmentation

- Cation 125:269
- Clustering-Process 125:333
- Electron-Transfer 125:269
- Excitation 125:333
- Fast-Atom-Bombardment 125:333
- Generation 125:269
- Metal-Complex 125:333
- Photochemical-Pathway 125:333
- Photochemistry 125:269
- Radical 125:269
- Redox 125:333
- Relationship 125:333

Frontier

- Chemistry 110:275
- Inorganic-Chemistry 125:13
- Metal-Ion 110:275

Fullerene [C-13-]

- Cage 143:169
- Cluster 143:169
- Dual-Spin 143:169
- Exo 143:169
- Model 143:169
- n-Fold 143:169
- NMR 143:169
- Overview 143:169
- Spin 143:169
- Symmetry 143:169

Function

- Carbohydrate 122:171
- Coordination 122:171
- Metal 122:171
- Structure 122:171

Fusion

- Cage 143:71
- Cluster 143:71
- Metallocarborane 143:71

Future

- Octacyanide 125:63
- Past 125:63
- Photochemistry 125:63
- Present 125:63
- Transition-Metal 125:63

Gallium

- Alkyl-Derivative 112:131
- Aluminum 112:131
- Indium 147:571
- Laser 112:131

- Metal-Deposition 112:131
- Poly(Pyrazolyl)-Borate-Complex 147:571
- Precursor 112:131
- Pyrolysis 112:131
- Spectroscopy 112:131

Gallium-Arsenic-Compound

- Preparation 112:273
- Silylarsine 112:273

Gas-Phase-Chemistry

- Alkane 126:93
- Bare 126:93
- Metal-Ion 126:93
- Monosubstituted 126:93
- R-X-Molecule 126:93
- Reaction 126:93
- Unified-Picture 126:93

Gas-Phase-Reaction

- Atmospheric-Chemistry 125:241
- Environmental-Interest 125:241
- Haloalkane 125:241
- Hydroxyl-Radical 125:241
- Rate-Constant 125:241

Geminate-Pair

- Electron-Transfer 132:249
- High-Exergonicity 132:249
- Reaction 132:249

Generation

- Artificial-Leaf 111:167
- Cation 125:269
- Efficient 111:167
- Electricity 111:167
- Electron-Transfer 125:269
- Fragmentation 125:269
- Molecular 111:167
- Photochemistry 125:269
- Photovoltaics 111:167
- Radical 125:269
- Sunlight 111:167

Geometric-Structure

- Electronic-Structure 144:369
- Enzyme 144:369
- Ferrous 144:369
- Magnetic-Circular-Dichroism-Spectroscopy 144:369
- Nonheme 144:369
- Probe 144:369

Germanium

- Bidentate 130:175
- Chelate 130:175
- Donor 130:175
- Double-Bond 130:427
- Oxygen 130:175
- Silicon 130:175
- Stable-Compound 130:427
- Tin 130:175

Gold 115:117, 127:187

- 1992 142:101

- 1993 146A:385
- Application 143:219
- Bimetallic 143:611
- Catalysis 143:219
- Cluster-Compound 143:219
- Growth 143:611
- Icosahedron 143:611
- Nickel 143:611
- Palladium 143:219, 143:611
- Pathway 143:611
- Phosphine-Stabilized 143:219
- Platinum 143:219, 143:611
- Polyicosahedricity 143:611
- Preference 143:611
- Silver 143:611
- Site 143:611
- Stereochemical-Principle 143:611
- Strategy 143:611
- Supracluster 143:611
- Synthetic 143:611
- Trimetallic 143:611

Graph-Theory

- Coordination-Chemistry 122:91
- Mathematical-Method 122:91
- Metal-Cluster 122:91
- Polyhedral-Isomerization 122:91
- Topology 122:91

Green

- Extramembraneous-Antenna 148:183
- Photosynthetic-Bacterium 148:183
- Structure 148:183
- Supramolecular 148:183

Grignard-Reagent

- Structural-Aspect 135/136:287

Ground-State

- Electronic-Structure 125:317
- Excited-State 125:317
- Quinone 125:317
- Ruthenium 125:317

Group

- Bond 123:149
- Center 137:53
- Complex-Metal-Ligand 123:149
- Coordination-Compound 137:53
- Donor-Acceptor-Interaction 137:53
- Intramolecular 137:53
- Main-Group 137:53
- Multiple 123:149
- N,N',N'-Trimethylethylenediamine 137:53
- Phosphorus 137:53
- Silicon 137:53
- Substituent 137:53

- Theoretical-Analysis 123:149
- Transition-Metal 123:149
- Transition-Metal-Complex 137:53
- Group-1** 102:1
 - Derivative 145:75
 - Group-2 145:75
 - Metal 145:75
 - Silicon 145:75
- Group-2** 102:111
 - Derivative 145:75
 - Group-1 145:75
 - Metal 145:75
 - Silicon 145:75
- Group-3** 102:146
- Group-4** 102:234
- Group-5** 103:1
- Group-6** 103:162
 - Cluster 143:501
 - Derivative 143:501
 - Group-9 143:501
 - Heterometallic 143:501
 - Hydrocarbyl-Ligand 143:501
- Group-9**
 - Cluster 143:501
 - Cluster-Complex 143:535
 - Cyclopentadienyl 143:535
 - Derivative 143:501
 - Group-6 143:501
 - Heterometallic 143:501
 - Hydrocarbyl-Ligand 143:501
 - Metal 143:535
 - Transition-Metal 143:535
- Group-Vb**
 - Donor 119:199
 - Ligand 119:199
 - Ruthenium-Ammine-Complex 119:199
- Growth**
 - Bimetallic 143:611
 - Gold 143:611
 - Icosahedron 143:611
 - Nickel 143:611
 - Palladium 143:611
 - Pathway 143:611
 - Platinum 143:611
 - Polycosahedrality 143:611
 - Preference 143:611
 - Silver 143:611
 - Site 143:611
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracluster 143:611
 - Synthetic 143:611
 - Trimetallic 143:611
- Gutmann-Viktor**
 - Celebration 135/136:1
 - Inorganic-Life 135/136:1
 - Interview 135/136:1
- Hafnium**
 - 1991 134:171
 - 1992 146A:141
- Half-Sandwich-Complex**
 - Cyclopentadienyl 116:1
 - Monosubstituted 116:1
 - Transition-Metal 116:1
- Halide**
 - Diimine 111:331
 - Electronic-Structure 126:149
 - Main-Group 126:149
 - Manganese 111:331
 - Molecular-Geometry 126:149
 - Photochemistry 111:331
- Haloalkane**
 - Atmospheric-Chemistry 125:241
 - Environmental-Interest 125:241
 - Gas-Phase-Reaction 125:241
 - Hydroxyl-Radical 125:241
 - Rate-Constant 125:241
- Halogen**
 - Hydrogen 103:237
- Heavier**
 - Bonding 145:27
 - Element 145:27
 - p-Block 145:27
 - Phosphine-Complex 145:27
 - Structure 145:27
- Heavy-Polychalcogenide-Ligand**
 - Coordination-Chemistry 130:509
- Heme-Protein**
 - Highly-Oxidized 135/136:685
 - Metalloporphyrin 135/136:685
 - Raman-Spectrum 135/136:685
 - Resonance 135/136:685
- Hemilabile-Ligand**
 - Catalysis 108:27
 - Coordination-Chemistry 108:27
 - Oxygen 108:27
 - Phosphorus 108:27
- Heteroatomic**
 - Chalcogen-Ring 130:1
 - Homoatomic 130:1
- Heterocycle**
 - 5-Membered 126:237
 - Monoheterocycle 126:237
 - Organometallic-Complex 126:237, 147:247
 - Pyrazole 147:247
 - Sigma-Pi-Complex 126:237
- Heterocyclic-Ligand**
 - Copper-Complex 129:91
 - Thioamide 129:91
- Heterodinuclear-System**
 - Element-Element-Bond 120:209
 - Homodinuclear-System 120:209
 - Property 120:209
 - Reactivity 120:209
 - Single 120:209
- Heterogeneous**
 - Comparison 125:173
 - Number 125:173
 - Parameter 125:173
 - Photocatalysis 125:173
 - Photon-Absorption 125:173
 - Quantitative 125:173
 - Rate 125:173
 - Turnover 125:173
- Heterometallic**
 - Cluster 143:501
 - Derivative 143:501
 - Group-6 143:501
 - Group-9 143:501
 - Hydrocarbyl-Ligand 143:501
- Heteropoly**
 - Electron 122:41
 - Exchange 122:41
 - Oxometalate 122:41
 - Transfer-Reaction 122:41
- Hexadentate-Ligand**
 - Coordination-Chemistry 128:139
 - EDTA-Type 128:139
 - M(III)-Ion 128:139
- Hexanuclear**
 - Carbonyl 128:261
 - Cluster 128:261
 - Organometallic-Chemistry 128:261
- High-Resolution-Spectroscopy**
 - Cyclometalated 111:33
 - Rhodium(III)-Complex 111:33
- High-Valent**
 - Cluster 144:1
 - Mechanism 144:1
 - Oxomanganese 144:1
 - Oxygen-Evolving-Center 144:1
 - Photosystem 144:1
 - Structure 144:1
- HO-Radical**
 - Degradation 125:195
 - FeCl₃ 125:195
 - Fenton-Reagent 125:195
 - HO₂-Radical 125:195
 - Hydrogen-Peroxide 125:195
 - Photolysis 125:195
 - Photooxidative 125:195
 - Polymer 125:195
- Homoatomic**
 - Chalcogen-Ring 130:1
 - Heteroatomic 130:1
- Homodinuclear-System**
 - Element-Element-Bond 120:209

- Heterodinuclear-System 120:209
- Property 120:209
- Reactivity 120:209
- Single 120:209
- Homogeneous**
 - Metal-Catalyzed 117:185
 - Oxidation 117:185
 - Oxygen 117:185
- Homogeneous-Catalysis**
 - Cluster 143:407
 - Oxygen-Anion 143:407
 - Transition-Metal 143:407
- Host-Guest-Complex**
 - Cyclodextrin 125:261
 - Photochemistry 125:261
- HO₂-Radical**
 - Degradation 125:195
 - FeCl₃ 125:195
 - Fenton-Reagent 125:195
 - HO-Radical 125:195
 - Hydrogen-Peroxide 125:195
 - Photolysis 125:195
 - Photooxidative 125:195
 - Polymer 125:195
- Hydrocarbon**
 - Alcohol 105:23
 - Photoreaction 105:23
 - tetrakis(Pyrophosphito)-Diplatinate(II) 105:23
- Hydrocarbyl-Ligand**
 - Cluster 143:501
 - Derivative 143:501
 - Group-6 143:501
 - Group-9 143:501
 - Heterometallic 143:501
- Hydroformylation**
 - 1993 141:371
 - 1994 147:547
 - Annual-Survey 141:371, 147:547
 - Application 147:547
 - Organic-Synthesis 141:371
 - Oxidation 141:371
 - Reduction 141:371
 - Transition-Metal 141:371, 147:547
- Hydrogen**
 - Bound 114:249
 - Exchange-Rate 114:249
 - Halogen 103:237
 - Inert 114:249
 - Isotope 114:249
 - Polyamine 114:249
 - Transition-Metal-Complex 114:249
- Hydrogen-Bond**
 - Crystal-Engineering 137:357
- Hydrogen-Bonding**
 - Transition-Metal-Fluoride 105:221
- Hydrogen-Bridge**
 - 3-Center 128:245
 - Bond 128:245
 - Coordinate 128:245
 - Coordination-Compound 128:245
 - Donor-Acceptor 128:245
 - Extension 128:245
 - Lewis 128:245
- Hydrogen-Peroxide**
 - Catalyzed 105:251
 - Decomposition 105:251
 - Degradation 125:195
 - FeCl₃ 125:195
 - Fenton-Reagent 125:195
 - HO-Radical 125:195
 - HO₂-Radical 125:195
 - Kinetics 105:251
 - Manganese(III)-Gluconate 105:251
 - Mechanism 105:251
 - Photolysis 125:195
 - Photooxidative 125:195
 - Polymer 125:195
- Hydrolysis**
 - Ceramics 112:81
 - Condensation 112:81
 - Precursor 112:81
 - Sol-Gel-Type 112:81
 - Solid-State 112:81
 - Solution 112:81
 - Structure 112:81
 - Tin(IV)-Alkoxide-Compound 112:81
 - Tin-Oxide 112:81
- Hydroxamic-Acid**
 - Bioavailability 105:155
 - Coordination-Chemistry 105:155
 - Iron 105:155
- Hydroxamic-Acid-Complex**
 - Aminohydroxamic-Acid-Complex 114:169
 - Metal-Ion 114:169
- Hydroxyethyl)Glycinate [N,N-bis(2-«**
 - Binary-Complex 122:227
 - Case-Study 122:227
 - Equilibrium 122:227
 - Intramolecular 122:227
 - Metal-Ion 122:227
 - Quantification 122:227
 - Successive 122:227
- Hydroxyl-Radical**
 - Atmospheric-Chemistry 125:241
- Environmental-Interest 125:241
- Gas-Phase-Reaction 125:241
- Haloalkane 125:241
- Rate-Constant 125:241
- Hydroxynaphthaldehyde**
 - Coordination-Compound 119:67
 - Copper 119:67
 - Iron 119:67
 - Nickel 119:67
 - Salicylaldehyde 119:67
 - Schiff-Base 119:67
- Icosahedron**
 - Bimetallic 143:611
 - Gold 143:611
 - Growth 143:611
 - Nickel 143:611
 - Palladium 143:611
 - Pathway 143:611
 - Platinum 143:611
 - Polyicosahedricity 143:611
 - Preference 143:611
 - Silver 143:611
 - Site 143:611
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracluster 143:611
 - Synthetic 143:611
 - Trimetallic 143:611
- Iminosilane**
 - Aminosilane 130:481
- Implication**
 - Aluminum(III) 149:329
 - Biological-Aspect 149:329
 - Interaction 149:329
 - Phosphate-Binding-Site 149:329
- Indium**
 - Gallium 147:571
 - Poly(Pyrazolyl)-Borate-Complex 147:571
- Induced**
 - Advantage 125:89
 - Conformational-Change 128:167
 - Coordination 128:167
 - Coordination-Compound 125:89
 - Disadvantage 125:89
 - Light-Sensitive 125:89
 - Metal-Ion 128:167
 - Photocatalysis 125:89
- Inert**
 - Bound 114:249
 - Exchange-Rate 114:249
 - Hydrogen 114:249
 - Isotope 114:249
 - Polyamine 114:249

- Transition-Metal-Complex 114:249
- Influence**
 - Bridging-Ligand 135/136:517
 - Dinuclear-Metal-Complex 135/136:517
 - Metal-Metal-Interaction 135/136:517
 - Nitrogen-Heterocycle 135/136:517
 - Peripheral-Ligand 135/136:517
- Information**
 - Ion 148:151
 - Molecular-Level 148:151
 - Recognition 148:151
 - Regulation 148:151
- Infrared**
 - Fe(CO)₅ 132:141
 - Isotopic 104:251
 - Labeling 104:251
 - Metal-Complex 104:251
 - Photodecomposition 132:141
 - Pyridine 104:251
 - Raman-Spectrum 104:251
 - TEA-CO₂-Laser 132:141
- Infrared-Spectroscopy**
 - Excited-State 125:101
 - Time-Resolved 125:101
 - Transition-Metal-Species 125:101
- Infrared-Spectrum**
 - Metal-Beta-Ketoenolate-Complex 104:173
- Inner-Sphere**
 - Cation 148:349
 - Complexation 148:349
 - Lasalocid-A 148:349
 - Natural-Ionophore 148:349
 - Outer-Sphere 148:349
- Innovative**
 - Copolymer 125:219
 - Double-Bond 125:219
 - Mechanism 125:219
 - Photodegradable 125:219
 - Photooxidation 125:219
 - Polyolefin 125:219
- Inorganic**
 - Photochemistry 125:1
- Inorganic-Chemistry**
 - Frontier 125:13
- Inorganic-Derivative**
 - Organoantimony 147:117
 - Oxodiorganophosphorus-Ligand 147:117
 - Structural-Pattern 147:117
 - Thiodiorganophosphorus-Ligand 147:117
- Inorganic-Life**
 - Adamson-Arthur-W 110:1
- Bailer-John 106:1
- Bjerrum-Jannik 139:3
- Celebration 106:1, 108:4, 110:1, 122:3, 135/136:1, 139:3
- Chatt-Joseph 108:4
- Gutmann-Viktor 135/136:1
- Interview 106:1, 108:4, 110:1, 122:3, 135/136:1
- Survey 139:3
- Williams-Robert-JP 122:3
- Insertion**
 - Catalyzed 119:171
 - Copper-Compound 119:171
 - Organic-Substrate 119:171
 - Oxygen 119:171
- Interaction**
 - Absence 149:167
 - Aluminum 149:167, 149:231
 - Aluminum(III) 149:193, 149:329
 - Aqueous-Solution 120:29
 - Biological-Aspect 149:329
 - Coordinatively-Unsaturated 132:105
 - Copper 149:231
 - Crowned 132:57
 - Dimer 132:57
 - DNA-Binding 132:105
 - Essentiality 149:231
 - Excited-State 132:105
 - Implication 149:329
 - Interplanar 132:57
 - Ionic 120:29
 - Ionizable 120:29
 - Iron-Complex 110:235
 - Mechanism 149:231
 - Metal-Free-Complex 132:57
 - Nitrogen-Containing-Ion 110:235
 - Nitrogen-Containing-Molecule 110:235
 - Phosphate-Binding-Site 149:329
 - Phosphorylated 149:167
 - Phthalocyanine 132:57
 - Porphyrin 132:57
 - Presence 149:167
 - Protein 149:167
 - Silicic-Acid 149:167
 - Silicon 149:231
 - Small-Molecule 110:235
 - Spectroscopy 149:193
 - Synthetic-Polymer 120:29
 - Time-Resolved-EPR 132:57
 - Transferrin 149:193
 - Triplet 132:57
 - Zinc 132:57
- Intermediate**
 - 1,10-Phenanthroline 132:161
- Autoxidation 128:117
- Carrier 128:117
- Cr(CO)₅(phen) 132:161
- Cr(CO)₆ 132:161
- Cyclidene-Iron(II) 128:117
- Dioxygen 128:117
- Formation 132:113
- Kinetics 128:117
- Mechanism 132:113
- Monodentate-Ligand 132:113
- Photochemical-Substitution 132:161
- Photosubstitution 132:113
- Polypyridine 132:113
- Reaction 132:113
- Ruthenium(II)-Polypyridine-Complex 132:113
- Solvent-System 128:117
- Variety 128:117
- Intermolecular**
 - Activation 132:155
 - C-H-Bond 132:155
 - Organometallic-Complex 132:155
 - Photochemical-Mechanism 132:155
 - Reaction 132:155
- Interplanar**
 - Crowned 132:57
 - Dimer 132:57
 - Interaction 132:57
 - Metal-Free-Complex 132:57
 - Phthalocyanine 132:57
 - Porphyrin 132:57
 - Time-Resolved-EPR 132:57
 - Triplet 132:57
 - Zinc 132:57
- Intersystem-Crossing**
 - Coordination-Compound 111:275
 - Iron(II) 111:275
- Intervalent-Complex**
 - Charge-Transfer 111:91
 - Multielectron 111:91
 - Photoinduced 111:91
 - Polymetallic 111:91
- Interview**
 - Adamson-Arthur-W 110:1
 - Bailer-John 106:1
 - Celebration 106:1, 108:4, 110:1, 122:3, 135/136:1
 - Chatt-Joseph 108:4
 - Gutmann-Viktor 135/136:1
 - Inorganic-Life 106:1, 108:4, 110:1, 122:3, 135/136:1
 - Saito-Kazuo 133:25
 - Williams-Robert-JP 122:3
 - Yamada-Shoichiro 133:11
 - Yamasaki-Kazuo 133:3

- Yamatera-Hideo 133:33
- Yoneda-Hayami 133:19

Intramolecular

- AC 111:83
- Antiviral-Property 144:287
- Application 111:83
- Artificial-Analog 144:287
- Binary-Complex 122:227
- Case-Study 122:227, 144:287
- Center 137:53
- Chromium(III) 111:267
- Chromophore 122:63
- Coordination-Compound 137:53
- Covalent-Link 111:221
- Cyanobridged 111:261
- Design 111:261
- Device 111:83
- Diimine 122:63
- Dinuclear 132:209
- Diruthenium-Complex 132:215
- Donor-Acceptor-Interaction 137:53
- Electroluminescence 111:83
- Electron 122:63
- Electron-Transfer 132:215
- Energy-Transfer 111:83, 111:221, 111:261, 111:267, 111:297, 122:63, 132:209
- Equilibrium 122:227, 144:287
- Group 137:53
- Lattice 111:83
- Long-Chain 111:261
- Main-Group 137:53
- Metal-Center 111:297
- Metal-Ion 122:227
- Metal-Ion-Complex 144:287
- Mixed-Metal-Complex 111:297
- Mixed-Valence 132:215
- N,N',N'-Trimethylethylene-diamine 137:53
- N,N-bis(2-Hydroxyethyl)-Glycinate 122:227
- Nucleotide 144:287
- Osmium(II) 132:209
- Phenyl-Bridge 132:209
- Phosphorus 137:53
- Photoinduced 111:261, 111:297
- Polynuclear 111:261
- Polynuclear-Complex 111:267
- Polynuclear-Species 111:261
- Polyoxometaloeuropate 111:83
- Polypyridine 111:221
- Quantification 122:227
- Rhenium 111:297
- Rhenium(I) 122:63
- Rhenium(I)-Complex 111:221
- Rod-Like 132:209
- Ruthenium 111:297

- Ruthenium(II) 111:267, 132:209
- Ruthenium(II)-Polypyridine-Complex 111:261
- Ruthenium(II)-Complex 111:221
- Silicon 137:53
- Substituent 137:53
- Successive 122:227
- Terpyridine-Type-Complex 132:209
- Transition-Metal-Complex 137:53
- Vectorial 111:261

Intramolecular-Coordination

- Tellurium 135/136:469

Intramolecular-Process

- Binuclear-Complex 132:201
- Competitive 132:201
- Electron-Transfer 132:201
- Energy 132:201
- Excited 132:201
- Osmium(II) 132:201
- Polypyridine 132:201
- Quenching 132:201
- Ruthenium(II) 132:201

Ion

- Information 148:151
- Molecular-Level 148:151
- Recognition 148:151
- Regulation 148:151

Ion-Pair

- Charge-Transfer 125:155
- Dark-Conductivity 125:155
- Design 125:155
- Electrical 125:155
- Photoconductivity 125:155
- Photoreactivity 125:155
- Solid 125:155
- Solution 125:155

Ion-Selective

- Bulky 148:135
- Crown-Ether 148:135
- Decalin-Subunit 148:135
- Lithium 148:135

Ionic

- Aqueous-Solution 120:29
- Interaction 120:29
- Ionizable 120:29
- Synthetic-Polymer 120:29

Ionic-Conduction

- Crown-Ether 148:41
- Photochromic 148:41
- Photocontrol 148:41

Ionizable

- Aqueous-Solution 120:29
- Interaction 120:29
- Ionic 120:29
- Synthetic-Polymer 120:29

Ionophore

- 1,10-Phenanthroline 148:285
- Alkali-Metal-Ion 148:285
- Derivative 148:285

Iridium 115:163, 131:177

- 1992 146:269
- 8-(Dimethyl-Silyl)-Quinoline 111:201
- Metal-Silicon-Bonded-Complex 111:201
- Rhodium 111:201

Iron 113:131, 115:1, 134:91

- 1992 142:43
- 1993 146A:225
- Bioavailability 105:155
- Bisalkylidyne 143:383
- Cluster-Compound 143:383
- Coordination-Chemistry 105:155
- Coordination-Compound 119:67
- Copper 119:67
- Ferritin 144:347
- Hydroxamic-Acid 105:155
- Hydroxynaphthaldehyde 119:67
- Molecular-Aspect 144:347
- Nickel 119:67
- Salicylaldehyde 119:67
- Schiff-Base 119:67
- Storage 144:347
- Uptake 144:347

Iron(II)

- Coordination-Compound 111:275
- Intersystem-Crossing 111:275

Iron-Porphyrin-Complex

- Biomimetics 125:143
- Catalysis 125:143
- Photochemistry 125:143

Iron-Sulfur

- Cluster 144:199
- Delocalization 144:199
- Electron 144:199
- Orbital-Interaction 144:199
- Spin-Coupling 144:199

Iron-Complex

- Interaction 110:235
- Nitrogen-Containing-Ion 110:235
- Nitrogen-Containing-Molecule 110:235
- Small-Molecule 110:235

Irradiated

- Atrazine 125:183
- Nitrobenzene 125:183
- Nitrogen-Containing-Organic-Compound 125:183
- Phototransformation 125:183

- Semiconductor-Metal-Oxide 125:183
- Titanium-Oxide 125:183
- Zinc-Oxide 125:183
- Isocyanide**
 - Alkyne 104:13
 - Cyanide 104:13
 - Dinitrogen-Binding 104:13
 - Reaction 104:13
 - Transition-Metal-Center 104:13
- Isomerism**
 - Bonded 135/136:587
 - Cobalt(III) 135/136:587
 - Linkage 135/136:587
 - Thiocyanate 135/136:587
- Isotope**
 - Bound 114:249
 - Exchange-Rate 114:249
 - Hydrogen 114:249
 - Inert 114:249
 - Polyamine 114:249
 - Transition-Metal-Complex 114:249
- Isotopic**
 - Infrared 104:251
 - Labeling 104:251
 - Metal-Complex 104:251
 - Pyridine 104:251
 - Raman-Spectrum 104:251
- Isoxazole**
 - Coordination-Chemistry 109:251
- Kinetics**
 - Aluminum 149:81, 149:113
 - Aqueous 149:81
 - Associative 143:265
 - Autoxidation 128:117
 - Calmodulin 149:113
 - Carrier 128:117
 - Catalyzed 105:251
 - Cluster 143:265
 - CO-Substitution 128:69
 - Coordination 149:113
 - Cyclidene-Iron(II) 128:117
 - Decomposition 105:251
 - Dioxygen 128:117
 - Electron-Transfer 123:169
 - Environmental-Implication 149:81
 - Hydrogen-Peroxide 105:251
 - Intermediate 128:117
 - Manganese(III)-Gluconate 105:251
 - Mechanism 105:251
 - Metal-Carbonyl 128:69, 143:265
 - Nonaqueous 123:169
 - Outer-Sphere 123:169
 - Oxygen-Atom 128:69
 - Presence 128:69
 - Reaction 143:265
 - Reagent 128:69
 - Ruthenium 143:265
 - Solvent-System 128:117
 - Systematic 143:265
 - Thermodynamic-Aspect 149:113
 - Transfer 128:69
 - Transition-Metal-Complex 123:169
 - Variety 128:117
- Labeling**
 - Infrared 104:251
 - Isotopic 104:251
 - Metal-Complex 104:251
 - Pyridine 104:251
 - Raman-Spectrum 104:251
- Langmuir-Blodgett-Film**
 - Platinum(II)-Complex 111:73
 - Square-Planar 111:73
 - Transition-Metal-Complex 111:73
- Lanthanide**
 - 1992 141:1
 - 1993 147:373
 - Actinide 109:1, 141:1, 147:373
 - Annual-Survey 141:1, 147:373
 - Complex-Formation 109:1
 - Lower-Oxidation-State 109:1
 - Organometallic-Chemistry 147:373
- Lanthanide-Complex**
 - Luminescence 123:201
 - Photochemical-Device 123:201
 - Supramolecular-Device 123:201
- Large**
 - 2-Catenane 148:249
 - Architecture 148:249
 - Assembly 148:249
 - Macrocyclic 148:249
 - Organic 148:249
 - Transition-Metal-Directed 148:249
 - Void 148:249
 - Well-Defined 148:249
- Lasalacid-A**
 - Cation 148:349
 - Complexation 148:349
 - Inner-Sphere 148:349
 - Natural-Ionophore 148:349
 - Outer-Sphere 148:349
- Laser**
 - Alkyl-Derivative 112:131
 - Aluminum 112:131
 - Gallium 112:131
 - Metal-Deposition 112:131
 - Open-Shell 111:111
 - Precursor 112:131
 - Pyrolysis 112:131
 - Sandwich-Complex 111:111
 - Spectroscopy 111:111, 112:131
- Laser | TEA-CO₂->**
 - Fe(CO)₅ 132:141
 - Infrared 132:141
 - Photodecomposition 132:141
- Lattice**
 - AC 111:83
 - Application 111:83
 - Device 111:83
 - Electroluminescence 111:83
 - Energy-Transfer 111:83
 - Intramolecular 111:83
 - Polyoxometaloeuropate 111:83
- Lewis**
 - 3-Center 128:245
 - Bond 128:245
 - Coordinate 128:245
 - Coordination-Compound 128:245
 - Donor-Acceptor 128:245
 - Extension 128:245
 - Hydrogen-Bridge 128:245
- Lewis-Acid**
 - Carbonyl-Compound 145:55
 - Coordination 145:55
 - Main-Group 145:55
 - Multidentate 145:55
 - Multiple 145:55
- Life**
 - Coordination-Compound 120:163
 - Process 120:163
- Ligand**
 - Adduct 126:1
 - Aluminum-Fluoride 149:23
 - Bonding 120:361
 - Bronsted-Base 123:229
 - Capability 120:361
 - Carbon-Monoxide 137:483
 - Charge-Transfer 132:259
 - Coordination 123:1
 - Coordination-Chemistry 137:483
 - Donor 119:199
 - Electronic-Property 123:1
 - Environment 126:1
 - Group-Vb 119:199
 - Metal 132:259
 - Metal-Chelate 126:1
 - Metal-Ion 123:229
 - Osmium(III)-Complex 132:259
 - Poly(Ethylenimine) 123:229
 - Relation 123:1
 - Ruthenium(III)-Complex 132:259
 - Ruthenium-Ammine-Complex 119:199

- Schiff-Base 126:1
- Sigma-Donor 137:483
- Stereochemistry 123:1
- Steric-Property 128:89
- Structural-Flexibility 120:361
- Structure 123:1, 126:1
- Substituted-2,2'-Bipyridine 132:259
- Ternary-Complex 149:23
- Tetracoordinated 126:1
- Thermodynamic-Property 123:1
- Transition 132:259
- Transition-Metal 120:361
- Ligand-Exchange**
 - Fluorinated-Compound 130:355
 - Reaction-Mechanism 130:355
- Light**
 - Activation 105:181
 - Air 105:181
 - Alkane 105:181
 - Catalyzed 105:181
 - Metalloporphyrin 105:181
 - Oxidation 105:181
 - Selective 105:181
 - Suprabiotic-System 105:181
- Light-Sensitive**
 - Advantage 125:89
 - Coordination-Compound 125:89
 - Disadvantage 125:89
 - Induced 125:89
 - Photocatalysis 125:89
- Limitation**
 - Chemistry 143:637
 - Cluster 143:637
 - Electron-Pair 143:637
 - Organometallics 143:637
 - Polyhedral 143:637
 - Skeletal 143:637
 - Tetrametallic-System 143:637
 - Theory 143:637
 - Trimetallic-System 143:637
- Linear**
 - Cyclic 130:137
 - Phosphazene 130:137
 - Polymer 130:137
- Linear-Chain**
 - Electronic-Structure 111:145
 - Platinum(II)-Diimine-Complex 111:145
 - Structure 111:145
- Linkage**
 - Bonded 135/136:587
 - Cobalt(III) 135/136:587
 - Isomerism 135/136:587
 - Thiocyanate 135/136:587
- Liquid-Crystal**
 - Advanced-Material 117:215
 - Coordination-Chemistry 117:215
 - Transition-Metal 117:215
- Lithium**
 - Aza-Cage 120:223
 - Bulky 148:135
 - Crown-Ether 148:135
 - Decalin-Subunit 148:135
 - Fast-Proton-Sponge 120:223
 - Ion-Selective 148:135
 - Small 120:223
 - Strong-Binder 120:223
- Local-Probe-Microscopy**
 - Application 125:231
 - Semiconducting-Material 125:231
- Localization**
 - Application 111:39
 - Excited-State 111:39
 - Molecule 111:39
 - Ru(bpy)₃²⁺ 111:39
- Long-Chain**
 - Cyanobridged 111:261
 - Design 111:261
 - Energy-Transfer 111:261
 - Intramolecular 111:261
 - Photoinduced 111:261
 - Polynuclear 111:261
 - Polynuclear-Species 111:261
 - Ruthenium(II)-Polypyridine-Complex 111:261
 - Vectorial 111:261
- Low-Coordinated**
 - Disilene 130:275
 - Silicon-Compound 130:275
 - Silylene 130:275
- Low-Spin**
 - d⁵-Transition-Metal-Complex 135/136:203
 - Electron-Paramagnetic-Resonance 135/136:203
- Low-Valent**
 - Metal-Cluster 143:1
 - Overview 143:1
- Luminescence**
 - Acceptor 132:87
 - Bottom-Up 132:1
 - Control 111:227
 - Direction 111:227
 - Donor 132:87
 - Electronic-Energy 111:227
 - Lanthanide-Complex 123:201
 - Made-to-Order 111:227
 - Metal-Complex 111:227, 132:1
 - Molecular-Recognition 132:181
 - Nanometric-Dimension 132:1
 - Photochemical-Device 123:201
 - Platinum(II)-Complex 132:87
 - Redox-Active 132:1
 - Strategy 132:1
 - Substrate 132:181
 - Supramolecular-Device 123:201
 - Supramolecule 132:181
 - Tetranuclear 111:227
 - Transfer 111:227
 - Triggered 132:181
- M(III)-Ion**
 - Coordination-Chemistry 128:139
 - EDTA-Type 128:139
 - Hexadentate-Ligand 128:139
- Macroacyclic-Complex**
 - Macrocyclic-Complex 139:17
 - Mononuclear-Complex 139:17
 - Polynuclear-Complex 139:17
- Macrobicyclic-Complex**
 - Chelate 133:39
 - Factor 133:39
 - Macrocyclic-Complex 133:39
 - Solution 133:39
 - Stability 133:39
- Macrocycle**
 - 2-Catenane 148:249
 - Ammonium-Cation 148:301
 - Architecture 148:249
 - Artificial-Metalloprotein 148:301
 - Assembly 148:249
 - Axial-Coordination 140:169
 - Azaferrocene 140:169
 - Bibrachial 148:19
 - Binding-Property 148:301
 - Conformation 148:301
 - Design 148:301
 - Large 148:249
 - Macrocyclic-Complex 140:169
 - Metal-Complex 148:19
 - Metal-Organic 148:301
 - N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
 - Organic 148:249
 - Photoactivation 140:169
 - Pseudopeptide 148:301
 - Schiff-Base 148:19
 - Synthesis 148:301
 - Transition-Metal 140:169
 - Transition-Metal-Directed 148:249
 - Void 148:249
 - Well-Defined 148:249
- Macrocycle |N-6-»**
 - Coordination-Chemistry 135/136:129
- Macrocyclic-Complex**
 - Axial-Coordination 140:169
 - Azaferrocene 140:169
 - Chelate 133:39
 - Factor 133:39

- Macroacyclic-Complex 139:17
- Macrobicyclic-Complex 133:39
- Macrocyclic 140:169
- Mononuclear-Complex 139:17
- Photoactivation 140:169
- Polynuclear-Complex 139:17
- Solution 133:39
- Stability 133:39
- Transition-Metal 140:169
- Macrocytic-Ligand**
 - Alcoholic 148:315
 - Amide 148:315
 - Oxygen-Donor 148:315
 - Pendent 148:315
- Made-to-Order**
 - Control 111:227
 - Direction 111:227
 - Electronic-Energy 111:227
 - Luminescence 111:227
 - Metal-Complex 111:227
 - Tetranuclear 111:227
 - Transfer 111:227
- Magnesium**
 - Biological 135/136:165
 - Coordination-Chemistry 135/136:165
 - Electron-Transfer 132:223
 - Myoglobin 132:223
 - Nucleotide-Binding-Site 135/136:165
 - Photoinduced 132:223
 - Potassium 135/136:165
 - Protein 135/136:165
 - Reaction 132:223
 - Sodium 135/136:165
 - Zinc 132:223
- Magnetic-Circular-Dichroism-Spectroscopy**
 - Electronic-Structure 144:369
 - Enzyme 144:369
 - Ferrous 144:369
 - Geometric-Structure 144:369
 - Nonheme 144:369
 - Probe 144:369
- Magnetic-Complex**
 - d^{10} -Closed-Shell-Ion 132:43
 - Spectroscopy 132:43
- Magnetic-Field**
 - 17.5-Tesla 132:51
 - Photooxidation 132:51
 - Ruthenium(II)-trisDiimine-Complex 132:51
 - Spin-Chemistry 132:51
- Magnetism**
 - Florence 120:137
- Main-Group**
 - Atrane 137:233
 - Benzamidine 137:403
 - Building-Block 137:403
 - Carbonyl-Compound 145:55
 - Center 137:53
 - Chemical-Feature 137:233
 - Coordination 145:55
 - Coordination-Chemistry 137:403
 - Coordination-Compound 137:53
 - Donor-Acceptor-Interaction 137:53
 - Electronic-Structure 126:149
 - Group 137:53
 - Halide 126:149
 - Intramolecular 137:53
 - Lewis-Acid 145:55
 - Molecular-Geometry 126:149
 - Multidentate 145:55
 - Multiple 145:55
 - N,N',N'-Trimethylethylenediamine 137:53
 - N-Silylated 137:403
 - Phosphorus 137:53
 - Silicon 137:53
 - Structural-Feature 137:233
 - Substituent 137:53
 - Transition-Metal-Complex 137:53
 - Versatile 137:403
- Main-Group-Compound**
 - One-Electron 112:215
 - Redox-Chemistry 112:215
 - Transfer-Reaction 112:215
- Main-Group-Element**
 - Cluster 120:259
 - Mixed 120:259
 - Reactivity 120:259
 - Small 120:259
 - Synthesis 120:259
 - Transition-Metal 120:259
- Main-Group-Metal-Alkoxide**
 - Metal-Atom 137:297
 - Mixed 137:297
 - One-Dimensional-Arrangement 137:297
 - Transition-Metal-Carbonyl-Complex 137:297
- Manganese** 131:95
 - 1992 138:1
 - 1993 146A:167
 - CASSCF/CCI-Comparative-Study 132:63
 - Diimine 111:331, 132:63
 - Electronic-Spectrum 132:63
 - Excited-State 132:63
 - Halide 111:331
 - Photochemistry 111:331
 - Singlet 132:63
- Manganese(III)**
 - Mononuclear-Complex 135/136:399
 - Oxidation 135/136:399
 - Reaction 135/136:399
- Manganese(III)-Gluconate**
 - Catalyzed 105:251
 - Decomposition 105:251
 - Hydrogen-Peroxide 105:251
 - Kinetics 105:251
 - Mechanism 105:251
- Material-Science**
 - Application 128:293
 - Coordination 128:293
 - One-Dimensional 128:293
 - Polymer 128:293
- Mathematical-Algorithm**
 - Computer-Program 120:389
 - Determination 120:389
 - Equilibrium-Constant 120:389
 - Measurement 120:389
 - Potentiometry 120:389
 - Spectrophotometry 120:389
- Mathematical-Method**
 - Coordination-Chemistry 122:91
 - Graph-Theory 122:91
 - Metal-Cluster 122:91
 - Polyhedral-Isomerization 122:91
 - Topology 122:91
- Measurement**
 - Computer-Program 120:389
 - Determination 120:389
 - Equilibrium-Constant 120:389
 - Mathematical-Algorithm 120:389
 - Potentiometry 120:389
 - Spectrophotometry 120:389
- Mechanism**
 - Aluminum 149:231
 - Catalyzed 105:251
 - Cluster 144:1
 - Coordination-Complex 110:213
 - Copolymer 125:219
 - Copper 149:231
 - Decomposition 105:251
 - Double-Bond 125:219
 - Essentiality 149:231
 - Formation 132:113
 - High-Valent 144:1
 - Hydrogen-Peroxide 105:251
 - Innovative 125:219
 - Interaction 149:231
 - Intermediate 132:113
 - Kinetics 105:251
 - Manganese(III)-Gluconate 105:251
 - Monodentate-Ligand 132:113
 - Octahedral 110:213

- Oxomanganese 144:1
- Oxygen-Evolving-Center 144:1
- Photodegradable 125:219
- Photooxidation 125:219
- Photosubstitution 132:113
- Photosystem 144:1
- Polyolefin 125:219
- Polypyridine 132:113
- Reaction 132:113
- Ruthenium(II)-Polypyridine-Complex 132:113
- Silicon 149:231
- Structure 144:1
- Substitution-Reaction 110:213
- Mechanistic**
 - High-Pressure 114:269
 - Pentacyanoferrate-Complex 114:269
 - Photochemical-Reaction 114:269
 - Thermal-Reaction 114:269
- Mechanistic-Consideration**
 - Anation-Reaction 128:175
 - Solid-State 128:175
- Mediated**
 - Deoxygenation 139:375
 - Metal-Ion 139:375
 - Sulfoxide 139:375
- Medium**
 - Effect 125:301
 - Photochemistry 125:301
 - Photophysics 125:301
 - Polarity 125:301
 - Tict-Forming-Dye 125:301
- Meso-Crown-Ether**
 - Achiral 148:199
 - Amine 148:199
 - Chiral 148:199
 - Complexation 148:199
 - Cyclohexane-1,2-Diol-Derivative 148:199
 - Preparation 148:199
 - Steric-Barrier 148:199
- Mesocycles**
 - Bidentate-Ligand 117:133
 - Coordination-Chemistry 117:133
- Metabolism**
 - Aluminum 149:241
 - Chemical-Speciation 149:241
 - Relation 149:241
 - Toxicity 149:241
- Metal**
 - Activation 106:25
 - Aluminum 149:11
 - Aluminum(III) 112:33
 - Bioinorganic-Chemistry 112:33
 - Biomimetics 105:135, 144:39
 - Carbohydrate 122:171
 - Catalyst 144:39
 - Charge-Transfer 132:259
 - Clay-Intercalated 144:39
 - Cluster-Complex 143:535
 - Complex 144:39
 - Coordination 122:171
 - Coordination-Complex 109:107
 - Coordination-Compound 135/136:65
 - Copper 106:25
 - Cyclopentadienyl 143:535
 - d-Block 110:161
 - Derivative 145:75
 - Dinuclear 144:245
 - Dinuclear-Complex 106:25
 - Dissolution 135/136:65
 - Electrosynthesis 135/136:65
 - Encapsulation 105:135
 - Function 122:171
 - Group-1 145:75
 - Group-2 145:75
 - Group-9 143:535
 - Ligand 132:259
 - Model 144:39
 - Model-Compound 144:245
 - Mononuclear-Complex 121:1
 - NMR 110:161
 - NMR-Spectroscopy 109:107
 - Organometallic-System 110:161
 - Organometallics 109:107
 - Osmium(III)-Complex 132:259
 - Overview 144:39
 - Oxidation 144:39
 - Phthalocyanine 144:39
 - Platinum 121:1
 - Porphyrin 144:39
 - Protein 144:245
 - Relevant 112:33
 - Ruthenium(III)-Complex 132:259
 - Sacrificial-Anode 135/136:65
 - Schiff-Base 144:39
 - Silicon 145:75
 - Site 144:245
 - Small-Molecule 106:25
 - Solid-State 109:107
 - Speciation 149:11
 - Structure 122:171
 - Substituted-2,2'-Bipyridine 132:259
 - Toxicity 112:33, 149:11
 - Transition 132:259
 - Transition-Metal 143:535
 - XAFS 144:245
 - Zeolite-Encapsulated 144:39
- Metal(II)-Compound**
 - Amino-Acid 117:45
 - Cadmium(II) 117:45
 - Cobalt(II) 117:45
 - Copper(II) 117:45
 - N-Protected 117:45
 - Nickel(II) 117:45
 - Palladium(II) 117:45
 - Stability 117:45
 - Structure 117:45
 - Zinc(II) 117:45
- Metal-Alkyl-Bond**
 - Alpha-Diimine 132:147
 - Complex 132:147
 - Metal-Halide-Bond 132:147
 - Metal-Metal-Bond 132:147
 - Organometallics 132:147
 - Photochemical-Formation 132:147
 - Radical 132:147
- Metal-Beta-Ketoenolate-Complex**
 - Infrared-Spectrum 104:173
- Metal-Halide-Bond**
 - Alpha-Diimine 132:147
 - Complex 132:147
 - Metal-Alkyl-Bond 132:147
 - Metal-Metal-Bond 132:147
 - Organometallics 132:147
 - Photochemical-Formation 132:147
 - Radical 132:147
- Metal-Metal-Bond**
 - Alpha-Diimine 132:147
 - Complex 132:147
 - Metal-Alkyl-Bond 132:147
 - Metal-Halide-Bond 132:147
 - Organometallics 132:147
 - Photochemical-Formation 132:147
 - Radical 132:147
- Metal-Metal-Interaction**
 - Bridging-Ligand 135/136:517
 - Dinuclear-Metal-Complex 135/136:517
 - Influence 135/136:517
 - Nitrogen-Heterocycle 135/136:517
 - Peripheral-Ligand 135/136:517
- Metal-Silicon-Bonded-Complex**
 - 8-(Dimethyl-Silyl)-Quinoline 111:201
 - Iridium 111:201
 - Rhodium 111:201
- Metal-Assembled**
 - Model 148:63
 - Multiporphyrinic-System 148:63
 - Photosynthetic 148:63
 - Reaction-Center 148:63
 - Transition 148:63
- Metal-Atom**
 - Main-Group-Metal-Alkoxide 137:297

- Mixed 137:297
- One-Dimensional-Arrangement 137:297
- Transition-Metal-Carbonyl-Complex 137:297
- Metal-Carbonyl**
 - Associative 143:265
 - Cluster 143:265
 - CO-Substitution 128:69
 - Kinetics 128:69, 143:265
 - Oxygen-Atom 128:69
 - Presence 128:69
 - Reaction 143:265
 - Reagent 128:69
 - Ruthenium 143:265
 - Systematic 143:265
 - Transfer 128:69
- Metal-Catalyzed**
 - Homogeneous 117:185
 - Oxidation 117:185
 - Oxygen 117:185
- Metal-Center**
 - Coordination 109:207
 - Coupling-Reaction 109:207
 - Cyano-Bridge 125:283
 - Electronic-Coupling 125:283
 - Energy-Transfer 111:297
 - Equilibrium 109:207
 - Intramolecular 111:297
 - Mixed-Metal-Complex 111:297
 - Photoinduced 111:297
 - Polynuclear-Complex 125:283
 - Remote 125:283
 - Rhenium 111:297
 - Ruthenium 111:297
 - Unsaturated-Hydrocarbon 109:207
- Metal-Chelate**
 - Adduct 126:1
 - Environment 126:1
 - Ligand 126:1
 - Schiff-Base 126:1
 - Structure 126:1
 - Tetracoordinated 126:1
- Metal-Cluster**
 - Coordination-Chemistry 122:91
 - Graph-Theory 122:91
 - Low-Valent 143:1
 - Mathematical-Method 122:91
 - Overview 143:1
 - Polyhedral-Isomerization 122:91
 - Topology 122:91
- Metal-Complex**
 - 1,3-Dithiole-2-Thione-4,5-Dithiolate 110:115
 - Application 147:339
 - Bibracchial 148:19
 - Bottom-Up 132:1
 - Clustering-Process 125:333
 - Control 111:227
 - Derivative 135/136:429
 - Direction 111:227
 - Distortion 111:1
 - Electronic-Energy 111:227
 - Energy-Gap 111:1
 - Enzymatic-Action 135/136:429
 - Enzyme 135/136:429
 - Excitation 125:333
 - Excited-State 111:1
 - Fast-Atom-Bombardment 125:333
 - Fragmentation 125:333
 - Infrared 104:251
 - Isotopic 104:251
 - Labeling 104:251
 - Luminescence 111:227, 132:1
 - Macrocycle 148:19
 - Made-to-Order 111:227
 - Molecular-Metal 110:115
 - Nanometric-Dimension 132:1
 - Pattern 111:1
 - Photochemical-Pathway 125:333
 - Polypyrrole-Film 147:339
 - Pyridine 104:251
 - Raman-Spectrum 104:251
 - Redox 125:333
 - Redox-Active 132:1
 - Relation 135/136:429
 - Relationship 125:333
 - Repetitive 111:1
 - Schiff-Base 148:19
 - Spectrum 111:1
 - Strategy 132:1
 - Structural-Aspect 135/136:429
 - Structure 111:1
 - Superconductor 110:115
 - Synthesis 147:339
 - Tetranuclear 111:227
 - Thiamine 135/136:429
 - Transfer 111:227
 - Vibronic 111:1
- Metal-Coordinated**
 - Nitrile 147:299
 - Reaction 147:299
 - Transition 147:299
- Metal-Deposition**
 - Alkyl-Derivative 112:131
 - Aluminum 112:131
 - Gallium 112:131
 - Laser 112:131
 - Precursor 112:131
 - Pyrolysis 112:131
 - Spectroscopy 112:131
- Metal-Free-Complex**
 - Crowned 132:57
 - Dimer 132:57
 - Interaction 132:57
 - Interplanar 132:57
 - Phthalocyanine 132:57
 - Porphyrin 132:57
 - Time-Resolved-EPR 132:57
 - Triplet 132:57
 - Zinc 132:57
- Metal-Ion**
 - Alkane 126:93
 - Aminohydroxamic-Acid-Complex 114:169
 - Bare 126:93
 - Binary-Complex 122:227
 - Bronsted-Base 123:229
 - Case-Study 122:227
 - Chemistry 110:275
 - Conformational-Change 128:167
 - Coordination 128:167
 - Deoxygenation 139:375
 - Equilibrium 122:227
 - Frontier 110:275
 - Gas-Phase-Chemistry 126:93
 - Hydroxamic-Acid-Complex 114:169
 - Induced 128:167
 - Intramolecular 122:227
 - Ligand 123:229
 - Mediated 139:375
 - Monosubstituted 126:93
 - N,N-bis(2-Hydroxyethyl)-Glycinate 122:227
 - Poly(Ethylenimine) 123:229
 - Quantification 122:227
 - R-X-Molecule 126:93
 - Reaction 126:93
 - Successive 122:227
 - Sulfoxide 139:375
 - Unified-Picture 126:93
- Metal-Ion-Complex**
 - Antiviral-Property 144:287
 - Artificial-Analog 144:287
 - Case-Study 144:287
 - Electron-Transfer-Reaction 109:125
 - Equilibrium 144:287
 - Intramolecular 144:287
 - Nucleotide 144:287
 - Stereoselectivity 109:125
- Metal-Nucleus**
 - Application 114:201
 - Coordination-Chemistry 114:201
 - d-Block 114:201
 - NMR 114:201
 - Organometallics 114:201
 - p-Block 114:201
 - Solid-State 114:201

Metal-Organic

- Ammonium-Cation 148:301
- Artificial-Metalloprotein 148:301
- Binding-Property 148:301
- Conformation 148:301
- Design 148:301
- Macrocyclic 148:301
- N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
- Pseudopeptide 148:301
- Synthesis 148:301

Metal-Oxide

- Coordination-Chemistry 114:107
- Molybdenum 114:107
- Solubility 114:107
- Vanadium 114:107

Metallacarborane

- Cage 143:71
- Cluster 143:71
- Fusion 143:71

Metalladithiazole

- Adduct 132:175
- Dissociation 132:175
- Metalladithiolene 132:175
- Photochemical-Reaction 132:175
- Rearrangement 132:175

Metalladithiolene

- Adduct 132:175
- Dissociation 132:175
- Metalladithiazole 132:175
- Photochemical-Reaction 132:175
- Rearrangement 132:175

Metallophilic-Property

- Synthesis 148:71
- Thiocrown-Ether 148:71
- Troponoid 148:71

Metallophthalocyanine

- Catalyst 119:89
- Electrochemical-Reaction 119:89

Metalloporphyrin

- Activation 105:181
- Air 105:181
- Alkane 105:181
- Catalyzed 105:181
- Cytochrome-P-450 108:115
- Dioxygen 132:235
- Heme-Protein 135/136:685
- Highly-Oxidized 135/136:685
- Light 105:181
- Model 108:115
- Oxidation 105:181
- Photochemical-Reaction 132:235
- Raman-Spectrum 135/136:685

- Resonance 135/136:685
- Selective 105:181
- Suprabiotic-System 105:181

Metallothionein 144:461**Metaphosphate**

- Dioxophosphorane 137:525
- Practical-Aspect 137:525
- Transient 137:525

Methyl

- Electronic-Spectrum 111:15
- Photochemistry 111:15
- Platinum(IV)-Complex 111:15

Mixed

- Cluster 120:259
- Main-Group-Element 120:259
- Main-Group-Metal-Alkoxide 137:297
- Metal-Atom 137:297
- One-Dimensional-Arrangement 137:297
- Reactivity 120:259
- Small 120:259
- Synthesis 120:259
- Transition-Metal 120:259
- Transition-Metal-Carbonyl-Complex 137:297

Mixed-15/16-Main-Group

- Cluster 137:131

Mixed-Ligand

- Azido-Transition-Metal-Complex 111:131
- Photocatalysis 111:131
- Photochemistry 111:131

Mixed-Metal-Complex

- Energy-Transfer 111:297
- Intramolecular 111:297
- Metal-Center 111:297
- Photoinduced 111:297
- Rhodium 111:297
- Ruthenium 111:297

Mixed-Valence

- Diruthenium-Complex 132:215
- Electron-Transfer 132:215
- Intramolecular 132:215

MLCT

- Bond-Activation 132:167
- Cr(CO)₄(bpy) 132:167
- Excitation 132:167
- Organometallic-Compound 132:167
- Prompt-CO-Photodissociation 132:167

MOCVD-Precursor

- Barium 128:285
- Beta-Diketonate 128:285
- Volatile 128:285

Model

- Biomimetics 144:39
- C-13-Fullerene 143:169

- Cage 143:169
- Catalyst 144:39
- Chromium(III)-trans-Cyanoacidotetraammine-Complex 125:35
- Clay-Intercalated 144:39
- Cluster 143:169
- Comparison 125:35
- Complex 144:39
- Cytochrome-P-450 108:115
- Deactivation 125:35
- Doublet-State 125:35
- Dual-Spin 143:169
- Exo 143:169
- Metal 144:39
- Metal-Assembled 148:63
- Metalloporphyrin 108:115
- Multiporphyrinic-System 148:63
- n-Fold 143:169
- NMR 143:169
- Overview 143:169, 144:39
- Oxidation 144:39
- Phosphorescence 125:35
- Photosynthetic 148:63
- Phthalocyanine 144:39
- Porphyrin 144:39
- Reaction-Center 148:63
- Schiff-Base 144:39
- Solution 125:35
- Spin 143:169
- Symmetry 143:169
- Transition 148:63
- Zeolite-Encapsulated 144:39

Model-Compound

- Dinuclear 144:245
- Metal 144:245
- Protein 144:245
- Site 144:245
- XAFS 144:245

Model-Study

- Aluminum 149:125
- Alzheimers-Disease 149:125

Model-System

- Azole-Containing-Ligand 104:143
- Chelate 120:325
- Coordination-Compound 104:143
- Copper 104:143
- Perspective 120:325
- Protein 104:143
- Pyrazole 120:325
- Structure 104:143
- Thioether 104:143
- Type-I 104:143

Modeling

- Coordination-Compound 126:177

- Molecular-Mechanics 126:177
- Molecular**
 - Artificial-Leaf 111:167
 - Change 117:159
 - Coordination-Compound 117:159
 - Efficient 111:167
 - Electricity 111:167
 - Electronic-Response 117:159
 - Environment 117:159
 - Generation 111:167
 - Molecule 117:159
 - Photochemistry 125:75
 - Photovoltaics 111:167
 - Structural-Response 117:159
 - Sunlight 111:167
 - Supramolecular 125:75
- Molecular-Aspect**
 - Ferritin 144:347
 - Iron 144:347
 - Storage 144:347
 - Uptake 144:347
- Molecular-Dynamics**
 - Cluster-Stabilized-Cation 143:331
 - Reactivity 143:331
 - Structure 143:331
 - Synthesis 143:331
- Molecular-Geometry**
 - Electronic-Structure 126:149
 - Halide 126:149
 - Main-Group 126:149
- Molecular-Level**
 - Cluster 143:297
 - Information 148:151
 - Ion 148:151
 - Recognition 148:151
 - Regulation 148:151
 - Transition-Metal-Boride 143:297
- Molecular-Mechanics**
 - Coordination-Compound 126:177
 - Modeling 126:177
- Molecular-Metal**
 - 1,3-Dithiole-2-Thione-4,5-Dithiolate 110:115
 - Metal-Complex 110:115
 - Superconductor 110:115
- Molecular-Modeling**
 - Aluminum(III) 149:179
 - Complexation 149:179
 - NMR 149:179
 - Peptide 149:179
 - Three-Dimensional-Structure 149:179
 - Thymic-Hormone 149:179
- Molecular-Recognition**
 - Luminescence 132:181
 - Substrate 132:181
 - Supramolecule 132:181
 - Triggered 132:181
- Molecular-Structure**
 - Organogermanium-Compound 145:157
- Molecule**
 - Application 111:39
 - Change 117:159
 - Coordination-Compound 117:159
 - Electronic-Response 117:159
 - Environment 117:159
 - Excited-State 111:39
 - Localization 111:39
 - Molecular 117:159
 - Ru(bpy)₃²⁺ 111:39
 - Structural-Response 117:159
- Molybdenum**
 - 1991 134:1
 - 1992 138:121
 - 1993 146:43
 - Biocatalytic-Complex 143:35
 - Confacial 143:35
 - Coordination-Chemistry 114:107
 - Coordination-Compound 123:73
 - Metal-Oxide 114:107
 - Solubility 114:107
 - Sulfur-Bridged 123:73
 - Synthesis 123:73
 - Tungsten 123:73, 143:35
 - Vanadium 114:107
- Monodentate-Ligand**
 - Formation 132:113
 - Intermediate 132:113
 - Mechanism 132:113
 - Photosubstitution 132:113
 - Polypyridine 132:113
 - Reaction 132:113
 - Ruthenium(II)-Polypyridine-Complex 132:113
- Monoheterocycle**
 - 5-Membered 126:237
 - Heterocycle 126:237
 - Organometallic-Complex 126:237
 - Sigma-Pi-Complex 126:237
- Monomer**
 - Alkyne-Compound 143:113
 - Coordination-Chemistry 128:49
 - Copolymer 128:49
 - Copper(I) 143:113
 - Polymer 143:113
 - Silver(I) 143:113
- Mononuclear-Complex**
 - Macroacyclic-Complex 139:17
 - Macrocylic-Complex 139:17
 - Manganese(III) 135/136:399
 - Metal 121:1
 - Oxidation 135/136:399
 - Platinum 121:1
 - Polynuclear-Complex 139:17
 - Reaction 135/136:399
- Mononuclear-Compound**
 - Reactivity 147:209
 - Rhodium(II) 147:209
- Monosubstituted**
 - Alkane 126:93
 - Bare 126:93
 - Cyclopentadienyl 116:1
 - Gas-Phase-Chemistry 126:93
 - Half-Sandwich-Complex 116:1
 - Metal-Ion 126:93
 - R-X-Molecule 126:93
 - Reaction 126:93
 - Transition-Metal 116:1
 - Unified-Picture 126:93
- Multidentate**
 - Carbonyl-Compound 145:55
 - Coordination 145:55
 - Lewis-Acid 145:55
 - Main-Group 145:55
 - Multiple 145:55
- Multielectron**
 - Charge-Transfer 111:91
 - Intervalent-Complex 111:91
 - Photoinduced 111:91
 - Polymetallic 111:91
- Multimetal-System**
 - Electron-Transfer 111:319
 - Energy-Transfer 111:319
 - Excited-State 111:319
 - Reaction 111:319
- Multinuclear**
 - Aqueous-Solution 143:97
 - Buildup 143:97
 - Cluster 143:97
 - Organometallic-Compound 143:97
 - Water 143:97
- Multiple**
 - Bond 123:149
 - Carbonyl-Compound 145:55
 - Complex-Metal-Ligand 123:149
 - Coordination 145:55
 - Copper(II)-Halide 109:181
 - Group 123:149
 - Lewis-Acid 145:55
 - Main-Group 145:55
 - Multidentate 145:55
 - Stereochemistry 109:181
 - Theoretical-Analysis 123:149
 - Transition-Metal 123:149
- Multiporphyrinic-System**
 - Metal-Assembled 148:63
 - Model 148:63

- Photosynthetic 148:63
- Reaction-Center 148:63
- Transition 148:63
- Myoglobin**
 - Electron-Transfer 132:223
 - Magnesium 132:223
 - Photoinduced 132:223
 - Reaction 132:223
 - Zinc 132:223
- N-Donor**
 - Bridging-Ligand 126:319
 - Pattern 126:319
 - Reactivity 126:319
 - Ruthenium(I)-Complex 126:319
 - Structure 126:319
 - Synthesis 126:319
- n-Fold**
 - C-13-Fullerene 143:169
 - Cage 143:169
 - Cluster 143:169
 - Dual-Spin 143:169
 - Exo 143:169
 - Model 143:169
 - NMR 143:169
 - Overview 143:169
 - Spin 143:169
 - Symmetry 143:169
- N-Protected**
 - Amino-Acid 117:45
 - Cadmium(II) 117:45
 - Cobalt(II) 117:45
 - Copper(II) 117:45
 - Metal(II)-Compound 117:45
 - Nickel(II) 117:45
 - Palladium(II) 117:45
 - Stability 117:45
 - Structure 117:45
 - Zinc(II) 117:45
- N-Silylated**
 - Benzamidine 137:403
 - Building-Block 137:403
 - Coordination-Chemistry 137:403
 - Main-Group 137:403
 - Versatile 137:403
- Nanometric-Dimension**
 - Bottom-Up 132:1
 - Luminescence 132:1
 - Metal-Complex 132:1
 - Redox-Active 132:1
 - Strategy 132:1
- Natural-Ionophore**
 - Cation 148:349
 - Complexation 148:349
 - Inner-Sphere 148:349
 - Lasalocid-A 148:349
 - Outer-Sphere 148:349
- Nickel**
 - 1990 134A:1
 - 1991 142:153
 - 1992 146A:1
 - 1993 146:115
 - Bimetallic 143:611
 - Coordination-Compound 119:67
 - Copper 119:67
 - Gold 143:611
 - Growth 143:611
 - Hydroxynaphthaldehyde 119:67
 - Icosahedron 143:611
 - Iron 119:67
 - Palladium 106:171, 143:611
 - Pathway 143:611
 - Platinum 106:171, 143:611
 - Polyicosahedricity 143:611
 - Preference 143:611
 - Salicylaldehyde 119:67
 - Schiff-Base 119:67
 - Silver 143:611
 - Site 143:611
 - Solid-State 106:171
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracuster 143:611
 - Synthetic 143:611
 - Trimetallic 143:611
- Nickel(II)**
 - Amino-Acid 117:45
 - Avalanche 111:125
 - Cadmium(II) 117:45
 - Cobalt(II) 117:45
 - Copper(II) 117:45
 - CsCdCl₃ 111:125
 - Doped 111:125
 - Dynamic 111:125
 - Excitation 111:125
 - Excited-State 111:125
 - Metal(II)-Compound 117:45
 - N-Protected 117:45
 - Palladium(II) 117:45
 - Stability 117:45
 - Structure 117:45
 - Zinc(II) 117:45
- Nickel(II)-PnAO-Quasi-Aromatic-Complex**
 - Oxidized 105:1
 - Reactivity 105:1
- Niobium** 127:155
 - 1992 138:161
 - 1993 146:17
 - Coordination-Chemistry 113:1
 - Tantalum 113:1, 146:17
- Nitride**
 - Aluminum 128:193
 - Coordination-Compound 128:193
 - Precursor 128:193
- Nitrile**
 - Metal-Coordinated 147:299
 - Reaction 147:299
 - Transition 147:299
- Nitrobenzene**
 - Atrazine 125:183
 - Irradiated 125:183
 - Nitrogen-Containing-Organic-Compound 125:183
 - Phototransformation 125:183
 - Semiconductor-Metal-Oxide 125:183
 - Titanium-Oxide 125:183
 - Zinc-Oxide 125:183
- Nitrogen-Atom**
 - Catenated 112:169
 - Fluorinated-Compound 112:169
 - Oxygen 112:169
 - Sulfur 112:169
- Nitrogen-Containing-Ion**
 - Interaction 110:235
 - Iron-Complex 110:235
 - Nitrogen-Containing-Molecule 110:235
 - Small-Molecule 110:235
- Nitrogen-Containing-Molecule**
 - Interaction 110:235
 - Iron-Complex 110:235
 - Nitrogen-Containing-Ion 110:235
 - Small-Molecule 110:235
- Nitrogen-Containing-Organic-Compound**
 - Atrazine 125:183
 - Irradiated 125:183
 - Nitrobenzene 125:183
 - Phototransformation 125:183
 - Semiconductor-Metal-Oxide 125:183
 - Titanium-Oxide 125:183
 - Zinc-Oxide 125:183
- Nitrogen-Fixation**
 - Solution 144:69
- Nitrogen-Heterocycle**
 - Aromatic 106:227
 - Bridging-Ligand 106:227, 135/136:517
 - Dinuclear-Metal-Complex 135/136:517
 - Influence 135/136:517
 - Metal-Metal-Interaction 135/136:517
 - Peripheral-Ligand 135/136:517
 - Survey 106:227
- NMR**
 - Advance 120:1
 - Aluminum(III) 149:179
 - Application 114:201
 - C-13-Fullerene 143:169

- Cage 143:169
- Cluster 143:169
- Complexation 149:179
- Coordination-Chemistry 114:201
- d-Block 110:161, 114:201
- Dual-Spin 143:169
- Exo 143:169
- Metal 110:161
- Metal-Nucleus 114:201
- Model 143:169
- Molecular-Modeling 149:179
- n-Fold 143:169
- Organometallic-System 110:161
- Organometallics 114:201
- Overview 143:169
- p-Block 114:201
- Paramagnetic-Molecule 120:1
- Paramagnetic-Substance 150:1
- Peptide 149:179
- Solid-State 114:201
- Solution 120:1
- Spin 143:169
- Symmetry 143:169
- Three-Dimensional-Structure 149:179
- Thymic-Hormone 149:179
- NMR-Spectroscopy**
 - Characterization 139:245
 - Coordination-Complex 109:107
 - Diastereomer 139:245
 - Metal 109:107
 - Organometallics 109:107
 - Phosphorus-31 114:61
 - Solid-State 109:107, 114:61
 - Tertiary-Phosphine-Complex 114:61
- Noble-Gas** 103:266
- Nonaqueous**
 - Electron-Transfer 123:169
 - Kinetics 123:169
 - Outer-Sphere 123:169
 - Transition-Metal-Complex 123:169
- Nonheme**
 - Electronic-Structure 144:369
 - Enzyme 144:369
 - Ferrous 144:369
 - Geometric-Structure 144:369
 - Magnetic-Circular-Dichroism-Spectroscopy 144:369
 - Probe 144:369
- Nonsteroidal**
 - Antiinflammatory-Drug 125:115
 - Cell-Membrane 125:115
 - Design 125:115
 - Photosensitizing-Action 125:115
- Protective-System 125:115
- Nuclearity** |High->
 - Oxomolybdenum(V)-Complex 128:209
- Nucleoside**
 - Aluminum-Complex 149:95
 - Binary-Complex 104:1
 - Binding-Protein 149:95
 - Diphosphate 149:95
 - Nucleotide 104:1
 - Palladium(II) 104:1
 - Peptide 104:1
 - Ternary-Complex 104:1
 - Triphosphate 149:95
- Nucleotide**
 - Antiviral-Property 144:287
 - Artificial-Analog 144:287
 - Binary-Complex 104:1
 - Case-Study 144:287
 - Equilibrium 144:287
 - Intramolecular 144:287
 - Metal-Ion-Complex 144:287
 - Nucleoside 104:1
 - Palladium(II) 104:1
 - Peptide 104:1
 - Ternary-Complex 104:1
- Nucleotide-Binding-Site**
 - Biological 135/136:165
 - Coordination-Chemistry 135/136:165
 - Magnesium 135/136:165
 - Potassium 135/136:165
 - Protein 135/136:165
 - Sodium 135/136:165
- Nucleus**
 - Dynamic-Property 120:281
 - Electron 120:281
 - Paramagnetism 120:281
- Number**
 - Comparison 125:173
 - Heterogeneous 125:173
 - Parameter 125:173
 - Photocatalysis 125:173
 - Photon-Absorption 125:173
 - Quantitative 125:173
 - Rate 125:173
 - Turnover 125:173
- Oblique**
 - Bisporphyrin 132:229
 - Electronic-Coupling 132:229
- Octacyanide**
 - Future 125:63
 - Past 125:63
 - Photochemistry 125:63
 - Present 125:63
 - Transition-Metal 125:63
- Octahedral**
 - Coordination-Complex 110:213
 - Mechanism 110:213
- Substitution-Reaction 110:213
- ODMR-Spectroscopy**
 - Coordination-Compound 117:1
- Olefin**
 - Photochemical-Activation 111:325
 - Transition-Metal-Complex 111:325
- One-Dimensional**
 - Application 128:293
 - Coordination 128:293
 - Material-Science 128:293
 - Polymer 128:293
- One-Dimensional-Arrangement**
 - Main-Group-Metal-Alkoxide 137:297
 - Metal-Atom 137:297
 - Mixed 137:297
 - Transition-Metal-Carbonyl-Complex 137:297
- One-Electron**
 - Main-Group-Compound 112:215
 - Redox-Chemistry 112:215
 - Transfer-Reaction 112:215
- Open-Shell**
 - Laser 111:111
 - Sandwich-Complex 111:111
 - Spectroscopy 111:111
- Optically-Active**
 - Asymmetric 140:189
 - Catalyst 140:189
 - Catalytic 140:189
 - Oxidation 140:189
 - Salen-Manganese(III)-Complex 140:189
- Orbital-Interaction**
 - Cluster 144:199
 - Delocalization 144:199
 - Electron 144:199
 - Iron-Sulfur 144:199
 - Spin-Coupling 144:199
- Organic**
 - 2-Catenane 148:249
 - Architecture 148:249
 - Assembly 148:249
 - Large 148:249
 - Macrocycle 148:249
 - Transition-Metal-Directed 148:249
 - Void 148:249
 - Well-Defined 148:249
- Organic-Ligand**
 - Atom 119:1
 - Calculation 119:1
 - Crystal-Field 119:1
 - Donor 119:1
 - Europium-Complex 119:1
 - Oxygen 119:1

- Parameter 119:1
- Scalar 119:1
- Strength 119:1
- Symmetry 119:1

Organic-Ligand |Small-»

- Aluminum(III)-Complex 149:281
- Aluminum(III)-Heidi-System 149:281
- Profile 149:281
- Speciation 149:281

Organic-Substrate

- Catalyzed 119:171
- Copper-Compound 119:171
- Insertion 119:171
- Oxygen 119:171

Organic-Synthesis

- 1993 141:153, 141:371
- 1994 147:443
- Annual-Survey 141:153, 141:371
- Hydroformylation 141:371
- Oxidation 141:371
- Reduction 141:371
- Transition-Metal 141:153, 141:371, 147:443

Organoaluminum

- Coordination-Chemistry 112:227
- Crown-Ether 112:227
- Oxygen 112:227
- Structural-Survey 112:227
- Sulfur 112:227

Organoantimony

- Inorganic-Derivative 147:117
- Oxodiorganophosphorus-Ligand 147:117
- Structural-Pattern 147:117
- Thiodiorganophosphorus-Ligand 147:117

Organoboration |1,1-»

- Alkynylgermanium 145:125
- Alkynyllead 145:125
- Alkynylsilicon 145:125
- Alkynyltin 145:125

Organodisulphide

- Complex 119:137

Organogermanium-Compound

- Molecular-Structure 145:157

Organometallic-Chemistry

- 1993 147:373
- Actinide 147:373
- Annual-Survey 147:373
- Carbonyl 128:261
- Cluster 128:261
- Hexanuclear 128:261
- Lanthanide 147:373
- Phospha-Alkyne 145:201

Organometallic-Complex

- 5-Membered 126:237
- Activation 132:155
- C-H-Bond 132:155
- Heterocycle 126:237, 147:247
- Intermolecular 132:155
- Monoheterocycle 126:237
- Photochemical-Mechanism 132:155
- Pyrazole 147:247
- Reaction 132:155
- Sigma-Pi-Complex 126:237

Organometallic-Compound

- Aqueous-Solution 143:97
- Bond-Activation 132:167
- Buildup 143:97
- Cluster 143:97
- Cr(CO)₄(bpy) 132:167
- Excitation 132:167
- MLCT 132:167
- Multinuclear 143:97
- Prompt-CO-Photodissociation 132:167
- Water 143:97

Organometallic-Reaction

- Control 120:193
- Polyphosphine 120:193
- Selectivity 120:193
- Tripodal-Ligand 120:193

Organometallic-System

- d-Block 110:161
- Metal 110:161
- NMR 110:161

Organometallics

- Alpha-Diimine 132:147
- Application 114:201
- Aqua-Ion 135/136:623
- Chemistry 143:637
- Cluster 143:637
- Complex 132:147
- Coordination-Chemistry 114:201
- Coordination-Complex 109:107
- d-Block 114:201
- Electron-Pair 143:637
- Limitation 143:637
- Metal 109:107
- Metal-Alkyl-Bond 132:147
- Metal-Halide-Bond 132:147
- Metal-Metal-Bond 132:147
- Metal-Nucleus 114:201
- NMR 114:201
- NMR-Spectroscopy 109:107
- p-Block 114:201
- Photochemical-Formation 132:147
- Photochemistry 125:53
- Polyhedral 143:637
- Radical 132:147

- Skeletal 143:637
- Solid-State 109:107, 114:201
- Tetrametallic-System 143:637
- Theory 143:637
- Transition-Metal 135/136:623
- Trimetallic-System 143:637

Organotin(IV)-Complex

- Phosphorus-Based-Acid 135/136:809

Osmium 124:183, 127:1

- 1992 138:87
- 1993 141:63, 146:99
- Annual-Survey 141:63
- Bridge 111:161
- Dinuclear-Complex 111:161
- Ruthenium 111:161, 141:63

Osmium(II)

- Binuclear-Complex 132:201
- Competitive 132:201
- Dinuclear 132:209
- Electron-Transfer 132:201
- Energy 132:201
- Energy-Transfer 132:209
- Excited 132:201
- Intramolecular 132:209
- Intramolecular-Process 132:201
- Phenyl-Bridge 132:209
- Polypyridine 132:201
- Quenching 132:201
- Rod-Like 132:209
- Ruthenium(II) 132:201, 132:209
- Terpyridine-Type-Complex 132:209

Osmium(II)-bis-Terpyridine

- Charge 111:291
- Covalent-Link 111:291
- Dyad 111:291
- Electron-Acceptor 111:291
- Electron-Donor 111:291
- Photoinduced 111:291
- Photosensitizer 111:291
- Ruthenium(II)-bis-Terpyridine 111:291
- Separation 111:291
- Triad 111:291

Osmium(III)-Complex

- Charge-Transfer 132:259
- Ligand 132:259
- Metal 132:259
- Ruthenium(III)-Complex 132:259
- Substituted-2,2'-Bipyridine 132:259
- Transition 132:259

Osmium-Based

- Bridging-Ligand 111:255
- Component 111:255
- Energy-Transfer 111:255

- Polynuclear-Complex 111:255
- Ruthenium-Based 111:255
- tris(Bipyridine) 111:255

Outer-Sphere

- Cation 148:349
- Complexation 148:349
- Electron-Transfer 123:169
- Inner-Sphere 148:349
- Kinetics 123:169
- Lasalocid-A 148:349
- Natural-Ionophore 148:349
- Nonaqueous 123:169
- Transition-Metal-Complex 123:169

Overview

- Biomimetics 144:39
- C-13-Fullerene 143:169
- Cage 143:169
- Catalyst 144:39
- Clay-Intercalated 144:39
- Cluster 132:129, 143:169
- Complex 144:39
- Copper(I)-Halide 132:129
- Dual-Spin 143:169
- Exo 143:169
- Low-Valent 143:1
- Metal 144:39
- Metal-Cluster 143:1
- Model 143:169, 144:39
- n-Fold 143:169
- NMR 143:169
- Oxidation 144:39
- Photochemistry 132:129
- Photophysics 132:129
- Phthalocyanine 144:39
- Porphyrin 144:39
- Schiff-Base 144:39
- Spin 143:169
- Symmetry 143:169
- Tetranuclear 132:129
- Zeolite-Encapsulated 144:39

Oxidation

- 1993 141:371
- Activation 105:181
- Air 105:181
- Alkane 105:181
- Annual-Survey 141:371
- Asymmetric 140:189
- Biomimetics 144:39
- Catalyst 140:189, 144:39
- Catalytic 140:189
- Catalyzed 105:181
- Clay-Intercalated 144:39
- Complex 144:39
- Homogeneous 117:185
- Hydroformylation 141:371
- Light 105:181
- Manganese(III) 135/136:399
- Metal 144:39

- Metal-Catalyzed 117:185
- Metalloporphyrin 105:181
- Model 144:39
- Mononuclear-Complex 135/136:399
- Optically-Active 140:189
- Organic-Synthesis 141:371
- Overview 144:39
- Oxygen 117:185
- Phthalocyanine 144:39
- Porphyrin 144:39
- Reaction 135/136:399
- Reduction 141:371
- Salen-Manganese(III)-Complex 140:189
- Schiff-Base 144:39
- Selective 105:181
- Suprabiotic-System 105:181
- Transition-Metal 141:371
- Zeolite-Encapsulated 144:39

Oxidation-State |Lower->

- Actinide 109:1
- Complex-Formation 109:1
- Lanthanide 109:1

Oxidized

- Nickel(II)-PnAO-Quasi-Aromatic-Complex 105:1
- Reactivity 105:1

Oxidized |Highly->

- Heme-Protein 135/136:685
- Metalloporphyrin 135/136:685
- Raman-Spectrum 135/136:685
- Resonance 135/136:685

Oxidorganophosphorus-Ligand

- Inorganic-Derivative 147:117
- Organoantimony 147:117
- Structural-Pattern 147:117
- Thiodiorganophosphorus-Ligand 147:117

Oxomanganese

- Cluster 144:1
- High-Valent 144:1
- Mechanism 144:1
- Oxygen-Evolving-Center 144:1
- Photosystem 144:1
- Structure 144:1

Oxometalate

- Electron 122:41
- Exchange 122:41
- Heteropoly 122:41
- Transfer-Reaction 122:41

Oxomolybdenum(V)-Complex

- High-Nuclearity 128:209

Oxygen

- Atom 119:1
- Bidentate 130:175
- Calculation 119:1
- Catalysis 108:27
- Catalyzed 119:171

- Catenated 112:169
- Chelate 130:175
- Coordination-Chemistry 108:27, 112:227
- Copper-Compound 119:171
- Crown-Ether 112:227
- Crystal-Field 119:1
- Donor 119:1, 130:175
- Europium-Complex 119:1
- Fluorinated-Compound 112:169
- Germanium 130:175
- Hemilabile-Ligand 108:27
- Homogeneous 117:185
- Insertion 119:171
- Metal-Catalyzed 117:185
- Nitrogen-Atom 112:169
- Organic-Ligand 119:1
- Organic-Substrate 119:171
- Organoaluminum 112:227
- Oxidation 117:185
- Parameter 119:1
- Phosphorus 108:27
- Scalar 119:1
- Silicon 130:175
- Strength 119:1
- Structural-Survey 112:227
- Sulfur 112:169, 112:227
- Symmetry 119:1
- Tin 130:175

Oxygen-Anion

- Cluster 143:407
- Homogeneous-Catalysis 143:407
- Transition-Metal 143:407

Oxygen-Atom

- CO-Substitution 128:69
- Kinetics 128:69
- Metal-Carbonyl 128:69
- Presence 128:69
- Reagent 128:69
- Transfer 128:69

Oxygen-Donor

- Alcoholic 148:315
- Amide 148:315
- Macrocyclic-Ligand 148:315
- Pendent 148:315

Oxygen-Evolving-Center

- Cluster 144:1
- High-Valent 144:1
- Mechanism 144:1
- Oxomanganese 144:1
- Photosystem 144:1
- Structure 144:1

Oxyligand

- Derivative 121:131
- Triosmium-Dodecacarbonyl 121:131

p-Block

- Application 114:201

- Bonding 145:27
- Coordination-Chemistry 114:201
- d-Block 114:201
- Dimethylaminoethyl-Cyclopentadienyl-Ligand 137:179
- Element 137:179, 145:27
- Heavier 145:27
- Metal-Nucleus 114:201
- NMR 114:201
- Organometallics 114:201
- Phosphine-Complex 145:27
- s-Block 137:179
- Solid-State 114:201
- Structure 145:27
- Palladium** 124:1, 127:99
 - 1992 138:195
 - 1993 146A:409
 - Application 143:219
 - Bimetallic 143:611
 - Catalysis 143:219
 - Cluster-Compound 143:219
 - Gold 143:219, 143:611
 - Growth 143:611
 - Icosahedron 143:611
 - Nickel 106:171, 143:611
 - Pathway 143:611
 - Phosphine-Stabilized 143:219
 - Platinum 101:1, 106:171, 143:219, 143:611
 - Polycosahedricity 143:611
 - Preference 143:611
 - Silver 143:611
 - Site 143:611
 - Solid-State 106:171
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracluster 143:611
 - Synthetic 143:611
 - Trimetallic 143:611
- Palladium(II)**
 - 5-Coordinate 133:67
 - Alkene-Complex 133:67
 - Amino-Acid 117:45
 - Binary-Complex 104:1
 - Cadmium(II) 117:45
 - Cobalt(II) 117:45
 - Copper(II) 117:45
 - Metal(II)-Compound 117:45
 - N-Protected 117:45
 - Nickel(II) 117:45
 - Nucleoside 104:1
 - Nucleotide 104:1
 - Peptide 104:1
 - Platinum(II) 133:67
 - Stability 117:45
 - Structure 117:45
 - Ternary-Complex 104:1
 - Zinc(II) 117:45
- Palladium(II)-Complex**
 - Aromatic 111:117
 - Cyclometallating-Ligand 111:117
 - Pt(II)-Complex 111:117
 - Spectroscopic-Property 111:117
 - Terdentate-Ligand 111:117
- Paramagnetic-Molecule**
 - Advance 120:1
 - NMR 120:1
 - Solution 120:1
- Paramagnetic-Substance**
 - NMR 150:1
- Paramagnetism**
 - Dynamic-Property 120:281
 - Electron 120:281
 - Nucleus 120:281
- Parameter**
 - Atom 119:1
 - Calculation 119:1
 - Comparison 125:173
 - Crystal-Field 119:1
 - Donor 119:1
 - Europium-Complex 119:1
 - Heterogeneous 125:173
 - Number 125:173
 - Organic-Ligand 119:1
 - Oxygen 119:1
 - Photocatalysis 125:173
 - Photon-Absorption 125:173
 - Quantitative 125:173
 - Rate 125:173
 - Scalar 119:1
 - Strength 119:1
 - Symmetry 119:1
 - Turnover 125:173
- Past**
 - Future 125:63
 - Octacyanide 125:63
 - Photochemistry 125:63
 - Present 125:63
 - Transition-Metal 125:63
- Pathway**
 - Bimetallic 143:611
 - Gold 143:611
 - Growth 143:611
 - Icosahedron 143:611
 - Nickel 143:611
 - Palladium 143:611
 - Platinum 143:611
 - Polycosahedricity 143:611
 - Preference 143:611
 - Silver 143:611
 - Site 143:611
 - Stereochemical-Principle 143:611
 - Strategy 143:611
- Supracluster 143:611
- Synthetic 143:611
- Trimetallic 143:611
- Pattern**
 - Bridging-Ligand 126:319
 - Distortion 111:1
 - Energy-Gap 111:1
 - Excited-State 111:1
 - Metal-Complex 111:1
 - N-Donor 126:319
 - Reactivity 126:319
 - Repetitive 111:1
 - Ruthenium(I)-Complex 126:319
 - Spectrum 111:1
 - Structure 111:1, 126:319
 - Synthesis 126:319
 - Vibronic 111:1
- Pendent**
 - Alcoholic 148:315
 - Amide 148:315
 - Complex 104:297
 - Coordinating-Group 104:297
 - Macrocyclic-Ligand 148:315
 - Oxygen-Donor 148:315
 - Polyaza-Macrocyclic 104:297
- Pentacyanoferrate-Complex**
 - High-Pressure 114:269
 - Mechanistic 114:269
 - Photochemical-Reaction 114:269
 - Thermal-Reaction 114:269
- Peptide**
 - Aluminum(III) 149:179
 - Amino-Acid 135/136:17
 - Binary-Complex 104:1
 - Complex-Compound 135/136:17
 - Complexation 149:179
 - Derivative 135/136:17
 - Molecular-Modeling 149:179
 - NMR 149:179
 - Nucleoside 104:1
 - Nucleotide 104:1
 - Palladium(II) 104:1
 - Platinum(II) 135/136:17
 - Platinum(IV) 135/136:17
 - Ternary-Complex 104:1
 - Three-Dimensional-Structure 149:179
 - Thymic-Hormone 149:179
- Peripheral-Ligand**
 - Bridging-Ligand 135/136:517
 - Dinuclear-Metal-Complex 135/136:517
 - Influence 135/136:517
 - Metal-Metal-Interaction 135/136:517
 - Nitrogen-Heterocycle 135/136:517

Perrhenate

- Coordinated 106:205

Perspective

- Chelate 120:325
- Model-System 120:325
- Photochemistry 125:351
- Pyrazole 120:325

Phenanthroline |1,10-*

- Alkali-Metal-Ion 148:285
- Cr(CO)₅(phen) 132:161
- Cr(CO)₆ 132:161
- Derivative 148:285
- Intermediate 132:161
- Ionophore 148:285
- Photochemical-Substitution 132:161

Phenyl-Bridge

- Dinuclear 132:209
- Energy-Transfer 132:209
- Intramolecular 132:209
- Osmium(II) 132:209
- Rod-Like 132:209
- Ruthenium(II) 132:209
- Terpyridine-Type-Complex 132:209

Phospha-Alkyne

- Organometallic-Chemistry 145:201

Phosphaacetylene |Lambda(5)-*

- Lambda(3)-Phosphinocarbene 137:323

Phosphacyclopentadienide-Anion

- Polyphosphacyclopentadienide-Anion 137:1

Phosphate-Binding-Site

- Aluminum(III) 149:329
- Biological-Aspect 149:329
- Implication 149:329
- Interaction 149:329

Phosphazene

- Cyclic 130:137
- Linear 130:137
- Polymer 130:137

Phosphine-Complex

- Bonding 145:27
- Element 145:27
- Heavier 145:27
- p-Block 145:27
- Structure 145:27

Phosphine-Stabilized

- Application 143:219
- Catalysis 143:219
- Cluster-Compound 143:219
- Gold 143:219
- Palladium 143:219
- Platinum 143:219

Phosphinocarbene |Lambda(3)-*

- Lambda(5)-Phosphaacetylene 137:323

Phosphorescence

- Chromium(III)-trans-Cyanoacidotetraammine-Complex 125:35
- Comparison 125:35
- Deactivation 125:35
- Doublet-State 125:35
- Model 125:35
- Solution 125:35

Phosphorus

- Catalysis 108:27
- Center 137:53
- Coordination-Chemistry 108:27
- Coordination-Compound 137:53
- Donor-Acceptor-Interaction 137:53
- Group 137:53
- Hemilabile-Ligand 108:27
- Intramolecular 137:53
- Main-Group 137:53
- N,N',N'-Trimethylethylene-diamine 137:53
- Oxygen 108:27
- Silicon 137:53
- Substituent 137:53
- Transition-Metal-Complex 137:53

Phosphorus(III)-Ligand

- Bonding 135/136:737
- Energetic 135/136:737
- Transition-Metal-Complex 135/136:737

Phosphorus-31

- NMR-Spectroscopy 114:61
- Solid-State 114:61
- Tertiary-Phosphine-Complex 114:61

Phosphorus-Based-Acid

- Organotin(IV)-Complex 135/136:809

Phosphorylated

- Absence 149:167
- Aluminum 149:167
- Interaction 149:167
- Presence 149:167
- Protein 149:167
- Silicic-Acid 149:167

Phosphorylic-Unit

- Coordination 112:1

Photoactivation

- Axial-Coordination 140:169
- Azaferrrocene 140:169
- Macrocyclic-Complex 140:169
- Transition-Metal 140:169

Photoaquation

- Chromium(III) 132:121
- Complex 132:121

- Photosubstitution 132:121
- Stereochemical-Change 132:121
- trans-Dicyanotetram(m)ine 132:121

Photocatalysis

- Advantage 125:89
- Azido-Transition-Metal-Complex 111:131
- Comparison 125:173
- Coordination-Compound 125:89
- Disadvantage 125:89
- Heterogeneous 125:173
- Induced 125:89
- Light-Sensitive 125:89
- Mixed-Ligand 111:131
- Number 125:173
- Parameter 125:173
- Photochemistry 111:131
- Photon-Absorption 125:173
- Quantitative 125:173
- Rate 125:173
- Turnover 125:173

Photochemical-Activation

- Carbon-Dioxide 132:195
- Olefin 111:325
- Transition-Metal-Complex 111:325, 132:195

Photochemical-Device

- Lanthanide-Complex 123:201
- Luminescence 123:201
- Supramolecular-Device 123:201

Photochemical-Formation

- Alpha-Diimine 132:147
- Complex 132:147
- Metal-Alkyl-Bond 132:147
- Metal-Halide-Bond 132:147
- Metal-Metal-Bond 132:147
- Organometallics 132:147
- Radical 132:147

Photochemical-Mechanism

- Activation 132:155
- C-H-Bond 132:155
- Intermolecular 132:155
- Organometallic-Complex 132:155
- Reaction 132:155

Photochemical-Pathway

- Clustering-Process 125:333
- Excitation 125:333
- Fast-Atom-Bombardment 125:333
- Fragmentation 125:333
- Metal-Complex 125:333
- Redox 125:333
- Relationship 125:333

Photochemical-Property

- Photophysics 104:113
- Porous 104:113

- Ru(bpy)₃²⁺ 104:113
- Spectral 104:113
- Vycor-Glass 104:113
- Photochemical-Reaction**
 - Adduct 132:175
 - Derivative 111:215
 - Dioxide 132:235
 - Dissociation 132:175
 - High-Pressure 114:269
 - Mechanistic 114:269
 - Metalladithiazole 132:175
 - Metalladithiolene 132:175
 - Metalloporphyrin 132:235
 - Pentacyanoferrate-Complex 114:269
 - Rearrangement 132:175
 - Thermal-Reaction 114:269
 - Vitamin-B12 111:215
- Photochemical-Substitution**
 - 1,10-Phenanthroline 132:161
 - Cr(CO)₅(phen) 132:161
 - Cr(CO)₆ 132:161
 - Intermediate 132:161
- Photochemistry**
 - Alkylamine 128:225
 - Associate 111:249
 - Azido-Transition-Metal-Complex 111:131
 - Biomimetics 125:143
 - Catalysis 125:143
 - Cation 125:269
 - Charge-Transfer 128:225
 - Cluster 132:129
 - Cobalt(III)-Complex 128:225
 - Complex 135:136:303
 - Coordination-Compound 107:1, 132:75
 - Copper(I) 135:136:303
 - Copper(I)-Halide 132:129
 - Cr(NH₃)₆³⁺ 111:249
 - Cyclodextrin 125:261
 - Diimine 111:331
 - Effect 125:301
 - Electron-Transfer 125:269
 - Electronic-Spectrum 111:15, 132:23
 - Fragmentation 125:269
 - Future 125:63
 - Generation 125:269
 - Halide 111:331
 - Host-Guest-Complex 125:261
 - Inorganic 125:1
 - Iron-Porphyrin-Complex 125:143
 - Manganese 111:331
 - Medium 125:301
 - Methyl 111:15
 - Mixed-Ligand 111:131
 - Molecular 125:75
 - Octacyanide 125:63
 - Organometallics 125:53
 - Overview 132:129
 - Past 125:63
 - Perspective 125:351
 - Photocatalysis 111:131
 - Photophysics 104:39, 111:27, 111:249, 125:301, 132:129
 - Platinum(II) 132:23
 - Platinum(IV)-Complex 111:15
 - Polarity 125:301
 - Polycarboxylate 111:249
 - Present 125:63
 - Primary-Step 111:337
 - Radical 125:269
 - Rhenium(V)-Nitrogen-Triple-Bond 111:27
 - Rhodium(III) 132:23
 - Second-Sphere 111:249
 - Spectroscopy 104:39, 128:225
 - Subpicosecond 111:337
 - Supramolecular 125:75
 - Tailor-Made 132:75
 - Tetranuclear 132:129
 - Theoretical-Development 111:175
 - Tict-Forming-Dye 125:301
 - Transition-Metal 125:63
 - Transition-Metal-Alpha-Diimine-Complex 104:39
 - Trichlorostannyl-Complex 132:23
 - Tungsten 111:337
 - Zerovalent 104:39
- Photochromic**
 - Crown-Ether 148:41
 - Ionic-Conduction 148:41
 - Photocontrol 148:41
- Photoconductivity**
 - Charge-Transfer 125:155
 - Dark-Conductivity 125:155
 - Design 125:155
 - Electrical 125:155
 - Ion-Pair 125:155
 - Photoreactivity 125:155
 - Solid 125:155
 - Solution 125:155
- Photocontrol**
 - Crown-Ether 148:41
 - Ionic-Conduction 148:41
 - Photochromic 148:41
- Photodecomposition**
 - Fe(CO)₅ 132:141
 - Infrared 132:141
 - TEA-CO₂-Laser 132:141
- Photodegradable**
 - Copolymer 125:219
 - Double-Bond 125:219
 - Innovative 125:219
 - Mechanism 125:219
 - Photooxidation 125:219
 - Polyolefin 125:219
- Photoexcited-State**
 - Benzimidazole 132:99
 - Bridged 132:99
 - Derivative 132:99
 - Dinuclear-Complex 132:99
 - Proton-Dissociable 132:99
 - Ruthenium 132:99
- Photogalvanic-Cell**
 - Chemically-Modified 125:43
 - Electrode 125:43
 - Photosensitive 125:43
- Photoinduced**
 - Application 132:29
 - Charge 111:291
 - Charge-Transfer 111:91
 - Covalent-Link 111:291
 - Cyanobridged 111:261
 - Design 111:261
 - Dyad 111:291
 - Electron 111:47
 - Electron-Acceptor 111:291
 - Electron-Donor 111:291
 - Electron-Transfer 132:223
 - Electron-Transfer-Reaction 132:29
 - Energy-Transfer 111:47, 111:261, 111:297
 - Intervalent-Complex 111:91
 - Intramolecular 111:261, 111:297
 - Long-Chain 111:261
 - Magnesium 132:223
 - Metal-Center 111:297
 - Mixed-Metal-Complex 111:297
 - Multielectron 111:91
 - Myoglobin 132:223
 - Osmium(II)-bis-Terpyridine 111:291
 - Photosensitizer 111:291
 - Polymer 111:47
 - Polymetallic 111:91
 - Polynuclear 111:261
 - Polynuclear-Species 111:261
 - Porphyrin-Quinone-System 132:29
 - Reaction 132:223
 - Rhenium 111:297
 - Ruthenium 111:297
 - Ruthenium(II)-Polypyridine-Complex 111:261
 - Ruthenium(II)-bis-Terpyridine 111:291
 - Separation 111:291
 - Solubility 111:47
 - Spectroscopy 132:29

- Time-Resolved-Pulsed-EPR 132:29
- Triad 111:291
- Vectorial 111:261
- Zinc 132:223
- Photoisomerization**
 - Adiabatic-Channel 125:251
 - cis-1,2-Diarylethene 125:251
 - Evidence 125:251
 - Fluorometry 125:251
 - Singlet 125:251
- Photolysis**
 - Degradation 125:195
 - FeCl₃ 125:195
 - Fenton-Reagent 125:195
 - HO-Radical 125:195
 - HO₂-Radical 125:195
 - Hydrogen-Peroxide 125:195
 - Photooxidative 125:195
 - Polymer 125:195
- Photon-Absorption**
 - Comparison 125:173
 - Heterogeneous 125:173
 - Number 125:173
 - Parameter 125:173
 - Photocatalysis 125:173
 - Quantitative 125:173
 - Rate 125:173
 - Turnover 125:173
- Photooxidation**
 - 17.5-Tesla 132:51
 - Copolymer 125:219
 - Double-Bond 125:219
 - Innovative 125:219
 - Magnetic-Field 132:51
 - Mechanism 125:219
 - Photodegradable 125:219
 - Polyolefin 125:219
 - Ruthenium(II)-trisDiimine-Complex 132:51
 - Spin-Chemistry 132:51
- Photooxidative**
 - Degradation 125:195
 - FeCl₃ 125:195
 - Fenton-Reagent 125:195
 - HO-Radical 125:195
 - HO₂-Radical 125:195
 - Hydrogen-Peroxide 125:195
 - Photolysis 125:195
 - Polymer 125:195
- Photophysics**
 - Associate 111:249
 - Cluster 132:129
 - Copper(I)-Halide 132:129
 - Cr(NH₃)₆³⁺ 111:249
 - Effect 125:301
 - Medium 125:301
 - Overview 132:129
- Photochemical-Property 104:113
- Photochemistry 104:39, 111:27, 111:249, 125:301, 132:129
- Polarity 125:301
- Polycarboxylate 111:249
- Porous 104:113
- Rhenium(V)-Nitrogen-Triple-Bond 111:27
- Ru(bpy)₃²⁺ 104:113
- Second-Sphere 111:249
- Spectral 104:113
- Spectroscopy 104:39
- Tetranuclear 132:129
- Tict-Forming-Dye 125:301
- Transition-Metal-Alpha-Diimine-Complex 104:39
- Vycor-Glass 104:113
- Zerovalent 104:39
- Photopolymerization**
 - Transition-Metal-Complex 111:97
- Photoreaction**
 - Alcohol 105:23
 - Hydrocarbon 105:23
 - tetrakis(Pyrophosphito)-Diplatinate(II) 105:23
- Photoreactivity**
 - Charge-Transfer 125:155
 - Dark-Conductivity 125:155
 - Design 125:155
 - Electrical 125:155
 - Ion-Pair 125:155
 - Photoconductivity 125:155
 - Solid 125:155
 - Solution 125:155
- Photosensitive**
 - Chemically-Modified 125:43
 - Electrode 125:43
 - Photogalvanic-Cell 125:43
- Photosensitizer**
 - Charge 111:291
 - Covalent-Link 111:291
 - Dyad 111:291
 - Electron-Acceptor 111:291
 - Electron-Donor 111:291
 - Osmium(II)-bis-Terpyridine 111:291
 - Photoinduced 111:291
 - Ruthenium(II)-bis-Terpyridine 111:291
 - Separation 111:291
 - Triad 111:291
- Photosensitizing-Action**
 - Antiinflammatory-Drug 125:115
 - Cell-Membrane 125:115
 - Design 125:115
- Nonsteroidal 125:115
- Protective-System 125:115
- Photosubstitution**
 - Chromium(III) 132:121
 - Complex 132:121
 - Formation 132:113
 - Intermediate 132:113
 - Mechanism 132:113
 - Monodentate-Ligand 132:113
 - Photoaquation 132:121
 - Polypyridine 132:113
 - Reaction 132:113
 - Ruthenium(II)-Polypyridine-Complex 132:113
 - Stereochemical-Change 132:121
 - trans-Dicyanotetram(m)ine 132:121
- Photosynthesis**
 - Artificial 111:193
 - Experiment 111:193
 - Silver 111:193
 - Zeolite 111:193
- Photosynthetic**
 - Metal-Assembled 148:63
 - Model 148:63
 - Multiporphyrinic-System 148:63
 - Reaction-Center 148:63
 - Transition 148:63
- Photosynthetic-Bacterium**
 - Extramembraneous-Antenna 148:183
 - Green 148:183
 - Structure 148:183
 - Supramolecular 148:183
- Photosystem**
 - Cluster 144:1
 - High-Valent 144:1
 - Mechanism 144:1
 - Oxomanganese 144:1
 - Oxygen-Evolving-Center 144:1
 - Structure 144:1
- Phototransformation**
 - Atrazine 125:183
 - Irradiated 125:183
 - Nitrobenzene 125:183
 - Nitrogen-Containing-Organic-Compound 125:183
 - Semiconductor-Metal-Oxide 125:183
 - Titanium-Oxide 125:183
 - Zinc-Oxide 125:183
- Photovoltaics**
 - Artificial-Leaf 111:167
 - Efficient 111:167
 - Electricity 111:167
 - Generation 111:167
 - Molecular 111:167
 - Sunlight 111:167

Phthalocyanine

- Biomimetics 144:39
- Catalyst 144:39
- Clay-Intercalated 144:39
- Complex 144:39
- Crowned 132:57
- Dimer 132:57
- Interaction 132:57
- Interplanar 132:57
- Metal 144:39
- Metal-Free-Complex 132:57
- Model 144:39
- Overview 144:39
- Oxidation 144:39
- Porphyrin 132:57, 144:39
- Schiff-Base 144:39
- Time-Resolved-EPR 132:57
- Triplet 132:57
- Zeolite-Encapsulated 144:39
- Zinc 132:57

Pi-Acceptor

- Coordination-Chemistry 129:157
- Polynitrile 129:157
- TCNE 129:157
- TCNQ 129:157

Platinum

- 1992 142:123
- 1993 146A:431
- Application 143:219
- Bimetallic 143:457, 143:611
- Catalysis 143:219
- Catalyst 143:457
- Cluster 143:457
- Cluster-Compound 143:219
- Gold 143:219, 143:611
- Growth 143:611
- Icosahedron 143:611
- Metal 121:1
- Mononuclear-Complex 121:1
- Nickel 106:171, 143:611
- Palladium 101:1, 106:171, 143:219, 143:611
- Pathway 143:611
- Phosphine-Stabilized 143:219
- Polycosahedrality 143:611
- Preference 143:611
- Rhenium 143:457
- Silver 143:611
- Site 143:611
- Solid-State 106:171
- Stereochemical-Principle 143:611
- Strategy 143:611
- Supracluster 143:611
- Synthetic 143:611
- Trimetallic 143:611

Platinum(II)

- 5-Coordinate 133:67

- Alkene-Complex 133:67
- Amino-Acid 135/136:17
- Complex-Compound 135/136:17
- Derivative 135/136:17
- Electronic-Spectrum 132:23
- Palladium(II) 133:67
- Peptide 135/136:17
- Photochemistry 132:23
- Platinum(IV) 135/136:17
- Rhodium(III) 132:23
- Trichlorostannyl-Complex 132:23

Platinum(II)-Diimine-Complex

- Electronic-Structure 111:145
- Linear-Chain 111:145
- Structure 111:145

Platinum(II)-Complex

- Acceptor 132:87
- Donor 132:87
- Langmuir-Blodgett-Film 111:73
- Luminescence 132:87
- Square-Planar 111:73
- Transition-Metal-Complex 111:73

Platinum(IV)

- Amino-Acid 135/136:17
- Complex-Compound 135/136:17
- Derivative 135/136:17
- Peptide 135/136:17
- Platinum(II) 135/136:17

Platinum(IV)-Complex

- Electronic-Spectrum 111:15
- Methyl 111:15
- Photochemistry 111:15

PNS

- Acyclic-Ligand 137:201
- Coordination-Chemistry 137:201
- Cyclic-Ligand 137:201
- PNSE 137:201
- Unsaturated 137:201

PNSE

- Acyclic-Ligand 137:201
- Coordination-Chemistry 137:201
- Cyclic-Ligand 137:201
- PNS 137:201
- Unsaturated 137:201

Polarity

- Effect 125:301
- Medium 125:301
- Photochemistry 125:301
- Photophysics 125:301
- Tict-Forming-Dye 125:301

Poly(Ethylenimine)

- Bronsted-Base 123:229
- Ligand 123:229

- Metal-Ion 123:229

Poly(Pyrazolyl)-Borate-Complex

- Gallium 147:571
- Indium 147:571

Polyamine

- Bound 114:249
- Exchange-Rate 114:249
- Hydrogen 114:249
- Inert 114:249
- Isotope 114:249
- Transition-Metal-Complex 114:249

Polyaza-Macrocyclic

- Complex 104:297
- Coordinating-Group 104:297
- Pendent 104:297

Polyazacycloalkane-Complex

- Anion 110:17
- Cation 110:17
- Thermodynamic-Aspect 110:17

Polycarboxylate

- Associate 111:249
- $\text{Cr}(\text{NH}_3)_6^{3+}$ 111:249
- Photochemistry 111:249
- Photophysics 111:249
- Second-Sphere 111:249

Polychalcogen-Anion

- Coordination-Chemistry 105:195
- Transition-Metal-Carbonyl 105:195

Polyene

- Analysis 125:293
- Potential-Energy 125:293
- Raman-Spectrum 125:293
- Resonance 125:293
- State- T_1 125:293
- Surface 125:293
- Time-Resolved 125:293

Polyhedral

- Chemistry 143:637
- Cluster 143:637
- Electron-Pair 143:637
- Limitation 143:637
- Organometallics 143:637
- Skeletal 143:637
- Tetrametallic-System 143:637
- Theory 143:637
- Trimetallic-System 143:637

Polyhedral-Isomerization

- Coordination-Chemistry 122:91
- Graph-Theory 122:91
- Mathematical-Method 122:91
- Metal-Cluster 122:91
- Topology 122:91

Polyhydride

- Theoretical-View 135/136:845
- Transition-Metal-Complex 135/136:845

Polyicosahedricity

- Bimetallic 143:611
- Gold 143:611
- Growth 143:611
- Icosahedron 143:611
- Nickel 143:611
- Palladium 143:611
- Pathway 143:611
- Platinum 143:611
- Preference 143:611
- Silver 143:611
- Site 143:611
- Stereochemical-Principle 143:611
- Strategy 143:611
- Supracluster 143:611
- Synthetic 143:611
- Trimetallic 143:611

Polymer

- Alkyne-Compound 143:113
- Application 128:293
- Coordination 128:293
- Copper(I) 143:113
- Cyclic 130:137
- Cyclodextrin 148:115
- Degradation 125:195
- Electron 111:47
- Energy-Transfer 111:47
- FeCl₃ 125:195
- Fenton-Reagent 125:195
- HO-Radical 125:195
- HO₂-Radical 125:195
- Hydrogen-Peroxide 125:195
- Linear 130:137
- Material-Science 128:293
- Monomer 143:113
- One-Dimensional 128:293
- Phosphazene 130:137
- Photoinduced 111:47
- Photolysis 125:195
- Photooxidative 125:195
- Preparation 148:115
- Silver(I) 143:113
- Solubility 111:47
- Structure 148:115
- Supramolecule 148:115

Polymetallic

- Charge-Transfer 111:91
- Intervalent-Complex 111:91
- Multielectron 111:91
- Photoinduced 111:91

Polynitrile

- Coordination-Chemistry 129:157
- Pi-Acceptor 129:157
- TCNE 129:157
- TCNQ 129:157

Polynuclear

- Cyanobridged 111:261

- Design 111:261
- Energy-Transfer 111:261
- Intramolecular 111:261
- Long-Chain 111:261
- Photoinduced 111:261
- Polynuclear-Species 111:261
- Ruthenium(II)-Polypyridine-Complex 111:261
- Vectorial 111:261

Polynuclear-Complex

- Aza-Macrocyclic-Complex 120:51
- Bridging-Ligand 111:255
- Chromium(III) 111:267
- Component 111:255
- Cyano-Bridge 125:283
- Electronic-Coupling 125:283
- Energy-Transfer 111:255, 111:267
- Intramolecular 111:267
- Macroacyclic-Complex 139:17
- Macrocyclic-Complex 139:17
- Metal-Center 125:283
- Mononuclear-Complex 139:17
- Osmium-Based 111:255
- Remote 125:283
- Ruthenium(II) 111:267
- Ruthenium-Based 111:255
- Structural-Aspect 120:51
- Synthetic 120:87
- Theoretical-Aspect 120:87
- Thermodynamic-Aspect 120:51
- Transition-Metal 120:87
- Transition-Metal-Compound 120:51
- tris(Bipyridine) 111:255

Polynuclear-Species

- Cyanobridged 111:261
- Design 111:261
- Energy-Transfer 111:261
- Intramolecular 111:261
- Long-Chain 111:261
- Photoinduced 111:261
- Polynuclear 111:261
- Ruthenium(II)-Polypyridine-Complex 111:261
- Vectorial 111:261

Polyolefin

- Copolymer 125:219
- Double-Bond 125:219
- Innovative 125:219
- Mechanism 125:219
- Photodegradable 125:219
- Photooxidation 125:219

Polyoxometaloeuropate

- AC 111:83
- Application 111:83
- Device 111:83
- Electroluminescence 111:83
- Energy-Transfer 111:83

- Intramolecular 111:83
- Lattice 111:83

Polyphosphacyclopentadienide-Anion

- Phosphacyclopentadienide-Anion 137:1

Polyphosphine

- Control 120:193
- Organometallic-Reaction 120:193
- Selectivity 120:193
- Tripodal-Ligand 120:193

Polypyridine

- Binuclear-Complex 132:201
- Competitive 132:201
- Covalent-Link 111:221
- Electron-Transfer 132:201
- Energy 132:201
- Energy-Transfer 111:221
- Excited 132:201
- Formation 132:113
- Intermediate 132:113
- Intramolecular 111:221
- Intramolecular-Process 132:201
- Mechanism 132:113
- Monodentate-Ligand 132:113
- Osmium(II) 132:201
- Photosubstitution 132:113
- Quenching 132:201
- Reaction 132:113
- Rhenium(I)-Complex 111:221
- Ruthenium(II) 132:201
- Ruthenium(II)-Polypyridine-Complex 132:113
- Ruthenium(II)-Complex 111:221

Polypyrrole-Film

- Application 147:339
- Metal-Complex 147:339
- Synthesis 147:339

Porous

- Photochemical-Property 104:113
- Photophysics 104:113
- Ru(bpy)₃²⁺ 104:113
- Spectral 104:113
- Vycor-Glass 104:113

Porphyrin

- Biomimetics 144:39
- Catalyst 144:39
- Clay-Intercalated 144:39
- Complex 144:39
- Copper(II)-Free-Base 132:243
- Crowned 132:57
- Dimer 132:57, 132:243
- Energy-Transfer 132:243
- Interaction 132:57
- Interplanar 132:57
- Metal 144:39

- Metal-Free-Complex 132:57
- Model 144:39
- Overview 144:39
- Oxidation 144:39
- Phthalocyanine 132:57, 144:39
- Process 132:243
- Schiff-Base 144:39
- Time-Resolved-EPR 132:57
- Time-Resolved-ESR 132:243
- Triplet 132:57
- Triplet-Triplet 132:243
- Zeolite-Encapsulated 144:39
- Zinc 132:57
- Porphyrin-Quinone-System**
 - Application 132:29
 - Electron-Transfer-Reaction 132:29
 - Photoinduced 132:29
 - Spectroscopy 132:29
 - Time-Resolved-Pulsed-EPR 132:29
- Potassium**
 - Biological 135/136:165
 - Coordination-Chemistry 135/136:165
 - Magnesium 135/136:165
 - Nucleotide-Binding-Site 135/136:165
 - Protein 135/136:165
 - Sodium 135/136:165
- Potassium-Ion**
 - Enzyme-Catalysis 144:147
 - Pyridoxal-Phosphate 144:147
 - Role 144:147
 - Sodium-Ion 144:147
- Potential-Energy**
 - Analysis 125:293
 - Polyene 125:293
 - Raman-Spectrum 125:293
 - Resonance 125:293
 - State- T_1 125:293
 - Surface 125:293
 - Time-Resolved 125:293
- Potentiometry**
 - Computer-Program 120:389
 - Determination 120:389
 - Equilibrium-Constant 120:389
 - Mathematical-Algorithm 120:389
 - Measurement 120:389
 - Spectrophotometry 120:389
- Practical-Aspect**
 - Dioxophosphorane 137:525
 - Metaphosphate 137:525
 - Transient 137:525
- Precipitation**
 - Alkali-Metal-Salt 140:27
 - Aqueous-Solution 140:27
 - Cesium-Ion 140:27
 - Solubility 140:27
- Precursor**
 - Alkyl-Derivative 112:131
 - Aluminum 112:131, 128:193
 - Ceramics 112:81
 - Condensation 112:81
 - Coordination-Compound 128:193
 - Gallium 112:131
 - Hydrolysis 112:81
 - Laser 112:131
 - Metal-Deposition 112:131
 - Nitride 128:193
 - Pyrolysis 112:131
 - Sol-Gel-Type 112:81
 - Solid-State 112:81
 - Solution 112:81
 - Spectroscopy 112:131
 - Structure 112:81
 - Tin(IV)-Alkoxide-Compound 112:81
 - Tin-Oxide 112:81
- Preference**
 - Bimetallic 143:611
 - Gold 143:611
 - Growth 143:611
 - Icosahedron 143:611
 - Nickel 143:611
 - Palladium 143:611
 - Pathway 143:611
 - Platinum 143:611
 - Polyicosahedricity 143:611
 - Silver 143:611
 - Site 143:611
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracluster 143:611
 - Synthetic 143:611
 - Trimetallic 143:611
- Preparation**
 - Achiral 148:199
 - Amine 148:199
 - Characterization 130:301
 - Charge-Separation 132:15
 - Chiral 148:199
 - Complexation 148:199
 - Cyclodextrin 148:115
 - Cyclohexane-1,2-Diol-Derivative 148:199
 - Design 132:15
 - Excited-State 132:15
 - Gallium-Arsenic-Compound 112:273
 - Meso-Crown-Ether 148:199
 - Polymer 148:115
 - Property 130:301
 - Selenium-Nitrogen-Compound 130:301
 - Silylarsine 112:273
 - Steric-Barrier 148:199
 - Structure 148:115
 - Supramolecule 148:115
 - Tellurium-Nitrogen-Compound 130:301
 - Transition-Metal 132:15
 - Triad-System 132:15
- Presence**
 - Absence 149:167
 - Aluminum 149:167
 - CO-Substitution 128:69
 - Interaction 149:167
 - Kinetics 128:69
 - Metal-Carbonyl 128:69
 - Oxygen-Atom 128:69
 - Phosphorylated 149:167
 - Protein 149:167
 - Reagent 128:69
 - Silicic-Acid 149:167
 - Transfer 128:69
- Present**
 - Future 125:63
 - Octacyanide 125:63
 - Past 125:63
 - Photochemistry 125:63
 - Transition-Metal 125:63
- Pressure |High- $\rightarrow$**
 - Mechanistic 114:269
 - Pentacyanoferrate-Complex 114:269
 - Photochemical-Reaction 114:269
 - Thermal-Reaction 114:269
- Pressure-Effect**
 - Bimolecular 111:153
 - Excited-State 111:153
 - Process 111:153
- Primary-Step**
 - Photochemistry 111:337
 - Subpicosecond 111:337
 - Tungsten 111:337
- Probe**
 - Electronic-Structure 144:369
 - Enzyme 144:369
 - Ferrous 144:369
 - Geometric-Structure 144:369
 - Magnetic-Circular-Dichroism-Spectroscopy 144:369
 - Nonheme 144:369
- Process**
 - Bimolecular 111:153
 - Coordination-Compound 120:163
 - Copper(II)-Free-Base 132:243
 - Dimer 132:243
 - Energy-Transfer 132:243
 - Excited-State 111:153
 - Life 120:163

- Porphyrin 132:243
- Pressure-Effect 111:153
- Time-Resolved-ESR 132:243
- Triplet-Triplet 132:243
- Profile**
 - Aluminum(III)-Complex 149:281
 - Aluminum(III)-Heidi-System 149:281
 - Small-Organic-Ligand 149:281
 - Speciation 149:281
- Property**
 - Bioligand 140:1
 - Characterization 130:301
 - Coordination 140:1
 - Creatine 140:1
 - Creatinine 140:1
 - Electronic-State 132:35
 - Element-Element-Bond 120:209
 - Heterodinuclear-System 120:209
 - Homodinuclear-System 120:209
 - Preparation 130:301
 - Reaction-Medium 140:1
 - Reactivity 120:209
 - Satellite 132:35
 - Selenium-Nitrogen-Compound 130:301
 - Single 120:209
 - Structure 132:35
 - Tellurium-Nitrogen-Compound 130:301
 - Transition-Metal-Complex 132:35
 - Vibrational 132:35
- Protective-System**
 - Antiinflammatory-Drug 125:115
 - Cell-Membrane 125:115
 - Design 125:115
 - Nonsteroidal 125:115
 - Photosensitizing-Action 125:115
- Protein**
 - Absence 149:167
 - Aluminum 149:167
 - Azole-Containing-Ligand 104:143
 - Biological 135/136:165
 - Coordination-Chemistry 135/136:165
 - Coordination-Compound 104:143
 - Copper 104:143
 - Dinuclear 144:245
 - Interaction 149:167
 - Magnesium 135/136:165
 - Metal 144:245
 - Model-Compound 144:245
 - Model-System 104:143
 - Nucleotide-Binding-Site 135/136:165
 - Phosphorylated 149:167
 - Potassium 135/136:165
 - Presence 149:167
 - Silicic-Acid 149:167
 - Site 144:245
 - Sodium 135/136:165
 - Structure 104:143
 - Thioether 104:143
 - Type-I 104:143
 - XAFS 144:245
- Proton-Dissociable**
 - Benzimidazole 132:99
 - Bridged 132:99
 - Derivative 132:99
 - Dinuclear-Complex 132:99
 - Photoexcited-State 132:99
 - Ruthenium 132:99
- Pseudopeptide**
 - Ammonium-Cation 148:301
 - Artificial-Metalloprotein 148:301
 - Binding-Property 148:301
 - Conformation 148:301
 - Design 148:301
 - Macrocycle 148:301
 - Metal-Organic 148:301
 - N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301
 - Synthesis 148:301
- Pt(II)-Complex**
 - 1,1-Dithiolate 111:237
 - 1,2-Dithiolate 111:237
 - Aromatic 111:117
 - Cyclometallating-Ligand 111:117
 - Emissive-Property 111:237
 - Palladium(II)-Complex 111:117
 - Solvatochromic 111:237
 - Spectroscopic-Property 111:117
 - Terdentate-Ligand 111:117
- Pyrazole**
 - Chelate 120:325
 - Heterocycle 147:247
 - Model-System 120:325
 - Organometallic-Complex 147:247
 - Perspective 120:325
- Pyridine**
 - Infrared 104:251
 - Isotopic 104:251
 - Labeling 104:251
 - Metal-Complex 104:251
 - Raman-Spectrum 104:251
- Pyridine |2-(Diphenylphosphino)-** 147:1
- Pyridone |2-»**
 - Coordination-Chemistry 139:313
 - Derivative 139:313
- Pyridoxal-Phosphate**
 - Enzyme-Catalysis 144:147
 - Potassium-Ion 144:147
 - Role 144:147
 - Sodium-Ion 144:147
- Pyrolysis**
 - Alkyl-Derivative 112:131
 - Aluminum 112:131
 - Gallium 112:131
 - Laser 112:131
 - Metal-Deposition 112:131
 - Precursor 112:131
 - Spectroscopy 112:131
- Quantification**
 - Binary-Complex 122:227
 - Case-Study 122:227
 - Equilibrium 122:227
 - Intramolecular 122:227
 - Metal-Ion 122:227
 - N,N-bis(2-Hydroxyethyl)-Glycinate 122:227
 - Successive 122:227
- Quantitative**
 - Comparison 125:173
 - Heterogeneous 125:173
 - Number 125:173
 - Parameter 125:173
 - Photocatalysis 125:173
 - Photon-Absorption 125:173
 - Rate 125:173
 - Turnover 125:173
- Quantum-Chemistry**
 - Coordination-Compound 118:1
- Quenching**
 - Binuclear-Complex 132:201
 - Competitive 132:201
 - Electron-Transfer 132:201
 - Energy 132:201
 - Excited 132:201
 - Intramolecular-Process 132:201
 - Osmium(II) 132:201
 - Polypyridine 132:201
 - Ruthenium(II) 132:201
- Quinoline |8-(Dimethyl-Silyl)-»**
 - Iridium 111:201
 - Metal-Silicon-Bonded-Complex 111:201
 - Rhodium 111:201
- Quinone**
 - Electronic-Structure 125:317
 - Excited-State 125:317
 - Ground-State 125:317
 - Ruthenium 125:317

R-X-Molecule

- Alkane 126:93
- Bare 126:93
- Gas-Phase-Chemistry 126:93
- Metal-Ion 126:93
- Monosubstituted 126:93
- Reaction 126:93
- Unified-Picture 126:93

Radical

- Alpha-Diimine 132:147
- Cation 125:269
- Complex 132:147
- Electron-Transfer 125:269
- Fragmentation 125:269
- Generation 125:269
- Metal-Alkyl-Bond 132:147
- Metal-Halide-Bond 132:147
- Metal-Metal-Bond 132:147
- Organometallics 132:147
- Photochemical-Formation 132:147
- Photochemistry 125:269

Raman-Spectrum

- Analysis 125:293
- Heme-Protein 135/136:685
- Highly-Oxidized 135/136:685
- Infrared 104:251
- Isotopic 104:251
- Labeling 104:251
- Metal-Complex 104:251
- Metalloporphyrin 135/136:685
- Polyene 125:293
- Potential-Energy 125:293
- Pyridine 104:251
- Resonance 125:293, 135/136:685
- State- T_1 125:293
- Surface 125:293
- Time-Resolved 125:293

Rate

- Comparison 125:173
- Heterogeneous 125:173
- Number 125:173
- Parameter 125:173
- Photocatalysis 125:173
- Photon-Absorption 125:173
- Quantitative 125:173
- Turnover 125:173

Rate-Constant

- Atmospheric-Chemistry 125:241
- Environmental-Interest 125:241
- Gas-Phase-Reaction 125:241
- Haloalkane 125:241
- Hydroxyl-Radical 125:241

Reaction

- Activation 132:155
- Alkane 126:93
- Alkyne 104:13

- Associative 143:265
- Azaporphyrin 147:41
- Bare 126:93
- C-H-Bond 132:155
- Cluster 143:265
- Complex-Formation 147:41
- Cyanide 104:13
- Dinitrogen-Binding 104:13
- Electron-Transfer 111:319, 132:223, 132:249
- Energy-Transfer 111:319
- Excited-State 111:319
- Formation 132:113
- Gas-Phase-Chemistry 126:93
- Geminate-Pair 132:249
- High-Exergonicity 132:249
- Intermediate 132:113
- Intermolecular 132:155
- Isocyanide 104:13
- Kinetics 143:265
- Magnesium 132:223
- Manganese(III) 135/136:399
- Mechanism 132:113
- Metal-Carbonyl 143:265
- Metal-Coordinated 147:299
- Metal-Ion 126:93
- Monodentate-Ligand 132:113
- Mononuclear-Complex 135/136:399
- Monosubstituted 126:93
- Multimetal-System 111:319
- Myoglobin 132:223
- Nitrile 147:299
- Organometallic-Complex 132:155
- Oxidation 135/136:399
- Photochemical-Mechanism 132:155
- Photoinduced 132:223
- Photosubstitution 132:113
- Polypyridine 132:113
- R-X-Molecule 126:93
- Reaction-Center 147:41
- Ruthenium 143:265
- Ruthenium(II)-Polypyridine-Complex 132:113
- Structure 147:41
- Systematic 143:265
- Transition 147:299
- Transition-Metal-Dihydrogen-Complex 121:155
- Transition-Metal-Center 104:13
- Unified-Picture 126:93
- Zinc 132:223

Reaction-Center

- Azaporphyrin 147:41
- Complex-Formation 147:41
- Metal-Assembled 148:63
- Model 148:63

- Multiporphyrinic-System 148:63
- Photosynthetic 148:63
- Reaction 147:41
- Structure 147:41
- Transition 148:63

Reaction-Mechanism

- Fluorinated-Compound 130:355
- Ligand-Exchange 130:355

Reaction-Medium

- Bioligand 140:1
- Coordination 140:1
- Creatine 140:1
- Creatinine 140:1
- Property 140:1

Reactivity

- Beta-Fluorosultone 112:47
- Bonding 147:87
- Bridging-Ligand 126:319
- Carbon-Dioxide 140:37
- Carbon-Disulfide 140:37
- Carbonyl-Sulfide 140:37
- Cluster 120:259
- Cluster-Stabilized-Cation 143:331
- Diazoalkane-Complex 139:281
- Effective-Core-Potential 147:87
- Element-Element-Bond 120:209
- Heterodinuclear-System 120:209
- Homodinuclear-System 120:209
- Main-Group-Element 120:259
- Mixed 120:259
- Molecular-Dynamics 143:331
- Mononuclear-Compound 147:209
- N-Donor 126:319
- Nickel(II)-PnAO-Quasi-Aromatic-Complex 105:1
- Oxidized 105:1
- Pattern 126:319
- Property 120:209
- Rhodium(II) 147:209
- Ruthenium(I)-Complex 126:319
- Single 120:209
- Small 120:259
- Structure 112:47, 126:319, 143:331, 147:87
- Synthesis 112:47, 120:259, 126:319, 139:281, 143:331
- Transition-Metal 120:259, 147:87
- Transition-Metal-Complex 140:37

Reagent

- CO-Substitution 128:69
- Kinetics 128:69
- Metal-Carbonyl 128:69

- Oxygen-Atom 128:69
- Presence 128:69
- Synthesis 105:35
- Transfer 128:69
- Transition-Metal-Propargyl-Complex 105:35
- Versatile 105:35
- Rearrangement**
 - Adduct 132:175
 - Dissociation 132:175
 - Metalladithiazole 132:175
 - Metalladithiolene 132:175
 - Photochemical-Reaction 132:175
- Receptor**
 - Artificial-Signaling 148:265
 - Biologically-Important 148:265
 - Chemical-Species 148:265
- Recognition**
 - Information 148:151
 - Ion 148:151
 - Molecular-Level 148:151
 - Regulation 148:151
- Redox**
 - Clustering-Process 125:333
 - Excitation 125:333
 - Fast-Atom-Bombardment 125:333
 - Fragmentation 125:333
 - Metal-Complex 125:333
 - Photochemical-Pathway 125:333
 - Relationship 125:333
- Redox-Active**
 - Bottom-Up 132:1
 - Luminescence 132:1
 - Metal-Complex 132:1
 - Nanometric-Dimension 132:1
 - Strategy 132:1
- Redox-Chemistry**
 - Chromium(IV)-Complex 135/136:651
 - Main-Group-Compound 112:215
 - One-Electron 112:215
 - Transfer-Reaction 112:215
- Redox-Process**
 - Coordination-Compound 120:237
 - Supramolecular 120:237
- Reduction**
 - 1993 141:371
 - Annual-Survey 141:371
 - Hydroformylation 141:371
 - Organic-Synthesis 141:371
 - Oxidation 141:371
 - Transition-Metal 141:371
- Regulation**
 - Information 148:151
 - Ion 148:151
 - Molecular-Level 148:151
 - Recognition 148:151
- Relation**
 - Aluminum 149:241
 - Chemical-Speciation 149:241
 - Coordination 123:1
 - Derivative 135/136:429
 - Electronic-Property 123:1
 - Enzymatic-Action 135/136:429
 - Enzyme 135/136:429
 - Ligand 123:1
 - Metabolism 149:241
 - Metal-Complex 135/136:429
 - Stereochemistry 123:1
 - Structural-Aspect 135/136:429
 - Structure 123:1
 - Thermodynamic-Property 123:1
 - Thiamine 135/136:429
 - Toxicity 149:241
- Relationship**
 - Clustering-Process 125:333
 - Excitation 125:333
 - Fast-Atom-Bombardment 125:333
 - Fragmentation 125:333
 - Metal-Complex 125:333
 - Photochemical-Pathway 125:333
 - Redox 125:333
- Relevant**
 - Aluminum(III) 112:33
 - Bioinorganic-Chemistry 112:33
 - Metal 112:33
 - Toxicity 112:33
- Remote**
 - Cyano-Bridge 125:283
 - Electronic-Coupling 125:283
 - Metal-Center 125:283
 - Polynuclear-Complex 125:283
- Repetitive**
 - Distortion 111:1
 - Energy-Gap 111:1
 - Excited-State 111:1
 - Metal-Complex 111:1
 - Pattern 111:1
 - Spectrum 111:1
 - Structure 111:1
 - Vibronic 111:1
- Resonance**
 - Analysis 125:293
 - Heme-Protein 135/136:685
 - Highly-Oxidized 135/136:685
 - Metalloporphyrin 135/136:685
 - Polyene 125:293
 - Potential-Energy 125:293
 - Raman-Spectrum 125:293, 135/136:685
 - State- T_1 125:293
 - Surface 125:293
 - Time-Resolved 125:293
- Rhenium** 131:127
 - 1992 142:1
 - 1993 146A:207
 - Bimetallic 143:457
 - Catalyst 143:457
 - Cluster 143:457
 - Energy-Transfer 111:297
 - Intramolecular 111:297
 - Metal-Center 111:297
 - Mixed-Metal-Complex 111:297
 - Photoinduced 111:297
 - Platinum 143:457
 - Ruthenium 111:297
- Rhenium(I)**
 - Chromophore 122:63
 - Dimine 122:63
 - Electron 122:63
 - Energy-Transfer 122:63
 - Intramolecular 122:63
- Rhenium(II)-Complex**
 - Covalent-Link 111:221
 - Energy-Transfer 111:221
 - Intramolecular 111:221
 - Polypyridine 111:221
 - Ruthenium(II)-Complex 111:221
- Rhenium(V)-Nitrogen-Triple-Bond**
 - Photochemistry 111:27
 - Photophysics 111:27
- Rhodium** 115:191
 - 1991 134A:307
 - 1992 146:235
 - 8-(Dimethyl-Silyl)-Quinoline 111:201
 - Iridium 111:201
 - Metal-Silicon-Bonded-Complex 111:201
- Rhodium(II)**
 - Mononuclear-Compound 147:209
 - Reactivity 147:209
- Rhodium(III)**
 - Electronic-Spectrum 132:23
 - Photochemistry 132:23
 - Platinum(II) 132:23
 - Trichlorostannyl-Complex 132:23
- Rhodium(III)-Complex**
 - Cyclometalated 111:33
 - High-Resolution-Spectroscopy 111:33
- Rod-Like**
 - Dinuclear 132:209
 - Energy-Transfer 132:209
 - Intramolecular 132:209
 - Osmium(II) 132:209

- Phenyl-Bridge 132:209
- Ruthenium(II) 132:209
- Terpyridine-Type-Complex 132:209

Role

- Enzyme-Catalysis 144:147
- Potassium-Ion 144:147
- Pyridoxal-Phosphate 144:147
- Sodium-Ion 144:147

Ru(bpy)₃²⁺

- Application 111:39
- Excited-State 111:39
- Localization 111:39
- Molecule 111:39
- Photochemical-Property 104:113
- Photophysics 104:113
- Porous 104:113
- Spectral 104:113
- Vycor-Glass 104:113

Ruthenium 131:45

- 1990 134A:133
- 1992 138:219
- 1993 141:63, 146A:307
- Annual-Survey 141:63
- Associative 143:265
- Benzimidazole 132:99
- Bridge 111:161
- Bridged 132:99
- Cluster 143:265
- Derivative 132:99
- Dinuclear-Complex 111:161, 132:99
- Electronic-Structure 125:317
- Energy-Transfer 111:297
- Excited-State 125:317
- Ground-State 125:317
- Intramolecular 111:297
- Kinetics 143:265
- Metal-Carbonyl 143:265
- Metal-Center 111:297
- Mixed-Metal-Complex 111:297
- Osmium 111:161, 141:63
- Photoexcited-State 132:99
- Photoinduced 111:297
- Proton-Dissociable 132:99
- Quinone 125:317
- Reaction 143:265
- Rhenium 111:297
- Systematic 143:265

Ruthenium(I)-Complex

- Bridging-Ligand 126:319
- N-Donor 126:319
- Pattern 126:319
- Reactivity 126:319
- Structure 126:319
- Synthesis 126:319

Ruthenium(II)

- Binuclear-Complex 132:201

- Chromium(III) 111:267
- Competitive 132:201
- Dinuclear 132:209
- Electron-Transfer 132:201
- Energy 132:201
- Energy-Transfer 111:267, 132:209
- Excited 132:201
- Intramolecular 111:267, 132:209
- Intramolecular-Process 132:201
- Osmium(II) 132:201, 132:209
- Phenyl-Bridge 132:209
- Polynuclear-Complex 111:267
- Polypyridine 132:201
- Quenching 132:201
- Rod-Like 132:209
- Terpyridine-Type-Complex 132:209

Ruthenium(II)-Polypyridine-Complex

- Cyanobridged 111:261
- Design 111:261
- Energy-Transfer 111:261
- Formation 132:113
- Intermediate 132:113
- Intramolecular 111:261
- Long-Chain 111:261
- Mechanism 132:113
- Monodentate-Ligand 132:113
- Photoinduced 111:261
- Photosubstitution 132:113
- Polynuclear 111:261
- Polynuclear-Species 111:261
- Polypyridine 132:113
- Reaction 132:113
- Vectorial 111:261

Ruthenium(II)-trisDiimine-Complex

- 17.5-Tesla 132:51
- Magnetic-Field 132:51
- Photooxidation 132:51
- Spin-Chemistry 132:51

Ruthenium(II)-bis-Terpyridine

- Charge 111:291
- Covalent-Link 111:291
- Dyad 111:291
- Electron-Acceptor 111:291
- Electron-Donor 111:291
- Osmium(II)-bis-Terpyridine 111:291
- Photoinduced 111:291
- Photosensitizer 111:291
- Separation 111:291
- Triad 111:291

Ruthenium(II)-Complex

- Covalent-Link 111:221
- Energy-Transfer 111:221
- Intramolecular 111:221

- Polypyridine 111:221
- Rhenium(I)-Complex 111:221

Ruthenium(III)-Complex

- Charge-Transfer 132:259
- Ligand 132:259
- Metal 132:259
- Osmium(III)-Complex 132:259
- Substituted-2,2'-Bipyridine 132:259
- Transition 132:259

Ruthenium-Ammine-Complex

- Donor 119:199
- Group-Vb 119:199
- Ligand 119:199

Ruthenium-Based

- Bridging-Ligand 111:255
- Component 111:255
- Energy-Transfer 111:255
- Osmium-Based 111:255
- Polynuclear-Complex 111:255
- tris(Bipyridine) 111:255

s-Block

- Dimethylaminoethyl-Cyclopentadienyl-Ligand 137:179
- Element 137:179
- p-Block 137:179

Sacrificial-Anode

- Coordination-Compound 135/136:65
- Dissolution 135/136:65
- Electrosynthesis 135/136:65
- Metal 135/136:65

Saito-Kazuo

- Interview 133:25

Salen-Manganese(III)-Complex

- Asymmetric 140:189
- Catalyst 140:189
- Catalytic 140:189
- Optically-Active 140:189
- Oxidation 140:189

Salicylaldehyde

- Coordination-Compound 119:67
- Copper 119:67
- Hydroxynaphthaldehyde 119:67
- Iron 119:67
- Nickel 119:67
- Schiff-Base 119:67

Sandwich-Complex

- Bent 114:1
- Electrochemical-Study 114:1
- Laser 111:111
- Open-Shell 111:111
- Spectroscopy 111:111

Satellite

- Electronic-State 132:35
- Property 132:35
- Structure 132:35

- Transition-Metal-Complex 132:35
- Vibrational 132:35
- Scalar**
 - Atom 119:1
 - Calculation 119:1
 - Crystal-Field 119:1
 - Donor 119:1
 - Europium-Complex 119:1
 - Organic-Ligand 119:1
 - Oxygen 119:1
 - Parameter 119:1
 - Strength 119:1
 - Symmetry 119:1
- Scandium** 124:41, 127:131
 - 1992 142:147
 - 1993 146:37
- Schiff-Base**
 - Adduct 126:1
 - Bibracchial 148:19
 - Biomimetics 144:39
 - Catalyst 144:39
 - Clay-Intercalated 144:39
 - Complex 144:39
 - Coordination-Compound 119:67
 - Copper 119:67
 - Environment 126:1
 - Hydroxynaphthaldehyde 119:67
 - Iron 119:67
 - Ligand 126:1
 - Macrocycle 148:19
 - Metal 144:39
 - Metal-Chelate 126:1
 - Metal-Complex 148:19
 - Model 144:39
 - Nickel 119:67
 - Overview 144:39
 - Oxidation 144:39
 - Phthalocyanine 144:39
 - Porphyrin 144:39
 - Salicylaldehyde 119:67
 - Structure 126:1
 - Tetracoordinated 126:1
 - Zeolite-Encapsulated 144:39
- Schizophrenics**
 - Ambidentate-Ligand 105:77
 - Coordination-Chemistry 105:77
- Second-Sphere**
 - Associate 111:249
 - $\text{Cr}(\text{NH}_3)_6^{3+}$ 111:249
 - Photochemistry 111:249
 - Photophysics 111:249
 - Polycarboxylate 111:249
- Selective**
 - Activation 105:181
 - Air 105:181
 - Alkane 105:181
 - Catalyzed 105:181
 - Cation-Binding 148:171
 - Crown-Ether 148:171
 - Light 105:181
 - Metalloporphyrin 105:181
 - Oxidation 105:181
 - Suprabiotic-System 105:181
 - Thallium(I) 148:171
- Selectivity**
 - Aminoarsine 112:117
 - Borane 112:117
 - Control 120:193
 - Coordination 112:117
 - Organometallic-Reaction 120:193
 - Polyphosphine 120:193
 - Tripodal-Ligand 120:193
- Selenium-Nitrogen-Compound**
 - Characterization 130:301
 - Preparation 130:301
 - Property 130:301
 - Tellurium-Nitrogen-Compound 130:301
- Selenoether-Ligand**
 - Coordination-Chemistry 122:109
 - Telluroether-Ligand 122:109
- Semiconducting-Material**
 - Application 125:231
 - Local-Probe-Microscopy 125:231
- Semiconductor-Metal-Oxide**
 - Atrazine 125:183
 - Irradiated 125:183
 - Nitrobenzene 125:183
 - Nitrogen-Containing-Organic-Compound 125:183
 - Phototransformation 125:183
 - Titanium-Oxide 125:183
 - Zinc-Oxide 125:183
- Separation**
 - Charge 111:291
 - Covalent-Link 111:291
 - Dyad 111:291
 - Electron-Acceptor 111:291
 - Electron-Donor 111:291
 - Osmium(II)-bis-Terpyridine 111:291
 - Photoinduced 111:291
 - Photosensitizer 111:291
 - Ruthenium(II)-bis-Terpyridine 111:291
 - Triad 111:291
- Serum-Protein**
 - Aluminum 149:347
 - Binding 149:347
 - Transport 149:347
- Sial**
 - Aluminum 149:367
 - Cosmogensis 149:367
 - Distribution 149:367
 - Earth 149:367
 - Evolution 149:367
- Sigma-Donor**
 - Carbon-Monoxide 137:483
 - Coordination-Chemistry 137:483
 - Ligand 137:483
- Sigma-Pi-Complex**
 - 5-Membered 126:237
 - Heterocycle 126:237
 - Monoheterocycle 126:237
 - Organometallic-Complex 126:237
- Silicic-Acid**
 - Absence 149:167
 - Aluminum 149:167
 - Interaction 149:167
 - Phosphorylated 149:167
 - Presence 149:167
 - Protein 149:167
- Silicon**
 - Aluminum 149:231
 - Bidentate 130:175
 - Center 137:53
 - Chelate 130:175
 - Coordination-Compound 137:53
 - Copper 149:231
 - Derivative 145:75
 - Donor 130:175
 - Donor-Acceptor-Interaction 137:53
 - Essentiality 149:231
 - Germanium 130:175
 - Group 137:53
 - Group-1 145:75
 - Group-2 145:75
 - Interaction 149:231
 - Intramolecular 137:53
 - Main-Group 137:53
 - Mechanism 149:231
 - Metal 145:75
 - N,N',N'-Trimethylethylene-diamine 137:53
 - Oxygen 130:175
 - Phosphorus 137:53
 - Substituent 137:53
 - Tin 130:175
 - Transition-Metal-Complex 137:53
- Silicon-Compound**
 - Disilene 130:275
 - Low-Coordinated 130:275
 - Silylene 130:275
- Silver** 115:141, 131:1
 - 1992 146:211
 - Artificial 111:193
 - Bimetallic 143:611

- Experiment 111:193
- Gold 143:611
- Growth 143:611
- Icosahedron 143:611
- Nickel 143:611
- Palladium 143:611
- Pathway 143:611
- Photosynthesis 111:193
- Platinum 143:611
- Polycosahedricity 143:611
- Preference 143:611
- Site 143:611
- Stereochemical-Principle 143:611
- Strategy 143:611
- Supracluster 143:611
- Synthetic 143:611
- Trimetallic 143:611
- Zeolite 111:193
- Silver(I)**
 - Alkyne-Compound 143:113
 - Copper(I) 143:113
 - Monomer 143:113
 - Polymer 143:113
- Silylarsine**
 - Gallium-Arsenic-Compound 112:273
 - Preparation 112:273
- Silylene**
 - Disilene 130:275
 - Low-Coordinated 130:275
 - Silicon-Compound 130:275
- Silylidene-Arsane**
 - Silylidene-Phosphane 145:1
- Silylidene-Phosphane**
 - Silylidene-Arsane 145:1
- Single**
 - Element-Element-Bond 120:209
 - Heterodinuclear-System 120:209
 - Homodinuclear-System 120:209
 - Property 120:209
 - Reactivity 120:209
- Singlet**
 - Adiabatic-Channel 125:251
 - CASSCF/CCI-Comparative-Study 132:63
 - cis-1,2-Diarylethene 125:251
 - Diimine 132:63
 - Electronic-Spectrum 132:63
 - Evidence 125:251
 - Excited-State 132:63
 - Fluorometry 125:251
 - Manganese 132:63
 - Photoisomerization 125:251
- Site**
 - Bimetallic 143:611
 - Dinuclear 144:245
 - Gold 143:611
 - Growth 143:611
 - Icosahedron 143:611
 - Metal 144:245
 - Model-Compound 144:245
 - Nickel 143:611
 - Palladium 143:611
 - Pathway 143:611
 - Platinum 143:611
 - Polycosahedricity 143:611
 - Preference 143:611
 - Protein 144:245
 - Silver 143:611
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracluster 143:611
 - Synthetic 143:611
 - Trimetallic 143:611
 - XAFS 144:245
- Skeletal**
 - Chemistry 143:637
 - Cluster 143:637
 - Electron-Pair 143:637
 - Limitation 143:637
 - Organometallics 143:637
 - Polyhedral 143:637
 - Tetrametallic-System 143:637
 - Theory 143:637
 - Trimetallic-System 143:637
- Small**
 - Aza-Cage 120:223
 - Cluster 120:259
 - Fast-Proton-Sponge 120:223
 - Lithium 120:223
 - Main-Group-Element 120:259
 - Mixed 120:259
 - Reactivity 120:259
 - Strong-Binder 120:223
 - Synthesis 120:259
 - Transition-Metal 120:259
- Small-Molecule**
 - Activation 106:25
 - Copper 106:25
 - Dinuclear-Complex 106:25
 - Interaction 110:235
 - Iron-Complex 110:235
 - Metal 106:25
 - Nitrogen-Containing-Ion 110:235
 - Nitrogen-Containing-Molecule 110:235
- Sodium**
 - Biological 135/136:165
 - Coordination-Chemistry 135/136:165
 - Magnesium 135/136:165
 - Nucleotide-Binding-Site 135/136:165
 - Potassium 135/136:165
 - Protein 135/136:165
- Sodium-Ion**
 - Enzyme-Catalysis 144:147
 - Potassium-Ion 144:147
 - Pyridoxal-Phosphate 144:147
 - Role 144:147
- Sol-Gel-Type**
 - Ceramics 112:81
 - Condensation 112:81
 - Hydrolysis 112:81
 - Precursor 112:81
 - Solid-State 112:81
 - Solution 112:81
 - Structure 112:81
 - Tin(IV)-Alkoxide-Compound 112:81
 - Tin-Oxide 112:81
- Solid**
 - Charge-Transfer 125:155
 - Dark-Conductivity 125:155
 - Design 125:155
 - Electrical 125:155
 - Ion-Pair 125:155
 - Photoconductivity 125:155
 - Photoreactivity 125:155
 - Solution 125:155
- Solid-State**
 - Anation-Reaction 128:175
 - Application 114:201
 - Ceramics 112:81
 - Condensation 112:81
 - Coordination-Chemistry 114:201
 - Coordination-Complex 109:107
 - d-Block 114:201
 - Hydrolysis 112:81
 - Mechanistic-Consideration 128:175
 - Metal 109:107
 - Metal-Nucleus 114:201
 - Nickel 106:171
 - NMR 114:201
 - NMR-Spectroscopy 109:107, 114:61
 - Organometallics 109:107, 114:201
 - p-Block 114:201
 - Palladium 106:171
 - Phosphorus-31 114:61
 - Platinum 106:171
 - Precursor 112:81
 - Sol-Gel-Type 112:81
 - Solution 112:81
 - Structure 112:81
 - Tertiary-Phosphine-Complex 114:61
 - Tin(IV)-Alkoxide-Compound 112:81

- Tin-Oxide 112:81

Solubility

- Alkali-Metal-Salt 140:27
- Aqueous-Solution 140:27
- Cesium-Ion 140:27
- Coordination-Chemistry 114:107
- Electron 111:47
- Energy-Transfer 111:47
- Metal-Oxide 114:107
- Molybdenum 114:107
- Photoinduced 111:47
- Polymer 111:47
- Precipitation 140:27
- Vanadium 114:107

Solution

- Advance 120:1
- Aluminum(III) 112:19
- Ceramics 112:81
- Charge-Transfer 125:155
- Chelate 133:39
- Chromium(III)-trans-Cyanoacidotetraammine-Complex 125:35
- Comparison 125:35
- Condensation 112:81
- Dark-Conductivity 125:155
- Deactivation 125:35
- Design 125:155
- Doublet-State 125:35
- Electrical 125:155
- Experimental-Toxicology 112:19
- Factor 133:39
- Hydrolysis 112:81
- Ion-Pair 125:155
- Macrobicyclic-Complex 133:39
- Macrocyclic-Complex 133:39
- Model 125:35
- Nitrogen-Fixation 144:69
- NMR 120:1
- Paramagnetic-Molecule 120:1
- Phosphorescence 125:35
- Photoconductivity 125:155
- Photoreactivity 125:155
- Precursor 112:81
- Sol-Gel-Type 112:81
- Solid 125:155
- Solid-State 112:81
- Stability 133:39
- Structure 112:81
- Tin(IV)-Alkoxide-Compound 112:81
- Tin-Oxide 112:81

Solvatochromic

- 1,1-Dithiolate 111:237
- 1,2-Dithiolate 111:237
- Emissive-Property 111:237
- Pt(II)-Complex 111:237

Solvent-System

- Autooxidation 128:117
- Carrier 128:117
- Cyclidene-Iron(II) 128:117
- Dioxygen 128:117
- Intermediate 128:117
- Kinetics 128:117
- Variety 128:117

Speciation

- Aluminum 149:11
- Aluminum(III)-Complex 149:281
- Aluminum(III)-Heidi-System 149:281
- Metal 149:11
- Profile 149:281
- Small-Organic-Ligand 149:281
- Toxicity 149:11

Specific

- Alkylphosphoric-Acid 148:97
- Armed 148:97
- Cation-Binding-Ability 148:97
- Crown-Ether 148:97

Spectral

- Photochemical-Property 104:113
- Photophysics 104:113
- Porous 104:113
- Ru(bpy)₃²⁺ 104:113
- Vycor-Glass 104:113

Spectrophotometry

- Computer-Program 120:389
- Determination 120:389
- Equilibrium-Constant 120:389
- Mathematical-Algorithm 120:389
- Measurement 120:389
- Potentiometry 120:389

Spectroscopic-Property

- Aromatic 111:117
- Cyclometallating-Ligand 111:117
- Palladium(II)-Complex 111:117
- Pt(II)-Complex 111:117
- Terdentate-Ligand 111:117

Spectroscopy

- Alkyl-Derivative 112:131
- Alkylamine 128:225
- Aluminum 112:131
- Aluminum(III) 149:193
- Application 132:29
- Charge-Transfer 128:225
- Chromium(VI) 109:223
- Cobalt(III)-Complex 128:225
- d¹⁰ Closed-Shell-Ion 132:43
- Electron-Transfer-Reaction 132:29
- Gallium 112:131
- Interaction 149:193

- Laser 111:111, 112:131
- Magnetic-Complex 132:43
- Metal-Deposition 112:131
- Open-Shell 111:111
- Photochemistry 104:39, 128:225
- Photoinduced 132:29
- Photophysics 104:39
- Porphyrin-Quinone-System 132:29
- Precursor 112:131
- Pyrolysis 112:131
- Sandwich-Complex 111:111
- Time-Resolved-Pulsed-EPR 132:29
- Transferrin 149:193
- Transition-Metal-Alpha-Diimine-Complex 104:39
- Zerovalent 104:39

Spectrum

- Distortion 111:1
- Energy-Gap 111:1
- Excited-State 111:1
- Metal-Complex 111:1
- Pattern 111:1
- Repetitive 111:1
- Structure 111:1
- Vibronic 111:1

Spin

- C-13-Fullerene 143:169
- Cage 143:169
- Cluster 143:169
- Dual-Spin 143:169
- Exo 143:169
- Model 143:169
- n-Fold 143:169
- NMR 143:169
- Overview 143:169
- Symmetry 143:169

Spin-Chemistry

- 17.5-Tesla 132:51
- Magnetic-Field 132:51
- Photooxidation 132:51
- Ruthenium(II)-trisDiimine-Complex 132:51

Spin-Coupling

- Cluster 144:199
- Delocalization 144:199
- Electron 144:199
- Iron-Sulfur 144:199
- Orbital-Interaction 144:199

Square-Planar

- Langmuir-Blodgett-Film 111:73
- Platinum(II)-Complex 111:73
- Transition-Metal-Complex 111:73

Stability

- Amino-Acid 117:45
- Cadmium(II) 117:45

- Chelate 133:39
- Cobalt(II) 117:45
- Copper(II) 117:45
- Factor 133:39
- Macrobicyclic-Complex 133:39
- Macrocyclic-Complex 133:39
- Metal(II)-Compound 117:45
- N-Protected 117:45
- Nickel(II) 117:45
- Palladium(II) 117:45
- Solution 133:39
- Structure 117:45
- Zinc(II) 117:45

Stable-Compound

- Double-Bond 130:427
- Germanium 130:427

State-T₁

- Analysis 125:293
- Polyene 125:293
- Potential-Energy 125:293
- Raman-Spectrum 125:293
- Resonance 125:293
- Surface 125:293
- Time-Resolved 125:293

Stereochemical-Change

- Chromium(III) 132:121
- Complex 132:121
- Photoaquation 132:121
- Photosubstitution 132:121
- trans-Dicyanotetram(m)ine 132:121

Stereochemical-Principle

- Bimetallic 143:611
- Gold 143:611
- Growth 143:611
- Icosahedron 143:611
- Nickel 143:611
- Palladium 143:611
- Pathway 143:611
- Platinum 143:611
- Polyicosahedricity 143:611
- Preference 143:611
- Silver 143:611
- Site 143:611
- Strategy 143:611
- Supracluster 143:611
- Synthetic 143:611
- Trimetallic 143:611

Stereochemistry

- Carboxypeptidase-A 120:309
- Complex 120:309
- Coordination 123:1
- Copper(II)-Halide 109:181
- Electronic-Property 123:1
- Ligand 123:1
- Multiple 109:181
- Relation 123:1
- Structure 123:1
- Thermodynamic-Property 123:1

- X-Ray-Diffraction 120:309
- Zinc 120:309

Stereoselectivity

- Electron-Transfer-Reaction 109:125
- Metal-Ion-Complex 109:125

Steric-Barrier

- Achiral 148:199
- Amine 148:199
- Chiral 148:199
- Complexation 148:199
- Cyclohexane-1,2-Diol-Derivative 148:199
- Meso-Crown-Ether 148:199
- Preparation 148:199

Steric-Property

- Ligand 128:89

Sterically-Crowded

- Aluminum 130:63
- Aryloxide-Compound 130:63

Stibine-Ligand

- Bismuthine-Ligand 133:115
- Coordination-Chemistry 133:115

Storage

- Ferritin 144:347
- Iron 144:347
- Molecular-Aspect 144:347
- Uptake 144:347

Strategy

- Bimetallic 143:611
- Bottom-Up 132:1
- Gold 143:611
- Growth 143:611
- Icosahedron 143:611
- Luminescence 132:1
- Metal-Complex 132:1
- Nanometric-Dimension 132:1
- Nickel 143:611
- Palladium 143:611
- Pathway 143:611
- Platinum 143:611
- Polyicosahedricity 143:611
- Preference 143:611
- Redox-Active 132:1
- Silver 143:611
- Site 143:611
- Stereochemical-Principle 143:611
- Supracluster 143:611
- Synthetic 143:611
- Trimetallic 143:611

Strength

- Atom 119:1
- Calculation 119:1
- Crystal-Field 119:1
- Donor 119:1
- Europium-Complex 119:1
- Organic-Ligand 119:1

- Oxygen 119:1
- Parameter 119:1
- Scalar 119:1
- Symmetry 119:1

Strong-Binder

- Aza-Cage 120:223
- Fast-Proton-Sponge 120:223
- Lithium 120:223
- Small 120:223

Structural-Analysis

- Aluminum(III)-Complex 149:59
- Biologically-Relevant 149:59
- X-Ray 149:59

Structural-Aspect

- Aza-Macrocyclic 120:51
- Coordination 105:61
- Copper(I)-Compound 126:71
- Derivative 135/136:429
- Enzymatic-Action 135/136:429
- Enzyme 135/136:429
- Grignard-Reagent 135/136:287
- Metal-Complex 135/136:429
- Polynuclear-Complex 120:51
- Relation 135/136:429
- Thermodynamic-Aspect 120:51
- Thiamine 135/136:429
- Thiophene 105:61
- Transition-Metal-Complex 105:61
- Transition-Metal-Compound 120:51

Structural-Feature

- Atrane 137:233
- Chemical-Feature 137:233
- Main-Group 137:233

Structural-Flexibility

- Bonding 120:361
- Capability 120:361
- Ligand 120:361
- Transition-Metal 120:361

Structural-Pattern

- Inorganic-Derivative 147:117
- Organoantimony 147:117
- Oxodiorganophosphorus-Ligand 147:117
- Thiodiorganophosphorus-Ligand 147:117

Structural-Response

- Change 117:159
- Coordination-Compound 117:159
- Electronic-Response 117:159
- Environment 117:159
- Molecular 117:159
- Molecule 117:159

Structural-Study

- Biological-Study 123:49
- Copper(II) 123:49

- Thiosemicarbazone-Complex 123:49

Structural-Survey

- Coordination-Chemistry 112:227
- Crown-Ether 112:227
- Organoaluminum 112:227
- Oxygen 112:227
- Sulfur 112:227
- Technetium-Complex 135/136:325

Structure

- Adduct 126:1
- Amino-Acid 117:45
- Azaporphyrin 147:41
- Azole-Containing-Ligand 104:143
- Beta-Fluorosultone 112:47
- Bonding 145:27, 147:87
- Bridging-Ligand 126:319
- Cadmium(II) 117:45
- Carbohydrate 122:171
- Ceramics 112:81
- Cluster 144:1
- Cluster-Stabilized-Cation 143:331
- Cobalt(II) 117:45
- Complex-Formation 147:41
- Condensation 112:81
- Coordination 122:171, 123:1
- Coordination-Compound 104:143
- Copper 104:143
- Copper(II) 117:45
- Cyclodextrin 148:115
- Distortion 111:1
- Effective-Core-Potential 147:87
- Electronic-Property 123:1
- Electronic-State 132:35
- Electronic-Structure 111:145
- Element 145:27
- Energy-Gap 111:1
- Environment 126:1
- Excited-State 111:1
- Extramembraneous-Antenna 148:183
- Function 122:171
- Green 148:183
- Heavier 145:27
- High-Valent 144:1
- Hydrolysis 112:81
- Ligand 123:1, 126:1
- Linear-Chain 111:145
- Mechanism 144:1
- Metal 122:171
- Metal(II)-Compound 117:45
- Metal-Chelate 126:1
- Metal-Complex 111:1
- Model-System 104:143

- Molecular-Dynamics 143:331
- N-Donor 126:319
- N-Protected 117:45
- Nickel(II) 117:45
- Oxomanganese 144:1
- Oxygen-Evolving-Center 144:1
- p-Block 145:27
- Palladium(II) 117:45
- Pattern 111:1, 126:319
- Phosphine-Complex 145:27
- Photosynthetic-Bacterium 148:183
- Photosystem 144:1
- Platinum(II)-Diimine-Complex 111:145
- Polymer 148:115
- Precursor 112:81
- Preparation 148:115
- Property 132:35
- Protein 104:143
- Reaction 147:41
- Reaction-Center 147:41
- Reactivity 112:47, 126:319, 143:331, 147:87
- Relation 123:1
- Repetitive 111:1
- Ruthenium(I)-Complex 126:319
- Satellite 132:35
- Schiff-Base 126:1
- Sol-Gel-Type 112:81
- Solid-State 112:81
- Solution 112:81
- Spectrum 111:1
- Stability 117:45
- Stereochemistry 123:1
- Supramolecular 148:183
- Supramolecule 148:115
- Synthesis 112:47, 126:319, 143:331
- Tetracoordinated 126:1
- Thermodynamic-Property 123:1
- Thioether 104:143
- Tin(IV)-Alkoxide-Compound 112:81
- Tin-Oxide 112:81
- Transition-Metal 147:87
- Transition-Metal-Complex 132:35
- Type-I 104:143
- Vibrational 132:35
- Vibronic 111:1
- Zinc(II) 117:45

Subpicosecond

- Photochemistry 111:337
- Primary-Step 111:337
- Tungsten 111:337

Substituent

- Center 137:53

- Coordination-Compound 137:53
- Donor-Acceptor-Interaction 137:53
- Group 137:53
- Intramolecular 137:53
- Main-Group 137:53
- N,N',N'-Trimethylethylene-diamine 137:53
- Phosphorus 137:53
- Silicon 137:53
- Transition-Metal-Complex 137:53

Substitution-Reaction

- Coordination-Complex 110:213
- Mechanism 110:213
- Octahedral 110:213

Substrate

- Luminescence 132:181
- Molecular-Recognition 132:181
- Supramolecule 132:181
- Triggered 132:181

Successive

- Binary-Complex 122:227
- Case-Study 122:227
- Equilibrium 122:227
- Intramolecular 122:227
- Metal-Ion 122:227
- N,N-bis(2-Hydroxyethyl)-Glycinate 122:227
- Quantification 122:227

Sulfoxide

- Deoxygenation 139:375
- Mediated 139:375
- Metal-Ion 139:375

Sulfur

- Catenated 112:169
- Coordination-Chemistry 112:227
- Crown-Ether 112:227
- Fluorinated-Compound 112:169
- Nitrogen-Atom 112:169
- Organoaluminum 112:227
- Oxygen 112:169, 112:227
- Structural-Survey 112:227

Sulfur-Nitrogen-Phosphorus-

- Polymer 137:109

Sulfur-Bridged

- Coordination-Compound 123:73
- Molybdenum 123:73
- Synthesis 123:73
- Tungsten 123:73

Sunlight

- Artificial-Leaf 111:167
- Efficient 111:167
- Electricity 111:167
- Generation 111:167
- Molecular 111:167

- Photovoltaics 111:167

Superconductor

- 1,3-Dithiole-2-Thione-4,5-Dithiolate 110:115
- Metal-Complex 110:115
- Molecular-Metal 110:115

Suprabiotic-System

- Activation 105:181
- Air 105:181
- Alkane 105:181
- Catalyzed 105:181
- Light 105:181
- Metalloporphyrin 105:181
- Oxidation 105:181
- Selective 105:181

Supracluster

- Bimetallic 143:611
- Gold 143:611
- Growth 143:611
- Icosahedron 143:611
- Nickel 143:611
- Palladium 143:611
- Pathway 143:611
- Platinum 143:611
- Polyicosahedricity 143:611
- Preference 143:611
- Silver 143:611
- Site 143:611
- Stereochemical-Principle 143:611
- Strategy 143:611
- Synthetic 143:611
- Trimetallic 143:611

Supramolecular

- Armed 148:1
- Assembly 148:1
- Coordination-Compound 120:237
- Crown-Ether-Complex 148:1
- Extramembraneous-Antenna 148:183
- Green 148:183
- Molecular 125:75
- Photochemistry 125:75
- Photosynthetic-Bacterium 148:183
- Redox-Process 120:237
- Structure 148:183

Supramolecular-Device

- Lanthanide-Complex 123:201
- Luminescence 123:201
- Photochemical-Device 123:201

Supramolecule

- Cyclodextrin 148:115
- Luminescence 132:181
- Molecular-Recognition 132:181
- Polymer 148:115
- Preparation 148:115
- Structure 148:115

- Substrate 132:181

- Triggered 132:181

Surface

- Analysis 125:293
- Polyene 125:293
- Potential-Energy 125:293
- Raman-Spectrum 125:293
- Resonance 125:293
- State- T_1 125:293
- Time-Resolved 125:293

Survey

- Aromatic 106:227
- Bjerrum-Jannik 139:3
- Bridging-Ligand 106:227
- Celebration 139:3
- Inorganic-Life 139:3
- Nitrogen-Heterocycle 106:227

Symmetry

- Atom 119:1
- C-13-Fullerene 143:169
- Cage 143:169
- Calculation 119:1
- Cluster 143:169
- Crystal-Field 119:1
- Donor 119:1
- Dual-Spin 143:169
- Europium-Complex 119:1
- Exo 143:169
- Model 143:169
- n-Fold 143:169
- NMR 143:169
- Organic-Ligand 119:1
- Overview 143:169
- Oxygen 119:1
- Parameter 119:1
- Scalar 119:1
- Spin 143:169
- Strength 119:1

Synthesis

- Ammonium-Cation 148:301
- Application 147:339
- Artificial-Metalloprotein 148:301
- Beta-Fluorosultone 112:47
- Binding-Property 148:301
- Bridging-Ligand 126:319
- Cluster 120:259
- Cluster-Stabilized-Cation 143:331
- Conformation 148:301
- Coordination-Compound 123:73
- Design 148:301
- Diazoalkane-Complex 139:281
- Macrocyclic 148:301
- Main-Group-Element 120:259
- Metal-Complex 147:339
- Metal-Organic 148:301
- Metallophilic-Property 148:71

- Mixed 120:259

- Molecular-Dynamics 143:331

- Molybdenum 123:73

- N,N'-Ethylene-Bridged-Dipeptide-Unit 148:301

- N-Donor 126:319

- Pattern 126:319

- Polypyrrole-Film 147:339

- Pseudopeptide 148:301

- Reactivity 112:47, 120:259, 126:319, 139:281, 143:331

- Reagent 105:35

- Ruthenium(I)-Complex 126:319

- Small 120:259

- Structure 112:47, 126:319, 143:331

- Sulfur-Bridged 123:73

- Thiocrown-Ether 148:71

- Transition-Metal 120:259

- Transition-Metal-Propargyl-Complex 105:35

- Troponoid 148:71

- Tungsten 123:73

- Versatile 105:35

Synthetic

- Bimetallic 143:611
- Gold 143:611
- Growth 143:611
- Icosahedron 143:611
- Nickel 143:611
- Palladium 143:611
- Pathway 143:611
- Platinum 143:611
- Polyicosahedricity 143:611
- Polynuclear-Complex 120:87
- Preference 143:611
- Silver 143:611
- Site 143:611
- Stereochemical-Principle 143:611
- Strategy 143:611
- Supracluster 143:611
- Theoretical-Aspect 120:87
- Transition-Metal 120:87
- Trimetallic 143:611

Synthetic-Polymer

- Aqueous-Solution 120:29
- Interaction 120:29
- Ionic 120:29
- Ionizable 120:29

Systematic

- Associative 143:265
- Cluster 143:265
- Kinetics 143:265
- Metal-Carbonyl 143:265
- Reaction 143:265
- Ruthenium 143:265

Tailor-Made

- Coordination-Compound 132:75
- Photochemistry 132:75

Tantalum 127:171

- 1992 138:181
- 1993 146:17
- Coordination-Chemistry 113:1
- Niobium 113:1, 146:17

TCNE

- Coordination-Chemistry 129:157
- Pi-Acceptor 129:157
- Polynitrile 129:157
- TCNQ 129:157

TCNQ

- Coordination-Chemistry 129:157
- Pi-Acceptor 129:157
- Polynitrile 129:157
- TCNE 129:157

Technetium 131:153

- 1990 134A:75
- 1992 142:21
- 1993 146A:191

Technetium-Complex

- Structural-Survey 135/136:325

Tellurium

- Intramolecular-Coordination 135/136:469

Tellurium-Nitrogen-Compound

- Characterization 130:301
- Preparation 130:301
- Property 130:301
- Selenium-Nitrogen-Compound 130:301

Telluroether-Ligand

- Coordination-Chemistry 122:109
- Selenoether-Ligand 122:109

Terdendate-Ligand

- Aromatic 111:117
- Cyclometallating-Ligand 111:117
- Palladium(II)-Complex 111:117
- Pt(II)-Complex 111:117
- Spectroscopic-Property 111:117

Ternary-Complex

- Aluminum-Fluoride 149:23
- Binary-Complex 104:1
- Ligand 149:23
- Nucleoside 104:1
- Nucleotide 104:1
- Palladium(II) 104:1
- Peptide 104:1

Terpyridine-Type-Complex

- Dinuclear 132:209
- Energy-Transfer 132:209
- Intramolecular 132:209

- Osmium(II) 132:209
- Phenyl-Bridge 132:209
- Rod-Like 132:209
- Ruthenium(II) 132:209

Tertiary-Phosphine-Complex

- NMR-Spectroscopy 114:61
- Phosphorus-31 114:61
- Solid-State 114:61

Tetracoordinated

- Adduct 126:1
- Environment 126:1
- Ligand 126:1
- Metal-Chelate 126:1
- Schiff-Base 126:1
- Structure 126:1

tetrakis(Pyrophosphito)-**Diplatinate(II)**

- Alcohol 105:23
- Hydrocarbon 105:23
- Photoreaction 105:23

Tetrametallic-System

- Chemistry 143:637
- Cluster 143:637
- Electron-Pair 143:637
- Limitation 143:637
- Organometallics 143:637
- Polyhedral 143:637
- Skeletal 143:637
- Theory 143:637
- Trimetallic-System 143:637

Tetranuclear

- Cluster 132:129
- Control 111:227
- Copper(I)-Halide 132:129
- Direction 111:227
- Electronic-Energy 111:227
- Luminescence 111:227
- Made-to-Order 111:227
- Metal-Complex 111:227
- Overview 132:129
- Photochemistry 132:129
- Photophysics 132:129
- Transfer 111:227

Thallium(I)

- Cation-Binding 148:171
- Crown-Ether 148:171
- Selective 148:171

Theoretical-Analysis

- Bond 123:149
- Complex-Metal-Ligand 123:149
- Group 123:149
- Multiple 123:149
- Transition-Metal 123:149

Theoretical-Approach

- Chemical-Reactivity 108:163
- Electronic-Structure 108:163
- Transition-Metal-Compound 108:163

Theoretical-Aspect

- Polynuclear-Complex 120:87
- Synthetic 120:87
- Transition-Metal 120:87

Theoretical-Development

- Photochemistry 111:175

Theoretical-View

- Polyhydride 135/136:845
- Transition-Metal-Complex 135/136:845

Theory

- Chemistry 143:637
- Cluster 143:637
- Electron-Pair 143:637
- Limitation 143:637
- Organometallics 143:637
- Polyhedral 143:637
- Skeletal 143:637
- Tetrametallic-System 143:637
- Trimetallic-System 143:637

Thermal-Reaction

- High-Pressure 114:269
- Mechanistic 114:269
- Pentacyanoferrate-Complex 114:269
- Photochemical-Reaction 114:269

Thermochemistry

- Coordination-Compound 119:29

Thermodynamic-Aspect

- Aluminum 149:113
- Anion 110:17
- Aza-Macrocycle 120:51
- Calmodulin 149:113
- Cation 110:17
- Coordination 149:113
- Kinetics 149:113
- Polyazacycloalkane-Complex 110:17
- Polynuclear-Complex 120:51
- Structural-Aspect 120:51
- Transition-Metal-Compound 120:51

Thermodynamic-Property

- Aluminum-Complex 149:33
- Aqueous 149:33
- Coordination 123:1
- Electronic-Property 123:1
- Experimental-Determination 149:33
- Ligand 123:1
- Relation 123:1
- Stereochemistry 123:1
- Structure 123:1

Thiamine

- Derivative 135/136:429
- Enzymatic-Action 135/136:429
- Enzyme 135/136:429

- Metal-Complex 135/136:429
- Relation 135/136:429
- Structural-Aspect 135/136:429
- Thioamide**
 - Copper-Complex 129:91
 - Heterocyclic-Ligand 129:91
- Thiocrown-Ether**
 - Metallophilic-Property 148:71
 - Synthesis 148:71
 - Troponoid 148:71
- Thiocyanate**
 - Bonded 135/136:587
 - Cobalt(III) 135/136:587
 - Isomerism 135/136:587
 - Linkage 135/136:587
- Thiocyanate-Group**
 - Bonding-Property 140:115
 - Copper(I)-Complex 140:115
 - Copper(II)-Complex 140:115
- Thiodiorganophosphorus-Ligand**
 - Inorganic-Derivative 147:117
 - Organoantimony 147:117
 - Oxodiorganophosphorus-Ligand 147:117
 - Structural-Pattern 147:117
- Thioether**
 - Azole-Containing-Ligand 104:143
 - Coordination-Compound 104:143
 - Copper 104:143
 - Model-System 104:143
 - Protein 104:143
 - Structure 104:143
 - Type-I 104:143
- Thiooxalate-Ligand**
 - Coordination-Chemistry 121:43
- Thiophene**
 - Coordination 105:61
 - Structural-Aspect 105:61
 - Transition-Metal-Complex 105:61
- Thiosemicarbazone-Complex**
 - Biological-Study 123:49
 - Copper(II) 123:49
 - Structural-Study 123:49
- Three-Dimensional-Structure**
 - Aluminum(III) 149:179
 - Complexation 149:179
 - Molecular-Modeling 149:179
 - NMR 149:179
 - Peptide 149:179
 - Thymic-Hormone 149:179
- Three-Dimensional-Structure**
 - 149:179
- Tict-Forming-Dye**
 - Effect 125:301
 - Medium 125:301
 - Photochemistry 125:301
 - Photophysics 125:301
 - Polarity 125:301
- Time-Resolved**
 - Analysis 125:293
 - Excited-State 125:101
 - Infrared-Spectroscopy 125:101
 - Polyene 125:293
 - Potential-Energy 125:293
 - Raman-Spectrum 125:293
 - Resonance 125:293
 - State-T₁ 125:293
 - Surface 125:293
 - Transition-Metal-Species 125:101
- Time-Resolved-EPR**
 - Crowned 132:57
 - Dimer 132:57
 - Interaction 132:57
 - Interplanar 132:57
 - Metal-Free-Complex 132:57
 - Phthalocyanine 132:57
 - Porphyrin 132:57
 - Triplet 132:57
 - Zinc 132:57
- Time-Resolved-ESR**
 - Copper(II)-Free-Base 132:243
 - Dimer 132:243
 - Energy-Transfer 132:243
 - Porphyrin 132:243
 - Process 132:243
 - Triplet-Triplet 132:243
- Time-Resolved-Pulsed-EPR**
 - Application 132:29
 - Electron-Transfer-Reaction 132:29
 - Photoinduced 132:29
 - Porphyrin-Quinone-System 132:29
 - Spectroscopy 132:29
- Tin**
 - Bidentate 130:175
 - Chelate 130:175
 - Donor 130:175
 - Germanium 130:175
 - Oxygen 130:175
 - Silicon 130:175
- Tin(IV)-Alkoxide-Compound**
 - Ceramics 112:81
 - Condensation 112:81
 - Hydrolysis 112:81
 - Precursor 112:81
 - Sol-Gel-Type 112:81
 - Solid-State 112:81
- Solution 112:81
- Structure 112:81
- Tin-Oxide 112:81
- Tin-Oxide**
 - Ceramics 112:81
 - Condensation 112:81
 - Hydrolysis 112:81
 - Precursor 112:81
 - Sol-Gel-Type 112:81
 - Solid-State 112:81
 - Solution 112:81
 - Structure 112:81
 - Tin(IV)-Alkoxide-Compound 112:81
- Titanium** 127:39
 - 1992 138:71
 - 1993 146:1
 - Carboxylate 135/136:93
 - Complex 135/136:93
 - Coordination-Chemistry 135/136:93
 - Cyclopentadienyl 135/136:93
- Titanium-Oxide**
 - Atrazine 125:183
 - Irradiated 125:183
 - Nitrobenzene 125:183
 - Nitrogen-Containing-Organic-Compound 125:183
 - Phototransformation 125:183
 - Semiconductor-Metal-Oxide 125:183
 - Zinc-Oxide 125:183
- Topology**
 - Coordination-Chemistry 122:91
 - Graph-Theory 122:91
 - Mathematical-Method 122:91
 - Metal-Cluster 122:91
 - Polyhedral-Isomerization 122:91
- Toxicity**
 - Aluminum 149:11, 149:241
 - Aluminum(III) 112:33
 - Bioinorganic-Chemistry 112:33
 - Chemical-Speciation 149:241
 - Metabolism 149:241
 - Metal 112:33, 149:11
 - Relation 149:241
 - Relevant 112:33
 - Speciation 149:11
- trans-Dicyanotetram(m)ine**
 - Chromium(III) 132:121
 - Complex 132:121
 - Photoaquation 132:121
 - Photosubstitution 132:121
 - Stereochemical-Change 132:121
- Transfer**
 - CO-Substitution 128:69
 - Control 111:227
 - Direction 111:227

- Electronic-Energy 111:227
- Kinetics 128:69
- Luminescence 111:227
- Made-to-Order 111:227
- Metal-Carbonyl 128:69
- Metal-Complex 111:227
- Oxygen-Atom 128:69
- Presence 128:69
- Reagent 128:69
- Tetranuclear 111:227

Transfer-Reaction

- Electron 122:41
- Exchange 122:41
- Heteropoly 122:41
- Main-Group-Compound 112:215
- One-Electron 112:215
- Oxometalate 122:41
- Redox-Chemistry 112:215

Transferrin

- Aluminum(III) 149:193
- Interaction 149:193
- Spectroscopy 149:193

Transient

- Dioxophosphorane 137:525
- Metaphosphate 137:525
- Practical-Aspect 137:525

Transition

- Charge-Transfer 132:259
- Ligand 132:259
- Metal 132:259
- Metal-Assembled 148:63
- Metal-Coordinated 147:299
- Model 148:63
- Multiporphyrinic-System 148:63
- Nitrile 147:299
- Osmium(III)-Complex 132:259
- Photosynthetic 148:63
- Reaction 147:299
- Reaction-Center 148:63
- Ruthenium(III)-Complex 132:259
- Substituted-2,2'-Bipyridine 132:259

Transition-Metal

- 1993 141:153, 141:371
- 1994 147:443, 147:547
- Advanced-Material 117:215
- Annual-Survey 141:153, 141:371, 147:547
- Application 147:547
- Aqua-Ion 135/136:623
- Axial-Coordination 140:169
- Azaferrocene 140:169
- Bond 123:149
- Bonding 120:361, 147:87
- Capability 120:361
- Charge-Separation 132:15

- Cluster 120:259, 143:407
 - Cluster-Complex 143:535
 - Complex-Metal-Ligand 123:149
 - Coordination-Chemistry 117:215
 - Cyclopentadienyl 116:1, 143:535
 - Design 132:15
 - Effective-Core-Potential 147:87
 - Excited-State 132:15
 - Future 125:63
 - Group 123:149
 - Group-9 143:535
 - Half-Sandwich-Complex 116:1
 - Homogeneous-Catalysis 143:407
 - Hydroformylation 141:371, 147:547
 - Ligand 120:361
 - Liquid-Crystal 117:215
 - Macrocyclic-Complex 140:169
 - Main-Group-Element 120:259
 - Metal 143:535
 - Mixed 120:259
 - Monosubstituted 116:1
 - Multiple 123:149
 - Octacyanide 125:63
 - Organic-Synthesis 141:153, 141:371, 147:443
 - Organometallics 135/136:623
 - Oxidation 141:371
 - Oxygen-Anion 143:407
 - Past 125:63
 - Photoactivation 140:169
 - Photochemistry 125:63
 - Polynuclear-Complex 120:87
 - Preparation 132:15
 - Present 125:63
 - Reactivity 120:259, 147:87
 - Reduction 141:371
 - Small 120:259
 - Structural-Flexibility 120:361
 - Structure 147:87
 - Synthesis 120:259
 - Synthetic 120:87
 - Theoretical-Analysis 123:149
 - Theoretical-Aspect 120:87
 - Triad-System 132:15
- Transition-Metal-Alpha-Diimine-Complex**
- Photochemistry 104:39
 - Photophysics 104:39
 - Spectroscopy 104:39
 - Zerovalent 104:39
- Transition-Metal-Carbonyl-Complex**
- Main-Group-Metal-Alkoxide 137:297

- Metal-Atom 137:297
- Mixed 137:297
- One-Dimensional-Arrangement 137:297

Transition-Metal-Dihydrogen-Complex

- Reaction 121:155

Transition-Metal-Propargyl-Complex

- Reagent 105:35
- Synthesis 105:35
- Versatile 105:35

Transition-Metal-Boride

- Cluster 143:297
- Molecular-Level 143:297

Transition-Metal-Carbonyl

- Coordination-Chemistry 105:195
- Polychalcogen-Anion 105:195

Transition-Metal-Center

- Alkyne 104:13
- Cyanide 104:13
- Dinitrogen-Binding 104:13
- Isocyanide 104:13
- Reaction 104:13

Transition-Metal-Complex

- Bonding 135/136:737
- Bound 114:249
- Carbon-Dioxide 132:195, 140:37
- Carbon-Disulfide 140:37
- Carbonyl-Sulfide 140:37
- Center 137:53
- Coordination 105:61
- Coordination-Compound 137:53
- Donor-Acceptor-Interaction 137:53
- Electron-Transfer 123:169
- Electronic-State 132:35
- Energetic 135/136:737
- Exchange-Rate 114:249
- Group 137:53
- Hydrogen 114:249
- Inert 114:249
- Intramolecular 137:53
- Isotope 114:249
- Kinetics 123:169
- Langmuir-Blodgett-Film 111:73
- Main-Group 137:53
- N,N',N'-Trimethylethylene-diamine 137:53
- Nonaqueous 123:169
- Olefin 111:325
- Outer-Sphere 123:169
- Phosphorus 137:53
- Phosphorus(III)-Ligand 135/136:737

- Photochemical-Activation 111:325, 132:195
- Photopolymerization 111:97
- Platinum(II)-Complex 111:73
- Polyamine 114:249
- Polyhydride 135/136:845
- Property 132:35
- Reactivity 140:37
- Satellite 132:35
- Silicon 137:53
- Square-Planar 111:73
- Structural-Aspect 105:61
- Structure 132:35
- Substituent 137:53
- Theoretical-View 135/136:845
- Thiophene 105:61
- Vibrational 132:35
- Transition-Metal-Complex** |d^s→
 - Electron-Paramagnetic-Resonance 135/136:203
 - Low-Spin 135/136:203
- Transition-Metal-Compound**
 - Aza-Macrocyclic 120:51
 - Chemical-Reactivity 108:163
 - Electronic-Structure 108:163
 - Polynuclear-Complex 120:51
 - Structural-Aspect 120:51
 - Theoretical-Approach 108:163
 - Thermodynamic-Aspect 120:51
- Transition-Metal-Directed**
 - 2-Catenane 148:249
 - Architecture 148:249
 - Assembly 148:249
 - Large 148:249
 - Macrocyclic 148:249
 - Organic 148:249
 - Void 148:249
 - Well-Defined 148:249
- Transition-Metal-Fluoride**
 - Hydrogen-Bonding 105:221
- Transition-Metal-Species**
 - Excited-State 125:101
 - Infrared-Spectroscopy 125:101
 - Time-Resolved 125:101
- Transport**
 - Aluminum 149:347
 - Binding 149:347
 - Serum-Protein 149:347
- Triad**
 - Charge 111:291
 - Covalent-Link 111:291
 - Dyad 111:291
 - Electron-Acceptor 111:291
 - Electron-Donor 111:291
 - Osmium(II)-bis-Terpyridine 111:291
 - Photoinduced 111:291
 - Photosensitizer 111:291
 - Ruthenium(II)-bis-Terpyridine 111:291
 - Separation 111:291
- Triad-System**
 - Charge-Separation 132:15
 - Design 132:15
 - Excited-State 132:15
 - Preparation 132:15
 - Transition-Metal 132:15
- Trichlorostannyl-Complex**
 - Electronic-Spectrum 132:23
 - Photochemistry 132:23
 - Platinum(II) 132:23
 - Rhodium(III) 132:23
- Triggered**
 - Luminescence 132:181
 - Molecular-Recognition 132:181
 - Substrate 132:181
 - Supramolecule 132:181
- Trimetallic**
 - Bimetallic 143:611
 - Gold 143:611
 - Growth 143:611
 - Icosahedron 143:611
 - Nickel 143:611
 - Palladium 143:611
 - Pathway 143:611
 - Platinum 143:611
 - Polycosahedricity 143:611
 - Preference 143:611
 - Silver 143:611
 - Site 143:611
 - Stereochemical-Principle 143:611
 - Strategy 143:611
 - Supracluster 143:611
 - Synthetic 143:611
- Trimetallic-System**
 - Chemistry 143:637
 - Cluster 143:637
 - Electron-Pair 143:637
 - Limitation 143:637
 - Organometallics 143:637
 - Polyhedral 143:637
 - Skeletal 143:637
 - Tetrametallic-System 143:637
 - Theory 143:637
- Trimethylethylenediamine** |N,N',N'→
 - Center 137:53
 - Coordination-Compound 137:53
 - Donor-Acceptor-Interaction 137:53
 - Group 137:53
 - Intramolecular 137:53
 - Main-Group 137:53
 - Phosphorus 137:53
 - Silicon 137:53
 - Substituent 137:53
 - Transition-Metal-Complex 137:53
- Triosmium-Dodecacarbonyl**
 - Derivative 121:131
 - Oxy ligand 121:131
- Triphosphate**
 - Aluminum-Complex 149:95
 - Binding-Protein 149:95
 - Diphosphate 149:95
 - Nucleoside 149:95
- Triplet**
 - Crowned 132:57
 - Dimer 132:57
 - Interaction 132:57
 - Interplanar 132:57
 - Metal-Free-Complex 132:57
 - Phthalocyanine 132:57
 - Porphyrin 132:57
 - Time-Resolved-EPR 132:57
 - Zinc 132:57
- Triplet-Triplet**
 - Copper(II)-Free-Base 132:243
 - Dimer 132:243
 - Energy-Transfer 132:243
 - Porphyrin 132:243
 - Process 132:243
 - Time-Resolved-ESR 132:243
- Tripodal-Ligand**
 - Control 120:193
 - Organometallic-Reaction 120:193
 - Polyphosphine 120:193
 - Selectivity 120:193
- tris(Bipyridine)**
 - Bridging-Ligand 111:255
 - Component 111:255
 - Energy-Transfer 111:255
 - Osmium-Based 111:255
 - Polynuclear-Complex 111:255
 - Ruthenium-Based 111:255
- Troponoid**
 - Metallophilic-Property 148:71
 - Synthesis 148:71
 - Thiocrown-Ether 148:71
- Tungsten** 127:65
 - 1992 138:39
 - Biocatalytic-Complex 143:35
 - Confacial 143:35
 - Coordination-Compound 123:73
 - Molybdenum 123:73, 143:35
 - Photochemistry 111:337
 - Primary-Step 111:337
 - Subpicosecond 111:337
 - Sulfur-Bridged 123:73
 - Synthesis 123:73
- Turnover**
 - Comparison 125:173

- Heterogeneous 125:173
- Number 125:173
- Parameter 125:173
- Photocatalysis 125:173
- Photon-Absorption 125:173
- Quantitative 125:173
- Rate 125:173
- Type-I**
 - Azole-Containing-Ligand 104:143
 - Coordination-Compound 104:143
 - Copper 104:143
 - Model-System 104:143
 - Protein 104:143
 - Structure 104:143
 - Thioether 104:143
- Unified-Picture**
 - Alkane 126:93
 - Bare 126:93
 - Gas-Phase-Chemistry 126:93
 - Metal-Ion 126:93
 - Monosubstituted 126:93
 - R-X-Molecule 126:93
 - Reaction 126:93
- United-States**
 - Bailar-John 128:1
 - Coordination-Chemistry 128:1
 - Father 128:1
- Unsaturated**
 - Acyclic-Ligand 137:201
 - Coordination-Chemistry 137:201
 - Cyclic-Ligand 137:201
 - PNS 137:201
 - PNSE 137:201
- Unsaturated-Hydrocarbon**
 - Coordination 109:207
 - Coupling-Reaction 109:207
 - Equilibrium 109:207
 - Metal-Center 109:207
- Uptake**
 - Ferritin 144:347
 - Iron 144:347
 - Molecular-Aspect 144:347
 - Storage 144:347
- Vanadium**
 - 1990 146:203
 - Biological-System 109:61
 - Coordination-Chemistry 109:61, 114:107
 - Metal-Oxide 114:107
 - Molybdenum 114:107
 - Solubility 114:107
- Variety**
 - Autooxidation 128:117
 - Carrier 128:117
 - Cyclidene-Iron(II) 128:117
 - Dioxygen 128:117
 - Intermediate 128:117
 - Kinetics 128:117
 - Solvent-System 128:117
- Vectorial**
 - Cyanobridged 111:261
 - Design 111:261
 - Energy-Transfer 111:261
 - Intramolecular 111:261
 - Long-Chain 111:261
 - Photoinduced 111:261
 - Polynuclear 111:261
 - Polynuclear-Species 111:261
 - Ruthenium(II)-Polypyridine-Complex 111:261
- Versatile**
 - Benzamidine 137:403
 - Building-Block 137:403
 - Coordination-Chemistry 137:403
 - Main-Group 137:403
 - N-Silylated 137:403
 - Reagent 105:35
 - Synthesis 105:35
 - Transition-Metal-Propargyl-Complex 105:35
- Vibrational**
 - Electronic-State 132:35
 - Property 132:35
 - Satellite 132:35
 - Structure 132:35
 - Transition-Metal-Complex 132:35
- Vibronic**
 - Distortion 111:1
 - Energy-Gap 111:1
 - Excited-State 111:1
 - Metal-Complex 111:1
 - Pattern 111:1
 - Repetitive 111:1
 - Spectrum 111:1
 - Structure 111:1
- Vitamin-B12**
 - Derivative 111:215
 - Photochemical-Reaction 111:215
- Void**
 - 2-Catenane 148:249
 - Architecture 148:249
 - Assembly 148:249
 - Large 148:249
 - Macrocycle 148:249
 - Organic 148:249
 - Transition-Metal-Directed 148:249
 - Well-Defined 148:249
- Volatile**
 - Barium 128:285
 - Beta-Diketonate 128:285
 - MOCVD-Precursor 128:285
- Vycor-Glass**
 - Photochemical-Property 104:113
 - Photophysics 104:113
 - Porous 104:113
 - Ru(bpy)₃²⁺ 104:113
 - Spectral 104:113
- Water**
 - Aqueous-Solution 143:97
 - Buildup 143:97
 - Cluster 143:97
 - Multinuclear 143:97
 - Organometallic-Compound 143:97
- Well-Defined**
 - 2-Catenane 148:249
 - Architecture 148:249
 - Assembly 148:249
 - Large 148:249
 - Macrocycle 148:249
 - Organic 148:249
 - Transition-Metal-Directed 148:249
 - Void 148:249
- Williams-Robert-JP**
 - Celebration 122:3
 - Inorganic-Life 122:3
 - Interview 122:3
- X-Ray**
 - Aluminum(III)-Complex 149:59
 - Biologically-Relevant 149:59
 - Structural-Analysis 149:59
- X-Ray-Diffraction**
 - Carboxypeptidase-A 120:309
 - Complex 120:309
 - Stereochemistry 120:309
 - Zinc 120:309
- XAFS**
 - Dinuclear 144:245
 - Metal 144:245
 - Model-Compound 144:245
 - Protein 144:245
 - Site 144:245
- Yamada-Shoichiro**
 - Interview 133:11
- Yamasaki-Kazuo**
 - Interview 133:3
- Yamatera-Hideo**
 - Interview 133:33
- Yoneda-Hayami**
 - Interview 133:19
- Yttrium** 124:51, 127:139
 - 1992 138:27
 - 1993 146A:155
- Zeolite**
 - Artificial 111:193
 - Experiment 111:193
 - Photosynthesis 111:193
 - Silver 111:193

Zeolite-Encapsulated

- Biomimetics 144:39
- Catalyst 144:39
- Clay-Intercalated 144:39
- Complex 144:39
- Metal 144:39
- Model 144:39
- Overview 144:39
- Oxidation 144:39
- Phthalocyanine 144:39
- Porphyrin 144:39
- Schiff-Base 144:39

Zerovalent

- Photochemistry 104:39
- Photophysics 104:39
- Spectroscopy 104:39
- Transition-Metal-Alpha-Diimine-Complex 104:39

Zinc

- 1990 134A:99
- Carboxypeptidase-A 120:309

- Complex 120:309
- Crowned 132:57
- Dimer 132:57
- Electron-Transfer 132:223
- Interaction 132:57
- Interplanar 132:57
- Magnesium 132:223
- Metal-Free-Complex 132:57
- Myoglobin 132:223
- Photoinduced 132:223
- Phthalocyanine 132:57
- Porphyrin 132:57
- Reaction 132:223
- Stereochemistry 120:309
- Time-Resolved-EPR 132:57
- Triplet 132:57
- X-Ray-Diffraction 120:309

Zinc(II)

- Amino-Acid 117:45
- Cadmium(II) 117:45
- Cobalt(II) 117:45

- Copper(II) 117:45
- Metal(II)-Compound 117:45
- N-Protected 117:45
- Nickel(II) 117:45
- Palladium(II) 117:45
- Stability 117:45
- Structure 117:45

Zinc-Oxide

- Atrazine 125:183
- Irradiated 125:183
- Nitrobenzene 125:183
- Nitrogen-Containing-Organic-Compound 125:183
- Phototransformation 125:183
- Semiconductor-Metal-Oxide 125:183
- Titanium-Oxide 125:183

Zirconium

- 1991 134:189
- 1992 146A:91