

COORDINATION CHEMISTRY REVIEWS, VOL. 174 (1998)

AUTHOR INDEX

- | | | |
|-------------------------|-----------------------|---------------------------|
| Barnes, D.L., 255 | Hirotsu, M., 109 | Ohrenberg, C., 301 |
| Baroni, T.E., 255 | Hodel, R.R., 255 | Ökawa, H., 51 |
| Bartos, M.J., 361 | Hoshino, N., 77 | Peterman, D.R., 283 |
| Bembenek, S., 255 | Izatt, R.M., 179 | Rakowski DuBois, M., 191 |
| Blaho, J.K., 391 | Jung, K.W., 33 | Ramos-Maldonado, D., 241 |
| Borovik, A.S., 241 | Kashino, S., 109 | Reiter, W.A., 343 |
| Bowman-James, K., 343 | Kauffmann, K.E., 361 | Rheingold, A.L., 241, 301 |
| Bradshaw, J.S., 179 | Kita, M., 109 | Rickard, C.E.F., 361 |
| Cameron, J.H., 313 | Kojima, M., 109 | Riley, D.P., 133 |
| Champness, N.R., 417 | Kolchinski, A.G., 207 | Riordan, C.G., 301 |
| Choppin, G.R., 283 | Kostka, K.L., 361 | Rosair, G., 313 |
| Clarke, C.A., 313 | Krakiwicz, K.E., 179 | Schröder, M., 417 |
| Clifford, T., 343 | Laird, B.B., 255 | Scott, E.L., 313 |
| Collins, T.J., 361 | Lee, S., 343 | Slattery, S.J., 391 |
| Danby, A., 343 | Lehnes, J., 391 | Staples, R.J., 147 |
| Danks, J.P., 417 | Lever, A.B.P., 469 | Szczepura, L.F., 5 |
| Deffo, T., 343 | Liable-Sands, L., 301 | Takeuchi, K.J., 5 |
| Dodsworth, E.S., 469 | Lindoy, L.F., 327 | Takusagawa, F., 255 |
| Fackler, J.P., 147 | Liu, C.W., 147 | Uffelman, E.S., 361 |
| Fenton, D.E., 51 | McClure, M.R., 33 | Vlcek, A.A., 469 |
| Fox, B.G., 361 | Miyagawa, M., 109 | Weintraub, S.T., 361 |
| Franklin, G.W., 133 | Morton, M.D., 255 | Witham, L.M., 5 |
| Furutachi, H., 51 | Münck, E., 361 | Worrell, J.H., 33 |
| Gerges, A., 343 | Murata, M., 109 | Wright, L.J., 361 |
| Goldsby, K.A., 391 | Nakajima, K., 109 | Yap, G.P.A., 241 |
| Gordon-Wylie, S.W., 361 | Neumann, W.L., 133 | Yoshikawa, Y., 109 |
| Gorelsky, S.I., 469 | Noon, K.R., 361 | Young, V.G., Jr., 241 |
| Hammes, B.S., 241 | | Zhang, X.X., 179 |
| Heppert, J.A., 255 | | |
| Hioki, A., 109 | | |

SUBJECT INDEX

- | | |
|---|--|
| Accordion porphyrin | Alkaline-earth metal ion complex |
| Accordion porphyrins. Hybrid models for heme and binuclear monooxygenases 343 | Approaches to improvement of metal ion selectivity by cryptands 179 |
| Alkali metal ion complex | Arene activation |
| Approaches to improvement of metal ion selectivity by cryptands 179 | The activation of η^5 -pyrrole complexes toward nucleophilic attack 191 |

Aza

Chemistry of mixed nitrogen- and sulfur-donor tridentate macrocycles 417

Benzoquinonediimine

Trends in metal–ligand orbital mixing in generic series of ruthenium N-donor ligand complexes—effect on electronic spectra and redox properties, 469

Binding constants

Hydrogen bonding in tungsten (VI) salicylate free acids 255

Binuclear

Accordion porphyrins. Hybrid models for heme and binuclear monooxygenases 343

Biological activity

Anhydrooligomers of *o*-aminobenzaldehydes—the rich chemistry of the Busch macrocycles 207

Cadmium complexes

Synthesis, characterization and solution ^{113}Cd NMR analysis of Cd(II) 1,4,7,10,13-pentaazacyclopentadecane complexes 133

Carbon spectrum

High-resolution NMR analysis of cobalt(III) complexes with 1,8-diamino-3,6-dithiaoctane, 33

Chalcogenides

Copper(I) 1,1-dithiolate cluster transformations. Synthesis of $[\text{Bu}_4\text{N}]_6[\text{Cu}_6(\text{S},i\text{-MNT})_6]$, $i\text{-MNT}=[\text{S}_2\text{CC}(\text{CN})_2]^-$, from $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ with sulfur. Reaction of the cyclic hexanuclear complex with phosphine to give the tetrahedral $[\text{Bu}_4\text{N}]_4[\text{Cu}_4(i\text{-MNT})_4]$ which oxidizes in solution to give the homocubane $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ and $[\text{Bu}_4\text{N}]_2[\text{Cu}(i\text{-MNT})_2]$ 147

Chiral complex reactivity control

Structural control of reactivity in some new cyclidene complexes 313

Clusters

Copper(I) 1,1-dithiolate cluster transformations. Synthesis of $[\text{Bu}_4\text{N}]_6[\text{Cu}_6(\text{S},i\text{-MNT})_6]$, $i\text{-MNT}=[\text{S}_2\text{CC}(\text{CN})_2]^-$, from $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ with sulfur. Reaction of the cyclic hexanuclear complex with phosphine to give the tetrahedral $[\text{Bu}_4\text{N}]_4[\text{Cu}_4(i\text{-MNT})_4]$ which oxidizes in solution to give the homocubane $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ and $[\text{Bu}_4\text{N}]_2[\text{Cu}(i\text{-MNT})_2]$ 147

Cluster synthesis

Copper(I) 1,1-dithiolate cluster transformations. Synthesis of $[\text{Bu}_4\text{N}]_6[\text{Cu}_6(\text{S},i\text{-MNT})_6]$, $i\text{-MNT}=[\text{S}_2\text{CC}(\text{CN})_2]^-$, from $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ with sulfur. Reaction of the cyclic hexanuclear complex with phosphine to give the tetrahedral $[\text{Bu}_4\text{N}]_4[\text{Cu}_4(i\text{-MNT})_4]$ which oxidizes in solution to give the homocubane $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ and $[\text{Bu}_4\text{N}]_2[\text{Cu}(i\text{-MNT})_2]$ 147

Cobalt complexes

A complete series of stepwise oxidation of $[\text{Co}(2\text{-pyridinethiolato})(\text{en})_2]^{2+}$.

Characterization of the 2-pyridinesulfonato-*N,S* and -*N,O*, 2-pyridinesulfonato-*N,S* and -*N,O*, and 2-pyridinesulfonato-*N,O* complexes 109

Cobalt (III)

High-resolution NMR analysis of cobalt(III) complexes with 1,8-diamino-3,6-dithiaoctane, 33

Compartmental ligands

Heterodinuclear metal complexes of phenol-based compartmental macrocycles 51

Complexation

Chemistry of mixed nitrogen- and sulfur-donor tridentate macrocycles 417

Copper complexes

Synthesis, solid-state structure and reactivity of $[\text{PhTi}^{\text{Ph}}]\text{Cu}$ 301

Cryptand

Approaches to improvement of metal ion selectivity by cryptands 179

Cyclidene

Structural control of reactivity in some new cyclidene complexes 313

Cytochrome P450 model

Accordion porphyrins. Hybrid models for heme and binuclear monooxygenases 343

2-D NMR

High-resolution NMR analysis of cobalt(III) complexes with 1,8-diamino-3,6-dithiaoctane, 33

Dendrimer

Heavy metal ion chemistry of linked macrocyclic systems incorporating oxygen and/or sulfur in their donor sets 327

Electronic coupling

Trends in metal–ligand orbital mixing in generic series of ruthenium N-donor ligand complexes—effect on electronic spectra and redox properties, 469

Equilibrium constant

Approaches to improvement of metal ion selectivity by cryptands 179

Europium (III)

Applications of lanthanide luminescence spectroscopy to solution studies of coordination chemistry 283

Heavy-metal

Heavy metal ion chemistry of linked macrocyclic systems incorporating oxygen and/or sulfur in their donor sets 327

Heterodinuclear

Heterodinuclear metal complexes of phenol-based compartmental macrocycles 51

High valent iron complexes

Designing ligands to achieve robust oxidation catalysts. Iron based systems, 361

Hydrogen bonding

Hydrogen bonding in tungsten (VI) salicylate free acids 255

Iron-57 Mössbauer spectroscopy

Designing ligands to achieve robust oxidation catalysts. Iron based systems, 361

Lanthanide

Applications of lanthanide luminescence spectroscopy to solution studies of coordination chemistry 283

Ligand design

Designing ligands to achieve robust oxidation catalysts. Iron based systems, 361

Ligand oxidation

A complete series of stepwise oxidation of $[\text{Co}(2\text{-pyridinethiolato})(\text{en})_2]^{2+}$. Characterization of the 2-pyridinesulfenato-*N,S* and -*N,O*, 2-pyridinesulfinato-*N,S* and -*N,O*, and 2-pyridinesulfonato-*N,O* complexes 109

Ligand oxidative degradation

Designing ligands to achieve robust oxidation catalysts. Iron based systems, 361

Linked-macrocycles

Heavy metal ion chemistry of linked macrocyclic systems incorporating oxygen and/or sulfur in their donor sets 327

Liquid crystal

Liquid crystal properties of metal–salicylal-dimine complexes chemical modifications. Towards lower symmetry 77

Luminescence

Applications of lanthanide luminescence spectroscopy to solution studies of coordination chemistry 283

Macrocycle

Heterodinuclear metal complexes of phenol-based compartmental macrocycles 51

Structural control of reactivity in some new cyclidene complexes 313

Heavy metal ion chemistry of linked macrocyclic systems incorporating oxygen and/or sulfur in their donor sets 327

Chemistry of mixed nitrogen- and sulfur-donor tridentate macrocycles 417

Macrocyclic compounds

Anhydrooligomers of *o*-aminobenzaldehydes—the rich chemistry of the Busch macrocycles 207

Macrocyclic ligand

Synthesis, characterization and solution ^{113}Cd NMR analysis of $\text{Cd}(\text{II})$ 1,4,7,10,13-pentaazacyclopentadecane complexes

Manganese

Accordion porphyrins. Hybrid models for heme and binuclear monooxygenases 343

Metal

Chemistry of mixed nitrogen- and sulfur-donor tridentate macrocycles 417

Metal complex

Liquid crystal properties of metal–salicylal-dimine complexes chemical modifications. Towards lower symmetry 77

Metallomesogen

Liquid crystal properties of metal–salicylal-dimine complexes chemical modifications. Towards lower symmetry 77

Metalloprotein model

Accordion porphyrins. Hybrid models for heme and binuclear monooxygenases 343

Metallothioneins

Copper(I) 1,1-dithiolate cluster transformations. Synthesis of $[\text{Bu}_4\text{N}]_6[\text{Cu}_6(\text{S},i\text{-MNT})_6]$, $i\text{-MNT} = [\text{S}_2\text{CC}(\text{CN})_2]^-$, from $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ with sulfur. Reaction of the cyclic hexanuclear complex with phosphine to give the tetrahedral $[\text{Bu}_4\text{N}]_4[\text{Cu}_4(i\text{-MNT})_4]$ which oxidizes in solution to give the homocubane $[\text{Bu}_4\text{N}]_4[\text{Cu}_8(i\text{-MNT})_6]$ and $[\text{Bu}_4\text{N}]_2[\text{Cu}(i\text{-MNT})_2]$ 147

Monooxygenase model

Accordion porphyrins. Hybrid models for heme and binuclear monooxygenases 343

Nucleophilic addition

The activation of $\eta^5\text{-pyrrole}$ complexes toward nucleophilic attack 191

Nucleophilic substitution

The activation of η^5 -pyrrole complexes toward nucleophilic attack 191

Phenoxides

Hydrogen bonding in tungsten (VI) salicylate free acids 255

Pyrrole

The activation of η^5 -pyrrole complexes toward nucleophilic attack 191

Proton spectrum

High-resolution NMR analysis of cobalt(III) complexes with 1,8-diamino-3,6-dithiaoctane, 33

Reactivity control

Structural control of reactivity in some new cyclidene complexes 313

Ruthenium

Trends in metal–ligand orbital mixing in generic series of ruthenium N-donor ligand complexes—effect on electronic spectra and redox properties, 469

Salicylaldimine

Liquid crystal properties of metal–salicylaldimine complexes chemical modifications. Towards lower symmetry 77

Salicylates

Hydrogen bonding in tungsten (VI) salicylate free acids 255

Spectroscopy

Applications of lanthanide luminescence spectroscopy to solution studies of coordination chemistry 283

Structure

High-resolution NMR analysis of cobalt(III) complexes with 1,8-diamino-3,6-dithiaoctane, 33

Sulfenato complexes

A complete series of stepwise oxidation of $[\text{Co}(\text{2-pyridinethiolato})(\text{en})_2]^{2+}$. Characterization of the 2-pyridinesulfenato-*N,S* and -*N,O*, 2-pyridinesulfinato-*N,S* and -*N,O*, and 2-pyridinesulfonato-*N,O* complexes 109

Sulfonato complexes

A complete series of stepwise oxidation of $[\text{Co}(\text{2-pyridinethiolato})(\text{en})_2]^{2+}$. Characterization of the 2-pyridinesulfenato-*N,S* and -*N,O*, 2-pyridinesulfinato-*N,S* and -*N,O*, and 2-pyridinesulfonato-*N,O* complexes 109

Sulfonato complexes

A complete series of stepwise oxidation of $[\text{Co}(\text{2-pyridinethiolato})(\text{en})_2]^{2+}$.

Characterization of the 2-pyridinesulfenato-*N,S* and -*N,O*, 2-pyridinesulfinato-*N,S* and -*N,O*, and 2-pyridinesulfonato-*N,O* complexes 109

Sulfur ligands

Synthesis, solid-state structure and reactivity of $[\text{PhTi}^{\text{Ph}}]\text{Cu}$, 301

Supramolecular

Hydrogen bonding in tungsten (VI) salicylate free acids 255

TAAB

Anhydrooligomers of *o*-aminobenzaldehydes—the rich chemistry of the Busch macrocycles 207

Template effect

Anhydrooligomers of *o*-aminobenzaldehydes—the rich chemistry of the Busch macrocycles 207

Terbium (III)

Applications of lanthanide luminescence spectroscopy to solution studies of coordination chemistry 283

Thioether

Chemistry of mixed nitrogen- and sulfur-donor tridentate macrocycles 417

Thiolato complexes

A complete series of stepwise oxidation of $[\text{Co}(\text{2-pyridinethiolato})(\text{en})_2]^{2+}$.

Characterization of the 2-pyridinesulfenato-*N,S* and -*N,O*, 2-pyridinesulfinato-*N,S* and -*N,O*, and 2-pyridinesulfonato-*N,O* complexes 109

Transition metal

Heavy metal ion chemistry of linked macrocyclic systems incorporating oxygen and/or sulfur in their donor sets 327

TRI

Anhydrooligomers of *o*-aminobenzaldehydes—the rich chemistry of the Busch macrocycles 207

Tungsten

Hydrogen bonding in tungsten (VI) salicylate free acids 255

Zindo

Trends in metal–ligand orbital mixing in generic series of ruthenium N-donor ligand complexes—effect on electronic spectra and redox properties, 469