

COORDINATION CHEMISTRY REVIEWS, VOL. 198 (2000)

SUBJECT INDEX

- Alcohol oxidation
Active site models for galactose oxidase and related enzymes 3
- Aliphatic C–H bond activation
New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazoly)borate ligands (Tp^{R}): unique properties of $\text{Tp}^{\text{R}}\text{Co}$ -dioxygen complexes 61
- Alkynyl complex
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Antimicrobial activity
Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Aryl complex
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Au complex
P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes $\text{M}_2[\text{Au}^{\text{I}}\text{X}_2][\text{Au}^{\text{III}}\text{X}_4]$ ($\text{M} = \text{K}, \text{Rb}, \text{Cs}; \text{X} = \text{Cl}, \text{Br}, \text{I}$) 251
- Bipolaron
P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes $\text{M}_2[\text{Au}^{\text{I}}\text{X}_2][\text{Au}^{\text{III}}\text{X}_4]$ ($\text{M} = \text{K}, \text{Rb}, \text{Cs}; \text{X} = \text{Cl}, \text{Br}, \text{I}$) 251
- Cationic amphiphiles
Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Cation- π interaction
A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Clusters
Cluster synthesis by the reactions of $[\text{Cp}'_2\text{M}_2\text{S}_4]$ with metal complexes ($\text{Cp}' = \text{Cp}$ and substituted cyclopentadienyl ligands, $\text{M} = \text{Fe}, \text{Ru}$) 367
- Cobalt
New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazoly)borate ligands (Tp^{R}): unique properties of $\text{Tp}^{\text{R}}\text{Co}$ -dioxygen complexes 61
- Cobalt complex
Cobalt(III) complexes containing incomplete C_3O_4 or complete Co_4O_4 cubane core 101
- Complete cubane core
Cobalt(III) complexes containing incomplete C_3O_4 or complete Co_4O_4 cubane core 101
- Compound I
Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Copper
Assembly of imino nitroxides with $\text{Ag}(\text{I})$ and $\text{Cu}(\text{I})$ ions 329
- Coupling reaction
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Crown ether
 $[\text{Ni}(\text{dmit})_2]$ salts with supramolecular cation structure 297
- Crystal engineering
Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205
- Crystal structure
 $[\text{Ni}(\text{dmit})_2]$ salts with supramolecular cation structure 297
- $\text{Cu}(\text{II})$ complex
Active site models for galactose oxidase and related enzymes 3
- Cyanide bridge
Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313

Detection method

- A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89

Dioxygen complex

- New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazolyl)borate ligands (Tp^{R}): unique properties of $\text{Tp}^{\text{R}}\text{Co}$ -dioxygen complexes 61

Dithiocarbamate

- A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89

Double-layer compounds

- A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171

Electrical conductivity

- $[\text{Ni}(\text{dmit})_2]$ salts with supramolecular cation structure 297

Electroorganic synthesis

- Electrochemical reactions mediated by vitamin B_{12} derivatives in organic solvents 21

Enantioselective reaction

- Electrochemical reactions mediated by vitamin B_{12} derivatives in organic solvents 21

Epoxidation

- Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39

Galactose oxidase

- Active site models for galactose oxidase and related enzymes 3

Glyoxal oxidase

- Active site models for galactose oxidase and related enzymes 3

Group 10 elements

- Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377

Haldane gap

- Haldane gap systems 347

Hydrogen bond

- Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205

Hydrotris(pyrazolyl)borate

- New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazolyl)borate ligands (Tp^{R}): unique properties of $\text{Tp}^{\text{R}}\text{Co}$ -dioxygen complexes 61

Imino nitroxide

- Assembly of imino nitroxides with $\text{Ag}(\text{I})$ and $\text{Cu}(\text{I})$ ions 329

Inclusion compounds

- Novel layered structures constructed from iron–chloranilate compounds 157

Incomplete cubane core

- Cobalt(III) complexes containing incomplete C_3O_4 or complete Co_4O_4 cubane core 101

Iron

- Cluster synthesis by the reactions of $[\text{Cp}'_2\text{M}_2\text{S}_4]$ with metal complexes ($\text{Cp}' = \text{Cp}$ and substituted cyclopentadienyl ligands, $\text{M} = \text{Fe}, \text{Ru}$) 367

Iron complex

- A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89

Low dimensional magnet

- Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert*-butyl-*N*-oxyamino)benzene derivatives and $\text{Mn}(\text{II})(\text{hfac})_2$ 219

Lyotropic liquid crystals

- Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117

Macroscopic spin tunneling

- Theoretical studies on effective spin interactions, spin alignments and macroscopic spin tunneling in polynuclear manganese and related complexes and their mesoscopic clusters 265

Magnetism

- Assembly of imino nitroxides with $\text{Ag}(\text{I})$ and $\text{Cu}(\text{I})$ ions 329

Manganese complex

- Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert*-butyl-*N*-oxyamino)benzene derivatives and $\text{Mn}(\text{II})(\text{hfac})_2$ 219

Metal assemblies

- Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313

Metal complex

- Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205

Metal complex assemblies

Novel layered structures constructed from iron–chloranilate compounds 157

Metallophthalocyanine

The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231

Metalloporphyrin

The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231

1,2-Migration

Electrochemical reactions mediated by vitamin B₁₂ derivatives in organic solvents 21

Mixed-valence

P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes $M_2[Au^I X_2][Au^{III} X_4]$ ($M = K, Rb, Cs; X = Cl, Br, I$) 251

Molecular based magnet

Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert-butyl-N-oxyamino*)benzene derivatives and Mn(II)(hfac)₂ 219

Molecular-based magnets

Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313

Multi-dimensional network

Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313

Multilayer compounds

A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171

Myoglobin

Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39

Nanostructure

Hydrogen bonded 2,2'-biimidazole transition metal complexes as a tool of crystal engineering 205

[Ni(dmit)₂] complex

[Ni(dmit)₂] salts with supramolecular cation structure 297

Nitric oxide

A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89

Nitroxide radical

The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231

Non-covalent synthesis

Self-assembly of metallopyridylporphyrin oligomers 133

One-dimensional Heisenberg antiferromagnet

Haldane gap systems 347

One-dimensional Mn³⁺ compounds

Haldane gap systems 347

One-dimensional Ni²⁺ compounds

Haldane gap systems 347

O–O bond activation

New aspects of the cobalt-dioxygen complex chemistry opened by hydrotris(pyrazolyl)borate ligands (Tp^R): unique properties of Tp^RCo-dioxygen complexes 61

Organic cofactor

Active site models for galactose oxidase and related enzymes 3

Oxo-ferryl porphyrin radical cation

Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39

Perovskite structure

P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes $M_2[Au^I X_2][Au^{III} X_4]$ ($M = K, Rb, Cs; X = Cl, Br, I$) 251

Peroxidase

Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39

Phenoxyl radical

Active site models for galactose oxidase and related enzymes 3

Phosphonium salts

Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117

Polycyclic aromatics

A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171

Polyoxo-carbons

Novel layered structures constructed from iron–chloranilate compounds 157

Porphyrin array

Self-assembly of metallopyridylporphyrin oligomers 133

- Porphyrin network
Self-assembly of metallopyridylporphyrin oligomers 133
- Porphyrin oligomer
Self-assembly of metallopyridylporphyrin oligomers 133
- Prussian blue
Synthesis and magnetism of multi-dimensional cyanide-bridged bimetallic assemblies 313
- P–T phase diagram
P–T phase diagram and Au valence state of the perovskite-type Au mixed-valence complexes $M_2[Au^I X_2][Au^{III} X_4]$ ($M = K, Rb, Cs$; $X = Cl, Br, I$) 251
- Pyridyl porphyrin
Self-assembly of metallopyridylporphyrin oligomers 133
- Radical helix
Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Redox chemistry
Electrochemical reactions mediated by vitamin B₁₂ derivatives in organic solvents 21
- Reductive nitrosylation
A new trend in iron–dithiocarbamate complexes: as an endogenous NO trapping agent 89
- Ring-expansion
Electrochemical reactions mediated by vitamin B₁₂ derivatives in organic solvents 21
- Ruthenium
Cluster synthesis by the reactions of $[Cp'_2M_2S_4]$ with metal complexes ($Cp' = Cp$ and substituted cyclopentadienyl ligands, $M = Fe, Ru$) 367
- Self-organizing properties
Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Silver
Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Silver(I) compounds
A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Spin alignments
Theoretical studies on effective spin interactions, spin alignments and macroscopic spin tunneling in polynuclear manganese and related complexes and their mesoscopic clusters 265
- Spin interactions
Theoretical studies on effective spin interactions, spin alignments and macroscopic spin tunneling in polynuclear manganese and related complexes and their mesoscopic clusters 265
- Sulfido
Cluster synthesis by the reactions of $[Cp'_2M_2S_4]$ with metal complexes ($Cp' = Cp$ and substituted cyclopentadienyl ligands, $M = Fe, Ru$) 367
- Sulfoxidation
Rational molecular design of a catalytic site: engineering of catalytic functions to the myoglobin active site framework 39
- Supramolecular cation
 $[Ni(dmit)_2]$ salts with supramolecular cation structure 297
- Supramolecular chemistry
Hydrogen bonded 2,2'-biimidazolate transition metal complexes as a tool of crystal engineering 205
- Supramolecule
Assembly of imino nitroxides with Ag(I) and Cu(I) ions 329
- Tetrathiotungstate
Cluster synthesis by the reactions of $[Cp'_2M_2S_4]$ with metal complexes ($Cp' = Cp$ and substituted cyclopentadienyl ligands, $M = Fe, Ru$) 367
- Thermotropic liquid crystals
Multifunctional tetracoordinate phosphorus species with high self-organizing ability 117
- Time-resolved EPR
The excited multiplet states of metalloporphyrins and metallophthalocyanines coordinated or linked to nitroxide radicals 231
- Transmetallation
Transmetallation of alkynyl and aryl complexes of Group 10 transition metals 377
- Triple-layer compounds
A new type of multilayer system–silver(I) complexes of polycyclic aromatic compounds 171
- Triplet organic radical
Synthesis and magnetic properties of one-dimensional ferro- and ferrimagnetic chains made up of an alternating array of 1,3-bis(*N-tert*-butyl-*N*-oxyamino)benzene derivatives and $Mn(II)(hfac)_2$ 219

Tungsten

Cluster synthesis by the reactions of $[\text{Cp}'_2\text{M}_2\text{S}_4]$ with metal complexes ($\text{Cp}' = \text{Cp}$ and substituted cyclopentadienyl ligands, $\text{M} = \text{Fe}, \text{Ru}$) 367

Valence transition

P–T phase diagram and Au valence state of

the perovskite-type Au mixed-valence complexes $\text{M}_2[\text{Au}^{\text{I}}\text{X}_2][\text{Au}^{\text{III}}\text{X}_4]$ ($\text{M} = \text{K}, \text{Rb}, \text{Cs}$; $\text{X} = \text{Cl}, \text{Br}, \text{I}$) 251

Vitamin B₁₂ derivative

Electrochemical reactions mediated by vitamin B₁₂ derivatives in organic solvents 21