New Approaches In Educational Software

COMPUTES \$2.95 October 1984 @ Issue 16 Vol. 2, No. 10 02220 \$3.75 Canada COMPUTE STATES OCTOBER 1984 @ Issue 16 Vol. 2, No. 10 02220 \$3.75 Canada

For Owners And Users Of Commodore VIC-20" And 64" Personal Computers

BASIC Magic

A new column for beginners that explores BASIC with a fresh start—from former Commodore computer designer Michael Tomczyk.

Quiz Master

An easy-to-use multiplechoice quiz generator for parents and teachers. For the Commodore 64.



Trek

Look out for drones, craggy mountain peaks, and the deadly plasma cannon in this sci-fi action game for the 64.





Turtle Graphics Interpreter

Full turtle graphics capabilities without LOGO? Try this three-program package for the Commodore 64.

How GAZETTE Readers Are Using Their Computers

You may get some new ideas for using your VIC or 64 after seeing what other GAZETTE readers are doing with their computers at home, in school, and in business.

Aiso In This Issue:

Vocab Builder For The VIC And 64


Inside View: Tom Snyder, Educational Software Developer

VIC Music Tutor

Plus Reviews, Games, And New Products

INTRODUCING ACTIVISION

SEEYOURSELFINA



You leave the sun behind as you lower yourself down into the unexplored caverns beneath the Peruvian jungle. Deeper and deeper you go. Past Amazon frogs, condors, and attacking bats. Across eel-infested underground rivers. From cavern to cavern, level to level. Swimming, running, dodging, stumbling, you search

for the gold, the Raj diamond and the thing you really treasure ... adventure. Head for it. Designed by David Crape



You have heard the elder speak of one central source and a maze of unconnected grey paths. As you connect each grey path to the central source, what was grey becomes the green of life. When all are connected, then you have achieved "Zenji." But beware the flames and sparks of distraction that move along the paths.

You must go beyond strategy, speed, logic. Trust your intuition. The ancient puzzle awaits. Designed by Matthew Hubbard.





You strap on your helicopter prop-pack, check your laser helmet and dynamite. There's no predicting what you'll have to go through to get to the trapped miners. Blocked shafts, molten lava, animals, insects, who knows what lies below. But you'll go, you're in charge of the Helicopter Emergency Rescue Operation.

The miners have only one chance. You. The opening shaft is cleared now, it's time to go. Designed by John Van Ryzin.







What if you were sitting in front of your Commodore 64[™] programming your own Pitfall Harry [™] adventure? It can happen with a little help from the creator of Pitfall Harry: David Crane. Just write your name and address on a piece of paper, tape 25¢ to it for postage and handling and mail to: The Activision C-64 Club, P.O. Box 7287, Mountain View, CA 94039. We'll send you David's Booklet, "Programming Pitfall Harry." It includes a written program that helps you create your own adventure. Go for it.



As you suit up you see the webbed forcefield surrounding your planet. Holding it. Trapped with no escape. No hope. Except you: The Beamrider. The freedom of millions depends on you. Alone you speed along the grid of beams that strangle your planet. You must destroy the grid sector by sector. Your skills and

your reflexes alone will determine the future of your people. Take their future in your hands.




You can almost hear the quiet. And it's your job to keep it that way. A toy factory at midnight. Did you hear something? Guess not. Wrong! Suddenly balloon valves open, conveyor belts move and a whole factory full of toys goes wild. Even the robot, their latest development, is on the loose and after you. Capture the

runaway toys. Restore order. Restore peace. Restore quiet. Do something! Hurry! Designed by Mark Turmell.



You made it. The Olympics. You hear languages you've never heard. And the universal roar of the crowd. You will run. Hurl. Vault. Jump. Ten events. One chance. You will push yourself this time. Further than ever. Harder than ever. But then ... so will everyone. The competition increases, now two can compete at the same time. The second orders.

time. The crowd quiets.
The starting gun sounds.
A blur of adrenalin.
Let the games begin.
Designed by David Crane.







Take our educat home. And be a




The publishers of America's number one educational program make you this unusual offer: Take any of our educational programs home and be a hero once, because kids love the fun we bring to learning. As a bonus we'll send the program of your choice to your school, free**, including a gift card in your name. You'll help meet the acute need for superior software in our schools. You'll be a hero twice!

The Scarborough System has a complete range of programs to stimulate, challenge and help you or your children be more productive-including Your Personal Net Worth, that makes handling home finances fast and easy, Make Millions, an adult business simulation game, and PictureWriter,* a program that makes drawing on the computer fun. At your dealer's now.


Scarborough Systems, Inc., 25 N. Broadway, Tarrytown, New York 10591

ional software hero twice!



MasterType^{TM*} Sharpen typing skills and increase computer facility. MasterType is the nation's best-selling educational program. It's an entertaining game that teaches typing as it increases the keyboard skills needed to be at home with a computer. And there's a bonus on top of this bonus: when we send a copy to your local school, at your request, your child will become even more proficient with a computer.





Run for the MoneyTM Learn to pursue profits in the real world by escaping from an alien planet. Here's an excitingly different, action-packed game of business strategy for two players. Your children will have fun as they learn a lot about business.



PatternMaker.TM An amazing software program. It's geometry, It's art. It's great fun. Kids can build dazzling patterns and learn a lot. PatternMaker builds a foundation that can be applied to many professions and crafts. It challenges creativity and effectively teaches symmetry, color and design, and it's just as much fun for grown-ups, too.

Our programs are available for: IBM-PC/PCjr, Apple II family, Commodore 64, Atari.





Phi Beta Filer^{TM*} New for children and adults. Organizes lists of addresses, dates, insurance and medical records, hobbies and collections—even school work—structures quizzes on any subject, quickly and easily. (Not available for Atari.)



Songwriter^{TM*} Kids and adults will love making music at the computer. Just press a key to listen, press a key to record, and you've started your own composition. It's a fun way to learn about music. And Songwriter can be played through your stereo or computer.

*National Education Association Teacher Certified Software.

Yes! I want to software a school!

**Enclosed is the completed warranty card and sales receipt for the purchase of a Scarborough product. I am enclosing my check for \$3.50 to cover handling, shipping and postage required to send a free copy of a Scarborough program to the school listed below. A gift card with my name will be enclosed.



S	copy of a Scarbo school listed bel name will be end	rough pro ow. A gift o	gram to		softi your	vare school
Y	our Name (for g	ift card)_			1	
١	Name of Principa	al				
1	Name of School.					
1	Address (school	address or	nly)			
(City	State_	Zi	p		1
5	Software will be	sent only				dresses. 15, 1985
0	Check computer Comm. 64	used in sc	hool:	ole II fa	mily	□ ІВМ
0	Check product to MasterType	be sent to	school:	□ Phi I	Beta Fil	er
	PatternMaker Apple only.	☐ Picture	Writer†	☐ Run	for the	Money
1	Make check pays	able and m	ail to:			

Scarborough Systems, 25 N. Broadway, Tarrytown, N.Y. 10591

THE FIRST FAMILY OF PRODUCTIVITY FROM CREATIVE SOFTWARE

Creative Writer,™ Creative Filer,™ and Creative Calc™-three low-cost, yet powerful programs designed to give you the most for your software dollar. All three programs are integrated for more computing power.

HASSLE-FREE WORD PROCESSING.

Creative Writer is a word processor you can start using in just 15 minutes. Now anything you do with your typewriter, you'll do better and faster with Creative Writer. It lets you concentrate on the words, not the processing.

Arrange and rearrange words or paragraphs at the touch of a key. Compose, edit, save, retrieve and print documents almost effortlessly.

CREATIVE WRITER

- · Preview entire document
- · Help screens
- · Search and replace
- Move text
- · Headers and footers
- REAT E Unrestricted format
 - · Report writer included
- Change format after creation
 Automatic alphabetizing

- · Adjustable column width
- . Mix text and numeric data
- 12 digit accuracy
- · Within cell editing
- Menu of commands

- · Flexibility of design

EACH PROGRAM IS FULL-FEATURED WITH INTEGRATED CAPABILITIES. COMMODORE 641, IBM PC. PCITM. AND APPLET VERSIONS AVAILABLE.

PUT YOUR FILING CABINET ON DISK.

Store your collection of index cards and faded notes in the attic where they belong. Now there's Creative Filer-the simplest way to organize and access all your files.

You can set up and maintain virtually any file with Creative Filer-names and addresses, home and auto records, club memberships, and inventories, all on a computer disk and

A SPREADSHEET **PROGRAM THAT** REALLY ADDS UP.

TEN-PACK OFFER

IN EVERY BOX.

Creative Calc automates any mathematical process.


It lets you ask the "what if" questions of financial analysis more easily than any other spreadsheet program in its

ALL THREE PROGRAMS ARE INTEGRATED FOR MORE COMPUTING POWER.

Creative Filer and Creative Calc work together with Creative Writer, allowing you to customize documents combining text, data, and numeric tables.

Ask for the first family of productivity software for your writing, filing and calculating.

New from Creative



R F Τ

FEATURES

	TEAT URES		
The state of the s	New Directions In Educational Software Selby Bateman & Sharon Darling 22 Inside View: Tom Snyder, Educational Software Developer Kathy Yakal 32 How GAZETTE Readers Are Using Their Computers Bernie Ghiselin 44	:	
	REVIEWS		
	Software Disk Alignment For The 1541 George Miller Two Flight Simulators For The 64 David Florance Calc Result: A Spreadsheet For The 64 Emily Herman Write Now! For The VIC-20 Harvey B. Herman 108	64 64 64 V	
	GAMES		
	Trek Andrew Beery 54 The Tomb Mike Scharland 58 Cabby Ken Jones 60	64 V/64 V/64	
	EDUCATION/HOME APPLICATIONS		
*	Computing For Families: A Journey Through The Land Of The Buddy-Bots Fred D'Ignazio 64 Quiz Master For The 64 George Miller 80 Vocab Builder William J. Treanor 84 VIC Music Tutor Howard Parnes 86 Turtle Graphics Interpreter Irwin Tillman 90 First Aid Scott M. Huse 95	* 64 V/64 V 64 64	
	PROGRAMMING		
	BASIC Magic: Getting Comfortable With The PRINT Statement Michael S. Tomczyk72Machine Language For Beginners: Loops And Branches Richard Mansfield120Teaching Your Computer English Michael A. Long126Power BASIC: Hi-Res Screen Dump Gregg Peele128Hints & Tips: Recovering Scratched Programs Daryl Biberdorf144	* V/64 V/64 V/64 V/64	
	DEPARTMENTS		
	Editor's Notes Robert Lock 6 GAZETTE Feedback Editors & Readers 10 Home Telecommunications: All The Fun That's Fit To Print Robert Sims 131 Simple Answers To Common Questions Tom R. Halfhill 134 Horizons: 64 Charles Brannon 137 VICreations: Simulating Hi-Res Animation, Part 2 Dan Carmichael 141 News & Products. 145	*	
	PROGRAM LISTINGS		
	A Beginner's Guide To Typing In Programs 147 How To Type In COMPUTE!'s GAZETTE Programs 148 The Automatic Proofreader 149 Bug-Swatter: Modifications And Corrections 150 Program Listings 151	* V/64 V/64 V/64	
	Product Mart	:	

*=General, V=VIC-20, 64=Commodore 64.

COMPUTEI's GAZETTE is published monthly by COMPUTEI Publications, Inc., Post Office Box 5406, Greensboro, NC 27403 USA. Phone (919)275-9809. Editorial offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic subscriptions: 12 issues, \$24. Send subscription orders or change of address (P.O. Form 3579) to Circulation Dept., COMPUTEI's GAZETTE, P.O. Box 961, Farmingdale, NY 11737. Second class application pending at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright © 1984 by COMPUTEI Publications, Inc. All rights reserved. ISSN 0737-3716.

THE EDITOR'S

notes

GAZETTE Editor Lance Elko contributes a guest editorial this month on current events at Commodore and welcomes a new GAZETTE columnist.

Robert Lock, Editor In Chief

One can wonder where Commodore is now headed. After selling its Santa Clara manufacturing center and closing its Dallas research and development plant (speech technology, robotics, and sound), there's been more than a little speculation about Commodore selling out to a larger firm.

Amid rumblings that RCA, GE, ITT, and AT & T could be prospective buyers, only the AT & T rumor appears to have any substance. But, no immediate cause for alarm, says one Commodore source—although Commodore and AT & T have been talking, nothing significant has developed and probably won't over the next few months.

If this isn't enough to keep things buzzing at Commodore, there's also Jack Trameil's purchase of Atari. Although Trameil hired away Commodore's national accounts representative and vice-president of operations, among others, Commodore claims it doesn't feel threatened by its founder and former chairman. In response, several key Commodore staff persons have said they welcome the competition ("Jack is unpredictable") and the incentive.

The Plus/4s and Commo-

dore 16s should be on the market as you read this. The manuals have been completed, and Commodore reports a lot of dealer orders, especially for the Plus/4.

Currently available is the Educator 64, which is a 64 and a monochrome (green screen) monitor housed in a PET case. It's available only through Commodore Education dealers.

Although Commodore announced that the MCS-801 dot-matrix printer was cancelled, they are moving ahead on the DPS-1101, a letter-quality printer which will sell in the \$200–\$300 range.

A New Column For Beginners

Since the GAZETTE's premier in July 1983, we've grown considerably in magazine size, readership, and in our reader-shared knowledge of computing. Our evolution has been a kind of mutual cause-and-effect relationship with our readers and will continue to be so. But what about our newer readers? We've heard from several who have just brought their first computer home and are understandably befuddled.

Beginning this month, we have a new column, BASIC Magic, for beginners. Michael S. Tomczyk, a former Commodore product designer and writer, will be teaching BASIC from scratch and will offer a lot of simple one- and two-line programs so you can see what's

going on inside your computer almost immediately. If you're new to computing, you'll find this column very helpful. It assumes you know only how to switch your computer on.

BASIC Magic will replace C. (Cheryl) Regena's Beginner's Corner. Cheryl will continue her association and work with the GAZETTE and all other COMPUTE! Publications.

Until next month, enjoy your GAZETTE.

Lance Elko Editor

6 COMPUTEI's Gazette October 1984

Tee off with dournament Colle

Sports Illustrated.



Loaded with excitement from the amateur to pro levels. Tournament Golf features two complete 18 hole courses plus all the challenges - and frustrations of the sport of golf.

From the wind factors on the fairways and the break of the greens to the woods, roughs, and water hazards, Tournament Golf is a game that combines Strafegy. skill, and a little luck.

Playing alone or with up to three other opponents you'll choose from 14 different clubs actually controlling your drives, hooks and slices – or whiffs and flubs. You'll master putting technique and attempt difficult shots from the fringe of the green.

No matter rain or shine, you'll find Tournament Golf realistic and competitive. Requiring the hand-eye coordination and skill of an advanced microcomputer game combined with the strategy and tension of golf. Tournament Golf will score a hole-in-one with you and continue to entertain and challenge long after you graduate from amateur to Pro standing



FAIRWAY DISPLAY

Features include:

Two graphic displays

Choice of 14 different clubs

Computer-updated Scorecard

Driving Range


Putting Green

2 18-Hole Golf Courses

Additional Courses

(Pebble Beach & the Masters)

available @ \$20 each



*Trademarks of Apple Computers, Inc. and Commodore Business Machines

microcomputer games

A Division of The Avalon Hill Game Company

4517 Harford Road • Baltimore, Maryland 21214 • (301) 254-9200



Publisher Gary R. Ingersoll Editor in Chief Robert C. Lock Director of Administration Alice S. Wolfe Senior Editor Richard Mansfield Managing Editor Kathleen Martinek **Editor** Lance Elko Assistant Editor Todd Heimarck

Production Director Tony Roberts

Tom R. Halfhill, PC and PCjr Editor; Stephen Levy, Editor, COMPUTE! Books Division; Gail Walker, Production Editor; Ottis R. Cowper, Technical Editor; Charles Brannon, Program Editor; Selby Bateman, Features Editor

Assistant Editors

Dan Carmichael (Submissions); Gregg Keizer, Steve Hudson (Books); John Krause, George Miller (Technical); J. Blake Lambert, Robert Alonso (Publications); Kathy Yakal, Editorial Assistant, Sharon Darling, Research Assistant (Features), Randall Fosner, Assistant Managing Editor (Books)

Editorial Programmers

Patrick Parrish (Supervisor), Gregg Peele (Assistant), Gary Black, Tim Victor, Kevin Martin, Chris Poer, Kevin Mykytyn

Programming Assistants Mark Tuttle, David Florance

Copy Editors

Juanita Lewis, Joan Rouleau, Ann Davies

Proofreaders

Ethel Silver, Dwight Smith, Karen Uhlendorf, Marty Selby

Administrative Staff

Vicki Jennings, Laura MacFadden, Julia Fleming, Susan Young, Iris Brooks, Jan Kretlow

Production

Irma Swain, Production Manager; Janice Fary, Art & Design Director, Lee Noel, Assistant Editor, Art & Design; De Potter, Mechanical Art Supervisor; Terry Cash, Carole Dunton, Typesetting

Artists

Leslie Jessup, Larry Sullivan, (Publications), Debbie Bray (Books); Harry Blair, Illustrator

Associate Editors

Jim Butterfield (Toronto), Harvey Herman (Greensboro), Fred D'Ignazio (Roanoke)

Operations/Customer Service

Patty Jones, Subscriber Services Supervisor; Assistants: Chris Patty, Sharon Sebastian, Rosemarie Davis; Fran Lyons, Dealer Sales Supervisor; Assistants: Gail Jones, Sharon Minor, Rhonda Savage

Customer Service Staff

Dorothy Bogan, Supervisor; Judy Taylor, Anita Roop, Debi Goforth, Jenna Nash, Elizabeth White, Mary Hunt, Gayle Benbow, Betty Atkins, Chris Gordon; Jim Coward (Warehouse Manager), Larry O'Connor, Dai Rees, Jack McConnell, Eric Staley, Eddie Rice, Sam Parker, David Hensley, John Archibald; Mary Sprague, Mail Room Coordinator

Data Processing

Leon Stokes, Manager; Chris Cain, Assistant

Paul J. Megliola, VP, Finance & Planning; R. Steven Vetter, Director, Finance & Planning; Robert Bean, General Accountant; Karen K. Rogalski, Financial Analyst; Staff: Sybil Agee, Susan Booth, Anne Ferguson, Pat Fuller, Doris Hall, Anna Harris, Tracey Hutchins, Jill Pope, Shannon Roesler

Credit

Barry L. Beck, Credit Manager; Linda Miller, Credit Analyst

Purchasing Gregory L. Smith, Purchasing Manager

Mindy K. Kutchei, Promotion Manager

Advertising Sales

Ken Woodard, Director of Advertising Sales; Bonnie Valentino, Assistant Advertising Manager; Patti Williams, Production Coordinator; Joyce Margo, Production Assistant; Kathleen Hanlon, Sales Assistant

Sales Representatives

Jerry Thompson 415-348-8222 Phoebe Thompson JoAnn Sullivan 408-354-5553 619-941-2313 213-378-8361 Ed Winchell 919-275-9809 Harry Blair

Jules E. Thompson, Inc. National and Canadian Sales Representatives 1290 Howard Avenue, Suite 303 Burlingame, CA 94010

Address all advertising materials to: Patti Williams, COMPUTE!'s GAZETTE

324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Sales Offices, The Thompson Company New England 617-720-1888 212-772-0933 919-275-9809 Mid-Atlantic Southeast 312-726-6047 713-731-2605 Midwest

408-354-5553 Northwest Northern CA 415-348-8222 or 408-354-5553 Southern CA 619-941-2313 or 213-378-8361

619-941-2313 Nevada, Arizona New Mexico 213-378-8361 303-595-9299 Colorado

COMPUTEI Publications, Inc., publishes

COMPUTEI **COMPUTEI Books** COMPUTEI'S GAZETTE COMPUTEI's PC & PCjr Magazine

Corporate Office:

Texas

324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Mailing Address:

Post Office Box 5406, Greensboro, NC 27403

Distribution Center

505 Edwardia Drive, Greensboro, NC 27409

Telephone: 919-275-9809

Office Hours: 8:30 AM to 4:30 PM Monday-Friday

Chief Executive Officer Robert C. Lock

President Gary R. Ingersoll

Vice President, Finance & Planning Paul J. Megliola

Executive Assistant Debi Nash Assistant Cassandra Robinson

Subscription Information

COMPUTE!'s GAZETTE Circulation Dept. P.O. Box 5406, Greensboro, NC 27403

> **TOLL FREE Subscription Order Line** 800-334-0868 In NC 919-275-9809


COMPUTE!'s GAZETTE **Subscription Rates**

(12 Issue Year): US (one year) \$24. Canada, Mexico and Foreign Surface Mail \$30. Foreign Air Mail \$45.

The COMPUTEI's GAZETTE subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTE's GAZETTE, P.O. Box 961, Farmingdale, NY 11737. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTE's GAZETTE are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE's GAZETTE, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of **COMPUTE** Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1984, **COMPUTE** Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication will be returned if author provides a self-addressed stamped envelope. Where programs author provides a self-addressed, stamped envelope. Where programs are included in an article submission, a tape or disk must accompany the submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each article page should bear the title of the article, date, and name of the author. **COMPUTE!** Publications, Inc., assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTEI Publications, Inc. COMPUTE Publications assumes no responsibility for damages, delays, or failure of shipment in connection with authors' offer to make tape or disk copies of programs published herein.

PET, CBM, VIC-20, and Commodore 64 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited. Other than as an independent supplier of quality information and services to owners and users of Commodore products, **COMPUTEI** Publications, Inc., is in no way associated with Commodore Business Machines, Inc., or any of its subsidiaries.



WordPro 3 Plus™/64 and SpellRight Plus™ provide a total word processing solution for the Commodore 64™ which gives you:

- * Sophisticated Word Processing
- ★ Built-in Mail Merging for Form Letters
- * Math Functions for Column Totals
- * Fast and Complete Spell Checking via SpellRight Plus
- * A Super Value (two programs) for Only \$99.95!

WordPro and SpellRight are both specifically designed for the novice user with no computer or word processing experience whatsoever. And with over 40,000 WordPro versions sold, you can be sure that WordPro is a very sophisticated word processor loaded with powerful features including: Transfer, Insert, Delete, and Rearrange Text, Auto Page Numbering, Math Functions, Headers, Footers, Global Search and Replace, the Ability to Create Multiple Personalized Letters and Documents, and much more. WordPro can create documents of virtually any length and will print up to 165 columns wide. You get all of this PLUS fast and complete spell checking using SpellRight Plus!

SpellRight Plus locates and highlights misspelled words and then allows you to quickly correct the misspellings — improving the quality of your letters and reports.

And, best of all, WordPro and SpellRight's powerful arsenal of features can be put to use almost immediately — by even the novice user. So whether you're a student, professional writer, in business, education or a hobbyist, you'll quickly become a WordPro Pro!

Both WordPro and SpellRight Plus are also available separately at popular computer outlets nationwide.

Invest in the best . . . WordPro Plus. In a class by itself.

Professional Software Inc.

51 Fremont Street Needham, MA 02194 (617) 444-5224 Telex: 951579

Dealer and Distributor inquiries are invited.

WordPro 3 Plus™/64 and SpellRight Plus™ are trademarks of Professional Software Inc.

The WordPro Plus Series was designed and written by Steve Punter of Pro-Micro Software Ltd.

SpellRight Plus was designed and written by Dwight Huff and Joe Spatafora of SpellMaster Systems, Inc.

Some printers may not support certain WordPro 3 Plus functions and/or require an interface. Please check with your dealer.

Commodore 64™ is a trademark of Commodore Electronics Ltd.

GAZETTE FEEDBACK

Editors And Readers

Do you have a question or a problem? Have you discovered something that could help other VIC-20 and Commodore 64 users? Do you have a comment about something you've read in COMPUTEI'S GAZETTE? We want to hear from you. Write to Gazette Feedback, COMPUTEI'S GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

Note To Readers

Program 2("Change Disk ID") of last month's "Disk Tricks" does not work as expected. The article correctly described the difficulties caused by duplicate IDs. However, when a disk is newly formatted, using the NEWO: command, the ID is written to every track and sector. The Change Disk ID program changes only the header, which does not solve the problems of duplicate IDs. For more information, see this month's Bug-Swatter.

Incompatible Disk Drives

Members of our user group are experiencing problems when trading diskettes. Some disks will not run, save, etc. on different disk drives. I believe this is caused by different disk drive speeds.

Is there a program that will continuously display the disk drive speeds while it is running?

E2C ComCats

All 1541 disk drives should run at the same speed: 300 rpm. It's possible that a drive or two in your users' group is experiencing a hardware problem, but speed is probably not the cause of your incompatibility problem.

More than likely, the problem stems from differences between the drives in the READ/WRITE head's alignment. Earlier models of the 1541 had problems with the step-motor mechanism (which positions the READ/WRITE head) slipping out of adjustment.

A quick way to tell if your drive might be out of alignment is by watching the red light on the front of the drive. A good rule of thumb is that when loading a program, the red light should stay on without any blinking. If it starts to blink (other than the steady blinking caused by a DOS error), it could be having trouble reading the diskette. When

you run this test, be sure to use a good quality commercial diskette. If your drive is out of alignment, take it to your local Commodore dealer for repairs. (Also see the review of CSM's 1541 disk drive alignment software elsewhere in this issue.)

Quick Diskette Erasing

I wish to erase a diskette with a bulk demagnetizer. Is it harmful to use this method to erase a diskette?

Also, what is the formula for figuring out how many bytes a program uses (in the computer) by the blocks used on the disk directory? Michael Montgomery

According to a representative from a major diskette manufacturing company, using bulk erasers won't harm the diskette. He noted that each box of diskettes manufactured at this company is bulk erased (by exposure to a strong magnetic field) as it leaves the assembly line.

Theoretically, a diskette can be erased an infinite number of times. Wear is caused by the disk drive's READ/WRITE head making contact with the diskette, not by the changes in the magnetic fields.

To get an estimate of the amount of memory used by a program, divide the number of blocks used (to the left of the program name) by 4 to get the number of K used, or multiply by 254 to get the number of bytes.

Each sector on a 1540 or 1541 diskette has 256 bytes. Two of the bytes are used by the computer, and the other 254 are used to store the program. This is why you divide by 4 to give you the amount of memory in 1K blocks, or multiply by 254 to get the total number of bytes used. For example, a program that uses 50 blocks on a diskette is approximately 12.5K (50 \div 4) or 12,700 bytes long (254×50).

Dirty Cartridges

I have a few cartridges on which the gold contacts have turned black after a few uses. Is it safe to periodically clean the contacts? Would it be better to just let them get black? I've been told that this is harmful to the cartridge.

Terry Kulchyski

It's a good idea to keep the contacts clean, and this

To teach your child to spell, we had to design software that talks.

Cave of the Word Wizard.™A unique way to develop spelling skills using human speech and arcade action.

Software that tries to teach spelling by jumbled letters isn't a very good teacher. The software has to talk. Now it does. Only on Cave of the Word Wizard from Timeworks.

The Wizard talks like a human being, not like a robot. This fascinating character thrusts you into an intriguing adventure as he teaches spelling in the most effective way possible on a computer.

You have wandered into a mysterious cave, and the entrance has been sealed behind you. Suddenly the Word Wizard appears and informs you that in order to leave

his cave you
must find four
magic crystals which
have the
power
needed to
open the

cave entrance.
You have only a
flashlight to help
you find your way
through the cave, and
your batteries are run-

ning low.

The Wizard is a funny old fellow who causes lots of mischief for anyone who enters his cave. He will appear often and ask you to spell a word—you will actually hear the old Wizard's voice!—and you cannot continue your search until you spell the word correctly.

The Wizard will use his magic powers to replenish the energy in your flashlight if you spell the

word correctly, but each time you are wrong he will draw energy from your light. When your flashlight

runs out of energy you will be doomed to roam through the cave in darkness forever.

During your search you will be confronted



with spiders, rocks, snakes, and other dangerous obstacles that will make your quest for freedom even more challenging.

This state-of-the-art educational program includes 500 spoken words in 10 spelling skill levels and makes full use of the

sound capabilities of your computer. The

Wizard will talk to you in clear human speech. No

additional hardware is needed for your computer

system.

Only Timeworks offers

Cave of the Word Wizard.

Now at your favorite dealer. Or

contact Timeworks, Inc., 405 Lake

Cook Road, Deerfield, IL 60015.

Phone: 312-948-9200.

Available for Commodore 64*



Timeworks Programs:

Sevelyn Wood Dynamic Reader Dungeons of Algebra
 Dragons Dragons

Robbers of the Lost Tomb Wall Street Star Battle
Presidential Campaign Money Manager Electronic
Checkbook Data Manager Word Writer

can be done a number of ways. You can use a cotton swab lightly moistened with a mild solvent such as alcohol. But be sure to use a solvent that won't damage the plastic.

You could also use a pencil eraser. Lightly rub the eraser across the metal contacts, then brush and blow any residual particles away before using the

cartridge.

Colorful LISTings

I have a commercial game written in BASIC which LISTs parts of the program in various colors. How is this done?

Lyle H. Shaw

Producing colorful listings is done with a REM statement followed by a quotation mark and color tokens. To see this in action, follow these steps:

- 1. Find out which token represents the color you want in your listing. Do this by typing a quote then holding down the CTRL key and typing the color key you want. The character printed is the token for the color. For example, typing "CTRL-WHITE will print a reverse E. This is the token for the color white.
- 2. Enter the following line:

10 PRINT "HELLO"

3. Type the following line but do not press RETURN:

20 REM ""

After typing the second quote, press the DEL key once to delete it. This makes sure you're not in quote mode.

Now hold down CTRL and press the RVS ON key (since you're not in quote mode, you should not see a reversed R). This turns on the reverse character mode. Press SHIFT/M. The reverse graphics character that is printed is the token for RETURN. Now press the key to get the token for the color you want. If you wanted the listing color to change to white, for example, you would press E while in the reverse mode. Now press RETURN to enter the line. This REM line will force the color change when the program is listed. Type and enter:

30 PRINT"HELLO"

Press RUN/STOP-RESTORE and LIST the program. Lines 10 and 20, when listed, will be blue. Line 30, which is after the color change, will be white. (VIC users have to change the screen color from white to see line 30.) Any of the 16 colors (8 if you have a VIC) can be used.

This technique can also serve as a form of program protection. If you change the character color to match the background color, the program will appear to be LIST proof. And this technique is not limited to color changes; you can insert tokens for

cursor movements, delete characters, or even clear the screen (using a reversed heart) when a user tries to list the program.

PEEKing Function Keys

I have a 64 and have read many articles on how to program the function keys. Most of these use the GET statement. Is there another way to detect when a function key is pressed? Is there a location I can PEEK?

Steve Stepleman

Yes, memory location 197 in both the VIC and 64 indicates the current key pressed. Enter and RUN this one-line program:

10 PRINT PEEK(197):GOTO 10

While the program is running, press the function keys. As you can see, each time a key is pressed, the value in memory location 197 changes. When no key is pressed, the value is 64. Here are the values for each of the function keys:

KEY		
PRESSED	VIC	64
f1	39	4
f3	47	5
f5	55	6
£7	63	3

A drawback to this method is that the values displayed are the same whether the keys are SHIFTed or not. This means you receive values for

only four function keys.

However, this can be circumvented by PEEKing another memory location, 653, which indicates whether the SHIFT, CTRL, or Commodore keys have been pressed. When the SHIFT key is pressed, bit 0 will be on, the Commodore key will set bit 1, and the CTRL key bit 2.

A PEEK at locations 197 and 653 can give you more than the usual eight function keys. You can distinguish between unshifted-f1, shifted-f1,


Commodore-f1, and CTRL-f1.

Unwanted Files

Is there any way to scratch an unwanted file from one of my diskettes? The filename is ",". I have tried erasing it by using the SCRATCH command, but to no avail. Can you help?

Andrew Hansen

Sorry, but that file is going to be tough to get rid of. The computer processes a comma as a delimiter—a character used to separate two parts of a command. For example, when you want to read a sequential disk file, you have to open it first: OPEN 2,8,2, "filename,S,R" (note how the commas separate the filename from the S for Sequential and R for Read). As the disk drive sees it, the commas are not characters in the filename. They perform a special function. Your disk drive sees your file "," as



Mirage Concepts has mastered the art of uncomplicating software. Before you buy—we help you determine which Mirage Concepts package will meet your need. No guesswork! With your purchase comes a menu-driven program ranked by independent evaluators nationwide as among the finest available. Relax as you learn how to operate your program with clear, concise tutorials written by professional writers... not programmers. For consultation on your special questions, technical support personnel are standing by on a toll-free basis.

For Brochures, Support and Information, Call. (800) 641-1441

In California, Call... (800) 641-1442



DATABASE MANAGER, \$89.95

- 100% Machine Language Free Form Design Sort On Any Field Calculated Fields
- Interfaces to W.P. Record Size = 2,000 Characters

ADVANCED REPORT GENERATOR, \$49.95

- Companion to Database Totals and Subtotals Field Matching Expanded Reports
- Sorting (Up & Down) Calculated Fields

WORD PROCESSOR, Professional Version \$89.95

- 80 Col w/o Addt'l Hdwr 100% Machine Language Spelling Checker (30,000 Words)
- Over 70 Single Keystroke Commands Printer Command File Interfaces to Database

WORD PROCESSOR, Personal Version \$39.95

- 100% Machine Language True Word Wrap Printed page/line/character counters
- Right Justify, Center Printer Command File Interfaces to Database

MIRAGE CONCEPTS, INC.

2519 W. Shaw Ave., #106 • Fresno, CA 93711

TM-Commodore 64 is a Registered Trade Mark of Commodore Electronics, Ltd.

YOUR TIM


COMMODORE OWNERS now have an alternative to the frustrating LOAD ... wait ... UNLOAD ... wait ... RELOAD ... wait procedure. The NEW MSD DUAL DISK DRIVE ... SUPER DISK II will eliminate those hours wasted during task performance and time lags that inflate expensive labor costs and deflate your bottom line.

One SUPER DISK II will copy, format, and verify in less than two minutes ... a procedure that normally takes 30 to 40 minutes using 2 single drives. Yes, SUPER DISK II is TWENTY TIMES FASTER!

MSD provides quality craftsmanship that is backed by an exceptional six month warranty. The SUPER DISK II workhorse drive never overheats, so why be aggravated by the loss of time and money?

Invest today in SUPER DISK II, the SMART disk drive which contains its own microprocessor and memory enabling the computer to command the drive and then continue. SUPER DISK II does the work quickly so that you can get on with your program.

As for the money you will save in unproductive labor costs ... perhaps you will invest it in a daisychain of SUPER DISKS. These workhorse drives will allow you to connect up to four drives for maximum speed and reliable, continued performance.



SUPER DISK II **DESIGN ASSETS**

- Sturdy sheet metal casing and heat sink
- Vertical load for ergonomic space efficiency
- Key latch secures disk position
- · Smart disk contains microprocessor and memory in each drive
- Status lights to display which drive is in use
- Three steel bands for repeated accuracy of alignment
- Flexible use of serial or parallel communication
- Access flexibility configured as drive 0 or drive 1



SYSTEMS, INC.

SUPER DISK II Features and Specifications

COMPATIBILITY .. Commodore 64,™ VIC-20,™ PET® CBM

BUFFER MEMORY CAPACITY 6K

COMPLETE Less than 2 minutes. (Compare to 30-40 minutes with two DUPLICATION 1541s). TIME: Format, Copy

& Verify a Full Disk.

FORMAT

TIME TO 17 seconds. (Compare to 1 min/20 sec. with 1541).

SERIAL BUS YES, 2 connectors.

PARALLEL BUS .. YES, for enhanced speed, IEEE for Commodore compatibility.

DAISYCHAIN Up to 4 drives

OPERATIONAL SUPPORT

Power-on diagnostics to ensure proper disk drive operation.
 LED status lights display where

error is occurring. · Easy to understand instruction

manual. OVERHEAT TIME . NONE. Tested for weeks of con-

WARRANTY

 6 MONTHS. (Compare to 3 months for 1541).

48 hour factory repair service.

Local service centers.

tinual operation.

YOU ARE

RELIABLE SINGLE DRIVE READILY AVAILABLE

MSD Systems also offers COMMODORE OWNERS the reliable and efficient SUPER DISK I, a single disk drive which is compatible with the COMMODORE 64, VIC-20, and PET computers. Like the dual drive, MSD's SUPER DISK I never overheats ... its internal state-of-the-art design provides exceptional durability and longer life even in continuous run cycles, with more speed and power for internal operations.

A greater 4K double capacity buffer memory allows users to open more files at any one time. The drive accomplishes many internal operations in less time than other single disk drives require. The SUPER DISK I can format disks in 17 seconds, and execute utility commands in a minimum amount of time.

The SUPER DISK I has both serial and parallel buses. Up to three times the serial communication's speed can be achieved by adding the MSD IEEE 488 interface (CIE) and IEEE/PET cable.

The unique vertical load architecture of MSD's SUPER DISKS reduces desktop space normally required. The durable sheet metal casing minimizes heat retention and contributes to the reliability and long life of the SUPER DISKS. MSD confidently offers an exceptional 6 month warranty to support SUPER DISK users.

MSD SUPER DISK DRIVE TECHNICAL SPECIFICATIONS

STORAGE*

Directory Entries ...144 per diskette
Blocks683 total per diskette
664 available per diskette

single density

*NOTE: The SD-2 contains two disk drive mechanisms and can therefore handle two times the above capacities (one for each diskette).

SOFTWARE

16K Bytes Operating System 4K RAM buffer area (6K for the SD-2) Microprocessor based disk controller (6511Q) Commodore Compatible Serial Bus Interface Commodore Compatible IEEE Parallel Bus Interface

PHYSICAL DIMENSIONS

	And the Analysis of the Analys								
SD-1	SD-2								
Height 6.2" (157 mm)	6.2" (157 mm)								
Width 4.2" (107 mm)	5.9" (150 mm)								
Depth 13.3" (338 mm)	13.3" (338 mm)								

INTERFACE

Dual Commodore compatible Serial Bus Commodore compatible IEEE Parallel Bus Jumpers for selecting device number 8, 9, 10 or 11.

ELECTRICAL REQUIREMENTS

Voltage					į				11 3	1	10	0	0	ı	•	o	ptio	na	1	220 VAC
Frequency				į.	į	ı	Į	į					r.	ı,	r	٠	50	0	r	60 Hertz
Power							١	e.	ı		В	ı	ı	ı	ŀ	١		٠.	E	50 Watts

"[delimiter/end of filename]". This renders the SCRATCH and RENAME commands useless.

In general, when you're naming a disk file, stick to letters and numbers. Avoid punctuation marks like commas, colons, and asterisks (although certain characters—periods, slashes, and dashes—are OK). One particularly troublesome character is the SHIFT-SPACE, which is used by disk drives to pad out names of less than 16 characters and marks the end of the filename.

However, there is a solution to your problem. If you have a disk editor (a program that can change a byte directly on the diskette), you can change the "," on the directory to, say, an "a", then scratch the

program using the new filename.

The other alternative is to copy any files or programs you wish to save to another diskette, then simply reformat the diskette with the bad file.

INPUTing The TI\$

Is there a way to set the TI\$ variable with the use of an INPUT command within a program?

Chris McDonough

Yes, and it's easily done. Use this BASIC line in your program:

10 INPUT TIS

When the program runs and the INPUT prompt is displayed, enter your response in this format: HHMMSS, where HH=hours, MM=minutes, and SS=seconds. For example, inputting "123456" will set TI\$ to read 12:34:56. If you try to enter a time with more than 23 hours, 59 minutes, or 59 seconds, your computer will figure out what the time should have been. Input "123499" and the 99 seconds will be changed to 1 minute 39 seconds, resulting in 12:35:39.

Non-Relocatable Tape Loads

When using tape, why do you have to LOAD "filename",1,1 when just typing LOAD "filename" will work just as well?

Ian Ball

Although both commands will successfully load a program into memory, they are significantly different. LOAD "filename" will load a program into memory at the start of BASIC wherever the start of BASIC may be. It is called a relocatable LOAD.

LOAD "filename",1,1 is a non-relocatable tape load, sometimes called an absolute load (the equivalent disk command is LOAD "filename",8,1). This means that the program will load itself into memory at the same address from where it was saved. This is used mainly for machine language programs that must load somewhere other than the start of BASIC.

For example, in the Commodore 64 you can place machine language programs in a 4K block of

memory starting at address 49152. If you loaded this program with the LOAD "filename" format, it would load into memory at 2049, the start of BASIC.

ML SAVES With BASIC?

I have a few machine language subroutines I would like to save as a BASIC program with the BASIC line: 10 SYS 2061. I have tried saving it with Supermon using:

.S "filename",08,0800,0900

But when I load this program back in, it looks like a mess. Can you explain why?

Also, could you list the Commodore 64 BASIC ROM routines (\$A000-\$BFFF) and all of the Kernal routines (\$E000-\$FFFF)?

Leonard Spasiano Jr.

Your machine language program looks funny (and probably won't run) because you have it shifted down in memory by one byte.

Although the start of BASIC in the 64 is listed as address 2048, programs are actually loaded into memory starting at location 2049. Byte 2048 is al-

ways a 0, and signals the start of BASIC.

If you want your programs to load correctly using the LOAD "filename", 8 (disk) or LOAD "filename" (tape) format, start your SAVEs at address \$0801, not \$0800 (\$1001 on an unexpanded VIC, or \$1201 for a VIC with 8K or more expansion memory). When using this method on a 64, the first twelve bytes should be (in decimal) 11, 8, 10, 0, 158, 50, 48, 54, 49, 0, 0, 0 (the equivalent of SYS 2061, the beginning of your ML program). The first two bytes are the line link, the next two the line number (10). 158 is the BASIC token for SYS, followed by four ASCII numbers that spell out 2061. The three zeros are crucial because they mark the end of the short BASIC program. When you use a relocatable LOAD (see above), BASIC automatically relinks all the lines until it reaches the end of the program. If you omit the zeros, your ML routines will be treated as program lines, with potentially disastrous results.


The advantage to this method (used in "Speed-Script," "Campaign Manager," and "Screen-80") is that the user does not have to remember the SYS number—it is built into the program. You simply

load the program and type RUN.

BASIC and Kernal ROMs are each 8K for a total of 16,000 bytes—much too lengthy to be listed here. However, for a good explanation of both the VIC and 64 ROMs, try Mapping The VIC or Mapping The 64, both published by COMPUTE! Publications.

Out Of Memory Errors

When loading a program from disk or tape, I occasionally get an OUT OF MEMORY error. This happens even when I type NEW before the



If getting the whole family together is a real challenge, maybe you need games that really challenge the whole family.

Introducing a new generation of computer games. Family Learning Games from Spinnaker.

Ever notice how a little fun with the family can be a little hard to arrange?

Well, now there's a solution — Spinnaker's Family Learning Games. A whole family of great games that make getting the family together seem like child's play. And make "family fun" really seem like fun again. What's more, they'll even help your kids develop some very important skills.



It's New! AEGEAN VOYAGE."

Where do monsters lurk? And which islands have treasures to behold? Heed the oracle's words, for only his clues can lead you to riches and a safe return. Ages 8 - Adult.

What makes our Family Learning Games so special? Well, for one thing they're designed to challenge and excite everyone in the family, from grade schoolers to grownups. Their unique combination of chance and strategy makes them perfect for young players, yet challenging enough that everyone will want to play them again and again.

But what makes our Family Learning Games even more unique is how they help kids learn – about problem solving, strategizing, spelling, even Greek mythology. That's



ADVENTURE CREATOR.™

Design a challenging adventure game that everyone can play—or let the computer design one for you. It's exciting, creative—and utterly addictive!

Ages 12 - Adult.

quite a bit more than they'd learn from a typical board game (if you could even get them to play a typical board game).

So next time you want to get everybody together, don't get discouraged – get Spinnaker's Family Learning Games.

You'll find the biggest challenge in family fun won't be on the refrigerator. It'll be on the computer.

Spinnaker games are available for ColecoVision* and for Coleco Adam," Commodore 64 " and Atari* home computers.



UP FOR GRABS.™

It's a wildly exciting crossword game where everyone has to think fast. More words will help you win – but don't get caught with leftover letters! Ages 8 - Adult.



Cartridges for: ColecoVision, Coleco Adam, Atari and Commodore 64. LOAD or turn the computer off then on.

Lyle Shoemaker

You may actually have programs too large to be loaded into memory, but this is unlikely unless you're trying to load a program for an expanded VIC into an unexpanded VIC. There are four

possibilities.

First, when there is a hardware error while loading a program from tape, an OUT OF MEM-ORY error will often be displayed. This isn't actually a memory error, but a hardware or tape (cassette) error. In this case, try cleaning your cassette tape head or moving your cassette drive away from your television, and reload the program.

The second possibility is that on a 64, an absolute load (LOAD "filename", 8,1) changes the BASIC pointers, causing false OUT OF MEMORY errors. After loading an ML program, it's a good idea to type NEW, to set the pointers back to

normal.

Third, most programs which put custom characters in BASIC RAM change the pointers to the top (or bottom) of BASIC, to protect the redefined characters. In this case, typing NEW does not free up the reserved memory. If you turn the computer off and then on, or SYS to the warm start vector (64738 on a 64, 64802 on a VIC), the memory will be available for loading other programs.

Finally, some cartridges (Simons' BASIC is one) use part of BASIC memory, which may cause problems when loading very long programs. If this is the case, your only option is to unplug the inter-

fering cartridge.

Modem Interrupts

Here's a tip for all you modem users. When using a modem, outside sound must not invade the phone line during transmissions. If sound intrudes, the modem can "hang-up" and data

might be lost.

Unfortunately, the Call Waiting option available in some areas causes just this problem. The tone which signals that a call is waiting causes the terminal program to crash. However, there is a way around this. To prevent the crashes, you can use Call Forwarding, which turns off the tone produced by call waiting.

One drawback is that people who are calling you will not get a busy signal. If you forward your calls to an automated service such as Time of Day, at least callers will know your phone is

tied up.

D. Martin

Thanks for the tip. It's a good idea. However, we don't advocate using an automated public service like Time of Day. Perhaps users could forward calls to a phone they know won't be tied up, such as the office

or school during nonbusiness hours. Also consider that some phones are equipped with answering machines or tie in to automatic answering services.

A New SpeedScript Character Set From *Ultrafont* +?

I am a foreign language instructor, and have enjoved using SpeedScript to print in foreign languages with my Gemini 10-X printer. Is there any way I can use Ultrafont + to create a new character set for SpeedScript?

Amir Findling

Yes and no. The VIC versions of SpeedScript and the original 64 version published in January use the ROM character set, which is inaccessible. But the May GAZETTE DISK version for the 64 uses a custom character set (beginning at hexadecimal \$2000, decimal 8192) which can be changed to fit your preference.

If you have the 64 disk version, you can create a new SpeedScript character set without too much effort. First you need to know what changes to make for your needs. For example, once you access the Gemini 10-X's Spanish character set, these charac-

ters are redefined in the printout:

[from the keyboard becomes inverted exclamation point,

I from the keyboard becomes inverted question mark, and

£ from the keyboard becomes capital N with tilde.

Consult your Gemini manual to see how the characters are defined for other languages. The character code for the English pound sign (£) on the Commodore keyboard is 92. This means that the Gemini will print whatever character is currently ASCII 92 for the activated character set. In the Spanish set, that is the capital N with tilde. In the French set, it is the lower case C with cedilla. In the USA set, it is a backslash.

For Spanish, then, you would want to draw the capital N with tilde in the character block that contains the English pound sign. After you have used Ultrafont + to create the character set you want, use the S command of Ultrafont+ to save the new character set. The next step is tricky. After the set is saved, turn the computer off and on, then type:

POKE44,32:POKE32*256,0

followed by RETURN. Now LOAD the new character set you created with Ultrafont+:

LOAD"CHRSETNAME",8

Now, to create a relocated character set,

SAVE"NEWSETNAME",8



THANKS TO COMPUSERVE'S CB SIMULATOR, "DIGITAL FOX" ACCESSED "DATA HARI" AND PROCEEDED TO AN "ALTARED" STATE.

The CB Simulator, where CompuServe Subscribers can Access Friends and Influence People on 72 Different Channels.

Just pick your handle and get on line. From math to matrimony, there's always someone out there who speaks your language. Friends from all over the U.S. and Canada are at it 24 hours a day. Talking tech or just having fun. And if you've got a secret, just use the CB Scrambler.

That'll fool the "lurkers," those CB "see it alls" who get their kicks by watching. Or you can always use the private talk mode for guaranteed one-to-one conversation.

The CB Simulator is just one of CompuServe's many electronic communications options that include a National Bulletin Board, Professional Forums and Electronic Mail. Plus, there's a world of on-line information and entertainment all for the price of a local phone call plus connect time.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To receive your illustrated guide to the CompuServe Information Service and learn how to subscribe, call or contact:

CompuServe

Consumer Information Service, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8199

An H&R Block Company

This will make the set with a new loading address compatible with SpeedScript. Turn the computer off and on, LOAD but don't RUN SpeedScript, and

LOAD"NEWSETNAME",8,1

Create the new version of SpeedScript with the following (use any name you like):

SAVE"NEWSPEEDSCRIPT",8

Refer to the discussion in the "SpeedScript Customizer" article in last month's issue for more information on printing foreign languages. Some characters are not available from the keyboard. If you want a lowercase n with tilde, for example, you have to redefine a reverse video number in SpeedScript, like this:[6] = 124 ([6] is obtained by pressing CTRL-£ then a 6). In this case you want to redefine the reverse video 6 character as an N with tilde using Ultrafont+. This way pressing CTRL-£ 6 prints the correct character on the screen. Don't forget that you still must access the foreign character set before the Gemini will print what you want. You could set up a Cyrillic, Greek, or Hebrew alphabet for SpeedScript with Ultrafont+, but it would only be good for "video notes," since the printout would still use English letters.

Diskette Dangers

I am going to be traveling overseas and I'll be taking my software (on diskette) along with me. What precautions should I take to protect the diskettes against the likes of x-ray machines, airplane altitude, etc? Tim Farrell

We contacted a representative of a diskette manufacturing company who stated that x-ray machines pose no real dangers to floppy diskettes.

However, there are precautions to be taken. Watch out for magnetic fields. Don't pack those diskettes in such a way that they will be exposed to electric motors, magnets, etc. Also, be aware of temperatures. Most manufacturers recommend that floppy diskettes not be exposed to temperatures below 50 degrees or above 125 degrees Fahrenheit (10 to 52 degrees centigrade). Because the cargo holds of airplanes could exceed these limits, it might be advisable to pack your diskettes with your carry-on luggage.

The most obvious danger is the possibility of physical damage while handling. Pack the floppies so that they will not be subjected to bending or crushing loads.

Pack them in a dust free container (plastic ziplock bags, for example) if possible. According to the representative, far more disks are lost to dust contamination than to magnetic fields.

redict the Weather

Your Vic 20[™] or Commodore 64[™] Computer

This exciting, new weather package allows you to learn, monitor, and predict the weather using the same equipment as the pros.

Be Your Own Weatherman

The new HAWS (Home Automatic Weather Station) combines a quality weather sensor with software to let you track weather conditions inside or outside your home. HAWS monitors weather data including dew point, temperature, humidity, and atmospheric pressure; plots historical data and graphically displays weather trends; determines the comfort and chill factors to help you dress; HAWS even forecasts the weather and compares your predictions to the local weatherman's.

HAWS uses the same sensor employed by weather services in 60 countries worldwide. The HAWS package costs only \$199.95 and includes the sensor, cassette or floppy disc program, 15-foot cable with connector for the computer, and a complete user's manual.

Send today or call toll free to order your HAWS package.



Ordering Information Send \$199.95 in check or money order payable to Vaisala, Inc. Include name, address, telephone number, your computer model (VIC 20 or Commodore 64), and program preference (tape cassette or floppy disc).

Or call toll free to place your order. Major credit cards accepted. Dealer inquiries invited.

1-800-227-3800 ext. H-A-W-S

VIC 20 and Commodore 64 are trademarks of Commodore Electronics Ltd.

Learn/Teach Meteorology

More than a toy or game, HAWS provides the first opportunity to use your computer as a data sampler and data analysis system for meteorology, allowing the user to interact with incoming data to monitor and forecast weather conditions. HAWS includes an instructive software program and a complete user's manual that teaches meteorological terms and equations to allow anyone to quickly grasp weather concepts either at home or in the classroom. Simple plug-in components and easy hookup also means you can free up your computer at any time for other duties. HAWS is a great educational tool for anyone. Order today.



WOBURN, MA 01801

Your Personal

Its only business is managing your home finances. No program does it more quickly, more easily, more directly.

Your Personal Net Worth systematizes the management of your household income, expenses, credit cards and check books using methods tested for accuracy by Touche Ross, one of the nation's leading accounting firms.

Your Personal Net Worth puts your computer to work, keeps your records straight, including your personal inventory of valuables and stock portfolio, tells you where and how you're spending your money or if you're making a shambles of your budget. And does it all

in less time than it takes you to balance your check book.

Nothing else — no other program at twice the price — makes handling your personal money matters simpler, faster and more direct than Your Personal Net Worth.


You'll find it at your favorite software retailer in the silver box with the real silver dollar on the front. It could be the single most valuable purchase you'll ever make.

Record all banking and any credit card transactions, reconcile bank statements instantly (up to 10 separate bank accounts can be handled), - print checks, too.

Set up a budget (as many as 350 categories) - and then compare your actual income and expenses to the budget.

Never forget a tax-deductible item. Today or at tax return time.

Display or print every financial report you'll ever need.



Record stock, bond and other investment transactions. Inventory household valuables, collectibles and important papers for insurance and other purposes.

Your Personal Net Worth works fast because it's in machine language. Documentation in plain English is referenced for easy use. "Help" functions on screen at all times.

Available for:

IBM-PC/XT/PCjr (128K) Apple II + /IIe/IIc (64K) Commodore 64 Atari (48K) The Program comes with two disks, one of which has accounts already set up for entry. However, only one disk drive is necessary.

You'll grow with us. © 1984, Scarborough Systems, Inc., 25 N. Broadway, Tarrytown, NY 10591

New Approaches In Educational Software

Selby Bateman, Features Editor Sharon Darling, Research Assistant

Construction sets, simulation programs, and other software innovations are bringing a new sense of interactivity and excitement to computer-based education. For Commodore owners, there's a new land of opportunity in learning software.

rends in educational software often seem as volatile as the trends in the fashion or automotive industries. The field is certainly every bit as competitive and as

potentially lucrative.

Hundreds of competing companies are exploring ways to take advantage of the educational software market. Educators debate the merits of a dozen different approaches to computer-based learning. And while everyone agrees there's room for improvement, some of the latest packages are showing the skeptics that the computer can be a stimulating, educationally valid learning tool.

That's very important, says Spinnaker Software Chairman William Bowman, whose company has been designing educational programs since 1980. "Children oftentimes don't want to learn the way you or I may want them to learn. Some kids learn visually, other kids learn in an

auditory way, some learn tactilely.


"Good software should provide for as many of these different ways to learn as possible by providing the child an opportunity to choose

multiple paths for learning."

Computer simulations offer one of the most fruitful means for this sort of heightened interactivity. Giving a computer user the ability to carry out everything from the dissection of a frog to the building of a space station, these simulated environments are thought provoking

and, thus, highly educational.

Cell Defense, produced by ChildWare for Human Engineered Software (HES), for example, is an interactive human biology program which simulates the way the body defends itself. Children as young as ten years can take control of different parts of the body's immune system and defend cells against viral attacks.




In HES's Cell Defense, players learn about the body's biological defenses through a simulation game in which invading viruses are repelled from a variety of cells.

The game has multiple levels and offers a brief, if simplified, introduction to human physiological mechanisms. Skin, inner tissue, and nerve cells must be defended. Interferon, macrophages, antibodies, and B- and T-cells are used throughout the game to fight the viral attacks.

Youngsters learn how aging, stress, drugs, and alcohol affect the body as the players scan and then defend various layers of cells.

"While other biological software programs



Get more out of your new Commodore. Get Star's Gemini-10X personal printer.

"My Commodore* computer really helps with my marketing business. It does just about every-

out type and lick envelopes. Which would be flice for all my direct mail.
"Well, my Gemini printer solves the typing problem. And it's made to connect right to my thing but type and lick envelopes. Which would be nice for all my direct mail.

nodore.
"I've used it for typesetting ads and even printing letters. The type is the most solid dot matrix

er seen.
"And it's great having both Commodore and Gemini graphics to play with. I've even designed Commodore.

"Buying the Gemini-10X was a good move. It made my Commodore a better computer." Steven Clarke—San Francisco, California With Star's Gemini-10X printer you get 120 characters per second of clean, crisp type, multi-function versatility and steady,




 Commodore is a registered trademark of Commodore Business Machines, Inc.

dependable service. All at a price that works. It's everything you need in one printer.

THE POWER BEHIND THE PRINTED WORD. 200 Park Avenue · New York, NY 10166

Dallas, TX (214) 456-0052 • Boston, MA (617) 329-8560 Chicago, IL (312) 773-3717 • Irvine, CA (714) 768-4340





Sight & Sound Music Software can do more than turn your Commodore 64 into a music synthesizer.

Deep within every Commodore 64 lurks the unexpected. A versatile music synthesizer. A music video machine. Even a three-track recorder. All waiting for you to control. All you need is Sight & Sound Music Software to make and record sounds that rival those of a real synthesizer. Including brass, strings, piano, guitar, electric bass, drums, funky clav, space wah and other sounds.

It's so easy that anyone can create and record music.

If you can press a few computer keys, you have all the skill it takes to create and play music. They're that music friendly. Our easy-to-follow, fully documented instructions guide you through every program.

And you can let your imagination soar. Creating and recording your own sounds. Your own songs. Your own music. Using the polyphonic keyboard. Playing across a full 8-octave range.

With one-finger, you can control wave form, vibrato, sweep and other special effects.

No one else offers our exciting animated graphics. Or the music of the famous recording artists we offer.

Every Sight & Sound Music Software program features eye popping graphics that explode across the screen.

And you can generate your own colorful graphics. Then, synchronize them to your own music...or to melodies made famous by Michael Jackson, Lionel Richie, Billy Joel and others.

A dozen different ways to have fun with computer music.

Sight & Sound Music Software offers music for everyone's musical interest. Like the Kawasaki Synthesizer that instantly puts a synthesizer's sound and flexibility at your fingertips.

Or, the Kawasaki Rhythm Rocker that creates space sounds

and graphics to the pre-recorded rhythms of electronic sound.

Or, even our Music Processor that allows you to create, edit, record,

play and even compose your own musical arrangements.

From learning programs to the songs of your favorite artists...we've got it all.

A keyboard that makes easy-to-play even easier.

An easy way to get started making music is to begin with our Incredible Musical Keyboard. It fits over your computer keyboard and allows easy note-by-note play. Included with this optional keyboard is an introductory music software program and two music



So, see your local computer software dealer for all the exciting Sight & Sound Music Software. And unleash the music in you.



We unleash the music in you.

are drill-and-practice-based, this is the first biology package that actually simulates the spread of a virus through the human body," says Dr. Sueann Ambron, director of educational software at HES. "With Cell Defense, children have to make their own decisions and draw conclusions from available data to successfully ward off the spread of disease."

Cell Defense is only one program in a new science simulation series from HES (all available for Commodore 64 on disk). Among the new titles is Life Force, in which students learn the basic cell processes by simulating the splitting of DNA and producing complete, animated

organisms.

Other programs in the series include Reflections, which teaches the physics of light reflection, refraction, and absorption with mirrors and light beams; Ocean Quest, in which players search the world's oceans while aboard simulated research submarines; and Project: Space Station, which lets a player simulate the design and production of an orbiting, manned space station.

Project: Space Station is a simulation, but it is also a construction set, or builder. This type of software represents yet another trend in computer education and offers one of the most inter-

active learning environments.

Builders are being used in a variety of ways, and for all ages, as educational tools.


HES's space station simulation/construction set, for instance, is based on designs provided by NASA. It includes such real-life constraints as budgeting problems, unfavorable media coverage, and bad weather. Players create a budget, schedule a launch date and place, choose equipment, modify and add parts, determine the focus of the mission, select a crew, and maneuver construction parts with a shuttle's remote manipulator arm or with rocket pods.

Other construction sets, all of which received their creative impetus from Bill Budge's *Pinball Construction Set* (Electronic Arts), are becoming

easier to find.

Alphabet Construction Set, from Future-house's Playground Software Series, uses Robo the Alphabet Builder to help young children learn the alphabet. Youngsters not only hear a voice, which is generated by the program, say the letters and offer instructions, but also they construct the letters on the screen using the company's Edumate Light Pen. The program also analyzes the letters that the child draws, pointing out mistakes and suggesting corrections.

One of the most successful builders [previously available for Apple computers and now converted for the Commodore 64], is *Rocky's Boots*, an electronic erector set in which players




Alphabet Construction Set (Futurehouse) offers youngsters a chance to see, hear, and actually form letters of the alphabet.

ages nine and above learn the basics of building computers by playing any of 40 different games using simulated computer logic circuits.

Still another builder is used in Mindscape's Tonk In The Land Of Buddy-Bots, five multilevel games in one package for children from four to eight years. Players help Tonk, an electronic character, find the missing parts of a Buddy-Bot robot by performing well in different learning games. (See Computing For Families elsewhere in this issue.)

Building creativity, fun, and interaction into educational software is crucial to the success of a program, says software developer Frieda Lekkerkerker, author of the popular typing program, Kids On Keys (Spinnaker Software), and of Linking Logic, Memory Manor, and Logic Levels (all from Spinnaker's Fisher-Price Learning Software).



Kids On Keys (Spinnaker), a popular typing program for young children, created by Frieda Lekkerkerker.

ONE TOUGHSPELLER.



ime was, Billy would do almost anything to duck his spelling homework.

But since Dad brought home *Spellicopter*[™] by DesignWare, Billy has become a spelling ace. As well as an ace chopper pilot.

Each week, in addition to the words already in the game, Billy types new spelling words and new sentences into the game. Then he takes command of his chopper and flies a mission through crowded skies and mountainous terrain to recover the words, letter by letter. And always in the right order.

So by the time Billy gets back to the base, he's one proud pilot. And one tough speller.

DESIGNWARE MAKES LEARNING COME ALIVE. All DesignWare spelling programs combine computer game fun with sound educational principles to help improve your youngster's spelling skills. That's why *Spellicopter*, for example, is consistently on the nation's best seller lists. You'll also want to keep an eye out for new math and science games.

All DesignWare programs run on these computers with disk drive: Apple,[®] Atari,[®] Commodore 64,[™] IBM PC and IBM PC Jr. See your local software retailer or call DesignWare at (800) 572-7767 (in California 415-546-1866) for our free software catalog. You'll be delighted with the way your kids will learn with DesignWare.



DerignWare

LEARNING COMES ALIVE.

Commodore 64 is a trademark of Commodore Electronics Ltd, IBM PC and IBM PC Jr, are registered trademarks of International Business Machines, Inc. Apple 6 are gristered trademark of Apple Computer, Inc.

Her programs are not as curriculum-oriented, but rather "they involve more thinking, more logic concepts—they let kids make plans ahead of time," she says.

In *Linking Logic*, for children from four to eight years old, the player must plan a path through a building so that he or she picks up the greatest number of matching tiles missing from the bottom floor of the building.

This learning game, like her others, is an attempt "to make the software transparent, to give children the feeling they are in control," she

says.

Lekkerkerker, a teacher who came to the U.S. from Holland, is currently working on several construction sets in which the concept of control is part of the overall game play. What she hopes to impart to these builders is a similar sense of interaction which children receive from non-computerized erector sets—Lincoln Logs and the like.

"Basically, my games are pragmatic. They come more out of watching kids play games," she says. "The frustration level, I feel, is very

low [in her games]."

Lekkerkerker once completely redesigned one of her programs after observing children playing with it. "With the original concept of the game, children would have been penalized points for the method they devised, so I modified it," she says.

Flexibility and long-term interest are components of the best educational software, says Lekkerkerker. "A game, or any kind of product, should be very easy to understand at first. But it should be able to be expanded on in ways the creator doesn't even know," she adds.



Just Imagine (Commodore) is a new interactive educational program which lets youngsters write their own animated stories.

ser-software interaction is a feature of several new educational software products from Commodore as well.

Just Imagine, for children from 4 to 14 years old, lets youngsters create their own animated stories. A variety of different background screens—a jungle, a farm, outer space, and other scenes—combine with animated objects and written stories to build a filmlike sequence. The child types the story, and the program provides graphics, music, and special effects. Up to three characters can be chosen to move around the scene as the story's plot is developed by the child.

"That's probably our latest and greatest as far as language arts is concerned," says a spokesperson for Commodore's educational software division. "A program shouldn't try to fit a child into one particular way of thinking. It should let them think divergently, and expand on what they know."

Another program from Commodore, Number Builder, for children from 8 to 13 years old, uses an arcade-style format with varying levels of difficulty to teach children mathematical operations. There is a self-testing mode in the game as well.

A similar concept is used in another Commodore mathematics program, Fish-Metic (for ages 7–13), in which children play a game to learn the concepts of greater than, less than, and equal to. Those concepts are then applied to positive and negative whole numbers, fractions, and decimals.

One of the newest programs from Commodore is *Sky Travel*, a home planetarium program which presents sky maps from ten thousand years in the past to ten thousand years in the future as users learn facts about astronomy. The maps can show the sky from anywhere on earth.

Players simulate flying a plane across a map of the world as the program automatically determines longitude and latitude.

"What we like to do with educational software is encourage the thinking process and the questioning that goes along with learning," says

the Commodore spokesperson.

hile no single article can mention the many new educational programs taking advantage of some of the newest computer-based learning concepts, even a cursory look at the field indicates that many programs are targeted at the Commodore 64.

The 64's graphics and sound capabilities are too good for programmers and software companies to ignore, according to Spinnaker's William Bowman.

"Our software engineers and our software developers will spend an enormous amount of


We'll teach your children to spell 4000 words by the time they're 14 years old.

PELLING could be the most important skill your children learn in school. And proper spelling means better grades. Not just on spelling tests, but also on written reports, essay tests—in fact, all school work that requires writing.


AEC SPELLING. The newest educational software from AEC.

AEC SPELLING, for grades 2-8, teaches the 4,000 words most commonly used in writing by children and adults. This word list is the result of over 25 years of educational research and includes 97% of the words most people use every day in writing.

With AEC SPELLING, by the time your children are 14 years old, they'll know how to spell the 4,000 words most often needed for written communication.



Look for our display in your favorite software store, and pick up your free educational leaflet.



The way AEC teaches spelling is very important.

AEC uses the "test-teach-test" approach, one of the best ways to teach spelling.

First, a pre-test determines which words the student needs to study. Next, a learning session based on eight sequenced study steps teaches the correct spellings. Then the student has the option of using four other learning activities to master the correct spellings. A post-test verifies spelling mastery.

And you can easily "customize" your child's spelling lessons by adding words, using the unique authoring system built into the program.

AEC knows good grades are important.

AEC publishes a complete library of curriculum-based software, to help your child get better grades.

The AEC MATCHMAKER* SERIES, for grades 2-8, covers grammar, vocabulary, elementary science, Spanish vocabulary skills and more.
The EASYREADER' SERIES, for grades K-8, includes phonics, word structure, and reading compre-

hension. AEC software is known for clarity of presentation, ease of use, and success in the teaching/




learning process. As a major publisher of educational software, AEC fully guarantees the quality of its product. For more information about any AEC programs, visit your favorite educational software store.

All AEC products are compatible with Apple II, Apple II+, Apple IIe, Commodore 64, Atari 800, Atari 800 XL, Atari 1200XL, IBM PC, and IBM PC, TM signifies manufacturer's trademark, & signifies manufacturer's registered trademark.

American Educational Computer =

2450 Embarcadero Way, Palo Alto, CA 94303





Number Builder and Fish-Metic (both from Commodore) use colorful arcade-style screens and action to help children learn mathematical concepts.

time working on challenging the sound chip [in the 64], or pushing the sprite graphics just as far as they possibly can be pushed," he says.

And the results for Spinnaker's 64 software, he believes, are educational programs which are "very visually deep, and have a musical dimension and game play that takes advantage of the machine, are consistent with the learning objective, and, very importantly, engage the child for a long period of time."

Putting these characteristics into educational programs is a challenge many software companies are eager to face. And with the huge installed base of 64s in the home and in schools, almost all of these companies are aiming their efforts squarely at Commodore owners.

Cross-Pollination: The Home-School Migration

There's a two-way migration going on among producers of educational software.

While some companies are broadening their school-based software lines into the home, those program developers who have concentrated on the home market are now promoting their products in school systems as well.

There are now two complementary markets for software companies to engage. Those businesses that have strength both in the school and in the home will survive, says Karen McGraw, software project editor for **DLM** Teaching Resources.

DLM, based in Allen, Texas, is an example of a company whose software was originally aimed at the school market, but which is now designing and selling educational software to the home market as well.

Much the same process is going on at Scholastic, Inc., long associated with schools, but now aggressively in the home educational computer market. And home sales for Scholastic are taking off, says President Richard Khaleel.

When American Educational Computer (AEC) began selling its line of educational


computer software into homes, it related its programs almost totally to curriculum support by grade level and subject.

Says AEC President Thomas B. Garsh, "The subject is there; we know that. It's been tested and tried [in the schools]."

A good example of how a software company can promote its own products while at the same time offering a genuinely helpful service to schools interested in microcomputers is demonstrated by Scarborough Systems, Inc.

The company has begun a software donation program to schools. It runs from September 15 to December 15. When you purchase a piece of educational software from Scarborough, you also get a coupon that lets you donate a program of your choice to a designated school and teacher.

As microcomputers grow more prevalent in the home and in schools, educational software companies will continue to have two markets in which to compete. The result of this cross-pollination between home and school may ultimately mean higher quality and more diversity among computer-based learning products.



Major Bill has over 3000 hours of flying. He loves the sophistication of the SOLO FLIGHT simulation and its real life challenges of deteriorating weather, failing instruments, and overheating engines!! He knows the reality of flight with SOLO FLIGHT he can bring it home!! Bill Jr. has no real flying hours, but just moments after he plugs in his joystick, he's airborne, experiencing the fun and learning of flight. He loves the great 3-D graphics, the takeoffs, the touch and go's, and the NEW "INSTRUCTOR PILOT" option which enables the computer to give him flight instruction just like his fighter pilot Dad would!!

> he has it!! SOLO FLIGHT is a real flight simulator that includes VOR's, ILS, 21 different airports, VFR, and IFR flying. SOLO FLIGHT is easy to get started with, but you will get hooked on its Fun and Excitement!! Try to master

Bill Jr. loves the fun of flying - with SOLO FLIGHT

all the challenges of SOLO FLIGHT. But be careful, because that may take many more flying hours than a Major has!!

SOLO FLIGHT is available for Commodore-64, APPLE, IBM. and ATARI computers. Suggested retail price is only \$34.95. Find SOLO FLIGHT at your local retailer, or call or write for MC/VISA, Money Order, or COD orders. Add \$2,50 for postage and handling (Int'l, add \$4.00 USD). MD residents add 5% sales tax

Experience the reality of these other great simulations from MicroProse:



Challenging and Exciting Air Combat from the



Heart Pounding, Accelerated Real-Time ense of Europe Ago Soviet Invasion!!!



Exciting 3-Dimensional Aerial Combat Over

icroProse Software 10616 Beaver Dam Road, Hunt Valley, MD 21030

The Action is Simulated — the Excitement is REAL!! (301) 667-1151

Hunt Valley, MD 21030

Commodore-64, ATARI, APPLE, and IBM are registered trademarks of Commodore Business Machines Inc., ATARI Inc., APPLE Computer Inc., and International Business Machines Inc., respectively.

Tom Snyder: Educational Software Developer

Kathy Yakal, Editorial Assistant



Software developer Tom Snyder

Education is changing: Instead of looking at books, teachers' faces, and phrases scrawled on the blackboard, students are looking at computer monitors and keyboards. But software developer Tom Snyder is trying to get students to look at each other, too.

OUR STORIES



Because Infocom's interactive fiction is designed to run on your imagination.

That's precisely why there's nothing more interesting, challenging or interactive than an Infocom disk-but only after you've

put it in your computer.


Once it's in,

you experience something akin to waking up inside a novel. You find yourself at the center of an exciting plot that continually

challenges you with surprising twists,



unique characters (many of whom possess extraordinarily developed personalities) and original, logical, often hilarious puz-



in full English sentences.

But there is this key difference between our tales and conventional

novels: Infocom's interactive fiction is active, never pas-

sive. The course of

events is shaped by what you choose to do. And you enjoy enormous freedom in your choice of actions

—you have hundreds, even thousands of alternatives at every step. In fact, an Infocom



interactive story is roughly the length of a short novel in content, but because you're actively engaged in the plot,

your adventure can last for weeks and months.


Find out what it's like to get inside a story. Get one from Infocom. Because with Infocom's interactive fiction, there's room for you on every disk.



For your: Apple II, Macintosh, Atari, Commodore 64, CP/M 8," DEC mate, DEC Rainbow, DEC RT-II, HP 150 & 110, IBM PC* & PCjr," KAYPRO II, MS-DOS 2.0," NEC APC, NEC PC-8000, Osborne, TI Professional, TI 99/4A, Tandy 2000, TRS-80 Color Computer, TRS-80 Models I & III.

*Use the IBM PC version for your Compaq and the MS-DOS 2.0 version for your Wang, Mindset, Data General System 10, GRiD and many others.

DELETE:



ENTER: THE BRADY ADVENTURE

If you're bored with the ordinary, dreary functions you've been performing day-by-day and even games have lost their luster, Brady brings back the adventure! You and your Commodore 64 can enter a whole new colorful world of excitement—if you're in command.

Brady Communications, Inc., puts you in control of the fun with a complete line of amazingly easy-toread books, published especially for you and your Commodore 64. Whether you're a beginner, an advanced user, a whiz kid, a parent, a teacher or a hacker, Brady publishes the books to teach you how to make the most of your computer. From BASIC to games, from graphics to sound, from software to debugging, these books will let you key into your imagination in microtime and bring it up on screen. Enter The Brady Adventure—the excitement is all yours.

BOREDOM

BLAST OFF WITH BASIC GAMES FOR YOUR COMMODORE 64

David Busch

This is the first really fun approach to BASIC ever devised. The book containing time-tested, highly visual games makes it easy to learn BASIC programming on the Commodore 64 computer. It includes 25 games that take advantage of the Commodore's special features including graphics, sound and joysticks. The programs are even suitable for customizing for further fun.

BLAST OFF WITH BASIC GAMES FOR YOUR VIC 20

David Busch

Twenty-five games make it simple to learn BASIC for your Vic 20. With twenty-five, time-tested, highly visual games, this book lets you take full advantage of the fun available on your Vic 20.

1984/128/paper 0-89303-334-0/\$12.95

COMMODORE 64: AN INTRODUCTION TO BASIC PROGRAMMING AND APPLICATIONS

Larry Joel Goldstein & Fred Mosher

In this volume the master teacher has taken a hands-on approach to BASIC language and practical reallife applications. The book gives a complete and up-to-date account of what the Commodore 64 is and how it works. Page by page, the reader is introduced to DOS and BASIC. It shows how to program for personal and professional needs and includes programs for mailing lists, word processing, telephone lists, graphics, sound, and file handling—plus extensive coverage on structuring, planning, and debugging programs.

1984/288pp/paper/ISBN 0-89303-381-2/\$14.95

ADVANCED BASIC PROGRAMMING FOR THE COMMODORE 64 AND OTHER COMMODORE COMPUTERS

Michael Richter

This is the next step for the Commodore user who has mastered the basics and wants to move on to more advanced software. In this book, the reader will learn how good programs are written, how to read and use them, how to know a good one when they see it, and how to gain knowledge through the experience of writing advanced software.

1984/204pp/paper/ISBN 0-89303-302-2/\$14.95

COMMODORE 64: GETTING THE MOST FROM IT

Tim Onosko

Written for users with little or no previous programming experience, this handy guide is the only source with information on all three versions of the Commodore 64. It includes material on both the classroom model and the portable version. It offers a thorough and understandable introduction to the computer—including a solid approach to BASIC programming. It covers word processing, color graphics, and sound.

1983/320pp/paper/ISBN 0-89303-380-4/\$14.95

BRAIN GAMES FOR KIDS AND ADULTS USING THE COMMODORE 64

John Stephenson

Between the front and back covers, this volume contains more than 40 exciting and challenging games. Designed to entertain and educate the reader, it teaches programming and the application of some very important mathematical concepts, without the pain. The games are short and precise and are targeted toward whose who learn best by doing. They can be played and enjoyed without an understanding of the mathematics involved. This is one volume you'll want to have for fun—for kids of all ages!

1984/160pp/paper/ISBN 0-89303-349-9/\$12.95

BRAIN GAMES FOR KIDS AND ADULTS USING THE VIC 20

John Stephenson

This is the volume especially for your Vic 20. Containing more than 40 challenging games, the book teaches programming and some basic mathematical concepts simply in the doing. Be sure and have this book to make your Vic 20 more fun.

1984/160pp/paper/ISBN 0-89303-347-2/\$12.95

HANDBOOK OF BASIC FOR THE COMMODORE 64

Fred Mosher & David Schneider


For the beginner, here is the book to buy with your Commodore 64. It is simply organized by BASIC programming statements so while programming, the user can go directly to the information he needs without confusion or delay. This one-of-a-kind guide contains the same information as the BASIC reference manual supplied with your Commodore, rewritten especially for the new user. It presumes no knowledge of BASIC and explains the materials supplied in the manual.


1984/256pp/paper/ISBN 0-89303-505-X/\$14.95

These and other Brady Books written specifically for your Commodore 64 and Vic 20 are available at B. Dalton Booksellers, Walden Books, and other fine bookstores and computer dealers nationwide. Or, call 800-638-0220 for information. Brady Communications, Inc. is a Prentice-Hall Company, located in Bowie, Maryland 20715.









Hop in the Snoopmobile parked next to Snoop Headquarters ...

...and drive around the streets of Costa Villa, questioning suspects at their homes and over the phone to find out who fishnapped Lily the dolphin from the Tabasco Aquarium. Snooper Troops detective games help children learn to take notes, draw maps, classify and organize information, and develop vocabulary and reasoning skills. (All photos courtesy Larry Lawfer.)

ou can be a diver, or a detective, or a government agent. You'll travel on trains to different cities, on ships across the ocean, or in the "Snoopmobile," trying to find out who fishnapped Lily the dolphin.

Tom Snyder's educational software creates worlds for kids to play and learn in. His many programs are held in high regard by parents and educators for just that reason: Children are drawn to the software because it's fun, but they come away having learned new concepts.

And that's a difficult marriage. Educational software designers and publishers struggle constantly to find the right mix so kids like using the software, and parents and teachers are satisfied with its educational value.

"I'm a bit distinctive, probably, in that I was such a bad student."

Snyder's own education, as he describes it, was filled with

frustration and self-doubt. Teachers told him, "Here, learn this set of facts. Write this paper. This is what you must know. This is what's important."

He asked them why. When they couldn't answer, he decided to learn what he thought was important, which didn't win him any points with teachers. "I was extremely active in projects, but I could not figure out how to do well in school," he says. "I began to think I was not a capable person."

He made films. He wrote songs. He played around with computers, and sent one of his designs to IBM.

Shortly afterward, he says, "I came home from school and found a couple thousand dollars worth of hardware parts on the lawn, with a note from IBM that said something to the effect of, 'That was a good idea you had. Mess around with this stuff and remember us when you design anything else.'"

"All it took for me to come into my own was getting a

teaching job. Ever since that first day when I went in as a novice and saw 25 fifth graders looking at me, I've done exactly what I'm supposed to do."

In spite of the encouragement from IBM, Snyder's temporary fascination with computers faded for a while. After finishing high school ("definitely in the bottom half of my class"), he spent a few years playing keyboards in a rock and roll band, with a recording contract at Capitol Records.


He returned to school, studying French and music at Swarthmore College ("I was on probation most of the time"), then got a master's degree in education from Lesley College in Cambridge, Massachusetts.


His first day of work at Shady Hill School in Cambridge confirmed what he had believed as a student. "All I needed was a non-arbitrary responsibility," says Snyder. "If I didn't teach those kids, they were missing something. However, if I didn't write a paper on value-added tax for my economics professor who wouldn't read it anyway, nobody was worse for the wear except me, and I was already taking care of me."

"The group of people in the world which is least capable of learning for abstract reasons is the very group that is forced to learn for abstract reasons all of the time: kids."

"If you ask second-graders why they're studying math, it's surprising and depressing, but

THE WORLD'S GREATEST BASEBALL GAME. THERE'S MUCH MORE TO WINNING THAN JUST PITCHING, HITTING & FIELDING.






Real baseball is more than just hitting, pitching and fielding. It's also your favorite major league teams, the great stars of today and the Allstars of yesteryear. It's statistics and coaching, and it's managing your own game strategy. With the World's Greatest Baseball Game, you have it all. Pick your major league line-up using the actual player and team stats. Then watch the action unfold against an opponent or the computer.

Two modes let you choose between managing and controlling your team or managing only. The World's Greatest Baseball Game—everything you could ever want except the hot dogs and peanuts.

One or two players; joystick controlled.



Strategy Games for the Action-Game Player



they'll actually say because it's good for them," says Snyder. Or because they have to or they're supposed to. "These are very arbitrary reasons.


"When I teach, I try to make sure the kids know exactly what they're doing, why they're learning. If I can't come up

with a good reason, if I can't get the kids involved in the community or helping people or creating value in a real way, I create a game, which is the next best option to get them excited about what they're doing."

For Snyder's class of fifthgraders, these games were dataintensive simulations. If they were studying geography, they became the crew of a ship crossing the ocean. The kids loved it, but Snyder faced a real management problem just trying to keep track of all the needed information, using paper and pencil.

Though he had no notion of using it as an educational tool, Snyder had bought a Radio Shack computer in 1979, and was using it to organize notes, help write reports, and keep track of grades.

The management problem he was running into with his simulations sparked an idea. "It became obvious to me that I could use the computer to manage these simulations," he says.



In Agent U.S.A., it's up to you to save the nation from the dreaded FuzzBomb. On your way across the country by train, you must gather strength by growing crystals and keeping them away from the FuzzBodies. Make sure to read the schedule correctly at each stop, or you'll miss your train. Agent U.S.A. helps children learn to read maps, learn more about U.S. geography, and improve critical thinking and math skills.

"The computer could keep track of where the kids were in the game, make random choices, and have an overview of what the world looked like."

"The next step was to turn the computer around and let the kids push the buttons. And as I dared to turn the computer around, I had to come up with easy ways for the kids to enter information and get information back."

By designing simulations in which the students were responsible for keeping track of the information, Snyder discovered an unexpected bonus. "I remember walking home the first few nights I did that and thinking, gee, maybe a computer could solve some of the problems my simulations have always had," he says.

One of those problems that disturbed him was how to get everyone in the group involved. "Having run the simulation without a micro, there were always certain people left behind or group dynamics problems," he says.

To combat that, he developed programs that divided the screen into several different areas, each of which contained information that was essential. "Suddenly you can sort of cre-


ate an expertise in each child. Each child has a piece of information and no one bright student can get it all because it only lasts a few seconds on the screen."

Snyder watched children who had rarely spoken or been spoken to by classmates suddenly become an important part of the group. They were learning, they were having fun, and they were talking to each other.

"Teachers across the country say this software is important, this is a way to use the computer. Not one kid on one program, but having the computer actually promote group dynamics, which is just the opposite of what people thought the computer would do."

Buoyed by his breakthrough, Snyder hired a New York consultant for \$500 a day (on a teacher's salary) to see if his discovery was as important

SILICON WARRIOR. PROGRAMMED TO BLOW YOU AWAY.





The year is 2084, and the Silicon Valley is enveloped in a conflict of the fiercest magnitude. Warriors from the House of Peanut, the House of Apple, the House of Adam, and the House of Pong are competing

for a computer program which will unravel the mysteries of the Universe and lead to eventual domination.

You are one of the Silicon Warriors, your mission is to program five of the chips in a row before any of your opponents can do the same. They will try to beat you to the task and steal the program or destroy you with laser fire. Or, you might even be swallowed up by a black hole "bug" in the program that appears when you least expect it. Using your joystick, you teleport from one chip to another as the battle intensifies through seven levels of play.

With the proper strategy and a dash of speed, you can be Master of the Silicon Valley.

One to four players; joystick controlled.



Strategy Games for the Action-Game Player



as he thought it was. Yes, said the consultant, you have something extremely special. I can

get you a contract.

And he did. With McGraw-Hill, who saw Snyder's simulations and bought all five packages immediately. Snyder's experiments with computer-assisted group learning became the Search Series, a group of classroom simulations for grade-school children, which still sells well four years later.

"The best software requires teachers."

Snyder recalls one time when a student, after participating in *Energy Search*, went home and told his parents, "The neat thing about it was that we got to make decisions about things that really mattered."

But some of the grown-ups weren't so sure. On the road in 1981 to promote his series, Snyder was asked the same question over and over: Isn't this kind of software dependent on exquisite teaching?

No, he said for a long time. Anyone can use this approach. It's good for everybody.

"What I've learned now is that this stuff requires a good teacher, and good teachers come in a lot of forms," he says. "If someone comes up with teacher-proof software, that's just the beginning of the end. As soon as we start making software that runs itself, we're all losing control."

"You don't work by committee in art. You don't in software either."

About the same time Snyder was writing simulations for his classroom, the personal computer industry started to pick up speed, and Snyder had a new market for his learning discoveries: home educational software. "I met a couple of

With Snyder, they began building a corporate structure to channel Snyder's dreams into the burgeoning home computer market.

Over the last two and a half years, Tom Snyder Productions has grown from a staff of two



Software development group Tom Snyder Productions.

guys named Bill and Dave who were thinking of starting an educational software company, and converted one of my school programs for home use. That was the first program they published."

That program was Snooper Troops, the company was Spinnaker, and "Bill and Dave" were William Bowman and David Seuss, now Chairman of the Board and President at Spinnaker. Snooper Troops became the first educational game to make a software industry bestseller list.

In January 1982, Rick Abrams, a young financial consultant, entered the picture. operating out of a third-floor apartment to offices in Harvard Square with a staff of 17 software artists, writers, and other support people. Their profits grew from less than \$50,000 in 1981 to more than \$500,000 in 1983.

But not without stumbling a few times. "I had a few disasters just hiring programmers and having them program my dreams," says Snyder. "That undervalues programming as an art, as a personal passion."

So what he had to do was to "...go through the laborious approach of finding dreamers who wanted to get excited about some approach, then let them

I FEEL LIKE DANCIN'



THE GOLD DISK*SERIES

SOFTWARE AT A PRICE THAT WILL MAKE YOU DANCE

December Premier Issue

Includes:.

- · A complete data base system
- · Feature article on data base systems
- Home Finance program & tutorial
- Learning Basic Part 1 tutorial
- 2 Arcade Action Games with full 3D Graphics !
- . Music of the month
- · Puzzles of the month
- Programmer's corner and MUCH MORE !!

All this for much less than the price of one game

Introducing the Gold Disk

A whole spectrum of quality software for your Commodore 64* on one disk.

Issued once a month, the GOLD DISK contains software to meet your every need. Programs that will educate, entertain and assist you.

GOLD DISK is committed to providing you with the best in high quality arcade style games, powerful and easy-to-use applications (word processing, data bases etc.) and enlightening tutorials.

SUBSCRIBE NOW and you can take advantage of this introductory offer

TO START RECEIVING THE GOLD DISK SERIES, MAIL THIS COUPON (OR FACSIMILE) TODAY!

GOLD DISK			2179 Dunwin Drive, #6 Mississauga, Ontario L5L 1X
Name			Canada
Name			☐ 6 months @ \$54.95
Address			☐ 12 months @ \$99.95
City	State/ Province	Zip/Area Code	Add \$1.00 per issue for mailing and handling. Orders out of North America add \$3.00 per issue. Newsstand price per issue is \$11.95 U.S.
☐ Check or money order enclosed	I □ VISA	☐ Mastercharge	ONTARIO RESIDENTS ADD 7% SALES TAX
Acct #	Exp. Date	Sign	ature of Cardholder
Pric	es in U.S. Funds	Do not forward cash by mail. Allow 4	

work and design on their own," he says.

Snyder discovered something interesting along the way. A female visitor to the office one day had criticized a program for being sexist because all the characters looked like men, but loved another program for some reason. The lights are seldom out at 123 Mt. Auburn Street in Cambridge. The staff of Tom Snyder Productions is encouraged to reach their speed, get into their own pace, however strange those hours are.

"Like most software development teams, we try to keep corporate culture out," says and Run For The Money and Making Millions by Scarborough Systems, Inc.

"It's one thing to do your dream; it's another thing to hire a lot of people and then have to lay them off because you haven't made ends meet."

Treating software development as a creative art raises a fundamental question: Do you design programs that satisfy you artistically, or things that you know will sell?

It's not so impossible to do a little of each, believes Snyder. "There are restrictions in a commercial market, but that doesn't have to be the end of the world," he says. "It's like a sonnet. That has some pretty explicit rules to it, but there are an infinite number of ways you can write one."

And that thought satisfies him for life. "I love working within tight restrictions. Anything has restrictions except for jazz," he says. "Take the pop song, the two-minute-forty-eight-second song—there's so much you can do. The world has realized that that's just limitless. Symphonies had to go through lots of transitions, but the pop song continues to amaze people with what can be done."



TSP's latest program, Rock 'n Rhythm, turns your computer into a recording studio.

The reason, believes Snyder, is that it was programmed by a woman. "The trick is not just to have women designing the software, but programming it," he says. "It became so obvious to me that we had a lot of women designers, but they were handing them to men to program.

"The 1.5 million judgment calls that Gabrielle Savage made [when she programmed Spelldiver] were a women's decisions, choices of shape, color, position, pacing, plot.

"If women are just using tools that men build, they're not finding out what the computer is capable of, given your particular fantasy. A graphics person who is not willing to find her own tools is like a cabinet-maker who has no say over what tools he uses."

Snyder. Art, recording, and technical studios, as well as private offices ("no cubicles here") help sustain that, as do frequent weekend trips together.

Snyder's analogy for that team's relationship to the rest of the industry is a television production crew. "Something like a group that is trying to have several hit series on the air at once," he says. "There's a lot of separate creative production, but they all share production facilities."

And his "hit series" have been picked up by some of the top educational software publishers: The Search Series by McGraw-Hill; Snooper Troops, In Search Of The Most Amazing Thing, Fraction Fever, and Rock 'n Rhythm by Spinnaker; Agent U.S.A., Spelldiver, and Bannercatch by Scholastic, Inc.;

"When we successfully eliminated Nancy Drew from our book list, we may have done something good for proper English but we might have done a bad thing overall for kids' investment in learning." As Snyder's software development team continues to chip away at the boundaries of home education, Snyder is turning his attention back to where everything started for him: the schools.

"I've stayed away from the school market for a few years, but now I'm looking back and seeing that the kind of stuff done for schools is still the one-on-one stuff: one kid, one com-

puter," he says.

Further, he's concerned about the struggle that schools are going through trying to incorporate microcomputers into their teaching process. "There is an erroneous promise, an implication that you're going to be able to do quantifiable things with computers. Therefore, it's excited educators and educational consultants who say, finally, we can start pinning down this educational beast.

"Whereas good software designers come along and say, sorry, this is no more quantifiable than a good book or a bad book. It's an extremely flexible medium and we're going to have to learn to use it just as slowly as we learned how to use good fiction and good art."

So he's back to designing

group simulations.

"I'm so excited to be doing it again. I feel very morally clear every day when I'm walking to work," says Snyder. "It's cool to think of the computer handling groups of kids well."



microcomscribe

8982 Stimson Court, San Diego, California 92129 (619) 484-3884 or (619) 578-4588

How GAZETTE Readers Are Using Their Computers

Bernie Ghiselin

am totally and utterly infatuated," says Bruce Kobrin about his Commodore 64. A San Francisco minister, Kobrin keeps track of information about his many parishioners by using his computer.

"It's just kind of fun to play with," Roger Brensinger says about his VIC-20. Brensinger, an air traffic controller in Waco, Texas, admits he also computes loan amortization figures and is interested in a biorhythm program for the machine as well.

But the biggest reward for Brensinger is in watching his five-year-old son—"It's helping him to learn to count and recognize numbers"—and his two-year-old daughter—"She just turns it on and listens to the sound. She doesn't know what she's doing yet, but she enjoys just sitting by it."

From educating children and playing games to helping with home productivity chores and learning to program, COMPUTE!'s GAZETTE readers are using their Commodore computers for a multitude of purposes.

How do you use your Commodore 64 or VIC-20?
COMPUTE's GAZETTE put that question to readers in 34 states. The variety of answers we received from this informal survey reveals just how versatile these computers—and their owners—can be.

Some homes have too many fingers chasing too few keyboards.

"We fight over it," says Natalie Adams, a resident of Avon, Colorado, whose 15-yearold son, Tim, usually beats her to their computer.

"Whenever I'm not at it," says Ron Long, "they [his wife and children] get a chance occasionally. The grass is about a foot high out there right now." Long, a school teacher in Ada, Oklahoma, has had both a VIC-20 and a Commodore 64. He spends up to five hours a day on the computer.

The situation is reversed for John Norton, an editor in Pueblo, Colorado, whose chil-


dren dominate the machine:
"It's hard for me to get near the thing." And Stephen Gaudet of Rumford, Maine, insists: "I'm telling you, it's on all day long. When somebody's at home, it's on."

commodore owners may talk about their interests in computer-based learning software, programming, or simply getting familiar with computers for themselves and their children, but the use most often mentioned in our reader survey was—not surprisingly—education.

"The original purpose was education for me and the children," says Jack Adkins of Bethany, Oklahoma. "But it progressed into a hobby."

"Primarily for the kids to hack with," offers E.F. Gormel of Cape Canaveral, Florida, in response to a question about why he purchased a computer. "To get them familiar with the keyboard."

Even if a parent buys the computer for personal use, there is often a son or daughter somewhere in the background, learn-





Explosive entertainment

If jumping out of the frying pan into the fire is your idea of fun, MicroFun® has some of the hottest challenges to your skill.

These games are dynamite. And we've got the awards to prove that they give you the biggest bang for your buck:

The Heist™ won the 1984 Outstanding Software award from Creative Computing.

Boulder DashTM won the Showcase Award at the 1984 Consumer Electronic Show.

Miner 2049er[™] won the 1983 Game of the Year award from *Electronic Games*. And now Bounty Bob is back for more heart-pounding adventures in Miner 2049er II[™].

You need nerves of steel. A steady hand. And fast responses. Or they'll blow you away.

That's the MicroFun® trademark: more fun than you can shake a joy stick at.

Find out whether you are one of the chosen few who can make it to the highest levels of success. Challenge one of the popular new MicroFun® games — today.

You'll really have a blast.

Micro fu

All games are available for all Apple II's.

Most are also for Commodore 64 • Coleco • IBM • Atari

the fun goes on forever

micro funº

THE COMPUTER ENTERTAINMENT DIVISION OF MICROLAB, INC.

2699 Skokie Valley Road, Highland Park, IL 60035 • (312) 433-7550

ing BASIC, playing games, or writing school papers on the computer. And the frequently unspoken reason—although almost always a factor—seems to be the thought that those children need to be exposed to computers as soon as possible.

For example, when Frank Graham bought his Commodore computer, he didn't think his children, ages 5, 7, and 13, would become wizards of the keyboard. But Graham, a news director for WTAE-TV in Pittsburgh, didn't want them to face the silicon society in fear or ignorance of computers. "All three know what it is and are not afraid to sit down and work with it," he says.

The enthusiasm of Commodore owners we contacted is typified by Jack Adkins, an efficiency expert for Oklahoma City Schools: "I've talked 15 or 20 people into buying one at work," he says. "I'm loaded down with just about every game for the Commodore 64." At last count, Adkins' software collection contained about 150 disks and was still growing.

An interest in educational computing and an enthusiasm for the computer came together for Shirley Watson of Fort Worth, Texas—but not without some initial convincing that a computer wasn't just a fancy game machine.

"I thought, 'I don't need this. If you can show me there's something else we can do, then OK," she says. "After about three or four months I was amazed at all the things I could do."

The family's VIC-20 has helped her son, David, now 11, to learn his multiplication tables. And between Shirley's and the children's use of the VIC-20, her husband George was forced to buy a Commodore 64 just to keep peace in the home and get an opportunity to use it as well.

Shirley Watson carried her new-found interest to the PTA and a fourth-grade class at a local elementary school. "I brought a little math program, and I took about ten minutes with each child and asked them if they'd worked with a computer before," she says. "They picked up on it right away. It seemed complicated until we sat down and ran a little routine through."

Watson's presentation was so convincing that the PTA and the school principal authorized money for the purchase of a Commodore 64, disk drive, color monitor, and software.

Although computer gaming remains popular among readers, it's clear that educational programs are drawing an increasing amount of attention.

Not long after that, five other teachers bought their own computers to keep in the classroom.

The cautious first approach and later conversion to computing have been typical for many of the GAZETTE readers contacted.

"I felt intimidated by it," says Sara Miller, a teacher in Sterling Heights, Michigan. "I felt it was smarter than I was. I wanted to learn it and get my kids through that kind of feeling. I hope my kids will be comfortable when it comes to learning BASIC in junior high school. If that's all I get, I'll

be satisfied."

Another concerned parent, Barry Arnes, is gently guiding his four-year-old son, Robbie, into the world of computers. "He sits in my lap and we have a sound demonstration tape. We play *Pac-Man*. And he's picked up his sight vocabulary in the last four or five months," says Arnes, a high school science teacher in Philadelphia.

"He's learning some of the commands, and he loves to erase. I type in something, and he hits 'delete.' He thinks that's great. Sometimes we play Avenger, but that's frustrating for him," he adds.

The list of uses for Commodore computers is a long one. Sequencing grow-lights for plants is something Bruce Hartigan of Ferrisburg, Vermont, wants to use his VIC-20 to coordinate. Another reader, 16-year-old Eric Jordan of Hiram, Georgia, uses the VIC he bought mainly to help with his math classes: plotting graphs and trigonometric and exponential functions.

"The computer is so much faster. I don't have to work it out the long way," he says. "I had to learn it all myself."

In Brooklyn, New York, Suzanne Bennett, 17, is using her computer in an accounting course and for word processing in her English classes. Across town in Queens, Mark Peress, also 17, is writing his own data base and filing programs. He has learned BASIC and is now working on COBOL and Pascal. Among his creations so far is a space shuttle simulator.

"You have to figure out the speed of the launch," he says. "If it's not enough, you crash. It does orbits, lines up with the runway, reentry, everything."

A few teenaged readers are not only using their Commodore computers for their own school work; they're helping others manage their affairs. In

COMPUTE!'s GAZETTE DISK

COMPUTE!'s GAZETTE is now available on disk. Each month you can receive a fully tested 5½ inch floppy disk which will run on either your Commodore 64 or VIC-20 personal computer. Each issue of COMPUTE!'s GAZETTE DISK will contain all the programs which appear in the corresponding issue of COMPUTE!'s GAZETTE magazine. You'll save hours of typing time and gain hours of enjoyment with all the quality programs found each month in COMPUTE!'s GAZETTE.



Here are just a few of the quality programs which appeared in the September 1984 issue:

- 80 Columns For The 64—A two-program package including "Screen-80," which converts the 64 into an 80-column machine, and "Custom-80," which lets you create your own 80-column character set with a joystick.
- SpeedScript Customizer—Tailor the output of your VIC or 64 version of SpeedScript with this easy-to-use menu-driven program.
- Disk Tricks—For 1540/1541 disk drive owners, this package of four programs lets you change a

disk name, change a disk ID, unscratch, and scratch disk files. For the VIC and 64.

- Mystery At Marple Manor—Can you discover who did it, to whom, how, and where? A mystery text-adventure for one to six sleuths. For the VIC and 64.
- Power BASIC: Screen Headliner—Make your own headlines on your VIC or 64 with this routine that expands characters to four times their normal size.

Ordering Information

To Subscribe:

Return the attached postpaid card or call COMPUTE!'s GAZETTE TOLL FREE 800-334-0868 (in North Carolina 919-275-9809). All orders must be prepaid—send check or money order or charge to Visa, MasterCard, or American Express.

Individual Issues:

Individual issues of the GAZETTE DISK can be ordered for \$12.95. (In the US and Canada add \$1 per issue for shipping and handling. Outside the US and Canada add \$3 per issue). Individual issues can be ordered by calling TOLL FREE 800-334-0868 (in North Carolina call 919-275-9809), or by sending your prepaid order to GAZETTE DISK, P.O. Box 5406, Greensboro, NC 27403.

Subscription Rates:

One year (12 disks) subscription \$69.95 (add \$36 shipping and handling

outside the US and Canada)

Two year (24 disks) subscription \$129.95 (add \$72 shipping and handling

outside the US and Canada)

Deerwalk, West Virginia, Andy Hall, 15, is writing a data base program for a nearby sports shop-"an inventory list for sports equipment, so they don't have to write it down each time," he says.

Among Andy's more challenging programs was a science project that graphically illustrated the triple conjunction of the Earth, Jupiter, and Saturn a phenomenon which took place in 1981. "It's not going to happen again for 270 years or something," he says. If he had turned the project in on time, he would have had an "A," Andy admits. But he did win first place in an after-school science fair with his program.

Marvin Winston is proving invaluable to his mother and his karate instructor because of his computer. The 17-year-old Conway, Arkansas youth is using a data base program to help his mother, a nurse, keep track of about 1200 employee accident records. And he's organizing lessons and listing karate movements for his karate instructor.

To dazzle his English teacher, Marvin created a graphics program which simulated the death scene with Brutus from Shakespeare's Julius Caesar. Using sprites, the program includes text, swords, and music. "She really liked it," he says.

any GAZETTE readers get their biggest enjoyment from the sense of accomplishment that comes with mastering a programming technique or a computer function: "The feeling that I did it all by myself!" one high school student says. Adds a teacher, "Just having the computer perform something I want it to do."

Although computer gaming remains popular among readers, it is clear that educational programs are drawing an increasing amount of attention. And there are those who find that education and entertainment have a common ground.

A favorite game for Bertram Rhoads, Jr., a 70-year-old semiretired insurance salesman in Philadelphia, is a complex blackjack game which he wrote himself. With the help of his son, a systems analyst in Chicago, he's now writing what he feels will be an improvement over the blackjack games currently on the software market.

The new program includes a random factor which simulates the gambling odds at Atlantic City card tables, he says. "The computer is the dealer," says Rhoads. "It still has to play the rest of the hands around the table. When it finishes with the last player, the computer reveals what his down card is and whether he hits or stays. Then the computer goes around and tells you whether you won or lost."

One of the most enthusiastic groups of GAZETTE readers is composed of teachers who are finding a variety of ways to use their machines.

Los Angeles high school teacher Jerry Woodrome has written what he calls a subliminal reading program for his own children, ages four and six. The program simply uses a counter and a loop, flashing a word on the screen 1500 times before skipping to the next word. The program helped his daughter's reading comprehension in two days. "It about blew my mind," he says. "I didn't realize it was that efficient."

The first teacher to suggest using a computer at Indian River Junior High School in Chesapeake, Virginia, was GAZETTE reader Kathy Dulaney, an eighth-grade teacher. She brought her own VIC-20 to school and began using simple vocabulary exercises. "We can change vocabulary from week to week," she says, "erase their data and then put in our words."

At the younger levels, William Arnold is a GAZETTE reader who teaches computing in Cape May, New Jersey, elementary schools. "I'm just trying to get them familiar a little bit, so they won't be intimidated by the keyboard," he says. "They love it. They want to know everything about it." Among the programs that he's written is a letter recognition game for youngsters.

At the Oklahoma School for the Deaf, the students have warmed up to computers in a big way, say Ron and Elaine Long. The Longs teach at the school and have used the ma-

chines extensively.

"Most of the programs have a picture or something of identification," says Ron. "It's more fun. The deaf have a lower reading level. They don't get the input a hearing person does."

Before the arrival of the computers, few of his students could pass the driver's license test. Then they put together a computer-based tutorial. The result? "Everybody who's used it has gotten 100 percent," says Long.

espite the heavy emphasis on educational uses and gaming, GAZETTE readers are involved with many more areas of interest as well. There are ham radio operators using their computers to read Morse Code. Real estate, commodity, and stock brokers are running programs that organize their trading activities. Whether they are college professors, hospital managers, business executives, or any of a hundred other occupations, readers are using spreadsheets, data bases, word processors, and other applications.

In Houston, Luther Barnhill keeps track of monographs for his academic papers. A retired mycologist with the U.S. Department of Agriculture, Barnhill may need to list 150 abstracts for a single paper on which he



A stunning show delighted the crowd at the Whisman Theater in th Mountain View last night. Called the BLITZ!, loaded and performed by

Robert Skyles in a one-man virtuoso programming display, the show features the spectacular compiler for

the COMMODORE 64.

"...BASIC programs running up to 20 times faster"

The BLITZ! compiler is faster than PET SPEED, and faster than any other Commodore compiler that has appeared to date.

Shortly after Skyles took his seat and inserted *BLITZ!*, he had normal BASIC programs running up to 20 times faster after he *BLITZ*ed them.

The performer explained that BLITZ! translates the slow BASIC language into a much faster code, thus improving the performance of the BASIC routines. *BLITZ!* reads the entire BASIC program, decides which operations only have to run once, and compiles the operations. It then re-writes the program into its special P-code.

Skyles also showed how BLITZ! adds security to your programs, because once a program has been compiled, it is not readable. That means protection is an automatic part of the re-writing.

The highlight of the show was, for this reviewer, when BLITZ! compiled a string of BASIC programs such that one loaded the next. An impressed audience looked on as Skyles effortlessly passed information from one program to another.

BLITZ! on disk for the Commodore 64 costs only \$99.00. (You can also get one for the older PET CBMs on a special-order basis. It puts on quite a show!)



Skyles Electric Works

231Ē South Whisman Road Mountain View, CA 94041 (415) 965-1735 Available from your local Commodore 64 dealer or call 1-800-227-9998.

BLITZ! is a trademark of Skyles Electric Works.
Commodore is a trademark of Commodore.

is working.

Denise Van Dosen of Marine City, Michigan, keeps track of Girl Scout activities with her computer. Policeman Dan Mathena of North Granby, Connecticut, records arrests, cars stopped, mileage, and other figures. "It helps me to see things I couldn't see before," he says. "Now we can know the percentage of drunk drivers [as compared to] motor vehicles stopped."

When she can wrestle her children away from the computer keyboard, Natalie Adams of Avon, Colorado, uses her Commodore to keep track of condominiums for a local management company and for mass mailings to the homeowners' association.

In Seneca, South Carolina, lab technician John McDonald has reached the point where he can send out his own programs for possible publication in computer magazines. He even suc-

cessfully interfaced his VIC-20 with a home burglar alarm, although the initial efforts produced some overheating. "But it did work," he says.

Among the programs
McDonald has created which his
family finds useful is a grocery
shopping list data base that includes about one hundred items.
"We buy basically the same
things, but not the same thing
each time," he says. "We pick
out certain items before we go,
and it gives us a subtotal of the
grocery bill before we go there.
I know we save ourselves
money. We know when we go
what we want and don't let ourselves spend more."

Dale Bishop sells ads for a telephone directory publisher, and he takes his VIC-20 along on the road trips. The Vandalia, Illinois, salesman plugs the computer into his motel room's television set for a few quick games.

The Rev. Jack Skirvin, a

country pastor for 33 years, is getting plenty of use out of his Commodore 64 at the M46 Tabernacle of the Pentecostal Church of God [M46 is a highway] in central Michigan.

He has started a Bible school on Saturday mornings, and uses word processing for his notes and quizzes. A data base program helps him keep track of about one hundred families. And he uses his printer for mass mailings. Skirvin is even writing his own data base program now. "I would like to include more information for each family," he says.

Skirvin says he's probably one of a minority of ministers around the country using a computer the way he does. "There are not too many of them that have a similar interest."


But when it comes to computer use, he admits he knows the shape of the future. "I see it mostly among the young people of the church."

YOUR COMMODORE JUST GOT TWO TIMES BETTER INTRODUCING SPRINT PRINT AND COPY Q



Sprint Print: The printer buffer for the Commodore 64. Sprint Print gives you control of your computer while printing, remembers everything, and enhances printer speed. Sprint Print gives the 1525 and 801 printers true descenders and underlining \$45.95!

CopyQ: The High-Speed Disk Back-Up Program for the Commodore 64 that backs up your copy-protected software. Copy Q recovers remaining data and files that have been lost to disk errors. No other C-64 copy program works better. Copy Q is fast, more reliable and easier to use \$45.95!





TO ORDER CALL (612) 831-1088

DISTRIBUTED BY RADIX MARKETING 5223 W. 73RD ST MINNEAPOLIS, MN 55435

ADULT FUN!





COMPUTRIVIA WILL CHALLENGE THE FRIENDS YOU CARE TO ENTERTAIN

6 players or teams can play in a comfortable, party atmosphere. NO CROWDING THE KEYBOARD . . . sit back and enjoy!

QUESTIONS, HINTS AND ANSWERS FROM 8 GREAT CATEGORIES

Over 1300 contemporary non-repeating questions about interesting people, places and events. Time running out? Need a hint? No problem . . . Want your favorite category? Choose it . . if you can.

A PERSONABLE GAME WITH PLENTY UP ITS SLEEVE

Computrivia knows your name, watches your score, provokes and jokes as you play. With spontaneity and wit, it tells you who's ahead and who to watch out for!! Bonus situations too!!

ALL AT THE PUSH OF A SINGLE BUTTON

For questions, hints, answers and scores. NO MORE KEYBOARD BLUES!

'FUNFORMATION'



EXTEK computer aided products Inc.
The FUNFORMATION People
P.O. Box 305, Oakville, Ontario

For the Apple II & IIc, Commodore-64, IBM-PC, PCjr. and their respective compatibles, see your dealer or contact Extek computer aided products Inc.

Apple is a Registered Trademark of Apple Computer, Inc. Commodore-64 is a Registered Trademark of Commodore Electronics Ltd.

IBM is a Registered Trademark of International Business Machines Corp. COMPUTRIVIA is a Trademark of Extek Computer Aided Products Inc.

Race through the galaxy in a dilithiumpowered starship. But watch out for drones, mountains, and the dreaded plasma cannon. For the 64.

You are the captain of a starship en route to Delta Minor on a mission of mercy. The research outpost is battling a mutant virus of their own making. Your ship has been ordered to assist in decontaminating the outpost and saving the personnel. Due to the nature of the emergency, you proceed at maximum warp.

Unknown to you, however, a defective coupling in the main power housing is unable to support the added strain. When it fails, you temporarily lose warp drive. In the process, the ship's dilithium crystals are destroyed. The ship must proceed on auxiliary power until new dilithium crystals can be acquired.


Long range sensors indicate a nearby planetoid that contains the needed crystals. Unfortunately, the planetoid is guarded by numerous drones, normally not much of a threat. However, with shield energy so depleted, they can become a deadly menace. In addition, there is a plasma cannon on the surface against which the ship's shields are totally ineffective.


Upon arriving at the planetoid, a mining team is beamed down to the larger of two mountain ranges. While avoiding the drones you must beam up the mined dilithium crystals. Fortunately, phasors are operational. You are reluctant to use them, however, because of the associated energy drain.

Avoiding The Drones

When the program is run, the screen clears and a wait message appears. At this point, the program is moving the character set to \$3800(14336). This is done to reduce sparkle, which interferes with the sprite collision registers. Then the program asks you at what level (1-4) you would like to play. This determines two things: how fast the drones adjust their orbit to collide with the starship, and how active the plasma cannon will be. Once fired, you must avoid the plasma ball from this cannon at all costs. It will destroy your ship on contact.

Fortunately, the drones do not affect your shield energy while the plasma cannon is firing. The plasma ball has enough fuel for about two





QUICKSILVA INC. 426 West Nakoma San Antonio Texas 78216. (512) 340 3684.

AQUAPLANE



ULTISYNTH



PURPLE TURTLES





FRED



BUGABOO





Available on the COMMODORE 641. Disc or Cassette

full orbits. In normal mode (no plasma ball), the drones cost about 15 energy units per hit. If shield energy is depleted, the starship will crash and the game is over. Phasors will destroy the drones, but no points are awarded since your mission is peaceful, and weapons are defensive. It should be noted that phasors do cost energy. If used sparingly they can help; but, generally, avoid using them.

When the game ends (either by completing two orbits or by being destroyed), you will be asked to play again (P) or end the game (E).



Your mission is to find energy crystals while avoiding the irksome drone ships.

Ship Operation

The ship's controls are: the cursor keys, which provide positive and negative orbital thrust; the space bar which engages phasors; and the T key, which controls the operation of the transporter. This can only be used directly over the large mountain and while in a low orbit. The mountain will flash yellow and the shield energy will increase as new dilithium crystals are beamed aboard.

The score is based on the time that has elapsed since the start of the most recent game minus the number of direct hits on the starship. The high score of the last successful game is compared to that of the present game and the result is logged under high score.

Machine Language Routines For Special Effects

The action in "Trek" is controlled almost exclusively from machine language (ML). The ML routines are in modular form accessed from BASIC via SYS commands. The various memory locations are assigned variable names, such as "SYS THRST" (thrust) and "SYS MOVE".

A list of these ML modules is included in the

accompanying table along with a brief description of their individual functions. These commands serve as extensions of BASIC. They are independent of one another and thus are available individually for use in programs other than "Trek." These modules are grouped together via BASIC in lines 100–200, which form the main loop of the program. In addition, lines 8000–8035 form the plasma cannon loop.

Machi	ne Lang	uage Modules
ML Routine	Memory Location	Function
ВАМ	49407-49459	Checks sprite collision registers to see if drones hit starship (sprites 1, 2, 0 against 3) and moves eliminated drones off screen.
MOVE	49232-49275	Checks to see if sprite 3 is above or below the drones and moves sprites 0, 1, 2 up or down if so.
PHAS	49472-49531	Checks to see if space bar is depressed and rapidly scrolls sprite 6 (phasor) across screen if so; also checks for col- lisions between sprite 6 and sprites 0, 1, and 2.
Main loop	828-886	After being called by the hardware interrupt, this routine scrolls sprites 2, 4, 5 one pixel to the left. It scrolls sprite 1 two pixels and sprite 0 three pixels.
Hardware Interrupt reset	989-1002	This must be called before the main loop machine language above can operate. It tells the IRQ to look at 828.
THRST	890-951	Checks keyboard to see if either cursor key is depressed and scrolls sprite 3 up or down if so.

Another area where ML is used is in the scrolling of the background. This is a routine inserted into the interrupt routine performed 60 times a second. This inserted routine allows the mountains and drones to be scrolled across the screen without taking time out from the main loop. This also makes the play much smoother.

Lines 600–899 contain the DATA statements

that comprise the ML discussed above.

Lines 500–598 contain the sprite DATA statements. Lines 900–998 set up the playfield. Lines 1100–1379 contain the introduction screen. The lines at 3000 control the game restart and associated variable resets. Finally, the lines at 4000 control the victory screen received after the successful completion of this phase of the mission. The other lines are for the most part self-explanatory.

Sound in Trek has been embedded as much


as possible to maintain smooth action.

If you would like a copy of Trek (tape only) send a self-addressed stamped envelope, a blank tape, and \$3 to:

Andrew Beery 2020 East Park, #202 Milwaukee, WI 53211

See program listing on page 172.

TAKE A BREAK! Commodore &



WITH NIGHT MISSION PRESENTED

You deserve the best. You've earned it. Now reward yourself with a session of Night Mission PINBALL, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling



sound effects put Night Mission PINBALL in a class by itself. Game features: multiball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with Night Mission PINBALL from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.

See your dealer . . .

or write or call for more information. For direct orders please add \$1.50 for shipping and specify UPS or first class mail delivery. Illinois residents add 5% sales tax. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800/637-4983

Sublogic

713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995



You're in the labyrinth of an ancient Egyptian tomb, searching for treasure. Getting through the maze to the treasure while evading the tomb's guardians is the challenge. For the VIC and 64, a joystick is required.

You are a brave Egyptologist, seeking relics and treasure in the pharaoh's tomb. Using a joystick to maneuver your character, you must evade the three guardians of the tomb to retrieve the treasure from its resting place in the wall.

Inside the treasure room, many columns and walls form a labyrinth to hinder your progress. You cannot pass through these walls, but neither can the guardians. The amount of treasure you find depends on how quickly you travel through the labyrinth.

This program consists of one very short main loop and a large number of subroutines. The main program loop, lines 18–91, is designed for speed.


There was no need for a vertical wraparound feature to prevent you from appearing on the other side of the guardians by going off the screen. The screen border is made of the same character which is used for the walls. The regular program loop checks for and does not allow a move into one of these characters, so you cannot move off the screen.

The subroutine at line 2000 creates the random screen. The subroutine beginning at line 3000 creates the custom characters. The subroutines beginning at lines 4000 and 5000 are used when you either meet your end or grab the treasure.

If you don't want to type this program, send me a blank cassette, SASE, and \$3. I'll return your tape with two verified copies of the program (VIC version *only*).

Mike Scharland 3640 Halsted Blvd. Steger, IL 60475


See program listings on page 151.



Two guardians are about to capture the player in the VIC version of "The Tomb."



The intrepid explorer has made it through the labyrinth (64 version).



Introducing Mitey Mo, the ready-to-go modem that turns your Commodore 64® into a telecommunications giant.

Mitey Mo is the complete—and affordable—telecommunications system for your Commodore 64. It will open up a world of practical and exciting uses for your computer, and it will take you online faster and easier than anything else you can buy.

Now you'll be able to send and receive electronic mail, link up with community bulletin boards, play computer games with people in distant places, do electronic banking, and tap into library resources to find the material you need for your reports. All at your convenience.

Until Mitey Mo, Commodore's 1650 Automodem was the obvious choice when you went looking for a modem for the C-64. Like Mitey Mo, it has "auto-answer"— it

Mo, it has "auto-ans receives data while unattended. And both modems are "auto dialers"—you dial right on the computer's keyboard. But that's about where their similarity.

ends. Suppose you dial a number,

MODEM FEATURES	MITEY MO	AUTOMODEM	
Auto Dial	YES	YES	
Auto Answer	YES	YES	
Auto Redial	YES	NO	
Smooth Screen Scrolling	YES	NO	
Both Cassette and Diskette			
Software Included	YES	NO	
Menu Driven	YES	NO	
24K Software Buffer	YES	NO	
Function Key Template	YES	NO	
Printing Capability	YES	NO	
Easy-to-Use Manual	YES	NO	
Bell 103 Compatible	YES	YES	
Multiple Baud Rates	YES	YES	
Dual Cables Included	YES	NO	
Single Switch Operation	YES	NO	
Warranty	3 years	90 days	

COMMODORE

Some mighty interesting features – ours and theirs. Yours to decide.

and you find that it's busy. Mitey Mo has "auto redial"—it hangs up and redials immediately until it gets through. With the other modem you have to redial each time—and somebody with auto

redialing can slip in ahead of you.

Mitey Mo is menu-driven.

It lists the things you can do on the screen. Select a number and you're on your way. Since Automodem isn't menu-driven, you'll be hunting through the manual a lot.

Mitey Mo has only one switch, the customized software does the rest. Every family member will find it easy to use. With the other modem you'll have to remember to check three switches, otherwise you may be answering when you mean to be originating.


Mitey Mo gives you access to twelve pages of memory (24,000 bytes), so you can store data and review or print it later. The other modem doesn't let you store or print anything.

Mitey Mo is half the size of the other modem. The very latest technology allows miniaturization and increased reliability, as well. Mitey Mo is so reliable, we gave it a three-year warranty. The other modem gives 90 days, then you're on your own.

Not only will you find Mitey Mo mighty useful, you'll find it mighty reasonably priced. When you consider how much more you get for the money, there's really no other choice.







Deliver customers to their destinations in your taxi, but watch out for the vicious trolley cars, and try not to run out of gas. For the VIC (with at least 3K expansion) and 64. A joystick is required.

The object of "Cabby" is to drive your cab around the city picking up passengers and dropping them off at their desired destinations. If you earn \$200 and get all the money back to the depot before wrecking your hack, you get to buy your cab and win the game.

Using The Radio

Messages sent from the dispatcher are flashed on the bottom lines of the screen. The messages tell you to go to the airport, go to the zoo, etc. Head for the appropriate letter on the map (the first letter of the name of the location). You cannot pick up passengers at any destination except the one to which you have been dispatched. The one exception to this rule is the street man, who appears randomly from time to time hailing your cab. You can pick him up anytime your cab is empty.

After picking up a passenger, you must take him or her to the required destination, which appears at the bottom of the screen. Your cab fare depends on the distance from pick up to drop off point. You also get a random tip proportional to the fare collected.

Trolley Cars And Traffic Lights

Trolley cars hate cabbies and will crunch you any chance they get.

You can pass a traffic light only if it is green. A red or yellow light stops you in your tracks.

To make things even more sticky, you have to watch your gas consumption. Pushing the fire button on the joystick gives you a gas gauge readout on the lower portion of the screen. If your tank is near empty, head for the gas pump near the bottom right of the screen. You'll hear a pump sound when filling up.

Don't get caught heading for a red or yellow traffic light with a trolley car close behind.

Chances are it will not change in time to save you from your fate. The trolley movement appears to be random and no threat to you until you move into its line of sight. But they bear down on you


when they see you.

Don't wait too long to gas up. If you run out of gas, the trolleys get nine turns (the time it takes you to walk to the gas station and back with half a tank of gas) to close in. Head for the pump when it's clear of trolleys. Most of the time there

All roads to the best strategy games for the C-64" lead to SSI.

As the hero in this fantasy adventure roleplaying game, you must battle hordes of deadly monsters as you seek out to destroy the evil wizard, Mantor. Use your strength, dexterity, intelligence and charisma to the fullest in your treacherous journey to save the Questron Empire. On 64K disk

In GEOPOLITIQUE 1990", you play the President of the United States while the computer assumes the role of the Soviet Politburo. Your objective: the economic, political and military dominance of the world. On 64K disk, \$39.95.




As the pilot of a World War II B-17 bomber in this role-playing game, can you survive 50 dangerous but exciting raids over France and Germany to earn the crushed cap of a true veteran? Find out as you travel back to 1942 as part of the 8th Air Force Bomber Group On 64K disk \$39.95



STRATEGIC SIMULATIONS INC.

BALTIC 1985" third in the series "When Superpowers Collide," starts with an uprising in Poland, which has siphoned off some Soviet troops in East Germany. NATO decides to attempt a rescue of its forces under seige in Berlin. It must strike with utmost speed and ferocity before the Russians return! On 64K disk.

\$34.95



CARRIER FORCE" is the WWII simulation of the major flattop battles fought in the Pacific when the U.S. and Japan were still evenly matched in naval power. It is so detailed, every ship and plane is taken into account. It is one monster of a game in scale, yet it's so easy to play! On 64K disk, \$59.95.

This lightningfast space game not only lets you command a starfleet in combat, but it allows you to design your own ships. Variable ship parameters include engine power and drive, weapon and defense systems, number of transporters and space marines. On 64K disk. \$39.95.


For all our COMMODORE 64™ games, write for your free copy of SSI's color catalog.

If there are no convenient stores near you, VISA & M/C holders can order direct by calling 800-227-1617, ext. 335 (toll free). In California, call 800-772-3545, x335. To order by mail, send your check to: SSI, 883 Stier-


lin Road, Bldg. A-200, Mountain View, CA 94043. Please include \$2.00 for shipping & handling. (California residents, add 6.5% sales tax.) All \$5i games carry a 14-day "satisfaction or your money back" guarantee.

THE THE SULLE

COMMODORE 64" is a trademark of Commodore Electronics, Ltd.



Deposit money in the depot to keep it safe (VIC version).



The dispatcher's messages appear at the bottom of the screen. A customer is waiting at the office (64 version).

is one guarding the pump, making it difficult to get gas when you need it most.

Some letters are found on the city map more often than others, for example school, theater, and restaurant. Remember, the farther ones will return you more money. You get more for north-south movement than for east-west.

Finally, you can drop off your money on hand at the depot anytime. Your final score is the cash you have cached at the depot, not the amount you are carrying.

In the VIC version there are four levels of difficulty: 1, the easiest, to 4, the hardest. At level 1, one trolley car moves for every move your cab makes. At level 4, all four trolley cars move for every move your cab makes. It's best to start at level one before trying higher levels.

Adjusting For VIC Memory

Program 1 was written for the VIC with 3K memory expansion. If you only have an expander that provides 8K or more of additional memory, you must delete line 5 from Program 1. Then, each time you load Cabby you must first enter the following lines:

POKE 43,1:POKE 44,32:POKE 8192,0:NEW POKE36869,240:POKE 36866,150:POKE 648,30: PRINT "{CLR}"

Tracing The Program (VIC Version)

Line 5 protects memory for special characters: multicolored cabs, depot, traffic lights, the street man, and trolley cars. These are protected by lowering the top of BASIC memory in the 3K expanded VIC to 7168 instead of 7679.

Lines 10 and 20 alert the user that special graphics are being generated.

Line 50 copies the first 64 characters from the ROM character set at 32768 down to RAM.

Line 55 copies the special characters, 13 in all, into locations in protected memory.

Line 60 sets the joystick variables.

Line 65 dimensions the array variables.

Line 66 reads place names into the string variable F\$(I).

Line 150 initializes screen variables.

Line 160 defines two major functions used

frequently throughout the program. FNA(X)=INT(RND(1)*X)+1 gets a random

number from the 1 to X by simply using FNA(X), where X is the highest number we want a chance to generate. For example, X=FNA(20) makes X a random number from 1 to 20. This saves memory if you are doing lots of random number generation. The second function is FNL(Q)=H+22*Y+X, which lets you plot anything on the screen at a particular spot by giving the X and Y coordinates of the spot you want. Both X and Y must be set before the function is called. In this case, Q is a dummy variable, and

called. In this case, Q is a dummy variable, and its value is not important. It is required by the syntax of the DEFine function statement. Y is the line or row number from 0 to 22. X is the column or character position from 0 to 21. For example, if we found the following line in our program

X=10:Y=10:POKE FNL(Q),0

the computer would put the street man character zero 10 lines down and 10 columns across on our screen.

Line 170 initializes the traffic lights. Lines 180–190 determine the level of difficulty.

Line 195 changes the character register to point to the protected RAM area rather than the ROM area 32768.

Line 200 calls the subroutine to draw the city map.

Lines 210 & 220 initialize a few more variables.

Lines 300-390 control the program.

The main program is set up as a series of subroutine calls. This makes adding new ideas much easier. All you have to do is write the subroutine and then add the calling line to the main loop.

The subroutines called by the main loop are

as follows:

Lines Subroutine 500-630 joystick and cabby movement 1000-1020 traffic lights 2000-2020 dispatcher call to cabby 3000-3300 draw city map 4000-4700 passenger pick up or drop off 5000-5240 trolley car control 6000-6095 game over (crunched by a trolley car) 7000-7040 draw street man 8000-8040 depot (deposit money) 9000-9150 fill up at gas pump 9600-9660 gas gauge readout routine if fire button pushed 9700-9770 out of gas routine

See program listings on page 153.

The 64 Version

The Commodore 64 version of "Cabby" has different trolley movements, and only two difficulty levels. In this version, the trolleys run on predetermined routes. If your cabby happens to be on the same route as one of the trolleys, that trolley will chase the cab until it hits it, or reaches the end of its route.

Difficulty levels, in the 64 version are based on the number of destinations available to the cabby. For instance, in both versions, the computer prompts you to go to a specified location—say a school. In the easy level, there are several different schools on the screen. In the hard level, the computer randomly picks one particular school as your destination.

To move the cab, use a joystick in port 2. You can move the cab in four directions—left, right, up, and down. Diagonal movement is allowed only to enter a destination, or to pick up the street man. He can get into your cab only when there is no destination message flashing on the screen.





for families

A Journey Through The Land Of The Buddy-Bots

Fred D'Ignazio, Associate Editor

Software Fairy Tales

Software developers looking for new approaches to early-learning software could spend a profitable afternoon visiting and browsing through a good shildren's bookstore.

good children's bookstore.

If they wander through a bookstore, they'll notice that most paper-and-print materials for young children are centered on *stories*. Even the youngest children are fascinated by stories about other children, animals, and creatures—both realistic stories and make-believe stories. Often these stories carry significant educational messages, but the messages are artistically hidden within a strong plot, and expressed through the medium of lovable, realistic characters.

I'd like to see more programs designed along these same lines. We've had enough programs for young children with weak, poorly developed story lines and insipid characters. What we need now are *software fairy tales*—stories and characters that "come alive" when the child turns on

the computer.

Not For Children Only

Most families with little children have at least a small collection of children's books. And some of those books are well-worn, well-read, and

special.

When my children, Catie and Eric, were younger, they had several favorite books and several favorite authors (and illustrators). Among their favorites were Judith Viorst (Alexander and the Terrible, Horrible, No Good, Very Bad Day), H. A. Rey (Curious George), Ludwig Bemelmans

(Madeline), Maurice Sendak (Where the Wild Things Are and In the Night Kitchen), and Mercer Mayer (One Monster After Another and There's a Nightmare in My Closet).

My children weren't the only ones who loved these books. So did their parents. The characters, the stories, and the pictures charmed all of us. So we read the books over and over again—as much for our entertainment as for our children's.

Programs With Personality

The most important ingredient missing from most early-learning software now on the market is *personality*. There are no interesting characters for children and parents *to care about*. The world in which the software action takes place is usually so artificial and sketchy that we have no desire to go back to it. And the story line is usually nonexistent.

This is why when I saw an announcement for a new line of software by Mercer Mayer, one of my family's favorite authors, I got very excited. Perhaps Mayer's programs would have strong characters, stories, and personality, just like his books.


On the other hand, I was worried that the programs might be as shallow as the other "celebrity" programs I had seen. Celebrities in sports, the movies, books, and records have been making software for the last year and a half, lending their famous names to rather mediocre programs. I was afraid Mercer Mayer's software might not be as wonderful as his books.

Get more out of your Commodore with

COMPUTE 6

For Owners And Users Of Commodore VIC-20" And 64" Personal Computers

More fun



Martian Prisoner, The Viper, Skydiver, Snake Escape, Demon Star, Cyclon Zap and Oil Tycoon are just a few of the ready-to-run games you'll find exclusively in COMPUTEI's Gazette each month. Just type in the programs and watch your screen explode with colorful new computer game excitement.

More challenge

Ready to tackle more advanced projects? In COMPUTEI's Gazette you'll learn How to Use Tape and Disk Files. How to Program the Function Keys. Writing Transportable Basic. How to Make Custom Graphics Characters. New Ways to Enliven Programs with Sound. One Touch Commands for the 64. How to use Machine Language. Speeding up the VIC 20-and much more!

Children will learn and develop new skills with States & Capitals Tutor, Wordmatch, Munchmath, Wordspell, Connect the Dots, Aardvark Attack and Alfabug. Computing for Kids, a regular monthly feature, will uncover new ways to involve your children in computing.

More programs

Programs to help you balance your checkbook, store your addresses, keep tax records, manage your personal business. You can create your own programs and games, improve your wordprocessing, spreadsheets and data base management, load and run faster with 64 Searcher, VIC/64 Program Lifesaver, Quickfind, Word Hunt, Disk Menu, VIC Timepiece, Automatic Proofreader



\$\$\$\$\$\$\$\$\$\$\$\$

More buying guidance

You'll profit from comprehensive reviews of everything from data-quality cassette tapes to software to graphics plotters and modems. Virtually anything that's compatible with your Commodore is reported on in COMPUTEI's Gazette. With this kind of expert help, every computer purchase you make can be the right one!

More savings

You can save up to 40% off the newsstand price of COMPUTEI's Gazette by subscribing now. All you do is mail the coupon below or the postpaid card bound into this issue. But don't delay! Subscribe now to start receiving every issue of COMPUTEI's Gazette.

SA	V	Œ	U	P O	4	\overline{C})%
ON							

Yes! Start my subscription to COMPUTE!'s Gazette at big savings off the newsstand price:

- ☐ 1 year \$24 Save \$10 ☐ 2 years \$45 Save \$24
- ☐ 3 years \$65—Save \$36

Name ___

Address _____

City ____

State _____ Zip ____

☐ Payment enclosed ☐ Bill me


Charge my ☐ Visa ☐ MasterCard ☐ Am. Ex.

Account No.

Exp. Date

COMPUTE'S

P.O. Box 961, Farmingdale, N.Y. 11737



Tonk And The Buddy-Bots

Mercer Mayer's first program, Tonk in the Land of the Buddy-Bots (\$39.95 for the Commodore 64), is part of a future line of eight Sprout programs for children ages 4 to 12. Mayer's software development company, Angelsoft, is publishing the programs through Mindscape. For more information contact:

Mindscape, Inc. 3444 Dundee Road Northbrook, Il 60062 (312) 480-7667

Solid Packaging

When I got *Tonk in the Land of the Buddy-Bots* in the mail, the first thing I noticed was the unusually nice packaging.

The program materials come inside a red hard-plastic case the size of a trade paperback book. Like a paperback, the case has a spine label so the software can be placed on a bookshelf—in a bookstore, a library, or home—along with other children's materials.

On the front side of the case is a nice cartoon featuring Tonk, with some of his Buddy-Bot friends in the background. Tonk and the Buddy-Bots are honestly portrayed on the cover and elsewhere in block-graphics form, instead of as smoothly drawn cartoon characters. This representation does not detract from their charm or humor.

On the back of the case are two screen photos of the program and lots of information about the contents of the package (handbook, warranty, disk), the machine requirements to make the software work (Commodore 64, disk drive, color monitor or TV, joystick optional), the age group the software is targeted for (ages 4 to 8), and the educational benefits. (Among other things the programs help children improve their concentration, their memory, and their visual discrimination skills.)

A Journey Inside The Computer

The manual to *Tonk in the Land of the Buddy-Bots* is excellent. It is short, clear, and full of cartoons and screen photos. And it begins by leaping right into the story:

Meet the TinkTonks!

Imagine that you have become a beam of light and are magically swept along inside your computer. Below you is a deep blue sea crisscrossed by a glowing grid. Above you is a peach-colored sky. On the Horizon, little disk-shaped islands float in the air above the CrissCross Sea. You fly down for a closer look. On the islands are mountains and valleys, lakes and rivers, forests and fields. One island even has a little town with houses and streets. You have found TinkTonk Land, the home of the TinkTonks.

The reader is introduced to the TinkTonks, including their trusty leader Tink; Zoomer, the speediest TinkTonk; Boomer, the biggest TinkTonk; Teep and Beep, the little twin TinkTonks; and Tinka, the best Tonkerball player in the land. In addition, the reader meets Tonk, who is Tink's best friend, and the TinkTonk who usually gets in the most trouble.

When the program begins, the first thing we see is Tonk and four Buddy-Bots on the screen dancing. The Buddy-Bots are hilarious. There is a dancing creature with rotating eyeballs, a wheeled "bot" with crossed eyes and shimmy arms, and a jogging creature with bug eyes.

The music makes the dancing, gyrating creatures seem part of a musical play. The creatures, Tonk, and the music whet your appetite for more story and more adventure.

The next thing you see is a simple menu. If you press 1, you go directly into an adventure. If you press 2, you get to play Buddy-Bot games.

My advice is to go on the adventure. The games are good, but the charm of this program is in having your child play the part of Tonk and helping out the Buddy-Bots. The games are much more effective when they are played as challenges faced during the course of the adventure.


Find The Buddy-Bot Parts

When you and your children choose "Adventure" on the menu, Tonk and a Buddy-Bot appear on the screen along with this message:

"Emergency! Emergency! Trouble in Buddy-Bot Land! A Buddy-Bot's parts are scattered everywhere. The Buddy-Bot needs Tonk to collect his parts and put him back together again."

If the child presses Y at this point, he'll look for scattered parts of the Buddy-Bot shown on

"Now Your Commodore 64™ Can Print Like a Pro!"





The Revolutionary Printer Interface for the Commodore 64™

A New Era in Commodore Printing Power.

Grappler CD offers the first complete answer to your printer interfacing requirements, with many powerful capabilities unique in the Commodore marketplace. Complete signal translation allows many popular name brand printers to operate perfectly with the Commodore 64, or to imitate Commodore's own printer. Even Commodore's graphic character set can be reproduced on Epson, Okidata, Star, ProWriter and other popular printers.

Exclusive Grappler CD features provide a variety of graphic screen dumps, text screen dumps and formatting. No other Commodore interface can offer this.

If you own a Commodore 64...

If you're serious about quality, trouble free printing... You need the Grappler CD.

Contact your nearest Commodore dealer or call Orange Micro for a dealer near you.

Commodore 64 and Commodore 1525 are trademarks of Commodore Electronics Limited. Epson is a registered trademark of Epson America, Inc.


A Uniquely Intelligent Interface:

- Prints Screen Graphics Without Software
- Graphics Screen Dump Routines Include Rotated, Inversed, Enhanced and Double Sized Graphics.
- Full Code Translation From Commodore's PET ASCII to Standard ASCII, the Language of Most Printers.
- Complete Emulation of the Commodore 1525
 Printer for printing of Commodore's Special Characters.
- Dip Switch Printer Selection for Epson, Star, Okidata, ProWriter and other popular printers.
- Conversion Mode for Easy Reading of Special Commodore Codes.
- Text Screen Dump and Formatting Commands
- 22 Unique Text and Graphics Commands



1400 N. LAKEVIEW AVE., ANAHEIM, CA 92807 U.S.A. (714) 779-2772 TELEX: 183511CSMA

C Orange Micro, Inc., 1983



the screen. If the child presses N, he gets to choose from 128 different Buddy-Bots.

A moment later the child sees Tonk leave his treehouse, climb into a little flying saucer, and fly to the land of the Buddy-Bots. Then the computer transfers control to the child. From now until the end of the adventure, the child controls Tonk and guides him on his quest for the missing Buddy-Bot parts.

The child uses the joystick or the keys I, J, K, and M to move Tonk around Buddy-Bot Land. The land is divided into 65 screens (pictured together in a map on pages 12 and 13 of the

handbook).

The child has many different options as he explores Buddy-Bot Land. If he is tired of his adventure, he can press the RUN/STOP key to stop an adventure or the f1 key to go back to the main menu. He can call up a HELP screen to review the rules. He can press the B key, and the computer will show him the Buddy-Bot parts he has found and what they look like when they are assembled into a complete Buddy-Bot.

Watch Out For The Great Gork!

No story is complete without danger and villains. The stories that appeal most to small children are miniature morality plays pitting the forces of evil

against the forces of good.

In a computer game the "good guys" should be under a child's direct control. In Mercer Mayer's first adventure, there is only one good guy—Tonk. But there are plenty of bad guys and dangers, including the Great Gork, Gork's Soldiers, Black Holes, and Sky Holes.

If the child bumps into Gork, he is sent away from Buddy-Bot Land. If the child meets the soldiers, they will steal one of his Buddy-Bot parts and capture him and send him to Gork's

castle.

If a child falls through a Black Hole, he lands inside Gork's castle. If he falls into a Sky

Hole, he is carried back to his treehouse. He loses all his Buddy-Bot parts and must start the adventure all over again.

Buddy-Bot Land is complex enough to be interesting, varied, and challenging. Along with the pitfalls and villains, there are cable cars and rafts to ride, there is a river to ford, a Buddy-Bot factory to visit, and caves to enter.

Educational Games

There are two ways for Tonk to collect Buddy-Bot parts. He can search Buddy-Bot Land for parts, or he can enter the caves and play a game. A child can go on the adventure or play the individual games at any of four levels of difficulty.

The games are standard educational games you see in computer programs for young children, but they are enhanced significantly by being embedded in the adventure. A child can play them with the story and Tonk's quest for Buddy-Bot parts as a backdrop that galvanizes his imagination and engages his emotions. He isn't just matching shapes in the games, he is trying to rescue a Buddy-Bot. This provides a strong incentive to concentrate, learn, and do well.

There are six games:

- 1. Different/Alike—The child has to pick the minibot (Buddy-Bot) on the screen that is different from the rest. As in all the games, there are four levels of difficulty. At the highest level, the child has to pick out the two minibots that are exactly alike.
- 2. Match the Shadow—The child moves a large cross-shaped cursor around on the screen until it falls on the shadow of the minibot pictured on the lefthand side of the screen. There are six minibot shadows to choose from in the easiest level, and ten shadows in the hardest level.
- 3. Minibot Shuffle—This is my favorite. It resembles the old "shell" game in which someone hides a pea inside a walnut shell, then shuffles the shells around on a table trying to confuse you so you don't know which shell hides the pea. In Minibot Shuffle, the shell is replaced by a colored box, and the pea is replaced by a minibot. The speed of the shuffling minibot boxes increases along with the level of difficulty. This is a challenging, fun, and different kind of computer game. And it is an excellent device for strengthening a child's sequencing ability, eye-tracking ability, and understanding of spatial relationships.
- 4. Remember Me—This is another nice game. First the child sees a minibot on the screen. Then the minibot disappears, and the child

Look at these **Features**

- Fully screen-oriented
- Horizontal and vertical scrolling
- Terminal mode never seen before on a wordprocessor
- Supports Commodore disk and cassette handling
- Imbedded commands

BLIZTEXT WORDPROCESSOR FOR THE VIC-20 are trademarks Commodore

COMMODORE 64



NEW NEW NEW NFW NEW NFW NEW NEW NEW



BLIZTEXT is a trademark of ELCOMP PUBLISHING, INC.

BLIZTEXT -- SUPER WORDPROCESSOR for the Commodore-64

- ON SALE NOW! -

- Fully screen-oriented, up/down, left and right scrolling - Upper and lower case
- More than 70 commands
- Full I/O compatibility with Commodore peripherals Upper and lower case
- Works with practically every printer on the market, user definable printer control commands
- INCLUDE command allows handling large files on up to 4 diskettes or on cassette.
- Build in terminal software for electronic mail and networking. Telecommunications mode, upload and download, save on disk or cassette.
- Dynamic formatting, Imbedded commands
- Single keystroke for disk directory and error channel
- Program comes on disk or cassette
- Double line spacing, left and right margin justification, centering, page numbering, and practically everything one expects from a good wordprocessor.

Order #4965 AVAILABLE NOW!

Manual only (62 pages)

\$89.00 \$29.95

MACROFIRE -Editor/Assembler for the Commodore-64

ON SALE NOW AVAILABLE IMMEDIATELY One outstanding tool, consisting of 3 powerful elements

- combined into one efficient program! 1.) Fully screen-oriented Editor (more than 70 commands)
 - Very fast assembler with macro capability

3.) Machine Language Monitor

Assembly can be started from the editor. Translates in 3 passes. More than 1,000 lables, screen oriented/no line numbers, scrolling, includes disk files.

Practically everything the serious machine language programmer needs everyday!

Manual only Order # 4963

\$19.95 \$89.00 THE GREAT BOOK OF GAMES, VOL.I,

by Franz Ende

Business Machines

46 programs for the Commodore 64

Introduction to graphics and sound. How to program your own games. Walking pictures, animation, high resolution graphics, programming tips and tricks, hints and useful subroutines for the beginner and advanced programmer. This book is a MUST for every C-64 owner.

Come and get it - It's yours for only Order # 182 128 pages \$9,95

Programs from the book on disk. Order #4988

\$19.95

MORE ON THE SIXTYFOUR, by H.-C. Wagner How to get the most out of your powerful Commodore 64. Very important subroutines, tricks and hints in machine language for your C-64. How to modify DOS. How to connect a parallel and serial printer. How to design your own terminal program for communication and networking. Dig into I/O for cassette and disk.

Order # 183 \$9.95

Programs from the book on disk

Order #4989

\$19.95

\$12.95

PAYMENT: check, money order, VISA, MASTER CARD, Eurocheck, ACCESS, Interbank Prepaid orders add \$3.50 for shipping (USA) \$5.00 handling for C.O.D. All orders outside USA: add 15 % shipping, California residents add 6.5 % sales tax.

NEW PRODUCTS

Watch out for our new books, software and add-ons to come soon. ON SALE NOW! -- ORDER TODAY!

How to program in 6502 Machine Language on your C-64, by S. Roberts (Introduction) Order-# 184

Commodore-64 Tune-up, Vol. I, by S. Roberts How to expand and customize your C-64.

Order # 185 \$12.95

Small Business Programs for the Commodore-64 by S. Roberts

How to make money using your C-64. Mailing list, invoice writing, inventory, simple wordprocessing and much more.

Order # 186

Dealer and Distributor inquiries are invited.



Parallel printer interface KIT Order #4990 \$ 19.95 Universal Experimenter Board Order #4970 \$ 9.95 Expansion Board, space for four ex-

perimenter boards(board only) Order #4992 \$ 29.95

Tricks for VICs, No. 176 \$9.95 Universal Experimenter board for VIC \$9.95







Book No.182 \$9.95

ore on the

NEW Products for the C-64

SUPERMAILING (D) Order No. 4962 \$49,-Superinventory (D) Order-No. 4961 S 49,-**BUSIPACK 1 (D)** Order-No. 4963 \$99,-SixtyFORTH (D) FigFORTH for C-64 Order-No. 4960 \$39,-

For your VIC-20 Tricks for VICs Order-No. 176 \$9.95 Universal Experimenter board Order-No. 4844\$9.95

Book No.183 \$9.95

ELCOMP PUBLISHING, INC 53 Redrock Lane Pomona, CA 91766 Phone: (714) 623 8314 Telex: 29 81 91





has to reassemble it from an assortment of body parts. The task is divided into three steps related to parts of the body. The child has four heads to choose from, then four trunks, followed by four sets of legs and feet. At the highest level, a child has only two seconds to look at the assembled minibot at the beginning of the game before it disappears.

5. Buddy-Bot Puzzle—This time the pieces of the Buddy-Bot and the entire, assembled Buddy-Bot are on the screen at the same time. On the right side of the screen is a puzzle box where the child assembles the Buddy-Bot. A flashing cursor points to one of 12 sections inside the box that corresponds to one of 12 puzzle pieces on the center of the screen. At the highest level, the cursor jumps randomly around the puzzle box, the Buddy-Bot parts are randomly arranged (from A to L), and when a child makes a choice, he cannot change his mind.

6. Minibot Factory—After the other challenging games, this game is a relief. It's just for fun. The child pilots Tonk inside a Minibot Factory and watches minibot parts roll by across the top of the screen on a conveyor belt. A large, hollow, block-shaped cursor frames the parts momentarily as they roll by. The child selects a part when he presses the space bar. The fun of this game is to make silly Buddy-Bots-with heads underneath legs underneath bodies; or with three heads, or three bodies, or three sets of legs. Once the child has built the minibot, the computer animates it, and the jaws open and close, the eyes rotate, the arms wave, and the legs jump up and down.

What Eric Thought

After I previewed Tonk in the Land of the Buddy-

Bots, I found my five-year-old son Eric, and we played together.

Eric liked the adventure and the games as much as I did. Together we had only one serious criticism: the way right and wrong answers were handled.

For example, in playing Same or Different, when Eric picked the wrong minibot, the computer responded with: YOU'RE WRONG!

This answer was a real shocker. Most early-learning software developers these days adhere to the philosophy that software for little children should not be judgmental, or that, at least, the judgments should be gentle. This is not gentle. Eric and I thought that software that yells at us (with exclamation points) is very unfriendly and not very nice.

We also had other problems with the messages. For example, they were not accompanied by any sound. This seemed to be a great oversight—both in terms of entertainment and educational value. The Commodore 64 has such good sound (used so well in other parts of the program) that it's a shame when it's missing. The contrast with the other parts of the game in which sound accompanies the action was very noticeable and unpleasant.

Finally, after Eric and I got zero out of six answers correct on one game, the Great Gork appeared on the screen to tell us that we didn't get all the answers right, and to try again. Later, after we got four out of five answers correct on another game, Gork reappeared with the same message.


I found this a great let-down. When we got all the answers wrong, we thought Gork was being nice to us, but when we got almost all the answers correct, we were proud of our efforts. We expected Gork to come on the screen and congratulate us. Instead he told us we weren't perfect ("You did not get all answers right."), and he ignored our achievement.

Later, when we were playing the Remember Me game, we had a similar experience. We remembered two out of three of the minibot parts, but the minibot still told us, "You forgot me!" I would have preferred to have had the minibot congratulate us for remembering two out of three parts, and then call our attention to the part we missed.

Encore!

These are serious grievances, but they are still minor compared to the pleasure Eric and I had playing with the programs.

The games are innovative, and Tonk and the minibots are delightful. There are lots of nice little touches, too, which show careful design.



For example, when Tonk bumps into a wall, he falls back, gently, on his bottom.

Mercer Mayer's first "software fairy tales" are not as good as his books, but they are still superior to most of the programs now on the market for young children.

Eric and I hope that in future programs the computer's responses to our answers will be improved, and we hope to go on new adventures with Tonk and the other TinkTonks really soon.

Run, Tonk, Run!

Tonk in the Land of the Buddy-Bots allows your child to play using the I, J, K, and M keys on the keyboard or using a joystick.

Your natural tendency might be to have your child abandon the complicated keyboard in favor of the joystick. But you might want to reconsider.

First, joysticks are notoriously hard for small children to control. They are stiff and hard for little children to move. They are awkward for little children to hold in their small hands or in their laps. And young children frequently get the joystick turned upside down so that the joystick action is reversed from what the child expects (left is right and up is down). All in all, this adds up to a very frustrating experience for a small child.

Second, keyboards are not as frightening to small children as they are to adults. Also, children find that once they learn the direction keys on a program, they have more control over the motion of the computer character on the screen than they do with a joystick.

Teachers and parents can help small children recognize the I, J, K, and M keys on the keyboard by putting small colored dot stickers on each of the keys. For example, a red dot could go on I, a blue dot on M, a yellow dot on J, and a green dot on K. This helps children associate the dots

with the letters and the respective directions.

If you plan to use a joystick anyway, you might consider one of the new Wico joysticks. After experimenting with several joysticks, my son Eric and I have decided that the Wico sticks are the easiest to control.

Wico Analog Joysticks have the softest touch and are the best for small children. Another good Wico joystick for the Commodore 64 is the Wico Command Control. You can learn more about these joysticks and others by going to your dealer or by contacting: Wico Corporation, Consumer Division, 6400 West Gross Point Road, Niles, IL 60648, (800-323-4014).

> To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

Make Your Personal Computer Even More Useful and Versatile!



CHECK & STATIONERY VINYL CARRIERS FOR ADJUSTABLE TRACTOR-TYPE **PRINTERS**

- Allows quick computer processing of conventional checks, stationery, index cards, invoices, purchase orders etc.

 Also use on friction-type printers or
- regular typewriters.

 Check Carrier comes with BASIC



	S-100 Holds Eight Personal Size Checks
	S-200 Holds Six Business Size Checks
	S-707 Holds Three 8-1/2" x 11" Letterheads
	S-303 Holds Five 3-5/8" x 6-1/2" Envelopes
/	

Indicate carrier you wish to order:

Envelopes		- 1
\$11.95 ea. includes postage & handling	Send check or money order. Oblo residents add 5-1/5% sales tax Allow two weeks for delivery. Be certain to specify model. VISA & MasterCard	P.O.

	S-306 Holds Five 3-7/8" x 8-7/8"
	Envelopes (requires 10-1/2"
	tractor)
	S-309 Holds Five 4-1/8" x 9-1/2"
	Envelopes (requires 10-1/2"
	tractor)
	S-808 Holds Three 8-1/2" x 7-5/8"
	Invoices, Purchase Orders, etc
	S-505 Holds Five 3-1/2" x 5-1/2"
ш	Index Post Cards
C	arriers also available for other
1	ypes and sizes of stationery!

THE CHF COMPANY BOX 185 • OBERLIN, OH. 44074 216/775-7338

DEALER INQUIRIES INVITED!

BASIC Magic

Getting Comfortable With The PRINT Statement

We're pleased to welcome Michael S. Tomczyk and his new column, BASIC Magic, to COMPUTE!'s GAZETTE.

Michael's background includes four years at Commodore, where he served in key marketing, design, and publishing capacities. He was also co-author of the VIC-20 User's Guide and the VIC and 64 Programmer's Reference Guides. His column will focus on BASIC for beginners.

I'm happy to be writing a new column for COM-PUTE!'s GAZETTE. I've always felt COMPUTE!'s magazines to be the best in the industry. BASIC Magic will be written for beginners, but I'll try to include a lot of information that will apply to most programming interests.

Our discussions will apply to the VIC-20 and Commodore 64, as well as the Plus/4 and

the 16, expected out this fall.

We'll look at as many examples, tips, tricks, and secrets as we can pack into each column, so you'll have a lot of material to experiment with between columns. This month we'll start with a quick overview of the PRINT command. We're going to move fast, because we know you want to learn fast—but we'll proceed in very small steps so nobody gets lost. Your job is to study the lessons we cover, then experiment with the techniques and use them in your own BASIC programs. Are you with me? OK. Let's jump right in.

The Most Popular BASIC Command

The PRINT statement is the most popular BASIC command. It has more uses than any other command and you can have a lot of fun with it. In

this lesson, we'll give you a very quick tour of the PRINT statement and see what it can do, then show you how to "mix and match" different types of PRINT commands in your own BASIC programs.

REM: Before you begin, here's a helpful hint to save wear and tear on your fingers. You don't have to type out the whole word PRINT. You can abbreviate it by typing a question mark (?) instead. In other words, ?"MAGIC" is the same as PRINT"MAGIC". To use this shortcut, hold down the SHIFT key and type the key with the question mark on it.

Displaying Information On The Screen

The PRINT command is mostly used to display or "print" information on the screen of your TV or monitor. You can do this directly just by typing the command like this (remember, you have to hold down the SHIFT key to type the quotation marks):

PRINT "MAGIC"

Now press the RETURN key, and you'll see that the computer PRINTed the word MAGIC. Try PRINTing your name. You can PRINT all the characters on your computer keyboard, including letters, numbers, graphic symbols, punctuation marks, blank spaces, and even sentences, like this:

PRINT"I LIKE BASIC PROGRAMMING."

PRINTing Graphic Symbols

When you look at your keyboard, you'll see that most of the keys have two graphics symbols on

COMPUTE! Books

The Second Book Of Machine Language

Personal Computer Machine Language Programming for the Commodore 64, VIC-20, Ata Apole, and PET/CBM Computers

By Richard Manalisi

A COMPUTE Books (Additionion

\$14.95

SECOND BOOK OF MACHINE LANGUAGE

Richard Mansfield

The follow-up to the best-selling Machine Language for Beginners, this book leads the programmer deeper into the most powerful and efficient programming techniques available for personal computers. Fully tutorial, with easy step-by-step explanations, the book shows how to construct significant, effective machine language programs. Included is a high-speed, professional-quality, label-based assembler. Everything that's needed for optimized programming on the Commodore 64, Atari, VIC-20, PET/CBM, and Apple computers.

\$14.95

ISBN #0-942386-53-1

Coming in October

COMPUTE! Publications, Inc.

One of the ABC Publishing Companies 324 W. Wendover Avenue, Suite 200. Greensboro, NC 27408, 919-275-9809

To order your copy, call 1-800-334-0868.

the front, one on the left and one on the right. You can PRINT these symbols just like you would words or sentences. They're handy for making interesting designs, pictures, or even business charts.

Let's draw a horizontal line across the screen using the left graphics symbol on the T key, like this:

PRINT"

To make this line, hold down the Commodore key and press the T key 22 times if you have a VIC, or 40 times if you have a 64, Plus/4, or 16.

REM: To type a left side graphics symbol, hold down the Commodore key and press the graphics key. To type a right side graphics symbol, hold down the SHIFT key while pressing the graphics key.

Now try a right side graphics symbol, the heart (found on the S key). Remember to hold down the SHIFT key to type the heart.

CLEARing The Screen With The PRINT Command

Find the CLR/HOME key on your keyboard. When you hold down SHIFT and press this key, the screen is completely erased and the cursor moves to the top lefthand corner of the screen, which is called the *home position*. You can use the PRINT command in a program to clear the screen and home the cursor like this:

PRINT" [CLR]"

The CLR in braces indicates that you should hold down the SHIFT key and press CLR/HOME at the same time. A reverse heart will appear. This symbol represents the CLR/HOME command inside quotation marks.

You can put the CLR/HOME command inside quotation marks at the beginning of a mes-

sage, like this:

PRINT"{CLR}YOUR MESSAGE HERE"

By including the CLR/HOME command in front of the message, you automatically erase the screen and your message appears at the top left corner of the screen.

PRINTing Editing Commands

The PRINT command is so versatile you can even print cursor movements. For example, if you want to tell the computer to clear the screen, move the cursor five spaces down, move the cursor five spaces to the right, then PRINT "HELLO", you can use a one-line command:

PRINT" {CLR} {5 RIGHT} {5 DOWN} HELLO"

The {5 RIGHT} means to press the cursor right key five times, and the {5 DOWN} means to press the cursor down key five times. Notice that pressing the cursor down key inside quotation marks makes a reverse Q appear. Cursor right is shown as a reverse bracket. Cursor up is shown as a reverse ball, and cursor left is a reverse vertical line. These reverse graphics (like the reverse heart for the CLR/HOME command) help you see where cursor controls and other editing commands appear inside your BASIC programs.

PRINTing Numbers, Values, And Calculations

Let's take a moment to look at how the computer tells the difference between a number which is PRINTed inside a message, and a numeric value which is used for calculation. If you include a number *inside* quotation marks, your computer treats that number just like a letter or graphics symbol, simply a displayed character. If the number is *outside* quotation marks, the computer treats the number as a *value* which can be used for calculation. Try these examples:

PRINT"5 PLUS 3 EQUALS 8"

In this example, the numbers have no value because they're printed as part of a message—inside quotation marks.

Numbers used as values are always PRINTed *outside* quotation marks like this:

PRINT 35

You can use the PRINT command to calculate the result of a mathematical operation, like the examples shown below. (When you press RETURN, the computer automatically displays the answer.)


Addition: PRINT 2+2
Subtraction: PRINT 100 - 40
Multiplication: PRINT 5*4
Division: PRINT 288/12
Combined: PRINT (288/12)+(100 - 40)+(5*4)

To combine a message with a mathematical operation you have to put the message *inside* quotation marks, and the calculation *outside* quotation marks. Notice in this example, even the dollar sign which goes with the answer is still part of the message because a dollar sign is not a number (value) and is not really part of the calculation.

PRINT"155.00 DIVIDED BY 2.4 EQUALS: \$" 155/2.4

PRINTing Commodore Colors

Commodore's special color keys make it easy to program in color. The VIC-20 has eight color keys—just hold down the CTRL key and press



PAL 64 The fastest and easiest to use assembler for the Commodore 64. Pal 64 enables the user to perform assembly language programming using the standard MOS mnemonics. \$49.5 \$49.95

POWER 64 Is an absolutely indispensible aid to the programmer using Commodore 64 BASIC. Power 64 turbo-charges resident BASIC with dozens of new super useful commands like MERGE, UNDO, TEST and DISK as well as all the old standbys such as RENUM and SEARCH & REPLACE. Includes MorePower 64. \$49.95

TOOL BOX 64 Is the ultimate programmer's utility package. Includes Pal 64 assembler and Power 64 BASIC soup-up kit all together in one fully integrated and economical package. \$89.95



PROUNE MAILPRO 64



POWER 64

PRO LINE

SPELLPRO 64

Is an easy to use spelling checker with a standard dictionary expandable to 25,000 words. SpellPro 64 quickly adapts itself to your personal vocabulary and business jargon allowing you to add and delete words to/from the dictionary, edit documents to correct unrecognized words and output lists of unrecognized words to printer or screen. SpellPro 64 was designed to work with the WordPro Series and other wordprocessing programs using the WordPro file format. \$49.95

NOW SHIPPING!!! TOLL FREE ORDER PHONE 1-800-387-3208



TOOLBOX 64





- †Commodore 64 and Commodore are trademarks of Commodore Business Machines Inc
- *Presently marketed by Professional Software Inc.

Specifications subject to change without notice...

This brand new offering from the originators of the WordPro Series* brings professional wordprocessing to the Commodore 64 for the first time. Two years under development, WP64 features 100% proportional printing capability as well as 40/80 column display, automatic word wrap, two column printing, alternate paging for headers & footers, four way scrolling, extra text area and a brand new 'OOPS' buffer that magically brings back text deleted in error. All you ever dreamed of in a wordprocessor program, WP64 sets a new high standard for the software industry to meet. \$49.95

MAILPRO 64 A new generation of data organizer and list manager, MailPro 64 is the easiest of all to learn and use.

Handles up to 4,000 records on one disk, prints multiple labels across, does minor text editing ie: setting up invoices. Best of all, MailPro 64 resides entirely within memory so you don't have to constantly juggle disks like you must with other data base managers for the Commodore 64

\$49.95

FIGH IME

(416) 273-6350 755 THE QUEENSWAY EAST, UNIT 8, MISSISSAUGA, ONTARIO, CANADA, L4Y 4C5

one of the color keys to PRINT messages or graphics in that color. The Commodore 64 has 16 colors but only 8 are shown on the keyboard (the rest are obtained by using the Commodore key instead of CTRL). The new Commodore 16 and Plus/4 have 16 colors controlled by the CTRL and Commodore keys, with the added feature of *luminance*, which regulates the intensity.

To set a color inside a PRINT statement, hold down CTRL and press the appropriate color key—a reverse graphics character will appear and everything after the color command will PRINT in that color until you change colors with a new color command. This short example prints 4 different colored balls (SHIFT-Q) on the screen:

PRINT" [BLK]Q[RED]Q[GRN]Q[PUR]Q"

The underline (as in Q) is the GAZETTE's way of showing that you should hold down the SHIFT key while typing the character. Notice that the computer stays set in the last color that was set—in this case, purple. If you want to go back to the standard color, or to another color after the command, add the color command you want at the end of the line. For example:

PRINT" {BLK }Q { RED }Q { GRN }Q { PUR }Q { BLU } "

will return the VIC to it's normal blue PRINT color. For the 64, replace the {BLU}—CTRL-7 with the proper key combination to get light blue, the 64's standard character color. That's done by pressing the Commodore key and 7 key simultaneously.

PRINTing Reverse Characters

You can PRINT any of the Commodore symbols in reverse by using the RVS ON and RVS OFF keys. (These keys are enabled by pressing the CTRL key first.) Here's a quick example:

PRINT" (RVS) NEGATIVE (OFF) POSITIVE"

PRINTing Variables

We'll cover variables much more thoroughly in a future column, but for now here's a quick introduction. A variable is like a code you can use to stand for something else. For example, let's say variable A stands for the value of the number 1, and variable B stands for the value of the number 2. Let's PRINT A+B and see what happens:

A=1:B=2:PRINTA+B

The computer displays the answer (3) because PRINT A+B is the same as PRINT 1+2, and we defined the variable A as 1 and the variable B as 2. Now, here's a real teaser for you. Can you figure out how this program works?

A=1:B=2:P\$="PLUS":E\$="EQUALS":PRINTA;P\$;B ; E\$; A+B

This is a more complex example, so let's look at the line closely. A and B are numeric variables used to stand for numbers 1 and 2. P\$ and E\$ (\$ is pronounced "string") stand for the words PLUS and EQUALS. (String variables work like numeric variables—they represent something else. The dollar sign tells the computer that the variable is alphabetic, not numeric.) The PRINT command displays the numbers and words defined by the variables. A+B is a calculation, so the answer is PRINTed. The colons (:) allow you to put more than one command on one line (more on this later), and the semicolons (;) make the words and numbers print next to each other. Try it without the semicolons.

How BASIC Programs Work

So far, we've typed all of our examples directly into the computer—now we're going to see how we can use these commands in a BASIC program. Actually, any of the PRINT commands we used so far can be turned into a BASIC program simply by adding a line number.

The way to tell the computer that you're giving it a BASIC program is to type a line number first, then your command. A BASIC program can range from one line to several thousand lines. Here's an example of a one-line BASIC program using the PRINT statement:

10 PRINT"THIS IS A VERY BASIC PROGRAM."


When you press RETURN, your computer reads the line number (10) and realizes this is a BASIC program. Your computer then stores the program in its temporary memory and keeps it there until you tell it what to do next. From here you have several choices.

First, you can LIST the program by typing the word LIST and pressing the RETURN key. Try it.

After you LIST the program, you can correct or edit it by "cursoring" (moving the cursor with the cursor keys) to the place you want to change, and then use the INSERT/DELETE key (INST/ DEL) to insert where you want to add information, or delete characters you want to eliminate. After editing, remember to press RETURN. Page 8 in your VIC user's manual and page 34 in the Commodore 64 manual show you how to edit BASIC programs.

Second, you can RUN the program. This tells the computer to perform all the commands or execute the program. Type RUN and press RE-TURN and the computer will follow the command and PRINT "THIS IS A VERY BASIC PROGRAM." If you've made a mistake, the com-

puter displays an error message.



Now, you can introduce your Commodore 64™ to the Work Force: affordable, easy-touse software and hardware that will unleash the power you always expected from your Commodore 64[™], but thought you might never see.

PaperClip™

is simply the best word processing program of its kind-loaded with advanced features, yet so easy to use even a novice can get professional results. With **SpellPack**, it even corrects your spelling! Once you've tried it, you'll never use a typewriter again.

The Consultant (formerly Delphi's Oracle)

is like a computerized filing cabinet with a brain. Organize files for recipes, albums, or the membership of your service club. Then search, sort, arrange and analyze your information with speed and flexibility that's simply astounding.

SpellPack[™] teaches your 64 to spell. It checks an entire document in 2 to 4 minutes against a dictionary of over 20,000 words. And you can add up to 5,000 of your own specialized terms. Type letter perfect every



is a magic box that lets you transform your humble home computer into a powerful business machine. It gives you the added power of BASIC 4.0, and lets you add IEEE disk drives, hard disk, virtually any parallel printer, and other peripherals without extra interfaces. Completely software invisible.

B.I.-80 " Column Adaptor

gives you crystal clear 80 column display, Using the highest quality hardware, we've eliminated the problems of snow, fuzziness and interference. Basic 4.0 commands greatly simplify disk drive access. Switches easily from 40 to 80 column display.

Discover the true power of your Commodore 64™. Ask your dealer about the Commodore 64™ Work Force, from Batteries Included—the company that doesn't leave anything out when it comes to making things simple for you.



"Excellence in Software"

You can also SAVE your program on tape or disk, or print the program on paper if you have a

printer.

Finally, you can erase the program from memory by using the NEW command, which tells the computer to erase its memory to get ready for a new program. But be careful if you use this command because everything in your computer's memory will be lost. To erase the program you just entered, type the word NEW and press RETURN. The program is immediately gone. If you try to LIST the program, you'll see it isn't there any more.

BASIC Programs With More Than One Line

Now let's type a longer BASIC program with PRINT statements on several different program lines. Type NEW and press RETURN, then type this:

10 PRINT" [CLR] BASIC"

20 PRINT"IS"

30 PRINT"FUN!"

40 PRINT" [RED] SSSSSSS [BLU]"

The SHIFTed-S characters in line 40 should appear as heart shapes. For the 64, you'll need to change the final {BLU}—CTRL-7—to Commodore key-7. When you run this program, your computer will display this on the screen:

BASIC IS FUN

Seems like a lot of typing to get this simple message, doesn't it? There's an easier way. You can put all these PRINT messages on one line if you separate each command with a colon (:). For example, our entire example can fit on one program line. To try this, type NEW and press RETURN, then enter this new line 10:

10 PRINT"{CLR}":PRINT"BASIC":PRINT"IS":PR
 INT"FUN!":PRINT"{RED}SSSSSSS{BLU}"

Type LIST and press RETURN, then type RUN and press RETURN to see the program in action. The result is the same as our first example, but only required one program line.

PRINTing Blank Rows

You can insert a blank row by using the PRINT command all by itself. Type NEW and press RETURN to erase any previous programs from your computer's memory, then enter this short program:

10 PRINT" [CLR] ONCE"

20 PRINT"UPON"

3Ø PRINT"A TIME"

Type the word RUN and press RETURN. The words are all on top of each other. We can add more space by inserting blank rows between the words, but you don't have to retype the program. Just type two new lines numbered 15 and 25 and they'll automatically be inserted in your program. Try this:

15 PRINT 25 PRINT

Now LIST your program and lines 15 and 25 are automatically included. Now RUN the program.

Here's another way you could have done the same thing. You could have put the PRINT command on lines 10 and 20 by adding a colon and then the PRINT command, like this:

10 PRINT" [CLR] ONCE": PRINT

20 PRINT"UPON": PRINT

30 PRINT"A TIME"

PRINTing Long Messages: Beyond 80 Characters

Each line of a BASIC program can contain up to 88 characters on a VIC and up to 80 characters on the 64, Plus/4, and 16. But what if your message is too long for one program line? You then have to use several PRINT messages on different lines, and tie them all together with semicolons. Here's an example:

10 PRINT" [CLR]";

20 PRINT"THIS MESSAGE IS LONGER THAN 80 C HARACTERS, SO WE HAVE TO CONTINUE";

3Ø PRINT"ON ANOTHER LINE, USING MORE THAN ONE PRINT STATEMENT AND PUTTING";

40 PRINT SEMICOLONS AT THE END SO ALL THE PRINT LINES LOOK LIKE ONE LONG ";

50 PRINT"SENTENCE."

Notice how we begin each program line with a PRINT command, but continue the message uninterrupted in quotation marks. If there's a natural space between words at the end of a line, you have to include a space in your program, either at the end of the previous line or the beginning of the next line; otherwise the words run together. The semicolon at the end of each PRINT message program line is used like "programming glue" to make all the messages display right next to each other. Make sure the semicolon is outside the quotation marks.

We'll continue our discussion of the PRINT statement with some more advanced examples next month. In the meantime, as you learn more about BASIC you'll discover there are usually many different ways to program a BASIC action. As we continue, we'll try to show you some of these techniques so you can perform some BASIC magic.

CHEMICAL BANK PRESENTS THE ULTIMATE IN PRIVATE BANKING.



Presenting PRONTO, the home banking and information system from Chemical Bank.

A state-of-the-art system that lets you bank on your own home computer in the privacy of your own home. And on your own hours, instead of the bank's.

Twenty-four-hour access to your bank accounts means you can check your daily balance nightly. Or check which checks and deposits have cleared. You can even transfer funds on the PRONTO system, and pay bills to over 1,000 different merchants and services.

Then there's PRONTO's electronic mail service which lets you send messages to the bank and to other PRONTO users.

And with PRONTO's information services, you can even get an up-tothe-minute list of the latest lending and interest rates at Chemical Bank.

You can even screen the current © 1984 Chemical Bank.

business and economic news, check out the monthly consumer reports, or keep up with the latest changes in tax laws. And you can do all this banking on almost any home computer (Apple, Atari, Commodore, Compaq, or IBM).

For further information and/or a

For further information and/or a brochure, call our toll-free hotline at 1-800-782-1100. And learn more about the ultimate use of your personal home computer—your

THE HOME INFORMATION SYSTEM FROM CHEMICAL BANK.

Quiz Master For The 64

George Miller, Assistant Technical Editor

This two-program package for disk users offers an effective and uncomplicated way to set up and administer multiple-choice quizzes. It's menu-driven for ease of use, and ideal for school or home study.

"Quiz Master" for the 64 is a package of two programs, "Quiz Generator" and "Student Quiz." Together, they can be used to create and administer quizzes. The first program allows parents or teachers to create multiple choice tests. The second program gives the test to the student. The only input required from the student is to type the answers for the quiz.

Menu Options

Quiz Generator begins with a display of the main menu: Enter New Questions, Review Questions, Change A Question, Load Previous Data, Add To Test In File, Initialize Disk, or End.

Type 1 to enter new questions and create a quiz. Each quiz can hold up to 100 questions. You'll then be asked if a file of quiz names exists. If this is the first time you've used the program, or if you're starting a new group of tests on a new disk, answer N. You'll then be asked to provide a name for your quiz. Type in the name, exactly as you want it to appear. The quiz name will be stored in a SEQuential file called TEST TITLES. Quiz Generator will accept up to 15 quiz files for each disk because of the screen formatting of the menu. (If you're covering more than one subject, you may want to have a separate disk for each one. For instance, a disk for history quizzes, another disk for math quizzes, and so on.)

Now follow the screen prompts to enter your quiz. You have full use of all screen editing functions, including the cursor control keys and the DELete/INSerT key. Be careful to make changes only where you intend to and don't move the cursor to areas where other text appears.

You shouldn't be concerned about word wraparound, the breaking of words at the end

of the 40-column line. Just type each sentence using spaces where they normally occur, and standard punctuation, including commas and colons. Quiz Generator will look at your sentences and find the proper place to break each line. Each question can contain up to 80 characters, counting spaces.

Type in the four answer choices to the question, and give the correct letter choice when

prompted.

To store the quiz, type the British pound symbol (£). The program will open a file with the quiz name you specified and store your information. A file to store the student's grades will also be created.

When you return to the menu, type 2 to review the questions. The screen formatting section of the program will now right-justify your questions, and the screen display will have each line ending with the last word that will fit on a 40-column line without breaking the word.

Follow the screen prompts to review each question. You'll be shown the questions, answer choices, and the letter of the correct answer to make sure that no typing errors were made when you entered the quiz. If you notice any mistakes, jot down the number of the question so you can

change it later.

If you want to change any questions, enter 3, and answer the prompts from the computer. You'll have to enter the number of the question you want to change, so this is where you'll need the numbers you jotted down when you reviewed the quiz (option 2). The computer will display the question and answer choices, and then you may enter the correct question and answer choices.

Option 4, Load Previous Data, loads a quiz previously stored. You can then review this quiz.

Select option 5 if you want to add questions to a quiz already stored on your disk. You'll start entering questions at the first unused question number in the file.

The Initialize Disk routine, option 6, will format, or NEW, a disk, and give you several chances to abort the routine prior to formatting

Learn robotics and industrial control as you build this robot

New NRI home training prepares you for a rewarding career in America's newest high-technology field.

The wave of the future is here. Already, advanced robotic systems are producing everything from precision electronic circuits to automobiles and giant locomotives. By 1990, over 100,000 "smart" robots will be in use.

Over 25,000 New Jobs

Keeping this robot army running calls for well-trained technicians... people who understand advanced systems and controls. By the end of the decade, conservative estimates call for more than 25,000 new technical jobs. These are the kind of careers that pay \$25,000 to \$35,000 a year right now. And as demand continues to grow, salaries have no place to go but up!

Build Your Own Robot As You Train at Home

Now, you can train for an exciting, rewarding career in robotics and industrial control right at home in your spare time. NRI, with 70 years of experience in technology training, offers a new world of opportunity in one of the most fascinating growth fields since the computer.

You need no experience, no special education. NRI starts you at the beginning, takes you in easy-to-follow, bite-size lessons from basic electronics right on through key subjects like instrumentation, digital and computer controls, servomotors and feedback systems, fluidics, lasers, and optoelectronics. And it's all reinforced with practical, hands-on experience to give you a priceless confidence as you build a programmable, mobile robot.

Program Arm and Body Movement, Even Speech

Designed expecially for training, your robot duplicates all the key elements of industrial robotics. You learn to operate, program, service, and troubleshoot using the same techniques you'll use in the field. It's on-the-job training at home!

Building this exciting robot will take you beyond the state of the art into the next generation of industrial robotics.

You'll learn how your completely self-powered robot interacts with its environment to sense light, sound, and motion. You program it to travel

avoid obstacles
using its sonar ranging
capability. Program in
complex arm and body movements using its special
teaching pendant. Build a
wireless remote control device
demonstrating independent
robot control in hazardous
environments. You'll even learn to
synthesize speech using the topmounted hexadecimal keyboard.

Training to Build a Career On

over a set course.


NRI training uniquely incorporates hands-on building experience to reinforce your learning on a real-world basis. You get professional instruments, including a digital multimeter you'll use in experiments and demonstrations, use later in your work. And you get the exclusive NRI Discovery Lab®, where you examine and prove out theory from basic electrical concepts to the most advanced solid-state digital electronics and microprocessor technology. Devised by an experiments, demonstrations, and equipment are carefully integrated with 51 clear and concise lessons to give you complete confidence as you progress. Step-by-step, NRI takes you from the beginning, through today, and into an amazing tomorrow.

Send for Free Catalog Now

Send for NRI's big free catalog describing Robotics and Industrial Control plus over a dozen other high-technology courses. You'll see all the equipment you get in detail, get complete descriptions of every lesson, find out more about career opportunities for trained technicians. There's no cost or obligation, so send today. If coupon has been removed, write: NRI, 3939 Wisconsin Ave., Washington, D.C. 20016



Street				
Name (Pi	ease Print)	Age		
☐ Data Communications	☐ Buildi	ng Construction & Remodelin		
☐ Industrial Electronics		Communications electronics • FCC License • Mobile • Aircraft • Marine Basic Electronics Small Engine Servicing Appliance Servicing Automotive Servicing Air Conditioning, Heating, Refrigeration & Solar Technology		
☐ Electronics Design Technology	0.1100000000000000000000000000000000000			
☐ Digital Electronics	100			
TV/Video/Audio Servicing				
Microcomputers and Microprocessors	☐ Basic			
☐ Robotics and Industrial Control				
CHECK ONE FREE CATALOG				
3939 Wisconsin Ave. Washington, DC 20016		Critica for facts.		
Education Center		approved under G.I. Bill.		
	9	All career courses approved under G.I. Bill. Check for facts.		



the disk. Make certain the disk in the drive is the one you want formatted, as all information on that disk will be destroyed by the routine. You can't enter this routine by accident, because you are actually taken out of the program before you can run the routine.

Abbreviations Required

Type in Quiz Generator and save it on a new disk. You'll be using Quiz Generator to generate sequential files, which can use up disk space rather quickly, so it's best to start with a fresh disk. You'll find that a few program lines extend beyond the 80-character limit of the 64, so it will be necessary to use keyword abbreviations. These can be found in Appendix D of the User's Guide or Appendix A of the Programmer's Reference Guide.

Some of the abbreviations you'll find most useful in entering Quiz Master are? for PRINT, P SHIFT-R for PRINT# (?# is not correct), GO SHIFT-S for GOSUB, I SHIFT-N for INPUT#, P SHIFT-O for POKE, and P SHIFT-E for PEEK. To make entering and reading the text easier, hold down SHIFT and press the Commodore logo key to shift to upper- and lowercase text. You'll find this easier to read than the graphics characters the SHIFTed keys will normally print to the screen. You must use keyword abbreviations for lines 140, 790, and 1940 of Quiz Generator, and lines 40, 120, and 520 of Student Quiz. If it's necessary to edit these lines after entering and listing the lines, you'll have to reenter the entire line, with the keyword abbreviations.

Next, type in Student Quiz and save it. (Be sure to save this program before typing RUN as mistakes in typing will cause a return of a scrambled, tokenized BASIC listing.) If you plan to use Quiz Generator to give tests to groups of students, save Student Quiz on a second disk for use by the students. This will safeguard Quiz Generator from accidental erasure.

Student Quiz

When a student loads and runs Student Quiz, RUN/STOP-RESTORE and LIST are disabled, as are all cursor controls. The student can only answer the prompts from the computer. The student will be asked which quiz has been assigned, and that quiz will be loaded and run. With the checks built into the program, all the student can do is enter A, B, C, or D for answer choices.

If you want to guard Student Quiz from prying eyes, enter the following sequence of characters:

1, 0, R, E, M, ", ", DEL, RVS ON, SHIFT-M, SHIFT-S, Q, Q, Q, Q, Q, Q, Q, Q, Q, RVS OFF, SPACE, SPACE, SPACE, SPACE, D, O, N, ',T , SPACE , D, O, SPACE, T, H, A, T, !, RVS ON, S, ", SHIFT-L

These keystrokes must be made in this order for the line to work correctly. Don't type the commas, just the indicated characters. Check your typing carefully before you press RETURN to enter the line; after you enter the line, you won't be able to edit it. (If you can LIST line 10, you've done something wrong.) DEL is the unSHIFTed position of the INST/DEL key at the upper right of the keyboard. RVS ON is CTRL-9, and RVS OFF is CTRL-0; these keys will not print any character on the screen, but all characters in between will appear in reverse video.

The strange combination of characters in this REM statement will cause any printing on the screen to be deleted, move the cursor down ten rows and over four spaces, and print DON'T DO THAT! on the screen. The listing will then end with a SYNTAX ERROR, leaving the cursor in the upper left corner of the screen.


This technique will also work on any other program you might like to protect. It's not foolproof, but it will prevent most students from listing the program. Of course, deleting line 10 will allow the program to be listed normally, as will listing from line 11 on (LIST 11).

A random number routine is used to scramble the order of the questions, so the quiz will be different each time. Quiz Generator also uses one question less than you have placed in memory. In effect, each student will be taking a different quiz, and each time anyone takes the same quiz it will be slightly different. The more questions you store in the file, the more variations Quiz Generator has to work with.

Since the random number generator searches for new numbers every time, it can take several minutes to generate a quiz, especially if you have many questions in the file. The screen will be blank during this process, and all keys will be disabled. Everything will return to normal when the quiz is ready.

See program listings on page 163.

MAKE YOUR COMMODORE 64 WORK LIKE CRAZY, WHILE YOU KEEP IT FROM DRIVING YOU NUTS.



PractiCalc 64™ Only \$54.95*



PractiFile Only \$54.95*



64 Doctor™ Only \$29.95*

One way to make your Commodore work like crazy is to give it a shot in the arm with PractiCalc 64. It's the most potent electronic spreadsheet you can buy at the least cost. You can track expenses, inventories, investments. Make charts and graphs. Keep mailing lists. Project profits. Sort alphabetically or numerically, instantly and easily, of course. And at the price, it can pay for itself the first time you use it.

Another way to make your computer system work like crazy is to boost it with PractiFile. It's like having a library full of information you can call on for just about everything while you pay practically nothing. A fully professional data base for your Commodore, it can handle

mailing list entries by the thousands. You can change records, numbers, methods

of filing, and do plenty more—all at the touch of a key and the blink of an eye. And all at a price to make your eyes light up. And, it integrates with PractiCalc.

The way to keep you from going crazy when something in your computer system goes haywire is to treat it with 64 Doctor. You know that maddening feeling you get when something's wrong but you don't know exactly what? Well, kiss it goodbye with this powerful medicine. It's an inexpensive and versatile diagnostic program that takes the guesswork out of troubleshooting your computer system. With simple, plain-English instructions. Use it to test your Commodore's RAM memory, RS-232 port, keyboard, video, audio, joystick, printer,

data set and disk drive. Think of it as low-cost health insurance for your computer.

PRACTICORP No-Nonsense Software

The Silk Mill, 44 Oak St., Newton Upper Falls, MA 02164 • (617) 965-9870

*Prices are suggested retail for disk versions of these programs. Actual prices can vary. Tape versions are slightly lower. †Commodore 64 is a trademark of Commodore Business Machines Inc. © 1984 Practicorp International, Inc.

Vocab Builder

William J. Treanor

This program not only helps increase vocabulary, but also assists students who must memorize words for spelling, biology, history, or other classes. Up to 100 words and definitions can be entered and saved to tape or disk. For the 64 and expanded (any amount) VIC.

My son's sixth grade teacher regularly distributes lists of words and their definitions to the students. The children then take a spelling test at the end of the week.

"Vocab Builder" was originally written to help my son prepare for these tests. But it was soon obvious that it could be used for other subjects—a history drill, say, with facts and dates in place of vocabulary words. Vocab Builder has even been used by college students learning medical terminology. The program flow is fairly straightforward; modifications (using a printer, for example) should be easy to make.

Four Menu Options

Enter the program, save it, and type RUN. First, you are asked to input your name, which is printed at the top of the screen.

Next, you'll see the main menu, which gives you four options: Enter new words, Study, Test, or End.

If you choose to enter new words, you are asked how many words will be in this particular file. You must then type in the words and their definitions. If you make a mistake, don't worry, you'll have a chance to correct it later. When all words and definitions are entered, they are printed on the screen. You can fix mistakes at this point.

The program then saves the word list as a sequential file on tape or disk. You are prompted for the date, which becomes part of the filename. (Note: Since the date is part of the filename, and the filename must be unique, be sure to use a different filename if you create a second quiz on

the same day. For example, if you create a quiz named 11-21-84, use 11-21-84.1.) The program then returns to the main menu.

The second option from the menu allows you to study words which were previously entered. First, you enter the date of the test and the file is loaded from tape or disk (depending on your response, T or D, to the prompt).

The list is put into random order. A definition appears on the screen and the student is given three chances to enter the corresponding word. Spelling is important. If the word is correct, the student is congratulated. If the first two letters are correct but the word is misspelled, the message YOU'RE CLOSE appears.

When all words have been covered, the score (number of answers right and wrong) is displayed. Any word which was answered wrong on the first attempt is counted as incorrect. The student is then given a list of which words were incorrect and need further study.

The test option is similar to the studying option, but the student has only one chance to supply the correct word.

The final option, End, allows you to exit the program.

A Tireless Teacher

For young children, Vocab Builder may help develop a sense of responsibility. They can choose when to study and how long. They don't have to wait until a parent or sibling has some free time to help them with schoolwork.

The child is addressed by name, so it becomes his or her computer program. A computer doesn't tire of helping the child, or lose its patience. And it does not chastise the child for answering incorrectly. Words are randomized automatically (so the student actually has to learn the words rather than memorize them in order).

Memorizing can be a chore. Vocab Builder can help relieve some of the tedium.

See program listing on page 178. @

BIG ON FEATURES.



\$139⁹⁹
SMALL ON PRICE.

You read that right. A full 80 column, 80 character-per-second, Commodore-compatible dot matrix thermal printer, complete (with a 90 ft. paper roll, interface cable and power pack), ready-to-run—at 800 words per minute—for only \$139.99. But your wallet isn't the only thing the HUSH 80 CD is compatible with. It's compatible with all Commodore models;

including the Commodore 64, the VIC 20, and the new Commodore 264.

And you'll find the HUSH 80 CD printer is big on lots of small things too. It weighs about one-half the amount of it's nearest competitor (it's compact size fits conveniently into a briefcase). And it's extremely quiet, with fewer working parts, which means less noise and less to go wrong.

Ask your local computer store or dealer for the HUSH 80 CD today. And if he doesn't carry it, call us at 415/322-ERGO. And find out where to get the little printer that does the big jobs.

HUSH 80.CD PRINTER

LESS PRICE, LESS NOISE, LESS SIZE.



VIC Music Tutor

Howard Parnes

Your VIC-20 becomes a melody-editing machine in this useful program. You can create, play back, and edit songs, and save them to tape or disk. Requires 8K or more memory expansion.

This music aid for the VIC can help overcome certain problems faced by new musicians. It allows you to enter a tune from written music, or to compose your own, to play all or part of the music back at varying tempos, and to save it on tape or disk for later use. Insert at least 8K memory expansion, turn on your VIC, and enter and save the program.

After typing RUN, you encounter the first option in the program: to enter a new tune or load and play back an old one. Once you've entered and saved a tune, you can play back an old one, but the first time you use the program you'll be entering a new one. Give the song a number and type in the name. Then start entering the song note by note.

The Note Names

Each individual note in a music score provides two kinds of information: the pitch of the note, and its duration or time played. For simplicity, let's refer to the pitch as "note" and duration as "value."

First you enter the note. Since each of the three music voices on the VIC is limited to three octaves, we have a three-octave limit on the range of the notes we enter. Each octave starts with a C note. First determine which octave you want. If the note falls in the lowest octave, just enter the note itself—C or F or G, for example. If it is a sharp or flat, add either an S or F after the letter. An E-flat in the lowest octave would be entered as EF, an F sharp as FS, and so on. To move up to the next octave, add a 1 after the

note. So a C-sharp one octave higher than the lowest octave is entered as CS1, an E one octave up as E1, etc. Add a 2 for notes two octaves up: C2, FS2, etc.

If you have difficulty figuring in which octave a note falls, the diagram above may be helpful.

Press RETURN after you've entered the data for the note. Now you enter the value for the note. Referring to "Time Values," you can readily see how to enter standard whole, half, quarter, eighth, sixteenth, and thirty-second notes. If you encounter a dotted note, simply add a D after the letter for the note value. For instance, HD is a dotted half note.

You may enter triplets and grace notes as well. Note in "Time Values" that there are divisions listed for each note-16 for the whole note, 8 for the half, etc. You may also enter note values in numerical form. Triplets, for instance, may take the form of three notes of equal duration played in the space of one quarter note. Thus each note in the triplet has a value of 1.33. Add the 3 triplets together and you get a value of 4—our quarter note value. Grace notes are played very quickly in front of a note of normal value. To place a grace note in front of a quarter note, for example, assign a short value to it like .2 and subtract it from the value of the quarter note. The grace note has a value of .2 and instead of entering a Q for the quarter note, enter 3.8.

To enter a rest simply enter R for the note followed by the value for the duration of the rest. After you enter each note and its value you will have a final check before the information is preserved in memory. The note and its value are displayed and you type either Y or N. Typing N lets you re-enter the note and value, while Y moves you on to the next note and value entry. To stop entering notes simply enter the English pound sign (£) instead of a note. This moves you

to the next part of the program.

GET THE MOST OUT OF YOU COMMODORE-WITH ABACUS SOFTWA

CADPAK-64

This advanced design package has outstanding features - two Hires screens; draw LINEs, RAYs, CIRCLEs, BOXEs; freehand DRAW; FILL with patterns; COPY areas; SAVE/RECALL pictures; define and use intricate OBJECTS; insert text on screen; UNDO last function. Requires high quality lightpen. We recommend McPen. Includes manual with tutorial.

DISK \$49.95

McPen lightpen \$49.95



VIDEO BASIC-64 DISK \$59.95

This superb graphics and sound development package lets you write software for distribution without royalties. Has hires, multicolor, sprite and turtle graphics; audio commands for simple or complex music and sound effects; two sizes of hardcopy to most dot matrix printers; game features such as sprite collision detection, lightpen, game paddle; memory management for multiple graphics screens, screen copy, etc.





MASTER 64

This professional application development package adds 100 powerful commands to BASIC including fast ISAM indexed files; simplified yet sophisticated screen and printer management; programmer's aid; BASIC 4.0 commands; 22-digit arithmetic; machine language monitor. Runtime package for royalty-free distribution of your programs. Includes 150 pp. manual.

DISK \$84.95



SYNTHY-64

This is renowned as the finest music synthesizers available at any price. Others may have a lot of onscreen frills, but SYNTHY-64 makes music better than them all. Nothing comes close to the performance of this package. Includes manual with tutorial, sample music.

DISK \$27.95 TAPE \$24.95

CHARTPAK-64 **DISK \$42.95**

This finest charting package draws pie, bar and line charts and graphs from your data or DIF, Mulitplan and Busicalc files. Charts are drawn in any of 8 formats. Change format and build another chart immediately. Hardcopy to MPS801, Epson, Okidata, Prowriter. Includes manual and tutorial.



Same as CHARTPAK-64 for highest quality ouput to most popular pen plotters.




ULTRABASIC-64

This package adds 50 powerful commands (many found in VIDEO BASIC, above) -HIRES, MULTI, DOT, DRAW, CIRCLE, BOX, FILL, JOY, TURTLE, MOVE, TURN, HARD, SOUND, SPRITE, ROTATE, more. All commands are easy to use. Includes manual with two-part tutorial and demo.

DISK \$27.95 TAPE \$24.95





TAS-64 FOR SERIOUS INVESTORS

This sophisticated charting and technical analysis system is easy to use. Plot more than 15 technical indicators on a split screen (price vs. volume); moving averages; oscillators; trading bands; least squares; trend lines; superimpose graphs; five volume indicators; relative strength, volumes, etc. Includes 100 page manual.

DISK \$84.95



XREF-64 **BASIC CROSS-REFERENCE**

This tool allows you to locate those hard-tofind variables in your programs. Crossreferences all tokens (keywords), variables and constants in sorted order. You can even add your own tokens so that you can crossreference tokens from other software such as ULTRABASIC or VICTREE. Listings to screen or all ASCII printers. DISK \$17.95

* DEALER INQUIRIES INVITED

FREE CATALOG Ask for a listing of other Abacus Software for Commodore-64 or Vic-20

DISTRIBUTORS

Great Britain: **ADAMSOFT** 18 Norwich Ave. Rochdale, Lancs. 706-524304

West Germany: Sweden:

Belgulm: Inter. Services AVGuilaume 30 Brussel 1160, Belguim 2-660-1447

DATA BECKER TIAL TRADING Merowingerstr 30 P0 516 4000 Dusseldorf 34300 Almhult 476-12304

France:

MICRO APPLICATION
147 Avenue Paul-Doumer
Rueill Malmaison, France
1732-9254

KING MICROWARE LTD.
S950 Cote des Neiges
Montreal, Quebec H3S1Z6
514/737-9335

Australia: CW ELECTRONICS 416 Logan Road Brisbane, Queens 07-397-0808

Canada

New Zealand: VISCOUNT ELECTRONICS 306-308 Church Street Palmerston North

Commodore 64 is a reg. T.M. of Commodore Business Machines

AVAILABLE AT COMPUTER STORES, OR WRITE:



P.O. BOX 7211 GRAND RAPIDS, MICH. 49510

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order or charge card. (Michigan Residents add 4% sales tax)



FOR QUICK SERVICE PHONE 616-241-5510

How Does It Sound?

After typing the pound sign, you are asked if you want to hear the song. Type N and you skip to the editing phase. If you want to hear the song, type Y and select a tempo from 0 to 10. Most songs play best at a speed between 3 and 7 but you can slow them down or speed them up as you like. Next select the playback pitch, either 1 for low, 2 for medium, or 3 for high. There is an octave difference between each of these.

After you've made your selection, press RE-TURN again and the song will play. At the end of the song you have two options. Press RE-TURN again and the song will replay exactly as before. This is an important and useful feature we'll look at more closely later on. If you do not hit RETURN, pressing any other key takes you to the next option.

Here you are asked if you want to hear the song again. The first time you listen to your song you may select the tempo and pitch but you must listen to the entire song (or all you've entered up to that point). This time, however, you may choose to listen to only a part of the song. If you respond with a Y to "Do you want to hear it again?" you are then asked if you want to hear just part or the whole song. If you respond with 'just part," you'll be told the total number of notes in the song and asked to select the starting and ending note of the part you want to hear. Then you may re-enter the tempo and pitch. Press RETURN and it will play according to your selected parameters. After it ends you'll return to the same series of options.

The choices may seem to be confusing and unnecessary at first, but they actually make the program flexible and easier to use. For example, most musicians, when learning a new piece of music, learn it in sections. They break the piece into smaller sections, practice these until they are smooth, then go on to the next section, until they've mastered the whole piece. "Music Tutor" is ideally suited for this. You can select any section to work on. You can then play the tune at a very slow tempo at first, and speed it up later. Sitting near the computer with your instrument you can listen to a section, then practice playing it. To hear the same section again at the same tempo, press RETURN once and it will repeat. As you get familiar with the section, speed up the tempo. Since values have already been assigned to all the variables from the previous playback, merely pressing RETURN for any option will leave that variable unchanged. If all you want to change is the tempo, simply press RETURN for the other options. But when the tempo selection comes up enter the new speed and then press RETURN.

Editing The Music

When you no longer want to hear the song, you then pass on to the next option. In this instance you can choose to single step through the song. Pressing f1 will play the notes one by one. When each note is played, the number, note, and value appear on the screen. If you want to change a note or its value, press f7. You then enter the replacement note and value and continue to single step through the tune. To add a note, press f2, enter the new note and value then continue to single step through the song. If at any time you want to stop the single step mode, press f5.

If you choose not to go into the single step mode, your next choice is whether to add more notes to the song. You are sent back to the record mode where once again you enter notes and values. These notes are added to the end of

the tune already in memory.

In this manner you can enter a song pieceby-piece instead of all at once. Enter one section, then listen to it. Make any corrections via the single step process. You may then save this section. RUN the program again, load the song back, then add more notes. Check the song by listening again. Save it, and continue. This is an especially effective way to work when entering longer works.

The last option in the program asks if you want to save the tune. If you respond Yes, save to tape or disk. A negative response ends the

program.

The program requires at least 8K expansion. It allows songs of up to 371 notes to be entered. With 16K expansion, you can have a maximum of 883 notes, and with 24K a whopping 1395 notes.

For those of you who would rather not type in the program, I'll make a copy (tape only) if you send a prepaid mailer, a cassette tape, and \$3 to:

Howard Parnes 115 Chestnut Street Frostburg, MD 21532

See program listing on page 176.

1 8	-	
Time Values		
VALUE OF NOTE	CODE	NO. OF DIVISIONS
Whole	W	16
Half	H	8
Quarter	Q	4
Eighth	Q E	2
Sixteenth	S	1
Thirty-second	T	.5
Whole Dotted	WD	24
Half Dotted	HD	12
Quarter Dotted	QD	6
Eighth Dotted	ED	3
Sixteenth Dotted	SD	1.5
Thirty-second Dotted	TD	.75

FOR COMMODORE-64 HACKERS ONLY! The ultimate source for Commodore-64 Computer information

THE ANATOMY OF THE COMMODORE 64

is the insider's guide to the lesser known features of the Commodore 64. Includes chapters on graphics, sound synthesis, input/output control, sample programs using the kernal routines, more. For those who need to know, it includes the complete disassembled and documented ROM listings.

ISBN-0-916439-00-3 \$19.95



GRAPHICS BOOK FOR THE COMMODORE 64

takes you from the fundamentals of graphic to advanced topics such as computer aided design. Shows you how to program new character sets, move sprites, draw in HIRES and MULTICOLOR, use a lightpen, handle IRQs, do 3D graphics, projections, curves and animation. Includes dozens of samples.

ISBN-0-916439-05-4 \$19.95

Graphics Book for the Commodore

64

THE ANATOMY OF THE 1541 DISK DRIVE

unravels the mysteries of using the misunderstood disk drive. Details the use of program, sequential, relative and direct access files. Include many sample programs - FILE PROJECT, DIRECTORY, DISK MONITOR, BACKUP, MERGE, COPY, others. Describes internals of DOS with completely disassembled and commented listings of the 1541 ROMS.

ISBN-0-916439-01-1 \$19.95

THE ANATOMY OF THE 1541 DISK DRIVE



MACHINE

LANGUAGE

BOOK

FOR THE

COMMODORE

64

ADVANCED MACHINE LANGUAGE FOR THE COMMODORE 64

gives you an intensive treatment of the powerful '64 features. Author Lothar Englisch delves into areas such as interrupts, the video controller, the timer, the real time clock, parallel and serial I/O, extending BASIC and tips and tricks from machine language, more.

ISBN-0-916439-06-2 \$19.95

ADVANCED MACHINE LANGUAGE BOOK FOR THE COMMODORE 64

THE C-64 MACHINE LANGUAGE BOOK

is aimed at those who want to progress beyond BASIC. Write faster, more memory efficient programs in machine language. Test is specificall geared to Commodore 64. Learns all 6510 instructions. Includes listings for 3 full length programs: ASSEMBLER, DISASSEMBLER and amazing 6510 SIMULATOR so you can "see" the operation of the '64.

ISBN-0-916439-02-X \$14.95

THE C-64 IDEA BOOK

is for those who wonder what you can do with your '64. It is written for the novice and presents dozens of program listings the many, many uses for you computer. Themes include: auto expenses, electronic calculator, recipe file, stock lists, constructioin cost estimator, personal health record, diet planner, store windo advertising, computer poetry, party invitations and more.

ISBN-0-916439-07-0 \$12.95



TRICKS & TIPS FOR THE COMMODORE 64

is a collection of easy-to-use programming techniques for the '64. A perfect companion for those who have run up against those hard to solve programming problems. Covers advanced graphics, easy data input, BASIC enhancements, CP/M cartridge on the '64, POKEs, user defined character sets, joystick/mouse simulation, transferring data between comuters, more. A treausre chest.

ISBN-0-916439-03-8 \$19.95



FOR YOUR COMMODORE 64

C-64 SCIENCE ENGINEER

is an introduction to the world of computers in science. Describes variable types, computational accuracy, computers in science. Describes variable types, computational accuracy, various sort alogrithms. Topics include linear and nonlinear regression, CHI-square distribution, Fourier analysis, matrix calculations, more. Programs from chemistry, physics, biology, astronomy and electronics. Includes many program listings.

ISBN-0-916439-09-7 \$19.95



DEALER INQUIRIES ARE INVITED

If any of the titles featured above are not available at your local bookstore or computer outlet, ask them to order direct from Abacus Software.

IN CANADA CONTACT:

The Book. Centre, 1140 Beaulac Street Montreal, Quebec H4R1R8 Phone: (514) 322-4154

Commodore 64 is a reg. T.M. of Commodore Business Machines

OTHER NEW BOOKS ARE COMING SOON!

AVAILABLE AT COMPUTER STORES, OR WRITE:



Exclusive U.S. DATA-BECKER Publishers

P.O. BOX 7211 GRAND RAPIDS, MICH. 49510

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order or charge card. (Michigan Residents add 4% sales tax).

MasterCard

VISA

FOR QUICK SERVICE PHONE 616-241-5510

Turtle Graphics Interpreter For The 64

Irwin Tillman

This comprehensive three-program package gives your 64 full turtle graphics capabilities. It's an excellent learning tool for children, and it offers a new graphics capacity for all ages. For disk or tape users.

Turtle geometry is fast becoming the first exposure to computers for many children. Instead of printing their names on the screen, they are more likely drawing squares and triangles. While such facilities are generally found with specific languages (such as PILOT and Logo), the concept of turtle geometry is not unique to any single language. One of the reasons for its popularity is that it's not only a natural introduction to computing, but also an excellent tool to teach thinking (see Seymour Papert's Mindstorms).

If you're not familiar with turtle graphics, the basic concept involves moving a turtle around the screen, leaving a trail as it goes. This is accomplished through a series of English commands, such as FORWARD and RIGHT. Other commands control the color scheme, define loops, and allow you to assemble a series of commands into

procedures.

Coordinating The Turtle Programs

"Turtle Graphics Interpreter" consists of three programs designed originally for use with a disk drive; if you are using a tape drive, be sure to read the appropriate section elsewhere in this article.

The first program, "Interpreter," does most of the work. It accepts and executes the commands you enter. Program 2, "Turtle Data," POKEs in the shape tables for the turtle sprites and a number of machine language routines. Finally, "Turtle

Boot" (Program 3) runs the whole thing.

It is very important that you type the DATA in Program 2 correctly; otherwise the machine language routines may crash the machine when the Interpreter is run. Also, you should leave out the CHR\$(31) in line 140 of Program 3 until you're sure everything is working right. This will make the operation of the Boot program visible. When you are sure that the Boot is loading and running Turtle Data and Interpreter, reinsert the CHR\$(31). Then, to run the whole package, just load and run the Boot program.

Turtle Commands

The Interpreter recognizes 30 commands, some of which can be abbreviated. In addition, the CLR/HOME key will clear the text portion of the screen and home the cursor (regardless of whether the SHIFT key is pressed). Pressing the f1 function key will change the border color; f3 handles the text-background color. In addition, trying to move from the text window into the hires screen will be treated as a CLR/HOME.

The commands are as follows:


FORWARD x (can be abbreviated as FD)—moves the turtle a distance of x in the direction it is pointing. The value of x must be greater than zero. The turtle will normally leave a trail as it moves (see PENUP, PENDOWN, PENDRAW, and PENERASE). You cannot leave the screen.

RIGHT x (RT), LEFT x (LT)—turns the turtle right (clockwise) or left (counterclockwise) x degrees (x is at least zero). Because there are only eight turtle sprites, the turtle will not always seem to be pointing in exactly the direction it should, but it will still draw and move properly.

SETHEADING x (SETH), PRINTHEADING— Setting the heading to x will turn the turtle without changing its position. Headings range from 0

SERIOUS 64 SOFTWARE

INDISPENSIBLE TOOLS FOR YOUR COMMODORE 64



PASCAL 64

This full compiler produces fast 6502 machine code. Supports major data Types: REAL, INTEGER, BOOLEAN, CHAR, multiple dimension arrays, RECORD, FILE, SET and pointer. Offers easy string handling, procedures for sequential and relative data management and ability to write INTERRUPT routines in Pascall Extensions included for high resolution and sprite graphics. Link to ASSEM/MON machine language.

DISK \$39.95

DATAMAT 64

This powerful data base manager handles up to 2000 records per disk. You select the screen format using up to 50 fields per record. DATAMAT 64 can sort on multiple fields in any combination. Complete report writing capabilities to all COMMODORE or ASCII printers.

Available November DISK \$39.95

TEXTOMAT 64

This complete word processor displays 80 columns using horizontal scrolling. In memory editing up to 24,000 characters plus chaining of longer documents. Complete text formating, block operations, form letters, on-screen prompting.


Available November DISK \$39.95

ASSEMBLER / MONITOR 64

This complete language development package features a macro assembler and extended monitor. The macro assembler offers freeform input, complete assembler listings with symbol table (label), conditional assembly. The extended monitor has all the standard commands plus single step, quick trace breakpoint, bank switching and more.

DISK \$39.95

DEALER INQUIRIES INVITED



All DATA BECKER software books have inside disk storage pockets, and heavy vinyl ring-binder covers for maximum durability and easy reference access.

AVAILABLE AT COMPUTER STORES, OR WRITE:

Abacus Software

P.O. BOX 7211 GRAND RAPIDS, MI 49510 Exclusive U.S. DATA BECKER Publishers

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order of charge card. (Michigan Residents add 4% sales tax.)



FOR QUICK SERVICE PHONE (616) 241-5510
Commodore 84 is a reg. T.M. of Commodore Business Machines

to 360. Straight up is 0 degrees, and the values increase clockwise. PRINTHEADING returns the current value of the turtle's heading.

SETPOSITION x y (SETP), PRINTPOSITION— Setting the position to (x,y) moves the turtle without changing its heading. The value of xshould be between -159 and 160, and y values range from -106 to 106. Note that the range of y will change if you change the "crunch factor" (see "Crunching the Screen"). The turtle starts at (0,0), the center of the screen. PRINTPOSITION returns (x,y).

PENERASE (PE), PENDRAW (PW)—These commands control whether the turtle will leave a trail or erase one. The program starts in draw mode.

PENDOWN (PD), PENUP (PU)—Normally the turtle's pen is down. Penup raises it so the turtle cannot leave or erase a trail. You may still set draw or erase modes, but you will not see any effect until after you have lowered the pen and moved forward.

PENCOLOR x (PC), BACKGROUNDCOLOR x (BC), TURTLECOLOR x (TC)—Each of these changes the color to x, where x is between 0 and 15. The first two will also perform a CLR/HOME. (It's not a bug, it's a feature.) There can only be one pen color on the screen at any time, so executing the PENCOLOR command will recolor all the lines that have already been drawn on the screen. Try a number of combinations of background and pen colors. Because of the hardware problems in displaying isolated pixels on the screen, the same pen color will appear as different hues at different points on the screen. Experiment—you may like the effect, which is known as "artifacting."

SHOWTURTLE (ST), HIDETURTLE (HT)— Hiding the turtle is useful when you want to view a finished design. These commands have no effect on the turtle's color, movement, position, etc.

HOME—moves the turtle to (0,0) and sets the heading to 0 degrees.

CLEAN—erases the hi-res screen. Note that pressing CLR/HOME will *not* disturb the hi-res drawings.

CLEARSCREEN (CS)—performs a CLEAN and HOME.

Combining Commands

The Interpreter will accept lines of up to 78 characters, and you may include numerous commands on each line—just be sure to use spaces between commands (no commas or colons). Here's a simple demonstration to animate the turtle:

FORWARD 100 RIGHT 90 FORWARD 100 RIGHT 90 FORWARD 100 RIGHT 90 FORWARD 100

These commands cause the turtle to draw a square. Because the Interpreter is in BASIC, the turtle won't move at breakneck speed. (If you are extremely ambitious, you could convert the plotting routine to machine language.)

If you are willing to give up a little more time in interpretive overhead, you can use the powerful REPEAT (RP) command. We can rewrite the

commands to draw a square as:

REPEAT 4 [FORWARD 100 RIGHT 90]

The statements you want to be repeated should be enclosed in square brackets and preceded by REPEAT x, where x is the number of times they should be repeated. REPEATS may be nested to a depth of 255 (although procedure calls will decrease this, as detailed below). For example, try the following commands:

CS REPEAT 8 [REPEAT 4 [FORWARD 100 RIGHT 90] RIGHT 45]

Using Procedures

The full power of turtle graphics is realized with procedures. A procedure is like a program; it's just a series of commands given a specific name. That name is added to the commands that the inter-

preter will recognize.

To make up a new procedure, use the DE-FINE command. For example, type DEFINE BOX. You will be prompted with BOX?, after which you should type REPEAT 4 [FORWARD 100 RIGHT 90]. The interpreter will respond with BOX DEFINED. From now on, whenever you type BOX (either from the keyboard or from within another procedure) the commands REPEAT 4 [FORWARD 100 RIGHT 90] will be executed. We could define the design above as 8BOXES: CS REPEAT 8 [BOX RIGHT 45].

Each time you call a procedure counts as a level of nesting (just as a repeat loop does). One very important warning: Don't allow a procedure to call itself (or to call another procedure that may eventually call the first). This will result in a loop that you will have to break by pressing the STOP key. When you restart the program by typing RUN, you will lose your procedure definitions and any designs on the screen.

There are a number of commands which facilitate working with procedures. NAMES will print the names of all the current procedures (limit of 255). PRINTPROCEDURE x (PPROC) will print the commands associated with the procedure named x. ERASE x will erase the procedure x, and RENAME x y will change the name of procedure x to y. ERASEALL will erase all the current procedure definitions.

Saving And Loading Procedures

Procedures may also be saved to and loaded from disk or tape. SAVE x will save all the current procedures (a "workspace") to a file named "x.turtle"; LOAD x will copy the procedures in "x.turtle" into memory. These will be added to those already defined, so you can merge workspaces. Files may be erased from the disk with SCRATCH x, which will erase "x.turtle." While these commands are operating, the screen will seem to go awry; ignore this as it will be restored when the operations are complete.

QUIT will exit the program, but leave the machine in an unusual state. The screen will still be split, but this may be corrected with RUN/STOP-RESTORE. Since memory is reconfigured, you'll want to return it to its normal state. If you don't want to power off and back on again, type

POKE 2048,0: POKE 44,8: NEW

Crunching The Screen

Because each brand of TV and computer monitor has a different vertical aspect ratio, you may notice that your squares aren't square, circles look like eggs, etc. If so, type

REPEAT 180 [FORWARD 2 RIGHT 2]

If your design isn't a circle, take a centimeter ruler and measure the diameter along the x and y axes. (These should be easy to identify; just slide the ruler along the screen until you get the maximum measurements in the horizontal and vertical directions.) Divide the x value by the y value. This is the "crunch factor." Change line 50 of Program 1 to set CR to this value. If you are using a Commodore color monitor, the value I've supplied in the program (.74) is appropriate. Note that changing this value changes the scaling on the y axis. The new limits will be $\pm 79/CR$.

For Tape Users

You can modify the package to use a tape drive with the following changes:

- Change the device numbers in lines 150 and 170 of Program 3 from 8 to 1.
 - Change the word DISK to TAPE in line 80.
- Delete lines 7000–7100, 25000–25060, and line 1280 in Program 1.
 - Change these lines in Program 1:

23010 GOSUB 5000:IF WD\$<>""THEN23018
23014 ER=-1:PRINT"YOU MUST SUPPLY A NAME"
:RETURN

23018 OPEN2,1,0,WD\$+".TURTLE"

23060 CLOSE2: RETURN

24010 GOSUB 5000:IF WD\$ <> ""THEN 24018

24014 ER=-1:PRINT"YOU MUST SUPPLY A NAME"

:RETURN
24018 OPEN2,1,1,WD\$+".TURTLE"
24040 CLOSE2:RETURN

Program 3 should be saved first on the tape, followed by Program 2, and then Program 1. When Program 3 is loaded and run, it will then load and run the other two programs. For this autoload feature to work properly, you must save the programs with the names shown in lines 150 and 170—TURTLE GRAPHIC 2 for Program 2 and TURTLE GRAPHIC 1 for Program 1. Alternately, you could change the names in those lines to match the names under which you saved the programs.

There is one additional requirement for the autoload feature to operate properly. You *must* leave the PLAY button depressed after Program 3 finishes loading. If you release the button, the PRESS PLAY message will be printed to the screen when Program 2 is loaded, which will prevent the loading of Program 1.

How It Works

Short of rewriting the Interpreter in machine language, there are still a number of modifications you may wish to make to customize the program. I've included these details to briefly give you an idea of how the package functions.

Program 3 reconfigures memory to start loading programs at \$4000, leaving \$0800-\$03FF free for turtle sprite data. Only the last 512 locations are used, so you could put additional sprites below them. The LOADs and RUNs are accomplished by printing the appropriate commands on the screen and filling the keyboard buffer with RETURNs.

Program 2 POKEs in the 512 bytes of sprite data below \$0400, and then puts a number of machine language routines in memory beginning at \$C000. The first routine is an interrupt-driven split screen routine. It also takes care of checking for f1, f2, CLR/HOME, and keeps text from scrolling onto the hi-res screen. This routine is initialed with SYS 49322. To clean the hi-res screen, use SYS 49295. SYS 49235 will clean under the hi-res screen (1024–1823) and erase the text screen (1824–2023). The hi-res bitmap is stored beginning at 8192.

Here are the important sections of the Interpreter (Program 1):

10–170: Initialization. Frequently used variables and constants are created first to improve speed. Here are most of the variables' functions:

PE -1 = penup, 0 = pendown
DR -1 = pendraw, 0 = penerase
C conversion from degrees to radians
SC screen base
BL bytes per hi-res screen line
bytes per hi-res screen block

MX	MSB of sprite x location
PX	LSB of sprite 0 x location
PY	sprite 0 y location
BG	used for sprite x seam
CR	screen crunch factor
MA	mask
BA	base in computer
C1-C7	constants used in determining sprite position
SP	sprite image number (0-7)
H	heading
CI	degrees in circle
XH, XL	x-hi, lo values
YH, YL	y-hi, lo values
IX, IY	initial x,y coordinates in FORWARD command
X,Y	current coordinates
SS	sprite spacing (45°)
HA	one-half
FF	used as a mask
PC	procedure counter
DH	delta heading
K, 00, ZZ	temporary numeric storage
T\$, ZZ\$	temporary string storage
SE	sprite enable
PT	sprite 0 pointer
D	distance traveled
ER	-1 = error, 0 = ok
BY	byte to be POKEd
BI	bit to be POKEd
RO, CO	row, column for upper-left corner of sprite
XS, YS	coordinates for turtle sprite
WD\$	current word
NU	numeric input value
PN	procedure number temp
MD\$	disk read/write mode
NP	number of procedures in disk file

LOW COST SOFTWARE

Are you tired of paying high prices for your software? Let John Henry Software save you money!

We distribute public domain software for your VIC 20™ or Commodore 64™. We've tested and documented each program to guarantee you hours of fun and useful learning experiences. We specialize in prompt delivery of your software, even if you order tapes, and we guarantee our product.

You'll also receive our free program reference book when you place your order.

Group VP 54 Programming, Demo, Business

		and Home
Group VE	35	Educational Programs \$7.95
		COMMODORE 64
Group CG	26	Games for Everyone \$7.95
Group CP	30	Programming, Demo, Business
		and Home \$7.95
Group CE	16	Educational Programs \$7.95
Group CA	5	Adventure Games (disk only) \$7.95

When ordering, specify group and tape or disk. Send check or money order payable to:

John Henry Software P.O. Box 39021 Cincinnati, Ohio 45239

Don't wait! Order your software today! Or write for your free program reference book. You'll be glad you did!

To keep our software prices fow, our ad will only appear in the June, August, October and December issues of this magazine.

200–620: The parser routine is the most complicated part of the program. NE keeps track of the nesting level. The command line typed at the keyboard is assigned to ST\$(0). This serves as a permanent copy of the command line. ST(0) is an index into this string (how much has been processed). These are copied into IN\$ and IN, which is what we actually work from. Commands are read off (and removed) from the left end of IN\$ and executed in 1000–1300; IN and ST(0) are constantly updated.

Whenever a repeat command is found, the nesting level is incremented, the repetition factor is put in RP(NE), and the contents of the loop are put in a new command line, ST\$(NE). The parser then executes ST\$(NE) as already described. When we reach the end of a command line, we "pop" up by decrementing NE and continuing where we left off in the previous command line. Advanced programmers may recognize this as a stack used to simulate recursion.

Procedures are implemented in the same way. Whenever a procedure name is encountered, we drop down a nesting level, and treat the procedure's commands as the contents of a repeat loop with a repetition factor of 1.

1000–1300: Identifies and executes commands. If you choose to permanently change the name (or abbreviation) of a command, do it here. This section also clears the error flag to 0 (false) before each command. Any command that fails will set the error flag to -1 (true). The parser keeps track of the flag, and aborts all pending commands when the flag is set true. The individual commands all have good diagnostics, and you may assume that your commands have been successfully executed if no message to the contrary is printed.

2000–8000: These subroutines are used by the Interpreter in executing various commands.

9000–22000: Each of these subroutines corresponds to a single command; consulting the variable list should help clarify them.

Sample Designs

Here are some simple designs to get you started:

RECTANGLE: RP 2 [FD 80 RT 90 FD 30 RT 90]

HEXAGON: RP 6 [FD 100 RT 60] PENTAGON: RP 5 [FD 100 LT 72]

PENTAGRAM: RP 5 [FD 161.8 LT 144]

TWOPENTAS: SETP -60-80 SETH 90 PENTAGON LT 36 PENTAGRAM

ARROW: RECTANGLE LT 90 FD 15 LT 135 RP 2 [FD 42.4 LT 90] LT 45 FD 15 PE FD 28 PW

HONEYCOMB: SETP -30 30 SETH 330 RP 6 [RP 6 [FD 25 RT 60] RT 120 PU FD 25 LT 60 PD]

See program listings on page 167.

First Aid

Scott M. Huse



What do you do for an earache? For fainting? For a sunburn? This program can be helpful for babysitters, students learning first aid, or parents who want to know how to react to common medical problems. For the Commodore 64.

"First Aid" is a practical, menu-driven program for the Commodore 64. It provides a useful tutorial on suggested first aid treatment steps for thirty-three major and minor medical emergencies, as well as space for critical emergency phone numbers.

This program is not designed to be comprehensive and is certainly not intended to replace formal first aid training or professional medical treatment. Rather, it should be considered a valuable educational tool to teach and drill basic first aid steps for a variety of medical situations.

Although the medical advice presented in this program is based upon sound, nationally recognized first aid training courses, the publisher and author must disclaim any and all liability in the use of this program for medical treatment.

To use this program, simply type it in and RUN. To select a specific category from the main menu, push the corresponding letter or number. Any key will return the user to the main menu. In order to customize the emergency phone numbers to your specific area, simply substitute your local numbers in lines 550–600.

See program listing on page 159.

1541 DISK DRIVE ALIGNMENT PROGRAM

Finally, a complete disk drive alignment program! **No special equipment needed!** A two disk (program and calibration) program allows anyone with average mechanical skills to properly align the 1541 disk drive. Complete instruction manual.

\$39.95 plus \$2.50 shipping (U.S.)

PROGRAM PROTECTION MANUAL FOR THE C - 64 2ND EDITION

This is the book you've been waiting for! All the latest tips and secrets. A complete reference guide to software protection on the C - 64. Covers the disk drive, bad tracks and sectors, modified directories, cartridges to disk and much, much more. A complete and up to date guide to program protection of all types. Covers both basic and machine language protection schemes. A complete memory map and a disk with many helpful programs is included. Over 100 pages of valuable information. \$29.95 plus \$2.50 shipping (U.S.)

PROGRAM PROTECTION NEWSLETTER

A monthly newsletter covering the latest advances in program protection. Each issue will examine 3 to 5 specific programs and their protection schemes. This will be a complete 'HOW' and 'WHY' approach to individual program protection schemes. A full explanation of each protection scheme will be included.

\$35.00 per year post paid in the U.S.

C. S. M. SOFTWARE

P.O. Box 563
Crown Point, IN 46307
(219) 663-4335
VISA AND MASTER CARDS ACCEPTED
DEALER INQUIRIES INVITED

8 GAMES PLUS...

The "PREMIER COLLECTION"

A disk packed full of games and other interesting programs for the Commodore 64. For all ages and interests. ALL for \$34.95.



BULLRIDE. How long can you ride the wild bull in this fast animated computer simulation?

DARTS. Use a joystick to deflect darts toward the target. Scores like English Darts. 1-2 players.

EUCHRE. This solitaire version of the fast paced trump card game pits you against the computer.

-MAXWELL'S DEMON. In this unique action game you must try to break the Second Law of Thermodynamics!

PHONE DIALER. A personal phone directory with automatic tone dialing. Stores 364 entries and 2 access codes per file.

REVERSI. 7 level machine language version of this familiar game. We bet you can't beat it on level 5!

SLIDE SHOW. Animated sequence of outer space scenes using the multi-color graphic mode.


SOPWITH CAMEL. Outfly the Red Baron and you'll win this one.

SQUABBLE. You have 3 minutes to find more words than the computer can find in the random 4x4 letter grid. The computer knows over 4,700 words. Do you?

WORDTIME. If Squabble's too tame for you, try shooting missiles at letters to form words. 2 Players.

Commodore 64 is a registered trademark of Commodore Electronics Ltd.

(Works with most 1541 format Serial Drives)



P.O. BOX 273 Bellbrook, OH 45305 (513) 848-2888



REVIEWS

Software Disk Alignment For The 1541 George Miller, Assistant Technical Editor

Sooner or later it happens: You try to load that exciting new software, but after your disk whirs and clatters for several minutes, you get a READ ERROR. That's not possible, you say. This is a brand new disk. Surely the disk must be defective. So it's back to the dealer, who successfully loads the program into his computer on the first try and then says, "Sorry, your disk drive must be out of alignment."

Can that be true? Of course not. Last night you formatted a disk and saved a program that loads and runs perfectly. But all that tells you is that your drive can read disks it has formatted itself. It reveals nothing about the alignment since those disks have been formatted with the

tracks misaligned.

Head misalignment is a common problem with heavily used 1541 disk drives. Almost all of the dozen or so 1541 drives in daily use here at COMPUTE!'s offices have experienced the problem at some point in their service lives. Many of the drives seem to begin to experience head alignment problems six months to a year after being put into service (unfortunately, beyond the expiration date of Commodore's warranty).

The symptoms include the inability to load programs from commercial disks and frequent READ ERRORs when using disks formatted when the drive was comparatively new. Such errors are generally caused by the inability of the disk drive to access track 1 or track 35 of the disk.

Commodore 1541 alignment problems are often related to the fact that the drive's head is logic seeking. In other words, it looks for data on the disk and aligns itself to read the data. This is done by bumping a cam attached to a stepper motor against a fixed stop mounted on the frame of the drive; from there the drive searches for information to indicate that it has found track one.

Unfortunately, Commodore has used a pressure fitting method to secure the cam to the shaft of the stepper motor. Repeated bumping against the end stop will eventually begin to bump the drive out of alignment, and that's when your problem begins.

Misalignment can come about through ordinary use. In addition, commercial software using bad tracks and sectors for copy protection may contribute to an eventual alignment problem. Every attempt to read a

bad track forces the cam to hit the end stop, eventually causing slippage of the cam. It should be noted that many normal functions of the DOS (Disk Operating System) can cause the end stop to be hit by the cam.

Until now, the only remedy was to visit a service center (if you could find one), wait until the service technician finds the time to squeeze you in, and then pay the going rate. The price could range from \$40 to \$85, and repairs could take two weeks to a month or more.

A Quick And Easy Fix

But with 1541 Disk Drive Alignment from CSM Software, you can fix it yourself in an hour or so and the program will pay for itself the first time you use it. Besides allowing you to bring wayward drives up to specs, it also provides a ready reference to let you determine when your drive is beginning to slip before the problem becomes critical. In fact, if you wait too long to correct alignment problems, you might well find that the disks you wrote most recently are unreadable on your newly aligned

Previously, most disk alignment procedures required at least a calibration disk, a dual trace oscilloscope, and precision alignment tools. This program, however, requires only a 64, a disk drive able to read the program disk, a screwdriver to disassemble the plastic disk drive

80 Column Smart Terminal For Your C64 Without Any Hardware Change! VIP TERMINAL™

VIP Terminal ready Dear Pepper.

11:15:28

You're right. This VIP Terminal is the only terminal for the C64 worth owning. That freebie software that came with my modem just didn't work, especially with my new smartmodem. The 80 column display alone was well worth the \$59.95 - much less the 40, 64 and 106 character displays - and it doesn't need any hardware changes. Imagine 106 characters on 25 lines. Heck, there's more text on my screen than on my uncle's Apple or my dad's IBM-PC!

I put auto-dial to work right away. I auto-dialed CompuServe, but couldn't get through, so I had VIP Terminal redial 'til it got through - it dialed five minutes straight! Then I auto-logged on with one of my 20 programmed keys, and downloaded some graphics screens, and stock quotes for dad. I printed it and saved it to disk as it came on the screen. Wow! And now I can send you my programs automatically. I got yours and they worked right off.

Those icons - you know, like the Apple Lisa - are a lot of fun. I also like the menus, function keys, highlights, help tables - great for a newcomer like me. And with the many options there isn't a computer I can't talk to.

What's really neat is that Softlaw has a whole VIP Library of interactive programs, including a word processor, spreadsheet and database. which will be out soon. Sis promised me the whole set for my birthday.

I see by the built-in "old clock" on the screen that long-distance rates are down. Got to call that L.A. BBS. Yep, there goes the alarm. Later.

They're right! To start with the best you've got to have the VIP Terminal!


- Built-in 40, 64, 80 and 106 columns
- Talk to any computer
- Flawless 1200 baud operation
- Use any modem and printer
- Written in fast machine code
- 16 entry phone book/20 message keys
- Word wrap for a formatted display
- Auto dial, redial, up/download, log-on & answer with your 1650 or Hayes
- Protocol: CBM-Punter, ASCII, Xon/Xoff, G4 Graphics & VT52
- **Full screen editor**
- Simultaneous on line printing and saving of files to disk
- Use and save files as big as your disk!
- E Mail & E-COM Compatible

Get yours NOW! **\$59.95**

Introducing The VIP Library

The Library Concept

The VIP Terminal is only the first in a whole series of elegant software for your Commodore 64 called the **VIP** Library. This complete collection of easy-to-use, serious, high quality, totally interactive productivity software includes VIP Writer, VIP Speller, VIP Calc, VIP Database, VIP Disk-ZAP, VIP Accountant and VIP Tax. All are equal in quality to much more expensive software for the IBM PC, and all are very affordable!



Virtual Memory

VIP Library programs are not limited by the size of your computer's memory. All programs use virtual memory techniques to allow creation and use of files larger than your computer's available work area. You're only limited by the space on your disk!

Icons Make Learning Easy

Hi-res technology and sprites allow VIP Library programs to bring you task Icons, made famous by the Apple Lisa™ and the Xerox Star™. With these advanced sprite representations of the task options open to the user, even the total novice can, at a glance, perform every task with ease. Just look at the icon and press a key! No programs are easier or more fun to learn and use!

Total Compatibility

All VIP Library programs are compatible with each other and other computers for easy file transfer. Each uses ASCII, the universal language of computer communications so that files can be sent to and received from other computers without modification! The Library also gives you the benefit of a consistent icon and command structure. Once you have learned one program, the others will come easily.

For Orders ONLY

— Call Toll Free —



1-800-328-27

Order Status and Software Questions call (612) 881-2777

Available at Dealers everywhere. If your Dealer is out of stock ORDER DIRECT!

MAIL ORDERS: \$3.00 U.S. Shipping (\$5.00 CANADA; \$10.00 OVERSEAS. Personal checks allow 3 weeks.

Professional Displays

The 40-characters-per-line display of the Commodore 64 is inadequate for serious computing. An 80-column display is the industry standard. VIP Library programs bring this standard to your Commodore 64 with state-of-theart graphics, without need for costly hardware modifications. With VIP Library programs you can freely choose from four displays: the standard 40 column display, plus a 64, 80 and even a 106 column by 25 line display. With these programs you can have more text on your screen than on an IBM PC or an Apple He with an 80-column board! Welcome to the professional world!

Who Is Softlaw?

Softlaw Corporation has years of soft-ware experience in micros. We currently offer the full-line VIP Library for other micros in the U.S. and in Europe. Now we are bringing this experience to the Commodore 64 so you get ultra-high quality software at very affordable prices.



9072 Lyndale Avenue South Minneapolis, Minnesota 55420

1983 by Softlaw Corporation

case, a small screwdriver for an internal adjustment, and a feeler gauge to set the end stop.

In practice, after completing the other adjustments, the end stop is usually well within tolerance, and no further adjustments are necessary. No technical expertise is required to accomplish the alignment procedures, and the manual accompanying the program thoroughly describes the procedures.

To use the CSM program,

simply load it into your 64 and follow the instructions in the manual. If your drive is very far out of alignment, the program may need to be loaded from a working drive, although it worked fine with each of the misaligned drives we tested it on at COMPUTE!.

The program includes checks for proper operating speed, a program to set the stepper motor correctly, and a test program for proper alignment, which allows you to adjust for the best possible alignment of your drive.

For disk drives that are badly worn and simply will not hold an alignment, the Fix is included. This is a method of securing the cam to the stepper motor shaft. It requires some additional tools, as well as a bit more technical and mechanical ability, but it may give your old drive new life. It certainly beats the price of a new one.

Included in the CSM package are 1541 Disk Drive Alignment, 1541 Disk Drive Alignment Calibration, and the instruction manual. Anyone with average mechanical ability, patience, and a little caution (you're working with an exposed circuit board and power supply plugged into a potentially dangerous 117 volts) can do his own alignment, or at least run a reliable. test to judge the alignment.

The program is compatible with the 1541 and with the built-in disk drive on the SX-64. Due to the difference in speeds between the 1540 and the 1541 disk drives, the speed check and adjust program included with the program will not work properly on the faster 1540s. 1541 Disk Drive Alignment should surely be part of every user's group library, and is a wise addi-

AARDVARK L



THE ALL NEW STARFIGHTER IS HERE!

The Best Blasted Spacewar Game I ever saw! Multiple screens, fantastic graphics, fast action - including one of the best first person battle scenes ever done. This will put you right in the turret.

Available On: Commodore 64 Only

TAPE \$24.95

DISK \$29.95

VIDEO ADVENTURES™













NEW! GRAPHIC ADVENTURES

AARDVARK offers over 120 original high quality programs. Send one dollar for a current catalog and receive a \$1.00 gift certificate good towards your next purchase

Authors - AARDVARK pays top dollar for high quality programs. Send a copy today for a personal review and editorial help.

TO ORDER: Send amount indicated plus \$2.00 shipping, per prder, include quantity desired and your preference of tape or disk. Be sure to indicate type of system and amount of memory. When using charge card to order by mail, be sure to include expiration date.



CHARGE CARDS VISA



1-313-669-3110

AARDVARK Action Software 2352 8 COMMERCE - WALLED LAKE, MI 48088 - (313) 669-3110

A New Age Dawns...

As you read this, programming on the Commodore enters a new age. If you've been frustrated by programming in BASIC, now, there's relief...PROMAL. The first truly structured programming language and compiler with operating system and full-screen editor is now available for the Commodore world.

No longer do you have to accept slow execution. Or large memory demands. Or slow development time. Or limited and awkward editing. Or the lack of operating system support. Or working with an unstructured language. Or difficulty interfacing to machine-level functions.

Now, you have PROMAL, a "real" programming language and development system on a 64K machine. Now, you have another language to choose. One that's simple to learn. And one that's powerful, too...like Pascal or C but without their complexity. Now, you can realize higher performance from your Commodore. In fact, you can practically have machine language performance...for music, for graphics, for text processing...without ever writing the first line in machine language.

See for yourself how good PROMAL is. See for yourself how a new age dawns. If PROMAL sounds too good to be true, order your copy and try it out. If, after 30 days, you don't find yourself in a new age of programming, we'll refund your money.

Or you can get a glimpse of this new age of programming with a demo disk.

And, of course, you can read about the new age by using the Reader Service Card to request more information. Call us at (919) 787-7703, today, to order your copy of PROMAL or a demo diskette.

- □ I'm ready to see the dawning of a new age. Please send me my copy of PROMAL at \$49.95 plus \$5.00 for shipping and handling at a total cost of \$54.95.
 □ I'm ready to see a glimpse of the new age. Please send me a demo diskette at \$10 for the diskette and \$2.50 for postage and handling for a total cost of \$12.50.
 - □ My check is enclosed.

 □ Please charge my purchase to my...

 □ Visa

 □ MasterCard

Card Number

Expiration Date

Signature

Name

Address

City, State, Zip

العاملات

SYSTEMS MANAGEMENT ASSOCIATES 3700 Computer Drive, Dept. CG-1 Raleigh, North Carolina 27609 64

64

64

64

EXPO

64

EXPO

tion to your home disk library.

You should note that if your disk drive is still covered by warranty, you will void your warranty as soon as you open the case. Commodore takes a dim view of anyone except an

authorized service center adjusting or modifying the drive.

1541 Disk Drive Alignment C.S.M. Software P.O. Box 563 Crown Point, IN 46307 \$39.95

Two Flight Simulators For The 64

David Florance, Programming Assistant

EXPO

EXPO

20

EXPO

20

EXPO

20

EXPO

64

EXPO

20

Commercial flight simulators were developed for one very good reason: Airplanes cost a good deal of money. When a student learning to fly makes a mistake, it's better for the mistake to happen in a simulation of an airplane safe on the ground than to lose an entire aircraft.

Some software companies have recently adapted flight simulators to personal computers. You can't expect to use these programs to qualify for a pilot's license, but they're both fun and educational.

A flight simulator combines strategy (how much fuel is left, what the airspeed and altitude are, etc.) with action (split-second decisions to climb or dive). Often you can choose the level of difficulty. You may want to go for a joy ride, swooping up and down among the clouds. Or you can make it into a game, where you have a specific goal—delivering the mail on time or shooting down enemy planes, for example.

Since flying a plane is more complex than driving a car, there must be some tradeoffs. If you want realism, the program must be fairly detailed. If you want playability (and fun), some aspects of "real" flight must be sacrificed.

Two flight simulators from two different companies well illustrate the tradeoffs. Flight Simulator II from subLOGIC is

C-64 COMPUTER SHOW

Expo 64
EAST COAST EDITION

First Computer Show for the Commodore 64*

November 2-3-4, 1984
Fri. 7-10 PM — Sat. 10 AM-5 PM —
Sun. 10 AM-4 PM

HOLIDAY INN (NORTH)

(Convention Center)

Exit 14 — NJ Turnpike — Near Newark, NJ Int'l. Airport (Special room rates — call (201) 589-1000 for reservations)

- Over 50 Commercial Exhibit Booths & Dealers
- □ Seminars, Speakers and Workshops
- ☐ Show specials and discounts on many items!
- ☐ Hardware, Software, Supplies & Accessories
 ADMISSION: \$7.00 Adult, \$4.00 Child (5-12)

(Tickets sold at door!)


DIRECTIONS

New Jersey Turnpike to Exit 14 — Newark Airport, second right turn (after toll) at Service Road. Or, Garden State Parkway to Route 22 East, to Route 1-9 North (Local Lanes), exit at Service Road opposite Newark Airport North Passenger Terminal.

a Ken Gordon Production call (201) 297-2526 for exhibitor information (Our 6th. Year Promoting Computer Shows!)

*Commodore 64 and VIC-20 are Registered Trademarks of Commodore Corporation.

C-64 COMPUTER SHOW



Simply Incredible. Incredibly Simple. CodePro-64 For Your Commodore. Instructional Software That Will Amaze You With What You Learn.

CodePro-64 is the easy way to learn.

CodePro-64 astonishes you with how much you can learn. And how easy learning can be. With CodePro-64, you'll learn to write your own programs. You'll develop advanced programming skills with graphics, sprites and music. And best of all, you'll learn visually.

CodePro-64 is a complete package.

First and foremost, it's a comprehensive BASIC language tutorial. With it, you learn by seeing as well as by doing. You watch variables change

value. You see statement branching occur. You can even see "For-Next" statements executed.

There's graphics instruction, too. CodePro-64 also has a SPRITE Demonstrator and Generator. With it, you'll master the concepts and techniques of graphics programming with sprites. And you'll be able to create and save your own sprites for use in your programs.

And we don't forget the music.

You'll use the MUSIC Demonstrator and Generator to learn how to get the musical effect you want. Exactly. And in seconds. You'll use it to compose simple tunes on the screen and then save the tune to a diskette file.

Discover how good CodePro-64 really is. We ship CodePro-64 as a package of 16 integrated programs, distributed on two diskettes, and containing sample programs for unlimited use. It is supported by a 140-page manual and is packaged in an attractive threering binder.

CodePro-64. Incredible. And simple.

HOW TO ORDER

Send personal check, money order or MasterCard/VISA credit card information. Please add \$3.00 for shipping and handling per order; foreign orders must add \$15.00 per unit (except Canada). US funds only. Sorry, but no COD's. NC

residents add 41/2% sales tax. Corporate quantity discounts available. Dealer inquiries invited.

And for faster service on credit card orders call Toll Free 1-800-762-7874. In North Carolina call 919-787-7703.



SYSTEMS MANAGEMENT ASSOCIATES

3700 Computer Drive, Dept. CPG Raleigh, North Carolina 27609

CodePro-64 is a trademark of Systems Management Associates. ©SMA 1984

Our Guarantee. Use CodePro-64 for 10 days. If you are not completely satisfied return it to us (undamaged) for a full refund. -

likely the most realistic in its approach; but its complexity may be daunting to a beginner. Solo Flight by MicroProse is perhaps easier to learn, but less realistic as a simulator.

subLOGIC's Flight Simulator II

If you know nothing about flying, Flight Simulator II, by Bruce Artwick, may overwhelm you. This is not a simple simulation. Your first step should be to read the manuals which are included in the package. The main handbook explains the keyboard and joystick operation of the aircraft. The FS2 is designed to simulate the performance characteristics of a Piper Cherokee Archer II.

Before you begin, perhaps you should read Flight Physics, the manual that explains how an aircraft operates. Once you know a bit about flying, you'll be better prepared to enjoy (and understand) the simulation. Even if you've done some flying, you'll benefit by reading the flight physics manual. It

provides a good overview of a flight instruction class.

Once you've learned a little about flight physics, you should become familiar with Figure 1 in the handbook. It explains the various instruments you'll be working with. These instruments should be constantly monitored during flight because they indicate your airspeed, attitude, altitude, heading, and throttle at a glance.

Practice makes perfect. When using the keyboard, remove the flight reference card included in the package and have it in a strategic location for easy reference. Play around a bit to become familiar with the F, H, G, B, V, R, C, M, and T keys, and their uses. As you improve your flying skills, you'll learn how to use navigational aids such as the VOR, the ADF, the NAV 1, NAV 2, and COM radios. You can use the 3-D display window to look around you from nine different perspectives. Finally, there is the radar view, which is indispensable when taxiing on the runways.

With the Editor, you can redefine current flight parameters. The User Mode Library gives you ten preset modes and options to save and load playerdefined modes. You can use the Editor to set cloud layers, wind factors, seasons, and even the time of day. Say, for instance, you want to work on landing skills. You would call the Editor, set the flight parameters for just prior to a landing, save it in the Library, and reenter the flight mode.

Without a working knowledge of the instruments, you'll have trouble making successful flights. You won't fly far if you haven't practiced banks and yaws, or the use of the elevators. You'll sometimes crash, but don't be discouraged when it happens.

Four Regions And A War

You can choose to fly from Chicago, New York, Los Angeles, or Seattle. Numerous airports are available, and not all are

L BACK YO

ATTENTION COMMODORE 64 OWNERS

If you own a disk drive then you'll need "The Clone Machine". Take control of your 1541 drive. NEW IMPROVED WITH UNGUARD.*

Package includes:

1.) Complete and thorough users manual

2.) Copy with one or two drives

3.) Investigate and back-up many "PROTECTED" disks

4.) Copy all file types including relative types 5.) Edit and view track/block in Hex or ASC

6.) Display full contents of directory and print
7.) Change program names, add delete files with single keystroke
8.) Easy disk initialization

9.) Supports up to four drives


UNGUARD Now allows you to read, write and verify bad sectors and errors on your disk making it easy to back-up most protected software.

Dealers & Distributors

Inquiries Invited

LL (201) 838-9027

1342 B Rt. 23 **WAFE** Butler, N.J. 07405



Should've made a back-up with the Clone Machine.

PRINTERS

Alphacom 40C/Int ... 99.95 Alphacom 80C/Int ... 189.95 Epson ... Call Gemini 10X ... 269.00 Okidata ... Call Silver Reed ... Call Prowriter 8510 ... Call

MODEMS

COMMODORE 642

TOUCH TABLETS

Koala Touch Tablet-D . 69.95

Koala Touch Tablet-Cart 74.95

nodore 64 odels	CBM 64 Call SX-64 Call 1541 Disk Drive Call 1526 Printer 279.00
ETS I-D . 69.95	1530 Datasette
Carl 74.95	RS 232 Interface

SUPER PRINTER PACKAGES

Gemini 10X and
Cardco + G ... 349.00
Prowriter and
Cardco + G ... 419.00
No additional shipping
charges on Printer Packages in Continental USA

MONITORS

USI Call AMDEK Call

C O M	Zakiri Distriction of the Control of	ORE	6 4 S	OFTW	A R E
ACCESS	CARDCO	DYNATECH	INFOCOM	MISC. (cont'd.)	SPINNAKER (cont'd.)
Neutral Zone-D/T23.95	Cardprint/B	Adventure Writer-D 37.95	Enchanter - D 34.95	Miner 2049er-Cart 27.95	Ranch-Cart 27.95 Rhymes / Riddles - D 20.95
Spritemaster-D/T23.95 Beachhead-D/T23.95	Cardco + G	Codewriter-D 69.95 Dialog-D 37.95	Infidel-D 34.95 Planetfall-D 34.95	Sea Dragon-D/T23.95 Diskey-D34.95	Search/
Master Composer-D 27.95	Cardkey	Dialog-D 37.95 Elf System-D 37.95	Planetfall D 34.95 Sea Stalker D 34.95 Sorcerer D 34.95 Witness D 34.95	Hodge Podge-D/T 19 95	Amazing Thing-D27.95
ACCESSORIES	Cassette Recorder 47.95 Printer Utility-D/T 19.95	nome the winter D 49.93	Witness-D 34.95	Strip Poker-D 23.95 Mr. Robot-D 23.95	Snooper #1-D
WICO Joystick Call Flip'n'File-D 20.95	Write Now-Cart34.95	EPYX Construction Crew-D 23.95	INSTA (CIMMARON)	Paint Magic-D34.95	Story Machine-Cart 27.95
Flip n Flie Cart 20.95	Mail Now-D 29.95	Dragons/Pern-D/T 27.95	Insta-Writer-Cart 39.95	Pooyan-D/T 20.95 Astro Chase-D/T 20.95	Trains-D
Inventer 24 95	CBS SOFTWARE Argos Expedition-D29.95	Fax-D	Insta-Mail-D24.95 Insta-File-D49.95	Flip Flop-D/T 20.95	SSI
Elephant Disks (Box of 10) 20.00	Charles Goren's Bridge-D. 54.95	Fire!-D	Management Combo 64 95	Basic Building Blks-D . 54.95 Critical Mass-D	50 Million Crush-D 27.95
WICO Hakudii	Coco Notes-D 24.95 Ducks Ahoy-D 24.95	Fun With Music-Cart 27.95	Insta-Calc-Cart/D 31.95 Insta-Graph-D 24.95	Rescue Squad-D 20.95	Battle/Normandy-D/T 27.95 Combat Leader-D/T 27.95
KRAFT Joystick 15.95 ATARISOFT	Ernie's Magic Shapes-D . 24.95 Mastering the SAT-D . 104.95	Fun With Words-Cart 27.95 Gateway to Apshai-Cart 27.95	Insta-Vestor-D 31.95 Insta-Speed-D 99.95	Super Text Word ProD. 69.95 Beyond Wolfenstein-D. 23.95	Computer Baseball-D 27.95
	Mastering the SAT-D , 104.95 Movie Musical	Gateway to Apshai-Cart 27.95 Jumpman JrCart 27.95 Jumpman -D/T 27.95 Lunar Outpost-D/T 23.95	Insta-Speed-D 99.95 Insta-Music-Cart/D 79.95	Sam-D 41.95	Cosmic Balance-D 27.95
Battlezone-Cart	Madness-D24.95	Lunar Outpost-D/T 23.95	Invest Combo	Chatterbee-D 27.95	Eagles-D
Defender-Cart 34.95 Dig Dug-Cart 34.95	Madness-D24.95 Murder by the Dozen-D23.95	M1221011 11110221016-D . '52'32	MICROFUN	PARKER BROTHERS	Germany 1985-D 41.95 Knight/Desert-D/T 27.95
Donkey Kong-Cart 34.95	Peanut Butter Panic - D . 24.95 Sea Horse Hide'n Seek - D . 24.95	Oil Barons D	Death in the Caribbean-D. 27.95	Frogger-Cart34.95 Gyruss-Cart34.95	Professional Golf-11 27 95
Galaxian - Cart	Success Decimals	Disastemania D 22.0E	Dino Eggs-D27.95 English	James Bond-Cart 34.95	RDF 1985-D 23.95
Jungle Hunt-Cart 34.95	(Add/Subt)-D/T19.95 Success Decimals	Robots of Dawn-D 27.95	SAT I II or III-D 20.95	Popeye-Cart	Ringside Seat-D27.95 Tigers in the Snow-D27.95
Moon Patrol-Cart 34.95 Ms. Pac-Man-Cart 34.95	Success Decimals (Mult/Div)-D/T19.95	Summer Games-D 27.95 Temple of Apshai-D/T 27.95	Globe Grabber-D 20.95	Star Wars-Cart 34.95	SYNAPSE
Pac-Man-Cart 34.95	Success Fractions (Add/Subt)-D/T19.95	HANDIC	Highrise-D	SIERRA ON-LINE	Blue Max-D/T 23.95
Pole Position-Cart 34.95	Success Fractions	64 Forth-Cart 29.95	Math SAT I, II, or III-D 20.95	Apple Cider Spider-D 20.95 Aquatron-D	Dreibs-D/T 23.95 Fort Apocalypse-D/T . 23.95
Robotron: 2084-Cart 34.95 BATTERIES INCLUDED	(Mult/Div)-D/T19.95 Timebound-D24.95	64 Graf-Cart 23.95 Stat 64-Cart 23.95	Personal Banker-D34.95	Championship Boxing-D 20.95	Necromancer-D/T23.95
Consultant - D	Webster Word Game-D . 24.95	Calc Result Easy-Cart. 34.95	The Heist-D 23.95	Dark Crystal-D 27.95 Frogger-D/T 23.95	New York City-D/T 23.95 Pharoah's Curse-D/T 23.95
Paperclip w/Spellpak-D84.95	COMMODORE	Calc Result AdvCart 69.95 The Diary-Cart 23.95	U.S. Constitution-D 20.95 MICROPROSE	Frogger-D/T23.95 Homeword Speller-D34.95	Protector II-D/T 23.95
Super Busscard II Call Home Inventory-D 23.95	Program Ref. Guide 19.95	The Tool-Cart 29.95	Floyd/Jungle-D 23.95	Homeword-D49.95	Quasimodo-D/T23.95
Recipe-D23.95	Assembler-D39.95 Easy Finance I,II,III,IV-D. 19.95	HESWARE	Helicat Ace-D/T23.95	Learning With Leeper-D 20.95 Lunar Leeper-D 20.95	Rainbow Walker-D/T 23.95 Relax Stress
Audio/Video Cat-D23.95	Easy Calc-D	64 Forth-Cart 41.95	NATO Commander-D 23.95 Solo Flight-D/T 23.95	Mission:Asteroid-D20.95	Reduction Sys 64.95 Shamus Case II-D/T 23.95
Mail List-D 23.95 Stamps-D 23.95	Easy Script-D 19.95 Easy Script-D 44.95	6502 Profess Dev Sys-T 20.95 Coco-D/T	Solo Flight-D/T 23.95 Spitfire Ace-D/T 23.95	Oil's Well-D 23.95 Prisoner-D 23.95	Shamus-D/T 23 95
BOOKS	Easy Spell-D19.95	Factory-D	MISCELLANEOUS	Quest For Tires-D 23 95	Slam-Ball-D/T 23.95
Compute's Basic	Logo-D	Ghost Manor/Spike Pk-D, 19.95	Ken Uston's Blackjack-D 49.95	Threshold-D 27.95 Time Zone-D 74.95	Survivor-D/T 23.95 Zaxxon-D/T 27.95
Source Book 12.95 Compute's Machine	General Ledger-D39.95	Graphics Basic-Cart 34.95	Quick Brown Fox-D/Cart34.95	Ultima II-D	Zepplin-D/T 23.95
Lang/Beg14.95	Accts. RecD39.95 Accts. PayD39.95	HES Cat-D 19.95 HES Font-Cart 16.95	Ultima III-D41.95 Flight Simulator II-D. 37.95	Ultima I-D	TIMEWORKS
Compute's 1st Bk/64 Games	Manic Desk+D 52.95	HES Games '84-D 27.95 HES Kit-Cart	Night Mission/	Wizard/Princess-D22.95	Accounts Payable / Checkwriter-D 41.95 Accounts Receivable /
Com. 64 Program	Zork I, II or III-D 32.95 Suspended-D 32.95	HES Mon-Cart 27.95	Night Mission/ Pinball-D/T 20.95	Wiztype-D23.95	Accounts Receivable/
Ref. Guide	Starcross-U	HES Writer-Cart 30.95	Praticalc PS-D	SPINNAKER	Invoice-D 41.95 Cash Flow
Elementary Com. 64 14.95	Deadline-D 32.95	Microsoft Multiplan-D., 69.95 Minnesota Fats' Pool-Cart, 20.95	Word Pro 3+/Spell-D74.95	Adventure Creator-Cart 27.95 Aerobics-D 30.95	Management-D41.95
Power of Multiplan 14.95 Compute's 1st Bk/64	Soccer-Cart 29.95 CYBERIA	Missing Links-D 20.95 Mr. TNT-Cart 20.95	Home Accountant-D 52.95 Step By Step-D/T 44.95	Aegean Voyage-Cart27.95	Cave/Word
Sound/Graphics 12.95	Farm Mor Vol I	Mr. TNT-Cart 20.95 Omniwriter/	Barron's SatU 67.95	Alf in the Color Caves-C 27.95 Alphabet Zoo-Cart 23.95	Wizards-D/T 19.95 Data Manager 2-D 34.95
Compute's 64 Ref Guide 12.95 Compute's 1st Book	General-D 37.95	Omnispell-D 49.95 Root n' Tootin-Cart 23.95	Bristles-D/T 20.95 Telestar 64-Cart 37.95	Bubble Burst-Cart 27.95	Data Manager-D/T 19.95
of Com. 64 12.95	Farm Mgr. Vol II Beef-D . 37.95 Farm Mgr. Vol III Pork-D 37.95	Root n' Tootin-Cart23.95 Synthesound-D16.95	Star League	Cosmic Life-Cart 23.95 Delta Drawing-Cart 27.95	Dietron-D/T19.95 Dungeon Algebra
BRODERBUND	Farm Mgr. Vol IV Grain-D 37.95	The Pit-Cart 20 05	Star League Baseball-D/T 20.95 Castle Wolfenstein-D 20.95	Facemaker · Cart' 23.95	Dungeon Algebra Dragon-D/T 19.95
AE-D	CYMBAL	Time Money Manager-D . 49.95 Turtle Graphics II-Cart 41.95 Turtle Toyland JrD/T . 23.95	Mastertype-D/Cart27.95	Fraction Fever-Cart 23.95 Grandma's House-D 23.95	Checkbook-D/T19.95
Bank Street Writer-D 49.95 Choplifter-D	Accounts Payable-D 52.95 Accounts Receivable-D. 52.95	Turtle Toyland JrD/T 23.95	Vic Switch 124.95 First Class Mail-D 34.95	Jukebox-Cart 27.95	General Ledger-D41.95
Drol-D23.95	Inventory Control-D 52.95	Type n' Writer-D 20.95	Aztec-D	Kids on Keys-Cart 23.95 Kidwriter-D 23.95	Inventory Management-D.41.95 Money Manager-D/T19.95
Loderunner-D23.95	Invoice Writer-D52.95	D-Disk T-Casset		Kindercomp-Cart 20.95	Payroll Management-D 41.95
Matchboxes-D 20.95 Midnight Magic-D 23.95	Trivia -D 27.95	D-DI2K 1-C3228			
Operation Whirlwind-D.27.95 Sea Fox-Cart	For Technical Info, Order				Hundreds of items
Serpentine-Cart 27.95	To Order Call Toll Free Inquiries, or for Wisc. Orders				available for the
Spare Change-D 23.95 Mask of the Sun-D 27.95	800.5	58-0003	414-351	- 2007	CBM 64 . please call
	000-0	0000	414.001	-2007	

LOWER PRICES

Computatility.

no surcharge for mastercard 🥌 or visa 🚾

ORDERING INFORMATION. Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. Wi residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders — add 5% shipping, minimum \$5.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

P.O. Box 17882 Milwaukee, WI 53217

ORDER LINES OPEN
Mon-Fri 11 AM - 7 PM CST
Sat 12 PM - 5 PM CST

identically equipped. Larger facilities will make use of more sophisticated equipment. There are hours of exploration within

each region.

Flying from one region to another is possible, too, but it may take four or five hours. Slewing, or exponential travel, is an alternative to realtime flying. It allows you to rapidly travel great distances in little time.

In addition to the four regions available for civilian flight, there is a fifth, the World War I game in which you are placed in Europe in 1917.

One Of The Best

Flight Simulator II is interesting, challenging, graphically superb, diverse, rewarding, and just plain fun. And the documentation is great. In terms of realism, it sets the standards.

There are two slight drawbacks. The instruments are more delicate than on aircraft like the Piper Cherokee. There are legitimate arguments that this is the way a flight simulator should respond. On a computer simulation, some would prefer to see more realistic controls which give a response exactly like the real thing. The other drawback is the obvious one that applies to all computer flight simulators. The absence of rudder pedals and the controlling of the aircraft using keys or a joystick may befuddle pilots who are used to real controls. These drawbacks, however, are outweighed by the sheer delight this program brings.

Solo Flight By MicroProse

An exciting realtime simulation, Solo Flight, by MicroProse, offers sharp graphics and realistic controls. It allows the player to learn quickly, and to advance quickly into more difficult levels of play. This is a flight simulator that everyone can enjoy the first few times it is played.

You don't have to know a lot about flying to get going. Simply load the program and choose your options. There are three states in which to fly: Kansas, Washington, and Colorado. After choosing one of them (with or without the Mail Run) you can choose a difficulty level. It's probably best to start out on the student level.

Send your throttle up to at least 6 or 7, and pull back on the joystick as soon as your airspeed indicator (the dial on the right of the display panel) reaches 60. You're on your way!

You'll immediately notice the striking view displayed on the top half of your screen. You are inside the aircraft, but what you see is the rear of your plane, as if you were in another aircraft tailing the one you're flying. This gives you more time for making decisions while in flight. You see more of your surroundings, and at low altitudes there is even a shadow of the aircraft. Because of this view from behind, you'll not crash as much with Solo Flight as with other simulators.

If you've seen and tried other flight simulators, this one will seem easier to handle, particularly on the student and private levels. If you've flown a bit before, you'll find a challenge on the senior and command levels.

Use the arrow keys to get additional views of your surroundings. Look left, right, down, or behind to see exactly where you are.

The Instruments

Learning to fly well in Solo Flight depends on how soon you become familiar with the dials on your instrument panel. Get a feel for these and before long you'll be soaring. While the two large dials (altimeter and airspeed) and the one small one (attitude or artificial horizon) are important, don't overlook the four digital displays on the lower left. They give your pitch (position of the nose relative to the ground), flaps extension, directional compass reading, and climb. These become increasingly important as you move up in levels of play.

The instruments also include two VOR (very high frequency omnidirectional range) readouts. Use these as navigational aids. The ILS (instrument landing system) gives you an idea of what kind of approach

you are making.

Learning To Land

As always, the most intricate part of flying is getting back on the ground. A combination of the Commodore 64's hi-res capabilities and the effective graphics designed by Sid Meier make landing this plane visually exciting.

The aircraft has landing gear, so don't forget to lower the wheels before you touchdown. You will find landing more involved than taking off, but after a few tries you'll

improve.

Delivering The Mail

Also included in this software package is a game in which you deliver mail to different cities. You choose the state, and the computer tells you what cities to deliver to. Points are received

104 COMPUTEI's Gazette October 1984

THE C64 PHOENIX LAIR is a ten board arcade game playable at any of ten speeds. game playable at any of ten speeds, and introduces a new concept to home arcade excitement the inhome arcade excitement board, terlude board. After each louist for terlude board, a heart to heard louist for your are in a heart to heard. you are in a head to head jours for

MMG MAIL LIST Need to establish a mailing list of customers, friends, or christmas cards, anniversaries Carristmas cards, anniversaries of anything else? Your C64 is a powerful computer; put it to work for you rul computer; put it to work for you with the MMG MAIL LIST. Completely menu driven, MMG MAIL LIST is extremely user friendly, and allows up to nine fields. Sort and search at machine language speeds, on any field. If you remember only a portion of a name or address, MMG MALL or a name or address, mind record for LIST will still find the right record of you. Add records, delete old records or make alterations in any records, or make alterations in any of your stored information easily. or your stored information easily.

MMG MAIL LIST will print to your screen or any printer, with many label configurations available. And it's fast! No more long waits to find information—it's all right at your fingertips. Disk only; \$39.95.

bonus points, making PHUENIX LAIK towo games for the price of one! The two games for the price of one: the ten levels of play begin with one training level, but rapidly escalate to complex levels requiring problem solving at arrade charge as the complex levels requiring provient the solving at arcade speeds. As the solving at arcade speeds the phoenix, you must destroy your enemy's eggs found throughout your FINAL FLIGHT! The first real-time flight and landing ELECTIVE S ESASTORIES LILEGISTE AND CONTROL SOLL STREET ine first real-time flight and landing simulator for the C64. Imagine yourself another are required for each at the controls of a small, single engine plane, 10,000 feet in the air, on board, ensuring that PHOENIX LAIR reflexes are required your final approach to the runway is one home arcade game you won your final approach to the runway and safety. You're running low on that safety that fuel, but your instruments show that ruel, our your instruments show they you're on the glide path, and lined up with the runway. Invole of difficulty with the runway, your Job! Get down safely! The four levels of difficulty, safely! The foggy or clear weather, choice of foggy or clear weather, three combinations of instruments. choice of rossy of clear weather, three combinations of instrumentathree combinations of instrumentation and/or view from the cockpit, three-dimensional true perspective color graphics and complete sound effects make FINAL FLIGHT! the most exciting experience you'll have with

Finally! A user friendly package for your C64 to help you get organized. Designed to be used for your business or for your nome, FILE-IT 2+ is an extremely easy to use, complete, powerful financial database management system. These programs can perform mathematical calculations on any selected fields of the six available, and can data either numerically alphabetically. You can sort any field at machine language speeds for rapid sorting of up to six levels, and you can save both the sorted data and your original database separately. Most popular printers, and up to four disk drives are supported, and file merging is simple and straightforward. You merging is simple and straightforward, your can also use FILE-IT 2+ to Print labels for your mailings! Use FILE-IT 2+ to follow your family finances or to help prepare your income tax. Disk only; \$49.95.

Please add \$3.00 for postage and handling. Tor call: Use your Visa, MasterCard or order COD. N.J. residents please add 6% sales tax.

your C64. Tape or disk; \$29.95. This classic program is now available for the Codi Trivia This classic program is now available for the C64! Trivia 10 to 10 out of a possible 10 out of a possible for 10 out of a by independent review. Terrific at parties, or great for the whole family for nights and nights of fun. This multiple-choice trivia game allows two players to comme whole ramily for nights and nights of run. This multiple-choice trivia game allows two players to compete against each other or one player each of multiple-choice trivia game allows two players to compete pete against each other or one player to son trivial pete against the computer from a database of son trivial pere against each other or one player to compete against the computer, from a database of 500 trivia against the computer, the disk contains one guestions in 50 categories. against the computer, from a database of 500 trivial 2000 trivial 2000 answers for many evenings of find multiple choice answers for many evenings of find multiple choice answers for many evenings. multiple choice answers for many evenings of the multiple choice answers for many evenings of the Even when you've exhausted these trivia questions. program allows you to add your own trivia questions from classic trivia cources from classic trivia cources from and answers either from classic trivia cources from classic trivia program allows you to add your own trivia questions from classic trivia sources, and answers, either from classic trivia sources, and your own family history or from your friends, and and answers, either from classic trivia sources, from your friends, and or from your friends friends or from your family history, or from your family history, or from your family fun your own family history, or from you're looking for family areat narry theme. Trivially dreat narry theme. Trivially dreat narry theme. relatives backgrounds. If you're looking for family fund theme, TRIVIA with your C64, or for a really great party; \$29.95.

TREK is the program for you.

you are in a nead-to-nead joust for bonus points, making phoenix was the

is one nome areaus same 700 5.

money order to: MMG Micro Software

P.O. Box 131 Mariboro, NJ 07746

(201) 431-3472


©ZADCO 1984



Approaching New York's Kennedy International in Flight Simulator II.

by choosing more difficult routes and levels, using little time, and delivering as much mail as possible.

The interesting part of the game comes when the weather, which starts out fair, gets worse. Don't be surprised if your airplane turns, banks, or slips



Note the shadow of the aircraft about to land in Solo Flight.


when you didn't want it to. If you deliver enough mail, you may even see clouds form on the screen. To make the scenario even more challenging, vour instruments sometimes lose their reliability. When this happens, you must land at the nearest airport for repair.

Flying For Fun

The word that best describes Solo Flight is fun. You are rewarded quickly for good flying techniques. The game is easy to use, visually pleasing, and fast moving. And it's appropriate for those who don't wish to spend a lot of time reading, but would rather be flying.


Flight Simulator II subLOGIC 713 Edgebrook Drive Champaign, IL 61820 \$49.95 (disk) \$39.95 (tape)

Solo Flight MicroProse Software 10616 Beaver Dam Road Hunt Valley, MD 21030 \$34.95 (disk)



If you don't know how a spreadsheet program works, Calc Result, from Handic Software is a nice way to get acquainted. Two versions are available: Calc Result Easy and Calc Result Advanced.

The advanced version is not any more difficult to learn. In fact, the manuals are identical when covering features common to both versions. The most significant difference is that Calc Result Advanced can store twice as much information as Calc Result Easy. It also costs \$70 more.



Built-In Functions

Both versions have a matrix of 63 columns and 254 rows, but, in fact, it's not possible to have a sheet that uses all these positions. Calc Result Easy can store about 1000 positions, and Calc Result Advanced about 2000. At each position on the sheet you can input labels (alpha, numeric, and special characters), or values (numeric data or formulas).

A good selection of built-in functions is available and may be incorporated in the formulas. Functions available are: COUNT, MAX, MIN, MEAN, STDDEV, SUM, NPV (net present value), ABS, FRAC, INT, LN, LOG10, SQRT, RND, IF-THEN-ELSE, OR, AND, and NOT. For example, at the end of a column of numbers, a position could contain the formula "MEAN(B1:B10)". This would calculate the average of the numbers in positions B1 to B10. The average (not the formula) would then be displayed on the sheet. If any of the numbers were subsequently changed, the average would automatically be recalculated. Calc Result Advanced also has trigonometric functions.

The cursor keys or a GOTO command are used to move around the sheet. You then type information into each position. Position contents can easily be blanked out or edited. At any point, rows or columns can be added, deleted, or moved. Values or labels can be replicated across or down the sheet. Numbers can be displayed in maximum precision, integer, or dollar and cents (two decimal places) format.

If a value is displayed in integer format, the decimal value is still stored in memory

Tussey Mt. Software – To order call: (814) 234–2236

 We accept Mastercard and Visa
 We accept COD orders on everything except printers and monitors -Next day shipping on in-stock items

—\$2.00 Credit for phone call on phone orders over \$50.00

—Our hours are 12-8 mon-sat, 12-5 sun EST

—Write or call for a free catalog

Gomini 10X prieter, 120 cps		hpad
PRINTERS	WORD PROCESSORS	DATABASES
Gemini 10X	WP64 by Proline(d) \$ 45.00 Script 64 w/scratchpad(d) \$ 55.00 Wordoro 3+/64	The Consultant (formerly Delphi's Oracle)(d)
8k buffer \$430.00 Delta 15 \$580.00	w/Spellright(d)	Superbase 64(d)
Powertype, 18 cps, letter quality	Paperclip w/spellpack(d) \$ 83.00 Cardco Write Now/64 (cart) \$ 37.00 Mirage Professional W.P.(d) \$ 59.00	by Timeworks
All above printers come with a 180-day warranty, which we honour with immediate replacement of failed unit.	Mirage Personal W.P.(d)	The Last One(d), a Basic program generator
MONITORS	SPREADSHEETS	by Proline(d)
BMC 12" Amber	Calc Result Adv. (d,cart) \$ 67.00 Calc Result Easy (cart) \$ 34.00 Hesware Multiplan(d) \$ 65.00	Tool Box 64, both Pal 64 and Power 64(d)
w/sound \$217.00 Zenith 12" Amber \$97.00 Zenith 12" Green \$ 92.00	P.S. (Progr. Spreadsheet)(d) \$ 55.00 Practicalc64(d) \$ 36.00	SuperBasic 64 by Blue Sky(d) \$ 29.00 Add-on-Basic by Blue Sky(d) \$ 29.00
CARDCO	Practicalc64(t)	MISCELLANEOUS
Printer int. w/graphics	MODEMS Commodore 1600	Koalapad w/painter(d)
Numeric keypad	autodial	Accountant(d)

"Terms of Offer — Offer only valid against prices advertised in this magazine, this issue. We are not responsible for typographical errors, or manufacturer's price changes. Rease have the following information available for our operators: (1) magazine name, (2) month of issue, (3) advertiser with lower price, (4) price to best. To Order By Mail — Send personal check, money order, or certified check to address at bottom. For fastest service send money order or certified check. Allow 2 weeks to check to factors to check to faste to check to factors. checks to clear

Shipping & Terms — Add 92.50 per order for shipping software. Add 96.00 per order for COD. Add 910.00 to ship printers, 98.00 to ship printers, each of the shipping or shipping or backorders, Orders shipped UPS unless noted otherwise. All prices reflect cash discount. Visa, Mastercard add 3%. Manufacturer's warranty honored with our invoice and original packaging. PA residents add 6% sales tax. Prices subject to change

Tussey Mt. Software Box 1006 State College, PA 16804

Supercharge Your

Add far greater speed and versatility to your C64° or VIC-20° with Micol Systems' extraordinary new macro assembler package - System M2000


Since machine language programs usually run 40-60 times faster than their BASIC counterparts, this inexpensive package is like buying a more powerful computer at a fraction of the cost. A professional system that even the novice will find easy to use, it assembles kilobyte files in seconds and is one of the most powerful macro assemblers available.

But it's more than just an assembler. Your programming will be simplified with such well designed programming tools as an Editor which has all the handy features allowing you to create your programs easily and a machine language Monitor, a sophisticated debugging tool and complete man to machine language interface.

The package is 100% machine code and fully copyable for your convenience. Available on disk or cassette.

Available at finer computer outlets. For the dealer nearest you call Toll Free 1-800-225-2774 (Capri Int'l) in the U.S. and (416) 736-4402 (Access) or 1-800-387-9758 (Softcom) in Canada.

Micol Systems, 100 Graydon Hall Dr., Suite 2301, Don Mills, Ont. Canada M3A 3A9



and will be used for calculations. Labels are left justified and values are right justified, but this can be altered. Columns can be between 5 and 18 characters wide. The columns displayed on the screen are the same width, but they can be printed out in varying widths. A label that is longer than the column width is stored intact even though it is not displayed completely on the screen. Titles can be fixed so that they will be visible as you scroll across (but not down) the sheet. Formulas are calculated by columns, from left to right, but this can be changed to calculate vertically by rows.

Saving And Recalling

Spreadsheets can be stored and later recalled. Templates (a report form set up with headings and formulas) can be made, saved, and later called up and filled in. The filled-in form is then saved using a different name so that the template can be used again the next time it's needed. For example, you might want a template for a monthly sales report. The formulas and column headings would stay the same from month to month, but you would use different numbers within the form. Templates can save time when used for regular reports.

Entire spreadsheets or sections of spreadsheets can be printed out, even in bar chart form if you prefer.

Two features available only in Calc Result Advanced are paging and DIF (Data Interchange Format) files. With paging, multiple pages of the same form can be created and include a summary page. It's possible to load different pages

at the same time. DIF allows data to be stored so it can be used in programs other than Calc Result Advanced. Files saved with this command save only the values derived by the formulas used in the spreadsheet, not the original formulas. Formatting information is not saved either. (In fact, I saved a spreadsheet with Calc Result Advanced and was able to load it in Visicale on a CBM 8096.) DIF files are also very handy if you want to save part of a sheet and then incorporate it into another Calc Result Advanced sheet.

Calc Result Advanced also has help screens, and these are available in several languages.

The Manual: Not For Beginners

The manual does not have an index, an annoying omission for beginners. One must search through the table of contents and the manual itself to find information.

The novice will also be confused by some of the pictures of the screen in the tutorial. In several instances, the displays show what the screen will look

like several steps later. The manual was also a little sketchy in places where I would have preferred more detailed information.

At the very beginning, a little discussion about the difference between SHIFT SPACE and SPACE (unshifted) would have been helpful for the computer novice. SHIFT SPACE is a toggle that indicates whether or not a position contains a label or a value. For the first example you are instructed to type in GROSS INCOME as a label. If you have SHIFT LOCK down when you type, your entry will change from a label to a value when you press the space bar for the space between GROSS and INCOME.

Overall, these omissions are minor in context, only annoying to beginners or, perhaps, firsttime users. The manual is well organized and the program itself offers many good features, and is easy to learn and use.

Calc Result
Handic Software, Inc.
Fellowship Rd. B-206
Mt. Laurel, NJ 08054
Easy, \$79.95 (disk)
Advanced, \$149.95 (disk)


Write Now! For The VIC-20

Harvey B. Herman, Associate Editor

Not everyone likes computers. Many people secretly—or not so secretly—detest them and feel that certain applications ought to be done by real people, not by impersonal machines. Even so, these same computerphobes grudgingly concede that if we must have them, then their most appropriate use is word processing.

A Bewildering Choice

Whether you're a true computer lover or one who merely concedes that word processing is, after all, a worthwhile application, you face a bewildering choice. There are tape, disk, and cartridge versions—which is best? They come in several price



- Easiest to use—TOTALLY automatic copy utility
- UNLOCKS protected disks for backup copying
- Actually copies a FULL disk in only 3 MINUTES!
- Breaks through LATEST protection schemes
- Interprets DOS manipulation & disk protection
- State of the "ARTS" COPY CAPABILITY!
- 100% machine code for fast, RELIABLE operation
- · HALF-TRACKING capability, up to & including track 40!
- Transforms your 1541 into a SUPER-FAST copy drive!
- · 3 min. copier AUTOMATICALLY puts "errors" on copy
- Writes errors 20, 21, 22, 23, 27, & 29 WHILE COPYING!
- DOESN'T cause damaging drive knock during errors or format
- Detects & reproduces NON-STANDARD formats & I.D. mismatch
- PRODUCT SUPPORT includes tel. #, revision, & upgrades

FASTEST & MOST ADVANCED BACKUP-COPY PRODUCT YOU CAN BUY!



ONLY \$49.95

for entire system

To order CALL 805-687-1541 ext. 64

Technical line 805-682-4000 ext. 99



For rush service call 24 hr. order line or send cashier's check/money order. Visa, MasterCard, & American Express include card # and exp. date. CA residents add 6% tax. Allow 2 weeks for clearance of personal & co. checks. Add \$3.50 shipping & handling for continental U.S. / \$5.50 for UPS air. AK, HI, APO, FPO, CANADA, other foreign orders add \$7.50. All APO, FPO, & orders outside 48 states must be paid by certified U.S. funds. Sorry, no C.O.D.'s. School orders welcome.

DON'T BE LEFT WITHOUT A BACK-UP COPY OF YOUR VALUABLE SOFTWARE!

200		
	[horiv]	
- 14	loasixi	
_		
	THE RESERVED	
=	THE PERSON NAMED IN	

categories; you could easily pay half the cost of a VIC for a word processor. Each company touts particular features which it claims will make your choice obvious. But which features are really important?

First, to begin your selection process, talk to your friends who have and use word processors. See if a demonstration can be arranged, and read reviews in magazines. And make certain it will work with your equipment. This last point is crucial and might be worth getting in writing. I can imagine the sinking feeling of 40/80 column board owners who read in their Write Now! manual, too late, that the program won't work with one.

Simple And Easy To Use

Write Now! for the VIC (a 64 version is available also) is, in a word, friendly. I don't subscribe to the view, held by some, that it can be used without a manual. Nevertheless, it is one of the easiest to learn of the word processors I've tried.

Here's why: It comes with an audio cassette tape which gives elementary lessons on program operations. It has keyboard overlays so you won't forget the meaning of special keys. And it has a professionally written, easy to follow, instruction manual.

A novice should find Write Now! unintimidating because it's so simple. When writing a paragraph, you keep on typing (never hitting RETURN) until the paragraph is finished. The program will format the lines properly on the final printout—a point first-time users find confusing on any word processor.

Formatting is controlled by

"dot" commands on separate lines. For example, use ".ls 1" if single spacing of printed text is desired. Change the 1 to a 2 next time and you get double spacing without having to reload the whole document. No wonder everyone is smitten by word processors.

To better illustrate the dot commands, here's the way my screen appeared as I wrote this review:

```
.lm 5+
.rm 75+
.he 1 Write Now!-
.bm 3+
.ls 1-
.pl 66-
.pn 1-
.pc 15-
Review
             VIC-20
                             Cart
                         3/10/84-
ridge
Reviewed by Harvey B.
Herman-
Not everyone...
```

Plenty Of Features

Write Now! has many of the features of more expensive word processors, including search and replace, and a deleted character buffer. Search and replace allows you to change the spelling of one word appearing throughout a file. The delete character buffer is made for people whose fingers move faster than their minds. When characters are deleted, they are stuffed into a 256character reserved area (buffer). If desired, the deleted characters can be recalled with one key press.

Space limits a full discussion of the many operations included with this word processor. At the end of this review is a brief summary of the operation of the special keys, whereby text is manipulated, loaded, and saved

```
Special Keys
Print
Save/Load
Dump/Clear buffer
Free space
Bottom of text
Set/Go to mark
Delete word
Search/Replace
Options
Block - mark start
       mark end
       go to start
       go to end
       copy/delete
       write
Tab - key/set/clear/display
Up/Down page
File position
Directory
```

Dot Commands .lm left margin .bm bottom margin line space .cj center justify page pause .pp Roman numerals .rn redefine char .rc printer code .sp building block (for printing long text files) text width .pl page length .fj fill justify page advance .pa .wa wait .ru Roman upper .df default .pc prefix character .tm top margin .pn page number left justify .lj conditional page .cp number column .nc .he header sequence escape sequence

(disk or tape), etc., and the dot commands which control the formatting of the printout. You should keep a list of the dot commands nearby until you learn them. This is not necessary for the special keys because of the overlay previously mentioned.

There appear to be two minor flaws. There is no word wrap and it may be awkward to interact with all printers. It bothers some people to see words broken up on the screen. For example, on the one I'm using now, "manuscr" appears on one line and "ipt" on the next. This doesn't happen with a word wrap feature. However, the alternative may not be practical on the 22-column VIC.

The other flaw, if you can call it that, is a consequence of the requirement that dot commands appear on separate lines. Some printers must receive elaborate character sequences to control operations, and dot commands would be used for this. Your text on the screen, consequently, is not continuous and is difficult to read and correct. This problem is not unique to Write Now!, however.

Write Now! is an excellent program for anyone who intends to do word processing on the VIC. It has features which make it very attractive, it's inexpensive, and it even works on an unexpanded VIC.

Write Now! Cardco, Inc. 313 Mathewson Wichita, KS 67214 \$39.95

COMPUTE!'s Gazette



The Doctor is In!

Meet Eliza, the computer psychotherapist. Created at MIT in 1966 to run on a large mainframe, Eliza has become the world's most celebrated artificial intelligence program.

Unlike the stripped down versions you may have seen, our Eliza has

retained the full power and range of expression of the original mainframe program.

Best of all, Eliza comes with the complete Source Program (written in BASIC) so anyone, even a beginner, can easily customize Eliza's responses.

The next time people ask you what your computer can do, bring out Eliza and show them!

ENJOYMENT GUARANTEED

Please add \$3.00 for shipping and handling. (California residents, add 61/2% sales tax.)

ONLY \$45

Checks, MasterCard, and VISA accepted

"You'll be impressed with Eliza ... a convincing demonstration of artificial intelligence" -PC magazine

rtificiai
ntelligence
RESEARCH GROUP

921 N. La Jolla Ave., Dept. G, Los Angeles, CA 90046 (213) 656-7368 • (213) 654-2214



This brand new \$29.95 arcade/adventure game for the C64 is yours free when you join the 64 CLUB. In fact, this is just one of the 1st month's programs you receive when you join the 64 CLUB. Each month's diskette contains 10 programs in the areas of business, education, and recreation. Plus you also receive free consulting and software discounts. All this for only \$40/year. If you would like further proof of the quality of our software, send \$5 for a trial month which includes Quest for Power. The 64 CLUB

The 64 CLUB 1260 Oliver Ave. San Diego, CA 92109

FANTASTIC! VIC-20 & C64 PRODUCTS

CASSETTE INTERFACE

VIC-20 CBA CASSETTE INTERFACE OMNITRONIX

Use any portable cassette recorder to load and save programs. Controls cassette motor to start and stop the tape. Allows you to connect two cassette recorders together to make backup cooles.

PARALLEL PRINTER
INTERFACE

3995

Connects to the User port. Allows you to use any Centronics standard parallel printer with a C64 or VIC-20. Trans-

lates PET to standard ASCII. Several printing modes allow you complete control over printer. Print PET graphics/control characters as mnemonics and CHR\$ codes i.e. [CLR] or [174]. Virtually any printer with bitmap graphic ability can print actual graphics characters. Emulation of most all CBM printer functions. Software adds a PLIST command for BASIC program listing. Printer Driver software consumes no normal user memory space, and is compatible with most all popular software. Disk includes software for C64 and VIC-

RS232 INTERFACE



Connects to the User port and provides full RS232 signals for modems and printers. 2 foot cable with male DB25 connector. Supports full complement of RS232 signals, including Ring

detect. Comes with a type-in BASIC terminal program and printer hook up in-

COMPLETE SERIAL PRINTER DRIVER

For use with any serial printer.
Gives you all the features of the Parallel Printer driver program described above. Prints data ad-

dressed to both device 2 and 4, allowing you to use programs which don't normally allow you to use a serial printer. Configuration program allows you to set up for graphics printing on any serial printer with bitmap capability.

VOLKSMODEM INTERFACE CABLE

\$2295 #10-103

Connects a Volksmodern to a C64 or VIC-20. Cable housing contains miniature circuit signals. No other interface

contains miniature circuitry to handle all signals. No other interface needed. Includes Type-in BASIC terminal program. Volksmodern not included. C64 & VIC-20" Commodore Volksmodern" Anchor Automation

TO ORDER: See your local Dealer or call (206) 236-2983 or mail to the address below. One year unconditional guarante. If not delighted, return it within 30 days for a full refund (less shipping. Phone orders mention this ad and get \$1.00 discount. Add \$1.60 each for shipping. \$1.65 extra for C.O.D. VISA & Mastercard welcome.




If you like these products, and want to to see more, mark the reader's service card or send to get our FREE CATALOG containing dozens of other exciting products.

(Omnitronix

P.O. BOX 43 - MERCER IS., WA 98040

FANTASTIC COMPUTER PRINTER SALE!!



COM-STAR T/F

Tractor Friction Printer

only \$69*

- . Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.
- Fast 80-120-160 Characters Per Second 40, 46, 66, 80, 96, 132 Characters Per Line Spacing
 - Word Processing Print Labels, Letters, Graphs and Tables List Your Programs
- Print Out Data from Modem Services
 "The Most Important Accessory for Your Computer"

** DELUXE COMSTAR T/F 80 CPS Printer — \$169.00

This COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 8½" x 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional, impact dot matrix, 80 CPS, 224 characters. (Centronics Parallel Interfact).

Premium Quality 120-140 CPS 10" COM-STAR PLUS+ Printer \$269.00

The COM-STAR PLUS+ gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage, 120-140 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts, prints standard, italic, block graphics and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX80). List \$499.00 SALE \$269.00

Premium Quality 120-140 CPS 15½" COM-STAR PLUS+ Business Printer \$379.00

Has all the features of the 10" COM-STAR PLUS+ PRINTER plus 15%" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100). List \$599 SALE \$379.00.

Superior Quality 140-160 CPS 10" COM-STAR PLUS+ IBM Pers/Bus Printer \$389.00

Has all the features of the 10" COM-STAR PLUS+PRINTER! It is especially designed for all IBM personal computers! 140-160 CPS HIGH SPEED PRINTING 100% duty cycle, 2K buffer, diverse character fonts, special symbols and true decenders, vertical and horizontal tabs.

A RED HOT IBM personal business printer at an unbelieveable low price of \$389.00 plus one year immediate replacement warranty (centronics parallel interface)
List \$699 SALE \$389.00

Superior Quality 160-180 CPS 10" COM-STAR PLUS+ Business Printer \$399.00

This SUPER HIGH SPEED COM-STAR PLUS+ PRINTER 160-180 CPS has a 10" carriage with all the COM-STAR PLUS+ features built in! It is especially designed with more powerful electronics to handle larger ledger business forms! Exclusive bottom feed! (Centronics parallel Interface) also compatable with all IBM Personal/Business Computors!! One year immediate replacement warranty.

List \$699 SALE \$399 15½" Printer List \$799 SALE \$499.

Olympia

Executive Letter Quality DAISY WHEEL PRINTER \$399.00

This is the worlds finest daisy wheel printer Fantastic Letter Quality, up to 20 CPS bidirectional, will handle 14.4" forms width! Has a 256 character print buffer, special print enhancements, built in tractor-feed (Centronics Parallel and RS232C Interface) List \$699 SALE \$399.

- PARALLEL INTERFACES -

For VIC-20 and COM-64 — \$49.00 For Apple computers — \$79.00 Atari 850 Interface — \$79.00 For ALL IBM Computers — \$89.00

15 Day Free Trial -180 Day Immediate Replacement Warranty

Add \$14.50 for shipping, handling and insurance. Illinois residents pleasenedd 6% tax. Add \$29.00 for CANADA. PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA—MASTER CARD—We Ship C.O.D. to U.S. Addresses Only

PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

COM-STAR PLUS+ Print Example:

ABCDEFGHIJKLMNOPGRSTUVWXYZ ABCDEFGHIJKLMNOPGRSTUVWXYZ 1234567890

BIG FOUR

NEW 128K — MEGA BYTE DUAL DISK DRIVE—80 COLUMN

COMPUTER SYSTEM SALE!

HOME • BUSINESS • WORD PROCESSING



		LIST PRICE
1	B128 COMMODORE 128K 80 COLUMN COMPUTER	\$ 995.00
2	8050 DUAL DISK DRIVE (over 1 million bytes)	1795.00
3	4023 100 CPS 80 COLUMN BIDIRECTIONAL PRINTER	499.00
(4)	12" HI RESOLUTION 80 COLUMN GREEN OR AMBER MONI	TOR 249.00
•	BOX OF 10 LORAN LIFETIME GUARANTEED DISKS	49.95
	1100 SHEETS FANFOLD PAPER	19.95
	ALL CABLES NEEDED FOR INTERFACING	102.05

Printer replacement options (replace the 4023 with the following at these sale prices)

	LIST	SALE
* Olympia Executive Letter Quality Serial Printer	\$ 699.00	\$ 399.00
* Comstar Hi-Speed 160 CPS 15 " Serial Business Printer	\$ 779.00	\$ 499.00
* Telecommunications Deluxe Modern Package	\$ 199.00	\$ 139.00

Plus You Can Order These Business Programs At Sale Prices

TOTAL LIST PRICE

	LIST	SALE		LIST	SALE
Professional 80 Column	\$149.95	\$99.00	Payroll	\$149.95	\$99.00
Word Processor			Inventory	149 95	99.00
Professional Data Base	149 95	99.00	General Ledger	149 95	99.00
Accounts Receivable	149.95	99.00	Financial Spread Sheet	149 95	99.00
Accounts Payable	. 149 95	99.00	Program Generator	149.95	99.00

15 DAY FREE TRIAL We give you 15 days to try out this SUPER SYSTEM PACKAGE!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!!

90 DAY IMMEDIATE REPLACEMENT WARRANTY If any of the SUPER SYSTEM PACKAGE equipment or programs fail due to faulty workmanship or material we will replace it IMMEDIATELY at no charge!!

Write or Call For Free Catalog and Spec Sheets!!

Add \$50.00 for shipping and handling!! \$100.00 for Canada, Puerto Rico, Hawaii orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. We accept Visa and MasterCard. We ship C.O.D. to U.S. addresses only.

PROTECTO
ENTERPRIZES INELOVE OUR CUSTOMERS

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order


s 3717.95

Computer Learning Pad 39⁵ Sale! 39⁵ List \$79.95

- Makes other graphic tablets
 Obsolete
- Includes Special Printer Feature.

Now you get this Fantastic Tech Sketch Computer Learning Pad Program with a Professional Light Pen Free! (39.95 value) plus the Micro Illustrated Graphics Pad Program that allows you to draw on your T.V. or monitor screen (better than Gibsons \$99 light pen). Whatever you can draw on the screen you can print on your printer (a Tech Sketch Exclusive.)

Hi-Resolution!



AND THE WEW ADERD OF WINES ARVESTED

Light Pens

for your

Commodore 64 & VIC-20

=\$16.95=

Coupon Price \$14.95

Economy Model with 3 programs \$16.95

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

ENTERPRIZES (WELOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

SANYO MONITOR SALE!!



9" Data Monitor

- 80 Columns × 24 lines
- Green text display
- Easy to read no eye strain
- Up front brightness control
- High resolution graphics
- · Quick start no preheating
- Regulated power supply
- Attractive metal cabinet
- UL and FCC approved

12" Screen Amber or Green Text Display \$99

• 15 Day Free Trial - 90 Day Immediate Replacement Warranty

12" Hi-Resolution Amber or Green Screen Monitor \$119.00

this is a 1000 Line, 80 Column, High Resolution Monitor with crisp clear text that is easy to read! A must for Word Processing! Includes special Software Discount coupon.

List \$249.00 SALE \$119.00

14" Hi-Resolution Color Monitor \$229.00

This 14" color monitor has the sharpest and clearest resolution of any color monitor we have tested! Beautiful color contrast! Also compatible with video recorders. Includes special Software Discount coupon.

List \$399.00 SALE \$229.00 (IBM Compatable)

LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
 BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents pleasenadd 6% fax. Add \$20,00 for CANADA PUERTO RICO HAWAII. ALASKA. APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail!

VISA — MASTER CARD — C.O.D.

PROTECTO
ENTERPRIZES (WELOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order



Arcade Classics Come To The Commodore 64



Official arcade version.

Now you can control the Starship Enterprise as you fight Klingons before they destroy your bases. Full 3-D view as well as overhead radar lets you know what's going on around you. Use your joystick to control warp drive, impulse power, photon torpedoes and phasers. But watch your shields, photon supply and warp power. Fantastic graphics and sound make this a must for everyone. List \$39.95. Sale \$29.95 (cartridge).



Cargo Bongo

- Official arcade version
 3-D graphics
- Two screen displays
 One or two players.

The famous arcade game featuring the coconut throwing gorilla, monkeys, hippos, sharks and rhinos now comes to the Commodore 64. Superb reproduction of the arcade machine challenges you to destroy the gorillas lair. List \$39.95. Sale \$29.95 (cartridge).





Official arcade version
 Stunning 3-D scrolling graphics
 Multiple screen displays

Now the famous invasion of robot Zaxxon's lair can be done in your own home. Invade the fortress, get past the fighters then through Zaxxon's home and finally destroy Zaxxon himself. Just like the arcade game. This one's fantastic. List \$39.95. Sale \$29.95 (cartridge).



BUCKROGERS

- Official arcade version
 3-D color graphics
- Four Galactic screen displays.

Just like the arcade version. Steer your ship through deadly electron posts as you fight off enemy space saucers and hoppers. Finally you meet the enemy source ship. If you get through all this you start again only this time the enemies have more powers and surprises. Fantastic graphics and sound. List \$39.95. Sale \$29.95 (cartridge).



Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders, 1 day express mail! VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECTO

ENTERPRIZES WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order



K-TEL Software



SUPER PRODUCTIVITY/ACTION

Educational

SALE

Learning Aid



Red Razzberry — Fantastic educational game that teaches spelling and good sentence structure. First you must pick the missing letter for the word (correct spelling) then you must pick the two missing letters for the word. Finally you must pick the correct word for the grammatically correct sentence. Great for students and adults. List \$24.99. Sale \$16.95. (Disk).

Plantin Pal — Finally a full analysis and advisor for all your gardening needs. Plantin Pal asks you what you want to plant (gives suggestions, too!). Then tells you where to plant them! (garden layout) How to take care of them! Plus what to do when something goes wrong! (Insects, pests, and plant diseases) Fantastic for all your gardening needs. List \$29.99. Sale \$19.99 (Disk).





Speed Reading Coach — Teaches vocabulary, comprehension, and speed to help you read better. Eye training and vocabulary come first, then the screen flashes word by word or sentence by sentence through paragraphs and asks you questions when you're done. Fantastic Reading Aid. List \$29.99. Sale \$19.99 (Disk).

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO

Robin Hood — You as Robin must fight your way through Sherwood Forest, Nottingham Castle, past the Duke, rescue Maid Marion, and finally steal the gold. Fantastic graphics with 5 different screens of challenges. List \$19.99. Sale \$14.99. (Disk)





Ice Palace — You as the Penguin must make your way through the automated Ice Block Factory on your way to your true Iove. 3 screens worth of melting ice blocks, deadly snowballs, and Freddies Fire Demons try to stop you. Plus you must eat the fruit to keep your strength up and build an ice ladder before your love can be yours again. Fantastic graphics and action. List \$24.95. Sale \$19.95. (Disk)

Sir Lancelot — Fight your way through the castle, kill the dragons, and save the maiden. But this is just the beginning! 8 more quests with 8 more challenging screens await your rise to be knighted king of the realm. Fantastic graphics and sound. List \$19.95. Sale \$14.95.(Disk)



PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order EDYX

COMPUTER SOFTWARE

SCREEGY Games for the Action Game Player

*Buy 1 (at Sale Price!) Get One

Commodore 64

(Expires 10/1/84)

Award Winning Games




* Buy any Epyx game from Protecto and get CRUSH, CRUMBLE & CHOMP Program FREE!

World's Greatest Baseball— Finally a great sports game. Realistic right down to the playing field. Control all the actions - even the outfielders. Play realistic baseball all year round. (Fantastic graphics, action, and sound!) (Disk) List \$34.95. Sale \$24.95.

Fax — Stop wasting quarters! Now you can play Exidy's Fax at home. Play against the computer or an opponent to get the answer first, over 3,700 questions dealing with sports, television, movies, histories, and many more subjects will keep you playing for hours (a must for trivia buffs). List \$34.95. Sale \$24.95. (disk only).





Summer Olympic Games — Now you can compete in the Olympics right along with the real competitors. Compete in track, skeet shooting, pole vaulting, diving and more. This Olympic game is so realistic it even includes a beautiful opening ceremony and an awards presentation after each event. (Highly recommended, by far the best Olympics game we've seen). List \$39.95. Sale \$28.00. (disk only).


Dragon Riders of Pern — Based on the best selling book series by Anne McCaffey (over 10 million sold). This program forces you to make an alliance with the Lord holders, then mount your dragon (stunning graphics) and battle the dreaded thread. (Super fast action with a great theme). List \$39.95. Sale \$24.00. (tape/disk).





Jumpman — If you like Donkey Kong, you'll love Jumpman. Over 30 different screens with 8 speeds and 5 skill levels make this the fastest action game in the country. You must leap girders, climb ropes, and scale ladders to reach and diffuse bombs while avoiding robots, birds, bullets, explosives, crumbling walls, vanishing escape routes, and many other obstacles. (Truly a fantastic game!) List \$39.95. Sale \$24.95 (Disk/Tape).

Temple of Apshai — (computer game of the year). This is the standard by which other adventure games are judged. Full color graphics portray the temple and all its contents — magic, monsters, doomed cities and damsels in distress. Do battle in real time with over 20 monsters, expansion modules will keep your adventure alive in the future. List \$39.95. Sale \$24.95. (tape/disk).



(Also Available For VIC-20)

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

ENTERPRIZES ALLOVE AL LOS TOMERS

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

Super Action Software!

Commodore 64




Disk Programs

(World's Greatest Adventure Game)

CYBERWORLD List \$49.95 Sale \$34.95









Perplexian Challenger

List \$34.95 Sale \$24.95

The incredibly responsive three-axis joystick control of a space fighter is in your hands. Split screen graphics provide a continuous display of your ship's instrumentation, as well as a three-dimensional, animated view of space.

You, as a pilot, must utilize lightning fast reflexes to destroy invading ships, and avoid their return fire. Simultaneously, you must maneuver your ship to capture space debris that remains from the explosions.

Outstanding graphics features include smooth 3-D rotations, split screens, and the most incredible high-resolution hyperspace sequence ever produced.

Programmed entirely in machine language, this actionstrategy game is guaranteed to blow you away.

All the professional features you expect are included: automatic self-demo, high score retention, pause, and provisions for 1 to 4 players. Add to this, features you don't expect like easy-loading, and music during the load. Perplexian Challenger is a game that brings the arcade experience to your home.



Wizard

List \$49.95 Sale \$34.95

Jump from ropes to ladders, dodge plummeting boulders and duck under deadly arrows in your quest for sparkling diamonds, gleaming bars of gold, and glistening pearls. With joystick in hand you must explore forty dazzling screens, each a new and exciting adventure. Take the key to unlock the doorway to your next spine-tingling level. Each key restores your magical powers, allowing you to cast over ten different spells. With these magic spells you have the power to overcome vicious creatures, terrifying traps, and perilous plunges.

Your Wizard is realistically animated in every possible direction. Dozens of movements are possible — jump over burning fires, shimmy up or down ropes and ladders, even slip down treacherous sliding staircases! Magic portals move your Wizard through midair and protect you from a myriad of fully-animated fiendish monsters. Catch an elevator to the top of the screen and dart through sliding gates in your quest for magic and treasure.

Wizard's fascinating variety of screens are sure to please and entertain, and of course you can build an unlimited number of your own levels using the construction set provided with your game.





Gothmog's Lair

List \$44.95 Sale \$34.95

Real-time adventure excitement at its best. Solve countless puzzles and slay over a dozen monsters by using the huge vocabulary of over 200 words. Two challenging difficulty levels await you with over 80 areas, each fully described in Old English script.

Menacing monsters, kniving villains, tattered code books and treacherous terrain are just a few of the situations you must overcome in your quest for the thirteen priceless treasures. More than seventy objects are invaluable to you in your search for glory and wealth!

A full-size, thoroughly illustrated manual is included. Featuring color front and back, book quality, and a fold-out map, this "extra" further extends the professionalism of this game. The following are quotes from unsolicited testimonials sent to us by adventurers in Gothmog's Lair...

"I have extremely enjoyed Gothmog's Lair, and plan to buy more adventure games..."

Scott Tulman, Memphis, TN
"Gothmog's Lair is the best adventure I've ever played..."
Dennis Manochio, Jr., Saratoga, CA





PROFESSOR List \$39.95 Sale \$29.95

An in-depth self-tutorial for the Commodore 64 on a two-sided disk. This menudriven tutorial covers every aspect of your C-64—BASIC, keyboard, sound, music, simple and advanced graphics. Quizzes test your comprehension at the end of many lessons! On-screen illustrations, sound effects and full-color interactive graphics make learning easy and interesting. The PROFESSOR is your ONLY choice for an all-in-one, thorough tutorial about the Commodore 64!



Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

MACHINE LANGUAGE FOR BEGINNERS

Richard Mansfield, Senior Editor

Loops And Branches

Branching, looping, and printing messages—these are among the most common computer activities. As you become familiar with machine language, you'll discover how to accomplish everything you can now do in BASIC (and a good deal more). But one of the first things you'll want to know is how to print messages to the screen and to a printer. This month let's explore looping and branching as a method of printing.

In BASIC, it's quite common to set up a loop and then branch out of the loop after a job is done. Here's one such structure which prints

DATA statements:

```
10 READ X$
20 IF X$="END"THEN END
30 PRINT X$
40 GOTO 10
50 DATA SEND, THIS, MESSAGE, END
```

Here's the same thing in machine language:

```
10 *= 864
20 .P
30 .s
40 .o
50;
       READ DATA FROM TABLE AND THEN BRANCH
70 LDY #0; INITIALIZE INDEX
80 ;
90 LOOP LDA TABLE, Y
100 BEQ END
110 JSR $FFD2
120 INY
130 JMP LOOP
140 :
150 END RTS
160 ;
170 TABLE .BYTE "SEND THIS MESSAGE": .BYTE 0
```

There are several things to notice here. We're using an assembler program which accepts BASIC-like programming. The general name for the program above is *source code* which, when an assembler assembles it, becomes a runnable, executable ML program (called *object code*). It's like BASIC because you can use line numbers, make remarks, even have multiple statements on a line separated by colons. The first line must contain the starting address, in this case 864.

Pseudo-Ops And Semicolons

Line 20 is a pseudo-op (a false op-code) which

tells the assembler that you want a printout of the results of the assembly. (A real op-code, like LDA or JSR, is an instruction which your assembler can turn into ML code. A pseudo-op, by contrast, is a command to the assembler to perform some task which assists you in programming, but will not show up as actual, assembled object code.)

The .S pseudo-op in line 30 causes those assembly results to be listed on the screen during assembly and line 40 causes the object program

to be stored in RAM memory.

The semicolons are like BASIC REM statements—anything after a semicolon on a line will be ignored. The first actual ML instruction appears in line 70 and sets up the Y register as a counter so we can take each character out of our

message table in turn.

In line 90 we start the loop, using Y as an index to load the Accumulator with a character. If it's equal to 0, that's our signal to branch to END and thus RTS (ReTurn from Subroutine) back to BASIC. Notice that this kind of assembler doesn't rely very much on numbers. We're not branching to a specific address, rather to the label *END*. The assembler will calculate the proper address of the label and replace the word END with the correct number so that the BEQ (Branch if EQual) instruction will operate properly.

Anyway, if we're not through with the message, we JSR \$FFD2, which is the routine in the VIC and 64 ROM BASIC which prints whatever character is in the Accumulator at the next available location on screen. Then we raise our index (INcrement Y) to point us to the next character in the table and JMP (jump) back up to the start of the loop. JMP is an unconditional branch. It always branches. The several 6502 ML instructions beginning with the letter B (BNE, BEQ, BCC, BPL, etc.) are all conditional branches. Sometimes they send you somewhere and sometimes they don't. They are little tests. In this program, the BEQ (equal to zero?) test will fail repeatedly as we step through the message. Finally, we'll LDA (LoaD the Accumulator) with that 0 on line 170

WIC-20/C-64 MODEM

*49°5

Tiny 23/4x23/4x1 in.

300 baud
Direct Connect
Originate/Answer • Full
Duplex • Carrier detect LED

World's lowest cost modem. High performance Texas Instrument single chip modem design. Works for both VIC-20 and Commodore 64.

Works for both VIC-20 and Commodore 64.
Plugs into user's port. Use with single or multiline phones. Plugs into telephone base.

300 baud. Direct connect. Originate/answer. Full duplex. Carrier detect LED. Crystal controlled. Powered by computer. Aluminum enclosure. Includes Basic listing of Terminal Program. Terminal Program available on tape, \$4.95 and cartridge, \$19.95. Specify VIC-20 or C-64.

Save VIC-20 Cartridge Programs

on tape

Adapter board

lets you save VIC-20 cartridge programs on cassette tape and run them using 8K RAM board. Provides cartridge backup, eliminates plugging and unplugging cartridges and turning VIC-20 on and off.

Includes adapter board that plugs into expansion port and software to save and run cartridge programs on cassette tape. Requires 8K RAM board (not included).

RS-232 Interface for VIC-20/C-64

MFJ-1238 \$3995

Provides RS-232

voltage conversion for VIC-20/C-64 serial port. Use

RS-232 printers, modems, speech synthesizers and other RS-232 peripherals. Switch reverses transmit/receive lines for DTE or DCE operation. Use as null modem. Standard 25 pin RS-232 connector. Plugs into user's port. Powered by computer. 21/4x21/4 inches.

VIC-20 Capacitance Meter

Measure 100 pf to 100 Mfd. Includes calibration capacitor, software on tape and hardware interface.

MFJ-1258 29 95

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping).
One year unconditional guarantee.

Order yours today. Call toll free 800-647-1800. Charge VISA, MC. Or mail check, money order. Add \$4.00 each for shipping and handling.

CALL TOLL FREE . . . 800-647-1800
Call 601-323-5869 in MS, outside continental USA.

ENTERPRISES INCORPORATED

921 Louisville Road, Starkville, MS 39759

WHY LEONARD NIMOY'S NEWEST SCIENCE SERIES WILL NEVER BE SEEN ON T.V.

Project Space Station. Cell Defense And Calmpute are Leonard Nimoy's favorite computer science programs from HesWare. And unless you have a computer, you

may never see them.
First there's Project Space
Station. A program that
will put you and your
children into deep space for
days. It's based on the actual

procedures NASA uses in

the design and operation of a real space station. Not

only will it expand your mind, it will challenge, stimulate, and fascinate you for hours.

Then there's Cell Defense.
A science program that pits you against a host of deadly viruses that invade your bloodstream.
You must use scientific strategies and basic concepts in biology to protect the cells from invaders. Or in a matter of

seconds you'll be dead. Finally, there's Calmpute. A biofeed-

back program that accurately monitors your level of stress. And suggests proper exercises to reduce tension. Or increase it, if need be. It's the only medical award winning program that uses a Galvanic Skin Response biosensor that you hold

in your hand. Pick up Calmpute today. It's available over the counter. Without a prescription.

HesWare Science Series. They may never be seen on television but the experts give them extremely high ratings.

PROJECT SPACE STATION, CELL DEFENSE: AND CALMPUTE BY HESWARE

Apple II Family and Commodore 64 computers

We've Got People Talking

REVIEWERS SAY:

"This is the best typing tutor we have seen yet; * * * + "

INFO-64

TYPING TUTOR

WORD INVADERS

"Computer aided instruction at its best." Commander

"This is an excellent program that makes typing practice an enjoyable pastime instead of boring drudgery."

DILITHIUM PRESS

Rated the BEST educational program for the VIC 20

Creative Computing

CUSTOMERS SAY:

". . . delighted with my son's

progress . . . he is the only one in his second grade class who touch types at the computer."

"Your Typing Tutor is an excellent program . . . our 4 children literally wait in line to use it."

"Thoroughly satisfied, can't believe how fast I've learned to type. I've never typed before."

In daily use by schools across the USA.

TYPING TUTOR + WORD INVADERS

Commodore 64 Tape \$21.95 Commodore 64 Disk \$24.95 VIC 20 (unexpanded)Tape \$21.95

REALISTIC AIRCRAFT RESPONSE

"Has a quality of realism which sets it apart from others, even those I've tested in flight school."

Compute's Gazette

"Great program!" INFO-64

"It is tremendous fun."

Compute's Gazette

"Flight tested by an air traffic controller, two skilled pilots and an elementary school class. Highly recommended by all."

Midnite Gazette


"This is an unbelievably realistic simulation of the difficulties facing a pilot in instrument fly-

ing. I'm a 747 pilot and I think that this simulation could do a lot to improve the reactions and instrument scan habits of even very experienced pilots." 747 pilot

IFR (FLIGHT SIMULATOR)

Commodore 64 Tape or Disk \$29.95 VIC 20 (unexpanded) Cartridge \$39.95 JOYSTICK REQUIRED







P.O. Box 6277 San Rafael, CA 94903 (415) 499-0850

Programmers: Write to our New Program Manager concerning any exceptional Commodore 64 program you have developed. which signals the end of the message. Then the BEQ test will send us down to END. We'll get to the pseudo-op .BYTE momentarily.

The .P pseudo-op in the program above causes the following information to be printed during the assembly of the source code:

5Ø RE	EAD DATA	FROM TABLE	AND THEN
BRANCH			
60			
70 0360 A0 00		LDY #Ø	INITIALIZE
INDEX			
80			
90 0362 B9 6F 6	33 LOOP	LDA TABL	E,Y
100 0365 FØ 07		BEQ END	
110 0367 20 D2	FF	JSR \$FFD	2
120 036A C8		INY	
130 036B 4C 62	03	JMP LOOP	
140			
150 036E 60	END	RTS	
160			
170 036F TABLE	.BYTE "S	END THIS M	ESSAGE
170 0380 .BYTE	Ø		

It's similar to the source code, but something's been added. Look at line 70. Now, in addition to the mnemonic LDY and its argument #0, there's also the result of assembling that mnemonic/argument pair: A0 00. The number A0 is hexadecimal (called hex, it's a more convenient number system for working in ML). It's the same as 160 decimal. That's a number the 6502 chip understands to mean LDY #. The 00 is hex for 0, the value we want to load into the Y register. So, A0 00 is what will appear, after assembly, in addresses 864-865 in RAM memory (0360 is hex for 864, 0361 is hex for 865). In other words, this is a printout which includes the object code, the runnable ML program.

Automatic Assembly

See how in line 130 the address 0362 (in reverse order, as our microprocessor chip wants it) has now replaced the label LOOP? If all this is a bit confusing to you at first, get hold of a good assembler and start playing around with it. Much of what we're discussing will be automatically performed for you by the assembler itself.

Also notice the pseudo-op .BYTE in line 170. It allows you to enter literal ASCII code letters (using a quote the way BASIC defines strings) or literal numbers (no quote). This is the fastest way to set up data tables or messages in ML programming. You just give the line a name (TABLE in this example), announce a .BYTE series, and then write in whatever data you want. The printout loop technique we're using here signals the endof-message with the number 0. So, .BYTE 0 sticks in a zero into RAM memory following the letter e in the word message. (The zero has to be outside of the quotation marks in a separate .BYTE statement since we're after the numeric 0, not the character 0.)

Before showing how to redirect messages to a printer, let's first explain what all these labels are doing. How can words substitute for numbers? After all, we want to JMP to address 0362 (866 decimal). Why not just write JMP 0362 and be done with it?

One significant advantage of using labels is that you can then freely modify your program without having to change all of the specific references. For example, suppose you write the following:

864 LDA 15 866 BEQ 869 868 INY 869 RTS

This would work fine because that branch to 869 is correct. But what if you later modified this program by inserting another INY? Or what if you deleted something between the branch and its target? The branch would still be to address 869 but that would be wrong. If, instead, you give the RTS a label:

864 LDA 15 866 BEQ FINISH 868 INY 869 FINISH RTS


you can change the other parts of this program as much as you want and the assembler will always make sure that the BEQ is correctly sent to the address of the RTS.

Other Advantages

With labels you can quickly modify programs in other ways, too. Let's imagine that you write a large game program and you frequently reset the background color. You have used #6 as your color in many places within the program. You've got LDA #6 sprinkled all over the place. If you later change your mind and want to use #5 instead of #6, you would have to locate every place where #6 appeared and change it to #5. If you had simply assigned a label at the start of the program: COLOR1 = 6 and then always used LDA #COLOR1, you could just change that first label assignment to COLOR1 = 5. All references to COLOR1 throughout the program would then automatically change as well.

These and other advantages of labels all contribute to a BASIC-like environment which can make sophisticated ML programming efficient and comfortable for the programmer. But let's now turn to the way you can communicate with your printer in ML. There are two things to do. Open a file (OPEN 4,4 is the BASIC equivalent) and then print a character to file #4 (PRINT#4,A\$ in BASIC).

To open the channel of communication to



the printer, you use the following protocol:

10 OPEN4 LDA #4; FILE NUMBER 2Ø LDX #4; DEVICE NUMBER SECONDARY ADDRESS 3Ø LDY #Ø; KERNAL SETLFS (SET UP LOG 4Ø JSR \$FFBA; ICAL FILE) LENGTH OF NAME 50 LDA #0; KERNAL SETNAM (SET NAME) 60 JSR \$FFBD; KERNAL OPEN (OPEN A LOGI 7Ø JSR \$FFCØ; CAL FILE) KERNAL CLRCHN (CLEAR I/O 8Ø JSR \$FFCC; CHANNELS) 90 RTS

This is a subroutine called OPEN4 which can be invoked in your ML program by a JSR OPEN4. It uses the Commodore Kernal routines, which are common to the VIC and 64 (these same locations, with different device numbers, are used to open communications to a disk drive or tape drive). When it returns, it will have reset normal I/O (input/output) conditions for you in line 80. Normal I/O specifies that the screen is the output target and the keyboard is the input source. These conditions prevail unless the computer is notified otherwise. That's where the "chkout" and "chkin" routines come in. They are like PRINT# and INPUT# in BASIC, redirecting the output or input of a given character or symbol from the defaults to other, previously opened, files.

Now, whenever you want to send a character to the printer, you can invoke a PRINT# by LDX #4: JSR 65481, thus opening a channel of communication to the printer (file number four). It's similar to BASIC's CMD. Then, JSR 65490 is the general purpose print routine which sends the character in the accumulator to whatever device lies at the end of the currently open channel. Finally, you close the channel to the printer by JSR 65484 which restores normal I/O conditions.

Once the chkout routine is called, you can use the print routine (65490) to send individual bytes to the printer, one after another. But to be safe, we're going to clear the channel after each byte we send. Below is a subroutine called PRINTER which prints the character in the accumulator to the printer. You must call this subroutine for *each* character you want to print.

Note that you must save the character in the accumulator until you need it. Those ROM routines we JSR to will not preserve the value in the accumulator for you. To accomplish this, we've previously defined a variable called A which can temporarily hold the value of the accumulator until we need it.

Here's the entire PRINTER subroutine:

10 PRINTER STA A; SAVE ACCUMULATOR VALUE 20 JSR 65484; CLEAR CHANNELS (RESTORE NORMAL I/O) 30 LDX #4; PREPARE DEVICE #4
40 JSR 65481; BY OPENING A CHANNEL TO
THAT (PREVIOUSLY OPENED) FILE
50 LDA A; RECOVER ACCUMULATOR VALUE
TO BE PRINTED
60 JSR 65490; PRINT
70 JSR 65484; CLEAR CHANNELS AGAIN
80 RTS; RETURN

Take another look at the first example above which prints PRINT THIS MESSAGE to the screen. To make it print to the printer instead, just replace the JSR \$FFD2 in line 110 with a JSR PRINTER (our new subroutine). To have it print on screen and printer simultaneously, leave in the JSR \$FFD2 and just add a new line right below it:

115 JSR PRINTER


Whenever you JSR to routines in ROM, it's a good idea to first save the numbers in the Accumulator and the X and Y registers if you will be wanting to work with these numbers further. ML programmers make heavy use of the registers, and the ROM routines like to use them as well. You cannot be sure that, after a JSR to ROM, you'll get back the same numbers in the registers. Luckily, the general print routine at 65490 (\$FFD2) is non-destructive. It preserves the A, X, and Y registers. However, some other ROM routines will not offer this courtesy.

Notice that we're using the Y register (in the first example above) to index our printed message. To be on the safe side, set up a variable, called Y or something, and STY Y just as you STA A upon entry to the PRINTER subroutine. If you make a habit of saving important registers before ROM JSRs, you'll avoid one major source of ML program bugs.

To pull it all together, here are the steps you take to print a character to the printer. First you would JSR OPEN4 (to open a file to the printer), then load the character you want printed into the Accumulator, and finally JSR PRINTER to print the character. This seems like a struggle to print only one character, but once you've set up the subroutine, you simply put any character into the Accumulator and JSR.

At the end of an ML program, you'll want to close files and shut down communications to peripherals. Here's the way to close down our file to the printer:

500	JSR 65484;	SHUT DOWN PRINTER,
	GRACEFULLY.	
510	LDX #4	
520	JSR 65481;	OPEN PRINTER CHANNEL
530	LDA #13;	LOAD A CARRIAGE RETURN
	CHARACTER	
540	JSR \$FFD2;	PRINT IT
550		CLEAR ALL CHANNELS AGAIN
	(RESTORE NORMAL	1/0)
560	LDA #4	
570	JSR \$FFC3;	CLOSE THE FILE



SOME OF THIS YEAR'S BEST HIGH-DIVE PERFORMANCES WILL TAKE PLACE ON A KITCHEN TABLE.

HESGames

Perform a double sumersault dive. Lift 600 pounds. Run the 500 yard dash. Shoot a bow and arrow. All on your kitchen table. All with HesGames.™ With HesGames' six action packed sports games on one disk you can break all sorts of records without ever really breaking a sweat. With very colorful, realistic characters, cheering crowds, a judged performance, quick instant replay capability, and even a way to save all your best performances, you can experience the thrill of victory or the agony of defeat. All on your kitchen table. Try HesGames now, and we'll give you your very own free HesGames t-shirt.

HE2PAME2 BY HE2MAKE

For the Commodore 64. Coming soon for the Apple II.

Teaching Your Computer English

Michael A. Long

The basic idea of an adventure game like *Zork* is that you play a character in a story. The computer describes the surroundings, and you decide what to do—search the room, listen at the door, fight the dragon, drink a magic potion, and so on. Your choices determine the direction of the story, which is why adventure games are sometimes called interactive fiction.

The heart of such a game is the parser routine, which splits apart the sentences you type and matches the words against a vocabulary list. Parsing is a computer's way of diagramming sentences.

Some adventure games include lists of acceptable but hard-to-understand commands. For instance, you may have to use G for get, + for up, and for down. However, these should not be your only options when operating text adventures or other interactive programs. There are several techniques which allow the user to type in English commands such as go north or open door. One of the most useful of these techniques looks only at the first few letters of each word. Let's study the program for a simple six-room adventure game to demonstrate how it works.

Although the program will run on any VIC or 64, it will almost completely fill an unexpanded VIC, so type the program in carefully and without extra spaces if you're using a VIC without expansion.

If you have the inclination (and enough memory), you might want to add new com-

Would you like to talk to your computer? With the string handling techniques described in this article, it may seem like you are. For the VIC and 64.

mands, new treasure, and new rooms to this mini-adventure game.

Normal English Commands

This program demonstrates a technique used by many adventure programmers. It allows the user to input a command in normal English sentences. The only restriction is that the user must type in the verb first and the object (noun or compass direction) last. Only a few of the letters in the first and last word are actually read by the computer.

Lines 12–17 take care of screen printing and the input prompt. The user types in a sentence, and the computer stores it in variable A\$. Lines 18 and 19 read through A\$ using a FOR-NEXT loop and the MID\$ function, looking for the space between the first and second words. Then the computer puts the two letters following that space into B\$. At that point it is finished with the last part of the sentence and can discard it, a feat accomplished in line 20 by setting A\$ equal to the first two letters of the first word in the sentence.

But the computer still can't use the values because they're letters rather than numbers. The

variable V\$, established in line 21, holds the first two letters of all the verbs you may use in the program, and line 24 does the actual numeric conversion. It sets up a FOR-NEXT loop in which the variable X increments from one to the length of V\$. The computer uses the MID\$ function to look at the two letters following X until it finds a match for the value in A\$. When it finds a match, it then sets V equal to the number of the count, plus one, and then divides V by two. At that point you have the number of the verb you typed in.

Line 24 does the same thing, except that it is looking for a match in N\$ (contained in line 22) for the B\$ string. Lines 71–75 contain a list of all the nouns (N\$).

You now have V equal to the number of the verb and N equal to the number of the noun. Suddenly, we're working with numbers, which are easier for your computer to manipulate.

Line 25 uses an ON-GOTO statement to send the program to different sections of the listing depending on which verb was used. For example, if you used the verb GO, the program would be sent to line 26. From there all you have to do is set up the logic needed to execute the command you want.

Line 69 is a DATA statement which holds the information for array M, the movement map for moving from room to room in the adventure. Lines 80–81 contain the information for R\$, which holds the room names in the

program. Lines 77-78 are DATA statements for array L, the locations of all the objects in the adventure.

One more note. If you have two verbs with the same beginning letters (like PUT and PULL), you can do one of two things to ensure proper selection of the verb you want. You can read more than the first two letters of the verb, but you'll sacrifice some speed (and use a lot more memory).

A better alternative is to direct both commands to the same location in the program. When those verbs are used, the computer searches through the appropriate program lines and reads only the commands you put in for that situation. That way, you only have to store the first two letters in V\$ one time, and you don't have to use another GOTO command with your ON statement either.

You can use a similar method to handle two verbs

Program Variables

= Inputed sentence, and first two letters of verb

= First two letters of noun

= Holds first two letters of all the verbs allowed

= Holds first two letters of all nouns used

N\$0 = Holds list of all the nouns for use by the program

M0 = Two-dimensional array for use as movement map

= Location for all objects (nouns) = The room you are currently in

= Holds screen and border memory location for VIC; used to change screen colors when changing rooms.

R\$0 = Room names

= Used for Get statements

= Numeric value of the verb

= Numeric value of the noun

that mean the same thing but are spelled differently. For example, both get and take could send you to the same part of the program if you repeat the GOTO number in the ON statement.

Here's a list of verbs used in our example program:

GO = Go

GE = Get

PU = Put and Pull

= Take TA

= Hit

IN = Inventory = Look

If you'd rather not type in this program, send \$3, a blank cassette (no disks, please), and a self-addressed stamped mailer, and I'll be glad to make you a

> Michael A. Long 6640-B 105th St. Ewa Beach, HI 96706

See program listing on page 171.

LOOKING FOR EXPERIE OFFICE HELP? INQUIRE W

You'll never hire a more flexible word processor and spreadsheet program than the OmniWriter/OmniSpell and Multiplan programs. OmniWriter/OmniSpell is smart enough to check your spelling on over 30,000 words. Multiplan is smart enough to

crunch your office sales numbers. And smart enough to handle your personal office budget faster and much more effectively than most programs on the market today. So put OmniWriter/OmniSpell and Multiplan to work for you, at half the price you'd pay for the same help on an Apple or an IBM. Get OmniWriter/OmniSpell and

Microsoft® Multiplan™ today. And see how fast they straighten out your office tomorrow.

Commodore 64 Multiplan™ is licensed for Microsoft



POWER BASIC

Hi-Res Screen Dump

Gregg Peele, Assistant Programming Supervisor

Have you ever created a hi-res picture or graph and then tried to reproduce it on your printer? This program allows you to do just that. The VIC version requires a Super Expander cartridge. Both VIC and 64 versions are compatible with the Commodore 1525 or MPS-801 printers (but not the 1526).

Both the VIC-20 and Commodore 64 allow you to create high-resolution graphics images on the video screen. With the VIC or 64 Super Expander cartridge or another hi-res program, it's easy to produce detailed artistic creations. However, most of these programs don't provide a method of printing out these artistic endeavors once you've finished them. Unless you leave your computer turned on indefinitely, your creation is short-lived.

Both versions of "Hi-Res Screen Dump" work with a Commodore 1525 or compatible printer. (Note that the new 1526 printer from Commodore is *not* compatible with the 1525, and will not work with this program.)

Bit Transfer

Hi-Res Screen Dump is designed to transfer the bit information from screen memory to the printer. Since the 1525 printer can only accept seven bits of data at a time in graphics mode (the high bit must always be set), the eight-bit bytes in screen memory must be split into odd units before they are sent to the printer. Transferring the information from screen to printer is further complicated since the location of screen memory bytes must also be calculated, and hi-res screens for the 64 can be moved to several different areas of memory.

This program reads data from the screen one bit at a time starting from the lower leftmost

corner of the screen. After seven bits, the program moves to the leftmost bit of the next row up and prints seven more bits, continuing up the screen. After the leftmost seven-bit column has been printed, the program starts at the eighth bit over from the bottom left corner and continues cycling from bottom to top until the entire screen has been read. Each seven bits are combined to form the byte to be sent out to the printer. Since the program reads from the left bottom side of the screen to the right top side, the printout is a 90-degree-turned reproduction of the screen image.

Both versions of Hi-Res Screen Dump are written in machine language. A BASIC loader (the first several lines of the program) puts the machine language (in the form of DATA statements) into the appropriate locations in memory. The BASIC loader also prompts you for the width of the printout, and the VIC version protects the machine language at the top of free memory. To operate the program correctly, you must load and run Hi-Res Screen Dump before you load the program which creates the hi-res image.

Selecting A Width And Making A Printout

In both versions, you can select either a single-width or double-width printout by POKEing a 1 (for single width) or a 2 (for double width) into location 2 (i.e., POKE 2,1 or POKE 2,2). This location is changed by your selection of width when you are prompted in the BASIC program, but can be changed at any time. A SYS to location 3584 (for the VIC) or 52224 (for the 64) will initiate a printout of the hi-res screen. You can issue this SYS in direct mode if you have a design on the screen, or add it to a hi-res drawing program if you make sure the machine language is loaded into memory before the SYS is encountered. Also, be sure that the printer is turned on before giving the SYS.

MILIMONES CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR C	Hestania		unnann		- annua
@commod	ore	5X-64	PU	RTABLE	100 1
M-801 Dot Matrix Parallel	\$219.00	Call for CBM 4 plus			
MCS 801 Color Printer		Commodore 64	\$199	\$839	M
1820 Color Printer/Plotter	\$69.99	AIC 50	CALL	4000	200000000000000000000000000000000000000
1541 Disk Drive	\$249.00	COMREX		29 4111	MAR E
1600 Vic Modem	\$59.99	ComWriter II Letter Quality	5449.00	annan manan da	
1610 Vic Term 40		EPSON RX-80, RX-SOFT, RX-100, FX-80, FX	-100 CALL	MONITORS	Commission of the Commission o
1702 Color Monitor				300 Green AMDEK	\$149.00
DPS Daisywheel Printer	\$459.00	6100JUKI		300 Amber	\$159.00
Desk Organizer Lock	40,99	MANNESMAN TALL	\$689.00	Color I Plus	\$259.00
1311 Joystick each	\$11.99	1801	\$799.00	New Color 300	CALL
1110 VIC 8K	\$42.99	Spirit 80		1201 (12" Green)	\$88 GO
1111 VIC 16R		8027 Dot Matrix		1201 Plus (12" Green Hi-Res)	\$98.90
IEEE/RS-232 Interface		OKIDATA	0008.00	9191 Plus Color	\$249.00
MCD		82, 83, 84, 92, 93, 2350, 2410	\$CALL	122" Green GORILLA	\$88.99
SD 1 Disk Drive		OLYMPIA	A 170 00	12" Amber	
SD 2 Disk Drive	\$589.00	Compact 2	\$609.00	JB 1201 Green	\$149.99
Light Pen	\$32.99	E8W 3000	\$1449.00	JB 1206 Amber	\$159.99
3 Slot VIC Expansion Interface.		SMITH CORONA		JB 1215 Color	\$259.00
6 Slot Expansion Interface	\$79.99	TP-1000	\$449.00	SC-100 Color SAKATA	\$269.00
Cassette Interface		SILVEE REED 500 Letter Quality	\$449.00	SG-1000 Green SG-1000 Amber	
Parallel Interface w/Graphics		550 Letter Quality		100 12" Green TAXAN	
PRINTERS		770 Letter Quality	\$869.00	100 12" Green	\$125.00
	************	TOSHIBA	***************************************		
C. ITOH		1381		Pi 1, 9" Green	\$99.99
Prowriter 8510P				P) 3 12" Amber	\$129.00
Prowriter 1550P	\$569.00	TRANSTAR 120F	\$489.00	Pi 4, 9" Amber	\$119.99
F10-40 Starwritter		315 Color		PRITTU	
F10-55 Printmaster	\$1349.00			ZVM122 Amber	\$99.99
		SOFTWARE		ZVM123 Green	\$89.99
anormana ayayayayayaya	CONTRACTOR OF THE PARTY OF THE	CONTINENTAL SOFTWAR		INFOCOM (64)	627 00
ATARISOFT (C-64/V	1C) \$34.99	The Home Accountant		Deadline	\$29.99
Defender	\$34.99			Witness	\$29.99
Robotron 2084		Practicalo	\$39.99	PROFESSIONAL SOFTWAR Word Pro 64 plus Spell	E (64)
PacMan Donkey Kong		Practifile	\$09.99		
Centipede		DESIGNWARE (64)	\$29.99	Star Trek SEGA (64)	
Stargate		Trap-a-Zoid	\$29.99	Congo Bongo	\$29.99
BRODERBUND (64	1	DYNATECH (64)	monum	SPINNAKER (64)	\$29.99
Devid's Midnight Magic		Codewriter		Delta Drawing	
Bank Street Writer	\$49.99	Pinball Construction	\$20.90	Kids on Keys	
COMMODORE (64		Cut & Paste	\$39.99	Wylde SCREENPLAY (64)	922.99
C-64 Reference Guide EasyCalc		Hard Hat Mack	\$75.99	Kaiv	
Easy Finance I. II. III. IV		EPYX (6-64/VIC)	*00.00	Pogo Joe	
Easy Mail	\$19.99	Temple of Apshai		SUB LOGIC (64)	0.40.00
Easy Script		Jumpman Junior	\$29.99	Flight Simulator II	540.99
Apple Panic	\$19.99	HES (64)		Zaxxon	\$29.99
Black Hole	\$29.99	Tre math	\$22.99	Protector II	\$23.99
Home Inventory (C-64/VIC)	\$11.00	The Pit	\$15.99	Blue MaxTIMEWORKS (64)	
CBS (64)	\$18.00	Pool Challenge		Wall Street Manager	
Addition & Subtraction		Hes Mon	\$29.99	Word Writer	\$39.99
Multiplication & Division	\$16.99	Hes Writer	\$35.99	Data Manager	\$19.99
Quadratic Equations					

VISA

west 800-648-3311

In NV call (702)588-5654, Dept. 115

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416)828-0866, Dept. 115

east 800-233-8950

In PA call (717)327-9575, Dept. 115 Order Status Number: 327,9576 Customer Service Number: 327,1460 477 E. 3rd St., Williamsport, PA 17701

Order Status Number: 327.9576
Order Status Number: 327.9576
Order Status Number: 327.9576
Order Status Number: 327.9576
Customer Service Number: 327.1450
Stateline, NV 89449
Mississauga, Ontario, Canada L6LIT1
No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (min)mum \$5) shipping and handling on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability

ULTRACOPY 64

Disk Duplication System for Commodore 64



39 95

plus \$ 3 shipping. Visa or Mastercard. Add \$ 2 for Foreign or COD

- Simple to use. Menu-driven. Even a beginner makes perfect copies
- Analyze disk tracks for data & errors
- Skip empty tracks to speed copying
- Copy everything incl. DOS flag & false ID
- Put errors 20,21,22,23,27 & 29 on copy as required by latest protection schemes
- Fast, reliable copying with 1 or 2 drives

98 % OF SOFTWARE CAN BE ULTRACOPY'ED BEST COPY PROGRAM YOU CAN BUY

ULTRABYTE Call (313) 562 - 9855

23400 Michigan, Suite 502, Dearborn, MI 48124 Satisfaction guaranteed, 10 day return privilege Dealer inquiries invited

Seeking software authors - please write

COMMODORE OWNERS WE'LL CHECK YOU OUT

Mr Tester TM

Is your Commodore 64 TM Disk Drive, Printer, Memory, Joystick, Monitor and Sound Chip operating correctly?

You may never know for sure. Mr. Tester is a complete diagnostic that tests:

- 1.) Full joystick operation in all axis .
- 2.) Continuous or standard comprehensive memory test.
- CommodoreTM SID chip test for sound analysis.
- 4.) Screen alignment and color test.
- 5.) Complete read/write Disk Track and Block Test.
- 6.) Diskette format analysis to check Floppys.
- 7.) Complete printer test.
- 8.) Complete keyboard test.
- 9.) Cassette read/write test.

All this for only

\$2995





Wait! Don't do it!!

order from

M-W Dist. Inc. 1342B Route 23 Butler, N.J. 07405 201-838-9027

Configuring The VIC

The VIC version of Hi-Res Screen Dump (Program 1) is designed to be used with the Super Expander cartridge. The GRAPHIC 2 command provided by the Super Expander sets up a 3200byte high-resolution screen beginning at location 4096 (\$1000), while maintaining the normal text screen beginning at location 7680 (\$1E00). With the 3K of additional RAM provided by the Super Expander, BASIC program storage begins at location 1024 (\$0400). Line 5 of the loader program reserves two pages (512 bytes) of memory for the machine language, just below the area to be used by the hi-res screen. Thus, the machine language starts at location 3584 (\$0E00), and locations 1024-3583 (\$0400-\$0DFF) are available to BASIC programs.

However, using the VIC Super Expander alone leaves only 2-1/2K free for your BASIC programs. If you have an expander or motherboard that will allow you to add 8K or more of extra RAM in addition to the Super Expander, then you'll have much more room for BASIC programs. The machine language will still load into the 3K RAM area provided in the Super Expander, and SYS 3584 will still initiate the dump. This area is now untouched by BASIC, so be sure to remove line 5 before you attempt to run Program 1 in this configuration; otherwise you will get an ?OUT OF MEMORY message. The hi-res screen set up by the GRAPHIC 2 command is still 3200 bytes beginning at location 4096 (\$1000), but BASIC programs will now start at location 8192 (\$2000) and continue to the end of installed memory.

The 64 Version

The machine language for the 64 version (Program 2) resides at the top of the 64's free block of RAM above location 49152 (\$C000). This makes it compatible with the Super Expander 64, but also means that it cannot be used with the 64 DOS wedge program, as both occupy the same area of memory. The program is designed to print the hi-res screen that is currently visible. If you want a screen dump when you are not in hires mode, POKE location 900 with the high byte of the starting address of the hi-res screen and SYS to location 52224+32. This alternate SYS bypasses the routine which determines the location of the hi-res screen. For example, if your hires screen starts at location 57344 (\$E000)—as in "Screen-80" from the September issue—you would initiate the screen dump with:

POKE 900,(57344/256): SYS 52256

See program listings on page 180.

HOME TELECOMMUNICATIONS

Robert Sims, Assistant Editor

All The Fun That's Fit To Print

For even the most dedicated computer owner, there comes a time in the serious and browfurrowing process of learning to telecommunicate when what is needed most is a good, hearty laugh.

Most of the bulletin boards and services on the communications networks do not focus on humor (the Artsig on CompuServe and almost any special interest group on Delphi excepted). It is often the local bulletin board which is the repository of fun and of the absurd.

A Perpetual Party

Experienced modem owners use their local bulletin boards as a kind of perpetual party of the mind, a conversational free-for-all with everybody dropping in and out willy-nilly. Occasionally, a sysop will see the sense in all this nonsense and try to bring a touch of order into the chaos. A good example of this organized hilarity is *The Modem Times*, an electronic magazine originating in Colorado Springs. The magazine, brainchild of editors Jennifer Petkus and James Bates, is one of a kind in electronic publishing.

The editors don't seem to be sure of exactly what they've wrought—a bulletin board, a literary magazine, or a no-holds-barred forum of opinion for their subscribers. If they ever adopt a slogan for their masthead, it might well be "All the fun that's fit to print."

The Jocular Vein

The *Times* is structured much like a conventional print newspaper or magazine, with a table of contents, editorial comments, letters to the editor, features, and fiction from very obscure authors. There the similarity ends.

From the ersatz history of the publication (in which it is revealed that ancient astronauts

founded the magazine along with the Egyptian and Incan civilizations), to the apologia for its editorial stance ("If you think our editorial page is offensive, send \$20 and some suggestions"), The Modem Times is dedicated to the proposition that there is not a serious bone in the entire body politic.

A Comic's Dream

The Modem Times and its electronic kin add a new dimension—participatory zaniness. For the first time in the history of the funnybone, audience and performer are essentially indistinguishable.

Any subscriber can rise from the ranks to become an instant type-in comedian, uploading a joke and leaving before the audience begins to laugh or throw overripe vegetation. It's the best of all possible worlds for a comedian: You get your chance in the spotlight, but you're never there when you bomb.

The Modem Times is not all jocularity, of course. It provides a creative outlet for writers of short fiction and poetry. The magazine even has a section, "The Modem Times Won't Be Bought," set aside just for soap-box speeches and tirades on any subject. Here subscribers are encouraged to engage in polemic to their hearts' content.

The Laugh Stops Here

Unfortunately, navigating the magazine is not as much fun as its contents. The software that runs the magazine is adapted from an ordinary bulletin board, with a long list of commands to memorize, and a main menu containing 24 options.

A help file and explanation of commands and options are readily available on-line, and the commands will be familiar to experienced bulletin board users. But the beginner will do well to first download and print out the help file (Page 13) before venturing further. It's difficult to maintain a literary frame of mind if you have to keep jumping to the instructions between pages.

A Common Problem

This navigation problem is not unique to The Modem Times, of course. Whenever a program is written to allow a specific computer to communicate with a variety of terminal programs on different computer models, it is necessary to use the ASCII control codes and character set so the computers will have a common language.

Two of the ASCII control codes are standard in almost all telecommunications situations. CTRL-S, a CHR\$(19), and CTRL-Q, a CHR\$(17), are recognized by most terminal software to mean "stop transmitting" and "resume transmit-

ting," respectively.

Such standard codes can be transmitted automatically. But the meanings of other commands and control codes vary widely among bulletin boards and terminal programs. Consequently, the user must learn the necessary commands or codes and transmit them manually.

More than any other aspect of home telecommunications, electronic publishing points out the need for integrated software. In its infancy, we expect to make the best of what's available.

But as electronic publishing matures, we can expect to find fewer technical distractions.

Forgettable Software

The reader is after entertainment, not programming tips or technical information. The software serves no purpose but to connect the reader and the magazine, and it should be transparent. In addition, it should be comprehensive. Instead of targeting the lowest common denominator, ASCII, electronic publishing software needs to be sophisticated enough to exploit the best sound and graphics features of each computer model by exchanging codes with the terminal program to discover the caller's computer type and automatically set transmission rate, display width, and other parameters.

In this ideal world of the possible future, each subscriber will receive a dedicated terminal program which will require no more technical expertise than the ability to connect the modem

and load and run the program.

But until that millenium arrives, we'll have to be content to log onto The Modem Times and deliver a tirade on the subject.

The Modem Times 15 N. 14th Street Colorado Springs, CO 80904 (303) 471-2126

28

INFORMATION & IN OHIO ORDER LINE

1 (216) 758-0009 (800) 638-2617

1309 BOARDMAN-POLAND ROAD, POLAND, OHIO 44514

25.00

WORD PROCESSING:	
WORD PRO 3 + with speller .	\$ 65.00
PAPER CLIP	
with speller	79.00
MIRAGE CONCEPTS	
EASY SCRIPT	35.00
EASY SPELL	
SPREADSHEETS:	
CALC RESULT ADV	\$ 69.00
CALC RESULT EASY	35.00
MULTIPLAN	
DATA BASE MANAGERS:	
DELPHI'S ORACLE	\$ 89.00
SUPER BASE 64	79.00
THE MANAGER	
CODEWRITER	65.00
MIRAGE CONCEPTS	79.00
PRINTERS:	
GEMINI 10X Cardco Interface	\$319.00
GEMINI 15X	389.00
OKIDATA	CALL
MODEMS:	
HES MODEM	\$ 47.00
AUTOMODEM by Westridge	79.00
COMMODORE 1600	59.00
COMMODORE 1650	89.00

MONITORS:	
MUNITURS:	\$229
SAKATA SC 100	
AMDEK COLOR 1+	269
BMC 12" Green (new)	. 85
	09-119
COMMISSION	CALL
PRINTERS:	
GEMINI 10X/	
	\$319
GEMINI 15X	389
POWERTYPE	
DAISYWHEEL 18 CDS	369
OKIDATA all models	
RITEMAN	269
COMMODORE 1526	289
MPS-801	
CARDCO + G	69
TYMAC CONNECTION	85
DISK DRIVES:	
COMMODORE 1541	CALL
MSD SUPER DRIVE	CALL
CONCORDE	CALL
DATASETTES:	
COMMODORE 1530	\$ 63
MAXTRON	49
ACCESSORIES:	
COMCOOL (disk drive fan)	49
COMCOOL PLUS	
(with surge protector)	69
COVERS C-64	5
1541-1525-1526-MPS/8	
GEM 10-X	7
1702 MONITOR	8
	57

SPECIALS While Supply Lasts

CHALKBOARD, with purchase of one software selection at \$15 (Leo's Links, Music Maestro, Leo's Paint Brush, Bear Jam, Logic Master, Science Pro-

gramming Kit). INFOCOM: ENCHANTER \$ 28 INFIDEL.

SEGA: STAR TREK ... SIERRA-ON-LINE: HOMEWORD \$ 39 STORAGE: FLIP'N FILE 25 \$ 14 DATA DEFENDER 70

ELEPHANT DISKS: SS/DD

> **CHECK OUR LOW PRICES** BECAUSE OF CONSTANTLY CHANGING PRICES PLEASE CALL & CHECK OUR CURRENT PRICING

HOURS: MON.-FRI., 10 A.M. to 10 P.M. SAT., 10 A.M. to 5 P.M.

COMPUSERVE Starter Kit sereens

MOST ORDERS SHIPPED WITHIN 48 HOURS! All prices include cash discount. VISA/MC orders accepted — add \$.5% NO C.O.D. ORDERS! For quickest delivery send bank check or money order, Personal or Company checks delay order 21 days. All sales are final — defective merchandise exchanged for same product only. Shipping add 3% (\$.5.20 hinimum). Call for shipping on monitors. Onlo customers add \$.5% sales tax. Prices & availability subject to change. SEND FOR OUR CATALOG!

COMMODORE 64 NEW SX-84 Commodore 64 New 1541 Disk Easy Calc Forth 84 New 1541 Disk 1526 Printer MPS-801 Printer 1702 Monitor RS-232 Interface 1800 Modem 1850 Automodem CP/M Module CZN Datasete Logo Superbase 64 Diary Musicale 1,2,3 Musicalc 1.2.3 Papercilp w/Spelipak Mirage Propak Delphis Oracle Multiplan Typing Tutor III 64 Doctor Summer Sames Expansion IF Flight Simulator Homeword Sconneyther ord Disk Drive Concord Disk MSD (Single) MSD (Double) Compuserve Clone Machin Super Expand Z-60 Pack FORTRAN 14.99 For Commodore & Atari 11C0 Command Control **JOYSTICKS & ACCESSORIS** 34.99/ss 24.99/ss 7.99/ss 12.49/set ... 79.99 Trak Ball T.G. Joystick Atari Joystick (Original) Atari Paddles (Original) Koala Pad for Commodor Koala Pad for Commodor SURGE PROTECTORS Panamax 88/6LCS 6 receptacles 6 cord. switch, breaker 74.99 Ultramax 6 receptacles, 6 cond, switch, breaker undervollage alarm, brown out protection transverse 6 common m PRINTER INTERFACES ROAD)

51/4" DISKETTES

SPECIAL OF THE MONTH MAXELL MO-1 DISKETTES MAXELL MO-2 DISKETTES

MO-1 MO-100 (\$\$/Q0) . MO-2 MD-200 (0\$/Q0) . VERBATIM (DATALIFE) \$\$/00 0\$/00 VERBATIM (VEREX) 19.99/10 27.99/10 DYSAN (with FREE lib \$\$/00 0\$/00 0\$/00

14,99/10 32.99/10 05/00 ULTRA-MAGNETICS IS ELEPHANT 31

18.99/10 25.99/10 BONUS: Purchase 10 or more boxes of disks and earn a 5% discr

54" BULK DISKETTES

Disk File for 50 5W * Diskettes
Disk File for 75 5W * Diskettes
Filip & File X75 5W * Diskettes
Filip & File X75 5W * Diskettes
Library Case for 50 * Diskettes
Library Case for 50 * Diskettes
Library Case for 3V * Base Diskettes
Diskettes
Diskettes
Diskettes
Diskettes
Webstelle Base for 5W * Disk Dirket
Webstelle Base Classes for 5W * Disk Dirket 12.99 15.99 27.99 19.99 1.65 ALIEN VOICEBOX eta with Mate & Fernale Voice & Coffware Connectors N. Victo, April Algon (Specific **NOW ONLY 89.99**

> 1541 EXPRESS **NOW ONLY 79.99**

> > MODEMS

Smart Modem 1200, RS-232 Auto Answer 5 Dial. 3001 1200 Baud Smart Modem 1200B, Same as above for IBM PC Smart Modem 300, RS-232 WitchModem 1200B. CAT. Acoustic Coupled 300 Baud RS-23 J-CAT. RS-222 APPLE CAT II ACCESS 1-2-3. with Crosstals for IBM 212 APPLE CAT II. System EMART CAT 103/212 Tehroriser Medam hor Signalman Mark I. RS-232 hor Signalman Mark XII, 300/1200 Baud

REPLACEMENT PARTS

MONITORS

eading Edge - Gorilla 12" Green sading Edge - Gorilla 12" Amber

Leading edge uprils 1/2 Amber

Call for our Best Prices on Computers, Printers, Monitors,
Softwars, and complete line of accessories for ISM. Applic.
Commoders, Alari, and others, Wrist for our FEEL CATALOG.
Please add 5% for shipping & handling filthinium *4.00], NY
residents must add proper sales to. Prices quoded include a
discount for cash, Please add 5% for use of MasterCard, Visa, or
American Expess. Due to the floctuations of the market, all
prices are subject to change without netice.

CALL OUR ORDER DESK TOLL-FREE

-800-255-5905

For information or to order from NY, Alaska, Hawaii call 212-219-2333

COMPUTER CORPORATION

423 Broadway, New York, NY 10013

 Easy to learn (takes about 2 hours) • save up to 1500 typical records on a 1541 disk drive. • Sort on multiple keys & select records 9 ways. • Print information on labels or in report format. • Calculate report columns. Flexible structure, change record size, field number, ways the file can be ordered, etc. with ease. patible with many popular word processors to create form letters or reports. 1541 • 4040 • 2031 Disk \$59.95. THE BANNER MACHINETM

Produces large signs up to 13" tall by any length. Make borders of widths up to ¾". Eight sizes of letters from ¾" to 8" high. Proportional spacing; automatic centering; right and left justification. Use with Gemini 10 or 10X; Epson MX with Graftrax, or the RX or FX: Com-

10x; epson Mx with Graftrax, or the RX of FX: Commodore 1525E or MPS 801; and the Banana. Four extra fonts available (\$19.95 each). Tape or disk \$49.95.

Disk Organizer Need to make a backup of your more processing files? No need to copy entire disks. Make a backup copy of a single file, copy a file, put the programs on the disk directory in alphabetical order, maintain a library of the directories on all of your disks. Print a library listing for reference. Disk \$24.95 Chessmate 64 Analyze your own games, master games, book games, and openings. Save, print, and watch your games in a unique "chess movie." Memorize any board position and recall it after you

have played through variations. Disk \$99.95. **Grade Organizer** Teachers—store grades for 6 classes, up to 40 students each, 680 grades per student. Print interim and final reports, class rosters, and more! Disk



ORDER TOLL FREE 10-6 MON-SAT 800-762-5645 Cardinal Software

13646 Jeff Davis Hwy. Woodbridge, VA 22191 Catalogs available. Specify: Business/Utilities, Games, Educational, CP/M Public Domain. Info. Call (703) 491-6502

B&B MICROLABS more for your 641

C64

ECONO-ASSEMBLER

DET DECIMAL-HEX LISTINGS MAKE DEBUGGING EASIER Cassette s14 95 Diskette s19.95

ROM BOMB

PROGRAM THE POPULAR 2700 SERIES EPROMS Assembled and tested \$69.95

CAN OPENER

AND EXAMINE CARTRIDGE FIRMWARE Assembled and tested \$39.95

CAD FLOWCHART

DE DRAW, EDIT, SAVE, PRINT HI-RES FLOWCHARTS Cassette \$24.95 Diskette \$29.95

PRINTER INTERFACE

SCHEMATICS AND FIRMWARE LISTING Complete set of plans \$14.95

We accept VISA, M/C, CHECK, MO, and COD. Add \$2.50 for shipping and handling. Add \$2.00 extra for COD.

B&B MICROLABS

2217 FANCY GAP AUSTIN, TX 78745

I AAAA ISTAR

A monthly disk publication for Commodore 64



In this issue!

LUNAR LANDER

Have you got the "right stuff" to be an astronaut? HOPPER

Bet you can't leave just one (peg, that

COWS & BULLS Not an agricultural

program; it helps to be a MASTERMIND. COLOR LISTER Puts an end to monochrome listings.

DISK SCANNER SECTOR CORRECTOR

FILE SCANNER These three useful programs let you save the day when your diskette goes bad. FRENCH MILITARY

GAME A "board" strategy game (the 64 gets smarter as you play).
SLOT MACHINE

Everyone hates bandits (even if they have only one arm).

BAM MAP 64

Answers Shakespeare's question: What is used and what is not?

BINARY SAVE For those that want to save "RAW" memory to disk

DECISION MAKER This will help, but you still must take responsibility for your

BLIP IS THE BLAP OF BLEEP A random aphorism

generator.
HOW SMART ARE YOU?

This program will not answer the question.

As if all these programs weren't enough...

This issue of LOADSTAR also contains graphics, music, programming hints & tips, plus subscriber bulletins and reviews.

LOADSTAR comes on a double-sided diskette. LOADSTAR is a bonanza of unprotected programs.

LEARN - programming techniques

USE - useful programs **ENJOY** - games and novelties

SHARE - experiences with other Commodore-64 owners

send to: LOADSTAR P.O. Box 30007 Shreveport, LA 71130-0007 (318)868-7247

the state of the s	
Enclosed is	\$9.95 for
number 1 as st	nown above.
NAME	
ADDRESS	
CITY/STATE	ZIP
VISA/MASTERCARD#	EXP

SIMPLE ANSWERS TO COMMON QUESTIONS

Tom R. Halfhill Staff Editor



Each month, COMPUTE!'s GAZETTE tackles some questions commonly asked by new Commodore 64/VIC-20 users and by people shopping for their first home computer.

I'm confused! Your instructions concerning powering up the 1541 disk drive indicate that the computer should be turned on first ["Simple Answers To Common Questions," August 1984]. My VIC-1541 User's Manual (published 1982) at the top of page six says the following: "It is important that you turn on the devices in the correct order. The computer should always be turned on last. As long as the computer is the last one to be turned on, everything will be OK." Which is correct?

We've received a couple of similar letters quoting from that paragraph in the Commodore manual. However, there should be no cause for confusion. In practice, the order in which the computer and disk drive are switched on almost never matters.

This is particularly true of one-drive systems without a printer. Occasionally we've heard of problems when certain printers are part of the daisy chain (the chain of peripherals plugged into each other). Sometimes the computer locks up when such a system is turned on in the wrong order. The Commodore 1526 printer had this problem, but it was temporarily recalled by Commodore because of internal bugs. Most printers cause no difficulties when hooked into the daisy chain.

We've also heard that multi-drive Commodore 64 systems can be sensitive to the power-on sequence. (Of course, keep in mind that any multi-drive system will lock up if the device numbers of the additional disk drives aren't changed; otherwise all the drives will contend for the computer's attention at once.) Interestingly, about a year ago Commodore issued a technical bulletin to dealers recommending the proper way to switch on various Commodore 64 systems. The bulletin stated the exact opposite of what the VIC-1541 User's Manual says—the computer should be turned on first, not last. Here are the power-on sequences that the bulletin recommended for various systems with 1541 disk drives and Commodore printers:

- 1) 64, 1541, 1525E.
- 2) 64, 1541, 1541.
- 64, 1541, 1541 or 1525E (only one or the other may be on).
- 4) 64, 1541, 1541, 1526.


But again, let us repeat: With one-drive systems, in our experience it really makes no difference which device is turned on first.

Why? Partly because of the unique way Commodore handles its Disk Operating System (DOS). Briefly, DOS is a program which allows a computer to interact with a disk drive. Without DOS, a computer and disk drive couldn't communicate. Therefore, all computers hooked up to disk drives require some type of DOS.

Commodore's DOS is permanently stored inside the disk drive on a Read Only Memory (ROM) chip—which is why the 1541 is sometimes called an *intelligent drive*. But with Apple, Atari, IBM, and almost all other systems, DOS is stored as a program file on a floppy disk. DOS must be loaded from this disk into the computer's memory each time the system is turned on. This process is called *booting up*, because in a sense the computer is pulling itself up by its own bootstraps.

For example, with Atari computers you must turn on the disk drive before the computer and wait a few seconds for the drive to initialize, just like a 1541. But next you must insert a disk that contains the DOS program—called a DOS disk or system disk—and only then





Complacency or curiosity?

Move your children away from the passive nature of TV and turn them on to the excitement and fun of interactive learning with Dow Jones News/Retrieval®

You probably thought Dow Jones News/Retrieval only provided business and financial information. Wrong. We've got something of value for the whole family.

With our 20-volume, 30,000 article Academic American Encyclopedia, Dow Jones News/Retrieval will pique your children's curiosity about the world and help them develop new skills. The information they need for school is easy to access, always up-to-date, always ready. And kids love to use it!

There are timely news reports

from Washington, our nation and the world. You also get current schedules and rates from the Official Airline Guide; Comp-U-Store, a convenient shop-at-home service; Cineman Movie Reviews; sports highlights; weather reports and MCI Mail-the new electronic mail service that lets you send letters to anyone, anywhere, even if he or she doesn't own a terminal.

Overall, you'll find a wide variety of high-quality data bases accessible quickly and easily with most per-

sonal computers.

To get your children involved, excited and turned on to the fun of learning, turn them on to Dow Jones News/Retrieval.



Copyright © 1984 Dow Jones & Company, Inc. All Rights Reserved. Dow Jones News/Retrieval[®] is a registered trademark of Dow Jones & Company, Inc.

FOR FULL DETAILS, CALL 800-345-8500, EXT.5

Alaska, Hawaii and foreign, call 1-215-789-7008, Ext. 5

Bought expensive software lately? Brace yourself.

The Intelligent Software package for C-64™, VIC™, and PET/CBM™. \$35 for everything.

No 3-color ads, no shiny packaging, and [sorry] no games; just fifteen powerful, useful programs that will put your Commodore to work right now, in your home or office; all on one disk at a near-unbelievable price. Includes:

Detabase: A complete multi-keyed fixed-record-length data base manager. Sort or select [using all relational operators: =, >, <, AND, OR, NOT, wild card] on any field, perform computations on numeric fields. Any operation can be performed on all, or only selected records. All fields completely user-definable, Screen editing for records. Can be used for any number of tasks, including accounts-receivable, mailing lists, inventory control, expense account maintenance, or as an electronic rolodex. Even if you use your Commodore for nothing else, this program alone might justify its expense.

Word Processor: A full-featured menu-driven word processor, including: very fast file commands (including a disk catalog), screen editing, text locating, and full control over mergins, specing, paging, indentation, and justification (all commands imbedied in text). "... well done and highly functional ... provides an excellent alternative to the high priced word processors ... this is an excellent buy. Highly recommended." ... Midnite Software Gazette. "Provides good basic features." ... Compute's Gazette.

Copycalc: An electronic spreadsheet. Turns your Commodore into a visible belance sheet; includes screen editing. "Excellent program for budgeting, estimating, or any math-oriented use... well worth the money. Highly recommended." — Michite Software Gasette.

Also included: ReportGen (interfaces W/P with Database to create form letters, invoices, mailing labels, other reports): Baseball Statistician (compiles batting statistics for a baseball or softball league of up to 250 players, and generates reports on a player, team, or the entire league, including standings); several W/P utilities, including Index (indexes W/P's text files); several Database utilities, including DBmerge [facilitates multi-file database applications]; also Checkbook; Inventory; Paper route; Loan Analyst; Labeler; more.

Versions of the package are available for any and every Commodore computer having a minimum of 12k RAM; all programs will fully support tape, disk, and printer. Price includes shipping within USA and Canada (enclose \$5 fee for C.O.D.); Calif. residents add 6%. Any two programs on cassette, \$20. This ad is the catalog; you may order documentation for any one program separately for \$2 postpaid (deductible from later order). Available only from:

Intelligent Software Box 3745-G, San Rafael, CA 94912

The Ultimate in Commodore Computer Protection

The Griffinworks Fabric Dust Covers

- Anti-Stat
 Dust and Water Repellent
- Won't trap heat or turn brittle like plastic
- Security beige color will not attract attention

Your Griffinworks computer cover will repel all liquids and allow your components to breathe, thereby eliminating trapped heat and moisture problems possible with vinyl or plastic covers. They are free from harmful static electricity and will not discolor over time like plastic or vinyl covers. When you are not using the cover just roll it up and set it aside. No bulky hard covers to take up valuable work space. And best of all, The Griffinworks dust covers are more efficient and less expensive than most other brands on the market.

CHECK SELECTION: Qty. Amt. CMD-64 or VIC-20 -----\$6.00 Datasette----\$4.50 1541 Disk Drive -----\$5.00 1701 or 1702 Monitor ----- \$9.95 Total Name Make check payable to: Address The Griffinworks P. O. Box 408 City Lanett, AL 36863 State Please allow 3 weeks for delivery. Zip Code

switch on the computer. The first thing the computer does when it "wakes up" is load the DOS program into memory. Then it's ready. The procedure for booting up an Apple or IBM system is very similar, except you don't have to switch on the disk drive first because it's powered by the computer.

There are three main advantages to Commodore's method of storing DOS on a ROM chip inside the disk drive instead of loading it off disk. First, you don't have to wait around for the system to boot up. You just switch it on and it's ready to go. Second, you don't have to fool around with system disks. Because DOS can take up a fair amount of space on a disk, many people leave it off most of their disks to make more room for other files. But then they have to shuffle through piles of disks to find a system disk whenever they have to boot up. And third, loading DOS into the computer consumes valuable Random Access Memory (RAM). This can amount to about 10K on an Apple, 5-11K on an Atari, and 24K on an IBM PC/PCjr. Naturally, this leaves less room for your other programs.

As usual, though, there are tradeoffs. Permanently storing DOS on a ROM chip has some disadvantages. The main drawback is that the manufacturer can't revise DOS without making a new ROM chip. Let's say a serious bug is discovered in Commodore DOS. To fix it, Commodore would have to halt production on the old ROM chips, modify the DOS program, burn a new master chip, start production on the revised ROMs, and finally substitute them for the old ROMs on the assembly line. Not only would this take weeks and cost thousands of dollars, it could also trigger a supply shortage while the drives were out of production, resulting in lost revenue and unhappy customers. Besides that, people who already bought a disk drive would still be stuck with the faulty version of DOS. To fix it, they'd have to get the revised ROM chip, take apart the disk drive, pry out the old ROM, and replace it with the new one. Consequently, bugs which crop up in Commodore DOS usually go uncorrected—at least until the next model disk drive is introduced.

When DOS is stored on disk, the process is a little easier. The manufacturer simply revises the DOS program, prepares a fresh master disk, and saves the new DOS onto all system disks duplicated from that day onward. Updates and improvements to DOS can be made just as easily. To avoid confusion, the revision number of DOS is advanced a notch.

Following my review of Simon's BASIC in this column, several readers responded. Not all agreed with some of my points. I stated that some of the commands are a little unnecessary, such as CENTRE A\$ instead of PRINT TAB(19-LEN(A\$)/2);A\$. Many readers are glad to have these extra commands. For example, LEFT and RIGHT, which scroll the screen left and right, seem pretty specialized, useful only for screen scrolling, but some readers have used these commands in new, ingenious ways. Some folks even convert BASIC programs from the GAZETTE into Simon's BASIC for speed and special effects.

However, some readers also lament that they cannot share their Simon's BASIC programs with friends who lack the cartridge. Unfortunately, it's unavoidable. With enough machine language, though, you can convert a Simon's BASIC program into a BASIC program everyone can use. We prefer this approach, since it makes the program available to the widest possible audience. There is still no indication that there are enough owners of Simon's BASIC to justify the publishing of programs in Simon's BASIC—programs that would be useless to the majority of our readers. This may change, though, so we'll

keep you posted.

It turns out that some versions of Simon's BASIC do not work on some models of the 64. Reader John Walker bought Simon's BASIC and found that it would not run on his machine, but worked fine on a friend's. He went to a local computer store and was told to PRINT PEEK(65408). This returns a number that you can use to distinguish between the various 64 Kernal ROM versions. He was told if PEEK(65408) returns a 0 or a 3, then Simon's BASIC will work on your machine, but a 170 is bad news for Simon's BASIC enthusiasts. Mr. Walker wrote Commodore and received a new Simon's BASIC cartridge that works fine on his computer. Commodore itself said that the problem is in the cartridge, not which version of the 64 you own. And Commodore seems to have fixed the problem.

Kernal Knowledge

We called Commodore and found that there are at least three versions of the Commodore operating system, a.k.a. the Kernal. The third and latest version has been around since the beginning of 1984. The SX-64 has a fourth, somewhat more radically changed, Kernal ROM. The genealogy of the 64 Kernal ROM is covered in detail in "Commodore 64 ROM Generations," by Jim Butterfield, in the July 1984 issue of COMPUTE!. We'll paraphrase some of it here for those of you who missed that issue. The differences between ROM versions are minor. In revision one, color memory is always filled with white when you clear the screen. Revision two fills color memory with the current background color. What this means is that if you POKE to screen memory without also POKEing a color byte (for example, press RUN/STOP-RESTORE and then POKE 1024,1), you will see a white character on revision one, but on version two the character is invisible. This was an attempt to cosmetically eliminate the sparkle problem, which plagued the earlier machines.

On the SX-64 portable, when the screen is cleared, color memory is filled to the current cursor color, found at location 646. Programs which do not explicitly set color memory, or take advantage of the effect upon screen memory when you clear the screen, can give strange effects when running on a different version of ROM. It doesn't make sense to count on certain undocumented side effects resulting from Kernal calls, since there is no guarantee that these side effects will be preserved on future ROM generations.

The other significant change is that when you load a program from tape on a revision one 64, the computer waits forever after displaying "FOUND program name" until you press a key. The screen blanks, then the load proceeds. On revision two, the 64 waits a few seconds for you to read what it has found, then it goes ahead and loads the program.

When Commodore first marketed the 64, there were separate ROMs for the U.S. and European markets. In the United States, the NTSC standard is used for television broadcasts. Since the RF modulator in your 64 is essentially a tiny television station, the 64 has to conform to the local television standard.

A Universal Operating System

The European television standard, called PAL, has 625 television scan lines, versus 525 for NTSC. This results in a better quality picture. A NTSC screen has a 60 Hz rate (60 frames a second), while PAL uses a 50 Hz rate. Since the computer has to synchronize itself with the television display, the clock crystal runs at a different speed on European 64s than it does on U.S. models. The ROMs must also synchronize themselves with the proper speed, so that the software-supported RS-232 interface will run at the proper baud rate.

Instead of producing separate ROM sets, Commodore programmed a "universal" Kernal that determines which TV standard the hardware conforms to. A raster scan is set to interrupt on scan line 622. Since there is no scan line 622 on U.S. televisions, the interrupt doesn't happen, and the 64 assumes the NTSC standard. The ROMs then make the necessary software adjustments. Jim Butterfield warns that you can't count on the raster register to hold a zero value, since

on this ROM it has already been used.

The various Kernal ROMs can cause some programs to be incompatible with other 64s, but it is easy to write a program that is ROM independent. To paraphrase the Commodore representative we talked to, "We don't like to emphasize the differences between Kernal ROMs. You get users who can't format a disk and then blame it on which Kernal they have." The point is well taken. As a programmer, many times I've wanted to blame the hardware for a bug in my program, but sooner or later, I find my mistake. Blaming the hardware should always be the last resort. Too many people have returned portable radios for repair when the batteries have been in stalled incorrectly.

Problems With CP/M, Too

With that in mind, there does seem to be a hard-ware-related problem with both Simon's BASIC and the Commodore CP/M cartridge. A large New York users group, which has "undertaken the mammoth project" of converting the best public-domain CP/M software to 1541 format, has suggested that CP/M will not work on some newer model 64s. They are requesting feedback from CP/M owners to help identify the problem.

If you want to aid them, they need to know: Do you have a working 64 CP/M system? If not, describe the problem. What number does PEEK(65408) return? What is your 64's serial number? Are the back slots silver or copper? If you want further information on their CP/M project, or wish to aid them in identifying the CP/M problem, write to:

NYC VIC-20/C64 User Group (CP/M SIG) c/o NYACC P.O. Box 106 Church Street Station New York, NY 10008

Reader/contributor Art Hunkins has reported that the sound quality in the most recent 64s is much improved. For example, the release part of the sound envelope now cuts off cleanly, without an annoying sound residue. Volume changes are smoother. Commodore explains it in terms of manufacturing. The SID chip, a Very Large Scale Integrated Chip (VLSI), has a much higher circuit density than LSI chips such as the 6502. After a SID chip is produced, it is tested and graded for quality. When the SID chip was high in demand and low in availability, the tolerance for error was raised, letting more marginal chips squeak through. Now that the SID chip is cheap and plentiful, Commodore can afford to be more picky, and only the cream of the crop get into production 64s. Naturally, the sound quality is better.

Commodore 64 video quality is also at an all-time high. Sparkle is just a bad memory. Sprites are clean and sharp, and colors are bright. There is still RF interference on some televisions, but color smearing on ordinary TVs is much less of a problem.

Pascal For The 64

From the people who developed the PETSpeed BASIC compiler comes *Oxford Pascal*. PETSpeed was (and is) extremely impressive. It can compile any BASIC program, and fully supports integer math. PETSpeed is truly fast, one of the few optimizing compilers available on 6502 systems. We haven't seen the 64 version of PETSpeed, but have worked with the PET version. As might be expected, *Oxford Pascal* is an equally professional product.

It's not easy to implement a powerful Pascal system on a microcomputer, but Oxford Pascal is a good, usable language. When I first encountered Pascal, I was suspicious. Pascal, with its indented statements and mandatory semicolons, smacked of rigidity. It seemed to be a language that was not intended for programming, but for teaching programming.

But Pascal does not enforce "pretty printing"

or flowcharting. In fact, Pascal is very similar to BASIC in many ways. It has excellent control structures, which give a programmer more, not less, flexibility when programming. I've always agreed that GOTO 100 was fairly meaningless unless you looked at line 100. With Pascal, you never need to use GOTO. It's not so much that GOTO is illegal—it's available even in a structured language like Pascal, but with so many luxurious features like IF..THEN..ELSE, REPEAT..UNTIL, WHILE, and CASE, you truly never want to use GOTO again.

Pascal programs are inherently easy to read, thanks in part to these control structures. Which one of these examples do you prefer?

BASIC: FOR I=100 TO 1 STEP-1:PRINT I:NEXT Pascal: FOR I:=100 DOWNTO 1 DO WRITELN (I);

Modulation

Another powerful feature of Pascal is that you can write programs in modules. (By the way, modular programming and structured programming are not necessarily the same thing.) Each module is a procedure, which you call by name, rather than the cryptic GOSUB 5128. You can pass values as parameters to these procedures, rather than using variables. Variables within a procedure can be local. A local variable within a procedure can have the same name as a variable in the main program, or in another procedure, but there is no debugging nightmare of renaming variables used in two different parts of the program.

Procedures also make designing a large program easier. Instead of trying to write and debug a huge, continuous program, Pascal lets you write and test modules separately, then bring them together to form a program.

Compiling Vs. Interpreting

Unlike BASIC, which is interpreted line-by-line as it is executed, a Pascal program must be compiled into machine language or pseudo-code (a high speed interpreted "virtual" machine language) before you can run it. When BASIC is running a program, it looks at each character or command, interpreting, checking for errors, and making decisions all along the way. With a compiler, some of these decisions (such as how much memory to reserve for an array, or the actual address where a GOTO should jump to) are solved during the compilation process. A compiler also translates the program into a faster, simpler, more efficient language (called P-code in most versions of Pascal), which is then executed by a high-speed interpreter. A native code compiler translates your program directly into machine

language. This machine language program can then be loaded and run just like any machine language program. The difference in speed can be phenomenal.

Since Pascal is designed to be easy to compile, unlike BASIC, there are some concessions you must make for the sake of fast, efficient compilation. Every time you want to use a variable, you must declare its name and type (e.g., integer, floating point, character). The end of a line is not a statement terminator, since you can carry some statements across many program lines. So even if you only have one statement on a line, you must separate it from the next line by putting a semicolon at the end of the statement. Semicolons are the most confusing part of Pascal. I wish someone would write a compiler clever enough to obviate them.

BASIC was designed to be easy to learn and accessible to the masses (that's me and you). Pascal seems to have been designed by programmers for programmers. Because it lends itself to structured programming, it has become ideal for teaching programming. A teacher can find it hard to grade dozens of wildly different BASIC programs. Pascal is sometimes blamed for encouraging conformity, but this is really a product of the educational programming environment. As it turns out, large companies which hire Pascal programmers out of college also prefer programmers who write neat, well-documented, structured programs.

But we aren't programming for IBM, are we? Why would you want to program with Pascal on a microcomputer? One good reason is if you are taking Pascal in school. If you have a powerful microcomputer Pascal, you can write and debug your programs at home, instead of having to wait for a terminal on the university's huge timesharing system. But most persuasive of all is that the microcomputer environment lets Pascal be more interactive than it is on these behemoth machines.

For example, it always seemed cumbersome to write a Pascal program with a line editor, save it, compile it, link it, then run it. BASIC is so much easier—just type RUN. Well, Oxford Pascal lets you do the same thing. No more write-compile-link-execute. Just type RUN, and your program in memory is quickly compiled and run. Oxford Pascal makes Pascal as "friendly" as BASIC in this regard. Another bonus from compiling, aside from the higher speed you get from an interpreter, is that some programming errors will be detected before the program is executed, saving you hours of debugging a flawed program.

In this interactive mode, Oxford Pascal does

not have the memory to fully support all the advanced features of Pascal, but it has a separate disk-based compiler that supports every Pascal feature you could ask for. Only the speed and memory of a microcomputer limit what Oxford Pascal can do.

Since Pascal is compiled, I expected it to run extremely fast. However, although Oxford Pascal is zippy, it's not as fast as some BASIC compilers I've used. Pascal is a higher level language than BASIC, though, so you sacrifice some speed for

programming power.


The Oxford Pascal manual is short and tutorial. It isn't sufficient to learn Pascal with, but is a good place to start, and serves as a reference while you're learning. There are some errors in the text and example programs, but not enough to invalidate the manual. An errata sheet clears things up. BASIC is not the end-all of programming languages, and if programming turns you on, you owe it to yourself to find a language you really feel comfortable with. I still prefer machine language for the kind of programming I do, but there's a valid need for Pascal on microcomputers. Oxford Computer Systems (Software) Ltd. Hensington Road, Woodstock Oxford OX7 1 IR England Distributed in the U.S by: Limbic Systems, Inc. 560 San Antonio Road Suite 202 Palo Alto, CA 94306 \$49.95 (disk)

At press time, we learned that Commodore announced a discontinuation of the MCS-801 color dot-matrix printer, which was covered in this column last month. It appears that dealers never received it.

COMPUTE!'s Gazette

Toll Free Subscription Order Line

800-334-0868 In NC 919-275-9809



These incredibly efficient and highly personalized fitness programs using the latest in U.S. and Soviet training techniques are now available for your home computer.

BEGINNER OR TRAINED ATHLETE-YOU'LL BENEFIT!

- · Calculates an optimal individualized exercise program for up to 255 users
- Calculates body fat percentage
- No daily workout repeated in a 90 day cycle. 132 different exercises-w/wa exercise equipt
- · Graphs progress for each user

For more details about this home computer break-through ask your software dealer or send for brochure



Syntonic Corp., 543 South Fourth West, Missoula, MT 59801

C-64 and VIC-20 are trademarks of Commodore Business Machin



SEND YOUR FRIENDS THE LATEST IN COMPUTERIZED GREETINGS

- For The Commodore-64
- **Fully Personalized For Your** Family Or Business Use
- Ten Christmas Carols, Each With Its Own Full-Color Bit-Mapped Graphic Scene.

Master Disc -

\$24.95

Ten Blank Discs (With Mailers) -

\$29.95

California residents add 6% for sales tax.)

Be sure to include all needed personalization information, such as family member's names.

ORION ENTERPRISES

10221 Slater Ave., Suite # 103 Fountain Valley, CA 92708

CARTRIDGE CRACKER™

ECA BACKUPTM AND SUPER SAVERTM

PACKAGE INCLUDES:

- 1. EXPANSION BOARD
- 2. CARTRIDGE CRACKERTM SOFTWARE TO BACKUP MOST CARTRIDGES
- 3. ECA BACKUPTM SOFTWARE TO BACKUP ELECTRONIC ARTSTM DISKS
- 4. SUPER SAVERTM SOFTWARE FOR FILE COPYING AND DISK TO TAPE COPYING.
- 5. USERS MANUAL

FOR ARCHIVAL USE ONLY. IT IS ILLEGAL TO SELL OR DISTRIBUTE COPYRIGHTED SOFTWARE

FOR COMMODORE 64

\$44.95

+ SHIPPING



VISA AND MASTERCARD ACCEPTED

3417 ROGER B. CHAFFEE BLVD **GRAND RAPIDS, MI 49508** (616) 245-5061

ADD \$3.00 SHIPPING + HANDLING MI. RESIDENTS ADD 4% SALES TAX Dan Carmichael, Assistant Editor

Simulating Hi-Res Animation Part 2

Last month we reviewed the basics of creating custom characters. This month we'll show you how to simulate high-resolution animation using them.

When using custom characters to animate in the normal fashion, action can be jumpy. This is because characters are usually moved one screen position, eight pixels, at a time. To illustrate this, enter and RUN the program below. You'll see a vertical bar (a custom character) move across the screen. (Note: All programming examples in this article should be used with an unexpanded VIC.)

5 PRINT" {CLR} PLEASE WAIT...":A=7168:B=76
79:S=7680:C=38400:CE=38911:SE=8191
:rem 117
10 FORX=ATOB:POKEX,0:NEXT:FORX=CTOCE:POKE
X,6:NEXT :rem 89
20 READB:IFB=999THEN50 :rem 71
30 POKEA,B:A=A+1:GOTO20 :rem 107

30 POKEA, B: A=A+1:GOTO20 :rem 107
50 POKE36869,255 :rem 108
70 POKES, Ø: FORA=STOSE: POKEA, Ø: POKEA-1,32:
FORT=1TO50:NEXTT:NEXTA :rem 131
100 POKE36869,240 :rem 146
63010 DATA128,128,128,128,128,128,128,128,128

63090 DATA 999

:rem 199

The secret of smooth animation is to move the character one row of pixels at a time. To see how this is done, enter and RUN this program, which moves the same vertical bar across the screen, but with one pixel increments. Notice how much smoother the animation is.

5 PRINT" [CLR] PLEASE WAIT...": A=7168:B=76 79:S=7680:C=38400:CE=38911:SE=8191


:rem 117 10 FORX=ATOB: POKEX, 0: NEXT: FORX=CTOCE: POKE X,6:NEXT 20 READB: IFB=999THEN50 :rem 71 3Ø POKEA, B: A=A+1:GOTO2Ø :rem 107 5Ø POKE36869,255 :rem 108 200 PRINT" [HOME] [11 SPACES]" :rem 118 210 FORA=STOSE:FORB=0TO7:POKEA, B:FORT=1TO 10:NEXTT:NEXTB:POKEA, 32:NEXTA:rem 172 500 POKE36869,240 :rem 150 1000 DATA128,128,128,128,128,128,128,128 :rem 231 2000 DATA64,64,064,064,064,064,064,064 :rem 128 2010 DATA32,32,032,032,032,032,032,032 :rem 89 2030 DATA16,16,016,016,016,016,016,016 :rem 107


Figure 1


Figure 2

:rem 32

Figure 3







The vertical bar has been shifted to the right in each character. Shaded areas indicate pixels that are turned on.

Figure 4





Figure 5



In Figure 4, the arrow starts the animation cycle.

In Figure 5, the arrow has been shifted one row of pixels to the right.

Shifting Custom Characters

To simulate smooth animation, you need to design more than one custom character. Each one will have to be shifted one row of pixels within its 8 × 8 grid. As an example, take a look at Figures 1–3. These are three of the eight custom characters necessary to smoothly animate the vertical bar. Notice how the vertical bar has been shifted one row of pixels to the right in each successive character. This shifting continues through all eight characters, with the eighth character having the vertical bar all the way to the right.


In the case of the vertical bar, animation is done by POKEing the first eight characters to the same screen position in succession. As each character is POKEd to the screen, it appears that the vertical bar is shifting one row of pixels to the right. To move the vertical bar to the next screen position, a repeat of the first custom character is POKEd to the next successive space on the screen, and a blank space is POKEd to the previous one. This process is repeated, moving the vertical bar across the screen.

Animating Large Custom Characters

Animating the vertical bar is easy because of the size (width) of the character. One complete cycle (eight POKEs) of animation could be done within the confines of one screen position. Only eight custom characters had to be designed to perform the animation.

But what do you do if the characters are bigger and can't be moved a complete animation cycle within one screen position? Two screen positions must be used, and as many as 16 custom characters have to be designed for the animation


Figure 6 Figure 7



The arrow has been shifted one more row to the right and onto the next grid.



Figure 9



The animation cycle continues as the arrow moves even further into the adjacent grid.

effect. Enter and RUN this program, which will move an arrow smoothly across the screen.

```
10 PRINT" (CLR) PLEASE WAIT...":B=7168:S=7
   68Ø:SE=8191:Z=999:M=7168:N=7679 :rem 6
12 C=384ØØ:CE=38911
                                   :rem 231
15 FORA=MTON:POKEA,Ø:NEXT:FORX=CTOCE:POKE
   X,6:NEXT
20 READX: IFX=ZTHEN50
                                    :rem 34
30 POKEB, X:B=B+1:GOTO20
                                   :rem 132
50 POKE36869,255:PRINT"[HOME][12 SPACES]"
                                   :rem 138
60 POKES, 0: POKES, 1
                                    :rem 93
   FORA=2TO13STEP2:POKES,A:POKES+1,A+1:NE
   XT
                                   :rem 246
  POKES, 32:S=S+1:IFS=>8191THENPOKE36869,
   240 : END
                                   :rem 159
90 GOTO60
                                     :rem 8
63000 DATA0,008,012,254,254,012,008,000
                                   :rem 147
63001 DATA0,004,006,127,127,006,004,000
                                   :rem 144
63002 DATA0,002,003,063,063,003,002,000
                                   :rem 133
63003 DATA0,000,000,128,128,000,000,000
                                   :rem 128
63004 DATA0,001,001,031,031,001,001,000
                                   :rem 119
63005 DATA0,000,128,192,192,128,000,000
                                   :rem 154
63006 DATA0,000,000,015,015,000,000,000
                                   :rem 121
63007 DATA0,128,192,224,224,192,128,000
                                   :rem 172
63008 DATA0,000,000,007,007,000,000,000
                                   :rem 125
63009 DATA0,064,096,240,240,096,064,000
                                   :rem 174
63010 DATA0,000,000,003,003,000,000,000
                                   :rem 110
63011 DATA0,032,048,248,248,048,032,000
                                   :rem 167
63012 DATA0,000,000,001,001,000,000,000
                                   :rem 108
63013 DATA0,016,024,252,252,024,016,000
                                  :rem 151
63020 DATA 999
                                  :rem 192
```

The arrow is seven pixels wide. Because of this width, animation is accomplished by moving the arrow from one custom character grid to the next. See Figures 4–9.

In Figure 4, the arrow is contained within one custom character grid. In Figure 5, it's still within one grid, but, as with the vertical bar, it's been shifted one row to the right. Figures 6 and 7 depict two different custom characters side-by-side. As you can see, the arrow is again shifted one pixel row to the right. However, to do this we've moved it onto the next custom character grid. Figures 8 and 9 continue the process, with the arrow being shifted one more row to the right, further onto the next grid. This process continues until the arrow is completely within the grid on the right, and the cycle begins again.

As you can see, moving the arrow one pixel at a time necessitates moving part of it into the next screen position. In some cases, as many as two custom characters may be needed to create one arrow. Your custom characters will have to be designed with this in mind, and in some cases one character will have to be designed using two grids simultaneously. And if you want to move a character smoothly up, down, left, and right, you may need to combine four different custom characters.

Speed and Fine Animation

One drawback to simulating hi-res animation is speed. Because so many custom characters are involved, animation is sometimes sluggish. There are ways, however, to speed up the movement. One thing you can do is PRINT the custom characters, rather than POKEing them to screen memory. Printing is usually faster (you'll have to remember which characters you redefined if you use this method). Or try moving the characters two rows of pixels at a time instead of one. This will not only increase the speed, but will also reduce the number of custom characters needed, and the amount of memory used.

HINTS&TIPS

Recovering Scratched Programs

Daryl Biberdorf

If you've discovered a clever timesaving technique or a brief but effective programming shortcut, send it to "Hints & Tips," c/o COMPUTE's GAZETTE. If we use it, we'll pay you \$35. Due to the volume of items submitted, we regret that we cannot always reply individually to submissions.

Perhaps you loaded a program you've been working on, made a few changes, and decided to save it. But first you got the disk directory (LOAD "\$",8) and scratched the old version (OPEN 15,8,15, "S0:oldname": CLOSE15). Then it hits you. The newest version of the program has been destroyed, overwritten by the directory. And you don't have the older version, you just scratched it.

What do you do when you've scratched the only copy of a program you were working on?

There are utility programs which allow you to go in and restore or unscratch a scratched program. Even if you have such a program, you might want to try something faster and easier.

Loading A Scratched Program

When you scratch an important program, don't turn off your computer or disk drive. Try this technique for rescuing your program.

First, check the directory: LOAD "\$",8 followed by LIST. If you used the wrong

filename or incorrectly opened the command channel, your program may still be there. But chances are, you did not make a mistake. The file is gone.

Now type LOAD "*",8 and LIST. You should see the program you thought you just scratched. Before you do anything else, save the program.

This trick may not always work, depending on what you did before and after scratching the file. Your disk drive has a built-in microprocessor which performs the usual functions of loading, saving, and updating the directory. But it also remembers which program was the last to be accessed. When you enter LOAD "*",8 the computer looks for the previous program. It can even find a program which was just scratched, if it was the last program to be saved or loaded.

Scratching a file does not really erase it. It simply removes the program name from the directory and frees up some space on the disk for future SAVEs. If you scratch a file you just saved or loaded, it's still there and can be rescued with the asterisk. But if you've done something with another file, it becomes the previous program and this method will not work.

If you accidentally scratch a machine language file you were working on, you can recover it with LOAD "*",8,1 but to save it requires an ML monitor (and you have to know the starting and ending addresses).

NEWS& PRODUCTS

Dot Matrix Thermal Printer

The HUSH 80, an 80-column, 80 cps dot matrix thermal printer that retails for \$159.99, has been introduced by Ergo Systems, Inc.

The HUSH 80 comes with interface and cable, and features bidirectional printing. Graphics are printed at 4,800 dots per

square inch.

Three models are available, each of which can be equipped with a built-in rechargeable battery pack. The HUSH 80P version has a Centronics parallel interface, while the HUSH 80S provides a serial RS-232 interface.

The printer weighs 28 ounces, and measures 1.63 × 5.5 × 2.8 inches. The unit was manufactured to fit within a standard briefcase. The print line can be set for double size characters at 40 per line, or half-size characters at 160 per line. Line spacing can be programmed to 4.5, 6, or 9 lines to the inch.

All HUSH 80 models typically include the interface, interface cable, 100-foot roll of thermal paper, and a nine-volt AC wall transformer with power cable.

Ergo Systems, Inc. 1360 Willow Road Menlo Park, CA 94025 (415) 322-3746



The HUSH 80, a bidirectional dot matrix thermal printer from Ergo Systems, Inc., retails for \$159.99.

VIC, 64 Graphics Tablet

Personal Peripherals, Inc. has introduced Super Sketch, a graphics tablet for use with the VIC-20 and Commodore 64. Software that expands the capabilities of the tablets is also available.

Sketch-Master, the VIC version, allows the user to create simple line art with a number of computer automated graphics capabilities. Graphics-Master,

for the 64, provides all Sketch-Master features, plus a number of advanced capabilities and more sophisticated menu selections.

Included with each version of Super Sketch is a software cartridge and a starter kit of drawings that can be traced from the pad.

Suggested retail price for each version is \$59.95.

Personal Peripherals, Inc. Merrick Park 930 North Beltline Road Suite 120 Irving, TX 75061 (214) 790-1440

Terminal Software For 64

Madison Computer has introduced *McTerm 64*, a terminal program for the Commodore 64.

Features include an onscreen clock, word wrap, greater than 24K buffer, and auto linefeed options. Baud rate can be set at either 300 or 1,200. The program can be preset to send files at a later time.

Depending on the type of modem used, *McTerm 64* can store and dial up to ten phone numbers, and can automatically answer the phone.

McTerm 64, available on disk, retails for \$49.95.

Madison Computer 1825 Monroe Madison, WI 53711 (608) 255-5552

Games, Education, Home Applications Software For C-64, VIC-20

PandaSoft has announced a number of game, educational, and home applications software for the Commodore 64 and VIC-20.

Disk games for the 64 include: Pro Golf Challenge (\$25.95), a golf graphics game; Legend of Starship Terra (\$14.95), a futuristic adventure; and Revenge of the Phoenix/Time Storm (\$19.95), a graphics arcade and logic program.

Under educational titles, PandaSoft offers USA Math Star (\$19.95), which teaches addition, subtraction, multiplication, and division; History 1 & 2 and Authors (\$12.95 each), two quiz games; Weights 2 in 1 (\$9.98), which teaches both metric and English weights; and Missing Letter (\$9.98), a word and letter quiz.

Kilowatt Miser (\$9.98), an energy saving utility program, The Budgeter (\$19.95), a budget program, and M.D.B. (\$39.95), a master data base, are also offered.

Many of the programs are also available for the VIC-20, including *Kilowatt Miser* (\$9.95 disk, \$5.95 cassette). *General Catalog* (\$9.95 disk, \$5.95 cassette), a data base, is also available for the VIC.

PandaSoft Computer Software 2732 Rozzelle Ferry Road P.O. Box 7647 Charlotte, NC 28217 (704) 394-8796

64 Printer Interface

Turboprint/GT, a graphic and text serial-to-parallel printer interface for the 64 has been introduced by Telesys.

The interface prints enhanced Commodore graphics, including reverse characters, and has a line buffer which doubles text printing speed on printers without on-board memory.

An optional Turboprint/ B16 or B32 plug-in printer buffer is also available.

Retail price for the interface is \$99.95. The 16K buffer retails for \$99.95, the 32K buffer for \$129.95.

Telesys 43334 Bryant Street Fremont, CA 94539 (415) 651-2970 (800) 252-4733

VIC, 64 Weather Forecasting

Viasala Inc. has introduced *HAWS*, a software package that helps VIC-20 and Commodore 64 owners forecast the weather.

The HAWS (Home Automatic Weather Station) package includes weather sensors, plus a software program on either cassette or disk.

The weather sensor comes with a cable which plugs into the user port of the VIC or 64.

HAWS can collect data, graphically display weather trends, and output collected data to standard printers. The data gathered by the HAWS sensor can also be used within user-written programs.

HAWS retails for \$199.95.

Viasala Inc. 2 Tower Office Park Woburn, MA 01801 (617) 933-4500

COMPUTE!'s GAZETTE welcomes announcements of new products for VIC-20 and Commodore 64 computers, especially products aimed at beginning to intermediate users. Please send press releases and photos well in advance to: Tony Roberts, Assistant Managing Editor, COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

New product releases are selected from submissions for reasons of timeliness, available space, and general interest to our readers. We regret that we are unable to select all new product submissions for publication. Readers should be aware that we present here some edited version of material submitted by vendors and are unable to vouch for its accuracy at time of publication.

A Beginner's Guide To Typing In Programs

What Is A Program?

A computer cannot perform any task by itself. Like a car without gas, a computer has potential, but without a program, it isn't going anywhere. Most of the programs published in COMPUTE!'s GAZETTE for Commodore are written in a computer language called BASIC. BASIC is easy to learn and is built into all VIC-20s and Commodore 64s.

BASIC Programs

Each month, COMPUTEI'S GAZETTE for Commodore publishes programs for both the VIC and 64. To start out, type in only programs written for your machine, e.g., "VIC Version" if you have a VIC-20. Later, when you gain experience with your computer's BASIC, you can try typing in and converting certain programs from another computer to yours.

Computers can be picky. Unlike the English language, which is full of ambiguities, BASIC usually has only one "right way" of stating something. Every letter, character, or number is significant. A common mistake is substituting a letter such as O for the numeral 0, a lowercase I for the numeral 1, or an uppercase B for the numeral 8. Also, you must enter all punctuation such as colons and commas just as they appear in the magazine. Spacing can be important. To be safe, type in the listings *exactly* as they appear.

Braces And Special Characters

The exception to this typing rule is when you see the braces, such as "{DOWN}". Anything within a set of braces is a special character or characters that cannot easily be listed on a printer. When you come across such a special statement, refer to "How To Type In COMPUTE!'s GAZETTE Programs."

About DATA Statements

Some programs contain a section or sections of DATA statements. These lines provide information needed by the program. Some DATA statements contain actual programs (called machine language); others contain graphics codes. These lines are especially sensitive to errors.

If a single number in any one DATA statement is mistyped, your machine could "lock up," or "crash." The keyboard and STOP key may seem "dead," and the screen may go blank. Don't panic – no damage is done. To regain control, you have

to turn off your computer, then turn it back on. This will erase whatever program was in memory, so always SAVE a copy of your program before you RUN it. If your computer crashes, you can LOAD the program and look for your mistake.

Sometimes a mistyped DATA statement will cause an error message when the program is RUN. The error message may refer to the program line that READs the data. The error is still in the DATA statements, though.

Get To Know Your Machine

You should familiarize yourself with your computer before attempting to type in a program. Learn the statements you use to store and retrieve programs from tape or disk. You'll want to save a copy of your program, so that you won't have to type it in every time you want to use it. Learn to use your machine's editing functions. How do you change a line if you made a mistake? You can always retype the line, but you at least need to know how to backspace. Do you know how to enter inverse video, lowercase, and control characters? It's all explained in your computer's manuals.

A Quick Review

- Type in the program a line at a time, in order.
 Press RETURN at the end of each line. Use back-space or the back arrow to correct mistakes.
- 2. Check the line you've typed against the line in the magazine. You can check the entire program again if you get an error when you RUN the program.
- 3. Make sure you've entered statements in braces as the appropriate control key (see "How To Type COMPUTE!'s GAZETTE Programs" elsewhere in the magazine).

We regret that we are not able to respond to individual inquiries about programs, products, or services appearing in COMPUTE!'s GAZETTE for Commodore due to increasing publication activity. On those infrequent occasions when a published program contains a typo, the correction will appear in the magazine, usually within eight weeks. If you have specific questions about items or programs which you've seen in COMPUTE!'s GAZETTE for Commodore, please send them to Gazette Feedback, P.O. Box 5406, Greensboro, NC 27403.

How To Type In COMPUTE!'s GAZETTE Programs

Many of the programs which are listed in COM-PUTEI's GAZETTE contain special control characters (cursor control, color keys, inverse video, etc.). To make it easy to know exactly what to type when entering one of these programs into your computer, we have established the following listing conventions.

Generally, any VIC-20 or Commodore 64 program listings will contain words within braces which spell out any special characters: {DOWN} would mean to press the cursor down key. {5 SPACES} would mean to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing the other key), the key would be underlined in our listings. For example, 5 would mean to type the 5 key while holding the shift key. This would appear on your screen as a "heart" symbol. If you find an underlined key enclosed in braces (e.g., {10 N }), you should type the key as many times as indicated (in our example, you would enter ten shifted N's).

If a key is enclosed in special brackets, [*], you should hold down the Commodore key while pressing the key inside the special brackets. (The Commodore key is the key in the lower left corner of the keyboard.) Again, if the key is preceded by a number, you should press the key as many times as necessary.

Rarely, you'll see a solitary letter of the alphabet enclosed in braces. These characters can be entered on the Commodore 64 by holding down the CTRL key while typing the letter in the braces. For example, {A} would indicate that you should press CTRL-A. You should never have to enter such a character on the VIC-20, but if you do, you would have to leave the quote mode (press RETURN and cursor back up to the position where the control character should go), press CTRL-9 (RVS ON), the letter in braces, and then CTRL-0 (RVS OFF).

About the *quote mode*: You know that you can move the cursor around the screen with the CRSR keys. Sometimes a programmer will want to move the cursor under program control. That's why you see all the {LEFT}'s, {HOME}'s, and {BLU}'s in our programs. The only way the computer can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote (the double quote, SHIFT-2), you are in the quote mode. If you type something and then try to change it by moving the cursor left, you'll only get a bunch of reverse-video lines. These are the symbols for cursor left. The only editing key that isn't programmable is the DEL key; you can still use DEL to back up and edit the line. Once you type another quote, you are out of quote mode.

You also go into quote mode when you IN-SerT spaces into a line. In any case, the easiest way to get out of quote mode is to just press RE-TURN. You'll then be out of quote mode and you can cursor up to the mistyped line and fix it.

Use the following table when entering cursor and color control keys:

When You F	Read: Press:	See	: When You	Read: Press:	See: When	You Read: Press:	See:
(CLR)	SHIFT CL	R/HOME	[CYN]	CTRL 4	872	(c) 1	**
[HOME]	CL	R/HOME	(PUR)	CTRL 5	E83	© 8	
(up)	SHIFT	CRSR 1	(GRN)	CTRL 6	- (F1)	n	
{DOWN}	1	CRSR 🚺	{BLU}	CTRL 7	₹ {F2}	SHIFT	
{LEFT}	SHIFT	CRSR -	[YEL]	CTRL 8	[F3]		
(RIGHT)		CRSR -	813	<u>C</u> 1	∰ {F4}	SHIFT	
{RVS}	CTRL	9	E23	C 2	{F5}	f5	
(off)	CTRL	0	E39	CE 5	(F6)	SHIFT 15	
{BLK}	CTRL		849	C: 4	[F7]	, r	
(whr)	CTRL	2		C ² 5	[F8]	SHIFT 67	
IREDI	CTRL	3	R63	C 6			

The Automatic Proofreader

"The Automatic Proofreader" will help you type in program listings from COMPUTE!'s Gazette without typing mistakes. It is a short error-checking program that hides itself in memory. When activated, it lets you know immediately after typing a line from a program listing if you have made a mistake. Please read these instructions carefully before typing any programs in COMPUTE!'s Gazette.

Preparing The Proofreader

- 1. Using the listing below, type in the Proofreader. The same program works on both the VIC-20 and Commodore 64. Be very careful when entering the DATA statements don't type an l instead of a 1, an O instead of a 0, extra
- 2. SAVE the Proofreader on tape or disk at least twice before running it for the first time. This is very important because the Proofreader erases this part of itself when you first type RIIN
- 3. After the Proofreader is SAVEd, type RUN. It will check itself for typing errors in the DATA statements and warn you if there's a mistake. Correct any errors and SAVE the corrected version. Keep a copy in a safe place you'll need it again and again, every time you enter a program from COMPUTE's Gazette.
- 4. When a correct version of the Proofreader is RUN, it activates itself. You are now ready to enter a program listing. If you press RUN/STOP-RESTORE, the Proofreader is disabled. To reactivate it, just type the command SYS 886 and press RETURN.

Using The Proofreader

All VIC and 64 listings in COMPUTE!'s Gazette now have a checksum number appended to the end of each line, for example ":rem 123". Don't enter this statement when typing in a program. It is just for your information. The rem makes the number harmless if someone does type it in. It will, however, use up memory if you enter it, and it will confuse the Proofreader, even if you entered the rest of the line correctly.

When you type in a line from a program listing and press RETURN, the Proofreader displays a number at the top of your screen. This checksum number must match the checksum number in the printed listing. If it doesn't, it means you typed the line differently than the way it is listed. Immediately recheck your typing. Remember, don't type the rem statement with the checksum number; it is published only so you can check it against the number which appears on your screen.

The Proofreader is not picky with spaces. It will not notice extra spaces or missing ones. This is for your convenience, since spacing is generally not important. But occasionally proper spacing is important, so be extra careful with spaces, since the Proofreader will catch practically everything else that can go wrong.

There's another thing to watch out for: if you enter the line by using abbreviations for commands, the checksum will not match up. But there is a way to make the Proofreader check it. After entering the line, LIST it. This eliminates the abbreviations. Then move the cursor up to the line and press RETURN. It should now match the checksum. You can check whole groups of lines this way.

Special Tape SAVE Instructions

When you're done typing a listing, you must disable the Proofreader before SAVEing the program on tape. Disable the Proofreader by pressing RUN/STOP-RESTORE (hold down the RUN/STOP key and sharply hit the RESTORE key). This procedure is not necessary for disk SAVEs, but you must disable the Proofreader this way before a tape SAVE.

SAVE to tape erases the Proofreader from memory, so you'll have to LOAD and RUN it again if you want to type another listing. SAVE to disk does not erase the Proofreader.

Since the Proofreader is a machine language program stored in the cassette buffer, it will be erased during a tape SAVE or LOAD. If you intend to type in a program in more than one sitting or wish to make a safety SAVE, follow this procedure:

- 1. LOAD and RUN the Proofreader.
- Disable it by pressing RUN/STOP-RESTORE.
- 3. Type the following three lines in direct mode (without line numbers):

A\$="PROOFREADER.T":B\$="{10 SPACES}":FO RX=1TO4:A\$=A\$+B\$:NEXTX FORX=886 TO 1018:A\$=A\$+CHR\$(PEEK(X)):N EXTX OPEN1,1,1,A\$:CLOSE1

After you type the last line, you will be asked to press RECORD and PLAY. We recommend you start at the beginning of a new tape.

You now have a new version of the Proofreader (PROOFREADER.T, as renamed in the above code). Turn your computer off and on, then LOAD the program you were working on. Put the cassette containing PROOFREADER.T into the tape unit and type:

OPEN1:CLOSE1

You can now get into the Proofreader by typing SYS 886. To test this, PRINT PEEK (886) should return the number 173. If it does not, repeat the steps above, making sure that A\$ (PROOFREADER.T) contains 13 characters and that B\$ contains 10 spaces.

The new version of Automatic Proofreader will load itself into the cassette buffer whenever you type OPEN1:CLOSE1 and PROOFREADER.T is the next program on your tape, It will not disturb the contents of BASIC memory.

Automatic Proofreader For VIC And 64

- 100 PRINT"{CLR}PLEASE WAIT...":FORI=886TO 1018:READA:CK=CK+A:POKEI,A:NEXT 110 IF CK<>17539 THEN PRINT"{DOWN}YOU MAD E AN ERROR":PRINT"IN DATA STATEMENTS. ":END
- 120 SYS886:PRINT"[CLR][2 DOWN]PROOFREADER ACTIVATED.":NEW

886 DATA 173,036,003,201,150,208 892 DATA 001,096,141,151,003,173 898 DATA Ø37, ØØ3, 141, 152, ØØ3, 169 904 DATA 150,141,036,003,169,003 910 DATA 141,037,003,169,000,133 916 DATA 254,096,032,087,241,133 922 DATA 251,134,252,132,253,008 928 DATA 201,013,240,017,201,032 934 DATA 240,005,024,101,254,133 940 DATA 254,165,251,166,252,164 946 DATA 253,040,096,169,013,032 952 DATA 210,255,165,214,141,251 958 DATA 003,206,251,003,169,000 964 DATA 133,216,169,019,032,210 970 DATA 255,169,018,032,210,255 976 DATA 169,058,032,210,255,166 982 DATA 254,169,000,133,254,172 988 DATA 151,003,192,087,208,006 994 DATA 032,205,189,076,235,003 1000 DATA 032,205,221,169,032,032 1006 DATA 210,255,032,210,255,173 1012 DATA 251,003,133,214,076,173 1018 DATA 003

Bug-Swatter: Modifications And Corrections

 Program 2, "Change Disk ID," from "Disk Tricks" (September) changes the disk ID in the directory header, but does not actually change the ID on individual disk tracks and sectors. This program was intended to solve the problem of duplicate disk IDs, as explained in the article. It does not solve this problem.

When a disk is formatted with the N0: (new) command, the disk ID is written on every sector of every track. In addition, a directory header with the disk name and ID is created. When a file is accessed, the disk operating system (DOS) gets its information from the individual sectors, not from the header. The Change Disk ID program changes only the header. Writing to individual tracks and sectors (to actually change the ID) would require reprogramming the disk

If you have disks with duplicate IDs, you can eliminate the problems by either 1) copying all important files to a separate disk and then reformatting the problem disk with a unique ID, or 2) initializing the disk, with the 10: command, every time you swap disks.

Since the program makes a cosmetic change to the directory, it does not destroy any data on the disk, and subsequent READ/WRITE operations should work without problems.

Readers who have used the Change Disk ID program can discover the original ID with this short program:

- 10 T=18:S=0:REM TRACK AND SECTOR 20 OPEN2,8,2,"#":OPEN15,8,15 30 PRINT#15,"10"
- 40 PRINT#15, "U1"; 2; 0; T; S
- 50 FORJ=22TO23:PRINT#15, "M-R"; CHR\$(J); CHR \$(Ø):GET#15,Z\$:AD\$=AD\$+Z\$:NEXT
- 6Ø CLOSE15:CLOSE2
- 70 PRINT"ID="; AD\$

This program reads the true ID from track 18, sector 0. After discovering the true ID, you can use the Change Disk ID program to change the ID back to what it should be.

 When the program listing for "Treasure Hunt/64" (September) was made, line 655 was garbled. In addition, line 836 was accidentally omitted. Here are the corrections:

655 POKETL, 32:POKETL+Q, 32:POKECL, 46:POKEC L+Q,47:POKECL+CM,4:POKECL+CM+Q,4 :rem 81 836 PRINT"APPROACH. [31 SPACES]"; :rem 41

 "Screen-80" (September) works as listed, but the information about using sprites contains an error. Screen memory (normally at 1024-2023) is followed by the eight sprite pointers (normally at 2040-2047, or beginning of screen memory plus 1016). Screen-80 uses a highresolution screen and moves the equivalent of screen memory to 53248, which means the sprite pointers move to 53248+1016, not 53248+2040 as stated in the article. Line 60 of the sprite program on page 50 should be changed accordingly:

6Ø POKE 53248+1Ø16,Ø

:rem 234

 Readers Joseph Maniscalco and Amir Findling have informed us that although the 64 version of "Balloon Blitz" (August) runs without errors, it has a slight glitch in the joystick reading routine. Pushing the joystick to the southeast (down and right) will cause a bomb to be dropped. Changing line 14 to

14 IF A>=117 THEN GO TO 3 will fix the problem.

- The VIC version of "3-D Tic-Tac-Toe" (June) contains some color codes accessible on the 64 but not on the VIC. This happened when the game was translated and does not adversely affect the program, although the Automatic Proofreader checksums will be incorrect. In lines 300, 320, and 590, rather than pressing the Commodore key and one of the numbered (color) keys, VIC users should press CTRL and the indicated color key.
- "Props" (May) runs as listed, but some readers have encountered an error message for lines 49000 to 49308. This is due to line 49151 where variable CI is set to zero and then a different variable (CK) is used as a checksum. If line 49151 is entered as listed, the error message should not occur.
- Levitating in the VIC version of "Castle Dungeon" requires pressing the L key. Reader Michael Bank thinks it is more convenient to use the joystick button and suggests the following modification:

26 BN = PEEK(37137)AND32: IF BN = 0 THEN LS = 1: GOSUB82

SpeedScript Update:

 The VIC version of SpeedScript included on the May GAZETTE DISK scrambles the first five

characters of all files. Reader Jon Harmon has discovered that text memory and a few bytes at the end of program memory overlap. To fix this, follow these steps: First, load (but do not run) VICSPEEDSCRIPT from the May GAZETTE DISK. Next, POKE 4627,16: POKE 4989,21 and save the new version to disk. The problem should be solved.

 The July "Bug-Swatter" reported on hardware incompatibilities between the VIC-20, Datassette, and the Commodore 1526 printer. The solution (SYS 64490 after cassette operations) has been incorporated into the original (January) VIC version of SpeedScript by Reader Brian Mason. First, load (but do not run) the original VIC version. Next, POKE 8560,234: POKE 8561, 215: POKE 8562,96 and save the new version. This replaces the disk access command (Control/up arrow) with the appropriate SYS. VIC tape users should hold down the CTRL key and press the up arrow key, after VIC SpeedScript tape saves or loads. The serial bus will become available for use with a 1526. The equivalent POKEs for the May GAZETTE DISK version are 8572-8574, although the problem with 1526 printers does not occur with disk drives.

• Several readers who own a portable SX-64 have indicated that *SpeedScript* disk access—LOADs, SAVEs, and directories—can cause the computer to lock up. Because *SpeedScript* uses a raster interrupt to form the window at the top of the screen, the interrupt registers have to be reset

before disk or printer operations.

Rodney L. Barnes disassembled the program and discovered that before disk operations, *SpeedScript* stores a 255 (\$FF), the usual value on a Commodore 64, in the CIA interrupt register at 56333 (\$DC0D). Bit 4 of this register enables tape operations. Because the SX-64 has no Datassette port and no provisions for tape use, storing this value in the CIA register can cause extraneous interrupts, interfering with the serial I/O. To fix this, load (but don't run) the January version of *SpeedScript* into your SX-64, POKE 4714, 239 (if

you have the May GAZETTE DISK Version, POKE 4789,239), and then save the new version to disk

Readers should note this modification applies only to the portable SX-64, not the Commodore 64.

• "SpeedScript Revisited" (May) included a modification to allow printing to an RS-232 printer. The modification applied only to the VIC version of SpeedScript. Readers Clifford Jensen, Lee Folgedalen, and Robert Latham have adapted the 64 version for use with such printers. First, load (but don't run) SpeedScript. Then, if you have the January version, POKE 5262,2 (for the May GAZETTE DISK version, POKE 5337,2) and save the new program to tape or disk.

Before running SpeedScript, POKE 660,0 and POKE 659,6 (Baud rate of 300) or POKE 659,3 (Baud rate of 110). Put an [a] (press CTRL-£ then "a" and you'll see a reverse "a") at the top of the file, and to print, press SHIFT-CTRL-P followed by a 2 (device 2) then another 2 (secondary ad-

dress 2).

• Several readers have inquired about a Spelling Checker program for *SpeedScript*. Such a program is not feasible, because it would require users to type in hundreds, if not thousands, of words from a dictionary. However, Robert Murray has found that the commercial program *Spell-Right Plus* for the 64 from Professional Software, designed for use with WordPro3+/64, also works with *SpeedScript*. He suggests removing all formatting commands (reverse-video characters)—header, footer, spacing, and others—before running the program.

We appreciate receiving both corrections and suggested modifications from readers. Address them to:

Bug-Swatter c/o COMPUTE!'s GAZETTE P.O. Box 5406 Greensboro, NC 27403

Please indicate the type of error you have found, as well as the line number.

The Tomb

(Article on page 58.)

BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

Program 1: The Tomb (VIC Version)

- Ø PRINT"{CLR}":POKE36879,10:GOTO3000:PH=0
 :SC=0:S=7680 :rem 236
- 1 GOSUB2000:S=7680:C=38400:DX=1:DY=1:EX(1)=10:EX(2)=13:EX(3)=2 :rem 16
- 2 Q=22:EY(1)=11:EY(2)=10:EY(3)=17:POKE816 2,32:POKE8139,32:POKE7726,32 :rem 129
- 3 POKES+Q*DY+DX, 33:POKEC+Q*DY+DX, 4

:rem 103

4 FORZ=1TO3:POKES+Q*EY(Z)+EX(Z),36:POKEC+ Q*EY(Z)+EX(Z),5:NEXT :rem 84

	KE8185,37:POKE38905,7 :r	em 165	4000	POKE 36878,15:POKE36876,200:FORL1=25
	R=500 :r OKE36878,15 :	em 218	4001	Ø TO 15ØSTEP-17 :rem 70
			4001	POKE36875, L1: FORL2=15ØT019Ø: POKE3687
	OKE36875,140:FOR Z=1TO25:NEXT:r		1000	6, LZ: NEXTLZ, LI : rem 20
	OKE36875,Ø OKE37154,127:P=PEEK(37152)AND12	:rem 2	4002	6,L2:NEXTL2,L1 :rem 26 POKE36875,Ø:POKE36876,Ø :rem 49 PRINT"[HOME][WHT][DOWN][2 SPACES]THE
	P=Ø):POKE37154,255 :r		4003	GUARDIAN HAS (9 SPACES) CAUGHT YOU."
21 0	=PEEK(37151):J1=-((PAND8)=0):J2	=_((DA		:rem 176
N	D16)=0: $T3=-((PAND4)=0)$:	rem 48	4004	PRINTTAB(8)"[2 DOWN] [YEL] GOLD=[BLU]"
22 C	X=JØ-J2:CY=J1-J3 :r	em 151	100.	SC :rem 209
23 I	D16)=0):J3=-((PAND4)=0) : X=J0-J2:CY=J1-J3 :r FCX=0ANDCY=0THEN80 :r	em 111	4005	PRINT" [DOWN] [CYN] HIT THE TRIGGER IF
24 I	FPEEK(S+Q*(DY+CY)+(DX+CX))=35TH	EN8Ø		[SPACE]YOU[2 SPACES]DARE TO TRY AGAI
		rem 51		N." :rem 252
	OKES+Q*DY+DX,32:DX=DX+CX:DY=DY+		4006	PRINT" [DOWN] [CYN] TYPE (Q) IF YOU WIS
		em 166		H{9 SPACES}TO QUIT." :rem 10
28 P	OKEC+Q*DY+DX,4:POKES+Q*DY+DX,33		4007	GETAS: P=PEEK(37137): IF AS="Q"THENPOK
		em 158		E251,0:SYS251 :rem 117 IF-((PAND32)=0)<>1THEN4007 :rem 196
29 1	FS+Q*DY+DX=8185THEN5000 : FINT(RND(1)*3)=1THEN18	rem 94	4008	IF SC>PH THEN PH=SC :rem 98
19 1	$= INT(RND(1)*3) + 1:CX(B) = \emptyset:CY(B) =$	a.w-a	4009	PRINT"{CLR}":SC=Ø:GOTO3Ø11 :rem 158
ם שם	-INI(RND(I)-3)+1:CX(B)-0:CI(B)-	em 235	5000	PRINT" (HOME) (WHT) YOU GRAB THE TREASU
81 P	POKES+Q*EY(B)+EX(B), 32:CX(B)=((E)		3000	RE" :rem 19
X	(EX(B) < DX)	em 133	5001	FORZ=1T0100: POKE36876, INT(RND(1)*128
82 E	(X(B)=EX(B)+CX(B):r	rem 96	3001)+128 :rem 121
85 C	Y(B) = ((EY(B) > DY) - (EY(B) < DY)) :	rem 15	5002	FORHG=1TO10:NEXT:NEXT:POKE36876,0
86 I	FPEEK(S+Q*EY(B)+EX(B)+Q*CY(B))=	35THEN		:rem 116
C	$(Y(B)=\emptyset:EX(B)=EX(B)-CX(B)$:r (Y(B)=EY(B)+CY(B)	em 111	5100	PRINT" [CLR] [5 DOWN] ": PRINT" [5 RIGHT]
				{BLU}{2 SPACES}GOLD={YEL}"SC;:PRINT"
88 I	FPEEK(S+Q*EY(B)+EX(B))=33THEN40			" :rem 23
00 -		em 144	5101	FORL=1TOTR:SC=SC+1:PRINT"{UP}
89 1	POKES+Q*EY(B)+EX(B),36:POKEC+Q*E	1 (B) TE	5100	[12 RIGHT] "SC:NEXT :rem 183
91 6	OTO18	rem 12	5120	PRINT" [2 DOWN] [RED] MOST TREASURE RE COV-[2 SPACES] ERED FROM TOMB YET": PR
299	$CX(B)=\emptyset:CY(B)=\emptyset$	rem 21		INTTAB(8)"{YEL}"PH :rem 74
1999	END :I	em 179	5121	PRINT" (DOWN) (PUR) PRESS Q TO QUIT NO
2000	((B),5:TR=TR-1:GOTO18 :r GOTO18 :r CX(B)=Ø:CY(B)=Ø :r END :r FORM=77Ø2TO8163 :r	em 120	3121	W" :rem 255
2001	IFINT(RND(1)*3)=1 ANDPEEK(M-1)	<>35TH	5122	PRINT: PRINT{2 SPACES}"{3 SPACES}HIT
	EN2004 :1	em 138		{SPACE}THE TRIGGER[9 SPACES]TO CONTI
	EN2004 :I	:rem 3		NUE" :rem 68
2003	RETURN :1	rem 165	5123	P=PEEK(37137):IF -((PAND32)=0)=1THEN
	POKEM+30720,2:POKEM,35:NEXT :1			PRINT"[CLR]":GOTO 3011 :rem 153
		rem 189	5124	IF PEEK(197)=48 THEN POKE251, 0:SYS25 1 :rem 62
3000	<pre>POKE56,28:POKE52,28:POKE51,PER CLR:PRINT"{3 DOWN}{RVS}";:PRINT</pre>		F10F	
		rem 30	5125	GOTO 5123 :rem 209
300	CS=256*PEEK(52)+PEEK(51):FORI=		77	
555.	+511: POKEI, PEEK(I+32768-CS):NE		PIO	gram 2: The Tomb (64 Version)
		rem 136		
300	FORI=7432TO7439:READJ:POKEI,J	NEXT		KE56, 28:CLR:PRINT"[CLR]":POKE53280, 2:
	The state of the s	rem 189		KE53281, Ø:GOTO3ØØØ:PH=Ø:SC=Ø :rem 92
300	B DATA60,60,24,255,60,60,102,102			SUB2000:C=55296:DX=1:DY=1:EX(1)=5:EX(=20:EX(3)=35 :rem 133
- 2000		rem 212		4Ø:EY(1)=12:EY(2)=6:EY(3)=22:POKE1982
3004	FORI=7448TO7455:READJ:POKEI,J		, 3	
2001		rem 196		KE1024+Q*DY+DX,33:POKEC+Q*DY+DX,4
3003	DATA255, 255, 255, 255, 255, 255, 255, 255,	rem 246		:rem 219
300	FORI=7456T07463:READJ:POKEI,J		4 FO	RZ=1TO3:POKE1024+Q*EY(Z)+EX(Z),36:POK
300		rem 196	EC-	+Q*EY(Z)+EX(Z),5:NEXT :rem 200
300	7 DATA129,153,102,60,255,60,66,			KE2023,37:POKE56295,7:S=1024 :rem 41
		:rem 32	6 CL	=54272:VL=CL+24:FORI=CLTOCL+24:POKEI,
300	FORI=7464T07471:READJ:POKEI,J	:NEXT:P		NEXT :rem 191
		:rem 98		R=500 :rem 218
		:rem 62	18 P	OKEVL, 15: POKECL+5, 15: POKECL+6, 129: FOR
		rem 230		Z=1TO25:NEXT:POKEVL,0 :rem 170
301	1 FORC=768ØTO77Ø1:POKEC+3Ø72Ø,2			1=PEEK(56320):CY=-(((X1AND1)=1)+((X1A D2)=2)*-1) :rem 30
	35:POKEC+31204,2:POKEC+484,35	rem 151		X=((X1AND8)=8)+((X1AND4)=4)*-1:rem 60
301	2 FORC=768ØTO8164STEP22:POKEC+3			FCX=ØANDCY=ØTHEN8Ø :rem 111
301	POKEC, 35: POKEC+30741, 2: POKEC+3			FPEEK(S+Q*(DY+CY)+(DX+CX))=35THEN80
	EXT	:rem 4	PE 0.50	:rem 51
311			25 P	OKES+O*DY+DX, 32:DX=DX+CX:DY=DY+CY:IFP

	EEK(S+Q*DY+DX)=36THEN4ØØØ POKEC+Q*DY+DX,4:POKES+Q*DY+DX,	
20 .	ORDER DIVER, TORDER DIVER,	:rem 158
	FS+Q*DY+DX=2023THEN5000	:rem 79
8Ø E	$B=INT(RND(1)*3)+1:CX(B)=\emptyset:CY(B)$	
01 .	DOWNER OF BY (B) . BY (B) . BO . GY (B) . (:rem 235
81 E	POKES+Q*EY(B)+EX(B), 32:CX(B)=(C)-(EX(B) <dx)< td=""><td>(EX(B)>D:rem 133</td></dx)<>	(EX(B)>D:rem 133
	EX(B)=EX(B)+CX(B)	:rem 96
85 0	CY(B) = ((EY(B) > DY) - (EY(B) < DY))	:rem 15
86 1	FPEEK(S+Q*EY(B)+EX(B)+Q*CY(B)	
	$XY(B) = \emptyset : EX(B) = EX(B) - CX(B)$:rem 111
	Y(B)=EY(B)+CY(B) FPEEK(S+Q*EY(B)+EX(B))=33THEN	:rem 104
00 1	TIBER(STO EI(B)+EX(B))=35INEN	:rem 144
89 F	POKES+Q*EY(B)+EX(B),36:POKEC+Q	
		:rem 246
	OTO18	:rem 12
	CX(B)=0:CY(B)=0 END	:rem 21 :rem 179
Seed both London		:rem 118
	IF INT(RND(1)*3)=1ANDPEEK(M-	
		:rem 138
	RETURN	:rem 3
LANGUAGE AND AND AND ADDRESS OF THE PARTY OF		:rem 165
		:rem 189
3000	POKE56334, PEEK (56334) AND 254:	POKE1, PE
	EK(1)AND251:PRINT"[3 DOWN][R	
3001		rem 111
3001	TO511: POKEI+12288, PEEK(I+532	
	I	:rem 97
3002	FORI=12552TO12559:READJ:POKE	
3ØØ3	DATA60,60,24,255,60,60,102,10	:rem 27
5555		:rem 212
3004	FORI=12568T012575: READJ: POKE	I,J:NEXT
		:rem 34
3005		255,255 rem 246
3006		
		:rem 34
3007	DATA129,153,102,60,255,60,66	,66
3000	FORI=12584T012591:READJ:POKE	:rem 32
	:PRINT"{CLR}"	rem 192
	DATAØ,Ø,126,126,126,126,Ø,Ø	:rem 62
3010		
	4)OR1:POKE53272,PEEK(53272)AI	:rem 49
3Ø11		
	35:POKEC+55232,2:POKEC+960,35	
		rem 146
3Ø12	FORC=1024T01984STEP40:POKEC+: POKEC, 35:POKEC+54311, 2:POKEC-	
		rem 144
3Ø13		:rem 6
3111		:rem 48
4000	FORL2=1TO5:POKEVL,9:POKECL+5	
4001	CL+6,241:FORL1=50TO25STEP-1 POKE CL+1,L1:POKECL+4,33:NEX	
	L2:POKECL+4,32	:rem 70
4003	PRINTTAB(6)"[WHT][DOWN]THE GU	JARDIAN
4000	[SPACE] HAS CAUGHT YOU"	rem 205
4004	PRINTTAB(17)"{2 DOWN}{YEL}GOI	:rem 1
4005	PRINT" [DOWN] [CYN] HIT THE TRIC	GGER IF
	{SPACE}YOU DARE TO TRY AGAIN'	
4006	PRINTTAB(6)"{DOWN}{CYN}TYPE	rem 206
1000	TATALIAD (O) (DONA) (CIN) TIPE	(V) IF I

	OU WISH [2 SPACES] TO QUIT" : rem 58
4007	GETA\$:X1=PEEK(56320)AND16:IFA\$="Q"TH
	ENPOKE53272,21:PRINT"[CLR]":END
	:rem 95
4009	IFX1<>ØTHEN 4007 :rem 137
4010	IF SC<>PH THEN PH=SC :rem 150
4011	PRINT"{CLR}":SC=0:GOTO 3011 :rem 159
5000	PRINT: PRINTTAB(10) " [WHT] YOU GRAB THE
	TREASURE" :rem 80
5001	POKEVL, 15: POKECL+5, 71: POKECL+6, 241:F
	ORZ=1TO100:POKECL+4,33 :rem 55
5002	POKECL+1, INT(RND(1)*128)+64:FORHG=1T
	OlØ:NEXT:NEXT:POKECL+4,32 :rem 5
5100	PRINT"{CLR}{5 DOWN}":PRINTTAB(14)"
	<pre>{BLU}{2 SPACES}GOLD={YEL}"SC;:PRINT"</pre>
	" :rem 19
5101	FORL=1TOTR:SC=SC+1:PRINTTAB(21)"[UP]
	"SC:NEXT :rem 230
5120	PRINT" {2 DOWN } { RED } { 2 SPACES } MOST TR
	EASURE RECOVERED BEFORE=";:PRINTTAB(
	32)"{YEL}"PH :rem 29
5122	PRINTTAB(10)" (DOWN) (PUR) PRESS Q TO
	[SPACE]QUIT NOW" :rem 137
5123	
	CONTINUE" : rem 164
5124	
	N PRINT"{CLR}":GOTO3Ø11 :rem 75

Cabby

5126 GOTO 5124

(Article on page 60.)

{CLR}":END

BEFORE TYPING...

5125 IF A\$="Q"THEN POKE53272,21:PRINT"

:rem 50

:rem 211

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

Program 1: Cabby (VIC Version)

5 POKE56, 28: POKE55, Ø: POKE52, 28: POKE51, Ø	
:rem :	37
10 PRINT"{CLR}":POKE36879,104 :rem	
20 PRINT" [7 DOWN] [4 RIGHT] [CYN] SETTING (JP
":PRINT" [DOWN] [4 RIGHT] PLEASE WAIT!!	11
" :rem 13	
50 FORI=7168T07679: POKEI, PEEK(I+25600):1	
XTI :rem 17	
55 FORI=1T013:READZ:FORJ=ZTOZ+7:READK:PO	
EJ,K:NEXTJ,I :rem	
6Ø POKE37139, Ø:DD=37154:PA=37137:PB=3715	
:rem	
65 DIM F\$(26), T\$(4), B\$(4) :rem 17	
66 FORI=1TO26:READF\$(I):NEXTI :rem 4	
150 H=7680:C=30720:CH=28:B%(1)=8055:B%(2	2)
=7914:B%(3)=8Ø51:B%(4)=773Ø :rem 22	
160 DEFFNA(X)=INT(RND(1)*X)+1:DEFFNL(Q)=	=H
+22*Y+X :rem 7	
17Ø Y=7:X=6:T%(1)=FNL(Q):Y=18:T%(2)=FNL(Q
):Y=8:X=16:T%(3)=FNL(Q):Y=15:T%(4)=F	'n
L(Q) :rem 23	
180 PRINT" [CLR] [11 DOWN] [WHT] LEVEL 1-EAS	Y
TO 4-HARD" :rem 23	
	_

190 GETZ\$:LV=VAL(Z\$):IFZ\$=""THEN190	3Ø5Ø	PRINT" [RIGHT] [6 RIGHT] [RIGHT]L
	em 84	[RIGHT] {2 RIGHT} {2 RIGHT} V"
	m 185	:rem 180
	m 228 3Ø6Ø	PRINT" (RIGHT) (RIGHT) 1 (4 RIGHT)
	m 115	[2 RIGHT] [RIGHT] [2 RIGHT] T[RIGHT]
210 P%=H+45:POKEP%,CH:POKEP%+C,7 :res	m 101	" :rem 147
22Ø XF%=0:CF%=0:GS=1400:RU=1 :re	em 62 3070	PRINT" [WHT]A[13 SPACES] [RIGHT]Q
300 GOSUB1000 :ren	m 212	[4 SPACES]" :rem 79
310 IFXF%=0ANDRND(1)>.6THENGOSUB2000		PRINT" [RIGHT] [3 RIGHT] N[2 RIGHT]S
	m 159	[RIGHT] [RIGHT] [2 RIGHT] [RIGHT]O "
	133	
320 GOSUB500:IFSG=1THENSG=0:GOTO340	107	:rem 203
	m 187 3Ø9Ø	PRINT"W {3 RIGHT} {5 RIGHT} {RIGHT}
	m 222	{4 SPACES}P{RIGHT} " :rem 102
340 GOSUB500:SG=0 :ren	m 237 3100	PRINT" [RIGHT] [3 SPACES] G[7 SPACES]
	m 221	{RIGHT} {2 RIGHT} {2 RIGHT} U"
36Ø GOSUB5ØØ:SG=Ø :re	m 239	:rem 223
360 GOSUB500:SG=0 :rei 390 GOTO300 :rei	m 104 2110	PRINT" (RIGHT) (3 RIGHT) (RIGHT)M
590 GOTOS00 :101	m 104 3110	
500 POKEDD, 127:S3=-((PEEK(PB)AND128):		[5 RIGHT] H[RIGHT] [4 SPACES]"
	m 122	:rem 106
51Ø P=PEEK(PA):S1=-((PAND8)=0):S2=((PAND1 3120	PRINT" {RIGHT} D{RIGHT}J {2 RIGHT}T
6)=Ø):SØ=((PAND4)=Ø) :ren	m 177	{2 RIGHT}{3 SPACES}{RIGHT}B
52Ø FR=-((PAND32)=Ø):DX=S2+S3:DY=SØ+		{2 RIGHT} " :rem 192
		PRINT"B [2 RIGHT]K [2 RIGHT]
		{2 RIGHT}R(RIGHT) {2 RIGHT} E(RIGHT)
525 IFFRTHENGOSUB9600 :r	em 65	
530 CH=28 :rei	m 202	R" :rem 48
530 CH=28 :rei 535 IFDX=-1THENCH=29 :rei 540 IFDY<>0THENCH=27 :rei 550 Z=P%+22*DY+DX :rei 560 IFPEEK(Z)=32THEN610 :rei 570 IEPEEK(Z)=400PDEEK(Z)=41THEN90000	m 197 314Ø	PRINT" [RIGHT] [3 RIGHT] [12 SPACES]
540 IFDY<>0THENCH=27 :rei	m 207	{2 RIGHT} " :rem 71
550 Z=P%+22*DY+DX :re	m 195 315Ø	PRINT" [RIGHT] [5 SPACES] [3 RIGHT]
560 IFPEEK(Z)=32THEN610 :re	em 98	[6 RIGHT] [RIGHT]O " :rem 40
570 IFPEEK(Z)=40ORPEEK(Z)=41THEN8000	3160	PRINT"G {RIGHT}X{RIGHT} {2 RIGHT}S
		[RIGHT]T[8 SPACES]" :rem 114
	m 166	
		PRINT" (RIGHT) (3 RIGHT) (3 RIGHT)
590 IFPEEK(Z)=30THENIFPEEK(Z+C)<>13TH	HEN5Ø	[2 RIGHT] G[2 RIGHT] "
	em 59	:rem 92
600 IFPEEK(Z)>=0ANDPEEK(Z)<=26THENGO	TO400 3180	PRINT" [RIGHT] [12 SPACES] [2 RIGHT]
	em 8Ø	[2 SPACES]M[RIGHT] F" :rem 164
605 IFPEEK(Z)>=36ANDPEEK(Z)<=39THEN6		
	em 91	PRINT" {RIGHT}C{2 RIGHT}N{2 RIGHT}R
686 700000(2) 4000000088	em 91	{4 RIGHT}B" :rem 200
606 IFPEEK(Z)=42THEN9000 :re	m 150 3200	POKEH+46, 40: POKEH+47, 41: POKEH+46+C, 5
610 POKEP%, 32 :rem 620 POKEZ, CH: POKEZ+C, 15: P%=Z :rem	m 204	:POKEH+47+C,5 :rem 100
620 POKEZ, CH: POKEZ+C, 15: P%=Z :re	m 225 325Ø	X=15:Y=19:POKEFNL(Ø),42:POKEFNL(Ø)+C
625 GS=GS-2:IFGS=<ØTHENSG=1:GOSUB97Ø	Ø	,7 :rem 246
	em 58 33ØØ	RETURN :rem 166
	m 121 4000	,7 :rem 246 RETURN :rem 166 IFCF%<>ØTHEN45ØØ :rem 163
1999 THE TURN (2) 11 T19 T19 T2 1 TEV 19	MI IZI 4000	TENTE (a) CONTRACTOR OF CONTRACTOR
1000 L1%=FNA(3)+1:L1%=L1%*2-1:IFL1%=		IFPEEK(Z)=ØTHENXF%=99:GOTO42ØØ
	m 229	:rem 111
1010 L2%=FNA(4):POKET%(L2%),30:POKET		IFPEEK(Z)<>XF%THEN500 :rem 37
)+C,L1%+8 :re	m 214 4200	CF%=FNA(26):SP=Z:POKEZ,CH:POKEZ+C,15
	m 163	:POKEP%, 32 :rem 95
2000 RU=0:XF%=FNA(26):A\$="{HOME}{20		PRINTAS; B\$: PRINTB\$: PRINTA\$; "{WHT}TAK
":B\$="{21 SPACES}" :r	om 70	
OGGE DRIVING DO DRIVING DRIVING "	m) CAP	E ME TO THE":PRINTF\$(CF%):FORT=1T099
2005 PRINTAS; BS: PRINTBS: PRINTAS; "{WH		:NEXT :rem 24
BY, GO TO THE":PRINTF\$(XF%); :r		POKEP%, CH: POKEP%+C, 15: POKEZ, XF%: POKE
2020 RETURN :re	m 164	Z+C,1:IFXF%=99THEN429Ø :rem 128
2500 ZT=PEEK(Z+C) :re	m 24Ø 4285	GOTO 4300 :rem 211
25Ø5 IFZT=2ORZT=7THEN35Ø :	rem 2 4290	GOTO 4300 :rem 211 POKEZ,31:POKEZ+C,0 :rem 117
2510 RETURN	m 168 4300	GOTO630 :rem 153
3000 DEM MAD	m 133 4500	IFPEEK(Z)<>CF%THEN63Ø :rem 24
2020 RETURN :re 2500 ZT=PEEK(Z+C) :re 2505 IFZT=2ORZT=7THEN350 : 2510 RETURN :re 3000 REM MAP :re 3005 A\$="{BLK}444444444444444444444444444444444444	ADDIN 4500	
SANCE (ROLL) (SANCE) CARE CARE	(DIV) 4510	POKEZ, CH: POKEZ+C, 15: POKEP%, 32: rem 60
T"{HOME}{BLK}4444444{WHT}CABBY	(BLK) 4550	M1=ABS(SP-Z)/10+1 :rem 198
	m 157 456Ø	M2=INT(FNA(100*M1)/10)/100 :rem 118
3010 FOR1-11020 :16	m 103 4570	FORI=1TO3:PRINTA\$; B\$:PRINTB\$:PRINTA\$
	m 125	; "YOU COLLECT"; M1: PRINT"PLUS TIP OF"
3020 PRINT"[HOME][DOWN][11 RIGHT][WH		
[3 RIGHT]B":PRINT"[RIGHT][3 SPA	CES 45/5	FORT=1T0500:NEXTT, I :rem 248
{2 RIGHT}{14 SPACES}Z" :re		M3=INT(M1+M2+M3):M1=Ø:M2=Ø :rem 232
3030 PRINT" {RIGHT} {4 RIGHT}D{RIGHT}		PRINTAS; BS: PRINTBS: PRINTAS; "ON YOU";
{7 RIGHT} {RIGHT}S " :re	m 196	M3:FORT=1T0650:NEXTT :rem 120
3040 PRINT" [RIGHT] {2 RIGHT]M[4 SPAC	ES 4650	POKEP%, CH: POKEP%+C, 15: POKEZ, CF%: POKE
{RIGHT}S{3 SPACES}Y{RIGHT} {2 R	RIGHT }	Z+C,1:CF%=Ø:XF%=Ø :rem 242
		GOTO63Ø :rem 157

5000	I=FNA(4):Q1=1 Y=INT((P%-H)/22):X=(P%-H)-22	:rem 207	8450	POKE36879,15:FORT=1T050:NEXTT,I
3003	1-1M1((10-11)/22).M-(10-11)-22	:rem 136	9000	:rem 208 POKEZ,CH:POKEZ+C,15:POKEP%,32:rem 59
5010	Y1=INT((B%(I)-H)/22):X1=(B%(I)-H)/22)			GS=1400 :rem 106
		The state of the s		FORI=1T010: POKE36878, 15: FORT=230T028
5015	*Y1 BX=Ø:BY=Ø BX=(X1>X)-(X>X1) BY=(Y1>Y)-(Y>Y1)	:rem 20		ØSTEP10:POKE36876,100+T/3 :rem 174
5020	BX=(X1>X)-(X>X1)	:rem 171	9025	NEXTT: POKE36876, Ø: POKE36878, Ø: FORT=1
5Ø5Ø	BY=(Y1>Y)-(Y>Y1)	:rem 179		TO55:NEXTT,I :rem 61
5100	NC=B%(I)+BX+BY*22:IFNC>8Ø97	THENRETUR	9100	POKE P%, CH: POKEP%+C, 1: POKEZ, 42: POKEZ
	N	:rem 45	S. J.	+C,7 :rem 183 GOTO63Ø :rem 161 IFRU=1THENRETURN :rem 13Ø
	IFPEEK(NC)=31THEN5200	:rem 244	9150	GOTO630 :rem 161
		:rem 57	9600	IFRU=1THENRETURN :rem 130
	IFPEEK(NC)=3ØTHEN52ØØ	:rem 250	9603	PRINTAS; B\$:PRINTB\$:rem 146
	IFNC=P%THEN6000	:rem 143	9605	PRINTAS; "[WHT] 4E[5 SPACES]F4": PRINT"
	POKEB%(I),32 TY=37:IFBX<ØTHENTY=36	:rem 140	9610	4{7 SPACES}4"; :rem 151 Al=INT(GS/200) :rem 22
5156	TERY/OTHENTY=30	:rem 117		PRINTAS; TAB(A1); "{RED} 4": PRINTTAB(A1
5157	IFBY < ØTHENTY=38 IFBY > ØTHENTY=39	:rem 239	3020);"{RED}4" :rem 237
5160	POKENC, TY: POKENC+C, 4:B%(I)=N	C:rem 54	9630	FORT=1T01000:NEXTT :rem 172
5170	I=I+1:IFI=>4THENI=1	:rem 159		IFCF%<>ØTHENPRINTAS;BS:PRINTBS:PRINT
5175	Q1=Q1+1:IFQ1<=LVTHEN5ØØ5	:rem 206	30.10	A\$; "{WHT}TAKE ME TO THE": PRINTF\$ (CF%
):GOTO9660 :rem 12
5200	BX=FNA(2)-1:BY=FNA(2)-1	:rem 28	9650	IFXF% <> ØTHENPRINTAS; B\$: PRINTB\$: PRINT
5240	GOTOSION	:rem 202		A\$; "{WHT}CABBY GO TO":PRINTF\$(XF%)
6000	PRINT" {CLR}": POKE36879,8: POK			:rem 78
	40	:rem 67	9660	RETURN :rem 181
6050	PRINT" [4 DOWN] [2 SPACES] YOUR		9700	FORII=1T09:PRINTAS;BS:PRINTBS
	BEEN"	:rem 235		:rem 141
6060	PRINT" [DOWN] CRUNCHED BY A TR		975Ø	PRINTAS; "{CYN} {RVS}OUT OF GAS":GOSUB
		:rem 1		5000:NEXTII:GS=700 :rem 145
6070	PRINT" [3 DOWN] [6 RIGHT] GAME		9760	PRINTAS; BS: PRINTBS: PRINTAS; "BACK WIT
6075	PRINT" {2 DOWN } YOU MADE {RVS}"	:rem 246		H 1/2 TANKFUL";:FORDL=1TO2500:NEXT
00/5	LARS"			:rem 114
6077	PRINT" {2 DOWN } {3 SPACES } PLAY	:rem 55	9770	XF%=0:CF%=0:RETURN :rem 118
ODII	Y/N)"	:rem 132	TOOOT	DATA 7384,40,105,125,60,60,125,105,
6080	GETZ\$:IFZ\$=""OR(Z\$<>"Y"ANDZ\$		10000	2 DATA 7392,68,68,190,190,190,190,68,
	EN6Ø8Ø	:rem 213	10001	68 :rem 98
6090	EN6Ø8Ø IFZ\$="N"THENEND	:rem 177	10003	DATA7400,17,17,190,190,190,190,17,1
6Ø95	M1=0:M2=0:M3=0:M4=0:GOTO150	:rem 61		7 :rem 65
	X=FNA(20):Y=FNA(19)		10004	DATA 7408,0,8,42,42,42,8,4,4
7010	IFPEEK(FNL(Ø)) <> 31THEN 7040	:rem 6		:rem 124
7Ø3Ø	POKEFNL(Ø), Ø: POKEFNL(Ø)+C, 3	:rem 77	10005	DATA 7416,255,255,255,255,255,255,2
7040	RETURN	:rem 171		55,255 :rem 34
8000	IFRU=1THENRETURN	:rem 123	10006	DATA 7168,60,60,25,127,124,124,24,6
8005	M4=M4+M3	:rem 183		Ø :rem 14
8010	POKE214, 19: PRINT: POKE211, 1: F	RINT"	10007	DATA 7456,64,32,15,255,131,253,253,
	{LEFT}{16 SPACES}"	:rem 238	10000	108 :rem 123
8Ø15	POKE214, 20: PRINT: POKE211, 1:F	RINT"	10008	B DATA 7464,2,4,8,255,193,191,191,54
0000	(WHT) (LEFT) SAFE IN DEPOT"; M4		10000	:rem 190
8020	M3=Ø:POKEP%,CH:POKEP%+C,15:F		10009	DATA 7472,30,24,23,23,64,87,151,30
PASE	POKEZ+C,5	:rem 15	10010	:rem 174 DATA 7480,30,151,87,64,23,23,24,30
	IFM4>200THEN8300 FORJ=1TO5:FORI=15TO0STEP-1:F	:rem 169	TOOTO	
0030	,I:POKE36876,230	:rem 226	10011	:rem 165 DATA 7488,0,255,170,255,136,136,136
8035	FORT=1TO10:NEXTT, I:POKE36876			,136 :rem 176
0000	TORI-TIOID REALT, TITORESON,	:rem 85	10012	DATA 7496,0,255,171,255,143,143,141
8040	IFCF%=ØTHENPRINTAS; BS: PRINTE			,141 :rem 165
	\$; "{WHT}CABBY, GO TO THE":PR		10013	DATA 7504,15,25,41,47,47,47,31,15
	%):GOTO63Ø	:rem 13		:rem 124
8050	IFCF% <> ØTHENPRINTA\$; B\$: PRINT		10015	DATAAIRPORT, BANK, "CURLING RINK", "DO
	AS; "{WHT} TAKE ME TO THE": PRI			CTORS OFFICE", "EMPLOYMENT OFFICE", F
):GOTO63Ø	:rem 202		ACTORY :rem 214
8300	POKE36869, 240: PRINT" (CLR)": F	RINT"	10016	DATAGROCERY STORE, HOSPITAL, INN, JEWE
	[5 DOWN] [WHT] YOU HAVE SAVED			LER, KENNEL, LIBRARY, MOTEL, "NIGHT CLU
		:rem 41	a service and the service and	B",OFFICE :rem 84
8301	PRINT" [DOWN] [3 SPACES] TO BUY		10017	DATA "POST OFFICE", QUARRY, RESTAURAN
0400	B" DDINM" (3 DOWN) (6 DIGUM) (NUM)	:rem 86		T, SCHOOL, THEATER, UNIVERSITY, "VETS"
0400	PRINT" [3 DOWN] [6 RIGHT] [WHT]		10010	DATA "WEATHER OFFICE" "YPAY OFFICE"
	<pre>I":FORI=1T06:POKE36879,107:F Ø:NEXTT:GOT06077</pre>	:rem 158	10018	DATA"WEATHER OFFICE", "XRAY OFFICE", YMCA, ZOO :rem 238
		. Lem 130		YMCA, ZOO :rem 238

Program 2: Cabby (64 Version)

	THE RELEASE OF THE PARTY OF THE	
	OKE53281,11:POKE53280,11:PRINT	
)	: POKE52, 56: POKE56, 56: CLR	:rem 139
10	PRINT" {CLR}": DIM A% (26), F\$ (26)	
		:rem 168
15	POKE214,12:PRINT:POKE211,5:PRI	
العالة	SETTING UPPLEASE WAIT	
20	FORI=1TO26:READF\$(I):NEXTI	:rem 39
5Ø	POKE56334, PEEK (56334) AND 254: PC	
	(1)AND251	:rem 134
51	FORI=ØTO511: POKEI+14336, PEEK(1	
	POKEI+15360, PEEK(I+54272): NEXT	
52	POKE1, PEEK(1) OR4: POKE56334, PEE	The state of the s
	ORl	:rem 86
55	FORI=1TO12:READZ:FORJ=ZTOZ+7:F	
-	EJ,K:NEXTJ,I	:rem 34
100	FORI=1TO26: READA%(I): NEXT: FOR	
	EADV(I):NEXT	:rem 123
116	FORI=1TO26:IFI=1THENCM%(I)=A	
100	150	:rem 127
120	CM%(I)=CM%(I-1)+A%(I)	:rem 247
150	NEXT:H=1024:C=54272:S=C:CH=28	
	O5:READB%(I),E%(I):NEXT	:rem 66
	FORI=1T012:READT1%(I):NEXT	
165	DEFFNA(X)=INT(RND(1)*X)+1:DEF	
100	+40*Y+X DEFFND(ZZ)=ABS((ZZ=39)+(ZZ=-3	:rem 75
101	1)+(ZZ=-41))	:rem 51
178		
1/4	NEXT	:rem 63
175	FORI=1TO5:TR(I)=(D%(I)=-1)*(-	
11.	D%(I)=1)*(B%(I))	:rem 208
176	VR(I) = (TR(I) = E%(I)) - (TR(I) = B%(I))	(I)):IFI
_,,	>2THENVR(I)=VR(I)*40	:rem 235
177		
	40)*39+(VR(I)=-40)*38:TY(I)=(-1)*TY
		:rem 100
180		
	%(I))*(-B%(I)):NEXT	:rem 147
185		POKE211,
	13:PRINT" {WHT} SELECT A LEVEL"	:rem 67
187	POKE214,10:PRINT:POKE211,16:F	PRINT"1)
	{SPACE}EASY"	:rem 225
189		
	{SPACE}HARD"	:rem 211
196		
	N19Ø	:rem 199
191	IFLV<10RLV>2THEN190	:rem 181
19:	PRINT"{CLR}":POKE53272, (PEEK	:rem 212
10	D240)OR14 FORMC=STOS+24:POKEMC,0:NEXT:	:rem 212
19	15:POKES+5,120:POKES+6,240:HE	P=S+1 • L.F=
	S	:rem 166
200		
DATE:	1%(I):GOSUB3200:NEXT	:rem 74
210	P%=H+81:POKEP%,CH:POKEP%+C,7	
229		=Ø:GS=14
	ØØ	:rem 137
300	GOSUB1000:IFEN=1THEN6000	:rem 147
310	J IFXF%=ØTHENGOSUB2ØØØ	:rem 196
320	Ø GOSUB400:IFEN=1THEN6000	:rem 104
330	GOSUB7000:GOSUB500:IFEN=1THEN	16000
		:rem 235
34	GOSUB1000:IFEN=1THEN6000	:rem 151
	GOSUB5000:IFEN=1THEN6000	:rem 156
360		:rem 109
	Ø GOTO3ØØ	:rem 104
401	FORT=1TO5:A=TR(T):TR(T)=TR(T)	
		:rem 157
450	COMPUTEI'S CORNER ON DES 1004	

```
410 IFTR(T)=ED(T)THENVR(T)=(-1)*VR(T):GOS
                                    :rem 21
    UB700:GOTO440
   IFPEEK(TR(T))>=36ANDPEEK(TR(T))<=39TH
    ENTR(T)=TR(T)-VR(T):GOTO45\emptyset
                                  :rem 203
430 IFPEEK(TR(T))=270RPEEK(TR(T))=28THENE
    N=1:T=5:GOTO450
                                   :rem 210
440 POKEA, 32: POKETR(T), TY(T): POKETR(T)+C,
    15:GOSUB9810:IFN4=1THEN450
                                   :rem 140
445 GOSUB500: IFEN=1THENT=5
                                   :rem 113
450 NEXT: RETURN
                                   :rem 242
500 JV=PEEK(56320):JV=15-(JVAND15):FR=PEE
    K(56320)AND16
                                   :rem 123
    IFFR=ØANDSH=ØTHENGOSUB96ØØ
                                   :rem 135
   DY=(JV=1)+(JV=5)+(JV=9)-(JV=6)-(JV=10)
                                   :rem 201
    ) - (JV = 2)
52Ø DX=(JV=4)+(JV=5)+(JV=6)-(JV=9)-(JV=1Ø
    )-(JV=8)
                                   :rem 210
525 IF(DX=@ANDDY=@)ORGS=@THENRETURN
                                    :rem 25
535 CH=28:IFDX<>ØTHENCH=28
                                    :rem 63
                                   :rem 207
54Ø IFDY <> ØTHENCH=27
550 ZZ=40*DY+DX:Z=P%+ZZ:PK=PEEK(Z)
                                   :rem 132
555 IFFND(ZZ)=1AND(PK=320RPK=160)THEN625
                                   :rem 182
                                     :rem Ø
557 IFSH=1THEN800
56Ø CP=(PK=3Ø)+(PK=32)*2+(PK=4Ø)*3+(PK=41
    )*4+(PK=42)*5+(PK=160)*6+(PK=0)*7
                                    :rem 129
570 ONABS (CP) GOTO 600, 620, 8000, 8000, 9000, 6
                                    :rem 30
    25.3300
58Ø IFPEEK(Z)>=129ANDPEEK(Z)<=154THEN4ØØØ
                                   :rem 188
590 IFPEEK(Z)>=36ANDPEEK(Z)<=39THENEN=1:R
                                   :rem 179
    ETURN
600 IF(PEEK(Z+C)AND15)=5THEN620
                                    :rem 38
6Ø5 GOTO625
                                   :rem 113
620 GOSUB9820: POKEP%, 32: POKEZ, CH: POKEZ+C,
                                   :rem 174
    7:P%=Z
625 GS=GS-2: IFGS=<0THENGS=0:GOSUB9700
                                    :rem 57
63Ø RETURN
                                   :rem 121
700 \text{ TY}=(VR(T)=1)*36+(VR(T)=-1)*37+(VR(T)=
    40)*39+(VR(T)=-40)*38:TY(T)=(-1)*TY
                                    :rem 147
710 ED=(ED(T)=B%(T))*(-E%(T))+(ED(T)=E%(T
    ))*(-B%(T)):ED(T)=ED
                                    :rem 181
                                    :rem 121
720 RETURN
800 IFPEEK(Z)=30AND(PEEK(Z+C)AND15)=5THEN
    620
                                    :rem 107
81Ø IFPEEK(Z) <> 32THEN625
                                    :rem 163
820 GOTO620
                                    :rem 107
1000 FORLL=1T012:PK=PEEK(TL%(LL)+C)AND15
                                    :rem 145
1005 IFPEEK(TL%(LL))=32THENPOKETL%(LL),30
      : POKETL% (LL)+C, PK
1010 POKETL%(LL)+C, PK:TL=(PK=2)*1+(PK=5)*
      2+(PK=7)*3
                                    :rem 110
1012 GOSUB500: IFEN=1THENLL=12: GOTO1030
                                     rem 65
1015 GOSUB400: IFEN=1THENLL=12: GOTO1030
                                     :rem 67
1020 GOSUB5000: IFEN=1THENLL=12:GOTO1030
                                    :rem 112
1025 ONABS(TL)GOSUB1040,1050,1060 :rem 86
1030 NEXT: RETURN
                                     :rem 29
1040 A=FNA(3):IFA=1THENPOKETL%(LL)+C,5:PO
     KETL% (LL), 3Ø
                                    :rem 149
1045 RETURN
                                    :rem 170
1050 A=FNA(3):IFA=2THENPOKETL%(LL)+C,7:PO
     KETL% (LL), 30
                                   :rem 153
```

1055			
	RETURN :rem 171	4010	IFPEEK(Z)<>XF%THEN63Ø :rem 41
1060	A=FNA(3):IFA=3THENPOKETL%(LL)+C,2:PO	4030	IFLV=2ANDZ<>DZTHEN63Ø :rem 116
	KETL%(LL),30 :rem 150	4050	PC=FNA(26):CF%=PC+128 :rem 165
1065	RETURN :rem 172	4200	SP=Z:POKEZ,CH:POKEZ+C,7:POKEP%,32:GO
1500	FORI=22TO23:FORJ=1TO37 :rem 133		SUB9820 :rem 10
		1210	TREU-IMPERION-DO-OF-1-COCURETEE
1510	POKE214, I: PRINT: POKE211, J: PRINTCHR\$ (4210	IFLV=1THENPT=PC:CL=1:GOSUB5155
	32);:NEXTJ,I:RETURN :rem 71		:rem 202
	32); INEXIO, LIKETURN : I'em /L	1000	
2000	PX=FNA(26):XF%=PX+128 :rem 221	4260	GOSUB1500: POKE214, 22: PRINT: POKE211,1
			:rem 195
2005	GOSUB1500:POKE214,22:PRINT:POKE211,1		
	:rem 190	4265	PRINT" {WHT} TAKE ME TO THE "; F\$ (CF%-1
			28);:PT=PC:CL=0:X=2:GOSUB5155
2010	PRINT" [WHT] CABBY GO TO THE "; F\$ (XF%-		20);:P1=PC:CL=0:A=2:GOSUB3133
	128);:PT=PX:CL=0:X=1:GOSUB5155		:rem 248
		4200	
	:rem 83	4280	POKEP%, CH: POKEP%+C, 7: GOSUB9820: POKEZ
2020	GOSUB500:RETURN :rem 243		,XF%:POKEZ+C,1 :rem 165
		4005	
3005	I=49152:IF PEEK(49154)=216THENSYS491		IFCF%=XF%THENPOKEZ+C,Ø :rem 146
	60:GOTO3030 :rem 218	4290	IFLV=1ANDXF%<>CF%THENPT=PX:CL=1:GOSU
		1230	
3010	READ A: IF A=256 THENSYS49160:GOTO303		B5155 :rem 165
	Ø :rem 112	4300	GOTO63Ø :rem 153
3Ø2Ø	POKE I, A: I=I+1:GOTO 3010 :rem 70	4500	IFPEEK(Z) <> CF%THEN630 :rem 24
	POKE1064, 40: POKE1065, 41: POKE1066, 40:	4505	IFLV=2ANDZ<>DCTHEN63Ø :rem 100
3030			
	POKE1067,41:FORI=1064T01067:POKEI+C,	4510	POKEZ, CH: POKEZ+C, 7: POKEP%, 32: GOSUB98
	1: :rem 62		20 :rem 154
3Ø4Ø	NEXT: POKE1104+C, 1: POKE1104, 40: FORI=1	4550	M1=ABS(SP-Z)/10+1 :rem 198
	105T01107:POKEI,32:POKEI+40,32:NEXT		
	:rem 39	457Ø	GOSUB1500: POKE214, 22: PRINT: POKE211,1
2050			
3050	POKE1144, 40: POKE1144+C, 1: FORI=1265TO		:rem 199
	13Ø1:POKEI,32:NEXT :rem 232	4573	PRINT"YOU COLLECT"; M1; "PLUS TIP OF";
2000			
3055	FORI=1545T01581:POKEI, 32:NEXT:rem 55		M2; :rem 154
3060	FORI=1114TO1754STEP40:POKEI,32:POKEI	4580	M3=M1+M2+M3:M1=Ø:M2=Ø :rem 172
3500			
	+10,32:POKEI+20,32:NEXT :rem 108	4600	POKE214, 23: PRINT: POKE211, 1: PRINT"YOU
3065	FORI=1TO5 :rem 68		
3067	X=FNA(38):Y=FNA(19):L=FNL(Q):rem 155	4650	POKEP%, CH: POKEP%+C, 7: GOSUB9820: POKEZ
	IFPEEK(L)=320RPEEK(L)<>160THEN3067		
3070	The state of the s		
	:rem 48	4655	IFLV=1THENPT=PC:CL=1:GOSUB5155
2075	POKEL, 42: POKEL+C, 7: NEXT : rem 219		
			:rem 215
3Ø8Ø	K=Ø:FORI=1TO26:FORJ=1TOA%(I):rem 226	4660	CF%=0:XF%=0:GOTO630 :rem 97
	X=FNA(40):Y=FNA(19):L=FNL(Q):rem 144		MX=0:MY=0:GOTO5010 :rem 93
3100	IF PEEK(L)=320RPEEK(L)<>160THEN3090	5005	MY=INT((P%-H)/40):MX=(P%-H)-40*MY:RE
		3003	
	:rem 38		TURN :rem 137
3110	IFPEEK(L+1)=16ØANDPEEK(L-1)=16ØANDPE	5010	GOSUB5005:CT=ABS((MY=6)*1+(MY=13)*2)
2110	TIT BEN (BIT) - TOURINDE BEN (B-T)-TOURINDEE	JUID	
	EK(L+40)=160ANDPEEK(L-40)=160THEN309		:T=CT:IFCT>ØTHENGOSUB5Ø5Ø :rem 21Ø
	Ø :rem 25Ø	5015	GOSUB5005:CT=ABS((MX=10)*3+(MX=20)*4
		2013	GOSOBS005:CI=ABS((MX=ID)*3+(MX=ZD)*4
3120	K=K+1:LC%(K)=L:POKEL, I+128:NEXT:NEXT		+(MX=30)*5):T=CT:IFCT>0THENGOSUB5050
	:RETURN :rem 4		
			:rem 34
3200	IFPEEK(A) <> 32THENGOSUB3220 :rem 96	5020	RETURN : rem 167
3210	TL%(I)=A: POKEA, 3Ø: POKEA+C, 5: RETURN		
3210	ID (I)-A: FOREA, SO: FOREATC, S: REIORN		TODO:
		5050	IFP%>TR(CT)ANDVR(CT)>ØTHEN5Ø8Ø
	:rem lll	5050	
3220			:rem 103
Control Control Control Control	FORJ=1TO8 :rem 65		
Control Control Control Control			:rem 103 IFP% <tr(ct)andvr(ct) <="" td="" øthen5080<=""></tr(ct)andvr(ct)>
Control Control Control Control	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060	:rem 103 IFP% <tr(ct)andvr(ct) 100<="" :rem="" <0then5080="" td=""></tr(ct)andvr(ct)>
3230	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208	5Ø6Ø 5Ø7Ø	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 100="" 83<="" :rem="" td="" vr(ct)="(-1)*VR(CT):GOSUB700"></tr(ct)andvr(ct)<0then5080>
3230	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5Ø6Ø 5Ø7Ø	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 100="" 83<="" :rem="" td="" vr(ct)="(-1)*VR(CT):GOSUB700"></tr(ct)andvr(ct)<0then5080>
323Ø 324Ø	FORJ=1TO8 : rem 65 IFPEEK(A+V(J))=32THENA=A+V(J): K=8 : rem 208 NEXT: RETURN : rem 34	5Ø6Ø 5Ø7Ø	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 :rem 100 VR(CT)=(-1)*VR(CT):GOSUB700 :rem 83 B=FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT)</tr(ct)andvr(ct)<0then5080
323Ø 324Ø 33ØØ	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208 NEXT:RETURN :rem 34 IFXF%<>0THENRETURN :rem 209	5Ø6Ø 5Ø7Ø 5Ø8Ø	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 100="" 230<="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" td="" vr(ct)="(-1)*VR(CT):GOSUB700"></tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208 NEXT:RETURN :rem 34 IFXF%<>0THENRETURN :rem 209	5Ø6Ø 5Ø7Ø 5Ø8Ø	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 100="" 230<="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" td="" vr(ct)="(-1)*VR(CT):GOSUB700"></tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF%<>ØTHENRETURN :rem 2Ø9 POKEP%, 32:POKEZ, CH:POKEZ+C, 7:GOSUB2Ø	5Ø6Ø 5Ø7Ø 5Ø8Ø	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 100="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" poketr(ct),32:formv="TR(CT)TODNSTEPVR</td" vr(ct)="(-1)*VR(CT):GOSUB700"></tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF%<>ØTHENRETURN :rem 2Ø9 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134	5Ø6Ø 5Ø7Ø 5Ø8Ø	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 100="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" poketr(ct),32:formv="TR(CT)TODNSTEPVR</td" vr(ct)="(-1)*VR(CT):GOSUB700"></tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF%<>ØTHENRETURN :rem 2Ø9 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134	5060 5070 5080 5100	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207<="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" poketr(ct),32:formv="TR(CT)TODNSTEPVR" td="" vr(ct)="(-1)*VR(CT):GOSUB700"></tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF%<>ØTHENRETURN :rem 2Ø9 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP%,CH:POKEP%+C,7:POKEZ,16Ø:POKEZ	5060 5070 5080 5100	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT)</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF%<>ØTHENRETURN :rem 2Ø9 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134	5060 5070 5080 5100	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT)</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5110	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF%<>ØTHENRETURN :rem 2Ø9 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP%,CH:POKEP%+C,7:POKEZ,16Ø:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP%,32:POKEZ,CH	5060 5070 5080 5100 5110	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF\$<>ØTHENRETURN :rem 2Ø9 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,16Ø:POKEZ+C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB982Ø :rem 2Ø3	5060 5070 5080 5100 5110	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF\$<>ØTHENRETURN :rem 2Ø9 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,16Ø:POKEZ+C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB982Ø :rem 2Ø3	5060 5070 5080 5100 5110 5115	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 334Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF\$<>ØTHENRETURN :rem 2Ø9 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,16Ø:POKEZ+C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB982Ø :rem 2Ø3 M2=INT(FNA(1ØØ*M1)/1Ø)/1ØØ :rem 113	5060 5070 5080 5100 5110 5115	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 334Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF\$<>ØTHENRETURN :rem 2Ø9 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,16Ø:POKEZ+C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB982Ø :rem 2Ø3 M2=INT(FNA(1ØØ*M1)/1Ø)/1ØØ :rem 113	5060 5070 5080 5100 5110 5115	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 334Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF\$<>ØTHENRETURN :rem 2Ø9 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,16Ø:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP\$,32:POKEZ,CH :POKEZ+C,7:GOSUB982Ø :rem 2Ø3 M2=INT(FNA(1ØØ*M1)/1Ø)/1ØØ :rem 113 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	5060 5070 5080 5100 5110 5115 5120	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 334Ø 335Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208 NEXT:RETURN :rem 34 IFXF%<>0THENRETURN :rem 209 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB20 00 :rem 134 POKEP%,CH:POKEP%+C,7:POKEZ,160:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/10+1:POKEP%,32:POKEZ,CH :POKEZ+C,7:GOSUB9820 :rem 203 M2=INT(FNA(100*M1)/10)/100 :rem 113 GOSUB1500:POKE214,22:PRINT:POKE211,1 :rem 194	5060 5070 5080 5100 5110 5115 5120	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 334Ø 335Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208 NEXT:RETURN :rem 34 IFXF%<>0THENRETURN :rem 209 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB20 00 :rem 134 POKEP%,CH:POKEP%+C,7:POKEZ,160:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/10+1:POKEP%,32:POKEZ,CH :POKEZ+C,7:GOSUB9820 :rem 203 M2=INT(FNA(100*M1)/10)/100 :rem 113 GOSUB1500:POKE214,22:PRINT:POKE211,1 :rem 194	5060 5070 5080 5100 5110 5115 5120	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 334Ø 335Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF\$<>ØTHENRETURN :rem 2Ø9 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,16Ø:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP\$,32:POKEZ,CH :POKEZ+C,7:GOSUB982Ø :rem 2Ø3 M2=INT(FNA(1ØØ*M1)/1Ø)/1ØØ :rem 113 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1 :rem 194 PRINT"YOU COLLECT";M1;"PLUS TIP OF";	5060 5070 5080 5100 5110 5115 5120 5125	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5110 5115 5120 5125 5126	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT)):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5110 5115 5120 5125 5126	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT)):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208 NEXT:RETURN :rem 34 IFXF\$<>0THENRETURN :rem 209 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB20 00 :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,160:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/10+1:POKEP\$,32:POKEZ,CH :POKEZ+C,7:GOSUB9820 :rem 203 M2=INT(FNA(100*M1)/10)/100 :rem 113 GOSUB1500:POKE214,22:PRINT:POKE211,1 :rem 194 PRINT"YOU COLLECT";M1;"PLUS TIP OF"; M2; :rem 147 M3=M1+M2+M3:M1=0:M2=0:POKEP\$,CH:POKE	5060 5070 5080 5100 5110 5115 5120 5125 5126 5130	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208 NEXT:RETURN :rem 34 IFXF\$<>0THENRETURN :rem 209 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB20 00 :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,160:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/10+1:POKEP\$,32:POKEZ,CH :POKEZ+C,7:GOSUB9820 :rem 203 M2=INT(FNA(100*M1)/10)/100 :rem 113 GOSUB1500:POKE214,22:PRINT:POKE211,1 :rem 194 PRINT"YOU COLLECT";M1;"PLUS TIP OF"; M2; :rem 147 M3=M1+M2+M3:M1=0:M2=0:POKEP\$,CH:POKE P\$+C,7:POKEZ,XF\$:POKEZ+C,1 :rem 44	5060 5070 5080 5100 5110 5115 5120 5125 5126 5130	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 238 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT):</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 208 NEXT:RETURN :rem 34 IFXF\$<>0THENRETURN :rem 209 POKEP\$,32:POKEZ,CH:POKEZ+C,7:GOSUB20 00 :rem 134 POKEP\$,CH:POKEP\$+C,7:POKEZ,160:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/10+1:POKEP\$,32:POKEZ,CH :POKEZ+C,7:GOSUB9820 :rem 203 M2=INT(FNA(100*M1)/10)/100 :rem 113 GOSUB1500:POKE214,22:PRINT:POKE211,1 :rem 194 PRINT"YOU COLLECT";M1;"PLUS TIP OF"; M2; :rem 147 M3=M1+M2+M3:M1=0:M2=0:POKEP\$,CH:POKE P\$+C,7:POKEZ,XF\$:POKEZ+C,1 :rem 44	5060 5070 5080 5100 5110 5115 5120 5125 5126 5130	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 238 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT):</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø 3375	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8 :rem 2Ø8 NEXT:RETURN :rem 34 IFXF%<>ØTHENRETURN :rem 2Ø9 POKEP%,32:POKEZ,CH:POKEZ+C,7:GOSUB2Ø ØØ :rem 134 POKEP%,CH:POKEP%+C,7:POKEZ,16Ø:POKEZ +C,1:MN=1:RETURN :rem 67 M1=ABS(SP-Z)/1Ø+1:POKEP%,32:POKEZ,CH :POKEZ+C,7:GOSUB982Ø :rem 2Ø3 M2=INT(FNA(1ØØ*M1)/1Ø)/1ØØ :rem 113 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1 :rem 194 PRINT"YOU COLLECT";M1;"PLUS TIP OF"; M2; :rem 147 M3=M1+M2+M3:M1=Ø:M2=Ø:POKEP%,CH:POKE P%+C,7:POKEZ,XF%:POKEZ+C,1 :rem 44 PT=PX:CL=1:X=1:GOSUB5155 :rem 28	5060 5070 5080 5100 5115 5120 5125 5126 5130 5135	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT): POKEED(CT),TY(CT):RETURN :rem 122</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø 3375	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5115 5120 5125 5126 5130 5135	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT): POKEED(CT),TY(CT):RETURN :rem 122</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø 3375	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5115 5120 5125 5126 5130 5135	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT): POKEED(CT),TY(CT):RETURN :rem 122 TR(CT)=DN:POKETR(CT),TY(CT):RETURN</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø 3375	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5115 5120 5125 5126 5130 5135 5140	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT): POKEED(CT),TY(CT):RETURN :rem 122 TR(CT)=DN:POKETR(CT),TY(CT):RETURN :rem 249</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø 3375 338Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5115 5120 5125 5126 5130 5135 5140	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 (ct):pk="PEEK(MV)" 100="" 207="" 230="" 83="" :rem="" b="FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT))" ifpk="" poketr(ct),32:formv="TR(CT)TODNSTEPVR" vr(ct)="(-1)*VR(CT):GOSUB700">=36ANDPK<=39THENTR(CT)=MV-VR(CT):MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 225 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT): POKEED(CT),TY(CT):RETURN :rem 122 TR(CT)=DN:POKETR(CT),TY(CT):RETURN :rem 249</tr(ct)andvr(ct)<0then5080>
323Ø 324Ø 33ØØ 331Ø 332Ø 333Ø 335Ø 336Ø 337Ø 3375 338Ø	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5115 5120 5125 5126 5130 5135 5140	
3230 3240 3300 3310 3320 3330 3340 3350 3360 3370 3375 3380	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5110 5115 5120 5125 5126 5130 5135 5140 5150	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 :rem 100 VR(CT)=(-1)*VR(CT):GOSUB700 :rem 83 B=FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT)) :rem 230 POKETR(CT),32:FORMV=TR(CT)TODNSTEPVR (CT):PK=PEEK(MV) :rem 207 IFPK>=36ANDPK<=39THENTR(CT)=MV-VR(CT) :MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 255 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT):POKEED(CT),TY(CT):RETURN :rem 122 TR(CT)=DN:POKETR(CT),TY(CT):RETURN :rem 122 TR(CT)=DN:POKETR(CT),TY(CT):RETURN :rem 249 POKETR(CT),TY(CT):GOSUB500:RETURN :rem 178</tr(ct)andvr(ct)<0then5080
3230 3240 3300 3310 3320 3330 3340 3350 3360 3370 3375 3380	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5110 5115 5120 5125 5126 5130 5135 5140 5150	
3230 3240 3300 3310 3320 3330 3340 3350 3360 3370 3375 3380	FORJ=1TO8 :rem 65 IFPEEK(A+V(J))=32THENA=A+V(J):K=8	5060 5070 5080 5100 5110 5115 5120 5125 5126 5130 5135 5140 5150	:rem 103 IFP% <tr(ct)andvr(ct)<0then5080 :rem 100 VR(CT)=(-1)*VR(CT):GOSUB700 :rem 83 B=FNA(2):DN=(B=1)*(-P%)-(B=2)*(ED(CT)) :rem 230 POKETR(CT),32:FORMV=TR(CT)TODNSTEPVR (CT):PK=PEEK(MV) :rem 207 IFPK>=36ANDPK<=39THENTR(CT)=MV-VR(CT) :MV=DN:NEXT:GOSUB5150:RETURN:rem 70 IFPK=27ORPK=28THENMV=DN:NEXT:EN=1:RE TURN :rem 238 POKEMV,TY(CT):POKEMV+C,15:SH=1 :rem 170 GOSUB9810:GOSUB500:SH=0:POKEMV,32 :rem 77 IFEN=1THENMV=DN :rem 255 NEXT:IFEN=1THENRETURN :rem 255 IFDN=ED(CT)THENTR(CT)=ED(CT)-VR(CT):POKEED(CT),TY(CT):RETURN :rem 122 TR(CT)=DN:POKETR(CT),TY(CT):RETURN :rem 122 TR(CT)=DN:POKETR(CT),TY(CT):RETURN :rem 249 POKETR(CT),TY(CT):GOSUB500:RETURN :rem 178</tr(ct)andvr(ct)<0then5080

3230	FORLC=CM%(PT-1)+1TOCM%(PT) :rem 53		IFXF%=ØTHENRETURN :rem 166
	POKELC%(LC)+C,CL:NEXT:RETURN :rem 81	9650	GOSUB1500: POKE214, 22: PRINT: POKE211, 1
	R=FNA(A%(PT)):DZ=LC%(CM%(PT-1)+R):PO	119	:rem 203
	KEDZ+C,Ø:RETURN :rem 102	9655	PRINT" (WHT) CABBY GO TO THE "; F\$ (XF%-
5170	R=FNA(A%(PT)):DC=LC%(CM%(PT-1)+R):PO		128);:N4=1:GOSUB400:N4=0:RETURN
	KEDC+C, Ø:RETURN :rem 57 PRINT" {CLR}":EN=Ø:GOSUB983Ø:POKE5327		:rem 161
6000		9700	GOSUB1500: POKE214, 22: PRINT: POKE211,1
	2,21 :rem 237		:rem 199
6050	POKE214,8:PRINT:POKE211,6:PRINT"	9750	PRINT" (WHT) OUT OF GAS": N4=1:GOSUB400
	{WHT}YOUR CAB LOST TO THE TROLLEY"		:N4=Ø:IFEN=1THENRETURN :rem 141
6070	:rem 49	9755	GOSUB1500: POKE214, 22: PRINT: POKE211, 1
60 /0	POKE214, 10: PRINT: POKE211, 15: PRINT"GA		:rem 209
-	ME OVERI" :rem 248	9760	PRINT"BACK WITH 1/2 TANKFUL (WHT)";:N
6/ 00	POKE214, 12: PRINT: POKE211, 8: PRINT"YOU		4=1:GOSUB400:N4=0:IFEN=1THENRETURN
	MADE [RVS]";M4;"[OFF]DOLLARS":rem 94	0765	:rem 85
6080	PRINT" [2 DOWN] [12 RIGHT] PLAY AGAIN (GOSUB5000: IFEN=1THENRETURN :rem 249
	Y/N)" :rem 218	9/10	GS=700:GOSUB1500:POKE214,22:PRINT:PO
6085	GETZ\$:RD=RND(1):IFZ\$=""OR(Z\$<>"Y"AND	0700	KE211,1 :rem 118 IFXF%<>ØTHENPRINT"{WHT}CABBY GO TO T
	Z\$<>"N")THEN6Ø85 :rem 82 IFZ\$="N"THENEND :rem 177	9/00	HE ";F\$(XF%-128);:RETURN :rem 42
6090	IFZ\$="N"THENEND :rem 177	0700	IFCF%<>ØTHENPRINT" [WHT] TAKE ME TO TH
6095	PRINT" [CLR]": RESTORE: GOTO165: rem 165	9/90	E ";F\$(CF%-128);:RETURN :rem 193
7000	X=FNA(40):Y=FNA(19) :rem 70	0000	RETURN :rem 177
	IFPEEK(FNL(Q)) <> 160THEN 7040 : rem 90		POKES+4,17:POKEHF,40:POKELF,250:POKE
7030	POKEFNL(Q), Ø: POKEFNL(Q)+C, 3 :rem 143	3010	C+4 16. DETUDN .rem 84
7040	RETURN :rem 171	9820	S+4,16:RETURN :rem 84 POKES+4,33:POKEHF,50:POKELF,100:POKE
	M4=M4+M3:GOSUB982Ø :rem 63	3020	S+4,32:RETURN :rem 76
8010	GOSUB1500: POKE214, 22: PRINT: POKE211,1	9830	POKES+4,33:FORI=200TO70STEP-5:POKEHF
	:PRINT"{WHT}SAFE IN DEPOT";M4		.I:POKELF.INT(I/2):NEXT:POKES+4.32
	:rem 190		POKES+24, Ø: RETURN :rem 198
8020	M3=0:POKEP%, CH:POKEP%+C, 7:POKEZ, 40:P	9835	POKES+24, Ø: RETURN :rem 98
	OKEZ+C,1:FORDL=1TO500:NEXT :rem 172	9840	POKES+4,17:POKEHF,40:POKELF,200:FORI
	IFM4>200THEN8300 :rem 169		=1TO10:FORJ=70TO200STEP5:POKEHF,J
	IFCF%<>ØTHEN8Ø5Ø :rem 175		:rem 136
	IFXF%=ØTHEN63Ø :rem 84	9850	POKELF, 90:NEXT:G=G+1:IFG<5THEN9840
8043	GOSUB1500:POKE214,22:PRINT:POKE211,1		:rem 139
OGAE	:rem 198		POKES+4,16:POKES+24,0:RETURN :rem 14
8045	PRINT" {WHT} CABBY GO TO THE ";F\$(XF%-128);:N4=1:GOSUB400:N4=0 :rem 127	9900	DATAAIRPORT, BANK, "CURLING RINK", "DOC
0016	120);:N4-1:GOSOB400:N4-0 :16m 12/		
RUAL			TORS OFFICE", "EMPLOYMENT OFFICE"
	RETURN :rem 178		:rem 109
		9910	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL
8050	RETURN :rem 178 GOSUB1500:POKE214,22:PRINT:POKE211,1 :rem 196 PRINT"{WHT}TAKE ME TO THE ":FS(CF%-1		:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190
8050	RETURN :rem 178 GOSUB1500:POKE214,22:PRINT:POKE211,1 :rem 196 PRINT"{WHT}TAKE ME TO THE ":FS(CF%-1		:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M
8Ø5Ø 8Ø6Ø	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1 : rem 196 PRINT"{WHT}TAKE ME TO THE ";F\$(CF%-1 28);:N4=1:GOSUB4ØØ:N4=Ø : rem 39	9915	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188
8050 8060 8070	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1 : rem 196 PRINT"{WHT}TAKE ME TO THE ";F\$(CF%-1 28);:N4=1:GOSUB4ØØ:N4=Ø : rem 39 RETURN : rem 175	9915	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE
8050 8060 8070	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1 : rem 196 PRINT"{WHT}TAKE ME TO THE ";F\$(CF%-1 28);:N4=1:GOSUB4ØØ:N4=Ø : rem 39 RETURN : rem 175 PRINT"{CLR}":POKE214,8:PRINT:POKE211	9915	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER
8050 8060 8070	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1 : rem 196 PRINT"{WHT}TAKE ME TO THE ";F\$(CF%-1 28);:N4=1:GOSUB4ØØ:N4=Ø : rem 39 RETURN : rem 175	9915 992Ø	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126
8050 8060 8070 8300	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 992Ø	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI
8050 8060 8070 8300 8310	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201
8050 8060 8070 8300 8310	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255
8050 8060 8070 8300 8310 8400	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117
8050 8060 8070 8300 8310 8400 8450	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117 DATA 14560,0,102,126,255,255,126,10
8050 8060 8070 8300 8310 8400 8450	RETURN : rem 178 GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117 DATA 14560,0,102,126,255,255,126,10 2,0 :rem 93
8050 8060 8070 8300 8310 8400 8450 9000	RETURN GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117 DATA 14560,0,102,126,255,255,126,10 2,0 :rem 93 DATA 14576,0,8,42,42,42,8,4,4
8050 8060 8070 8300 8310 8400 8450 9000	RETURN GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117 DATA 14560,0,102,126,255,255,126,10 2,0 :rem 93 DATA 14576,0,8,42,42,42,8,4,4 :rem 176
8050 8060 8070 8300 8310 8400 8450 9000 9100	RETURN GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117 DATA 14560,0,102,126,255,255,126,10 2,0 :rem 93 DATA 14576,0,8,42,42,42,8,4,4 :rem 176 DATA 14584,8,28,62,28,28,28,28,28
8050 8060 8070 8300 8310 8400 8450 9000 9100	RETURN GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117 DATA 14560,0,102,126,255,255,126,10 2,0 :rem 93 DATA 14576,0,8,42,42,42,8,4,4 :rem 176 DATA 14584,8,28,62,28,28,28,28,28 :rem 146
8050 8060 8070 8300 8310 8400 8450 9000 9100	RETURN GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ", QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 DATA 14552, 24, 255, 255, 24, 24, 255, 255 ,24 :rem 117 DATA 14560,0,102,126,255,255,126,10 2,0 :rem 93 DATA 14576,0,8,42,42,42,8,4,4 :rem 176 DATA 14584,8,28,62,28,28,28,28,28 :rem 146 DATA 14336,60,60,25,127,124,124,24,
8050 8060 8070 8300 8310 8400 8450 9000 9100 9150 9600	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000	:rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN :rem 190 DATA"JEWELRY STORE", KENNEL, LIBRARY, M OTEL :rem 188 DATA"NIGHT CLUB", OFFICE, "POST OFFICE ",QUARRY, RESTAURANT, SCHOOL, THEATER :rem 126 DATA UNIVERSITY, "VETS", "WEATHER OFFI CE", "XRAY OFFICE", YMCA, ZOO :rem 201 1 DATA 14552,24,255,255,24,24,255,255,24 2 DATA 14560,0,102,126,255,255,126,10 2,0 4 DATA 14576,0,8,42,42,42,8,4,4 :rem 176 5 DATA 14584,8,28,62,28,28,28,28,28 :rem 146 6 DATA 14336,60,60,25,127,124,124,24,60 :rem 57
8050 8060 8070 8300 8310 8400 8450 9000 9100 9150 9600	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000	rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL INN
8050 8060 8070 8300 8310 8400 8450 9000 9150 9600 9605	RETURN GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000	### 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN
8050 8060 8070 8300 8310 8400 8450 9000 9150 9600 9605	RETURN GOSUB15ØØ:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000	### 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN
8050 8060 8070 8300 8310 8400 8450 9000 9150 9600 9605 9610	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000	### 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN
8050 8060 8070 8300 8310 8400 8450 9000 9150 9600 9605 9610	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000	rem 109
8050 8060 8070 8300 8310 8400 8450 9000 9150 9600 9605 9610 9630	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000	### 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN
8050 8060 8070 8300 8310 8400 8450 9000 9150 9600 9605 9610 9630	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000 1000	### 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN
8050 8060 8070 8300 8310 8400 9100 9150 9600 9605 9610 9630 9635	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000 1000	rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL INN
8050 8060 8070 8300 8310 8400 9100 9150 9600 9605 9610 9630 9635	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000 1000 100	### 109 DATAFACTORY, "GROCERY STORE", HOSPITAL ,INN
8050 8060 8070 8300 8310 8400 9100 9150 9600 9605 9610 9630 9635	RETURN GOSUB1500:POKE214,22:PRINT:POKE211,1	9915 9920 9930 1000 1000 1000 1000 1000 1000 100	rem 109 DATAFACTORY, "GROCERY STORE", HOSPITAL INN

19913 Dimi 14670 15 05 41 47 47 47 01 15	
10013 DATA 14672,15,25,41,47,47,47,31,15	20 PRINT" (CLR)": POKE53280, 0: POKE53281, 0:P
:rem 176	OKE646,3 :rem 189 25 PRINT*[5 DOWN][10 SPACES]PLEASE STAND
10014 DATA 1,5,2,3,1,2,5,1,2,4,1,1,6,7,5,	
2,1,6,3,5,1,2,1,1,1,1 :rem 130 10015 DATA1,-1,40,-40,-39,39,-41,41	{SPACE}BY" :rem 92 30 DIMM\$(50),A\$(50,100) :rem 104
:rem 197	4Ø A=1 :rem 19
10016 DATA1265,1301,1545,1581,1114,1754,1	50 READM\$(A):IFM\$(A)=""THEN70 :rem 103
124,1764,1134,1774 :rem 157	
10260 DATA1151,1159,1169,1179,1429,1439,1	60 A=A+1:GOTO50 :rem 89 70 A=1:B=1 :rem 0 80 READA\$(A,B) :rem 233
449,1459,1669,1679,1689,1699	8Ø READA\$(A,B) :rem 233
:rem 214	90 IFA\$(A,B)="9"THENGOTO120 :rem 18
10270 DATA 1,0,216,255,255,255,40 :rem 78	100 IFA\$(A,B)=""THENA=A+1:B=1:GOTO80
10280 DATA 0,169,81,133,251,169,40	rem 21
:rem 137	110 B=B+1:GOTO80 :rem 138
10290 DATA 133,253,169,4,133,252,133	120 PRINT"[CLR]":PRINT"[UP][10 RIGHT]
:rem 234	[RVS]FIRST AID SELECTION[DOWN]"
10300 DATA 254,169,147,32,210,255,162	:rem 212
:rem 26	130 Q=1:S=0:RR=1 :rem 153 140 FORA=1TO34:G=A :rem 52
10310 DATA 0,160,0,169,160,145,253	140 FORA=1TO34:G=A :rem 52
:rem 121 10320 DATA 200,192,39,208,249,24,165	150 IFA>20THENIFQTHENQ=0:PRINT"{HOME}
:rem 237	{DOWN}":S=24 :rem 97
10330 DATA 253,105,40,133,253,144,2	160 IFA>26THENG=-16+A-26 :rem 85
:rem 169	170 PRINT" [YEL] "TAB(S)CHR\$(G+64)" [CYN] "SP
10340 DATA 230,254,232,224,19,208,229	C(1)M\$(A) :rem 254
:rem 26	180 NEXT :rem 216
10350 DATA 160,0,169,4,145,251,169	190 POKE198,0 :rem 199 200 PRINT" (HOME) (23 DOWN) (RVS) (YEL) ENTER
:rem 136	{SPACE}LETTER OR NUMBER: {CYN}":rem 62
10360 DATA 255,141,15,212,169,128,141	210 GETA\$:IFA\$=""THEN210 :rem 73
:rem 26	220 A=ASC(A\$)-64 :rem 54
10370 DATA 18,212,173,27,212,41,3 :rem 76	225 IFASC(A\$) < 490RASC(A\$) > 90THEN210
10380 DATA 133,173,170,10,168,24,185	:rem 245
:rem 236 10390 DATA 0,192,101,251,133,170,185	23Ø IFA<1THENA=91+(A+15)-64 :rem 206
:rem 226	240 IFA>34ORA<0THEN210 :rem 27
10400 DATA 1,192,101,252,133,171,24	250 PRINT"{CLR}" :rem 251
:rem 165	260 FORB=1T0100 :rem 99
10410 DATA 185,0,192,101,170,133,253	270 IFB>10ANDA=14ANDRR=1THENPRINT"
:rem 221	[2 DOWN] [YEL] PRESS ANY KEY TO CONTIN
10420 DATA 185,1,192,101,171,133,254	UE{CYN}":GOSUB370 :rem 189 280 PRINT"{DOWN}"A\$(A,B) :rem 225
irem 225	28Ø PRINT" [DOWN] "A\$ (A,B) :rem 225 29Ø IFA\$ (A,B) = "THEN31Ø :rem 211
10430 DATA 160,0,177,253,201,160,208	300 NEXT : rem 210
:rem 222	310 PRINT" (RVS) HIT ANY KEY TO RETURN TO M
10440 DATA 18,138,145,253,169,32,145 :rem 243	AIN MENU" :rem 173
10450 DATA 170,165,253,133,251,165,254	320 POKE198,0 :rem 194
:rem 80	33Ø GETA\$:IFA\$=""THEN33Ø :rem 79
10460 DATA 133,252,76,62,192,232,138	340 GOTO120 :rem 99
:rem 241	350 GETA\$:IFA\$=""THEN350 :rem 83
10470 DATA 41,3,197,173,208,189,177	360 C=VAL(A\$) :rem 178
:rem 205	37Ø POKE198,Ø :rem 199
10480 DATA 251,170,169,32,145,251,224	38Ø GETA\$:IFA\$=""THEN38Ø :rem 89
:rem 30	390 PRINT"{CLR}":RR=0:RETURN :rem 101
10490 DATA 4,240,26,138,10,168,162	400 DATA" (RVS) (YEL) EMERGENCY NUMBERS (CYN)
:rem 135 10500 DATA 2,56,165,251,249,0,192 :rem 84	" :rem 252 410 DATA"APPENDICITIS" :rem 112
10510 DATA 133,251,165,252,249,1,192	410 DATA APPENDICITIS :rem 112 420 DATA ARTIF. RESPIRATION :rem 232
:rem 233	430 DATA BITES (ANIMAL)", "BITES (INSECT)"
10520 DATA 133,252,202,208,238,76,62	"BITES (SNAKE)" : rem 23
:rem 234	440 DATA "BLEEDING (SEVERE)" :rem 75
10530 DATA 192,169,1,160,0,153,0 :rem 24	450 DATA BONE & JOINT INJURIES, "BRUISES"
10540 DATA 216,153,0,217,153,0,218	:rem 187
:rem 124	460 DATA"BURNS (MINOR)" : rem 88
10550 DATA 153,0,219,200,208,241,96,256 :rem 125	470 DATA BURNS (SERIOUS)", "BURNS (V. SERI
:rem 125	OUS)" :rem 247
Tines Niel	480 DATA"BURNS (CHEMICAL)", "CHOKING", "DRU
First Aid	GS" :rem 115 490 DATA"EARACHE", "ELECTRIC SHOCK", "EPILE
(Article on page 95.)	PSY" :rem 242
(Altitude on puge 30.)	500 DATA"EXPOSURE TO COLD", "EXPOSURE TO H
10 REM ***FIRST AID*** :rem 151	EAT" :rem 227

510	DATA "FAINTING", "FEVER", "HEART ATTACK", "HERNIAS", "NOSE BLEED" :rem 67	830 DATA" (RVS)4) (OFF) IF ALLERGIC REACTIO
520	,"HERNIAS", "NOSE BLEED" :rem 67 DATA"POISON (GAS)", "POISON (ORAL)", "S HOCK", "SPRAINS", "STRAINS" :rem 204	N -" :rem 78 840 DATA" {UP} {3 RIGHT}GET MEDICAL ATTENTI ON.","" :rem 5
530	DATA "STROKE", "SUNBURN", "SUNSTROKE", " TOOTHACHE", "" :rem 40	850 DATA" (RVS) [13 RIGHT) SNAKE BITES"
540	DATA" (RVS) (YEL) (8 RIGHT) *** EMERGENCY (SPACE) NUMBERS *** (CYN)" : rem 229	86Ø DATA" (DOWN) (RVS)1) (OFF) GET VICTIM TO
55Ø	DATA" (DOWN) POISON CONTROL CENTER: {2 SPACES} 798-6200": DATA" DOCTOR:	HOSPITAL." :rem 236 870 DATA" [RVS] 2) {OFF} RESTRICT MOVEMENT O F VICTIM." :rem 102
560	{2 SPACES}798-0200 :DATA BOCIOR: {2 SPACES}823-4796" :rem 219 DATA"AMBULANCE:{2 SPACES}429-5111"	88Ø DATA" (RVS)3) (OFF) IMMOBOLIZE AFFECTED PART BELOW" :rem 215
	:rem 79 DATA "DOCTOR: {2 SPACES}823-4796"	890 DATA" [UP] [3 RIGHT] LEVEL OF HEART." :rem 150
	:rem 163 DATA"HOSPITAL:{2 SPACES}823-1000"	900 DATA" [RVS]4) [OFF] APPLY CONSTRICTING [SPACE] BAND 2-4 INCHES" : rem 119
	:rem 36 DATA"POLICE:{2 SPACES}429-8231"	910 DATA" [UP] {3 RIGHT}ABOVE BITE & BETWEE N BITE & HEART." :rem 141
	DATA FOLICE: {2 SPACES}429-8231 :rem 140 DATA "FIRE: {2 SPACES}823-2233",""	920 DATA" (RVS)5) (OFF) MAKE INCISION LENGT H-WISE (NOT DEEP)" :rem 252
	:rem 88	930 DATA" (UP) (3 RIGHT) AT FANG MARKS."
610	DATA" [RVS] [12 RIGHT] APPENDICITIS", " [DOWN] [RVS] 1) [OFF] CALL YOUR DOCTOR."	940 DATA" (RVS)6) (OFF) SUCK VENOM FROM WOU ND & SPIT OUT." :rem 6
620	DATA" (RVS)2) (OFF) NEVER GIVE ANYTHING BY MOUTH." : rem 88	950 DATA" (UP) (3 RIGHT) REPEAT FOR AT LEAST 40 MINUTES." :rem 81
630	DATA" (RVS)3) (OFF) ICE BAG MAY REDUCE	960 DATA" (RVS)7) (OFF) TREAT FOR SHOCK."," :rem 126
640	{SPACE}DISCOMFORT.","" :rem 201 DATA"{RVS}{6 RIGHT}ARTIFICIAL RESPIRA	970 DATA" [10 RIGHT] [RVS] SEVERE BLEEDING", "[RVS]1) [OFF] CALL FOR MEDICAL ASSIST
65Ø	TION" :rem 224 DATA" (DOWN) (RVS)1) (OFF) TILT HEAD BAC	ANCE." :rem 178 980 DATA" [RVS]2) [OFF] LAY VICTIM DOWN & E
66Ø	DATA"(RVS)2)(OFF) PINCH NOSE SHUT. BL	LEVATE LEGS IN A[5 SPACES]SEMI-FLEXED POSITION." :rem 205
	OW AIR INTO (10 SPACES) VICTIM'S MOUTH. " : rem 93	990 DATA" [RVS]3) [OFF] CONTROL BLEEDING BY APPLYING DIRECT[5 SPACES] PRESSURE TO
	DATA" (RVS)3) (OFF) REMOVE MOUTH; LOOK F OR EXHALATION." : rem 200	WOUND." :rem 236
	DATA" (RVS)4) (OFF) REPEAT BLOWING CYCL E." :rem 110	1000 DATA" (RVS)4) (OFF) IF BLEEDING CONTIN UES APPLY DIGITAL" :rem 37 1010 DATA" (UP) {3 RIGHT}PRESSURE AT PRESSU
690	DATA" (DOWN) {RVS} ADULT {OFF} - BREATHE {SPACE} DEEPLY EVERY 5 SECONDS."	RE POINT." :rem 71 1020 DATA" (RVS)5) (OFF) ELEVATE BLEEDING P
700	:rem 20 DATA" {RVS}CHILD {OFF} - BREATHE GENTLY	ART OF BODY{11 SPACES}ABOVE LEVEL OF HEART." :rem 121
710	EVERY 3 SECONDS.","" :rem 99 DATA" (RVS) {13 RIGHT ANIMAL BITES","	1030 DATA" (RVS)6) (OFF) MAINTAIN OPEN AIRW AY & GIVE VICTIM (6 SPACES) PLENTY OF
	{DOWN}{RVS}1){OFF} STOP BLEEDING." :rem 215	{SPACE}FRESH AIR." :rem 133
	DATA" [DOWN] [RVS] 2) [OFF] WASH WOUND WI TH SOAP & WATER." :rem 13	1040 DATA" (RVS)7) (OFF) PREVENT LOSS OF HE AT WITH BLANKETS (6 SPACES) OVER & UND
	DATA" (DOWN) (RVS) 3) (OFF) RESTRICT MOVE MENT OF AFFECTED PART." : rem 16	ER VICTIM.","" :rem 29 1050 DATA" [9 RIGHT] [RVS] BONE & JOINT INJU
	DATA"{DOWN}{RVS}4){OFF} ISOLATE ANIMA L FOR RABIES TEST.","" :rem 73	RIES" :rem 114 1060 DATA" (DOWN) (RVS) 1) (OFF) KEEP BONE EN
750	DATA"(RVS)(13 RIGHT)INSECT BITES"," [RVS]MINOR:","[RVS]1)[OFF]" :rem 113	DS & ADJACENT JOINTS [8 SPACES] STILL. " :rem 148
760	DATA" {2 UP} {3 RIGHT}APPLY COLD SOOTHING LOTIONS (CALAMINE)" : rem 58	1070 DATA" (RVS)2) (OFF) DO NOT MOVE VICTIM UNLESS ABSOLUTELY (4 SPACES) NECESSAR
77Ø	DATA" (RVS) SEVERE REACTIONS: ", "(RVS)1) [OFF] GIVE ARTIFICIAL RESPIRATION"	Y." :rem 101 1080 DATA" (RVS)3) (OFF) APPLY WELL PADDED
78Ø	:rem 123 DATA"{UP}{3 RIGHT}IF NECESSARY."	{SPACE}SPLINT TO INJURED{5 SPACES}PA RT." :rem 118
	:rem 79 DATA"(RVS)2)(OFF) APPLY CONSTRICTING	1090 DATA" (RVS)4) (OFF) IF BROKEN BONE IS {SPACE}PROTRUDING CONTROL(3 SPACES)
	<pre>{SPACE}BAND" :rem 47 DATA"{UP}{3 RIGHT}2-4 INCHES ABOVE ST</pre>	BLEEDING." :rem 252 1100 DATA"{2 UP}{13 RIGHT}COVER WITH CLEA
	ING." :rem 75 DATA"(RVS)3)(OFF) KEEP AFFECTED PART	N DRESSING (5 SPACES) BEFORE SPLINTING ." :rem 209
	<pre>{SPACE}DOWN" :rem 189 DATA"(UP){3 RIGHT}AND APPLY ICE PACK.</pre>	1110 DATA" (RVS)5) (OFF) TREAT FOR SHOCK.", :rem 160
1	" :rem 87	1120 DATA" [15 RIGHT] [RVS] BRUISES" : rem 4

	1130	DATA" (DOWN) (RVS)1) (OFF) APPLY COLD C	1420	DATA" {2 UP} {22 RIGHT } DISLODGED"
		LOTH OR ICE PACK TO [9 SPACES] RELIEVE	1400	:rem 84
	11/0	PAIN AND" :rem 143 DATA"{2 UP}{19 RIGHT} REDUCE SWELLIN	1430	DATA" {UP} {3 SPACES} ADMINISTER ARTIFI CIAL RESPIRATION." :rem 253
	1140	G.","" : rem 40	1440	DATA" [UP] [3 SPACES] GET PROMPT MEDICA
	1150	DATA" [7 RIGHT] [RVS] MINOR BURNS (1ST D	1110	L ATTENTION.","" :rem 189
		EGREE)" :rem 230	1450	DATA" [6 SPACES] [11 RIGHT] [RVS] DRUGS"
	1160	DATA" [DOWN] [RVS]1) [OFF] SUBMERGE RED		:rem 254
	RI	DENED SKIN IN COLD WATER." : rem 105	1460	DATA" (DOWN) {RVS}1) (OFF) KEEP AIRWAY
	1170	DATA" (RVS)2) (OFF) APPLY DRY DRESSING		{SPACE}OPEN; GIVE ARTIFICIAL"
		IF NECESSARY.","" :rem 212	1 470	:rem 154
	1180	DATA" [6 RIGHT] [RVS] SERIOUS BURNS (2ND	14/0	DATA" {UP} {3 RIGHT} VENTILATION OR CPR IF NEEDED." :rem 71
		DEGREE)" :rem 93	1490	DATA" (RVS)2) (OFF) TREAT FOR SHOCK."
	1190	DATA" (DOWN) (RVS)1) (OFF) SUBMERGE BLI	1400	:rem 55
		STERED SKIN IN COLD [9 SPACES] (NOT IC E) WATER." :rem 226	1490	DATA" (RVS)3) (OFF) PLACE UNCONSCIOUS
	1200	DATA" (RVS)2) (OFF) APPLY CLEAN CLOTHS		{SPACE}VICTIM IN A 3" :rem 193
		SOAKED IN ICE[8 SPACES]WATER."	1491	DATA" [UP] [3 SPACES] QUARTERS PRONE PO
		:rem 166		SITION." :rem 92
	1210	DATA" (RVS)3) (OFF) APPLY PROTECTIVE B	1500	DATA" (RVS)4) (OFF) PROTECT VICTIM FRO
		ANDAGE." :rem 189	1510	M INJURY." :rem 85 DATA" (RVS)5) (OFF) HALLUCINOGENIC VIC
	1220	DATA" (RVS)4) (OFF) ELEVATE AFFECTED P	1310	TIMS MAY NEED (9 SPACES) CAREFUL ATTEN
	1220	ARTS.","" :rem 132		TION." :rem 52
	1230	DATA" [5 RIGHT] [RVS] VERY SERIOUS BURN S(3RD DEGREE)" : rem 135	1520	DATA" (RVS)6) (OFF) GET VICTIM TO HOSP
	1240	DATA" (DOWN) (RVS)1) (OFF) DO NOT REMOV		ITAL.","" :rem 122
		E ADHERED PARTICLES OF [6 SPACES] CLOT		DATA" [16 RIGHT] [RVS] EARACHE": rem 242
		HING FROM CHARRED" :rem 52	1540	DATA" [DOWN] [RVS]1) [OFF] CALL YOUR DO
		DATA" [2 UP] [25 RIGHT] SKIN." : rem 128		CTOR." :rem 155
	1260	DATA" (RVS)2) (OFF) ELEVATE AFFECTED P	1550	DATA" (RVS)2) (OFF) APPLY ICE BAG OR H
		ARTS ABOVE VICTIM'S[3 SPACES]HEART."		OT WATER BOTTLE; [6 SPACES] WHICHEVER [SPACE] GIVES RELIEF." :rem 101
	1270	DATA" (RVS)3) (OFF) COVER BURNS WITH C	1560	DATA"", "{9 SPACES} (RVS) {2 RIGHT } ELEC
	12/0	LEAN THICK [12 SPACES] DRESSINGS-NO OI		TRIC SHOCK" :rem 169
		NTMENTS." :rem 174	157Ø	DATA" (DOWN) (RVS)1) (OFF) TURN OFF ELE
	1280	DATA" [RVS]4) [OFF] TREAT FOR SHOCK, T		CTRICITY IF POSSIBLE." : rem 189
		HEN GET VICTIM TO [5 SPACES] HOSPITAL.	1580	DATA" (RVS)2) (OFF) REMOVE ELECTRIC CO
		","" :rem 181		NTACT FROM VICTIM(5 SPACES)WITH DRY (SPACE)WOOD OR DRY" :rem 68
	1290	DATA" [3 RIGHT] [9 SPACES] [RVS] CHEMICA L BURNS" : rem 83	1590	DATA" (2 UP) (24 RIGHT) CLOTH.", "[RVS]3
	1300	DATA" [DOWN] [RVS]1) [OFF] WASH FOR 5 O	1){OFF} GIVE ARTIFICIAL RESPIRATION."
	1300	R MORE MINUTES WITH LARGE [3 SPACES]A		:rem 168
		MOUNTS OF WATER." :rem 141	1600	DATA" [RVS]4) [OFF] KEEP VICTIM WARM."
	1310	DATA" (RVS)2) (OFF) APPLY CLEAN DRESSI		"{RVS}5){OFF} CALL YOUR DOCTOR.",""
		NG; GET TO HOSPITAL", "" :rem 252		:rem 194
	1320	DATA" [8 RIGHT] [7 SPACES] [RVS] CHOKING	1610	DATA" [14 RIGHT] [RVS] EPILEPSY": rem 57
		", "[RVS]1)[OFF] IF VICTIM CAN COUGH,	1020	DATA" (DOWN) [RVS]1) (OFF) PREVENT VICT IM FROM INJURING HIMSELF [4 SPACES] BU
	1330	BREATHE, OR TALK, " :rem 126 DATA" [2 UP] [3 RIGHT] DO NOTHING."		T DO NOT RESTRAIN." : rem 205
	1000	:rem 118	1630	DATA" (RVS)2) (OFF) INSERT CLOTH BETWE
	1340	DATA" (RVS)2) (OFF) IF VICTIM IS CLUTC		EN TEETH TO PROTECT [3 SPACES] TONGUE.
		HING THROAT, [10 SPACES] ENCOURAGE VIG		":rem 190
-		OROUS" :rem 210	1640	DATA" (RVS)3) (OFF) LOOSEN TIGHT COLLA
-	1350	DATA" {2 UP} {22 RIGHT } COUGHING."	1650	R; KEEP VICTIM WARM","" :rem 9 DATA" [11 RIGHT] [RVS] EXPOSURE (TO COL
	1360	DATA" (RVS)3) (OFF) IF VICTIM STILL CA	1036	
	2300	NNOT COUGH, BREATHE[3 SPACES]OR TALK	1660	DATA" DOWN RVS 1) OFF COVER FROZEN
		, GIVE 4 SHARP" :rem 65	1000	PART. ", " (RVS) 2) (OFF) PROVIDE EXTRA
1	137Ø	DATA" {UP} {3 SPACES} BLOWS BETWEEN SHO		{SPACE}CLOTHING BLANKETS." :rem 216
		ULDER BLADES," :rem 136	1670	DATA" (RVS)3) (OFF) BRING INDOORS."
	1380	DATA" {UP} {3 SPACES}FOLLOWED BY 4 ABD		:rem 234
-	390	OMINAL THRUSTS." :rem 216 DATA" [UP] [3 SPACES] REPEAT UNTIL OBJE	1680	DATA" (RVS)4) (OFF) IMMERSE FROZEN PAR
	2330	CT IS DISLODGED." :rem 25	1601	T IN WARM WATER" :rem 156
1	400	DATA" (RVS)4) (OFF) IF VICTIM IS A CHI	1001	DATA" [UP] [3 SPACES] (102-105F) OR WRAP GENTLY" :rem 90
		LD, HOLD UPSIDE DOWN [3 SPACES] & SLAP	1690	DATA" (UP) (3 RIGHT) IN WARM BLANKETS.
		[SPACE] SHARPLY ON BACK." :rem 106		{SPACE}DO NOT RUB." :rem 1
]	1410	DATA" (RVS)5) (OFF) IF BREATHING HAS S	1700	DATA" (RVS)5) (OFF) DO NOT APPLY HEAT,
		TOPPED & FOREIGN (6 SPACES) MATERIAL C		HEAT LAMPS, OR HOT [3 SPACES] WATER B
		ANNOT BE" trem 13		OTTLES."

1710	DATA" (RVS)6) (OFF) ELEVATE AFFECTED P	2000	DATA" (RVS)5) (OFF) COVER WITH BLANKET
1720	ART.","" :rem 55 DATA"[11 RIGHT][RVS]EXPOSURE(TO HEAT		& TAKE TO HOSPITAL [3 SPACES] IN THIS POSITION.","" :rem 18
1/20)" :rem 10	2010	POSITION.","" :rem 18 DATA" [16 RIGHT] [RVS] NOSE BLEED"
1730	DATA" (DOWN) (RVS)1) (OFF) APPLY COLD W	WA	:rem 148
	ATER OR RUBBING ALCOHOL [5 SPACES] TO	2020	
1740	[SPACE]BARE SKIN." :rem 47 DATA"[RVS]2)[OFF] USE FANS OR AIR CO		WARD, BLOW NOSE TO REMOVE[3 SPACES]A LL CLOTS." :rem 215
1,40	NDITIONING TO [9 SPACES] PROMOTE COOLI	2030	DATA" (RVS)2) (OFF) SQUEEZE NOSTRILS F
	NG." :rem 66	this	IRMLY TOGETHER FOR [4 SPACES] 10 MINUT
1750	DATA"(RVS)3)(OFF) CONTINUE UNTIL TEM	0010	ES.","" :rem 2
1760	PERATURE IS REDUCED" : rem 2 DATA" (RVS)4) (OFF) GUARD AGAINST OVER	2040	DATA" {11 RIGHT } {RVS } POISONING BY GAS ":rem 161
1.00	CHILLING.","" :rem 203	2050	DATA" [DOWN] [RVS] 1) [OFF] CALL YOUR DO
	DATA" [15 RIGHT] [RVS] FAINTING": rem 66		CTOR.", "[RVS]2)[OFF] OPEN OR BREAK W
1780	DATA" [DOWN] [RVS]1) [OFF] PLACE IN LYI NG POSITION WITH HEAD[7 SPACES] LOWER	2000	INDOWS." :rem 152 DATA" (RVS)3) (OFF) SHUT OFF GAS OR ST
	THAN BODY." :rem 143	2000	OP MOTOR." :rem 198
1790	DATA" (RVS)2) (OFF) LOOSEN CLOTHING &	2070	DATA" (RVS)4) (OFF) REMOVE VICTIM TO F
	{SHIFT-SPACE}APPLY COLD CLOTHS."		RESH AIR." :rem 231
1000	pata" (RVS)3) (OFF) USE SMELLING SALTS	2080	DATA" (RVS)5) (OFF) GIVE ARTIFICIAL RE
1000	& UPON REVIVAL: (6 SPACES) COFFEE, FR	2000	SPIRATION." :rem 171 DATA" (RVS) 6) (OFF) KEEP PATIENT WARM.
	ESH AIR.","" :rem 119	2090	"."" :rem 59
1810	DATA" [16 RIGHT] [RVS] FEVER" : rem 130	2100	DATA" [11 RIGHT] [RVS] POISONING BY MOU
1820	DATA" (DOWN) (RVS) 1) (OFF) INCREASE FLU ID INTAKE." ;rem 224		TH" : rem 80
1830	DATA" (RVS) 2) (OFF) DO NOT COVER EXCES	2110	DATA" [DOWN] [RVS] 1) [OFF] DILUTE POISO N WITH WATER OR MILK. [7 SPACES] DISCO
	SIVELY." :rem 174		NTINUE IF" :rem 95
1840	DATA" (RVS)3) (OFF) GIVE ASPIRIN OR AC	2120	DATA" {2 UP} {18 RIGHT} NAUSEATED."
1050	ETAMINOPHEN." : rem 247	2120	rem 23
1820	DATA" (RVS)4) (OFF) COOLING SPONGES WI TH WATER ONLY." :rem 134	2130	DATA" (RVS)2) (OFF) GET MEDICAL HELP & CALL POISON (10 SPACES) CONTROL CENTE
1860	DATA" (RVS)5) (OFF) CALL YOUR DOCTOR."		R" :rem 23
	,"" :rem 3	2140	DATA"{2 UP}{18 RIGHT}IMMEDIATLY."
1870	DATA" [15 RIGHT] [RVS] HEART ATTACK"	01.50	:rem 110
1880	pata" (RVS)1) (OFF) CALL HOSPITAL (SPE	2150	DATA" (RVS)3) (OFF) DO NOT INDUCE VOMI TING UNLESS SO(8 SPACES) ADVISED BY P
1000	CIFY NEED [13 SPACES] FOR OXYGEN)."		OISON" :rem 190
	:rem 28	2160	DATA" {2 UP} {21 RIGHT } CONTROL CENTER.
1890	DATA" (RVS)2) (OFF) KEEP VICTIM LYING (SPACE) DOWN IN A[13 SPACES] COMFORTAB	2170	" :rem 186 DATA" {RVS}4) {OFF} DO NOT NEUTRALIZE.
	LE POSITION." :rem 132	21/0	DO NOT GIVE OLIVE 4 SPACES OIL OR O
1900	DATA" (RVS)3) (OFF) ADMINISTER ARTIFIC		THER OILS." :rem 120
	IAL RESPIRATION IF [4 SPACES] BREATHIN	2180	DATA" (RVS)5) (OFF) KEEP AIRWAY OPEN.
1010	G HAS STOPPED." : rem 140		{SPACE}ADMINISTER{12 SPACES}ARTIFICI AL RESPIRATION" :rem 149
1910	DATA" (RVS) 4) (OFF) GIVE CPR IF THERE {SPACE} IS NO PULSE {11 SPACES} (IF TRA	2190	DATA" (2 UP) (26 RIGHT) IF NEEDED."
	INED)." :rem 24		:rem 160
1920	DATA" (RVS)5) (OFF) CHECK VICTIM FOR E	2200	DATA" (RVS)6) (OFF) TREAT FOR SHOCK." : rem 50
- TRA	MERGENCY MEDICAL [6 SPACES] INFORMATIO N &" :rem 55	2210	DATA" (RVS)7) (OFF) SAVE LABEL, CONTAI
1930	DATA"{2 UP}{17 RIGHT}PRESCRIPTION FO		NER OR VOMITUS.","" :rem 251
	R" :rem 195	2220	DATA" [17 RIGHT] [RVS] SHOCK[DOWN]"
1940	DATA" { UP } { 3 SPACES } MEDICINE. ADMINIS TER IF PATIENT IS { 6 SPACES } CONSCIOUS	2224	:rem 172 DATA"(RVS)1)(OFF) KEEP VICTIM LYING
	","" :rem 173	2230	[SPACE]DOWN." :rem 253
1950	DATA" [8 RIGHT] [8 SPACES] [RVS] HERNIAS	2240	DATA" [RVS] 2) [OFF] IF HEAD AND/OR CHE
	" :rem 49		ST INJURY, RAISE [6 SPACES] HEAD & SHO ULDERS." :rem 128
1960	DATA" [DOWN] [RVS] 1) [OFF] LAY VICTIM O N BACK WITH KNEES[11 SPACES] WELL DRA	2250	ULDERS." :rem 128 DATA" (RVS)3) (OFF) IF IT WILL NOT AGG
	WN UP." :rem 210	2250	RAVATE ANY INJURY, {4 SPACES} RAISE FE
1970	DATA" [RVS] 2) [OFF] PLACE A CRAVAT BAN		ET." :rem 201
	DAGE AROUND (11 SPACES) THIGHS AND TIE	2260	DATA" (RVS)4) (OFF) KEEP PATIENT WARM, PREVENT LOSS OF (6 SPACES) BODY HEAT.
1980	" :rem 234 DATA" [RVS]3) [OFF] PUT BLANKET UNDER		" :rem 62
	[SPACE]KNEES." :rem 76	2270	DATA" (RVS)5) (OFF) TREAT FOR BREATH S
1990	DATA" (RVS)4) (OFF) DO NOT TRY TO FORC		TOPPAGE, BLEEDING, [4 SPACES] PAIN." :rem 147
	E PROTRUSION [10 SPACES] BACK INTO CAV ITY." :rem 53	2280	DATA" (RVS)6) (OFF) GET PROMPT MEDICAL
			The contract of the community of the contract

	ASSISTANCE.","" :rem 106	
0000	ASSISTANCE.	
2290	DATA" [8 RIGHT] [7 SPACES] [RVS] SPRAINS	
	" :rem 69	
2300		
2300		
	RED AREA; PLACE AT [10 SPACES] COMPLET	
	E REST." :rem 92	
2310	DATA" (RVS)2) (OFF) APPLY ICE BAG, COL	
2010	D CLOTH, OR[11 SPACES] CHEMICAL COLD	
	{SPACE}PACK." :rem 126	
2320	DATA" (RVS)3) (OFF) IF SWELLING & PAIN	
7 10 10 10 10 10 10 10 10 10 10 10 10 10	CONTINUE SEE [9 SPACES] DOCTOR. ", ""	
	CONTINUE SEE (9 SPACES) DOCTOR. ", ""	
	:rem 18	
2330	DATA" [7 RIGHT] [7 SPACES] [RVS] STRAINS	
260000	" :rem 39	
	: rem 39	
2340		
	OMFORTABLE." :rem 62	
2350		
2360	DATA" (RVS)3) (OFF) KEEP INJURED AREA	
	{SPACE}AT REST." :rem 121	
2370		
2310		
	ION." :rem 222	
2380	DATA"" :rem 43	
2382	DATA" {16 RIGHT } {RVS } STROKE" : rem 231	
2385		
2385		
	HEAD." :rem 211	
2390	DATA" (RVS)2) (OFF) TURN HEAD OF VOMIT	
2000		
	ING PATIENT TO [8 SPACES] SIDE."	
	:rem 147	
2400	DATA" (RVS)3) (OFF) GIVE NO STIMULANTS	
	AND MODERATE DIE 7 COLOR NO DITHOLINES	
	AND NOTHING BY [7 SPACES] MOUTH."	
	:rem 64	
2410	DATA" (RVS)4) (OFF) CALL YOUR DOCTOR."	
	:rem 138	
2420		
2420		
2430	DATA" {15 RIGHT } {RVS } SUNBURN", " {RVS }	
	[DOWN]1)[OFF] APPLY BURN CREAM OR PE	
2440		
	ER, CHILLS, AND [7 SPACES] SICKNESS OC	
2450	DATA" (RVS)3) (OFF) PROTECT REDNESS FR	
	OM FURTHER SUN.","" :rem 70	
2460	DATA" [15 RIGHT] [RVS] SUNSTROKE", "	
2100	[DVG] [DOUNT] 1 \ [OPP] GALL MOVE POGET	
	[RVS] [DOWN] 1) [OFF] CALL YOUR DOCTOR.	
	" :rem 160	
2470	DATA" (RVS)2) (OFF) MOVE PATIENT TO A	
2400	(SPACE)COOL, SHADY SPOT." :rem 160	1
2480	DATA" (RVS)3)(OFF) SPONGE ENTIRE BODY	
	DATA" (RVS)3) (OFF) SPONGE ENTIRE BODY WITH COLD WATER." :rem 252	
2490	DATA" (RVS)4) (OFF) DO NOT GIVE STIMUL	-
	ANTICO HILL	1
	ANTS.","" :rem 143	
2500	DATA" [13 RIGHT] [RVS] TOOTHACHE","	10
TALL DESIGNATION OF THE PARTY O	[DOWN] [RVS]1) [OFF] NO TREATMENT."	-
Telegram Maria	:rem 77	10
2510		1
251Ø	DATA" (RVS)2) (OFF) APPLY COLD COMPRES	
2510	DATA" (RVS)2) (OFF) APPLY COLD COMPRES SES UNTIL YOU GET (5 SPACES) TO THE DE	The state of
	DATA" (RVS)2) (OFF) APPLY COLD COMPRES SES UNTIL YOU GET [5 SPACES] TO THE DE NTIST.", "" :rem 119	THE PART OF THE PARTY.
	DATA" (RVS)2) (OFF) APPLY COLD COMPRES SES UNTIL YOU GET (5 SPACES) TO THE DE	
	DATA" (RVS)2) (OFF) APPLY COLD COMPRES SES UNTIL YOU GET [5 SPACES] TO THE DE NTIST.", "" :rem 119	

BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

Quiz Master

(Article on page 80.)

Program 1: Quiz Generator

a rogram a. duiz delierdioi
10 REM QUIZ MASTER GENERATOR
20 DIMQ\$(100),A\$(100),B\$(100),C\$(100),D\$(
100),E\$(100),M\$(15) :rem 48
30 PRINT" [WHT] ": POKE53280, 13: POKE53281, 5:
GOTO50 :rem 217
40 POKE198,6:POKE631,30:POKE632,34:POKE63
3,34:POKE634,20:POKE635,5:RETURN
:rem 110
5Ø POKE53272,23:GOTO97Ø :rem 59
60 PRINT"{CLR}":CLR :rem 229
70 DIMQ\$(100),A\$(100),B\$(100),C\$(100),D\$(
100), E\$(100), M\$(15), SN\$(400), G(400)
:rem 99
80 GOSUB1830:GOSUB1360:GOSUB2070 :rem 187
90 PRINT"ENTER NUMBER OF TEST TO LOAD: ":I
NPUTN :rem 235
100 IFN < OORN > XTHENPRINT "INVALID RANGE": GO
TO90 - :rem 175
110 N\$=M\$(N):PRINTSPC(12)"{CLR}{RVS}
[6 DOWN] [9 RIGHT] [3 SPACES] LOADING
{SHIFT-SPACE}DATA{3 SHIFT-SPACE}"
:rem 30
120 GOSUB1830:GOSUB2150:OPEN2,8,2,+N\$+" F
ILE,S,R":X=Ø :rem 21
130 X=X+1 :rem 221
140 INPUT#2,Q\$(X):INPUT#2,A\$(X):INPUT#2,B
\$(X):INPUT#2,C\$(X):INPUT#2,D\$(X):INPU
T#2,E\$(X) :rem 139
150 IFST AND64THEN170 :rem 208
160 GOTO130 :rem 100
170 CLOSE2:POKE198,0:L=X:N=X:T=0 :rem 218
180 IFR=1THEN240 :rem 173
190 GOSUB2150:GOSUB2070:GOSUB1670:rem 237
200 IFH=0THEN970 :rem 165
210 IFH=1THEN240 :rem 157
220 REM INPUT QUESTIONS :rem 211
230 PRINT" (CLR) (DOWN) ENTER NAME FOR QUIZ"
:INPUTN\$:GOSUB146Ø:N=Ø :rem 15
240 N=N+1:PRINT"{CLR}":PRINTSPC(13)"{RVS}
QUIZ MASTER (OFF)" :rem 200
250 PRINT: PRINT" [RVS] WARNING! [2 SPACES]D
O NOT EXCEED 80 CHARACTERS (2 SPACES)
:rem 114
260 PRINT:PRINT" RVS 7 SPACES ENTER £ T O EXIT ROUTINE 10 SPACES T: rem 159
270 IFN>=100THENPRINT"{CLR}{5 DOWN}
{14 SPACES}FILE{SHIFT-SPACE}FULL":FOR
290 H=0 :rem 80 300 PRINT"ENTER QUESTION #";N:PRINT
:rem 205
31Ø INPUTQ\$(N) :rem 56
32Ø IFQ\$(N)=""THEN31Ø :rem 124
330 IFQ\$(N)=CHR\$(92)THENN=N-1:GOTO770
:rem 170
340 IFLEN(Q\$(N))>80THENGOSUB1290 :rem 139
350 IFH=1THEN240 :rem 162
360 PRINT"ENTER FIRST ANSWER: ":PRINT:GOSU
B4Ø:H=Ø :rem 2Ø6
370 INPUT"A. ";A\$(N):IFA\$(N)=""THEN370
:rem 51
380 IFASC(A\$(N))=92THENN=N-1:GOTO770
117

390	A\$(N)="A. "+A\$(N) : rem 191	86Ø GOSUB167Ø:N=W-1:GOSUB24Ø:GOSUB77Ø:RET
	IFLEN(A\$(N))>8ØTHENGOSUB129Ø :rem 12Ø	URN :rem 40
	IFH=1THENGOTO36Ø :rem 219	URN :rem 40 870 REM REVIEW ROUTINE :rem 123
120	PRINT"ENTER SECOND ANSWER: ": PRINT: GOS	88Ø GOSUB2Ø7Ø:Y=1:PRINT"{CLR}{DOWN}"
420		:rem 153
	UB40:H=0 :rem 255	COG DETERMINED / OG I DV / VC \ (2) - VC - COCUD
430	INPUT"B. "; B\$(N): IFB\$(N)=""THEN430	890 PRINT:PRINTTAB(20-LEN(N\$)/2);N\$:GOSUB
	:rem 48	1670:PRINT"{2 DOWN}" :rem 17
440	IFASC(B\$(N))=92THENN=N-1:GOTO77Ø	900 FORN=1TOL:PRINT"[CLR]" :rem 201
	:rem 115	167Ø:PRINT"{2 DOWN}" :rem 17 900 FORN=1TOL:PRINT"{CLR}" :rem 201 910 IFQ\$(N)=""THENGOTO960 :rem 197
150	### ### ##############################	920 S\$=STR\$(N)+". "+Q\$(N):PRINT:GOSUB1190
450	IFLEN(B\$(N))>8ØTHENGOSUB129Ø :rem 127	:rem 51
7 (27) (20)		
	IFH=1THENGOTO42Ø :rem 222	930 REM ANSWER CHOICES :rem 78
480	PRINT"ENTER THIRD ANSWER: ": PRINT: GOSU	94Ø S\$=A\$(N):GOSUB119Ø:S\$=B\$(N):GOSUB119Ø
	B4Ø:H=Ø :rem 196	:S\$=C\$(N):GOSUB1190:S\$=D\$(N):GOSUB119
490	INPUT"C. ";C\$(N):IFC\$(N)=""THEN490	Ø :rem 69
	:rem 63	950 PRINT:PRINT"CORRECT ANSWER IS: ":PRIN
500	IFASC(C\$(N))=92THENN=N-1:GOTO77Ø	TTAB(7)E\$(N):GOSUB2070 :rem 31 960 GOSUB1670:NEXT:RETURN :rem 128 970 REM PROGRAM MENU :rem 209 980 H=0 :rem 86
300	:rem 113	OGA COCUDIGA NEVT PETUDN . rem 128
F 3 0		OTG DDW DDOGDAM MENU
210	C\$(N)="C. "+C\$(N) :rem 191	970 REM PROGRAM MENU : Tell 209
	IFLEN(C\$(N))>8ØTHENGOSUB129Ø :rem 125	980 H=0 :rem 86
	IFH=1THENGOTO480 :rem 225	990 PRINT"{CLR}":POKE53280,13:POKE53281,5
540	PRINT"ENTER FOURTH ANSWER: ": PRINT: GOS	:rem 206
	UB40:H=0 :rem 30	1000 GOSUB2070 :rem 10
FER	INPUT"D. ";D\$(N):IFD\$(N)=""THEN550	1010 P=0 :rem 127
550	INPUT D. ;D\$(N):IPD\$(N)= THENSSO	
	:rem 60	1020 PRINTSPC(13)" [DOWN] [RVS] QUIZ [SHIFT-SPACE] MASTER ":rem 7
56Ø	IFASC(D\$(N))=92THENN=N-1:GOTO770	(SHIFT-SPACE) MASTER : rem /
	:rem 120	1030 PRINT: PRINTSPC(5) "ENTER NUMBER OF FU
570	D\$(N)="D. "+D\$(N) :rem 200	1030 PRINT:PRINTSPC(5)"ENTER NUMBER OF FU NCTION:":rem 196 1040 PRINT:PRINTSPC(8)"1. ENTER NEW QUEST
580	IFLEN(D\$(N))>80THENGOSUB1290 :rem 132	1040 PRINT: PRINTSPC(8)"1. ENTER NEW QUEST
500	IFH=1THENGOTO540 :rem 228	IONS" :rem 222
590	DRIVER LEMMED LEMMED OF CODDECE ANGLED.	
900	PRINT"ENTER LETTER OF CORRECT ANSWER: ":PRINT:H=0 :rem 28	10.50 PRINT:PRINTSPC(8)"2. REVIEW QUESTION :rem 202
610	INPUTE\$(N):IFE\$(N)=""THEN610 :rem 71	1060 PRINT: PRINTSPC(8)"3. CHANGE A QUESTI
620	IFASC(E\$(N))=92THENN=N-1:GOSUB770:GOT	ON" :rem 142
	099Ø :rem 21Ø	1070 PRINT:PRINTSPC(8)"4. LOAD PREVIOUS D
630	IFLEN(E\$(N)) <> 1THENGOSUB1290 :rem 134	ATA" :rem 104
	IFE\$(N)="A"THEN690 :rem 193	
	Tres(N) - A Thenoso : Tem 195	1080 PRINT:PRINTSPC(8)"5. ADD TO TEST IN [SPACE]FILE" :rem 22
	IFE\$(N)="B"THEN690 :rem 195	
	IFE\$(N)="C"THEN690 :rem 197	1090 PRINT: PRINTSPC(8)"6. INITIALIZE DISK
670	IFE\$(N)="A"THEN690 :rem 193 IFE\$(N)="B"THEN690 :rem 195 IFE\$(N)="C"THEN690 :rem 197 IFE\$(N)="D"THEN690 :rem 199	" :rem 210
	PRINT" [RVS] ERROR: RE-ENTER": GOTO610	1100 PRINT:PRINTSPC(8)"7. END" :rem 133
-	:rem 17	1110 DDINT DDINTEDC(5)"NUMBER?" .rem 79
690	:rem 17 IFH=1THEN600 :rem 169 IFP=1THENRETURN :rem 243	1120 GETG\$:IFG\$=""THEN1120 :rem 183
700	TED=1 THENDETIIDN : rem 2/3	1130 G=ASC(G\$)-48:IFG<10RG>8THEN1120
710	L=N:GOSUB2070:IFN=100THEN730 :rem 160	:rem 67
		1149 00000000000000000000000000000000000
	GOTO24Ø :rem 104	1140 ONGGOSUB230,880,820,60,1640,1730,117
73Ø	PRINT: PRINTSPC (7) "FILE CONTAINS 100 E	Ø :rem 198
	NTRIES." :rem 248	1150 GOTO990 :rem 162
740	PRINT: PRINT "DATA WILL BE STORED. OPEN	1160 GOSUB2070 :rem 17
	NEW TEXT FILE" :rem 140	1170 POKE198.0:SYS198 :rem 209
750		1100 DEM DDINT HISTIFY :rem 105
	GOSUB1720:GOSUB770:GOTO990 :rem 83	1140 ONGGOSUB230,880,820,60,1640,1730,117
	REM STORE DATA :rem 40	TIME LETTER 98
77Ø	GOSUB2070:PRINTSPC(10)" (RVS) WAIT, ST	1200 IFLEN(S\$)<40THENPRINTS\$:GOTO1280
	ORING DATA ":GOSUB2150 :rem 63	:rem 10
78Ø	GOSUB1830:OPEN2,8,2,"@0:"+N\$+" FILE,S	1210 X=40:Y=1 :rem 190
distant.	,W" :rem 147	1220 X=X-1 :rem 16
790	FORX=1TOL:PRINT#2,Q\$(X):PRINT#2,A\$(X)	
750		1238 11436 (1110) (50) 14 11 16 169 (57) 1. 5211222
	:PRINT#2,B\$(X):PRINT#2,C\$(X):PRINT#2,	220 : rem 204
	D\$(X):PRINT#2,E\$(X):NEXT :rem 211	1240 PRINTLEFTS(SS,X) :rem 239
800	CLOSE2:POKE198,0:GOSUB2150:GOSUB2070:	1250 Z=LEN(S\$) :rem 6
	GOSUB167Ø:RETURN :rem 78	1260 Z=Z-X :rem 63
810	GOSUB167Ø:RETURN :rem 78 REM CHANGE ANSWER :rem 243	1230 IFASC(MID\$(S\$,X,Y)+CHR\$(0))<>32THEN1 220 :rem 204 1240 PRINTLEFT\$(S\$,X) :rem 239 1250 Z=LEN(S\$) :rem 6 1260 Z=Z-X :rem 63 1270 PRINTRIGHT\$(S\$,Z) :rem 71 1280 RETURN :rem 171
820	GOSUB2070:P=1:PRINT"{CLR}{3 DOWN}	1280 RETURN : rem 171
	[RVS] ENTER NUMBER OF QUESTION":INPUT	1290 PRINT"ENTRY TOO LONG: RE-PHRASE"
000	W :rem 179	trem 18
830	PRINT"{CLR}{2 DOWN}":S\$=Q\$(W):GOSUB11	1300 H=1:FORT=1TO2000:NEXT:RETURN :rem 85
	90:S\$=A\$(W):GOSUB1190:S\$=B\$(W):GOSUB1	1310 REM TEST TITLE FILE :rem 139
	190 :rem 178	1320 PRINT: PRINT"HAS TEST TITLE FILE BEEN
840	S\$=C\$(W):GOSUB1190:S\$=D\$(W):GOSUB1190	INITIATED?(Y/N)":GOSUB2070 :rem 186
	:rem 103	1330 GETGS:IFGS=""THEN1330 :rem 189
ora		
850	PRINT"CORRECT ANSWER IS. ". PRINTES (W)	1340 TF GS="N"THEN1460 : rem 139
850	PRINT"CORRECT ANSWER IS: ":PRINTE\$(W) :rem 126	1330 GETG\$:IFG\$=""THEN1330 :rem 189 1340 IF G\$="N"THEN1460 :rem 139 1350 IFG\$<>"Y"THEN1330 :rem 208

1360	PRINT:PRINTSPC(17)"[RVS] WAIT "	1069	[17 RIGHT] [RVS] WAIT1730 :rem 72
1370	:rem 72 GOSUB2150:GOSUB1830:OPEN3,8,3,"TEST	1860	PRINT" [2 DOWN] [15 SPACES] [RVS] WARNI NG!!!" :rem 205
	{SPACE}TITLES,S,R" :rem 125	1870	PRINT" [2 SPACES] [RVS] DISK
1380			{SHIFT-SPACE}IN{SHIFT-SPACE}DRIVE
	X=X+1:INPUT#3,M\$(X) :rem 124		{SHIFT-SPACE}IS{SHIFT-SPACE}ABOUT
	IFST AND64THEN1420 :rem 46		{SHIFT-SPACE}TO{SHIFT-SPACE}BE
	GOTO1390 :rem 204		{SHIFT-SPACE}ERASED!" :rem 101
	CLOSE3:POKE198,Ø:GOSUB215Ø :rem 89	1880	PRINT" [2 SPACES] [RVS] [SHIFT-SPACE]
	IFS1 <> ØTHEN211Ø :rem 12Ø		[7 SPACES] [SHIFT-SPACE] ARE
1440	PRINT" (CLR) ": PRINTSPC(14) "TEST TITLE		{SHIFT-SPACE}YOU{SHIFT-SPACE}SURE? (
1450	S":PRINT :rem 176		Y/N) {9 SPACES}" :rem 174 GETG\$:IFG\$=""THEN1890 :rem 211
1450	FORA=1TOX:PRINTA; ". "; M\$(A):NEXT:RET	1890	GETG\$:IFG\$=""THEN1890 :rem 211
1460	URN :rem 225	1900	IFG\$="Y"THEN1930 :rem 154
	REM INITIATE TEST FILE :rem 102	1910	IFG\$="Y"THEN1930 :rem 154 IFG\$="N"THEN990 :rem 101 GOT01890 :rem 215
	IFX=15THENGOSUB1710 :rem 206		
	IF X=15THENX=1 :rem 76 IFX=1THEN1600 :rem 25	1930	PRINT"{CLR}{2 DOWN}ENTER DISKNAME";:
	IFX=1THEN1600 :rem 25 PRINT"{CLR}HAS FILE OF TEST NAMES BE	1040	INPUTDN\$:rem 88
1300	EN STARTED?" :rem 95	1940	IFLEN(DN\$)>15THENPRINT"{2 DOWN}NAME
1510	GETG\$:IFG\$=""THEN1510 :rem 189		{SHIFT-SPACE}TOO{SHIFT-SPACE}LONG, T
	IF G\$="N"THEN1600 :rem 135		RY{SHIFT-SPACE}AGAIN":FORT=1T01000:N
	IFG\$="Y"THENGOSUB1370 :rem 23	1950	EXT:GOTO1930 :rem 55 PRINT"{2 DOWN}ENTER 2 CHARACTER DISK
	PRINTX+1". {RVS}"N\$:rem 1	1930	I.D.":INPUTID\$:rem 142
	PRINT"IS YOUR TITLE ORIGINAL?"	1960	POKE53281,2:POKE53280,2:PRINT"{CLR}
	:rem 29	1300	[5 DOWN] [10 SPACES] LAST[SHIFT-SPACE]
1560	GETG\$:IFG\$=""THEN1560 :rem 199		CHANCE SHIFT-SPACE TO SHIFT-SPACE ST
1570	IF G\$="Y"THEN1600 :rem 151		OPIII" :rem 30
	PRINT"ENTER NEW TITLE FOR TEST:"	197Ø	PRINT: PRINT" [9 SPACES] PRESS
	:rem 106		{SHIFT-SPACE}ANY{SHIFT-SPACE}KEY
1590	INPUTN\$:rem 209		{SHIFT-SPACE}TO{SHIFT-SPACE}STOP!!!"
1600	M\$(X+1)=N\$:GOSUB2Ø7Ø :rem 111		:FORT=1T01000 :rem 90
1610	PRINT: PRINTSPC(13)" (RVS) SAVING TITL	1980	GETG\$:IFG\$<>""THEN990 :rem 224
	E " :rem 87	1990	
1620	GOSUB1830:OPEN3,8,3,"@0:TEST TITLES,	2000	PRINT"{CLR}{4 DOWN}DISK{SHIFT-SPACE}
	S,W" :rem 168		IS{SHIFT-SPACE}BEING{SHIFT-SPACE}FOR
1630	FORA=1TOX+1:PRINT#3,M\$(A):NEXT:CLOSE		MATTEDWAIT" :rem 171
1640	3:POKE198, Ø:GOSUB2150:RETURN :rem 98	2010	OPEN15,8,15:PRINT#15,"NØ:"+DN\$+","+I
	REM TEST ADDITION ROUTINE :rem 97		D\$:rem 33
1650		2020	INPUT#15,S1,S\$,S2,S3:CLOSE15:IFS1<>Ø
	R=1:GOSUB70:R=0:GOTO990 :rem 188 PRINT:PRINTTAB(5)"{RVS} PRESS	2020	THEN2110:GOSUB2050 :rem 20
1075	[SHIFT-SPACE]SPACE[SHIFT-SPACE]BAR	2030	PRINT" [CLR] [10 DOWN] [9 SPACES] DISK [SHIFT-SPACE] FORMATTED [SHIFT-SPACE] "
	{SHIFT-SPACE}TO{SHIFT-SPACE}CONTINUE		
	{OFF}" :rem 61	2010	:FORT=1TO2000:NEXT :rem 37 POKE53280,13:POKE53281,5:GOTO990
1680	GETG\$:IFASC(G\$+CHR\$(Ø)) <> 32THEN168Ø	2040	
100,,	:rem Ø	2050	:rem 105 FORT=1T01000:NEXT:POKE53280,13:POKE5
1690	RETURN : rem 176	2030	3281,5:RETURN :rem 47
	PRINT"[CLR]" :rem 44	2060	REM SOUND ROUTINE :rem 91
	PRINTSPC(10)"{CLR}{10 DOWN}FILE FULL		S=54272 :rem 93
	" :rem 194		POKES, 100: POKES+1, 125: POKES+5, 0: POKE
	FORT=1TO2000:NEXT:RETURN :rem 107		S+6,240:POKES+24,15:POKES+4,17
	PRINT" {CLR} {2 DOWN} {RVS} {2 SPACES} DO		:rem 202
	YOU WANT TO INITIALIZE A NEW DISK?	2090	FORT=ØTO1ØØ:NEXT :rem 32
	{SPACE}":PRINTTAB(17)"{RVS} $(\underline{Y}/\underline{N})$ "		POKES+4,Ø:RETURN :rem 26
	:rem 171	2110	PRINT"DISK(SHIFT-SPACE)ERROR ";S1,S\$
	GETG\$:IFG\$=""THEN1740 :rem 199		,S2,S3 :rem 47
1750	IFG\$="Y"THENPRINT"TYPE GOTO 1790 AND	2120	PRINT: PRINT "CORRECT ERROR CONDITION
1760	PRESS RETURN": END :rem 62		[SPACE]AND TRY AGAIN [™] :rem 210
1770	IFG\$<>"N"THEN1740 :rem 207 IFG\$="N"THENRETURN :rem 167		GOSUB167Ø :rem 2Ø
1780			GOTO980 :rem 161
	END :rem 167 PRINT"{CLR}{5 DOWN}{6 SPACES}INSERT	2150	OPEN15,8,15:INPUT#15,S1,S\$,S2,S3:CLO
1,00	{SPACE NEW DISK INTO DRIVE :rem 6	2160	SE15:IFS1<>ØTHEN211Ø :rem 95 PRINT"DISK STATUS: "S\$:rem 9Ø
1800	PRINT" [4 DOWN] [2 SPACES] PRESS ANY KE		
	Y WHEN READY TO PROCEED" : rem 8	21/0	RETURN :rem 170
1810	GOSUB1820:GOTO1850 :rem 86	Pro	gram 2: Student Quiz
1820	GETG\$:IFG\$=""THEN1820 :rem 197	0	James M. Siddelli didiz
	OPEN15,8,15:PRINT#15,"IØ:":CLOSE15:R		EM STUDENT QUIZ
	ETURN :rem 253		RINT" {CLR} {WHT} ":CLR:POKE53280,16:POK
1840		E5	3281,16:POKE808,225:POKE649,0:S=5472
1850	REM[2 SPACES]PRINT"[CLR][5 DOWN]	7	:rem 236

3Ø DIMQ\$(1ØØ),A\$(1ØØ),B\$(1ØØ),C\$(1ØØ),D\$({CLR}{WHT}":RETURN :rem 139
100), E\$(100), M\$(15), A(100) :rem 128	450 IFLEN(S\$)<40THENPRINTS\$:GOTO510
4Ø GOSUB84Ø:PRINT"{CLR}{N}":PRINTSPC(12)"	:rem 171
40 GOSOBG40:PRINT (CDR)(N) :PRINTSPC(12)	
{RVS}{2 SPACES}LOADING{SHIFT-SPACE}DAT	
A[3 SHIFT-SPACE]":PRINT"[BLK]":GOSUB39	470 X=X-1 :rem 230
Ø:PRINT" {WHT}" :rem 252	48Ø IFASC(MID\$(S\$,X,Y)+CHR\$(Ø))<>32THEN47
5Ø FORX=1TOA:PRINTX". "M\$(X):NEXT :rem 26	ø :rem 120
SØ FORX=ITOA:PRINIX . MS(X):NEXI :Iem 20	
60 PRINT" [DOWN] ENTER NUMBER OF TEST": POKE	
649,10:INPUTX :rem 159	500 Z=LEN(S\$):Z=Z-X:PRINTRIGHT\$(S\$,Z)
70 IFX < 1 ORX > ATHENPRINT "INVALID RANGE": GOT	:rem 58
06Ø :rem 128	510 RETURN :rem 118
	520 PRINT: PRINTSPC(14) "TEST TITLES": PRINT
8Ø N\$=M\$(X):POKE649,Ø:OPEN15,8,15:PRINT"	
{CLR}":OPEN2,8,2,+N\$+" FILE,S,R"	:FORA=1TOX:PRINTA;". ";M\$(A):NEXT:RET
:rem 180	URN :rem 248
90 PRINT" [9 DOWN] [5 SPACES] LOADING	530 REM DISABLE CURSOR CONTROLS : rem 194
90 PRINT (9 DOWN) (5 SPACES LOADING	
{SHIFT-SPACE}"; N\$; "QUIZ": PRINT" {BLK}"	
:rem 1	550 FORI=828T0977:READA:POKEI,A:NEXT
100 X=0 :rem 86	:rem 34
그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	560 SYS828: RETURN : rem 86
12Ø INPUT#2,Q\$(X):INPUT#2,A\$(X):INPUT#2,B	570 DATA169,000,133,252,169,080 :rem 42
\$(X):INPUT#2,C\$(X):INPUT#2,D\$(X):INPU	580 DATA133,251,169,164,133,002 :rem 38
T#2,E\$(X) :rem 137	590 DATA169,083,141,036,003,169 :rem 49
1#2,E9(A)	600 DATA003,141,037,003,096,152 :rem 25
130 IFST AND64THEN150 :rem 204	
140 GOTO110 :rem 96	610 DATA072,138,072,165,252,208 :rem 42
15Ø CLOSE2:POKE198, Ø:L=X:CLOSE15:GOSUB92Ø	620 DATA007,032,116,003,169,000 :rem 21
:PRINT"{CLR}{WHT}" :rem 206	630 DATA133,253,166,253,189,000 :rem 41
ICA DEN MEAN DOUBLINE	
160 REM TEST ROUTINE :rem 225	
17Ø Y=1:POKE649,10:GOSUB540 :rem 75	650 DATA253,104,170,104,168,165 :rem 40
18Ø FORN=1TOL-1:PRINT"{CLR} {DOWN}":PRINTT	660 DATA254,096,160,000,132,252 :rem 34
AB(20-LEN(N\$)/2);N\$:rem 102	67Ø DATA165,002,032,210,255,169 :rem 37
190 S\$=STR\$(N)+". "+Q\$(A(N)):PRINT:GOSUB4	
50 :rem 146	690 DATA255,240,251,164,252,133 :rem 42
200 REM ANSWER CHOICES :rem 68	700 DATA254,169,032,032,210,255 :rem 33
21Ø S\$=A\$(A(N)):GOSUB45Ø:S\$=B\$(A(N)):GOSU	710 DATA169,157,032,210,255,165 :rem 43
B45Ø:S\$=C\$(A(N)):GOSUB45Ø :rem 225	720 DATA254,201,013,240,043,201 :rem 17
22Ø S\$=D\$(A(N)):GOSUB45Ø:S\$=E\$(A(N))	73Ø DATAØ2Ø,2Ø8,Ø13,192,ØØØ,24Ø :rem 18
:rem 188	74Ø DATA211,136,169,157,032,210 :rem 36
23Ø PRINT" [DOWN] ENTER LETTER OF MOST CORR	750 DATA255,076,118,003,041,127 :rem 39
ZOU PRINT (DOWN) ENTER BEITER OF HOUT CORR	
ECT ANSWER: ":POKE198,0 :rem 160	
24Ø INPUTF\$:rem 144	770 DATA240,192,165,254,153,000 :rem 38
250 IFLEN(F\$) <> 1THENPRINT"ENTER ONE LETTE	78Ø DATAØØ2, Ø32, 21Ø, 255, 169, ØØØ : rem 27
R ONLY":GOTO240 :rem 102	790 DATA133,212,200,076,118,003 :rem 30
	800 DATA230,252,153,000,002,169 :rem 23
260 IFASC(F\$) <650RASC(F\$) >68THENPRINT"ANS	
WER MUST BE A,B,C, OR D":GOTO240	810 DATA032,032,210,255,096,013 :rem 27
:rem 151	820 PRINTSPC(10)" (RVS) SORRY ANSWER IS WR
27Ø IFASC(F\$)=ASC(S\$)THENP=P+1 :rem 254	ONG " :rem 45
2/6 TPAGG(PC)-AGG(GC) MUPAN DELAMOR CO(Q) "	830 PRINT" [DOWN] CORRECT CHOICE IS: "; S\$:R
28Ø IFASC(F\$)=ASC(S\$)THENPRINTSPC(9)"	
[RVS][2 SPACES]ANSWER IS CORRECT!! ":	ETURN :rem 92
GOSUB1030 :rem 215	840 PRINT"{CLR}{5 DOWN}":PRINTSPC(13)"
29Ø IFASC(F\$) <> ASC(S\$) THEN: GOSUB1060: GOSU	{RVS} QUIZ MASTER ":POKE53272,23
B820 :rem 217	:rem 31
300 FORT=1TO4000:NEXT:NEXT :rem 149	850 PRINT" [DOWN] [4 SPACES] THESE TESTS ARE
310 N=N-1 :rem 203	MULTIPLE CHOICE." :rem 40
320 S=INT(P/N*100+.5):PRINT"{CLR}{DOWN}YO	860 PRINT"ENTER THE BEST ANSWER FROM THE
U SCORED ";S;" %" :rem 149	[SPACETCHOICES" :rem 95
330 IFS>80ANDS<90THENPRINT"STUDY THIS SEC	87Ø PRINT"GIVEN." :rem 23
TION AGAIN" :rem 175	880 PRINT" [DOWN] [4 SPACES] ENTER THE NUMBE
340 IFS>=90ANDS<100THENPRINT"VERY GOOD, B	R OF THE TEST YOU " :rem 221
UT MORE STUDY WOULD HELP" : rem 214	890 PRINT"HAVE BEEN ASSIGNED WHEN THE PRO
	CDAM "
350 IFS=100THENPRINT"EXCELLENT!!	GRAM : rem 41
[2 SPACES]PERFECT SCORE!!" :rem 245	GRAM " :rem 41 900 PRINT"CALLS FOR IT." :rem 139
36Ø FORT=1TO3ØØØ:NEXT :rem 33	910 FORT=1T06000:NEXT:RETURN :rem 63
370 PRINT" [4 DOWN] ENTER RUN TO RE-START P	OOG DEN DANDON CENT
	920 DELME CID LOOM LWATE DEPARTME OUT
ROGRAM":POKE808,237:END :rem 17	MANUERING ALLERIA DINING TWO THE PREPARING (III)
38Ø REM PRINT JUSTIFY :rem 58	JOB PRINT (CERT) (DONN) MATT TREE MATERIAL GOT
	Z":PRINT"[BLK]" :rem 44
39Ø OPEN15.8.15:OPEN3.8.3. "TEST TITLES.S.	Z":PRINT"[BLK]" : rem 44 940 FORX=1TOL : rem 57
390 OPEN15,8,15:OPEN3,8,3,"TEST TITLES,S,	Z":PRINT"{BLK}" :rem 44 940 FORX=1TOL :rem 57 950 A(X)=INT(RND(.)*L)+1 :rem 54
390 OPEN15,8,15:OPEN3,8,3,"TEST TITLES,S, R":PRINT"{BLK}" :rem 169	Z":PRINT"{BLK}" :rem 44 940 FORX=1TOL :rem 57 950 A(X)=INT(RND(.)*L)+1 :rem 54
R":PRINT"{BLK}" :rem 169 400 X=X+1 :rem 221	Z":PRINT"{BLK}" :rem 44 94Ø FORX=1TOL :rem 57 95Ø A(X)=INT(RND(.)*L)+1 :rem 54 96Ø IFX=1THEN1ØØØ :rem 228
R":PRINT"{BLK}" :rem 169 400 X=X+1 :rem 221 410 INPUT#3,M\$(X) :rem 193	Z":PRINT"{BLK}" :rem 44 94Ø FORX=1TOL :rem 57 95Ø A(X)=INT(RND(.)*L)+1 :rem 54 96Ø IFX=1THEN1ØØØ :rem 228 97Ø FORY=1TOX-1 :rem 167
R":PRINT"{BLK}" :rem 169 400 X=X+1 :rem 221 410 INPUT#3,M\$(X) :rem 193 420 IFSTATUSAND64THEN440 :rem 13	Z":PRINT"{BLK}" :rem 44 940 FORX=1TOL :rem 57 950 A(X)=INT(RND(.)*L)+1 :rem 54 960 IFX=1THEN1000 :rem 228 970 FORY=1TOX-1 :rem 167 980 IFA(Y)=A(X)THEN950 :rem 15
R":PRINT"{BLK}" :rem 169 400 X=X+1 :rem 221 410 INPUT#3,M\$(X) :rem 193 420 IFSTATUSAND64THEN440 :rem 13	Z":PRINT"{BLK}" :rem 44 940 FORX=1TOL :rem 57 950 A(X)=INT(RND(.)*L)+1 :rem 54 960 IFX=1THEN1000 :rem 228 970 FORY=1TOX-1 :rem 167 980 IFA(Y)=A(X)THEN950 :rem 15 990 NEXTY :rem 58
R":PRINT"{BLK}" :rem 169 400 X=X+1 :rem 221 410 INPUT#3,M\$(X) :rem 193	920 REM RANDOM GEN. : rem 72 930 PRINT"{CLR}{DOWN}WAIT PREPARING QUI Z":PRINT"{BLK}" : rem 44 940 FORX=1TOL : rem 57 950 A(X)=INT(RND(.)*L)+1 : rem 54 960 IFX=1THEN1000 : rem 228 970 FORY=1TOX-1 : rem 167 980 IFA(Y)=A(X)THEN950 : rem 15 990 NEXTY : rem 58 1000 NEXTX : rem 88

1010	PRINT" (WHT) ": RETURN : rem 178
1020	REM CORRECT ANSWER SOUND : rem 18
1030	S=54272:POKES,150:POKES+1,100:POKES+
	5,0:POKES+6,240:POKES+24,15:POKES+4,
	17 :rem 144
1040	FORT=ØTO2ØØ:NEXT:POKES+4,Ø:RETURN
	:rem 172
1050	REM WRONG ANSWER SOUND : rem 144
1060	S=54272:POKES, 150:POKES+1, 5:POKES+5,
	Ø:POKES+6,240:POKES+24,15:POKES+4,17
	:rem 55
1070	FORT=ØTO2ØØ:NEXT:POKES+4,Ø:RETURN
	:rem 175

Turtle Graphics Interpreter

(Article on page 90.)

BEFORE TYPING..

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

Program 1: The Interpreter
10 REM TURTLE GRAPHICS INTERPRETER
:rem 202 30 IF PEEK(49152)<>173 THEN PRINT CHR\$(15
Ø) "TURTLE DATA DID NOT LOAD": END
:rem 87 40 X=0: Y=0: IX=0: IY=0: D=0: NU=0: BY=0:
BI=0: XH=160: XL=-159: C=1/180
:rem 121
50 CR=.74: YH=INT(79/CR): YL=-YH: BA=2: B B=8: BL=320: SC=8192: PE=0: DR=-1
:rem 195 6Ø MA=7: H=Ø: PX=53248: BB=8: BL=320: SC=
8192: PE=Ø: DR=-1: MA=7: H=Ø: PX=53248
:rem 33 70 PY=53249: BG=256: RO=0: CO=0: XS=0: YS
=Ø: SP=Ø: PT=2040: SE=53269: HA=.5
:rem 189 8Ø C1=12: C2=4Ø: C3=5Ø: C4=28: C5=24: C6=
3: C7=5: CI=360: MX=53264: PC=0:rem 10
90 FF=255: SS=45: SB=56: YM=79 :rem 88
100 DIM ST\$(255),ST(255),RP(255),PR\$(255),PR\$(255),PN\$(255) :rem 88
110 DEF FNR(X)=INT((X+.005)*100)/100
:rem 123 120 REM INITIALIZE SCREEN AND TURTLE
:rem 220
130 GOSUB 3000: POKE 2, 110: POKE 53277, {SPACE}0: POKE 53271, 0: POKE 53287,0
:rem 146
140 SYS 49295: SYS 49235: SYS 49322: POKE SE, 1: POKE 53280,2: POKE53281,11
:rem 63
150 PRINT CHR\$(129) "TURTLE GRAPHICS INTE RPRETER" :rem 218
170 PRINT CHR\$(30) :rem 218
200 REM MAIN LOOP - GET A LINE OF COMMAND S AND PROCESS IT :rem 193
S AND PROCESS IT :rem 193 210 ST\$(0)="": INPUT ST\$(0) :rem 118

```
220 NE=0: ST(0)=0: RP(0)=0: ER=0 :rem 107
23Ø IF ST$(Ø)="" THEN 21Ø
                                   :rem 179
240 REM COPY UNEXECUTED PART OF CURRENT C
    OMMAND STRING (NESTING LEVEL = NE)
                                    :rem 37
250 REM INTO INS TO BE PROCESSED
                                    :rem 66
260 INS=RIGHTS(STS(NE), LEN(STS(NE))-ST(N
    E)): IN=Ø
                                    :rem 51
270 GOSUB 5000 [2 SPACES] FILL WD$ WITH NEX
    T WORD FROM INS
                                   :rem 106
280 IF WD$<>"" THEN 350
                                   :rem 109
290 REM INS IS EMPTY; WE ARE DONE WITH AL
    L COMMANDS IF NESTING LEVEL IS Ø
                                   :rem 140
300 IF NE=0 THEN 200
                                   :rem 227
310 REM WE HAVE COMPLETED A REPETITION OF
     THE CURRENT COMMAND STRING ST$(NE)
                                    :rem 55
320 REM IF NEEDED, REPEAT. [2 SPACES] ELSE,
     POP NESTING LEVEL
                                   :rem 156
330 RP(NE)=RP(NE)-1: IF RP(NE)>0 THEN ST(
    NE)=Ø: GOTO 24Ø
                                    :rem 42
340 NE=NE-1: GOTO 240
                                    :rem 97
350 IF (WD$="REPEAT")OR(WD$="RP") THEN 44
                                    :rem 20
360 REM CHECK IF COMMAND IS A PROCEDURE N
    AME
                                    :rem 16
370 GOSUB 6000: IF PN=0 THEN 410 :rem 120
380 REM STUFF IN$ WITH PROC STRING AS IF
    {SPACE}IT WERE A REPEAT LOOP
   INS = "[" + PRS(PN) + "]" + RIGHTS(INS)
     LEN(IN$)-IN): IN=Ø: NU=1
                                   :rem 28
   ST(NE)=ST(NE)-LEN(PR\$(PN))-2: GOTO 48
                                  :rem 103
410 REM IDENTIFY AND EXECUTE WD$ AS A COM
    MAND
                                    :rem 78
420 GOSUB 1000: IF ER THEN 200
                                  :rem 248
430 GOTO 270: REM WE ARE DONE CURRENT COM
                                    :rem 67
   REM GET REPETITION FACTOR FOR REPEAT
    [SPACE] LOOP
                                    :rem Ø
    GOSUB 4000: IN$=RIGHT$(IN$, LEN(IN$)-
    IN): IN=Ø
                                  :rem 214
460 IF (NOT ER)AND(NU>0)AND(INT(NU)=NU) T
    HEN 480
                                  :rem 229
470 PRINT "I CAN'T REPEAT SOMETHING " WDS
     " TIMES" : IN$="": GOTO 200
                                  :rem 113
480 REM PUSH THE COMMAND STRING STACK (IN
    CREMENT NESTING LEVEL)
                                  :rem 115
490 NE=NE+1: IF NE=256 THEN PRINT "NESTIN
    G TOO DEEP": GOTO 200
                                  :rem 191
495 RP(NE)=NU: ST(NE)=1: K=Ø
                                   :rem 45
500 REM FILL ST$(NE) WITH CONTENTS OF REP
    EAT BRACKETS
                                  :rem 158
510 ST$(NE)="": QQ=0: K=0
                                    :rem 1
520 T$=MID$(IN$, ST(NE), 1)
                                  :rem 106
530 IF T$="]" THEN K=K-1
                                  :rem 221
540 IF K>0 THEN ST$(NE)=ST$(NE)+T$:rem 78
550 IF T$="[" THEN K=K+1: QQ=-1
                                   :rem 82
560 IF K<=0 THEN 600
                                  :rem 227
57Ø ST(NE)=ST(NE)+1
                                   :rem 75
580 IF ST(NE) <= LEN(IN$) THEN 520 : rem 225
590 PRINT "MISMATCHED BRACKETS IN REPEAT"
    : INS="": GOTO 200
                                  :rem 112
600 IF (K<0) OR ((K=0)AND(NOTQQ)) THEN 59
                                  :rem 172
610 ST(NE-1)=ST(NE)+ST(NE-1): ST(NE)=0
                                  :rem 142
620 GOTO 240: REM EXECUTE THE NEW COMMAND
     STRING
                                   :rem 57
1000 REM IDENTIFY AND EXECUTE COMMAND
                                  :rem 230
```

1005		2030	XS=CO: IF SP>C6 THEN XS=XS+C5
1010	IF (WD\$="FORWARD")OR(WD\$="FD") THEN		:rem 199
	(SPACE)GOSUB 9000: RETURN :rem 69	2050	IF (SP=C6)OR(SP=C7) THEN YS=RO+C4: G
1020	IF (WD\$="RIGHT")OR(WD\$="RT") THEN GO		OTO 2200 :rem 222 YS=RO+C3 :rem 243
	SUB 10000: RETURN :rem 243	2060	YS=RO+C3 :rem 243
1030	IF (WD\$="LEFT")OR(WD\$="LT") THEN GOS	2200	IF XS BG THEN POKE PX, XS: POKE MX,
	UB 11000: RETURN :rem 156		[SPACE]Ø: GOTO 222Ø :rem 67
1040	IF (WD\$="PENUP")OR(WD\$="PU") THEN PE	2210	POKE PX, XS-BG: POKE MX, 1 :rem 148
1050	=-1: RETURN :rem 189	2220	PORE PY, YS : rem 118
1050	IF (WD\$="PENDOWN")OR(WD\$="PD") THEN {SPACE}PE=0: RETURN :rem 18	3000	PEM CHANGE HEADING : rem 61
1000	IF WD\$="HOME" THEN GOSUB 12000: RETU	3010	POKE PY, YS :rem 118 RETURN :rem 167 REM CHANGE HEADING :rem 61 H=H+DH :rem 72
מסטו	RN :rem 123	3020	IF H>=CI THEN H=H-CI: GOTO 3020
1070	IF WD\$="CLEAN" THEN SYS 49295: RETUR	3020	:rem 144
10/0	N :rem 79	3030	IF H<Ø THEN H=H+CI: GOTO 3Ø3Ø
1080	IF (WD\$="CLEARSCREEN")OR(WD\$="CS") T	5000	:rem 245
1000	HEN GOSUB 12000: SYS 49295: RETURN	3Ø4Ø	SP=(INT(H/SS+HA)) AND MA: :rem 160
	:rem 218	3Ø5Ø	QQ=PEEK(SE): POKE SE, Ø: POKE PT, SB
1090	IF (WD\$="SETHEADING")OR(WD\$="SETH")		+SP: GOSUB 2000 :rem 42 POKE SE, QQ :rem 99 RETURN :rem 170 REM NUMERIC INPUT :rem 75
	[SPACE] THEN GOSUB 13000: RETURN	3Ø65	POKE SE, QQ :rem 99
	:rem 233	3070	RETURN :rem 170
1100	IF (WD\$="SETPOSITION")OR(WD\$="SETP")	4000	REM NUMERIC INPUT :rem 75
	THEN GOSUB 14000: RETURN : rem 111	4010	REM GETS NEXT WORD FROM INS AS A NUM
1110	IF (WD\$="PENERASE")OR(WD\$="PE") THEN		BER (NU). [2 SPACES] CHECKS FOR ERROR
al and page and	DR=Ø: RETURN :rem 73		:rem 40
1120	IF (WD\$="PENDRAW")OR(WD\$="PW") THEN	4020	GOSUB 5000: ER=0: NU=0: IF WDS="" TH
	{SPACE}DR=-1: RETURN :rem 72		EN ER=-1: RETURN : rem 23
1130	IF (WD\$="ST")OR(WD\$="SHOWTURTLE") TH	4030	FOR K= 1 TO LEN(WD\$): T\$=MID\$(WD\$, K
1140	EN POKE SE, 1: RETURN :rem 76	4040	, 1) :rem 202 IF ((T\$<"0")OR(T\$>"9")) AND (T\$<>"-"
1140	IF (WD\$="HIDETURTLE")OR(WD\$="HT") TH EN POKE SE, Ø: RETURN :rem 26	4040)AND(T\$<>"+")AND(T\$<>".") THEN ER=-1
1150	IF (WD\$="PENCOLOR")OR(WD\$="PC") THEN		:rem 59
1130	GOSUB 15000: RETURN :rem 205	4050	NEXT: NU=VAL(WD\$): RETURN :rem 47
1160	IF (WD\$="BACKGROUNDCOLOR")OR(WD\$="BC	5000	REM FILL WD\$ WITH NEXT WORD FROM IN\$
1100	") THEN GOSUB 16000: RETURN :rem 190	0200	:rem 53
		5010	WD\$="": IF IN\$="" THEN 5070 :rem 6
11/0	IF (WD\$="TURTLECOLOR")OR(WD\$="TC") T HEN GOSUB 17000: RETURN :rem 210		INS=RIGHTS(INS, LEN(INS)-IN): IN=0
			:rem 134
1180	IF WD\$="PRINTHEADING" THEN PRINT FNR	5030	ST(NE)=ST(NE)+1: IN=IN+1 :rem 120
1100	(H): RETURN : rem 107 IF WD\$="PRINTPOSITION" THEN PRINT "(5040	IF IN>LEN(IN\$) THEN IN=IN-1: ST(NE)=
1130	" FNR(X) ", " FNR(Y) ")": RETURN	Fara	ST(NE)-1: GOTO 5070 :rem 58 IF MID\$(IN\$, IN, 1)<>" " THEN WD\$=WD
	:rem 218	שכשכ	\$ + MID\$(IN\$, IN, 1): GOTO 5030
1200	IF WD\$="DEFINE" THEN GOSUB 18000: RE		:rem 187
	TURN :rem 255	5060	IF (WD\$="")AND(IN\$<>"") THEN 5020
1210	TURN :rem 255 IF WD\$="NAMES" THEN GOSUB 19000: RET	-	
	URN : rem 202	5070	RETURN :rem 126 :rem 172
1220	IF (WD\$="PRINTPROCEDURE")OR(WD\$="PPR	6000	REM IDENTIFY PROCEDURE : rem 175
	OC") THEN GOSUB 20000: RETURN :rem 140	6010	REM RETURNS INDEX (PN) OF PROCNAME I
1230	IF WD\$="ERASE" THEN GOSUB 21000: RET		N WD\$; Ø IF NOT A PROCNAME : rem 6
	URN :rem 193		K=0: PN=0 :rem 197
1240	IF WD\$="ERASEALL" THEN PC=0: PRINT "		K=K+1: IF K>PC THEN RETURN : rem 236
	ALL PROCEDURES ERASED": RETURN		IF WD\$<>PN\$(K) THEN 6030 :rem 232
	:rem 188	6050	PN=K: RETURN :rem 11
1250	IF WD\$="RENAME" THEN GOSUB 22000: RE		REM OPEN DISK FILE : 1em 40
-	TURN :rem 12	7010	ER=0: GOSUB 5000: IF WD\$<>"" THEN 70
1260	IF WD\$="LOAD" THEN GOSUB 23000: RETU		30 :rem 138
1070	RN :rem 118 IF WD\$="SAVE" THEN GOSUB 24000: RETU	/020	ER=-1: PRINT "YOU MUST SUPPLY A FILE NAME": RETURN :rem 213
12/0	RN :rem 135		
1280	IF WD\$="SCRATCH" THEN GOSUB 25000: R		OPEN 15,8,15 :rem 88
1200	ETURN :rem 98	/040	OPEN 2,8,2, "Ø:" + WD\$ + ".TURTLE,S,
1290	IF WD\$="QUIT" THEN PRINT "BYE": END		" + MD\$: INPUT#15, QQ,T\$,K,ZZ :rem 217
12,00	:rem 207	7050	IF (QQ=26)AND(MD\$="W") THEN PRINT "W
1300	ER=-1: PRINT "I DON'T UNDERSTAND " W	, 050	RITE-PROTECTED DISK": ER=-1: RETURN
			:rem 183
	D\$: RETURN :rem 119 REM MOVE TURTLE :rem 189	7060	IF (QQ=67)AND(MD\$="W")AND(K=36) THEN
2010	RO=YM-(Y*CR): CO=X-XL :rem 15		PRINT "DISK IS FULL.": ER=-1: RETUR
2020	IF (SP/BA)=INT(SP/BA) THEN XS=CO+C1:	WHI GO VON GOV	N :rem 109
	YS=RO+C2: GOTO 2200 :rem 170	7070	IF (QQ=63)AND(MD\$="W") THEN PRINT "F

ILENAME IS USED": ER=-1: RETURN	16000 REM BACKGROUNDCOLOR COMMAND : rem 57
:rem 59	16010 GOSUB 8000: IF ER THEN PRINT WDS "
7080 IF (QQ=62) AND (MD\$="R") THEN PRINT "N	[SPACE] IS NOT A BACKGROUNDCOLOR": R
O SUCH FILE ON DISK": ER=-1: RETURN	
	ETURN :rem 166
7000 TE 00010 MURN PRINT HILL WINDS	16020 POKE 2, (PEEK(2)AND240)+NU: SYS 492
7090 IF QQ>19 THEN PRINT "I'M HAVING TROU	35: RETURN :rem 16
BLE WITH THE DISK": ER=-1 :rem 244	17000 REM TURTLECOLOR COMMAND : rem 58
7100 RETURN :rem 168	17020 GOSUB 8000: IF ER THEN PRINT WDS "
8000 REM GET VALID COLOR NUMBER : rem 68	[SPACE] IS NOT A TURLTECOLOR": RETUR
8010 GOSUB 4000 NUMERIC INPUT :rem 176	
8020 IF ER OR (NU>15)OR(NU<0) THEN ER=-1	
the state of the s	17030 POKE 53287, NU: RETURN : rem 28
8030 RETURN :rem 139 :rem 171 9000 REM FORWARD COMMAND :rem 193	18000 REM DEFINE NEW PROCEDURE : rem 27
8030 RETURN :rem 1/1	18010 GOSUB 5000: IF WD\$ <> " " THEN 18030
9000 REM FORWARD COMMAND :rem 193	:rem 176
9010 GOSUB 4000: IF ER OR (NU<=0) THEN PR	18020 PRINT "I NEED A PROCEDURE NAME": ER
INT "I CAN'T GO FORWARD " WD\$: RETUR	
N :rem 198	
9020 IX=X: IY=Y: FOR D= 0 TO NU: X=FNR(D*	18030 IF PC=FF THEN PRINT"I CAN'T REMEMBE
SIN(H*C)+IX): Y=FNR(D*COS(H*C)+IY)	R ANY MORE PROCEDURES": ER=-1: RETU
SIN(H*C)+IX): Y=FNR(D*COS(H*C)+IY)	RN :rem 105
9030 IF X>XH THEN X=XH :rem 245	18040 GOSUB 6000: IF PN<>0 THEN PRINT WD\$
9030 IF X>XH THEN X=XH :rem 245	" ALREADY EXISTS": ER=-1: RETURN
9040 IF X <xl 252<br="" :rem="" then="" x="XL">9050 IF Y>YH THEN Y=YH :rem 251</xl>	:rem 123
9050 IF Y>YH THEN Y=YH :rem 251	
9060 IF VOVI. THEN V=VI.	18050 PC=PC+1: PN\$(PC)=WD\$: PRINT WD\$;: I
9060 IF Y <yl 2<br="" :rem="" then="" y="YL">9070 IF PE THEN 9120 :rem 239</yl>	NPUT PR\$(PC) :rem 206
9070 IF PE THEN 9120 : rem 239	18060 PRINT WD\$ " IS NOW DEFINED": RETURN
9080 BY=SC + BL*INT((YM-(Y*CR))/BB) +BB*I	:rem 40
NT((X-XL)/BB) + ((YM-(Y*CR)) AND MA)	19000 REM PRINTNAMES COMMAND :rem 222
:rem 74	19010 PRINT "NUMBER OF PROCEDURES: " PC
9090 BI=MA - ((X-XL) AND MA) :rem 129	242
9100 IF DR THEN POKE BY, PEEK(BY) OR BATB	19020 IF PC=0 THEN RETURN :rem 154
I: GOTO 9120 :rem 113	19020 IF PC=0 THEN RETURN : rem 154
	19030 FOR K= 1 TO PC: PRINT PN\$(K): NEXT:
9110 POKE BY, PEEK(BY) AND (FF-BATBI)	RETURN :rem 139
:rem 27	20000 REM PRINTPROCEDURE COMMAND :rem 11
9120 GOSUB 2000: NEXT: RETURN : rem 161	20010 GOSUB 5000: IF WD\$<>"" THEN 20030
10000 REM RIGHT COMMAND :rem 82	:rem 162
10010 GOSUB 4000: IF ER OR (NU<0) THEN PR	20020 ER=-1: PRINT "I NEED A PROCEDURE NA
INT "I CAN'T TURN RIGHT " WD\$: RETU	
	ME": RETURN :rem 187
	20030 GOSUB 6000: IF PN<>0 THEN PRINT PR\$
10020 DH=NU: GOSUB 3000: RETURN :rem 246	(PN): RETURN :rem 215
11000 REM LEFT COMMAND :rem 0	20040 ER=-1: PRINT "THERE IS NO PROCEDURE
11010 GOSUB 4000: IF ER OR (NU<0) THEN PR	" WD\$: RETURN :rem 102 21000 REM ERASE COMMAND :rem 70
INT "I CAN'T GO LEFT " WD\$: RETURN	21000 REM ERASE COMMAND
:rem 200	21010 GOSUB 5000: IF WD\$<>"" THEN 21030
11020 DH=-NU: GOSUB 3000: RETURN :rem 36	
12000 REM HOME COMMAND :rem 255	:rem 164
12010 X=0: Y=0: H=0: DH=0: GOSUB 3000: RE	21020 ER=-1: PRINT "I NEED A PROCEDURE NA ME": RETURN :rem 188
	ME": RETURN :rem 188
TURN :rem 114 13000 REM SETHEADING COMMAND :rem 179	21030 GOSUB6000: IF PN<>0 THEN 21050
13000 REM SETHEADING COMMAND : rem 179	:rem 116
13010 GOSUB 4000: IF (NOT ER)AND(H<=360)	21040 ER=-1: PRINT "THERE IS NO PROCEDURE
[SPACE]THEN 13030 :rem 127	
13020 ER=-1: PRINT "I CAN'T SET A HEADING	
OF " WD\$: RETURN :rem 84	21050 PR\$(PN)=PR\$(PC): PN\$(PN)=PN\$(PC): P
13030 H=NU: DH=0: GOSUB 3000: RETURN	C=PC-1:PRINT WD\$ " IS ERASED": RETU
	RN : rem 145
:rem 233	RN :rem 145 22000 REM RENAME COMMAND :rem 143
14000 REM SETPOSITION COMMAND :rem 57	22010 GOSUB 5000: IF WD\$<>"" THEN 22030
14010 GOSUB 4000: IF (NOT ER)AND(NU>=XL)A	:rem 166
ND(NU<=XH) THEN 14030 :rem 201	22020 ER=-1: PRINT "I NEED TO KNOW THE OL
14020 ER=-1: PRINT "I CAN'T SET AN X-VALU	D NAME" . DETUIDN
E OF "WD\$: RETURN :rem 181	D NAME": RETURN :rem 117 22030 GOSUB 6000 :rem 61
14030 QQ=NU: GOSUB 4000 :rem 248	22040 GUSUB GUSUB COM : rem 61
	22040 IF PN=0 THEN PRINT "PROCEDURE " WD\$
14040 IF (NOT ER)AND(NU>=YL)AND(NU<=YH) T	" DOESN'T EXIST": ER=-1: RETURN
HEN X=QQ: Y=NU: GOSUB 2000: RETURN	:rem 69
:rem 152	22050 QQ=PN :rem 118
14050 ER=-1: PRINT "I CAN'T SET A Y-VALUE	22060 GOSUB 5000: IF WD\$ <> "" THEN 22080
OF "WD\$: RETURN :rem 107	:rem 176
15000 REM PENCOLOR COMMAND :rem 59	22070 PRINT "I NEED TO KNOW THE NEW NAME"
15010 GOSUB 8000: IF ER THEN PRINT WD\$ "	LEGIO PATRI I MEED TO KNOW THE NEW NAME
	• FD=_1 • DETIIDN
	: ER=-1: RETURN : rem 133
[SPACE] IS NOT A PENCOLOR": RETURN	: ER=-1: RETURN : rem 133 22080 GOSUB 6000 : rem 66
{SPACE}IS NOT A PENCOLOR": RETURN :rem 168	22090 IF PN<>0 THEN PRINT "YOU HAVE ALREA
{SPACE}IS NOT A PENCOLOR": RETURN : rem 168 15020 POKE 2, (PEEK(2)AND15)+16*NU: SYS 4	: ER=-1: RETURN : rem 133 22080 GOSUB 6000 : rem 66 22090 IF PN<>0 THEN PRINT "YOU HAVE ALREA DY USED THAT NAME": ER=-1: RETURN
{SPACE}IS NOT A PENCOLOR": RETURN :rem 168	22090 IF PN<>0 THEN PRINT "YOU HAVE ALREA

22100	PN\$(QQ)=WD\$: PRINT "RENAMING OK": R	
	ETURN :rem 182	
23000	REM LOAD COMMAND :rem 248	340
23010		
	60 :rem 137	
23020	INPUT#2, NP :rem 166	35Ø
23030	IF (NP+PC)>FF THEN PRINT "TOO MANY	360
	{SPACE}PROCEDURES": ER=-1: GOTO 230	370
	60 :rem 251	
23Ø4Ø	FOR K= 1 TO NP: INPUT#2, PN\$(PC+K),	
	PR\$(PC+K): NEXT: PC=PC+NP :rem 108	380
23Ø5Ø	PRINT NP "PROCEDURES LOADED": rem 14	
	CLOSE 2: CLOSE 15: RETURN :rem 211	
	REM SAVE COMMAND :rem 8	390
24010	MD\$="W": GOSUB 7000: IF ER THEN 240	400
	40 :rem 142	410
24020	PRINT#2, PC: FOR K= 1 TO PC: PRINT#	-
	2, PN\$(K): PRINT#2, PR\$(K): NEXT	
	:rem 114	420
24030	PRINT PC "PROCEDURES SAVED": rem 204	
	CLOSE 2: CLOSE 15: RETURN :rem 210	
	REM SCRATCHFILE COMMAND : rem 2	430
The second secon		440
25010	ER=0: GOSUB 5000: IF WD\$ <> " " THEN 2	450
	5030 :rem 234	450
25020	PRINT "YOU MUST SUPPLY A FILENAME":	
	ER=-1: RETURN :rem 5	460
25030	OPEN 15,8,15 :rem 136	400
25Ø4Ø	PRINT#15, "SØ:" + WD\$ + ".TURTLE":	
	[SPACE] INPUT#15, QQ,T\$,ZZ,ZZ:rem 42	470
25Ø5Ø	IF (QQ>19)AND(QQ<>62) THEN PRINT "I	480
	'M HAVING TROUBLE WITH THE DISK":ER	490
	=-1 :rem 25	490
25060	CLOSE 15: RETURN :rem 243	
		500
		שמכ
-		
PIOC	jram 2: Turtle Data	510
10000		A CONTRACTOR OF THE PARTY OF TH
	EM TURTLE DATA, FOR USE WITH TURTLE	600
	SPACE GRAPHICS INTERPRETER. USE TURT	610
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E BOOT :rem 95	
110 R	EM TO LOAD. :rem 103	620

```
120 FOR K= 3584 TO 4095: READ J: POKE K,
                               :rem 142
    [SPACE]J: NEXT
                               :rem 150
200 REM HEADING 0
0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
                               :rem 239
220 DATA 60,0,0,126,0,0,255,0,1,255,128,3
    ,255,192,7,255,224,15,255,240,31,255
                               :rem 171
23Ø DATA 248,0,0,0,0,0,0,0
                               :rem 209
240 REM HEADING 45
                               :rem 211
   DATA Ø,63,255,Ø,31,255,Ø,15,255,Ø,7,2
25Ø
    55,0,3,255,0,1,255,0,0,127,0,0,63,0
                                :rem 90
260 DATA 0,31,0,0,7,0,0,3,0,0,0,0,0,0,0,0
    ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
                               :rem 252
270 DATA 0,0,0,0,0
                                :rem 83
280 REM HEADING 90
                               :rem 215
29Ø DATA Ø,Ø,Ø,Ø,Ø,Ø,224,Ø,Ø,24Ø,Ø,Ø,248,
    0,0,254,0,0,255,0,0,255,128,0,255,192
                               :rem 163
300 DATA 0,255,224,0,255,224,0,255,192,0,
    255,128,0,255,0,0,254,0,0,248,0,0,240
                               :rem 199
310 DATA 0,0,224,0,0,0,0,0,0,0,0,0,0,0,0,0
                                :rem 78
                                 :rem 2
320 REM HEADING 135
```

```
:rem 27
  Ø DATA 7,0,0,31,0,0,63,0,0,127,0,1,255,
   Ø,3,255,Ø,7,255,Ø,15,255,Ø,31,255,Ø
                                :rem 76
  DATA 63,255,0
                                :rem 63
  REM HEADING 180
                                 :rem 6
  Ø DATA Ø, Ø, Ø, 31, 255, 248, 15, 255, 240, 7, 25
   5,224,3,255,192,1,255,128,0,255,0,0
                                :rem 128
  Ø DATA 126,0,0,60,0,0,24,0,0,0,0,0,0,0,0,
   :rem 58
  Ø DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                :rem 198
                                 :rem 2
  Ø REM HEADING 235
  0,0,0,0,0,0,0,0,0,0,0,0,0,0,192,0,0
                                :rem 203
  Ø DATA 224,0,0,248,0,0,252,0,0,254,0,0
   255,128,0,255,192,0,255,224,0,255,240
                                :rem 199
  Ø DATA Ø,255,248,Ø,255,252,Ø,Ø
                                :rem 20
  Ø REM HEADING 27Ø
                                  :rem 5
  Ø DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,14,Ø,Ø,3Ø,Ø,Ø,62
    ,0,0,254,0,1,254,0,3,254,0,7,254,0,15
                                :rem 128
  Ø DATA 254,0,15,254,0,7,254,0,3,254,0,1
    ,254,0,0,254,0,0,62,0,0,30,0,0,14,0,0
                                :rem 159
  Ø DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                :rem 105
  Ø REM HEADING 315
                                  :rem 9
   DATA 255, 252, Ø, 255, 248, Ø, 255, 240, Ø, 25
   5,224,0,255,192,0,255,128,0,254,0,0
                                :rem 134
  Ø DATA 252,0,0,248,0,0,224,0,0,192,0,0,
   :rem 82
   DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø : rem 212
   REM SPLITSCREEN ROUTINE
                                :rem 236
   FOR K= 49152 TO 49349: READ J: POKE K
     J: NEXT
                                :rem 254
   DATA 173, 25, 208, 141, 25, 208, 41, 1, 208, 3
    ,76,188,254,173,18,208,16,18,169,21
                                :rem 166
630 DATA 141,24,208,169,27,141,17,208,169
    ,1,141,18,208,76,188,254,169,25,141
                                :rem 178
640 DATA 24,208,169,59,141,17,208,169,209
    ,141,18,208,24,165,214,105,236,16
                                 :rem 75
650 DATA 3,32,83,192,165,197,201,4,208,3,
    238,32,208,201,5,208,3,238,33,208,32
                                :rem 200
660 DATA 132,192,76,49,234,165,2,162,0,15
    7,0,4,232,208,250,157,0,5,232,208,250
                                :rem 245
670 DATA 157,0,6,232,208,250,162,31,157,0
    ,7,202,16,250,169,32,162,201,157,31,7
                                :rem 238
680 DATA 202, 208, 250, 24, 160, 0, 162, 20, 32, 2
    40,255,96,162,39,165,2,157,248,6,202
                                :rem 199
690 DATA 16,250,96,24,169,32,133,252,169,
    0,133,251,168,145,251,200,208,251,230
700 DATA 252,165,252,201,64,208,1,96,152,
    240,239,120,169,127,141,13,220,169,1
                                :rem 198
710 DATA 141, 26, 208, 169, 192, 141, 21, 3, 169,
    0,141,20,3,169,1,141,18,208,88,96
                                 :rem 58
```

Program 3: Turtle Boot

10 REM TURTLE BOOT :rem 89
20 POKE 53281, 6 :rem 246
3Ø PRINT CHR\$(147); CHR\$(154) TAB(1Ø) "TU
RTLE GRAPHICS BOOT": PRINT: PRINT
:rem 197
40 PRINT "THIS PROGRAM WILL LOAD AND RUN
[SPACE]THE" :rem 134
50 PRINT "TURTLE DATA AND INTERPRETER PRO
GRAMS.": PRINT :rem 183
60 PRINT "WHILE THEY ARE LOADING THE SCRE
EN WILL" :rem 153
70 PRINT "BLANK.": PRINT :rem 149
80 PRINT "DO NOT REMOVE THE DISK UNTIL TH
90 PRINT "INTERPRETER PROMPTS YOU FOR YOU
R FIRST" :rem 126
100 PRINT "COMMAND.": PRINT: PRINT: POKE
{SPACE}198, Ø :rem 132
110 PRINT "PRESS " CHR\$(18) "SPACE" CHR\$(
146) " WHEN READY" :rem 51
120 GETA\$: IF A\$="" THEN 120 :rem 73
146) " WHEN READY" :rem 51 120 GETA\$: IF A\$="" THEN 120 :rem 73 130 Q\$=CHR\$(34): D\$=CHR\$(17) :rem 152
140 PRINT CHR\$(147); CHR\$(31); D\$; D\$; D\$
"POKE 16384, Ø: POKE 44, 64: NEW"
:rem 74
150 PRINT D\$; D\$ "LOAD" Q\$ "TURTLE GRAPHI
C 2" Q\$ ",8" :rem 120
160 PRINT D\$; D\$; D\$; D\$; D\$ "RUN":rem 81
C 1" Q\$ ",8" :rem 121
180 PRINT D\$; D\$; D\$; D\$; D\$ "RUN" CHR\$(1
9) :rem 15
190 FOR K= 1 TO 7: POKE 630+K, 13: NEXT:
[SPACE] POKE 198, 7 :rem 3

Teaching Your Computer English

(Article on page 126.)

BEFORE TYPING ...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

```
1 SYS65517:AA=PEEK(781):GOTO62
2 DIML(35), M(6,6), N$(35), R$(6):FORX=1T06:
  FORY=1TO6:READM(X,Y):NEXTY,X
                                  :rem 155
3 FORX=1TO29:READN$(X):NEXT:FORX=1TO29:RE
  ADL(X):NEXT:FORX=1TO6:READR$(X):NEXT
                                   :rem 63
                                  :rem 239
5 L5=36879:IFAA=40THENL5=53281
                                  :rem 224
6 IFL=1THENPOKEL5, 104:PRINT" [WHT] ":rem 47
7 IFL=2THENPOKEL5,125:PRINT"{BLK}"
8 IFL=3THENPOKEL5,62:PRINT"[BLK]":rem 145
9 IFL=4THENPOKEL5,47:PRINT"[BLK]":rem 150
10 IFL=5THENPOKEL5, 11:PRINT [WHT] ":rem 43
11 IFL=6THENPOKEL5,94:PRINT" [BLK]"
                                  :rem 195
12 PRINT" {CLR}EEEEEEEEEEEEEEEEEE": PRI
```

12	
12	NT"YOU ARE IN THE":PRINTR\$(L) :rem 231
1.5	PRINT"YOU CAN SEE" :rem 225
	FORX=1TO29:IFL(X)=LTHENPRINTN\$(X)
7.4	
	:rem 62
	NEXT :rem 165
16	PRINT"EEEEEEEEEEEEEEEEEEE::GOTO66
	:rem 5
17	
1/	
	:rem 5
18	FORX=1TOLEN(A\$):IFMID\$(A\$,X,1)=" "ANDL
	EN(A\$)>X+1THENB\$=MID\$(A\$,X+1,2):rem 75
19	
	IFLEN(A\$)>1THENA\$=LEFT\$(A\$,2) :rem 41
21	
22	N\$="NOSOEAWEUPDOBECHTAPITHSEGRMUBUARSW
	SHMASPOIDRTRLEBONECARISP" :rem 138
23	FORY=1TOLEN(V\$): IFMID\$(V\$,Y,2)=A\$THENV
	=Y+1:V=V/2 :rem 114
24	NEXT: FORX=1TOLEN(N\$): IFMID\$(N\$, X, 2)=B\$
24	
- 1	THENN=X+1:N=N/2 :rem 194
25	NEXT:ONVGOTO26, 29, 39, 29, 46, 53, 55, 39
	:rem 146
26	IFN>6THENPRINT"YOU CAN'T":GOTO17
COMP.	:rem 222
27	
27	
	:rem 92
28	NEXT:GOTO5 :rem 81
29	IFN=70RN=90RN=11THENPRINT"YOU CAN'T":P
	RINT"EEEEEEEEEEEEEEEEEEEE':GOTO17
	:rem 205
20	
3Ø	IFN=14ORN=15ORN=22ORN=23THENPRINT"YOU
	{SPACE}CAN'T":PRINT"EEEEEEEEEEEEEE
	EEEE" :rem 216
31	IFN=140RN=150RN=220RN=23THEN17 :rem 45
32	IFB\$="AR"THENL(16)=Ø :rem 14
33	IFN=24THENPRINT"YOU CAN'T":PRINT"EEEEE
33	
34	IFN=26THENPRINT"CAN'T, IT RAN AWAY":PR
	INT "EEEEEEEEEEEEEEEEEEEE: :L(26)=10
	:rem 232
35	IFN=26THEN17 :rem 129
35 36	
35 36	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE
36	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEE::GOTO17 :rem 157
	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEE::GOTO17 :rem 157
36 37 38	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø :rem 185 NEXT:GOTO5 :rem 82
36 37 38	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEE:GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø :rem 185 NEXT:GOTO5 :rem 82 IFN=24ANDL=5ANDL(23)=1ØTHENPRINT"{CLR}
36 37 38 39	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEE:GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 4ø	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 4ø	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 4ø	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 4Ø 41	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 4ø	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 4Ø 41	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEE:GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE:GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEE:GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43 44 45	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEEEEEEEEE EEEEEE
36 37 38 39 40 41 42 43	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43 44 45	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEEEEEEEEE EEEEEE
36 37 38 39 40 41 42 43 44 45	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEE:GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43 44 45 46	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43 44 45 46 47	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEE":GOTO17 :rem 157 FORX=7TO29:IFN=XANDL(X)=LTHENL(X)=Ø
36 37 38 39 40 41 42 43 44 45 46	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEEEEEEEEEEEEEE
36 37 38 39 40 41 42 43 44 45 46 47 48	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEEEEEEEEEEEEE
36 37 38 39 40 41 42 43 44 45 46 47	IFN=27THENPRINT"TOO HOT":PRINT"EEEEEEE EEEEEEEEEEEEEEEEEEEEEEEEEEEEE

:rem 229

5) <> ØTHENPRINT" [DOWN] YOU CAN'T"

T	rek		K(V)<2Ø THEN POKEV+1,(PEEK(V+7)) :rem 73
		11	9 SYS THRST:POKE53280,0:SYS PHAS:IF PEE
	" :rem 107		INT" (DOWN) "SPC(25), (T1-T1)-HIT :rem 113
81	DATA"DRAWBRIDGE ROOM", "SORCERER'S ROOM		INT" {DOWN} "SPC(25), (TI-T1)-HIT
	GHTS QUARTERS", "ARMORY" : rem 16	11	{2 DOWN}{GRN}"SPC(31)"SCORE{HOME}":PR
80	DATA"KINGS BEDROOM", "THRONE ROOM", "KNI	9.90	S THRST:SYSTHRST:POKE54278,129:rem 13 8 SYS890:POKE54296,4:PRINT"{HOME}
79	REM R\$(X) :rem 115	11	7 SYSTHRST: POKE54277, 15: POKE54276, 17: SY
	5,6,6,6,10,10 :rem 72		:rem 224
78	DATA1,1,1,1,2,2,2,2,3,3,3,3,4,4,4,5,5,		AS:IF PEEK(197)=60 THEN HIT=HIT+1
77	DATA10,10,10,10,10,10 :rem 170	11	
76	REM L(X) :rem 70	11	6 SYS THRST:SYS MOVE:POKE54273,0:SYS PH
75	DATA"RING", "SPELL" :rem 234		1 :rem 158
	:rem 40	11.	9402)AND15)>8THENPOKE53280,2:HIT=HIT+
	{SPACE}BOOK", "EYE OF NEWT", "CAULDRON"	11	4 SYS THRST:SYS BAM:SYS THRST:IF(PEEK(4
74	DATA"TROLL", "DRAWBRIDGE LEVER", "SPELL	11.	AS:SYS THRST :rem 77
	:rem 116	111	2 SYS THRST: POKE49402, PEEK(V+30):SYS PH
	ACE", "SPEARS", "OIL", "DRAWBRIDGE"		:rem 119
73	DATA"BUNK", "ARMOR", "SWORD", "SHIELD", "M	25-007	7)+1:IF PEEK(V+7)>185THEN POKEV+7,185
	RONE", "SCEPTER", "GRAIL", "MURAL": rem 30	110	SYS THRST: POKE53280,0: POKEV+7, PEEK(V+
72	DATA "BED", "CHAIR", "TABLE", "PILLOW", "TH		POKE53277, PEEK(53277)OR(215) :rem 221
70	, "DOWN" :rem 97	100	SYS 989: POKE53277, PEEK (53277) OR (214):
11			:rem 248
71	DATA"NORTH", "SOUTH", "EAST", "WEST", "UP"		5,9:POKES+6,0:POKES,240:POKES+1,33
70	2,0,,,,,,2,3,0 :rem 130 REM N\$(X) :rem 102	99	SS=.1:EX=80:S=54272:POKE54296,9:POKES+
09	2 d 2 3 d ·rem 13d		:rem 187
69	DATAØ,,,3,,2,4,5,6,,1,,,1,,6,,2,,,,		
68	REM M(X) :rem 72	31	OKEV+7,180:EP=180:POKE650,128:HIT=0
No. OF	017 :rem 128	97	POKE V+1,150:POKEV+3,155:POKEV+5,160:P
67	NEXT: PRINT "EEEEEEEEEEEEEEEEE": GOT		:rem 210
	THENPRINTN\$(Y) :rem 27	96	POKE 2046, 214: POKE53293, 10: POKEV+30,0
66	PRINT"EXITS ARE: ": FORY=1T06: IFM(L,Y)>Ø		:rem 164
			KEV+29,8:POKE53280,0:IFFQ>2THENQI=.06
		95	QI=.01:POKEV+6,80:E=100:POKEV+5,145:PO
61	GETZ\$:IFZ\$=""THEN64 :rem 41		GOSUB 900 :rem 130
	" :rem 218		POKE V+9, 202: POKEV+11, 202 :rem 29
03	[SPACE]OUT?":PRINT"[2 DOWN]HIT ANY KEY	0.0	
63	PRINT"TROLL.":PRINT"[DOWN]CAN YOU GET	10	V+42,15:POKEV+43,9:POKEV+44,9 :rem 191
	RINT"GUARDED BY AN EVIL" :rem 38	70	POKEV+39,6:POKEV+40,10:POKEV+41,5:POKE
62	PRINT" {CLR} {BLK} YOU ARE IN A CASTLE":P		:rem 49
61	NEXT:FORI=1T01000:NEXT:GOT012 :rem 49		OKEV1+3,211:POKEV1+4,212:POKEV1+5,213
	:rem 180	60	POKEV1,215:POKEV1+1,215:POKEV1+2,215:P
6Ø	FORX=1TO29:IFN=XANDL(X)=L THEN61		POKE V+21,63 :rem 13
	029:IFN=XANDL(X)=L THEN61 :rem 149		XX\$={2 SPACES}"{HOME}{23 DOWN}":rem 88
59	PRINT" (DOWN) YOU CAN SEE (DOWN) ": FORX=1T	45	TIQ= 140000 :PUREJJZ/J, 48:BSC=0:rem 6/
=0		40	TI\$="140000":POKE53275,48:BSC=0:rem 67
20	:rem Ø		V=53248:POKE723,10:V1=2040:SS=0:EX=80:
50	PRINT"THE KING SLEEPS [DOWN] ": GOTO17	Transfer and the second	GOSUB 800 :rem 123 GOSUB 880 :rem 136
	"SEEK IS HIDDEN WHERE" :rem 226	141000000	GOSUB 800 :rem 123
57	PRINT" [DOWN] THE KEY TO WHAT YOU": PRINT		GOGUE 500
	IFN<>14THEN59 :rem 196	19	FQ=VAL(FQ\$):PRINT"{CLR}" :rem 203
	IFN=9ANDL=1THENL(28)=L:GOTO12 :rem 223		:rem 227
54	NEXT:FORI=1T01500:NEXT:GOT06 :rem 11	18	GETFQ\$:IF FQ\$<"1"OR FQ\$>"4" THEN 18
	(X)"{DOWN}" :rem 110		{2 SPACES}LEVEL (1-4) " :rem 50
	{DOWN}":FORX=1TO29:IFL(X)=ØTHENPRINTN\$	14	PRINT"[11 SPACES][2 DOWN]SKILL
53	PRINT" [CLR] [DOWN] YOU ARE CARRYING	13	
			GOSUB 5000 :rem 169
	5)=ØTHENL(23)=1Ø :rem 21 GOTO17 :rem 8	12	:rem 188
51	IFL=5ANDN=23ANDL(17)=ØANDL(28)=ØANDL(2	12	PRINT" [9 DOWN] [14 SPACES] PLEASE WAIT"
			:rem 166
	5)=ØTHENPRINT"{DOWN}THE TROLL FLEES {DOWN}" :rem 68	11	PRINT"[CLR][17 SPACES][10 DOWN]TREK"
30		10	:rem 229
50	IFL=5ANDN=23ANDL(17)=ØANDL(28)=ØANDL(2	10	POKE53280,6:POKE53281,0:PRINT"{GRN}"

(Article on page 54.)

BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

```
120 SYS THRST:SYS PHAS:POKE54273,20:IF PE
    EK(V+2)<20 THEN POKEV+3, (PEEK(V+7))
                                  :rem 213
121 SYS THRST:SYS PHAS:IF PEEK(V+4)<20 TH
                                  :rem 222
    EN POKEV+5, (PEEK(V+7))
123 SYS THRST:SYS BAM:SYS PHAS:SYS THRST
                                  :rem 102
124 SYS890:SYS PHAS:POKE54276,16:POKE5427
    6,17:SYS THRST
                                  :rem 115
125 SYS THRST: ON FQ GOTO 130,129,128,127,
    126
                                  :rem 129
```

```
126 SYS THRST:SYS MOVE:SYS MOVE:SYS MOVE:
                                            500 FOR N=13440TO13502:READA:POKEN,A:NEXT
    SYS MOVE:SYS MOVE:SYS PHAS
                                 :rem 194
                                                                              :rem 213
   SYS THRST:SYS MOVE:SYS MOVE:SYS MOVE:
                                            510 FOR N=13504T013566: READA: POKEN, A: NEXT
    SYS
        PHAS
                                  :rem 227
                                                                              :rem 225
   SYS THRST:SYS MOVE:SYS MOVE:SYS MOVE:
128
                                            515 FOR N=13568T013630: READA: POKEN, A: NEXT
                                  :rem 228
    SYS
       PHAS
                                                                              :rem 232
129
   SYS THRST:SYS MOVE:SYS MOVE:SYS PHAS
                                            520 FOR N=13632TO13694: READA: POKEN, A: NEXT
                                  :rem 117
                                                                              :rem 230
130 SYS THRST:SYS MOVE:SYS MOVE:SYS PHAS
                                            525 FOR N=13760TO13822: READA: POKEN, A: NEXT
                                  :rem 109
                                                                              :rem 23Ø
131 SYS THRST:SYS MOVE:SYS THRUST:SYS MOV
                                            527 FOR N=13696TO13759: READA: POKEN, A: NEXT
    E:IF RND(.) < QI THEN8000
                                  :rem 37
                                                                              :rem 249
132 SYS THRST: A5=PEEK(197): POKEV+7, PEEK(V
                                            528 FOR N=13824T013886: READA: POKEN, A: NEXT
    +7)+1:IFPEEK(V+7)>185THENPOKEV+7,185
                                                                              :rem 244
                                 :rem 184
                                            133 SYS890:IFA5=22ANDABS(PEEK(V+6)-PEEK(V
                                                0,0,0,48,0,0,48,0,0,48,0,0
                                                                               :rem 74
    +10))<25ANDPEEK(V+7)>175THENGOSUB6000
                                            535 DATA 48,0,0,48,0,0,48,0,0,48,0,0,48,0
                                 :rem 183
                                                ,0,0,0,0,0,0,0,0,0,0,0,0,0
                                                                             :rem 107
135 XY$=STR$(100-(HIT*15.1))+"{2 SPACES}"
                                            :rem 107
                                                0,0,0,0,0,0,96,0,1,248,255,223,255
140 SYS890: PRINTXX$; "ENERGY TO SHIELDS ";
                                                                              :rem 224
                                 :rem 216
    XYS
                                            545 DATA 127,223,255,15,135,192,7,143,128
145
   SYS THRST:SYS PHAS:SYS THRST:IF HIT*1
                                                ,3,159,0,15,255,0,15,255,0,7,255,128
    5.1>100THEN200
                                 :rem 142
180 SYS THRST: EX=EX+1: IF EX>150THEN EX=40
                                            550 DATA 7,255,0,3,255,0,0,0,0,0,0,0,0,0,0,0,
    :LC=LC+1:IF LC>1 THEN 4000
                                 :rem 140
                                                SYS THRST:SYS MOVE:SYS PHAS:POKE V+6,
                                                                               :rem 70
    EX:SYS THRST
                                 :rem 186
                                            195 SYS THRST:SYS PHAS:GOTO110
                                 :rem 157
                                                0,0,0,0,0,0,224,0,1,248,0,3,252,0,3
   PRINTXX$; "SHIELDS COLLAPSED,
                                                                              :rem 247
    {2 SPACES}STARSHIP DESTROYED [HOME]"
                                            560 DATA 254,224,7,255,16,15,255,8,31,255
                                 :rem 117
                                                ,132,127,255,254,255,255,255,255,255
205 S=54272:POKES+24,15:POKES+5,192:POKES
                                                                              :rem 231
                                            565 DATA 255,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
    +6,129:U1=255:POKES+2,75:POKE53280,2
                                 :rem 230
                                                0,0,7,0,0,15,128,0,31,192,0,31,192,2
210 N=190-PEEK(V+7):FOR CRASH=1 TO NSTEP4
                                 :rem 116
                                            570 DATA 63,240,7,127,248,15,191,248,15,2
215 POKES+1, U1: POKES+4, 17: U1=U1-1: rem 184
                                                23,248,31,231,252,31,251,252,63,248
   FOR DL=1T010:NEXT:C1=(PEEK(V+7)+4):C2
                                                                              :rem 165
    =(PEEK(V+6)+4)
                                 :rem 136
                                               DATA 254,63,255,6,127,255,248,255,255
   IF C2>225 THENCRASH=N
225
                                 :rem 159
                                                ,254,255,255,255,255,255,255,Ø,Ø,Ø,Ø,Ø,
230 POKEV+7, C1: POKEV+6, C2: NEXT
                                  :rem 86
231
   GOSUB 300
                                 :rem 169
                                            580 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,3,24
   POKEV+21, PEEK(V+21) AND(255-8)
                                 :rem 87
                                                8,3,255,240,15,255,248,63,255,248,0,1
234
   POKES+24,15:POKES+1,15:POKES+4,128
                                                                             :rem 222
                                 :rem 203
                                            585 DATA 192,1,255,240,1,255,224,0,0,0,0,
   POKES+5,9:POKES+1,20:POKES+4,128
                                                0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
                                 :rem 101
                                                                              :rem 16
   FORDL=1TO700:NEXT
                                  :rem 47
                                            590 DATA 0,0
                                                                              :rem 68
   POKES+4,129:GOTO3ØØØ
260
                                 :rem 119
                                            592 DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,
300 POKE 53277, PEEK (53277) AND (255-213)
                                                0,0,0,0,0,0,0,0,0,0,0,0,255,0,0
                                  :rem 36
                                                                              :rem 30
301 POKE 53271, PEEK (53271) AND (255-213)
                                            :rem 25
                                                0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
305 POKE 2043, 216: POKEV+42, 7: FOR DELAY=1T
                                                                             :rem 215
    020:NEXT:POKES+4,129
                                 :rem 103
                                            595 DATA Ø, Ø, Ø, Ø, 112, Ø, 3, 252, Ø, 15, 255, 128
31Ø POKEV+7, PEEK(V+7)-1Ø: POKE 53271, PEEK(
                                                ,23,255,64,59,254,240,61,253,248,118
    53271)OR(2<sup>†</sup>3):FOR DELAY=1TO1Ø:NEXT
                                                                              :rem 185
                                 :rem 162
                                            596 DATA 171,252,251,255,60,255,254,220,1
312 POKES+24,7:FORD=1TO20:NEXT:POKES+24,8
                                                23,253,232,119,251,248,47,255,240,15
    :FORD=1TO40:NEXT:POKES+24,13
                                  :rem 62
315 POKE 53277, PEEK(53277) OR(2 13): FOR DEL
                                            597 DATA 223,224,7,223,224,3,223,192,3,21
    AY=1TO6Ø:NEXT
                                                9,192,3,219,192,7,219,224,15,219,240
                                 :rem 175
316 POKES+24,7:FORD=1TO40:NEXT:POKES+24,8
                                                                             :rem 215
    :FORD=1TO20:NEXT:POKES+24,13
                                  :rem 66
                                            598 DATA Ø,Ø,Ø
                                                                             :rem 168
320 POKE 53271, PEEK (53271) AND (255-213)
                                            600 KI=49152:FOR N=KI TO 49204:READA:POKE
                                  :rem 26
                                                N, A: NEXT
                                                                             :rem 134
325 POKEV+42,1:FORD=13T01STEP-.5:POKES+24
                                            610 DATA 162,210,173,30,208,141,62,192,41
    ,D:NEXT:POKES+4,128:POKES+24,9:RETURN
                                                ,68,201,68,208,7,142,208,2,142,5,208
                                 :rem 151
                                                                             :rem 193
499 REM SPRITE SUBSECTION
                                  :rem 96
                                            620 DATA 96,173,62,192,41,66,201,66,208,7
```

COMPUTEI's Gazette October 1984 173

		219 2200 1199
	,142,198,2,142,3,208,96,173,62,192,41	910 GOSUB 1100 :rem 220 920 PRINT"{CLR}":GOSUB 980 :rem 90
c 20	:rem 19	930 PRINT" [CLR] " GOSOB 980 " ITEM 90 930 PRINT" [20 DOWN] [2] [35 I] [HOME]";
630	DATA 65,201,65,208,246,142,188,2,142, 1,208,96 :rem 113	930 PRINT (20 DOWN) [22] [33 I] (NONE) ; rem 202
CAG	1,208,96 :rem 113 BAM=49407:FOR N=BAM TO 49459:READA:PO	950 PRINT" [WHT] [7 SPACES] [4 +] [4 +]
640		[SHIFT-SPACE] [4 +] [SHIFT-SPACE] [+]
641	KEN, A:NEXT :rem 17 DATA 162,210,173,30,208,141,62,192,41	[2 SHIFT-SPACE] E+3[5 SPACES] HI SCORE
641		[SPACE]"; :rem 80
	,12,201,12,208,7,142,208,2,142,5,208 :rem 175	952 PRINT" LEVEL[3 SPACES][+][2 SPACES]
642	DATA 96,173,62,192,41,10,201,10,208,7	E+3{2 SPACES}E+3 E+3{4 SPACES}E+3
042	,142,198,2,142,3,208,96,173,62,192,41	R2 +3 (4 SPACES)"BSC :rem 75
	:rem 1	954 PRINT" {2 SPACES} "FQ" {4 SPACES} E+3
643	DATA 9,201,9,208,246,142,188,2,142,1,	[2 SPACES] [4 +] [3 +] [2 SPACES] [3 +]
043	208,96 :rem 17	{15 SPACES}"; :rem 171
650	MOVE=49232:FORN=MOVETO49275:READA:POK	956 PRINT" [9 SPACES] [+] [2 SPACES] [+] [+]
100	EN, A:NEXT :rem 216	[2 SPACES] [+] [4 SPACES] [+] [+]
660	DATA 173,7,208,205,1,208,176,6,206,1,	[15 SPACES]"; :rem 148
WE WHEN	208 :rem 115	958 PRINT" [9 SPACES] [+] [2 SPACES] [+]
665	DATA 76,97,192,238,1,208,205,3,208,17	E2 +3 E4 +3 E+3 E2 +3 [14 SPACES]";
	6 :rem 42	:rem 212
670	DATA 6,206,3,208,76,111,192,238,3,208	960 PRINT" [40 0]"; :rem 147
	,205,5,208,176,4,206,5,208,96,238	965 FOR SV=1TO12:PRINTSPC(30)"(WHT)(RVS)
	:rem 71	[J]":NEXT :rem 146
680	DATA 5,208,96 :rem 78	970 PRINTSPC(31)"[9 U][HOME]" :rem 151
690	PHAS=49472:FOR N=PHAS TO 49531:READA:	971 PRINT" [4 DOWN] "SPC(31)" [CYN] CONTROLS
	POKE N, A: NEXT :rem 199	{DOWN}" :rem 185
691	DATA 165,197,201,60,240,1,96,169,129,	972 PRINTSPC(31)"[YEL]CRSR-DN=" :rem 226
	141,4,212,173,7,208,174,6,208,142,12	973 PRINTSPC(33)"DOWN{DOWN}" :rem 90
	:rem 215	974 PRINTSPC(31) "CRSR-RT=" :rem 90 975 PRINTSPC(34) "UP{DOWN}" :rem 202
693	DATA 208,141,13,208,160,127,140,21,20	975 PRINTSPC(34)"UP{DOWN}" :rem 202 977 PRINTSPC(31)"{RVS}T{OFF}=BEAM-UP"
	8,238,12,208,173,12,208,208,13,169	:rem 47
	:rem 105	978 PRINTSPC(31)"SPACEBAR="; :rem 205
695	DATA 128,141,4,212,169,63,141,21,208, 76,0,192,160,70,136,192,0,208,251	979 PRINTSPC(32)" FIRE":GOSUB9000:GOTO100
	:rem 59	Ø :rem 243
697	DATA 76,93,193 :rem 142	980 FOR SF=1TO 20:K=(RND(X)*25+RND(Y)*400
	RETURN :rem 119):POKE 1250+K,46:NEXT :rem 242
	REM MAIN LOOP MACHINE LANGUAGE: rem 37	990 FOR CF=55296T055555:POKECF, 4:NEXT
	FOR N=828 TO 886: READA: POKEN, A: NEXT	:rem 209
	:rem 41	992 FOR CF=55556TO55855:POKECF,1:NEXT
810	DATA 174,188,2,202,202,142,188,2,142,	:rem 210
	0,208,174,198,2,202,202,202,142,198	994 FOR CF=55856TO56295:POKECF,7:NEXT
	:rem 146	:rem 220
815	DATA 2,142,2,208,174,208,2,202,142,20	998 RETURN :rem 138
	8,2,142,4,208,174,188,2,174,213,2,202	1000 RETURN :rem 161
100	:rem 232	1099 REM TITLE :rem 57 1100 FORN=1T030:PRINT"{DOWN}";:NEXT
820	DATA 142,213,2,142,8,208,174,211,2,20	:rem 59
	2,142,211,2,142,10,208,76,49,234	1110 PRINT"{CLR}":M=1:GOSUB980 :rem 119
OFA	RETURN :rem 236	1200 POKE53277, PEEK(53277) OR(213):FOR X=2
	REM RESET HARDWARE INTERUPT VECTOR	5ØTO3 STEP-3 :rem 24
013	:rem 171	1210 M=M+3:POKE V+6,M : POKEV+7,X :rem 55
880	FOR N=989T01002:READA:POKEN, A:NEXT	1220 NEXT :rem 4
000	:rem 86	1230 PRINT" [HOME] [7 DOWN] [WHT]"; :rem 97
885	DATA 120,169,60,141,20,3,169,3,141,21	1240 PRINT" (10 SPACES) [3 +] [3 +] [3 +]
	3 99 96 33	[+] [2 +]" :rem 96
890	REM THRUSTERS (THRST) : rem 63	1250 PRINT" [11 SPACES] [+] [2 SPACES] [+]
	THRST=890:FORN=890T0951:READA:POKEN,A	E+3 E+3(3 SPACES)E+3 E+3" :rem 125
	:NEXT :rem 216	1260 PRINT" [11 SPACES] [+] [2 SPACES] [3 +]
892	DATA 165,197,201,2,240,13,165,197,201	{SPACE} [3 +] [3 +]" :rem 22
	,7,240,19,165,197,197,60,240,25,96	1270 PRINT" [11 SPACES] [+] [2 SHIFT-SPACE]
	:rem 136	E+3{SHIFT-SPACE}E-3{SHIFT-SPACE}E+3
893	DATA 174,7,208,202,224,95,240,247,142	{3 SHIFT-SPACE}E+3(SHIFT-SPACE)E+3"
	,7,208,96,174,7,208,232,224,190,240	:rem 181
	:rem 179	1280 PRINT" [11 SPACES] [+] [2 SPACES] [+]
894	DATA 247,142,7,208,96,173,7,208,74,74	[SHIFT-SPACE] [+] [SHIFT-SPACE] [3 +]
	,74,24,105,25,168,174,6,208,24,32	{SHIFT-SPACE} E+3 {SHIFT-SPACE} E2 +3"
	:rem 93	:rem 242 1285 M=1 :rem 139
	DATA 240,255,96,32 :rem 74	1285 M=1 :rem 139 1290 FOR X=3TO250STEP3:M=M+3 :rem 147
	RETURN :rem 138	1300 POKEV+6, M: POKEV+7, X : rem 200
400	POKE53280,0:POKE53281,0 :rem 238	TODD FOREATONITE OND ATTIME TO STEM TOO

174 COMPUTE!'s Gazette October 1984

101@ NWW	201
1310 NEXT :rem 4 1320 PRINT"{2 DOWN}"; :rem 244	rem 221
1320 PRINT"[2 DOWN]"; :rem 244	4020 PRINT" {11 SPACES } CONTINUING ON MISSI
1371 PRINT" [DOWN] [8 SPACES] MISSION TO DEL	ON" :rem 84
TA MINOR" :rem 98 1375 FOR DELAY=1TO2000:NEXT :rem 114	4030 PRINT" [11 SPACES] TO DELTA MINOR"
1375 FOR DELAY=1TO2000:NEXT :rem 114	:rem 180
1379 GOSUB7000: RETURN : rem 53	4035 M=1 :rem 135
138Ø S=54272:FORL=STOS+24:POKEL, Ø:NEXT:PO	4036 FOR X=3TO250STEP3:M=M+3 :rem 148
KES+5,9:POKES+6,0:POKES+24,15:rem 71	4037 POKEV+6, M:POKEV+7, X :rem 210
1391 POKES+1, 28: POKES, 49: POKES+4, 17	
:rem 70	
1392 FORN=ITO125:NEXTN : rem 116	4046 FOR X=250TO3STEP-3:M=M+3 :rem 194
1392 FORN=1TO125:NEXTN :rem 116 1393 POKES+4,16 :rem 68 1394 FORN=1TO70:NEXTN :rem 69	4047 POKEV+6, M: POKEV+7, X :rem 211
1394 FORN=1TO7Ø:NEXTN :rem 69	4Ø48 NEXT :rem 15
1395 POKES+1,28:POKES,49:POKES+4,17	4050 FORI=1T01000:NEXTI:GOSUB 920:GOTO 30
:rem 74	00 :rem 24
1396 FORN=1TO125:NEXTN :rem 120	4999 REM RELOCATE CHARACTER SET :rem 139
1397 POKES+4,16:FORL=STOS+24:POKEL,Ø:NEXT	5000 POKE56334,0:POKE1,51 :rem 129
:RETURN :rem 112	5000 POKE56334,0:POKE1,51 :rem 129 5020 FOR ADD=14336TO16384 :rem 94
3000 POKE2041,215:POKEV+21,0 :rem 38	5030 POKE ADD, PEEK(ADD+38912):NEXT ADD
3100 PRINT" [HOME] [11 DOWN] [OFF] [BLK]	:rem 159
[10 SPACES] [YEL] G[RED] A[WHT] M[PUR] E	5040 POKE1,55:POKE56334,129:POKE53272,(PE
(SPACE) (GRN)O(RED)V(CYN)E(BLU)R";	EK(53272)AND24Ø)OR14:RETURN :rem 224
:rem 105	6000 POKEV+44,7:SYS THRST:HIT=HIT-2
3105 POKE54296, 0:LC=0:POKE198, 0 :rem 251	:rem 175
3110 PRINTXX\$" [WHT] TYPE (E) TO END, TYPE	6010 SYS THRST:POKEV+44,9:RETURN :rem 44
[SPACE](P) TO PLAY AGAIN" : rem 9	7000 FOR CD=1TO30:PRINT"(DOWN)";:NEXT
3200 GETA\$:IF A\$="E"THEN POKE198,0:SYS198	:rem 121
3205 IFA\$<>"P"THEN3200 :rem 192	7100 PRINT"[6][5 SPACES]CAPTAINS LOG":PRI
3205 IFA\$<>"P"THEN3200 :rem 192	NT" [5 SPACES] STARDATE "TI\$:rem 139
3210 RESTORE: POKE2043, 211: POKEV+21, 63:T1=	7150 PRINT"[5 SPACES][15 Y]" :rem 87
TI :rem 87	7200 PRINT" [6 SPACES] THE PEGASUS IS EN RO
3211 PRINT" [HOME] [11 DOWN] [27 SPACES]"	UTE TO" :rem 244
:rem 102	7210 PRINT" [5 SPACES] DELTA MINOR. OUR MIS
3212 PRINTXX\$"{39 SPACES}" :rem 109	SION:" :rem 10
3213 PRINTXX\$; :PRINT" SKILL LEVEL 1-4"	7220 PRINT" [5 SPACES] AID A FEDERATION RES
:rem 249	EARCH" :rem 217
3215 GETFQ\$:IF FQ\$<"1"OR FQ\$>"4" THEN 321	7230 PRINT" [5 SPACES] OUTPOST IN COMBATING
5 · rem 167	A" :rem 71
3216 FO=VAL(FOS) :rem 143	7250 PRINT" [5 SPACES] MUTANT VIRUS THAT IS
5 :rem 167 3216 FQ=VAL(FQ\$) :rem 143 3217 PRINTXX\$"{39 SPACES}" :rem 114 2219 PRINTM"{HOME}{2 POWN}{CPN}"SPC(21)"SC	" :rem 222
3218 PRINT" [HOME] [2 DOWN] [GRN] "SPC(31) "SC	7270 PRINT" [5 SPACES] THREATENING THE CONT
ORE [HOME] ": PRINT" [DOWN] "SPC(25),"	
	INUED" :rem 100 7280 PRINT"[5 SPACES]EXISTENCE OF THE OUT
[7 SPACES]" :rem 138	
3220 PRINT" [HOME] [11 DOWN] [10 RIGHT]	POST. ":PRINT :rem 243
[5 SPACES].[GRN].[3 SPACES].	7300 PRINT" [6 SPACES] WHILE EN ROUTE, THE
{3 SPACES}";:T1=TI:GOSUB920:GOTO95	{SPACE}SHIP" :rem 119
:rem 104	7310 PRINT" [5 SPACES] SUFFERED DAMAGE TO T
4000 B2=(TI-T1)-HIT:IFB2>BSCTHENBSC=B2	HE" :rem 19
:rem 50	7320 PRINT" [5 SPACES] MAIN POWER HOUSINGS.
4001 PRINT" {CLR} {YEL}"; :POKEV+21,8:POKE53	AS A" :rem 194
280,0:FORL=STOS+24:POKEL,0:NEXT:M=1:	7330 PRINT" [5 SPACES] RESULT, WE ARE FORCE
N=2 :rem 116	D TO" :rem 115
4004 POKE54272,40:POKE54296,15 :rem 144	7340 PRINT" [5 SPACES] MINE NEW DILITHIUM C
4005 POKE54273, 30+N: POKES+4, 17: PRINT TAB(RYSTALS" :rem 208
N) "M{4 SPACES}N B OEY EY OEY OP	7350 PRINT" [5 SPACES] ON A NEARBY PLANETOI
{SHIFT-SPACE}OP M{2 SPACESTN"	D. THE" :rem 238
:rem 206	7360 PRINT" [5 SPACES] PLANETOID, HOWEVER,
4006 PRINT TAB(N)" M{SHIFT-SPACE} N	{SPACE}IS" :rem 85
{2 SHIFT-SPACE}B(SHIFT-SPACE)EH	7370 PRINT" [5 SPACES] GUARDED BY NUMEROUS
[3 SPACES] EH3 [2 SPACES] EH3 EN3 L0	(SPACE)LIFELESS" :rem 14
	738Ø PRINT" [5 SPACES] DRONES": PRINT
{2 SPACES}MN{3 SPACES}" :rem 213	
4007 PRINT TAB(N)"{2 SPACES}MN{3 SPACES}B	7390 PRINT" WHT \{ 5 SPACES \} HIT ANY KEY TO
LEP3(2 SPACES)EH3(2 SPACES)LO	(ans an) government
[SHIFT-SPACE] [H]M[3 SPACES] [H]	{SPACE}CONTINUE" :rem 103 7400 POKE198,0:GOSUB1380 :rem 126 7500 GETAS:IFAS=""THEN7500 :rem 187
{3 SPACES}{HOME}*; :rem 71	7400 POKE198,0:GOSUB1380 :rem 126
4008 N=N+M:IF N>7 OR N<1 THEN M=M*(-1):N1	is a drift trip tribut, soo trem to
=N1+1:IFN1>4THEN 4010 :rem 99	/501 TI=TI:RETURN :rem /0
4009 FORD=1T010:NEXT:POKES+4,16:GOTO 4005	8000 POKE53269, PEEK (53269) AND 250 : rem 21
:rem 205	DAGE BI-DBBV/F33701. TI-A. DOVENTI 3 344 DOVE
	8005 Al=PEEK(53278):J1=0:POKEV+3,200:POKE
4010 POKES+4,16:PRINT"[5 DOWN][YEL]	2041,214:POKE710,1:POKE53288,7
{11 SPACES}PEGASUS REFUELED!!"	

COMPUTEI's Gazette October 1984 175

8010	FOR N=1TO60:SYS THRST:SYS MOVE:SYS M
	OVE:SYS THRST:SYS THRST:SYS THRST
	:rem 141
8015	POKE2041,210:POKES+4,129 :rem 102
	SYSTHRST: IF (PEEK (53278) AND10)=10THEN
No second and	POKE53288,10:POKE2041,215:GOTO200
-	:rem 183
8025	POKE2041,214 :rem 136
8030	SYSMOVE: SYSTHRST: SYSMOVE: SYSTHRST: NE
	XT:POKE2041,215:POKE53288,10:rem 122
8035	POKES+4,128:POKE53269,63:GOTO132
0000	
0000	:rem 136
טטטפ	PRINTXX\$"{6 UP}":PRINTSPC(35)"{WHT}
	₹5 U¾"; :rem 86
9010	POKE 646,9 :rem 254
9020	PRINTSPC(35)"[RVS][5 SPACES]";
	:rem 136
9030	PRINTSPC(35)"[RVS][5 SPACES]";
3030	
0005	:rem 137
9035	PRINTSPC(35)" {RVS} {5 SPACES}";
	:rem 142
9040	RETURN :rem 173

VIC Music Tutor

Requires minimum of 8K memory expansion.

(Article on page 86.)

BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

10			
	(DI), V\$(DI)	rem	196
20	PRINT" [CLR] [3 DOWN] "SPC (159) "MU	JSIC	TUT
	OR"	:rem	50
30	FORI=1TO 2000:NEXT	rem	223
40	PRINT" (CLR) (DOWN) DO YOU WANT TO)","	
	{DOWN}1-PLAYBACK AN OLD TUNE2-I		D A
	NEW ONE"	:rem	65
5Ø	INPUTA: ONAGOTO760,60:GOTO40	rem	141
6Ø	INPUT" [DOWN] SONG NUMBER" ; X : PRIM	1T"	
	[DOWN] NAME OF SONG": INPUTX\$:C=	1:rem	24
70	XX=1:PRINT"{CLR}YOU HAVE A MAX	MUM	OF
	[SPACE]"DI"NOTES"	rem	146
80	XX=XX+1:IFXX<=3THEN85	:rem	34
83	GOTO7Ø	:ren	n 11
85	PRINT" [DOWN] NOTE #"C:INPUTN\$:rem	1 39
90		rem 1	
100	Ø IFNS="R"THENN=Ø	:rem	
116	J IFN\$="C"THENN=135	:rem	
129	J IFN\$="CS"ORN\$="DF"THENN=143	:ren	n 27
136		:rem	
140	J IFN\$="DS"ORN\$="EF"THENN=151	:ren	n 3Ø
150		:rem	182
160		:rem	
176	JINS="FS"ORNS="GF"THENN=167		n 44
180	Ø IFN\$="G"THENN=175	:rem	
190	J IFNS="GS"ORNS="AF"THENN=179	:rer	n 44
201	Ø IFN\$="A"THENN=183	:rem	
211		:rer	n 31
22		:rem	173
23	Ø IFN\$="C1"THENN=195	:rem	228
24		:rem	139

```
300 IFNS="G1"THENN=215
                                :rem 223
310 IFNS="GS1"ORNS="AF1"THENN=217:rem 129
320 IFN$="A1"THENN=219
33Ø IFN$="AS1"ORN$="BF1"THENN=221:rem 121
340 IFNS="B1"THENN=223
                                :rem 221
350 IFN$="C2"THENN=225
                                :rem 226
360 IFN$="CS2"ORN$="DF2"THENN=227:rem 136
370 IFNS="D2"THENN=228
                                :rem 232
38Ø IFN$="DS2"ORN$="EF2"THENN=229:rem 142
39Ø IFNS="E2"THENN=231
                                 :rem 229
400 IFN$="F2"THENN=232
                                 :rem 223
410 IFN$="FS2"ORN$="GF2"THENN=233:rem 135
420 IFN$="G2"THENN=235
                                :rem 229
430 IFNS="GS2"ORNS="AF2"THENN=236:rem 135
440 IFN$="A2"THENN=237
                                :rem 227
450 IFNS="AS2"ORNS="BF2"THENN=238:rem 134
460 IFN$="B2"THENN=239 :rem 232
470 IFNS="C3"THENN=240
480 PRINT"NOTE VALUE"
49Ø INPUTVS
                                :rem 167
                                  :rem 9Ø
500 V$(C)=V$
510 IFRIGHTS(VS,1)="D"THEND=1:VS=LEFTS(VS
                                 :rem 253
    ,1)
520 IFV$="W"THENV=16
                                 :rem 161
530 IFVS="H"THENV=8
                                :rem 100
540 IFV$="0"THENV=4
                                 :rem 106
550 IFV$="S"THENV=1
                                :rem 106
560 IFV$="E"THENV=2
                                  :rem 94
                                :rem 159
57Ø IFV$="T"THENV=.5
                                 :rem 98
58Ø V$(C)=V$
590 IFV$="W"ORV$="H"ORV$="Q"ORV$="E"ORV$=
    "S"ORV$="T"THEN610
                                 :rem 214
600 V=VAL(V$)
                                 :rem 215
610 IFD=1THENV$=V$+"D":V=V*1.5:D=0
620 PRINT" [RVS]NOTE #"C"[2 SPACES] [RVS]VA
    LUE": PRINTNS, VS: PRINT" (RVS) (PUR)
    [6 SPACES] CORRECT Y/N[5 SPACES] [BLU]"
                                 :rem 137
630 GETT$:IFT$<>"N"ANDT$<>"Y"THEN630
                                 :rem 104
640 IFTS="N"THENPRINT" [RVS] [5 SPACES] ENTE
                                  :rem 58
    R AGAIN": GOTO7Ø
                                  :rem 80
650 NS(C)=NS
660 NN%(C)=N:NV(C)=V:IFSS=1THENRETURN
                                 :rem 109
670 C=C+1:IFC=DI-5THENPRINT" {RVS}FIVE MOR
    E NOTES BEFOREMEMORY IS FULL" : rem 71
680 IFC=DITHENPRINT" [RVS] LAST NOTE": C=C-1
                                  :rem 27
    :GOTO7ØØ
690 GOTO80
                                  :rem 64
700 PRINT" [CLR] [DOWN] DO YOU WANT TO HEAR
    [SPACE] ITY/N"
710 GETT$:IFT$=""THEN710
                                 :rem 121
715 IF T$<>"Y"ANDT$<>"N"THEN 710 :rem 217
720 IFT$="Y"THEN850
                                  :rem 70
                                 :rem 152
721 GOTO113Ø
                                  :rem 24
725 INPUT"DISK OR TAPE";Q$
726 IF LEFT$(Q$,1)<>"D"ANDLEFT$(Q$,1)<>"T
    "THEN762
                                 :rem 199
727 IF LEFT$(Q$,1)="D"THENQW=8:GOTO729
                                 :rem 199
                                 :rem 183
729 INPUT "FILENAME"; X$:IF X$=""THEN729
                                   :rem 5
```

250 IFNS="D1"THENN=201

280 IFN\$="F1"THENN=209

260 IFN\$="DS1"ORN\$="EF1"THENN=203:rem 129 270 IFN\$="E1"THENN=207 :rem 228

290 IFN\$="FS1"ORN\$="GF1"THENN=212:rem 136

	OPEN1,QW,1,X\$:PRINT#1,X:PRIN	T#1.XS:PR	1120	GOTO860 :rem 155
	INT#1,C	:rem 194		PRINT" {CLR}DO YOU WANT TO SINGLE STE
740	FORI=1TOC:PRINT#1,NN%(I):PRI	NT#1,NV(I		P THROUGH THE TUNE?Y/N":GOSUB1360
):NEXT:CLOSE1	:rem 160		:rem 107
745	IF QW=8 THEN OPEN15,8,15:INP	UT#15,Z:C	1140	IFC\$="Y"THEN1180 :rem 143
	LOSE15	:rem 248	1150	IFC\$="N"THENPRINT"{CLR}DO YOU WANT T
746	IF Z <> Ø THEN PRINT" {CLR}DISK			O ADD ANYNOTES Y/N":GOSUB1360:rem 32
	:GOTO725	:rem 207		IFC\$="Y"THENC=C+1:GOTO70 :rem 192
750	PRINT" (DOWN) SONG SAVED": STOP	:rem 168	1170	IFC\$="N"THENPRINT" { DOWN } DO YOU WANT
	INPUT "[CLR] NAME OF SONG";X\$			{SPACE}TO SAVE{3 SPACES}THE TUNE
	<pre>INPUT "DISK OR TAPE";Q\$ IF LEFT\$(Q\$,1)<>"D"ANDLEFT\$(</pre>	:rem 25		{2 SPACES}Y/N?":GOTO1250 :rem 168
703	"THEN762	:rem 200	1180	PRINT" (CLR) PRESS F1 TO PLAY NOTE": PR
764	IF LEFT\$(Q\$,1)="D"THENQW=8:G			INT" [DOWN] IF YOU WANT TO CHANGE THAT
		. rom 106	1100	NOTE PRESS F7." :rem 11
765	QW=1 OPEN1,QW,Ø,X\$:rem 184	1190	PRINT"THEN ENTER REPLACEMENTNOTE AND VALUE":SS=1 :rem 77
770	OPENI, QW, Ø, X\$:rem 217	1200	VALUE":SS=1 :rem 77 PRINT" [DOWN] PRESS F2 TO ADD A NEW NO
780	INPUT#1,X,X\$,C	:rem 30	1200	TE IN" :rem 14
	PRINT" {CLR}SONG #";X:PRINTX\$		1210	PRINT" (DOWN) PRESS F5 TO STOP THE
	FORI=1TOC	:rem 28	1210	{2 SPACES}SINGLE NOTE MODE" :rem 149
810	INPUT#1,NN%(I),NV(I)	:rem 110	1220	PRINT" (RVS) (DOWN) HIT ANY KEY TO CON
	NEXT: CLOSE1	:rem 186	ILLEO	T. " :rem 116
825	IF QW=8 THEN OPEN15,8,15:INP		1230	GETI\$:IFI\$=""THEN1230 :rem 191
	LOSE15:IF Z <> Ø THEN PRINT" {C	LR]DISK E	1240	GOTO 1070 :rem 200
	ROSEIS:IF Z ROSEIT Z ROS	:rem 206	1250	GOSURI360 .rem 19
830	GOSUB138Ø	:rem 231	1260	IFC\$="Y"THEN725 :rem 102 END :rem 161 PRINT"NOTE #"I :rem 62
840	PRINT" (RVS) SONG LOADED"	:rem 95	1270	END • rem 161
844	FORIJ=1 TO1500:NEXT	:rem 106	1280	PRINT"NOTE #"T
845	GOTO700	:rem 113	1290	PRINT" (RVS) (RED) (2 SPACES) NOTE
85Ø	Q=1:Y=C	:rem 111	1230	[2 SPACES] (OFF] ", " (RVS) VALUE (OFF)
860	PRINT" {CLR } {3 DOWN } CHOOSE TE	MPO"		{BLU}" :rem 67
		:rem 123	1300	{BLU}" :rem 67 PRINTN\$(I),V\$(I) :rem 157
87Ø	PRINT" {DOWN } Ø THRU 10":PRINT	"Ø=FASTES	1000	1 KINING (1), VO (1)
	T10=SLOWEST" INPUTM DU=(M+3)*10	:rem 64	1310	GETU\$:IFU\$<>CHR\$(133)ANDU\$<>CHR\$(135
	INPUTM	:rem 125)ANDU\$ <> CHR\$ (136)ANDU\$ <> CHR\$ (137)THE
890	DU=(M+3)*10	:rem 254		N1310 :rem 205
900	PRINT" (DOWN) SELECT PITCH",,,	"1=LOW",,	1320	IFU\$=CHR\$(133)THENRETURN :rem 3
200	"2=MEDIUM",,"3=HIGH":INPUTW		1330	IFU\$=CHR\$(137)THENGOTO1900 :rem 43
	SP=36873+W:L=36878			
	52 000.0.III.D 000.0	:rem 218	1340	IFU\$=CHR\$(135)THEN1000 :rem 232
920	PRINT" {CLR } WHEN YOU ARE READ!	Y TO HEAR	1340	IFU\$=CHR\$(135)THEN1000 :rem 232
920	PRINT" {CLR}WHEN YOU ARE READ! THE SONG PRESS[3 SPACES] {RVS	Y TO HEAR S}RETURN"	134Ø 135Ø	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59
	PRINT" [CLR] WHEN YOU ARE READ! THE SONG PRESS[3 SPACES] [RVS	Y TO HEAR	134Ø 135Ø	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59
930	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930	Y TO HEAR S}RETURN"	134Ø 135Ø	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
93Ø 94Ø	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930	Y TO HEAR S}RETURN" :rem 213	134Ø 135Ø 136Ø	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
93Ø 94Ø 95Ø	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=OTOY	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170	1340 1350 1360 1370 1380	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=1TOC :rem 80
93Ø 94Ø 95Ø 96Ø	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN\$(I):FORH=1TODU*NV()	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P	1340 1350 1360 1370 1380	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=1TOC :rem 80
93Ø 94Ø 95Ø 96Ø	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN\$(I):FORH=1TODU*NV()	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P	1340 1350 1360 1370 1380 1390	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=1TOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205
93Ø 94Ø 95Ø 96Ø	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,Ø IFSS=1THENGOSUB128Ø	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189	1340 1350 1360 1370 1380 1390	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=1TOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,Ø IFSS=1THENGOSUB128Ø NEXT	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224	1340 1350 1360 1370 1380 1390 1400	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=1TOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205 IFNN\$(I)=143THENN\$(I)="CS(DF)":GOTO1 760 :rem 242
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø	PRINT"{CLR}WHEN YOU ARE READ THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,Ø IFSS=1THENGOSUB128Ø NEXT POKEL,Ø:POKESP,Ø	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224	1340 1350 1360 1370 1380 1390 1400	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=ITOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205 IFNN\$(I)=143THENN\$(I)="CS(DF)":GOTO1
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,Ø IFSS=1THENGOSUB128Ø NEXT POKEL,Ø:POKESP,Ø PRINT"{CLR}{3 DOWN}{PUR}{RVS}	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF	1340 1350 1360 1370 1380 1390 1400	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,Ø IFSS=1THENGOSUB128Ø NEXT POKEL,Ø:POKESP,Ø PRINT"{CLR}[3 DOWN]{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF	1340 1350 1360 1370 1380 1390 1400	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=ITOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205 IFNN\$(I)=143THENN\$(I)="CS(DF)":GOTO1 760 :rem 242 IFNN\$(I)=147THENN\$(I)="D":GOTO1760 :rem 202 IFNN\$(I)=151THENN\$(I)="EF(DS)":GOTO1
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU}	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL	1340 1350 1360 1370 1380 1390 1400 1410	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø 1ØØØ	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN%(I):FORH=1TODU*NV(I) OKESP,Ø IFSS=1THENGOSUB128Ø NEXT POKEL,Ø:POKESP,Ø PRINT"{CLR}[3 DOWN]{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY"	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES FO REPL	1340 1350 1360 1370 1380 1390 1400 1410	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=ITOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205 IFNN\$(I)=143THENN\$(I)="CS(DF)":GOTO1 760 :rem 242 IFNN\$(I)=147THENN\$(I)="D":GOTO1760 :rem 202 IFNN\$(I)=151THENN\$(I)="EF(DS)":GOTO1
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø 1ØØØ	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 IS S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL :rem 75 KEY TOMA	1340 1350 1360 1370 1380 1390 1400 1410 1420	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=ITOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205 IFNN\$(I)=143THENN\$(I)="CS(DF)":GOTO1 760 :rem 242 IFNN\$(I)=147THENN\$(I)="D":GOTO1760 :rem 202 IFNN\$(I)=151THENN\$(I)="EF(DS)":GOTO1 760 :rem 245 IFNN\$(I)=159THENN\$(I)="E":GOTO1760 :rem 245 IFNN\$(I)=159THENN\$(I)="E":GOTO1760 :rem 208
930 940 950 960 970 980 990 1000	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN93Ø POKEL,15 FORI=QTOY POKESP,NN%(I):FORH=1TODU*NV(I) OKESP,Ø IFSS=1THENGOSUB128Ø NEXT POKEL,Ø:POKESP,Ø PRINT"{CLR}[3 DOWN]{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES"	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL :rem 75 KEY TOMA :rem 62	1340 1350 1360 1370 1380 1390 1400 1410 1420	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø 1ØØØ	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN%(I):FORH=1TODU*NV(I) OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 IS S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES FOOWN}PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360 :rem 71 RETURN :rem 171 FORI=ITOC :rem 80 IFNN\$(I)=135THENN\$(I)="C":GOTO1760 :rem 205 IFNN\$(I)=143THENN\$(I)="CS(DF)":GOTO1 760 :rem 242 IFNN\$(I)=147THENN\$(I)="D":GOTO1760 :rem 202 IFNN\$(I)=151THENN\$(I)="EF(DS)":GOTO1 760 :rem 202 IFNN\$(I)=151THENN\$(I)="EF(DS)":GOTO1 760 :rem 202 IFNN\$(I)=151THENN\$(I)="EF(DS)":GOTO1 760 :rem 202 IFNN\$(I)=159THENN\$(I)="E":GOTO1760 :rem 208 IFNN\$(I)=163THENN\$(I)="F":GOTO1760 :rem 208
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø 1ØØØ	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=1TODU*NV(I) OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 IS S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 1ØØØ 1Ø1Ø 1Ø2Ø 1Ø3Ø 1Ø35	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN%(I):FORH=1TODU*NV(I) OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}[3 DOWN]{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU}! AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF COWN}PRES } TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 1ØØØ 1Ø1Ø 1Ø2Ø 1Ø3Ø 1Ø35	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN%(I):FORH=1TODU*NV(I) OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1030 1035 1040	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN%(I):FORH=1TODU*NV(I) OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 IS S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?"	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1030 1035 1040	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN\$(I):FORH=ITODU*NV(INT) OKESP,0 IFSS=ITHENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}[3 DOWN]{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";WS	Y TO HEAR S RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S END OF DOWN PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1030 1035 1040 1050 1060	PRINT"{CLR}WHEN YOU ARE READ'S THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=ITODU*NV(I) OKESP,0 IFSS=ITHENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1030 1035 1040 1050 1060	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS[3 SPACES]{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN\$(I):FORH=1TODU*NV() OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}[3 DOWN]{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130 PRINT"{CLR}{DOWN}1-JUST PART	Y TO HEAR S}RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S}END OF DOWN}PRES } TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38 :rem 148	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1035 1040 1050 1060 1070	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=ITODU*NV(I) OKESP,0 IFSS=ITHENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130 PRINT"{CLR}{DOWN}1-JUST PART WHOLE SONG":INPUTK ONKGOTO1090,850	Y TO HEAR S RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S END OF DOWN PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38 :rem 148 ","2-THE :rem 147	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470 1480	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1035 1040 1050 1060 1070	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=ITODU*NV(I) OKESP,0 IFSS=ITHENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130 PRINT"{CLR}{DOWN}1-JUST PART WHOLE SONG":INPUTK ONKGOTO1090,850	Y TO HEAR S RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S END OF DOWN PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38 :rem 148 ","2-THE :rem 147	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470 1480	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1035 1040 1050 1060 1070	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=ITODU*NV(I) OKESP,0 IFSS=ITHENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130 PRINT"{CLR}{DOWN}1-JUST PART WHOLE SONG":INPUTK ONKGOTO1090,850 PRINT"{DOWN}THERE ARE";C;"NO	Y TO HEAR S RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S END OF DOWN PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38 :rem 148 ","2-THE :rem 147 :rem 125 DTES.":PR	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470 1480 1490	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1035 1040 1050 1060 1070	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN\$(I):FORH=1TODU*NV() OKESP,0 IFSS=1THENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU}' AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130 PRINT"{CLR}DOWN}1-JUST PART WHOLE SONG":INPUTK ONKGOTO1090,850 PRINT"{DOWN}THERE ARE";C;"NO INT"ENTER THE START AND":PRI	Y TO HEAR S RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S END OF DOWN PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38 :rem 148 ","2-THE :rem 147 :rem 125 DTES.":PR	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470 1480 1490	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1030 1035 1040 1050 1060 1070 1080 1090	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN*(I):FORH=ITODU*NV(I) OKESP,0 IFSS=ITHENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130 PRINT"{CLR}{DOWN}1-JUST PART WHOLE SONG":INPUTK ONKGOTO1090,850 PRINT"{DOWN}THERE ARE";C;"NO INT"ENTER THE START AND":PRI G NOTES."	Y TO HEAR S RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S END OF DOWN PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38 :rem 148 ","2-THE :rem 147 :rem 125 DTES.":PR ENT"ENDIN :rem 242	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470 1480 1490 1500	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360
930 940 950 960 970 980 990 1000 1010 1020 1030 1035 1040 1050 1060 1070 1080 1090	PRINT"{CLR}WHEN YOU ARE READ' THE SONG PRESS{3 SPACES}{RVS GETG\$:IFG\$<>CHR\$(13)THEN930 POKEL,15 FORI=QTOY POKESP,NN\$(I):FORH=ITODU*NV(I) OKESP,0 IFSS=ITHENGOSUB1280 NEXT POKEL,0:POKESP,0 PRINT"{CLR}{3 DOWN}{PUR}{RVS {SPACE}SONG{BLU}":PRINT"{2 I S {RVS}{PUR}RETURN{OFF}{BLU} AYEXACTLY" PRINT"{DOWN}PRESS ANY OTHER KE CHANGES" GETR\$:IFR\$=""THEN1020 IFR\$=CHR\$(13)THEN940 SS=0 PRINT"{CLR}DO YOU WANT TO HE IN?" INPUT"Y/N";W\$ IFW\$="N"THEN1130 PRINT"{CLR}DOWN}1-JUST PART WHOLE SONG":INPUTK ONKGOTO1090,850 PRINT"{DOWN}THERE ARE";C;"NO INT"ENTER THE START AND":PRI G NOTES." INPUT"START";Q	Y TO HEAR S RETURN" :rem 213 :rem 22 :rem 170 :rem 88 I):NEXT:P :rem 84 :rem 189 :rem 224 :rem 225 S END OF DOWN PRES TO REPL :rem 75 KEY TOMA :rem 62 :rem 203 :rem 203 :rem 136 :rem 220 EAR ITAGA :rem 242 :rem 38 :rem 148 ","2-THE :rem 147 :rem 125 DTES.":PR ENT"ENDIN :rem 242	1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470 1480 1490 1500	IFU\$=CHR\$(135)THEN1000 :rem 232 CT=C:C=I:PRINT"{RVS}ENTER REPLACEMEN T":GOSUB80:C=CT:RETURN :rem 59 INPUTC\$:IFC\$<>"Y"ANDC\$<>"N"THEN1360

COMPUTE!'s Gazette October 1984 177

1520	IFNN%(I)=199THENN\$(I)="CS1(DF1)":GOT	1880
1530	01760 :rem 98 IFNN%(I)=201THENN\$(I)="D1":GOTO1760	1890
1540	:rem 245 IFNN%(I)=203THENN\$(I)="EF1(DS1)":GOT	1910
	0176Ø :rem 88	1310
1550	IFNN%(I)=207THENN\$(I)="E1":GOTO1760 :rem 254	1920
1560	IFNN%(I)=209THENN\$(I)="F1":GOTO1760	
1570	:rem 2 IFNN%(I)=212THENN\$(I)="FS1(GF1)":GOT	MA
1580	01760 :rem 95 IFNN%(I)=215THENN\$(I)="G1":GOTO1760	Vo
	:rem 2	(Articl
1590	IFNN%(I)=217THENN\$(I)="AF1(GS1)":GOT O1760 :rem 97	
1600	IFNN%(I)=219THENN\$(I)="A1":GOTO1760	
1610	:rem 249 IFNN%(I)=221THENN\$(I)="BF1(AS1)":GOT	Be
	01760 :rem 80 IFNN%(I)=223THENN\$(I)="B1":GOTO1760	Be
1020	:rem 247	"T
1630	IFNN%(I)=225THENN\$(I)="C2":GOTO1760 :rem 252	
1640	IFNN%(I)=227THENN\$(I)="CS2(DF2)":GOT	5 SY
1650	0176Ø :rem 95 IFNN%(I)=228THENN\$(I)="D2":GOTO176Ø	6 PR
	:rem 2	10 P
1660	IFNN%(I)=229THENN\$(I)="EF2(DS2)":GOT 01760 :rem 101	3Ø P
1670	IFNN%(I)=231THENN\$(I)="E2":GOTO1760 :rem 255	E
168Ø	IFNN%(I)=232THENN\$(I)="F2":GOTO1760 :rem 2	35 I
1690	IFNN%(I)=233THENN\$(I)="FS2(GF2)":GOT	50 P
1700	O1760 :rem 103 IFNN%(I)=235THENN\$(I)="G2":GOTO1760	0
1710	:rem 255 IFNN%(I)=236THENN%(I)="AF2(GS2)":GOT	55 N
1720	01760 :rem 94 IFNN%(I)=237THENN\$(I)="A2":GOTO1760	60 W
1730	:rem 253 IFNN%(I)=238THENN%(I)="BF2(AS2)":GOT	N (
1740	01760 :rem 93	8Ø F
	:rem 2	
175Ø 176Ø	IFNN%(I)=240THENN%(I)="C3" :rem 188 IFNV(I)=16THENV%(I)="W":GOTO1890	100
	:rem 159	120
1770	IFNV(I)=8THENV\$(I)="H":GOTO1890 :rem 98	
1780	IFNV(I)=4THENV\$(I)="Q":GOTO1890 :rem 104	130
1790	IFNV(I)=2THENV\$(I)="E":GOTO1890	
1800	:rem 91 IFNV(I)=1THENV\$(I)="S":GOTO1890	150
1810	:rem 96 IFNV(I)=.5THENV\$(I)="T":GOTO1890	160
1820	:rem 148 IFNV(I)=24THENV\$(I)="WD":GOTO1890	190
	:rem 223	235
1830	IFNV(I)=12THENV\$(I)="HD":GOTO1890 :rem 206	250
1840	IFNV(I)=6THENV\$(I)="QD":GOTO1890 :rem 171	260
1850		265
1860	IFNV(I)=1.5THENV\$(I)="SD":GOTO1890	270
1870	:rem 13 IFNV(I)=.75THENV\$(I)="TD":GOTO1890	275
20,0	:rem 21	The state of the s

1	880	V\$(I)=STR\$(NV(I))	:rem 206
		NEXT: RETURN	:rem 43
1	900	C=C+1:FORJ=CTOI+1STEP-	L:NN%(J)=NN%(J
		-1):NV(J)=NV(J-1)	:rem 150
1	910	N\$(J)=N\$(J-1):V\$(J)=V\$	(J-1):NEXT:CT=
		C:C=I:PRINT" {RVS}ENTER	ADDITIONAL NO
		TE"	:rem 246
1	920	GOSUB80: C=CT: RETURN	:rem 31

Vocab Builder

(Article on page 84.)

BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

-	
	SYS65517:IFPEEK(781)=40THENPRINT"(WHT)
	:GOTO10 :rem 14
6 I	PRINT"{BLK}" :rem 15
10	PRINTCHR\$(14):DIMA%(100),W\$(100),D\$(1
	Ø),WR\$(100):D=0 :rem 19
3Ø	PRINT" [CLR] [7 DOWN] [RVS] ENTER YOUR NA
	E{OFF}":INPUTNMS:IFLEN(NMS)=ØTHEN3Ø
	:rem 14
35	IFLEN(NM\$)>13THENNM\$=LEFT\$(NM\$,13)
	:rem 16
5Ø	PRINT" [CLR] [RVS] "TAB (INT ((22-LEN (NM\$)
	<pre>/2)-1)NM\$; "'S{OFF}":PRINTTAB(3)"{RVS}</pre>
	OCABULARY TEST[OFF]" :rem 9
55	NS="":AS="":BS="":DA\$="":X%=0:I=0:J=0
	FORQ=1T0100:A%(Q)=0:W\$(Q)="":D\$(Q)=""
	:rem 10
60	
OD	NU":PRINTSPC(2);"{2 DOWN}1) ENTER NEW
	{SPACE}WORDS" :rem 25
80	PRINTSPC(2); "{DOWN}2) STUDY YOUR WORD
ON	":PRINTSPC(2); "{DOWN}3) TAKE A TEST"
	:PRINTSPC(2); (DOWN)3) IARD 1 1201
200	the state of the s
10	{2 DOWN} {RVS} PRESS 1-4 TO CONTINUE
	{OFF}" :rem 19
10	(011)
12	
13	
14	Ø INPUT"{2 DOWN} [RVS]D[OFF] ISK OR [RVS
	T(OFF)APE";Z\$:IFZ\$<>"T"ANDZ\$<>"D"THE
	PRINT" {4 UP}": GOTO130 :rem 12
15	Ø A\$="{LEFT}{22 SPACES}":IFZ\$="D"THEND
	1 :rem
16	Ø ONVGOTO23Ø,81Ø,81Ø : rem 22
19	Ø END :rem 1
23	Ø PRINT" {CLR} (6 DOWN }ENTER # OF NEW WO
	DS " :rem
23	5 INPUTX%:IFX%>100ORX%<1THEN230 :rem
25	G FORI=1TOX% :rem 8
26	O PRINT" [CLR] [3 DOWN] ENTER WORD" I: INPU
	ws(I) :rem
26	5 IFLEN(WS(I))=ØTHENPRINT"{6 UP}":GOTO
20	60 :rem
27	TANDUM
21	(I) :rem 1
1000	(-/
27	

280	NEXT :rem 217	940	GOTO96Ø I=X%:GOTO97Ø INPUT#(1+D),D%(I) NEXTI	:rem 117
300	PRINT"{CLR}":FORI=1TOX% :rem 239	OFG	T-V9.COMO07/	. mam 100
210	DELIMI WORD HIM (T DEM) H WO(T)	950	1=X6:G0109/0	:rem 180
310	PRINT" WORD"I" {LEFT}: "; W\$(I) :rem 213	960	INPUT#(1+D),D\$(I)	:rem 113
320	PRINT" (DOWN) DEFINITION: "D\$(I):PRINT"	970	NEXTI	:rem 40
	{DOWN}" :rem 56	000	Groce (1.p) Groces	20 20
220		900	CLOSE(1+D):CLOSE15 FORI=1TOX%	:rem 3Ø
330	IF (1/3)=INT (1/3)ANDX%=3THEN360	1030	FORI=1TOX%	:rem 130
	:rem 205	1040	A%=X%*RND(1)+1:IFI=1THENA%(T)=A% . GOT
332	IF(1/3)=INT(1/3)ANDX%<>ITHENGOSUB2000	10.10		A STATE OF THE PARTY OF THE PAR
332		200000000000000000000000000000000000000	01070	:rem 94
	:rem 203		FORJ=1TOX%	:rem 133
340	NEXT :rem 214	1060	IFA%=A%(J)THENJ=X%:NEXT:GOT	01949
		1000	TITLE TO TO TO THE TO THE TOTAL TO T	
360	PRINT" [DOWN] [RVS] ANY CORRECTIONS (Y/N)	10.000		:rem 222
	? {OFF}" :rem 184	1065	NEXT	:rem 11
380	GETZ\$:IFZ\$=""OR(Z\$<>"Y"ANDZ\$<>"N")THE	1070	NEXT A%(I)=A%:NEXT	:rem 228
	N380 :rem 111	1110	IFC\$="2"THENGOTO1510	:rem 155
200	TOTA HISTORYMAN AND TO	1110	Tres 2 Inchestration	
	IFZ\$="Y"THEN420 :rem 72 IFZ\$="N"THEN520 :rem 54	1120	PRINT" [CLR] [DOWN] [RVS] "; NM	S;"'S QUI
400	IFZ\$="N"THEN52Ø :rem 54		z {OFF}"	:rem 153
	I=0:INPUT" [CLR] [4 DOWN] WHICH ENTRY"; I	1120	N%=Ø	:rem 165
420		1130	M2-0	
	:rem 58	1140	FORI=1TOX%	:rem 132
435	IFI=ØORI>X%THENPRINT"{4 UP}":GOTO42Ø	1150	PRINT" {2 DOWN}"	:rem 186
	:rem 211	1160	N=A%(I)	:rem 83
440	DETERMINED DOUBLINGS HARRING TO THE CARREST OF THE		2, 110 (2 /	. L CIII OJ
440	PRINT"{2 DOWN}WORD"I"{LEFT}:";W\$(I)	11/0	PRINT"DEFINITION: ";:PRINTD	\$(N)
	:rem 251			:rem 70
450	PRINT" [DOWN] DEFINITION: ";D\$(I):rem 91	1180	WOS="":PRINT" (DOWN) ENTER TH	
		-100		
4/0	PRINT"{2 DOWN ENTER WORD"I: INPUTW\$		NPUTWOS: IFWOS=""THEN1180	:rem 109
	:rem 214	1190	IFWO\$=W\$(N)THENPRINT"{DOWN}	CORRECT 1
100			":FORZ=1T01500:NEXT:GOT0123	
		1000		
490	PRINT" {DOWN}ENTER DEFINITION": INPUTD\$	1200	PRINT" (DOWN) SORRY, THE WORD	
	:rem 24		INTW\$(N):FORZ=1T01500:NEXT	:rem 222
FAA	D\$(I)=D\$:rem 60	1210		
		1220	MDC(M)-MC(M)	. I GIII 07
	GOTO300 :rem 98	1220	N%=N%+1 WR\$(N)=W\$(N) PRINT"{CLR}":NEXTI	:rem 136
520	INPUT"{2 DOWN}TODAY'S DATE: ";DA\$	1230	PRINT" {CLR}": NEXTI	:rem 236
	:rem 196	1250	PRINT" [6 DOWN] YOU GOT "N% "WR	ONG" . PRIN
FAG		11100		
540	PRINT"{CLR}{8 DOWN}{5 SPACES}{RVS}PLE		T"OUT OF"X%:GOSUB1900:IFN%=	
	ASE WAIT" :rem 134			:rem 222
550	PRINT" {2 DOWN } {RVS } I'M SAVING YOUR WO	1260	FORI=1TO3000:NEXT	:rem 70
332	PDC (OPP) (2 DOWN) # TOWN TOWN TOWN TO	1270	DDTMH! (Gr. D) (G. DOVDY) my room	
72	RDS {OFF}{2 DOWN}" :rem 182	12/6	PRINT" [CLR] [2 DOWN] THE WORD	
560	NY- IESI TONY :IEM 102		{SPACE}YOU":PRINT"GOT WRONG	ARE:"
565	IFD=1THENN\$="TEST "+DA\$+",S,W"			:rem 83
100000000000000000000000000000000000000		1200	T-1 - DO-G - DODT-1 MOV9	The second secon
-	:rem 136		J=1:PQ=Ø:FORI=lTOX%	:rem 195
57Ø	OPEN15,8,15:OPEN1+D,1+7*D,1+D,N\$:INPU	1290	IFWR\$(I)=""THEN1310	:rem 55
	T#15,A\$,B\$:rem 67	1300	PQ=PQ+1:PRINT" [DOWN] "; WR\$ (I) .rem 93
E70				
3/2	IFA\$="63"THENCLOSE(1+D):CLOSE15:GOTO5		IFPQ<>5*JTHEN131Ø	:rem 16
	20 :rem 50	1306	J=J+1:PRINT" [DOWN] [RVS]ANY	KEY TO C
575	IFA\$<>"ØØ"THENPRINTB\$:FORI=1T03ØØØ:NE		ONTINUE (OFF) ": POKE198, Ø	:rem 119
	XT:CLOSE(1+D):CLOSE15:GOTO50 :rem 27	1207	CHIEF C. TREC-III III 1907 D	
-			GETZ\$:IFZ\$=""THEN1307	:rem 235
580	PRINT#(1+D),X%:FORI=1TOX% :rem 223	13Ø8	PRINT" {CLR}": NEXTI: GOTO50	:rem 202
590	PRINT#(1+D), W\$(I):PRINT#(1+D), D\$(I)	1310	NEXTI:GOSUB2000:GOTO50	:rem 161
	:rem 137			
		TOTR	PRINT" (CLR) (RVS) HIT THE BO	
600	NEXTI:CLOSE(1+D):CLOSE15:GOTO5Ø	The state of the s		:rem 129
	:rem 173	1520	N%=Ø	:rem 168
810	PRINT" [CLR] [DOWN] [RVS]A TEST MADE JU	1530	FORI=1TOX%	:rem 135
OID				
	ST FOR OFF] ": PRINTTAB (INT ((22-LEN (NMS		PRINT" {2 DOWN}":N=A%(I)	:rem 130
))/2)-1)"{RVS}"NM\$"{OFF}" :rem 157		J%=1:J1%=1	:rem 240
820	PRINT" [2 DOWN] ENTER THE TEST DATE ":I	1560	PRINT"DEFINITION: ";:PRINTD	S(N)
320	NPUTDA\$:rem 61			
				:rem 73
87Ø				
	PRINT"[CLR] [5 DOWN] [5 SPACES] [RVS] PLE	157Ø	WO\$="":PRINT" (DOWN)ENTER THE	E WORD":I
	PRINT" [CLR] [5 DOWN] [5 SPACES] [RVS]PLE	1570	WO\$="":PRINT"[DOWN]ENTER THE NPUTWO\$	
000	PRINT"[CLR] [5 DOWN] [5 SPACES] [RVS] PLE ASE WAIT" :rem 89	7. 0	NPUTWO\$:rem 99
880	PRINT"[CLR][5 DOWN][5 SPACES][RVS]PLE ASE WAIT" :rem 89 PRINT"[DOWN][2 SPACES][RVS]LOADING TH	7. 0	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}	rem 99
	PRINT"[CLR] [5 DOWN] [5 SPACES] [RVS] PLE ASE WAIT" :rem 89 PRINT" [DOWN] [2 SPACES] [RVS] LOADING TH E WORDS [OFF] :rem 148	1580	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN} ":GOTO1790	:rem 99 CORRECT 1 :rem 134
	PRINT"[CLR] [5 DOWN] [5 SPACES] [RVS] PLE ASE WAIT" :rem 89 PRINT" [DOWN] [2 SPACES] [RVS] LOADING TH E WORDS [OFF] :rem 148	1580	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN} ":GOTO1790	:rem 99 CORRECT 1 :rem 134
890	PRINT"[CLR] [5 DOWN] [5 SPACES] [RVS] PLE ASE WAIT" :rem 89 PRINT" [DOWN] [2 SPACES] [RVS] LOADING TH E WORDS [OFF] :rem 148 N\$="TEST "+DA\$:rem 168	1580	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN} ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2)	:rem 99 :rem 134 :rem 134 2)THENGOT
890	PRINT"{CLR}{5 DOWN}{5 SPACES}{RVS}PLE ASE WAIT" :rem 89 PRINT"{DOWN}{2 SPACES}{RVS}LOADING TH E WORDS{OFF}" :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R"	158Ø 159Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN} ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610	:rem 99 CORRECT ! :rem 134 2)THENGOT :rem 171
89Ø 895	PRINT"[CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF}" :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137	158Ø 159Ø 16ØØ	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN} ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207
89Ø 895	PRINT"[CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF}" :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137	158Ø 159Ø 16ØØ	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN} ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207
89Ø 895	PRINT"[CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU	158Ø 159Ø 16ØØ 161Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN} ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2 O1610 GOTO1680 IFJ1%>1THENGOTO1750	rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155
89Ø 895 9ØØ	PRINT"[CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64	158Ø 159Ø 16ØØ 161Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2 O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY
89Ø 895 9ØØ	PRINT"[CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} ":rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810	158Ø 159Ø 16ØØ 161Ø 162Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2 O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN"	rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY :rem 70
89Ø 895 9ØØ	PRINT"[CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64	158Ø 159Ø 16ØØ 161Ø 162Ø 163Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY
89Ø 895 9ØØ 9Ø2	PRINT" [CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS}LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T\$15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810 :rem 223	158Ø 159Ø 16ØØ 161Ø 162Ø 163Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1	rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY :rem 70 :rem 163
89Ø 895 9ØØ 9Ø2	PRINT" [CLR] {5 DOWN} {5 SPACES} {RVS} PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} ":rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T\$15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810 :rem 223 IFA\$<>"ØØ"THENPRINTB\$:FORI=1TO3000:NE	158Ø 159Ø 16ØØ 161Ø 162Ø 163Ø 164Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2 O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1 IFW\$(N)=WR\$(N)THENGOTO1670	rem 99 CORRECT 1 rem 134 2)THENGOT rem 171 rem 207 rem 155 RINT"TRY rem 70 rem 163 rem 83
89Ø 895 9ØØ 9Ø2 9Ø5	PRINT" [CLR] {5 DOWN] {5 SPACES} {RVS}PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810 :rem 223 IFA\$<>"00"THENPRINTB\$:FORI=1TO3000:NE XT:CLOSE(1+D):CLOSE15:GOTO50 :rem 24	158Ø 159Ø 16ØØ 161Ø 162Ø 163Ø 164Ø 165Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1 IFW\$(N)=WR\$(N)THENGOTO1670 WR\$(N)=W\$(N)	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY :rem 70 :rem 163 :rem 83 :rem 143
890 895 900 902 905 910	PRINT" [CLR] {5 DOWN] {5 SPACES} {RVS} PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810 :rem 223 IFA\$<>"00"THENPRINTB\$:FORI=1TO3000:NE XT:CLOSE(1+D):CLOSE15:GOTO50 :rem 24 INPUT#(1+D),X\$:FORI=1TOX\$:rem 223	158Ø 159Ø 160Ø 161Ø 162Ø 163Ø 164Ø 165Ø 167Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1 IFW\$(N)=WR\$(N)THENGOTO1670 WR\$(N)=W\$(N) PRINT"{2 DOWN}":GOTO1560	rem 99 CORRECT 1 rem 134 2)THENGOT rem 171 rem 207 rem 155 RINT"TRY rem 70 rem 163 rem 83
890 895 900 902 905 910	PRINT" [CLR] {5 DOWN] {5 SPACES} {RVS} PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810 :rem 223 IFA\$<>"00"THENPRINTB\$:FORI=1TO3000:NE XT:CLOSE(1+D):CLOSE15:GOTO50 :rem 24 INPUT#(1+D),X\$:FORI=1TOX\$:rem 223	158Ø 159Ø 160Ø 161Ø 162Ø 163Ø 164Ø 165Ø 167Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1 IFW\$(N)=WR\$(N)THENGOTO1670 WR\$(N)=W\$(N) PRINT"{2 DOWN}":GOTO1560	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY :rem 70 :rem 163 :rem 83 :rem 143 :rem 0
89Ø 895 9ØØ 9Ø2 9Ø5 91Ø 92Ø	PRINT" [CLR] {5 DOWN] {5 SPACES} {RVS} PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} ":rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810 :rem 223 IFA\$<>"00"THENPRINTB\$:FORI=1TO3000:NE XT:CLOSE(1+D):CLOSE15:GOTO50 :rem 24 INPUT#(1+D),X\$:FORI=1TOX\$:rem 223 INPUT#(1+D),W\$(I) :rem 128	158Ø 159Ø 160Ø 161Ø 162Ø 163Ø 164Ø 165Ø 167Ø 168Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1 IFW\$(N)=WR\$(N)THENGOTO1670 WR\$(N)=W\$(N) PRINT"{2 DOWN}":GOTO1560 IFJ%>2THENGOTO1750	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY :rem 70 :rem 163 :rem 83 :rem 143 :rem 0 :rem 114
89Ø 895 9ØØ 9Ø2 9Ø5 91Ø 92Ø	PRINT" [CLR] {5 DOWN] {5 SPACES} {RVS} PLE ASE WAIT" :rem 89 PRINT" {DOWN} {2 SPACES} {RVS} LOADING TH E WORDS {OFF} " :rem 148 N\$="TEST "+DA\$:rem 168 IFD=1THENN\$="TEST "+DA\$+",S,R" :rem 137 OPEN15,8,15:OPEN1+D,1+7*D,2*D,N\$:INPU T#15,A\$,B\$:rem 64 IFA\$="62"THENCLOSE1+D:CLOSE15:GOTO810 :rem 223 IFA\$<>"00"THENPRINTB\$:FORI=1TO3000:NE XT:CLOSE(1+D):CLOSE15:GOTO50 :rem 24 INPUT#(1+D),X\$:FORI=1TOX\$:rem 223	158Ø 159Ø 160Ø 161Ø 162Ø 163Ø 164Ø 165Ø 167Ø 168Ø	NPUTWO\$ IFWO\$=W\$(N)THENPRINT"{DOWN}G ":GOTO1790 IFLEFT\$(WO\$,2)=LEFT\$(W\$(N),2) O1610 GOTO1680 IFJ1%>1THENGOTO1750 PRINT"{DOWN}YOU'RE CLOSE":PI {SPACE}AGAIN" J1%=J1%+1 IFW\$(N)=WR\$(N)THENGOTO1670 WR\$(N)=W\$(N) PRINT"{2 DOWN}":GOTO1560	:rem 99 CORRECT 1 :rem 134 2)THENGOT :rem 171 :rem 207 :rem 155 RINT"TRY :rem 70 :rem 163 :rem 83 :rem 143 :rem 0

	E NOT EVEN CLOSE": PRINT" [DOWN] TRY AG	
	AIN" : Tem 77	
1691	FORZ=1TO2500:NEXT:PRINT"{CLR}":rem 1	
1700	PRINT"{2 DOWN}":J%=J%+1 :rem 108	
171Ø	IFW\$(N)=WR\$(N)THENGOTO1740 :rem 79	
1720	WR\$(N)=W\$(N) : rem 141	
1740	GOTO1560 :rem 209	
175Ø	PRINT" [DOWN] SORRY, THE WORD WAS: ":PR	
	INT" [DOWN] "W\$(N):FORZ=1T03000:NEXT:	
	PRINT"{CLR}" :rem 216	
1760	IFW\$(N)=WR\$(N)THENGOTO1790 :rem 89	
1770	WR\$(N)=W\$(N) :rem 146	
1780	N%=N%+1 :rem 79	
1790	FORTD=1T01500:NEXT:PRINT"{CLR}":NEXT	
	I:GOTO1250 :rem 59	
1900	IFN%=ØTHENPRINT"{2 DOWN}{RVS}GREAT J	
	OB":RETURN : rem 213	
1910	N=10-(N%/X%*10) :rem 223	
1920	IFN < 6.5 THENPRINT " { DOWN } BETTER STUDY	
	{SPACE}MORE":RETURN :rem 187	
1930	IFN <8THENPRINT " [DOWN] A LITTLE MORE S	
	TUDY":PRINT"NEEDED":RETURN :rem 84	
1940	IFN < 9THENPRINT " { DOWN } NOT BAD " : RETURN	
	:rem 131	
1950	IFN < 9.5THENPRINT " { DOWN } GOOD JOB ": RET	
	URN :rem 51	
1960	IFN < 10THENPRINT " { DOWN } VERY GOOD "RETU	
	RN :rem 42	
1970	RETURN :rem 177	
2000	PRINT" (DOWN) (RVS) ANY KEY TO CONTINU	
	E[2 SPACES]" :rem 15	
2001		
2002	PRINT"{CLR}":RETURN :rem 66	
2100	GOSUB2000:GOTO50 :rem 221	

Power BASIC

(Article on page 128.)

BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

Program 1: Hi-Res Screen Dump— 64 Version

3 INPUT"{CLR}WIDTH 1 OR 2";WI\$:rem 29
4 IF VAL(WI\$) < 1 OR VAL(WI\$) > 2 THE	N3
	:rem 147
5 POKE2, VAL(WI\$)	:rem 186
1Ø I=52224	:rem 230
20 READ A: IF A=256 THEN 40	:rem 54
25 PRINT" [CLR] ENTERING DATA" : POK	E646,A
	:rem 183
30 POKE I, A: I=I+1: CH=CH+A: GOTO 2	Ø:rem 123
40 IF CH<>60660 THENPRINT"ERROR	IN DATA S
TATEMENTS": END	:rem 78
50 PRINT"SYS 52224 TO START DUMP	":END
	:rem 172
52224 DATA 173,0,221,41,3,73	:rem 87
52230 DATA 3,160,6,10,136,208	:rem 135
52236 DATA 252,141,132,3,173,24	:rem 241
52242 DATA 208,41,8,240,9,24	:rem 97

```
:rem 249
52248 DATA 169,32,109,132,3,141
                                  :rem 152
52254 DATA 132,3,169,0,32,189
                                   :rem 48
52260 DATA 255,169,4,170,160,255
52266 DATA 32,186,255,32,192,255
                                   :rem 56
                                  :rem 247
52272 DATA 162,4,32,201,255,176
52278 DATA 3,76,61,204,76,32
                                  :rem 109
52284 DATA 205,169,8,32,210,255
                                  :rem 254
52290 DATA 169,13,32,210,255,162
                                    :rem 41
52296 DATA Ø,169,1,141,198,205
                                   :rem 206
                                   :rem 50
52302 DATA 169,0,141,199,205,169
                                    :rem 42
52308 DATA 0,141,200,205,169,199
52314 DATA 141,201,205,32,225,255 :rem 79
52320 DATA 208,3,76,32,205,138
                                  :rem 196
                                   :rem 195
52326 DATA 72,152,72,32,41,205
52332 DATA 104,168,104,170,173,205
                                   :rem 136
                                    :rem 32
52338 DATA 205,45,203,205,240,12
52344 DATA 173,202,205,13,198,205 :rem 91
52350 DATA 141,202,205,76,143,204 :rem 81
52356 DATA 173,198,205,73,255,45
                                    :rem 62
52362 DATA 202,205,141,202,205,14 :rem 73
52368 DATA 198,205,173,198,205,201
                                   :rem 158
52374 DATA 128,240,20,24,173,199
                                    :rem 50
52380 DATA 205,105,1,141,199,205
                                    :rem 38
52386 DATA 173,200,205,105,0,141
                                    :rem 30
52392 DATA 200,205,76,93,204,173
                                    :rem 46
52398 DATA 202,205,9,128,224,45
                                     :rem 1
                                    :rem 26
52404 DATA 144,10,173,202,205,41
                                   :rem 235
52410 DATA 31,9,128,141,202,205
                                    :rem 37
52416 DATA 142,207,205,166,2,142
52422 DATA 206,205,168,32,210,255 :rem 87
52428 DATA 152,206,206,205,208,246
                                   :rem 144
52434 DATA 174,207,205,169,1,141
                                    :rem 43
                                    :rem 40
52440 DATA 198,205,169,0,141,202
52446 DATA 205,56,173,199,205,233:rem 106
                                    :rem 43
52452 DATA 6,141,199,205,173,200
                                    :rem 28
52458 DATA 205,233,0,141,200,205
52464 DATA 206,201,205,173,201,205
                                   :rem 130
52470 DATA 201,255,240,3,76,93
                                   :rem 201
52476 DATA 204,224,45,176,31,24
                                   :rem 253
52482 DATA 173,199,205,105,7,141
                                    rem 51
52488 DATA 199,205,173,200,205,105
                                   :rem 149
52494 DATA Ø,141,200,205,232,169
                                    :rem 36
52500 DATA 199,141,201,205,169,13 :rem 89
52506 DATA 32,210,255,76,93,204
                                   :rem 251
                                   :rem 242
52512 DATA 169,13,32,210,255,32
52518 DATA 231,255,96,173,201,205 :rem 97
                                   :rem 242
52524 DATA 41,7,141,204,205,173
52530 DATA 201,205,74,74,74,168
                                   :rem 255
52536 DATA 185,146,205,133,251,185
                                   :rem 152
52542 DATA 172,205,133,252,24,165 :rem 91
52548 DATA 251,109,204,205,133,251
                                   :rem 140
                                   :rem 38
52554 DATA 165,252,105,0,133,252
52560 DATA 24,173,132,3,101,252
                                   :rem 237
52566 DATA 133,252,173,199,205,41:rem 104
                                   :rem 164
52572 DATA 7,73,7,168,200,169
52578 DATA Ø,56,42,136,208,252
                                   :rem 207
52584 DATA 141,203,205,24,173,200 :rem 83
52590 DATA 205,101,252,133,252,173
                                   :rem 136
52596 DATA 199,205,41,248,168,138:rem 121
                                   :rem 186
52602 DATA 72,120,162,52,134,1
                                   :rem 254
52608 DATA 177,251,162,55,134,1
                                    :rem 53
52614 DATA 88,168,104,170,152,45
```

5262Ø DATA	203,205,141,205,205,9	6 :rem 84
	0,64,128,192,0,64	:rem 102
The state of the s	128,192,0,64,128,192	:rem Ø
52638 DATA	0,64,128,192,0,64	:rem 105
52644 DATA	128,192,0,64,128,192	:rem 3
5265Ø DATA	0,64,0,1,2,3	:rem 88
52656 DATA	5,6,7,8,10,11	:rem 155
52662 DATA	12,13,15,16,17,18	:rem 96
52668 DATA	20,21,22,23,25,26	:rem 94
52674 DATA	27,28,30,31,256	:rem 9

Program 2: Hi-Res Screen Dump— VIC Version


5 POKE5	6,14:CLR		:rem 123
6 INPUT	"{CLR}WIDTH	1 OR 2"; WI	\$: IF VAL(WIS
)<10R	VAL(WI\$)>2	THEN 6	:rem 188
	, VAL(WIS)		:rem 188
1Ø I=35			:rem 187
	A:IF A=256	THEN AG	:rem 54
			: rem 54
	I,A:I=I+1:		
40 IF C	H<>35292THE	NPRINT"ERRO	R IN DATA":S
TOP			:rem 184
50 PRIN	T"ENTER SYS	3584 TO DU	MP SCREEN":S
TOP			:rem 160
	TA 169,16,1	41 . 132 3 . 16	
3591 DA		55,169,4,17	
3331 DA	IN 32,109,2	33,109,4,17	
2500 00			:rem 154
3598 DA	TA 255,32,1	86,255,32,1	92,255
			:rem 212
36Ø5 DA		,201,255,17	
3612 DA	TA 76,34,14	,76,5,15,16	9 :rem 207
3619 DA	TA 8.32.210	,255,169,13	,32 :rem 42
3626 DA	TA 210.255.	162,0,169,1	,141 :rem 82
3633 DA		69,0,141,10	
3033 DA	IN 104,15,1	09,0,141,10	5,15 :rem 78
364Ø DA	TA 169,0,141	,106,15,16	9,159
			:rem 145
3647 DA	TA 141 107	5,32,225,2	
JOT! DI	141,10,,	13,32,223,2	A STATE OF THE PARTY OF THE PAR
2654 DM	ns 2 76 F 16	100 70 15	:rem 190
3654 DA		,138,72,15	
3661 DA	ra 72,32,14	15,104,168	,104 :rem 84
3668 DA	ra 170,173,1	11,15,45,10	09,15
			:rem 142
3675 DA	TA 240,12,17	73,108,15,1	3.104
			:rem 131
3682 DA	PA 15.141.16	18.15.76.11	6,14 :rem 90
3689 DA	PA 173 104 1	5,73,255,4	5 100
JOOJ DA	11 1/5/104/	3,73,233,4.	
2606 DM	DA 15 141 16	10 15 14 10	:rem 154
3696 DA		8,15,14,10	
37Ø3 DA	PA 173,104,1	5,201,128,	240,20
			:rem 171
371Ø DA	ra 24,173,10	5,15,105,1	,141 :rem 71
3717 DAT	TA 105.15.17	3,106,15,16	05,0 :rem 78
3724 DAT	TA 141.106.1	5,76,66,14	173 :rem 94
3731 DAT		128,224,22	
3738 DAT		18,15,41,63	
3745 DAT	rA 128,141,1	.08,15,142,1	
			:rem 183
3752 DAT			3,32 :rem 87
3759 DAT	TA 210,255,1	52,206,112	,15,208
			:rem 237
3766 DAT	TA 246,174,1	13,15,169,1	1.141
			:rem 146
3773 DAT	TA 104.15.16	9,0,141,108	
378Ø DAT		5,15,233,6	
3787 DAT		3,106,15,23	
3794 DAT	TA 141,106,1	5,206,107,1	15,173
			:rem 189
38Ø1 DAT	A 107,15,20	1,255,240,3	3,76 :rem 81
38Ø8 DAT	A 66,14,224	,22,176,31,	24 :rem 42
			CONTRACTOR OF THE PARTY OF THE

3815 DATA 173,105,15,105,7,141,105	
:rem 131	
3822 DATA 15,173,106,15,105,0,141 :rem 75	
3829 DATA 106,15,232,169,159,141,107	
:rem 249	
3836 DATA 15,169,13,32,210,255,76 :rem 97	
3843 DATA 66,14,169,13,32,210,255 :rem 93	
3850 DATA 32,231,255,96,173,105,15	
:rem 143	
3857 DATA 74,74,74,168,185,62,15 :rem 69	
3864 DATA 133,253,185,83,15,133,254	
:rem 201	
3871 DATA 173,105,15,41,7,73,7 :rem 201	
3878 DATA 168,200,169,0,56,42,136:rem 104	
3885 DATA 208,252,141,109,15,172,107	
:rem 245	
3892 DATA 15,177,253,45,109,15,141	
:rem 150	
3899 DATA 111,15,96,0,160,64,224 :rem 48	
3906 DATA 128,32,192,96,0,160,64 :rem 48	
3913 DATA 224,128,32,192,96,0,160 :rem 92	
3920 DATA 64,224,128,16,16,17,17 :rem 43	
3927 DATA 18,19,19,20,21,21,22 :rem 192	
3934 DATA 22,23,24,24,25,26,26 :rem 193	
3941 DATA 27,27,28,256 :rem 72	

BEFORE TYPING...

Before typing in programs, please refer to "How To Type COMPUTE!'s Gazette Programs," "A Beginner's Guide To Typing In Programs," and "The Automatic Proofreader" that appear before the Program Listings.

This Publication is available in Microform.



University Microfilms International

for		
Name		fname of publication
Institution		
City		
State	Zip	

Now there's PASCAL for the Commodore 64. And at a mini price.

Kyan PASCAL is a full-featured implementation of PASCAL — not a subset! With these features:

- ☐ high-performance compiler and comprehensive set of error messages for faster debugging
- ☐ speeds up to 40 times faster than Commodore Basic
- ☐ built-in full screen editor
- support for files, pointers, record types, sets and ordinal types used in sophisticated data structures.
- plus, a comprehensive tutorial manual illustrating the speed and power of PASCAL through sample programs.

Kyan PASCAL lets you develop programs on your Commodore 64 that are transportable to most mainframes. So it's perfect for students and working at home.

Try it for 15 days.

Order Kyan PASCAL, and if you're not completely satisfied, return the diskette and manual within 15 days for a full refund.


Kyan PASCAL with complete tutorial manual....\$49.95 (Add \$4.50 per copy for postage and handling. \$9.50 outside North America. California residents add 6.5% sales tax.)

To order, call 415/775-2923.

(VISA and MasterCard accepted.)

Or send check or money order to: *Kyan Software*, *Suite 183, 1850 Union Street, San Francisco, CA 94123.* Sorry, no C.O.D. orders accepted.

Okyan



DON'T

SPEND ANOTHER DIME ON ANY OTHER GAME UNTIL YOU EXPERIENCE

-the Challenge-

-the Suspense--the Power of-



Graphic Adventure Game Series

Salvage I

Explore the sunken S.S. Commodore. Can you defy the curse and recover the valuable treasures below?



SALVAGE

CHMINE

Salvage II


Unlock the secrets of an evil Alien Race from Outer Space and return with just two items-a valuable gem . . and your life!



Salvage III

Conquer the Ultimate Adventure Challenge! Expose the traiterous spy who sabotaged the ship and murdered its crew for millions in GOLD! Computer Generated Graphics in every program shows your salvage boat, the sunken ship, diver location and more.

-fo: Commodore 64 and Vic \$27.95 DISK \$24.95 CASSETTE Order all three for only \$65.00 and we will send you our \$27.95 Action Arcade BATTLESHIP game absolutely FREE! - send check or money order to



P.O. Box 508, Toano, VA. 23168

804/564-0087

Dealer Inquiries Invited



23914 Crenshaw Blvd. Torrance, CA 90505

Dealer Inquiries Welcome

Commodore 64 and VIC-20 are trademarks of Commodore Business Machines, Inc.

UNIQUE HARDWARE For Your Commodore or Vic

Commodore or Vic Color Problems? We Can Solve Them All. You're not alone. Thousands of Commodore 64 owners have "fuzzy" color on their TVs.

Most have interference lines crowding out their great graphics. Many have bought expensive monitors or new TVs, and often even that hasn't helped. But most of us just lived with the problem. Now the engineers at Bytes & Pieces have four simple, inexpensive solutions.

If you have an "old 64" (with the 5 pin Monitor Din Plug), you've probably had color, resolu-tion and interference problems. We can solve them!

The Interference Stopper...For Vic-20 and Commodore 64 A new kit that installs in minutes with two simple solder connections. Best results when combined with #2. 3, or 4 below. Absolutely stops 90% of the RF interference on your screen.

- The NEW Color Sharpener CABLE... Use if your "old 64" is hooked up to a monitor. A new 2 prong cable, with the Color Sharpener built in. All the benefits of #2, on your monitor S24.95
- The Color Sharpener... Use if your "old 64" is hooked up to a TV. Just plug into the monitor plug, and the color and contrast immediately improve. Dramatically. Crisp letters. Great graphics
- The Monitor "Improver"... If you have a Commodore I7OI monitor, this cable
 (3 prong) gives you a picture you
 won't believe. Better than the cable
 Commodore built by a lot. Try it, you
 won't be disappointed. (Also hooks
 your "Old 64" to the I7O2) S24.95
- 5. At last, the "needed" switch for al! Vic-20's and Commodore 64's. Commodore left out something that's really modore left out something that's really important — a simple reset switch. How many times have you been programming and gotten "hung-up" in your software? The only way to get back in control is to turn off the computer and lose your program and everything you had entered so far. Well, the engineers at Bytes & Pieces have solved that one too. —a reset switch. Now installing this does require you to open your computer, make two simple solder connections, and drill a small hole. solder connections, and drill a small hole in the case (to mount the switch). Obviously, this connection will void your warranty, so don't proceed until your computer is out of warranty. But the day that happens, install the reset switch. It's a time saver, and it's guaranteed to return control to you every time. Of course, you're guaranteed to be satisfied

A steal at \$9.95

Dust problems? We've got the answer! There are a lot of cheap dust covers on the market, most of them made from static-filled plastic. But there are some of us who think a lot of our Comsome of us who think a lot of our Com-modores. We want to protect them and have them look nice at the same time! That's why Bytes & Pieces built like best looking dust covers on the market. They're hand sewn from leather-like They're hand-sewn from leather-like naugahyde in a brown leather-grain pattern. They're custom-built to fit your Commodore 64, and here's the best news of all. You can get matching covers for your disk drives and your cassette unit as well. You made a big investment in your Commodore, spend a few more dollars and protect it from damaging dust for life. Your satisfaction is guaranteed.

Computer dust covers \$9.95

Disk drive dust covers \$8.95

Dataset dust covers \$7.95

Why Blank "Cheat" Sheets?



2 Packs (24 Sheets) @ 52495

Because They're Better Blank

O.K. So now you've got the best computer in the world, and lots of complex software to run on it. One problem. Unless you work with some of these programs everyday or are a computer genius, who can keep all those commands straight? "F5" in one program means one thing, and "F5" in another program means something else.

A few companies do offer a solution a A lew companies do offer a solution... a die cut "cheat" sheet that attaches to your keyboard with all the commands of one program printed on it. Great idea, unless you need them for IO or 20 programs. You could purchase another disk drive for the same investment. Our solution? Simple. A pack of 12 lined cards, die cut to fit your keyboard and just waiting to be filled with those problem commands you forget most those problem commands **you** forget most often. Simple? Yes, but effective. Now you can have all your program commands right at your tinger tips on YOUR VERY OWN, custom designed "cheat" sheets. Order a couple packs today!

12 for \$15.95

Is Your Commodore Disk Drive Hot and **Bothered?**



Most of them are, you know. Com-Most of them are, you know. Commodore makes a great disk drive. Only trouble is, they suffer from read and write problems frequently. And almost always, it means a trip to the shop for a head alignment. Maybe you can afford to have your drive out of commission for a while. And to pay to have your drive repaired. But we've been told that most of these problems occur because the drive has overheated, throwing the head out of alignment because of parts head out of alignment because of parts expansion.

The engineers of Bytes & Pieces pondered this problem, and came up with a simple solution. An inexpensive muffin fan that sits on top of the disk drive and blows cooling air through it. No more hot and bothered drives. No more heat-caused read/write problems. A simple, inexpensive solution. And best of all, the fan will work on other computer items as well, as long as they have vent holes in the top. Just set the padded tan on top and your problems with overheating are over.

And we went one step further. We built a surge protector into a second fan model. Most double-outlet surge protec-tors sell for more than the cost of our fan and surge protectors put together.

So order today. You won't be sorry. Satistaction guaranteed or your money back.

Muttin tan \$54.95

Fan with

surge protector \$79.95

-Order Today!---Rush me the following: Qty. Item Amount Commodore 64 Interference Stopper @ \$15.95 Vic-20 Interference Stopper @ \$15.95 Color Sharpener @ \$18.95 NEW Color Sharpener Cable @ \$24.95 The Monitor Improver \$24.95 The Reset Switch @ 59.95 Commodore Dust Cover @ \$9.95 Vic-20 Dust Cover @ \$9.95 1541 Disk Dust Cover @\$8.95 _ Dataset Dust Cover @ \$7.95 Sets of 12 Keyboard Cheat Sheets @ \$15.95 (414) 257-1214

		-	
		A	moun
s @ \$54.95		\$_	
s with Surge Protector @	579 95	5 _	
a		5	200
		5_	-
nsin Residents only)		5 _	
	TOTAL		
& Piece	c I	n	~
N 68th Street	5,1	11	J.
Maiosa, WI S.	213		
	s with Surge Protector @ onsin Residents only) & Piece N. 68th Street,	s with Surge Protector @ 57995 G Insin Residents only) TOTAL	s # \$5495 \$ s with Surge Protector @ 57995 \$ s with Surge Protecto

Dealer Inquiries Invited

Check or Money Order Charge to my VISA or Mo	nterCard	
VISA #		
MasterCard #	news of the	
Inner Bank #	Particular symbol	
Expiration Date	in the state of th	
Signature	A STATE OF THE PARTY OF T	
ни то		
Name		
Address		
City		
State/Zip		

"The Rabbit"

for your VIC 20 or CBM 64

If you own a VIC 20 or a CBM 64 and have been concerned about the high cost of a disk to store your programs on ... worry yourself no longer. Now there's the RABBIT. The RABBIT comes in a cartridge, and at a much, much lower price than the average disk. And speed . . . this is one fast RABBIT.
With the RABBIT you can load and store on your
CBM datasette an 8K program in almost 30
seconds, compared to the current 3 minutes of
a VIC 20 or CBM 64, almost as fast as the 1541 disk drive.

The RABBIT is easy to install, allows one to Append Basic Programs, works with or without Expansion Memory, and provides two data file modes. The RABBIT is not only fast but reliable. (The Rabbit for the VIC 20 contains an expansion connector so you can simultaneously use your memory board, etc.)

NOW THE BEST Please for your own protection consider the MAE first before you buy that other assembler. We've

FOR LESS! had numerous customers who wasted their money on some cheaper off brand assembler tell us how much better the MAE is.

The most powerful Macro Assembler/Editor available for the Commodore 64 and other CBM/PET computers, and also for the

ATARI 800/XL and Apple II/IIE.

MAE includes an Assembler, Editor, Word Processor, Relocating Loader, and more all for just \$59.95.

We could go on and describe the MAE but we thought you would like to read our customers' comments. The following are actual unedited comments from correspondence about the MAE:

Excellent Development Package." "Compares to DEC and INTEL." "My Compliments to Carl Moser and EHS." "It is a superb program."

TELSTAR 64 — "A Star is Born"

Sophisticated Terminal Communications Cartridge for the 64.

*PFO * 10D 00D CP D1 D2 BELL 12:30:00 (TELSTAR's Status Line)

Don't settle for less than the best!

- Upload/Download to/from disk or tape. Menu-driven.
- Automatic File Translation. Real Time Clock plus Alarm Clock.
- Communicates in Industry Standard ASCII. Line editing capability allows correcting and resending long command lines.

 9 Quick Read functions.

- Similar to our famous STCP Terminal package.
- Works with Commodore Modems and supports

The best feature is the price — only \$49.95 (Cartridge and Manual)

Machine Language **Monitor Cartridge** for the CBM 64

More than 20 commands allow you to access the CBM 64's Microprocessors Registers and Memory Contents. Commands include assemble, disassemble, registers, memory, transfer, compare, plus many more. Someday every CBM 64 owner will need a monitor such as this.

Cartridge and Manual - \$24.95

3239 Linda Dr. Winston-Salem, N.C. 27106 (919) 748-8446 Send for free catalog!



COMPUTER ROAD ATLAS

TAKE TRIPS WITH COMPUTER LISTINGS SHOWING THE **BEST ROUTE**



ROADSEARCH IS A COMPUTERIZED ROAD ATLAS that helps you plan trips. Enter the departing city and the destination city. ROADSEARCH computes the shortest route or other routes more suitable to your needs. Printout includes detailed driving directions, mileage, time, fuel and more.

ROADSEARCH contains a roadmap of 406 cities/road junctions and 70,000 road miles. ROADSEARCH-PLUS (extra cost) also contains a ROADMAP DEVELOPMENT SYSTEM which less you customize your roadmap. Add local roads, favorite shortcuts, new destinations, etc. ROADSEARCH-PLUS lets you add up to 50 towns/road junctions anywhere in North America.

EASY TO USE, Back-up copies allowed. Specify Apple II/Ile or Commodore-64. All Columbia Software carries a 15 DAY MONEYBACK GUARANTEE.

STOP USING THE "OLD FASHIONED" METHOD of tracing routes on a map. It is tedious, time consuming, and inaccurate. Use your computer to plan your next route. The printed output is an excellent companion on any trip.

ORDER ROADSEARCH OR ROADSEARCH-PLUS from your dealer or directly from Columbia Software. ROADSEARCH-PLUS is \$74.95 and ROADSEARCH is only \$34.95. Add \$1.50 for shipping and handling. MD residents add 5% state tax.

MAIL COUPON OR CALL TODAY __

Columbia Software

(301) 997-3100

Box 2235W, Columbia, MD 21045

Please send me () ROADSEARCH-PLUS for \$74.95 for () Apple IVIIe) ROADSEARCH for \$34.95

Add \$1.50 shipping. If I am not satisfied, I may return it for a full refund.

() Master Charge

() VISA

Card Number

Expiration Date

NAME

ADDRESS _

STATE

ZIP

REAL SPEECH SYNTHESIZER



Only

Complete

The best speech synthesizer available because it talks in your own voice! Speaks in any language—even singing! You can even add special effects. Easily programs in BASIC using new commands. Children find it utterly fascinating. Imagine putting your own voice (or someone else's) into education, business, and game programs. These are just a few of the many reasons why the Voice Master system was selected at CES as one of the most innovative consumer electronic products of 1984!

Available for most personal computers. The Commodore 64 version will reproduce speech without any extra hardware! Software license available at no extra cost. Word recognition software available separately.

SEE YOUR DEALER NOW FOR A VOICE MASTER DEMONSTRATION

Or call us at (503) 342-1271 for a telephone demonstration. Please include \$4.00 shipping/handling when ordering from the factory. Visa, MC, MO, or check. Specify disk or tape. Call or write for further information and receive a FREE audio demo tape!



COVOX INC.

675-D Conger St., Eugene, OR 97402 Telex 706017

Lyco Computer Marketing & Consultants

MANNESMANN SPIRIT 80\$299.00

MTL-160L\$559.00 MTL-180L\$775.00

NEC

NEC8023							0.00		\$369.00
NEC8025	*								\$699.00

CITOH

GORILLA GX-100	\$169.00
GORILLA SERIAL	\$199.00
PROWRITER II	\$575.00
8600	\$899.00
SHEET FEEDER	\$425.00
620	\$929.00
630	\$1699.00
8510 SP	\$499.00
8510 SCP	\$559.00
A10 LETTER QUAL	\$499.00
PROWRITER 8510	\$335.
PRINTMASTER	\$1199.
STARWRITER	\$929.0

PRINTING PAPER

FANFOLD \$42.75

FANFOLD\$19.75

1000 SHEETS LETTER ... \$21.95 200 SHEETS LETTER \$8.99

150 RAG STATIONERY...\$10.99

MAILING LABELS (1 in) ...\$9.75

14x11 1000 FANFOLD ...\$24.75

SUB LOGIC-64 Flight Simulator II\$32.75

Night Mission Pinball \$22.75

TIMEWORKS-64

Electronic Checkbook\$18.75

Star Battle.....\$18.75

Data Manager \$18.75 Wall St. Manager \$18.75

EPYX-64

Jumpman..... \$27.75

Jumpman Jr. \$27.75

Pitstop \$27.75

Gateway to Apshai \$27.75 Temple of Apshai......\$27.75

3000 SHEETS

1000 SHEETS

ON THESE PRINTERS

PANASONIC

1090.					*		÷		÷	*		\$279.00
1091.			,		,				,			\$309.00
1092.				*		*						\$459.00

BLUE CHIP

A STATE OF THE PARTY OF THE PAR		 	
M12010		 \$	279.00
M12010	C-64	 \$	279.00
D4015		 \$1	399.00

LEGEND

880		,		,									,		\$ 2	59	0.0	0
1000).				,	,		,			,				\$ 2	79	0.6	0
1200).									*		,				C	AL	L
1500																		
1018																		

PROFESSIONAL SOFTWARE

Word Pro 64/Spell......\$62.50

PERSONAL PERIPHERALS-64

Super Sketch Graphics Tablet \$39.95

Joystick.....\$7.75

RESTON SOFTWARE-64

Miner 2049er.....\$27.95

KOALA-64 Koala Pad\$69.95 Geometric Design \$22.50

STRATEGIC SIMULATIONS-64

Knights of the Desert.....\$26.75

Eagles.....\$26.75

Computer Baseball \$26.75

Ringside Seat\$26.75

EASTERN HOUSE-64

Rabbit Rom.....\$34.75

TelStar 64 \$39.95

Assembler Rom......\$19.95

SCARBOROUGH-64

Mastertype \$27.75

PHI Beta Filer\$32.75

EPSON

RX-80										\$269.00
RX-80FT	Ĭ,					,				\$299.00
FX-80										\$439.00
FX-100										

OKIDATA

80													\$199.0
													\$299.00
													\$569.00
													\$959.00
92 .	Ġ	×	٠	*		*	,	÷	Ġ				\$409.00

RITEMAN

IFO RI	UNNER	CALL
	JUKI	
		CALL

MICRONICS

GEMINI 1'5X\$379.00
DELTA 10\$449.00
DELTA 15\$525.00
RADIX 10 \$575.00
RADIX 15 \$675.00
POWERTYPE SCALL
SWEETP(Model 100) \$549.00
STX80 \$149.00

GEMINI 10X ..\$259.00

BRODERBURD-64

Bank St. Writer		¥				,	\$39.95
Choplifter	è						\$27.95
Seafox							
Spare Change.	¥	×					\$22.95
Lode Runner							

CARDCO-64	
C/?G Printer Interface	\$69.75
C/?B Printer Interface	\$39.75
CK/1 Numeric Keypad	\$34.75
DC/1 Cassette Recorder	\$39.75
CB/5 5-Slot Expansion	\$54.00
CR/1 Light Pen	\$29.75
CE/1 Cassette Interface.	\$29.75
C/02 Write Now	\$34.75
D/01 Mail List	\$26.75
D/04 Spell Now	\$26.75

MICROPROSE-64

Cala	Flight											2		-	
2010	Flight.	*	*	*	*			*	*	*	2	2	1	./	5

ALIEN GROUP-64 Voice Box \$99.00

PARKER-64

Q Bert			,		*					\$29.95
Frogger				•						\$29.95

ATARISOFT-64

Pacman		٠.			÷				\$32.75
Donkey Kon	g	٠.							\$32.75
Dig Dug							i		\$32.75
Defender									\$32.75
Centipede								*	\$32.75

HESWARE-64

Microsoft Multiplan	\$59.95
Omni Writer	\$39.95
Turtle Toyland Jr	\$21.95
Time & Money Mgr	\$39.95
Paint Brush	\$12.95
Hes Games	\$24.95
The Factory	\$21.95
Minn. Fats Pool	\$19.95

INFOCOM-64

Enchanter					7.			2		y	\$32.75
Infidel											.\$32.75
Planetfall.						4					\$32.75
Witness								i	6		\$32.75
Sorcerer		*							,		.\$32.75

SPINNAKER-64

Alphabet Zoo	\$23.75
Kindercomp	\$23.75
Kids On Keys	\$23.75
Facemaker	.\$23.75
Delta Drawing	.\$26.75
Fraction Fever	\$23.75
Cocmic Life	\$23.75
Up For Grabs	\$26.75

SYNAPSE-64

Blue Max	\$22.75
Shamus	\$22.75
Shamus II	\$22.75
Zeppelin	\$22.75
Zannan	***

CONTINENTAL-64

Home Accountant\$44.75
Tax Advantage\$35.75
C-64 Users Encyclopedia. \$12.50

DISKETTES

ELEPHANT

514"	SSSD			 \$16.75
514"	SSDD			 \$19.95
51/4"	DSDD			 \$25.95
		-	SALES NO.	

MAXELL

514"	MD-1			+			,	,			\$24.75
514"	MD-2	1								į	\$34.75

CERTRON CASSETTES

CC-10 (12)		\$15.99
CC-20 (12)	**********	\$17.99

ADVENTURE INTERNATIONAL-64

Arex						,					0	\$25.00
Sea Dragon		,	y									\$25.00
Stratos										66		\$25.00

GORILLA

12" GREEN \$82.00
12" AMBER\$89.00
TAXAN
100 GREEN \$115.00
105 AMBER\$125.00
210 RGB COMPOSITE \$269.00
400 RGB MEDRES\$295.00
410 RGB HI RES\$349.00
420 RGB HI RES (IBM) \$475.00

121 GREEN......\$145.00 122 AMBER\$149.00

SANAIA
SC100 COLOR \$229.00
SG1000 GREEN\$99.00
SA AMBER\$109.00
ZENITH
ZVM 122A AMBER \$95.00
ZVM 123G GREEN \$85.00

SG1000 GREEN	\$99.0
SA AMBER	\$109.0
ZENITH	
ZVM 1224 AMPED	ene o

ZVM	122A AMBER	\$95.00
ZVM	123G GREEN	\$85.00
ZUM	124IBM-PC	\$129.00
ZUM	COLOR	\$275.00
ZUM	133 RGB	\$389.00
ZUM	135 RGB	\$449.00
ZUM	136	\$589.00

ANIDEN	
VIDEO 300\$	139.00
VIDEO 300A	149.00
COLOR 1+ \$26	9.00
COLOR 11+\$	399.00

MONITORS

NEC

JB1260	GREEN\$99.00
JB1201	GREEN\$145.00
JB1205	AMBER \$145.00
JC1215	COLOR \$269.00
JC1216	\$399.00



TO ORDER



CALL TOLL FREE

800-233-8760

or send order to Lyco Computer

PO Box 5088 Customer Service 1-717-327-1825 Jersey Shore PA 17740

POLICY

In-stock items shipped within 24 hours of order. Personal checks require four weeks clearance before shipping. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. PA residents add sales tax. All products subject to availability and price change. Advertised prices show 4th discount offered for cash, add 4th for Master Card or Visa DEALER INQUIRIES INVITED

	A STATE OF THE PARTY OF THE PAR
d	
ì	
ľ	Access
ı	Beach-Head(D)23.95
	Neutral Zone (D)23.95
	Raid over Moscow(D)26.95
	Master Composer(D)26.95
	Atari Soft All TitlesCall
	Lugo (D)59.95
	Pilot(d)42.95
	Pet Emulator(D)18.95
	Intro to Basic I (T)18.95
	Screen Editor(D)18.95
	Super Expander VSP(D)37.95
	The Manager(D)59.95
	Simons Basic (C)45.95
	Music Machine (C)15.95
	Music Composer(D)18.95
	Nevada Cobol(D)49.95
	Nevada Fortran(D)49.95
	Commodore
	Assembler (D)37.95
	Bonus Pack(D,T)16.95
1	CP/M2.2 System(C,T)57.95
١	Easy Script(D)44.95
ı	Easy Mail 64(D)18.95
ı	Easy Spell 64(D)18.95
	Easy Calc 64(D)64.95
ı	Easy Lesson/Quiz(D)18.95
	Easy Finance(1-5)(D)18.95
ı	Magic Desk(D)54.95
ı	

Zork (1-3) (D)30,95

Suspended.....(D)37.95

Starcross (D)30.95

Deadline (D)37.95

COMMODO		
Voice Synthesis	(C)	59.95
Public Domain All Titles .	(D)8.95
Accounting Series (ea)	(D)	19.95
Continental		
Home accountant	(D)5	0.75
Tax Advantage	(D)4	10.60
FCM	(D)7	6.50
Creative Software		
Household Fin	(D,T)1	9.95
Home Inv		
Loan Analyzer		
Cymbal		
English/Spanish	(D)	34.95
Science	(D)	14.95
History/Geography	(D)	14.95
Music Theory	(D)	14.95
Mathematics	(D)	34.95
Entertainment Tonight		
Trivia	(D)2	25.95
Epyx		
Pitstop		
Temple of Apshai		
Jumpman		
Gateway to Apshai		
Jumpman Jr		
Oil Baron		
Impossible Mission	(D)2	5.95
Greatest Baseball		
Summer Games		
Silicone Warrior	(D)2	5.95
Hes Software	11/10/12	
Hes Mon 64		
Turtle Graphics II	(C)4	0.60

IS JOLIMA	INE	
Time Money Mgr	(D)5	1.00
Omniwriter		
Multiplan		
Hes Writer 64	(C):	0.45
Gridrunner	(C)	0.95
64 Forth		
HES Games '84	(D)2	7.95
Minnesota Fats Pool	(C)2	0.45
HES Modem I	(D)4	6.95
Microprose		
Hellcat Ace	(D)2	3.95
Solo Flight	(D)2	6.95
Nato Commander	(D)2	6.95
F-15 Eagle	(D)3	6.95
subLogic		
Flight SimulatorII	(D)4	4.95
Night Mission Pinball		
Spinnaker	Cole A	
Alf in the Color Caves	(C)2	7.95
Bubble Burst	(C)2	7.95
Juke Box	(C)2	7.95
Kidwriter	(D)2	3.95
Face Maker	(D,C)2	3.65
Hey Diddle Diddle	(D)2	20.30
Kindercomp	.(D,C)2	20.30
Snooper Troops	(D)2	7.00
Fraction Fever	(C)2	13.65
Amazing Thing	(D)2	7.00
Alphabet Zoo	(D)2	23.65
Kids on Keys	.(D,C)2	23.65
Delta Drawings	(C)2	27.25
Up for Grabs	(C)2	27.25
Cosmic Life	(C)	23.65
	No. of Concession	
	-	

Story Machine(C)27.	2
Trains(D)27.	
Aerobics(D)30.	9
Scarborough	
Songwriter(D)35.	9
Master Type(D)31.	9
Synapse	
Ft. Apocalypse(D,C)23.	
Shamus(D,C)23.	
Blue Max (D,C)23.	7
Zaxxon(D)27.	9
SSI	
Combat Leader (D)29.0	O
Knights of the Desert (D)29.0	O
Computer Baseball(D)29.0	0
Eagles(D)29.0	0
Ring Side Seat (D)29.0	O
RFD 1985 (D)29.	9:
Germany 1985 (D)34.9	9:
Golf(D)29.	9
Broadsides(D)31.5	
Electronic Arts	
One on One(D)37.	
Music Construction (D)37.	0
Sky Fox(D)37.	0
Miscellaneous	
Doodle (D)31.9	9:
Word Pro 3+(D)76.	9
Trivia Mania(D)33.9	9
Paper Clip /w Spell Pack (D)89.5	
Orical (D)79.9):
Musicale(D)41.9	9
Mr. Robot(D)26.9	2
necks allow two weeks to clear. Ad	
necks allow two weeks to clear. Ad	



Hardware
Commodore 64
Executive 64
1541 Disk Drive
1530 Datasette
MPS 801 Printer
1650 Automodem
1702 Color Monitor
1600 Modem
64 Prog. Ref. Guide
BASF21.95
Soft Box (10) 23.80
Joysticks
Wico
Command Ctrl19.50
Wico "Boss" 13.50
Wico Red Ball 20.75
Wico Power Grip . 20.75
Cardo
Card+G68.25
Card B 37.85
Cass. Interface 33.25
5 Slot Expansion 60.25
M 1 20 35

Numeric Keypad .30.25 **GEMINI Printers** O'SULLIVAN Furniture MAXTRON Datasettes

To order, call toll free or send by mail. We accept Visa, Master Card, American Express or Money Orders. Personal cl \$2.00 for shipping with an additional \$1.65 for C.O.D. orders. Other countries please call on shipping with a minimum of \$10.00. All prices are subject to change. Credit and exchange only please. For return authorization call [214] 759-8937.

ATARI, APPLE, IBM, SOFTWARE LISTS AVAILABLE For further information and inquires call 214-759-8937

FOR ORDERS ONLY CALL TOLL FREE **Outside Texas**

1-800-527-8698 1-800-442-8717



P.O. BOX 2511 LONGVIEW, TX. 75606

Only 10% of Software we carry is listed on this ad. Call if there is a title you need for all computers. We are here to serve you!



EVERYTHING YOU EVER WANTED IN A DISK UTILITY . . . AND MORE!! FOR THE COMMODORE 64*

- * Fully automatic back-up of almost any protected disk.
- ★ Copy files [PRG, SEQ, RND] with full screen editing.
- ★ Three minute back-up of standard disks (even many protected disks).
- * Format a disk in ten seconds.
- ★ View and alter sector headers.
- ★ Remove errors from any track/sector.
- ★ Edit sectors in HEX, ASCII even assembler.
- ★ Create errors on any track/sector [20, 21, 22, 23, 27, 29] instantly.
- ★ Drive/64 MON, even lets you write programs inside your 1541.
- ★ All features are fully documented and easy to use.
- ★ None of our copy routines ever makes the drive head "kick."

Yes, you get all of this on one disk for this low price!

. . . WRITE OR PHONE . . TWARE Star Route 10

Commodore 64 is a registered trademark of Commodore Business Machines

(916) 435-2371 Gazelle, CA 96034

\$39.95

VISA or MASTERCARD add \$3 for C.O.D.

ROBOTS

Let NOMAO introduce you to the AGE OF PERSONAL ROBOTS THE NOMAO ROBOT! AFFORDABLE! FUN! EDUCATIONAL!

IS NOMAD INTELLIGENT?

YES! Your C-64 or VIC is NOMAD's brain.


CAN NOMAD MOVE ABOUT?

YES! NOMBO accurately travels forward, reverse, and pivots left and right using industrial type stepper motors.

CAN NOMAO SEE?

YES! N□MA□ has ultrasonic sight, ranging and motion detection capabilities.

DOES NOME OF WITH SOFTWARE?



\$179.95

HOME CONTROL

HOME SECURITY AND ENERGY MANAGEMENT PRODUCTS


VIController. Wireless home control using BSR or Leviton receiver

modules. Software included. \$69.95

COMclock/AB Autoloads and runs program at power-up. Battery backed up clock. (C-64 only) \$69.95

COMsense. Provides 4 open/close and 2 analog inputs. Great for security \$69.95

SUPER SCHEDULE PLUS Control software utilizing above three products. (C-64 only) \$19.95



SPECIAL PACKAGE PRICE

\$199.95

SPEECH

COMVOICE! THE EASY TO USE SPEECH SYNTHESIZER FOR THE C-64

SPEECH IS AS EASY AS 1-2-3!

1) Plug COMvoice in.

2) Turn computer on.

3) Type SPEAK "HELLO, HOW ARE YOU"

AS EASY TO USE AS A PRINT STATEMENT!

\$99.95



W/EXTERNAL SPEAKER \$139.95

EDUCATIONAL DEMO & AARDVARK ADVENTURE SOFTWARE AVAILABLE

GENESIS COMPUTER CORPORATION • P.O. BOX 152 • HELLERTOWN, PA 18055

DEALER INQUIRIES INVITED • (215) 861-0850 • MC & VISA Accepted

ATTENTION ALL COMMODORE 64, VIC 20, and PET OWNERS!

A complete self-tutoring BASIC programming course is now available. This course starts with turning your computer on, to programming just about anything you want! This course is currently used in both High School and Adult Evening Education classes and has also formed the basis of teacher literacy programs. Written by a teacher, who after having taught the course several times, has put together one of the finest programming courses available today. This complete 13 lesson course of over 220 pages is now available for the COM-MODORE 64, VIC 20, and PET computers and takes you step by step through a discovery approach to programming and you can do it all in your leisure time! The lessons are filled with examples and easy to understand explanations as well as many programs for you to make up. At the end of each lesson is a test of the information presented. Furthermore, ALL answers are supplied to all the questions and programs, including the answers to the tests. Follow this course step by step, lesson by lesson, and turn yourself into a real programmer! You won't be disappointed!

We will send this COMPLETE course to you at once for just \$19.95 plus \$2.00 for shipping and handling (U.S. residents, please pay in U.S. funds). If you do not live in the U.S. or Canada, please add \$5.00 for shipping and handling (and pay in U.S. funds). If you are not COMPLETELY satisfied, then simply return the course within 10 days of receipt for a FULL refund.

Fill in the coupon or send a facsimile.

NAME:		
ADDRESS:		
CITY:	12-15219 1-113	5000
PROV./STATE:		
POSTAL/ZIP CODE:		
CHECK DESIRED COURSE:	COMMODOR	E 64 🗆
	VIC 🗆	PET
Send Cheque or Money Order to	0:	
Brantford Educational Service	es	
68 Winding Way,	Complete course:	\$19.95
Brantford, Ontario,	Postage and hand:	\$2.00
Canada, N3R 3S3	Total:	\$21.95

Software Discounters of **America**

For Orders Only 1-800-225-SOFT

Inquiries and PA. 412-361-5291					
ACCESS	Linking Logic (R) \$19	Hey Diddle (D) \$19			
Beach Head (T or D) .\$23	Memory Manor (R)\$19	Kids on Keys (R)\$21			
Master Composer (D) \$26 Neutral Zone (T or D) \$23	Number Tumbler (R) . \$19 Sea Speller (R) \$19	Kidwriter (D)\$21 Kindercomp (R)\$18			
Raid Over Moscow	Up & Add'em (R)\$19	Most Amazing			
(T or D)\$26	Auto Chase (T or D) \$19	Thing (D)\$25			
Beamrider (D)\$25	Astro Chase (T or D) . \$19 Bristles (T or D) \$19	Story Machine (R)\$25 Trains (D)\$25			
Pitfall (D)\$25	Flip Flop (T or D)\$19	SSI			
Bridge 4.0 (T or D) \$16	Computer SAT/D) \$59	Battle Normandy (D) . \$25 Combat Leader (D) \$25			
Monkeymath (T or D) \$18	Computer SAT (D) \$59 HES	Computer Baseball			
Strip Poker (D) \$21	HES Modem 1\$49	(D) \$25			
Home Organizer Series:	HES Modem II call HES Games 84 \$23	Cosmic Balance (D) .\$25 Eagles (D)\$25			
Audio-Video Catalog	Multiplan (D)\$65	50 Mission Crush (D) \$25			
(D)	Paint Brush (R)\$18	Fortress (D) \$23 Germany 1985 (D) \$39			
Checkbook (D) \$21 Home Inventory (D) \$21	Synthesound (D) \$17 Time/Money Mgr (D) . \$19	Knights of Desert (D) \$25			
Recipes (D)\$21	INFOCOM	Pro Tour Golf (D)\$25			
Stamps (D) \$21 Paperclip (D) \$59	Deadline (D) \$25 Enchanter (D) \$33	RDF 1985 (D) \$23 Ringside Seat (D) \$25			
The Consultant (D) \$67	Infidel (D)\$33	Tigers In Snow (D) \$25			
BRODERBUND	Planetfall (D)\$33	SUBLOGIC			
Bank St. Writer (D) \$43 Castles Dr. Creep (D) \$21	Sea Stalker (D) \$25 Sorcerer (D) \$33	Flight Simulator II (D) \$35 Night Mission			
Championship	Suspended (D) \$25	Pinball (D)\$21			
Loderunner (D)\$23	Witness (D)\$33	SYNAPSE Blue Max (T or D) \$21			
Choplifter (R) \$25 Drol (D) \$23	Zork I, II, III (D) \$25 KOALA	Et Anocalynea			
Loderunner (D)\$23	Touch Tablet	(T or D)\$21			
Mask of the Sun (D) \$25 Operation Whirlwind	w/Painter (D) \$65 Touch Tablet	Necromancer (T or D) \$21 Pharoah's Curse			
(D) \$25	w/Painter (R)\$75	(T or D)\$21			
CBS	Muppet Learning	Sentinel (T or D)\$21			
Big Bird's Spc. Del (D) \$23	Paint-A-Rhyme (D)\$21	Slamball (T or D) \$21 Zaxxon (T or D) \$25			
Decimals (T or D) \$19	Spider Eater (D) \$21	Zepellin (T or D) \$21			
Ducks Ahoy (R)\$23 Fractions (T or D)\$19	MICROLAB Death In Caribbean	TIMEWORKS Data Manager (T or D)\$17			
Match Wits (D)\$19	(D)\$23	Data Manager 2 (D) \$33			
Math Mileage (D) \$19	Dino Eggs (D)\$23	Money Manager			
Mastering SAT (D) \$99 Mult/Div (T or D) \$16	English SATI(D)\$19 Math SATI(D)\$19	(T or D)			
Murder by Dozen (D) . \$23	MICROPROSE	Word Writer (D)\$33			
Peanut Butter Panic (D) \$23	Helicat Ace (D) \$19 NATO Commander	TRILLIUM Amazon (D)\$27			
CONTINENTAL	(D)\$23	Dragonworld (D)\$27			
FCM (D)\$33	Solo Flight (T or D) \$23	Fahrenheit 451 (D) \$27			
Home Accountant (D)\$47 DATASOFT	Spitfire Ace (D)\$19 PARKER BROS	Rendevous with Rama (D)\$27			
Bruce Lee (D) \$23	Frogger (R) \$29	Shadow Keep (D)\$27			
Dallas Quest (D) \$23 Letter Wizard (D) \$33	Popeye (R)	TRONIX Chaterbee (D)\$25			
Pooyan (T/D)\$19	PRECISION SOFTWARE	Pokersam (D)\$19			
DESIGNWARE	Superbase 64 (D) \$67	S.A.M. (D)			
Creature Creator (D) . \$21 Math Maze (D) \$25	RESTON Miner 2049er (R)\$25	Suicide Strike (D)\$23 WAVEFORM			
Spellicopter (D) \$25	SCARBOROUGH	Musicalc 1 (D) \$35			
Trap-A-Zoid (D)\$25	Mastertype (D or R) \$25	Musicalc 2 (D) \$23 Musicalc 3 (D) \$23			
EPYX Dragonriders Pern (D)\$25	Songwriter (D) \$25 SIERRA ON-LINE	ACCESSORIES			
FAX (D)\$19	Championship Boxing	Allen Group Voice			
Gateway Apshai (R) .\$25 Impossible Mission	(D)	BASF SS, DD \$17 Box			
(D) \$23	Oil's Well (D) \$19	Cardco Accessories . call			
Jumpman (T or D)\$25	Quest for Tires (d) \$23	Commodore Dust			
9 to 5 Typing (D) \$25 Oil Barons (D) \$39	Ultima II (D) \$39 Ulysses (D) \$23	Covers			
Pitstop (R)\$25	Wizard & Princess (D) \$21	Kit\$25			
Puzzlepanic (D) \$23 Summer Games (D) \$25	Wiz Type (D)\$23 SPINNAKER	Disk Drive Cleaner \$9 Disk Case (Holds 50) \$12			
Temple Apshai	Adventure Creator (R)\$25	Monitor Cable\$7			
(T or D) \$25	Aegean Voyage (R) \$25	Sakata 13" Color			
Worlds Greatest Baseball (D) \$23	Aerobics (D) \$29 Alphabet Zoo (R) \$21	Monitor\$239 Surge Protector w/6			
FISHER PRICE	Cosmic Life (R)\$21	Outlets\$39			
Alpha Build (R)\$19	Delta Drawing (R)\$25 Facemaker (R)\$21	Verbatim Disks call Wico Boss \$13			
Dance Fantasy (R)\$19 Hop Along	Fraction Fever (R)\$21	Wico Bat Handle \$19			
Counting (R)\$19	Grandma's House (D) \$21	Wico Trackball\$29			
P.O. Box 278 -	P.O. Box 278 — Dept. CG • Wildwood, PA 15091				

Ordering and Terms: Orders with cashier check or money order shipped immediately Personal/company checks, allow 3 weeks clearance. No C O.D.'s. VISA/MASTERCARD accepted with no additional charge for orders shipped to continental U.S.A. Orders under \$100 add \$3. free shipping on orders over \$100. PA residents add 6% sales tax. AK, HI, FPO-APO — add \$5 on all orders. INTERNATIONAL — add \$10 or 15% of order whichever is greatest. Detective merchandise will be replaced with same merchandise — NO CREDITS! Return must have authorization number (412) 361-5291. Prices subject to change without notice.

P.O. Box 3354 Cherry Hill, N.J. 08034

Toll FREE (800) 992-3300 For Information Call (609)596-1944

Call us for reliable service, experience and affordable prices!





1541 \$Call

1520 Color Plotter 109
MPS 801 Printer *205
1530 Datasette *64
1650 Auto Modem *86
1702 Monitor 'CALL
Int'l Soccer 121
1011 RS 232
Terminal Interface '42
1211 Super Expander '39
EZ Back up
Magic Voice Speech 149.95

Repeat of a Sellout 1526 PRINTER \$269

Special of the Month **ELEPHANT DISK**

SS/SD *16.00 SS/DD *17.00

WORD PROCESSING

Dalik Stidet Hillet	
Paper Clip	69
Easy Script	145
Word Pro 64	
EZ Spell	
PROGRAMMING SE	
Assembler 64	
Logo	
Pilot	
Simon Basic	
Screen Editor	
Nevada Fortran	
Nevada Cobol	
ACCOUNTING	
Home Accountant	145
Tax Advantage	
General Ledger	*35
A/R, A/P, Payroll	135
DATA BASES	
Code Writer	
Mirage Database Mar	'64
Mirage Database Mgr Super Base 64	
Juper Dase 04	

Special of the Month

The Consultant Pormerly \$65.00

1			
	ial of		1
the N	Nonth 1		2
Ger	nini M		
	X X		
\$2	66		
CANTON STORY	NTER		
	NC		
	DATA		
13 SERVICE THE CO.	Reed	•••••	*Call
STAI	Million and the last of the la		UKE I
	ii 10X ii 15X		
	type		
	GE PE		
4 Out	et		137.95
	DIS		
SD1 D	Disk Drive		1335
The Street Street Street	Dual Disk	Drive	*Call
CAR			
Nume	iter Inter	ace	129 50
Light F	en		131
5 Slot	Expansio	n	149
	C Conne		
TOP AND LANGUAGE	EAD S	STREET, STREET	
Described to the later	lan		
Calc R	esults		•34
Practic	calc		•38
	Pad		
1 3	Special of	the Mo	nth
	Flight S		
	The second second	HOMEROPOLISHED AND PARTY OF	or
	*34		Samuel
	RONIC		
The sales of the sales of the sales	n One		the Colon of the C
TOP TOWN THE	RISO	STOREST VINCENTER	1 23.35
FETT - CONTROL LOW CONTROL	y Kong		•29

nkey Kong29 Pole Position..... '3E INFOCOM Starcross...... 129 **COMPUTER COVERS**



heavy duty canvas with vinyl waterproof.

CMD 64 \$6.99

Ordering & Payment Policy

Prices reflect a cash discount. For C.O.D., Visa, and Mastercard add 3% Immediate delivery with certified check or wired funds. N.J. resident add 6%. Prices subject to change.

Shipping

For shipping and handling add 3%. (\$3 minimum) Larger shipments require additional charge.

Catalog

We sell a large selection of hardware and software. Send \$1 for catalog, refundable with order.

STOP PLAYING GAME

- Calculate odds on HORSE RACES with ANY COMPUTER
- using BASIC.

 SCIENTIFICALLY DERIVED SYSTEM really works TV Station WLKY of Louisville, Kentucky used this system to predict the odds of the 1980 Kentucky Derby See



then computed and this forms the basis of this REVOLUTIONARY NEW PROGRAM SIMPLE TO USE: Obtain "Daily Racing Form" the day before the races and answer the 10 questions about each horse Run the program and your computer will print out the odds for all horses in each race COMPUTER POWER gives you the advantage!

■ YOU GET

Program on cassette or disk.
 Listing of BASIC programs for use with any computer.
 Instructions on how to get the needed data from the "Daily Racing Form".
 Tips on using the odds generated by the program.
 Sample form to simplify entering data for each race.

-- MAIL COUPON OR CALL TODAY-3G COMPANY, INC. DEPT. GA (503) 357-5607 RT. 3, BOX 28A, GASTON, OR 97119

Yes, I want to use my computer for FUN and PROFIT. Please send me "Play the Horses" for \$29.95. Circle the cassette you need: VIC-20, Color Computer, Sinclair Timex 1000, Atari, Commodore 64 (disk or cassette),

Apple (disk), IBM (disk).	VIST.
Enclosed is: check or	money order MasterCard	□ Visa 🍑 —
Card No.		Exp. date
NAME		
ADDRESS		
CITY.	STATE	ZIP

START USING YOUR COMPUTER FOR FUN and PROFIT!

When was that article?

Find it fast with PcDextmand PcDex Quarterlytm!



Magazine resource guides for Commodore 64," VIC-20," and PET/CBM^R computers

Computing magazines getting out of hand? Can't locate a needed software or hardware review? That valuable programming utility? Your magazines are a valuable source of pro-grams, articles, columns, letters and reviews. PcDex provides fast, easy access to this valuable resource!

THE COMPLETE MAGAZINE REFERENCE COMPANION

COMPREHENSIVE Indexes the 12 most popular Commodore and general microcomputer magazines. Over 6000 cross-referenced entries covering January 1982 thru March 1984 Compute! Compute's! Gazette, Commander, Commodore, Power/Play, Run, Creative Computing, and more!

VERSATILE Six separate indexes: subject, title, programs, software reviews, hardware reviews, and table of contents. Includes updates and

VALUE Locate valuable "free" programs for a wide range of games and applications, or reviews that can prevent costly purchasing errors. No more time wasted searching stacks of back issues for that item you can't find. Go directly to it! All for \$14.95.

Want to stay up-to-date? Subscribe to PcDex Quarterly tm! Receive 4 issues including an annual cumulation for only \$17.95

ALTACOM, INC.	P.O. Box 19070,	ALEXANDRIA, VA	22320
Please send me a	a copy of PcDex	at \$14.95 plus \$2	2.00 shipping/har
	subscription to	PcDex Quarterly	(4 issues) for \$17

dyment en	NOSCU. W_	14416	sidellia add op sales lax)	
charge my:	U VISA	☐ MasterCard		
Card no			Fxp.	

Address_

State/ZIP *Outside the U.S. odd \$5.00 Please send additional information

FOR FASTER SERVICE CALL 703-683-1442

COMMODORE TRADEMARKS ACKNOWLEDGED DEALER INQUIRIES INVITED



C-64

Digital Wizardry

3662A S. 15th St. Milwaukee, WI 53221 (414) 383-2503



Presenting MAGICAL Software

MASTER COPY \$19.95 Under 5 minute back-up MASTER LOCK \$19.95 Hidden spells keep programs PRIVATE

C-64

CHIPMONK SOFTWARE

BIBLE MEMORIZER-Memory Verses
BIBLE SCRAMBLE-Book Quizzer
MUSICMAN-Fast Music Editor
QUICK FILE'EM-Easy Disk Filing
CAT N MOUSE-Word Recognition
SPELLING SCRAMBLE-Best Speller
MEMORY TUTOR-Improves Memory
CHECKTRACKER 64
CHRISTMAS CAROLS-Words & Music
ELECTO GREETING CARD MAKER
RESET SWITCHES-\$9.00

\$15 Each 3/\$35 631 N. Cherry Battleground, Mn. 98604 Send SASE for catalog & Reviews

PRODUCT

Sonar reports the "whine" of torpedoes running toward you. You kick the destroyer's rudder full-right and order flank speed.

As you watch, two torpedoes cross your bow. Sonar returns quicken and you close on the submarine below. Suddenly, bearing to target shifts 180 degrees and the sonar return is instantaneous. THE SUB IS DIRECTLY BELOW! You stab the fire button and watch as 6 depth charges arch into your wake. Several long seconds pass before they explode, sending six domes of white water to the surface. The message "SUBMARINE SUNK" flashes on the screen. But congratulations are brief. Four more subs are lurking out there somewhere, trying to escape into the open ocean...

SONAR SEARCH is a "fast-action" strategy game based on anti-submarine warfare. You are the commander of a group of three destroyers sent to intercept a pack of 5 enemy submarines. Equipped with sonar gear and depth charges, and aided by submarine sightings from other ships and aircraft, you must get directly over a sub to score a hit with your depth charges.

SONAR SEARCH makes full use of the highresolution graphics, multicolor and audio capabilities of the Commodore 64. Programmed in machine language to provide immediate response to your commands, SONAR SEARCH is realistic, educational and entertaining. Comes complete with Instruction Manual and keyboard template.

	-60		12
	5	2000	
		e e	~
254.6	/r	The second	
SO		3	

CHECK ONE:	Commodore 64 Tape 1 Manual Only (\$5.00 f			
Name				
Address				
ddiess				
			State	Z ₁ p
City JSA & CANADA nust be in USA f		ng (\$4.00 for must be again	eign) for each game nst USA banks. PA	e ordered. All payments residents add 6% state

PUBLIC NOTICE

The following utilities are being released into the Public Domain:

C-64 / 1541

- 1. Protect Disk Files
- 2. Recover Deleted Files
- 3. Annotated Directories

If you desire listings of these Utilities, please send one 20 ≰ (USA) stamp for return mailing

> There is no fee for this service

Hacker's Hardware
P.O. Box 7933
San Diego, Ca. 92107
619 224-2147
Dealers & User Groups use
our Reader Service Number

FOR COMMODORE 64" DISKMIMIC 5+"

- Backs up virtually all existing disks for Commodore 64° including Copy Protected Versions. ALL AUTOMATICALLY.
- Supports 1541 Drives.
- Don't be without back up!!

 Formats disk in less than 20 seconds.

Now 3 Times as Fast!

BACKS UP ENTIRE COPY PROTECTED DISKS IN LESS THAN 8 MINUTES.

ONLY \$49.95

A.I.D. CORP.

4020 HEMPSTEAD TURNPIKE
BETHPAGE, NEW YORK 11714
[516] 731-7100

Diskmimic 5° is a trademark of

Al.D. Corporation

Commodore 64" & 1541" is a trademark of Commodore Electronics Ltd.

Shipping & Handling — \$1.50 each DEALER INQUIRIES INVITED



- Copies 99% of currently available Commodore 64 disks.
- · Supports 1 or 2 1541 drives.
- · Takes approximately 25 minutes.
- · Easy to use-menu driven.
- · Currently available-future updates
- · ditto will even backup ditto.

ORDERS 800-762-5645 Hours 10-6 Mon.-Sat.

CARDINAL SOFTWARE 13646 Jefferson Davis Highway Woodbridge, VA 22191

GIFTS THAT TEACH

Tutorial cartridges for Commodore 64

- * States and Capitals
- * Counties (specify state)
- * U.S. Mountains, Rivers & Lakes
- * Oceans, Seas & Waterways
- * Western Hemisphere Countries
- * African Countries
- * Asian Countries
- * European Countries
- * Human Skeletal System (Ages 8-16)

Clear graphics and color sprites. Each cartridge \$35.00 + \$2.00 S&H Checks & money orders accepted.

> S. M. Thorpe Co. 1229 W. 4000 N.

Pleasant View, Utah 84404

C-64 DS™

Color Digital Oscilloscope



Add-on peripheral converts C-64 to

4-channel digital oscilloscope. 4.5" x 7" box plugs into user port.

2 MHZ sampling rate.

- 500 KHZ analog bandwidth. Simple menu driven operation.
- Stores/retrieves waveforms on disk or
- Gains and timebase controlled from keyboard.
- Spectrum analyzer software available.
- Specify disk or cassette software.

Send:

Rapid Systems Inc. call-5415 136th Pl. S.E. 206-641-2141 Bellevue, WA 98006

\$249

Prices subject to change without notice



Werewolf Software Is at It again - serving up full-strength doses of adventure, mystery and welrdness in our new adventure. Sign of the Sphinix.

From the dark shrines of bizarre cults to the ruins of ancient and modern civilizations, you can trace fragments of forgotten knowledge to the final secret at the Crimson Altar.

Text adventure on disk for the Commodore 64. \$23 postpaid from

Werewolf Software 109 Minna Street, Suite 353 San Francisco, CA 94105

HAVE YOU GOT THE 1541 BLUES?



WE'VE GOT THE PERMANENT FIX!!

Send us your sick 1541 and a check for \$69.95 plus 5.00 shipping and we'll not only align your drive, we'll fix it so it will STAY THAT WAY.

We guarantee it for 6 months.

We also service the complete COMMODORE COMPUTER LINE with a 48-hour turn-around time.

> TRIAD COMPUTERS 3068 Trenwest Dr.

Winston-Salem, NC 27103 (919)765-0433

TUTOR with your COMPUTER

Educational SOFTWARE tutors your child, step-by-step. Teacher-created, educationally sound, remarkably effective!

- MATH LANGUAGE ARTS SOCIAL STUDIES
 - PRESCHOOL

For Apple II+, Ile, Commodore 64, TRS-80 Models III & IV.



Send for FREE brochure: DAYBREAK SOFTWARE (Div. of Educational Activities)

1951 Grand Avenue, Dept. CG DAYBREAN Baldwin, NY 11510

1-800-645-3739 (U.S.) 516-223-4666 (N.Y., AK., HW.)

BOARDWALK BLACKJACK

Play Blackjack Atlantic City Style using 2,4,6 or 8 decks. BW Blackjack simulates playing with real decks of cards. including shuffling and cutting.

Allows you to practice card counting and betting strategies. HIT - SPLIT - DOUBLE - STAND.

Commodore version - \$19.95 IBM version - \$24.95 Add \$2.00 for shipping. NJ residents add 6% sales tax.

To order specify version and send check or money order to:

> DETAIL TECHNOLOGIES, INC. 3490 U.S. Route 1 Princeton, NJ 08540

DUANES COMPUTER CORNER (518) 372-1615 / 393-7330

COMMODORE 64

\$195.00

ALL C-64 SOFTWARE

Access • Academy

 Broderbund • Codewriter Comprehensive • EPYX MUSE • HES • Timeworks Spinnaker • Scarborough Timeworks . Screenplay

Off Mfg. Sugg

BMC Monitors **Panasonic Printers**

. JJ1201 Y + 84.95 KXP1090 289.95 12EUN Hi Res 89.95 KXP1091 349.95 9191V + Color 249.95 KXP1092 399.95

Fuji Diskettes MD1 19.95 box of 10 Super Special MD2 24.95 box of 10

> Write for our free catalog 3901 State St., Schenectady, N.Y. 12304

CARTRIDGE-MAKER-64

Now you can make your own Commodore 68 Video Come and Program Cartridges with CARTRIDGE-MAKES-64.

Simple and Easy to use a Insert CARTRIDGE-MAKER-Ak into the Commodore 6% cartridge expansion port.

Insert # black CARTRIDGE-68 to be programmed into CARTRIDGE-MAKER-64.

Turn on the Commodore 6% and run the CARTRIDGE-MAKER-6% program to breate a cartridge of your program or video game.

With CARTRIDGE-MAKER-64 you can't

CARTRIDGE-MAKER-64 CARTRIDGE-ERASER CANTRIDGE-64 (16K)

\$ 129.00 \$ 59.00 \$ 25.00

Cartridge-Maker Kit 5 189,00 (Includes: Cartridge-Maker-6%, Cartridge-Eraser and 1 Slank Cartridge-6% 516E)

Purchase of 5 blank Centridge-64 (16K mach) \$115.00

Phone Orders sall: Toll Free ROD-235-3251 Ext. 1050 PA Residents sall 215-261-4840 VISA-MASTERCARD-C,O.B. - CHECK-MONEY ORDER

CARTRIDGE-MAKER-64 & CARTRIDGE-68 - are TM of Custom Programming Group. Inc. COMMODORE 64 - is a Registered TM of Commodore Business Machines, Inc. Dealer and Distributor Inquiries Invited



ADVERTISERS INDEX

Reader Service Number/Advertiser	Page	Reader Service Number/Advertiser	Page
		1051: 1: 6	105
102 Aardvark Action Software	98	135 Limbic Systems, Inc.	123
103 Abacus Software	87	Loadstar	133
104 Abacus Software		Lyco Computer Marketing & Consultants	185
105 Abacus Software		136 MFJ Enterprises Incorporated	121
106 Academy Software		Micol Systems	107
107 Activision	IEC 1	137 Microcomscribe	43
ALD C	100	138 Microlab, Inc	6 47
A.I.D. Corp	. 190	139 MicroProse Software	21
Altacom, Inc.	. 189	139 MicroProse Software	. 42
108 American Educational Computer	29	140 Micro Sci Corp	. 03
109 Artificial Intelligence Research Group	. 111	141 Micro Ware	102
110 The Avalon Hill Game Company		142 Micro Ware	130
111 B & B Microlabs		143 Mirage Concepts, Inc.	. 13
Basix Softworx	109	144 MMG Micro Software	105
Basix Softworx	182	145 MSD Systems, Inc	4.15
110 Data is landed	77	NRI Schools	81
112 Batteries Included	110	146 Omnitronix	111
113 Bear Technologies	. 140	140 Ommironix	67
114 Bible Research Systems	. 106	147 Orange Micro Inc.	. 0/
115 Big Bytes	. 132	148 Orbyte Software	. 45
116 Brady Communications, Inc	34,35	Orion Enterprises	140
Brantford Educational Services	. 188	149 PC Gallery	189
117 Broadway Computer Corporation	133	Practicorp International, Inc.	. 83
118 Bytes & Pieces, Inc.	183	150 Professional Software, Inc	9
119 Cardco, Inc	IRC	Pro-Line Software	. 75
C 1: 10-6	122	151 Protecto Enterprizes	112
Cardinal Software	101	152 Protecto Enterprizes	113
Cardinal Software		152 Projecto Efferencias 114	115
Cheatsheet Products		151 Protecto Enterprizes	117
Chemical Bank		Protecto Enterprizes	,117
The CHF Company	71	Protecto Enterprizes 118	,119
Chipmonk Software	. 190	Quicksilva Inc.	. 55
Columbia Software		153 Radix Marketing	. 52
Commodore Computers		Rapid Systems Inc.	191
120 CompuServe	19	The Scarborough System	2.3
Composerve	103	154 The Scarborough System	21
ComputAbility	100	155 Sight & Sound Music Software, Inc	4 25
Computer Mail Order	. 127	Signal Computer Consultant, Ltd	190
Computer Place	. 182	Signal Computer Consultant, Ltd	111
121 Covox Inc	. 184	156 The 64 Club	51
Creative Software	4	157 Skyles Electric Works	. 51
122 C.S.M. Software		S.M. Thorpe Co	191
Custom Programming Group, Inc		Softlaw	. 97
123 Daybreak Software	191	Software Discounters of America	188
124 DesignWare	27	The Software Sector, Inc.	. 95
Detail Technologies Inc	101	158 Software Warehouse Outlet	186
Detail Technologies, Inc.	100	159 Southwest Micro Systems Inc.	63
125 Digital Wizardry	. 190	Spinnaker	17
126 Dow Jones News/Retrieval	. 135	Spinnaker	. 22
Duanes Computer Corner	. 191	160 Star Micronics Inc.	10/
Dynastar Productions		161 Starpoint Software	100
127 Eastern House	. 184	Strategic Simulations Inc.	. 61
Elcomp Publishing, Inc	69	162 subLOGIC Corporation	. 5/
E Mart, Inc.	. 135	163 Syntonic Corp	140
Ерух	37	164 Systems Management Associates	. 99
Epyx	39	165 Systems Management Associates	101
128 ERGO Systems, Inc.		3G Company, Inc.	189
100 E tel Computer Added Description	63	166 Timeworks, Inc	11
129 Extek Computer Aided Products Inc.	107	167 Triad Computers	191
Genesis Computer Corporation	. 18/	167 Triad Computers	107
130 The Gold Disk		168 Tussey Mt. Software	120
131 The Griffinworks		Ultrabyte	130
132 Hacker's Hardware	. 190	169 USI International	. 21
133 HesWare	. 121	170 VAISALA Inc	. 20
HesWare		Werewolf Software	191
HesWare	. 125		
HesWare			1120
134 Infocom	33	COMPUTE!'s Gazette Disk	49
Intelligent Software	134	COMPUTE!'s Gazette Subscription	
Intelligent Software	. 130	COMPUTE!'s Second Book of	
John Henry Software	100		73
Ken Gordon Production		Machine Language	, 0
Kyan Software	. 182		

You asked for them . . . CARDCO has them!

LQ/1 & LQ/3 LETTER QUALITY PRINTERS

In response to your demand and need, CARDCO now has available "Commodoreready "LETTER QUALITY PRINTERS". Just plug them in and print.

Offering standard friction-feed and optional tractor-feed, the CARDCO PRINTERS come complete with built-in interfacing for all Commodore Personal Computers, as well as compatible input for PC, PC jr., TRS-80 and other personal computers.

LQ/1 13" carriage, 15 CPS

LQ/3 11" carriage, 13 CPS

cardco, inc.

300 S. Topeka Wichita, Kansas 67202 (316) 267-6525

Commodore " is a registered trademark of Commodore Business Systems, Inc.

"The world's largest manufacturer of Commodore accessories."

"CARDPRINT" C/?+G PRINTER INTERFACE with Graphics

For printers that are not Commodore-ready, Cardco offers the C/?+G PRINTER INTERFACE including all cables and connectors for the following printers: all new Epson MX, RX and FX series, Star Gemini 10X and Delta 10, Prowriter, C.-Itoh 8510, NEC 8023, Okidata 82, 83, 84, 92, 93 and 94, Mannesman Tally Spirit and MT-160, Seikosha GX-100, BMC BX-80 and the Gorilla Banana. Prints the full Commodore character set; graphics, characters, reversed characters and reversed graphics characters.


"WRITE NOW" WORD PROCESSOR SOFTWARE

An excellent time saver, CARDCO OFFERS THE CØ2 "Write Now" program with built-in 80 column display. You see exactly what will print. All special codes can be transmitted to printers maintaining justification. Easy full-screen editing; works with any printer.

"MAIL NOW" MAILING LIST SOFTWARE

CARDCO D/01 quickly (in memory) sorts by zip, category, name and state; fully compatible with "WRITE NOW". Other fine features include: User-oriented; menu-driven operation; each disk supports 600 entries. Format can print single, double or triple labels across.


All Cardco Products are available at your local dealers. Write for illustrated literature.







IT'S NOT HOW MUCH YOU PAY.



IT'S HOW MUCH YOU GET.

The computer at the top has a 64K memory.

It has the initials I, B, and M. And you pay for those initials—about \$669.

The Commodore 64™ has

a 64K memory.

But you don't pay for the initials, you just pay for the computer: \$215. About one third the price of the IBM PCir.™

The Commodore 64 also has a typewriter-type

keyboard with 66 typewritertype keys. (Not rubber chicklet keys like the IBM PCir.)

It has high resolution graphics with 320 x 200 pixel resolution, 16 available colors and eight 3-dimensional sprites.

It has 9-octave high fidelity sound.

The Commodore 64 is capable of running thousands of programs for home and office. And if you add a printer or color monitor, disk drive and a modem-all together it just about equals the price of the IBM PCir all alone. With no peripherals.

So you can buy a computer for a lot of money.

Or buy a lot of computer for the money.

COMMODORE 6

IT'S NOT HOW LITTLE IT COSTS. IT'S HOW MUCH YOU GET.