

INDEX TO VOLUME 1

(Figures in parentheses are issue numbers)

- Aggregation and lyotropic mesophase formation in anionic dye solutions (1) 39
- Allen, Norman S, McKellar, John F and Mohajerani, Baghar, Lightfastness and spectroscopic properties of basic triphenylmethane dyes. Effect of the substrate (1) 49
- Balli, H and Naef, R, Photochrome moleküle. Synthese und photochromie von spiropyrano (2H) [3,2-f]-chinolinen und ihrer quartären salze (2) 139
- Czajkowski, W, Studies on the reaction of the metal-exchange process during the preparation of Lithol Red R (CI pigment red 49) (1) 17
- Dyes for synthetic-polymer fibres 14H-Naphthol[2,3-a]phenothiazine-8-13-diones and 1H-2,3-dihydroanthra[2,1-b][1,4]thiazine-7-12-diones (2) 91
- Editorial (1) 1
- Greenhalgh, C W, Carey, J L and Newton, D F, The synthesis of quinodimethanes in the benzodifuranone and benzodipyrrolidone series (2) 103
- Hydrolysis of the bonds between fibre reactive dyes and cellulose by sodium perborate and hydrogen peroxide solutions (2) 121
- Jha, B N and Banerji, J C, Research note. Substituted benzylidene cyanines (2) 161
- Jones, F and Kent, D R, Aggregation and lyotropic mesophase formation in anionic dye solutions (1) 39
- Lightfastness and spectroscopic properties of basic triphenylmethane dyes. Effect of the substrate (1) 49
- Matsuoka, Masaru, Yoshida, Katsuhira, Makino, Yoshinobu and Kitao, Teijiro, A novel 2-amination and quinizarin promoted by copper ions (1) 27
- Metallsalze aus 5,5'-methinbisbarbitursäurederivaten, ihre verwendung als pigmente (1) 59
- Moeckli, P, Preparation of some new red fluorescent 4-cyanocoumarin dyes (1) 3
- Notes for authors (1) 77
- Novel 2-amination of quinizarin promoted by copper ions (1) 27
- Peters, A T and Tenny, B. A, Dyes for synthetic-polymer fibres 14H-Naphthol[2,3-a]-phenothiazine-8-13-diones and 1H-2,3-dihydroanthra[2,1-b][1,4]thiazine-7-12-diones (2) 91
- Photochrome moleküle. Synthese und photochromie von spiropyrano(2H)[3,2-f]-chinolinen und ihrer quartären salze (2) 139

- Porter, R . Spray drying water soluble organic dyes Effect of morphology and crystal habit on process and product properties (2) 81
Preparation of some new red fluorescent 4-cyanocoumarin dyes (1) 3
- Rattee I D and So, K F . The hydrolysis of the bonds between fibre reactive dyes and cellulose by sodium perborate and hydrogen peroxide solutions (2) 121
Research note Substituted benzylidene cyanines (2) 161
Rouèche, A Metallsalze aus 5,5'-methinbisbarbitursäurederivaten, ihre verwendung als pigmente (1) 59
- Spray drying water soluble organic dyes Effect of morphology and crystal habit on process and product properties (2) 81
Studies on the reaction of the metal-exchange process during the preparation of Lithol Red R (CI pigment red 49) (1) 17
Synthesis of quinodimethanes in the benzodifuranone and benzodipyrrolidone series (2) 103

INDEX TO VOLUME 2

(*Figures in parentheses are issue numbers*)

- Adsorption of direct dye on cellulose in the presence of sodium alginate at various temperatures (1) 49
Aliwarga H and Hallas, G . Synthesis and electronic spectra of some azo disperse dyes derived from *N*-2,2,2-trifluoroethyl-1,2,3,4-tetrahydroquinoline (3) 195
Allen N S Fatimikun, K O , Davies A K , Parsons, B J and Phillips, G O , Factors influencing the photofading of commercial anthraquinone dyes in solution (3) 219
Allen, N S , Mohajerani, Baghar and Richards, John T , Photofading of basic triphenylmethane dyes Evidence for electron transfer (1) 31
Aminochlorobenzenesulphonic acids Synthesis of the missing isomers and corrections to the literature (2) 161
Application of microscopic techniques to pigment manufacture and performance in fluid inks (2) 175
Application of the PPP-Mo method to the prediction of colour in di- and tri-arylmethane dyes (1) 37
Azo disperse dyes with polyfluoroalkyl groups attached to the nitrogen atom of the coupling component (4) 279
Azo-hydrazone tautomerism in azo dyes I A comparative study of 1-phenylazo-2-naphthol and 1-phenylazo-2-naphthylamine derivatives by electronic spectroscopy (2) 73
Balli, H and Ritter, H . Zur tautomerie von *o,o'*-diamino- und *o,o'*-dihydroxy-azopyrazolfarbstoffen (2) 93
Bamfield, P and Greenwood, D , Aminochlorobenzenesulphonic acids. Synthesis of the missing isomers and corrections to the literature (2) 161
Bil, M and Corbett, J F , A novel synthesis of 6-aminoquinoxalines (3) 215
Book review (1) 71
Butylamination of 1-aminohalogenoanthraquinones promoted by metal ions (2) 125

- N-(1,1-Dihydro) polyfluoroalkyl substituted triphenylmethane dyes (2) 153
- Dronkina, M. I , Khomenko, L. A , Gandel'sman, L. Z and Yagupol'skii, L. M , N-(1,1-Dihydro) polyfluoroalkyl substituted triphenylmethane dyes (2) 153
- Effects of fluorescent substances on the photofading of colours. Part 4—Photochemical interaction between fluorescent brightening agent of a pyrazoline type and 1,4-diaminoanthraquinone (1) 21
- Factors influencing the photofading of commercial anthraquinone dyes in solution (3) 219
- Gandel'sman, L. Z , Mostoslavskaya, E. I , Khomenko, L. A and Yagupolskii, L. M., Azo disperse dyes with polyfluoroalkyl groups attached to the nitrogen atom of the coupling component (4) 279
- Grecu, Renato, Pieroni, Marcello and Carpignano, Rosarina, Quantitative relationships between chemical structure and technical properties of arylazoindole sulphonic acid dyes (4) 305
- Griffiths, John and Pender, Kevin J., Application of the PPP-Mo method to the prediction of colour in di- and tri-arylmethane dyes (1) 37
- Kelemen, J , Azo-hydrazone tautomerism in azo dyes I A comparative study of 1-phenylazo-2-naphthol and 1-phenylazo-2-naphthylamine derivatives by electronic spectroscopy (2) 73
- Kikuchi, M , Yamagishi, T and Hida, M , Structure determination of leucoanthraquinones by proton and carbon-13 nuclear magnetic resonance spectroscopy (2) 143
- Kinetic investigation of reactive dyeing (4) 285
- Kraska, Jan and Blus, Kazimierz, Synthesis of aminoarylsulphonanilides derived from *o*-chlorotoluene (1) 1
- Kuramoto, N and Kitao, T , Mechanism of the photofading of dye Contribution of singlet oxygen to the photofading of aminoanthraquinone dyes (2) 133
- Mechanism of the photofading of dye Contribution of singlet oxygen to the photofading of aminoanthraquinone dyes (2) 133
- Mehta, Himanshu P and Peters, Arnold T , Substituent effects on the colour, dyeing and fastness properties of 4-*N*- β -cyanoethyl-*N*- β -hydroxyethylaminoazobenzenes Part I—Monosubstituted derivatives (4) 259
- 2-Methylbenz[*c,d*]indole and its derivatives (3) 231
- Naef, R , Synthesis, ¹H-NMR and electronic absorption spectra of bis-(1,2-dimethyl-3-indolyl)hetarylmethane dyes (1) 57
- Nango, M , Tanihara, S , Maekawa, M , Katayama, A and Kuroki, N , Adsorption of direct dye on cellulose in the presence of sodium alginate at various temperatures (1) 49
- ¹H-NMR and electronic absorption spectra of bis-(1,2-dimethyl-3-indolyl)hetarylmethane dyes (1) 57
- Novel cyclisation of *o*-cyanodiarylazo-compounds (1) 11
- Novel synthesis of 6-aminoquinoxalines (3) 215
- Photofading of basic triphenylmethane dyes. Evidence for electron transfer (1) 31
- Physicochemical and dyeing properties of pigments containing 3- or 4-aminophthalimide residue (3) 249
- Price, Raymond, A novel cyclisation of *o*-cyanodiarylazo-compounds (1) 11

- Quantitative relationships between chemical structure and technical properties of arylazoindole sulphonic acid dyes (4) 305
- Reviews (4) 319
- Rusznak, I., Zobor, J. and Levai, Gy., Kinetic investigation of reactive dyeing (4) 285
- Salamon, Z. and Skibinski, A., Some properties of dual fluorescence of methine dyes (3) 239
- Some properties of dual fluorescence of methine dyes (3) 239
- Structure determination of leucoanthraquinones by proton and carbon-13 nuclear magnetic resonance spectroscopy (2) 143
- Substituent effects on the colour, dyeing and fastness properties of 4-*N*- β -cyanoethyl-*N*- β -hydroxyethylaminoazobenzenes Part I—Monosubstituted derivatives (4) 259
- Synthesis and electronic spectra of some azo disperse dyes derived from *N*-2,2,2-trifluoroethyl-1,2,3,4-tetrahydroquinoline (3) 195
- Synthesis and photochromic properties of perfluoroalkyl and trifluoromethylsulphonyl substituted indoline spirochromenes (3) 205
- Synthesis of aminoarylsulphonanilides derived from *o*-chlorotoluene (1) 1
- Szadowski, J., Physicochemical and dyeing properties of pigments containing 3- or 4-aminophthalimide residue (3) 249
- Vasilenko, N. P., Mikhailenko, F. A. and Rozhinsky, Ju. I., 2-Methylbenz[*c,d*]indole and its derivatives (3) 231
- Vernardakis, T. G., Application of microscopic techniques to pigment manufacture and performance in fluid inks (2) 175
- Woode, Kwamena, A., Bart, Jan C. J. and Calcaterra, Mario, X-ray crystal structure of the dye 2-bromo-4-cyano-4'-*N,N*-diethylaminoazobenzene (4) 271
- X-ray crystal structure of the dye 2-bromo-4-cyano-4'-*N,N*-diethylaminoazobenzene (4) 271
- Yagupolskii, L. M., Pasenok, S. V., Gal'bershtam, M. A., Bobyleva, G. K., Popov, V. I. and Kondratenko, N. V., Synthesis and photochromic properties of perfluoroalkyl and trifluoromethylsulphonyl substituted indoline spirochromenes (3) 205
- Yamada, K., Shosenji, H., Nakano, Y., Uemura, M., Uto, S. and Fukushima, M., Effects of fluorescent substances on the photofading of colours Part 4—Photochemical interaction between fluorescent brightening agent of a pyrazoline type and 1,4-diaminoanthraquinone (1) 21
- Yoshida, K., Matsuoka, M., Yamashita, Y., Okugawa, T. and Kitao, T., Butylamination of 1-aminohalogenoanthraquinones promoted by metal ions (2) 125
- Zur tautomerie von *o,o'*-diamino- und *o,o'*-dihydroxy-azopyrazolfarbstoffen (2) 93