

## CONTENTS OF VOLUME 6

### *Number 1*

|                                                                                                                                                 |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Disperse and Cationic Dyes from 2-( <i>o,m,p</i> -Aminophenyl)oxazolo-(4,5- <i>b</i> )pyridine . . . . .                                        | 1  |
| ERMANN0 BARNI, SERGIO PASQUINO, PIERO SAVARINO,<br>GAETANO DI MODICA and GIACOMO GIRAUDO (Italy)                                                |    |
| Photochromism of the Azo Tautomer of 4-Phenylazo-1-Naphthol and its <i>O</i> -Methyl Ether in Solvents and Polymer Substrates . . . . .         | 13 |
| P. BALL and C. H. NICHOLLS (Australia)                                                                                                          |    |
| A New <i>C</i> -Glycosylantraquinone from Madder Root . . . . .                                                                                 | 27 |
| A. VAIDYANATHAN (Great Britain)                                                                                                                 |    |
| Colour and Constitution of Thiophene and Thiazole Azo Dyes: Application of CNDO/S and PPP Methods . . . . .                                     | 31 |
| YOSHIYA KOGO (Japan)                                                                                                                            |    |
| Synthesis of Benzimidazole Substituted Pyridone Azo Disperse Dyes . . . . .                                                                     | 39 |
| D. V. DIKSHIT, S. D. DEVAL and K. D. DEODHAR (India)                                                                                            |    |
| X-Ray Crystal Structure of the Dye 2,4,6-Tricyano-4'- <i>N,N</i> -diethylaminoazobenzene . . . . .                                              |    |
| JAN C. J. BART, MARIO CALCATERRA and WALTER CAVIGIOLO (Italy)                                                                                   |    |
| Estimating the Hydrophobic Character of Dyestuffs: A Comparison of Partition, Reverse-Phase Thin-Layer Chromatography and Calculation . . . . . | 61 |
| D. G. DUFF, R. W. HOROBIN and G. B. PROCTOR (Great Britain)                                                                                     |    |
| Reaction of 5-Amino-2,3-dicyano-1,4-naphthoquinone with Arylamines . . . . .                                                                    | 75 |
| KOICHI TAKAGI, MASARU MATSUOKA, YUJI KUBO and TEIJIRO KITAO (Japan)                                                                             |    |

### *Number 2*

|                                                                                                    |    |
|----------------------------------------------------------------------------------------------------|----|
| Monoazo Dyes for Polyamide Derived from 2-(4-Alkylamido-2-hydroxyphenyl)benz-X-azoles . . . . .    | 83 |
| ERMANN0 BARNI, PIERO SAVARINO, ROSARINA CARPIGNANO, RAFFAELLA LAROVERE and GIACOMO GIRAUDO (Italy) |    |
| Synthesis of Isomeric Azo Disperse Dyes of Pyridobenzimidazole—Part II . . . . .                   | 99 |
| D. V. DIKSHIT and K. D. DEODHAR (India)                                                            |    |

|                                                                                                                                                                                                              |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| The Effect of Surfactants on the Kinetics of Diazocoupling Between <i>p</i> -Methoxybenzenediazonium Ions and $\alpha$ -Naphthylamine<br>A. TENTORIO, B. GATTI and F. M. CARLINI (Italy)                     | 107 |
| Direct Imaging of Organic Molecules in Crystals by High Resolution Electron Microscopy at Atomic Level<br>NATSU UYEDA (Japan)                                                                                | 115 |
| Synthesis and Purification of Trisulphoindigo and Reversed-Phase High Performance Liquid Chromatographic Determination of Trisulphoindigo in FD & C Blue No. 2<br>JOHN E. BAILEY, JR. and JAMES TRAVIS (USA) | 135 |
| Effects of the Phenol on the Dyeing of Polyester Fibre with Some Disperse Azo-Dyes<br>ANTONIO ARCORIA, MARIA L. LONGO and GIOVANNI PARISI (Italy)                                                            | 155 |

### Number 3

|                                                                                                                                                                                                                                        |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Evidence for Electron Transfer of Excited Indigo Dyes with both Electron-Acceptors and Electron-Donors<br>JOSEPH POULIQUEN, VERONIQUE WINTGENS, VINCENTE TOSCANO and JEAN KOSSANYI (France)                                            | 163 |
| Syntheses of Deep Coloured Aminonaphthoquinonoid Dyes. Reaction of Dichloronaphthazarins with 2-Aminobenzenethiol and Related Compounds<br>KOICHI TAKAGI, MASAOKI KAWABE, MASARU MATSUOKA and TEIJIRO KITAO (Japan)                    | 177 |
| Quantitative Structure-Property Relationships Study of Azo Dyes using Partial Least Squares Analysis in Latent Variables (PLS)<br>ROSARIO CARPIGNANO, PIERO SAVARINO, ERMANNO BARNI, SERGIO CLEMENTI, and GIANFRANCO GIULIETTI (Italy) | 189 |
| Chromophoric Chain $\beta$ -Aryl-Substituted Styryl Cyanines: Effect of Substituents on Visible Absorption Spectra and Photosensitisation Properties<br>B. N. JHA and J. C. BANERJI (India)                                            | 213 |
| Attempted Synthesis of 3-Arylazo-4-methylcoumarins: An Unexpected Dimerisation of Ethyl $\alpha$ -Arylazoacetoacetates<br>S. PADMANABHAN and S. SESHADRI (India)                                                                       | 227 |
| Announcements                                                                                                                                                                                                                          | 231 |

### Number 4

|                                                                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Synthesis, $^1\text{H-NMR}$ and Electronic Absorption Spectra and Halochromic Properties of Bis(2-methyl-1-phenyl-3-isoindolyl)-(het)aryl-methane Dyes<br>R. NAEF (Switzerland) | 233 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                                                                                              |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| The Chromophore of Fulvenoid Dyes<br>J. FABIAN (German Democratic Republic) and H. JUNEK (Austria)                                                                                                                                                           | 251 |
| Intermediates and Dyes for Synthetic-Polymer Fibres. Derivatives of Benzo( <i>d</i> )naphthol(1,2- <i>b</i> )thiophene-9,10-dicarboxylic Anhydride<br>A. T. PETERS and M. J. BIDE (Great Britain)                                                            | 267 |
| Untersuchungen zum UV/VIS-Spektralverhalten von Azofarbstoffen: VIII—Quantitative Untersuchungen zur Tautomerie substituierter 1-Phenylazo-2-naphthole mittels UV/VIS-Spektroskopie<br>R. HAESSNER, H. MUSTROPH and R. BORSDORF (German Democratic Republic) | 277 |
| Synthesis of 2-Hetaryl-5-phenyl-1,3,4-oxadiazole and Bis-1,3,4-oxadiazole Derivatives and Their Use as Fluorescent Whiteners for Polyester Fibres<br>D. W. RANGNEKAR and R. C. PHADKE (India)                                                                | 293 |
| Synthesis and Properties of <i>N,N'</i> -Unsymmetrical Dialkyl-3,4:9,10-Perylenebis(dicarboximide)s<br>YUKINORI NAGAO, YOSHIMOTO ABE and TAKAHISA MISONO (Japan)                                                                                             | 303 |

## Number 5

|                                                                                                                                                                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Studies in the Vilsmeier–Haack Reaction: Part XXV—Synthesis of 3-Hetarylcoumarins by the Application of the Vilsmeier–Haack Reaction<br>N. K. CHODANKAR and S. SESHADRI (India)                                                                                                            | 313 |
| New Dyes Containing the 1,3-Benzodithiole Residue<br>T. HORIIKE, M. KONDO, S. KWON and N. KUROKI (Japan)                                                                                                                                                                                   | 321 |
| Absorption–Emission Spectra Studies of 3-Hetarylcoumarins<br>N. K. CHODANKAR and S. SESHADRI (India)                                                                                                                                                                                       | 331 |
| On the Application of Theoretical Methods for the Prediction of Fluorescence Maxima of Organic Dyes<br>WALTER FABIAN (Austria)                                                                                                                                                             | 341 |
| Amino Derivatives of 1,8-Naphthalic Anhydride and Derived Dyes for Synthetic-Polymer Fibres<br>A. T. PETERS and M. J. BIDE (Great Britain)                                                                                                                                                 | 349 |
| Novel Heterocyclic Intermediates for New Dyes and Pigments<br>C. O. OKAFOR (Nigeria)                                                                                                                                                                                                       | 377 |
| The Effects of Cyclic Terminal Groups in 4-Aminoazobenzene and Related Azo Dyes: Part 2— $pK_a$ Values of Some Monoazo Dyes Derived from <i>N</i> -Phenylpyrrolidine and <i>N</i> -Phenylpiperidine<br>JOHN D. HEPWORTH, DONALD MASON, GEOFFREY HALLAS and RICHARD MARSDEN (Great Britain) | 389 |

## Number 6

|                                                                                                                                                                                                                                |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Pyrimidyl and Imidazolyl Coumarin Disperse Dyes . . . . .                                                                                                                                                                      | 397 |
| S. PADMANABHAN and S. SESHADRI (India)                                                                                                                                                                                         |     |
| New Phenothiazine Dyes and Pigments . . . . .                                                                                                                                                                                  | 405 |
| CHARLES O. OKAFOR (Nigeria)                                                                                                                                                                                                    |     |
| Intermediates and Dyes for Synthetic-Polymer Fibres. Benzo[ <i>b</i> ]-<br>naphtho[3,2- <i>d</i> ]thiophene-6,7-dicarboxylic Acid Imides and Benzimidazo<br>Dibenzothiopheno[4,3,2- <i>d,e</i> ]-isoquinolin-10-ones . . . . . | 417 |
| A. T. PETERS and M. J. BIDE (Great Britain)                                                                                                                                                                                    |     |
| The Chlorination of 1,4-Dihydroxyanthraquinone with Thionyl Chloride . . . . .                                                                                                                                                 | 435 |
| P. SUTTER and C. D. WEIS (Switzerland)                                                                                                                                                                                         |     |
| Application of New Methods to the Kinetic Study of Diazotization<br>and Azo Coupling Reactions . . . . .                                                                                                                       | 445 |
| V. VELICH, V. DLASK and RUŽIČKA (Czechoslovakia)                                                                                                                                                                               |     |
| Colour and Constitution of Some <i>N</i> -Phenylpyrrolidinylazo Dyes:<br>Application of the PPP Molecular Orbital Method . . . . .                                                                                             | 463 |
| GEOFFREY HALLAS and RICHARD MARSDEN (Great<br>Britain)                                                                                                                                                                         |     |