



40+ WAYS TO NAIL YOUR VOCAL TRACKS



UNDERWORLD

on Reinvention Through Collaboration

NOVEMBER 2010

\$5.99

CAN \$6.99



A MUSIC PLAYER PUBLICATION



#BXNTGK *****AUTO**S-DIGIT 50036
#0304884 0# EQM 0304884 17GDYF
OCL EQM_2 NOV10 0018 #209 #31432
RON CARLSON
103 TAMM ST
BOONE IA 50036-3616



stop compromising! **Reveal** your mix

WideBand Tweeter

Extended HF to 30kHz stabilises and enhances the stereo image

Elliptical Waveguide

Controls high frequency directivity and minimises diffraction

Wide 'Sweet Spot'

Hear what's going on in your mix with stunning accuracy whether you're turning your head or reaching for coffee!

Sculpted Curved Edges

Greatly improves frequency response delivering solid imaging even when off-axis

Front Firing Ports

Allows for easier positioning within small or confined studio spaces without making your bass muddy

Discreet MOSFET Power

Unlike low cost Power ICs, our Active MOSFET amplifiers deliver much more punch and helps you mix without running out of steam!



Reveal 501A



Reveal 601A



Reveal 601P

Building upon a world-class reputation from manufacturing loudspeakers and monitoring systems for over 80 years, the all-new Tannoy Reveal series represents the latest evolution of our high-resolution reference monitor technology.

If you're looking to equip your studio with an accurate reference monitor with a compact footprint, Tannoy has the perfect solution without the excessive price tag.

Tannoy.com/Reveal

TANNOY®

JamHub®

the silent rehearsal studio

Unless you own a private Caribbean island or a large estate, every musician has the same problem: rehearsing is too loud for most locations, and studio space is limited and expensive.

Our line of patented silent rehearsal studios will allow you to play with studio-like acoustic quality in locations you've never imagined playing. Now your band can jam anywhere, anytime, quietly enough for your bedroom, apartment, dorm room, condo and in places we have not even imagined.



Play as much as **YOU** want to play. Parents won't stop you, neighbors won't call and cops won't shut you down. JamHubs® are portable, about the size of a laptop, and affordable starting at just \$299.*
With a JamHub you can play more, hear more and you will get better faster. (*estimated "street price")

"A very affordable solution for any band looking to transform their wall of noise into a controlled, uncluttered domain in which everyone can hear everyone else during rehearsals. This will facilitate you playing better."

David C. Lovelace, Keyboard, August 2010

Learn more today at www.JamHub.com. Watch videos of JamHubs with acoustic drums & electric drums, read owner testimonials and try the online demonstration. Get a JamHub and start playing more this weekend.



1

2

3

4

R

Silent Rehearsals

Play Anywhere, Anytime with amazing clarity and no volume wars.

School Music Programs

Create rock music hubs in your school's lab without disturbing the peace or your budget.

House of Worship

An economical in-ear mixer option.

Jams Anytime

Let the kids play music all day long without upsetting the neighbors (or the cops)

Recording

Record your band in CD quality – easily.

Play Anywhere, Anytime, with Exceptional Clarity and Control



FEATURES

16 UNDERWORLD

With the release of *Barking*, British electronic music pioneers Rick Smith and Karl Hyde prove that they can still create fresh material after 30 years—with the help of a few producer friends.

26 BRANDON FLOWERS

The Killers frontman collaborates with the production dream team of Stuart Price, Daniel Lanois, and Brendan O'Brien on his debut solo album, *Flamingo*.

32 OF MONTREAL

Kevin Barnes and producer Jon Brion build a hybrid mix of vintage instruments and soft synths on *False Priest*.

TECHNIQUES

36 GUITAR 3 Reasons To Love Apple Logic

38 PRODUCTION Back to the Future

40 VOCALS Five Studio Disasters and How to Avoid Them

42 TRACKING Bluegrass in Your Living Room

POWER APP ALLEY

44 Cakewalk Sonar

46 Propellerhead Reason 5

COMMUNITY

- 8 Talkbox, Studio Horror Story, Ask EQ, EQ's Facebook Jury, EQ Poll

PUNCH IN

- 10 Antony and the Johnsons, Matthew Dear

LIVING IN THE PAST

- 66 CLASSIC EQ INTERVIEW Will.i.am

GEARHEAD

- 14 TOOL BOX New gear from Royer, Waves, MOTU, and more

THE GREAT BIG VOCAL ROUNDUP

With reviews of the SONIVOX Vocalizer and Celemony Melodyne Editor, words of wisdom from super-engineer Bruce Swedien, and a ton o' tips, including ways to make pitch correction not sound like pitch correction, ten dos and don'ts for nailing vocals, and a lot more!

GADGETS

Audio Apps BSB.BZ: deciBe | Sound Level Meter, University of Cambridge: Hertz, the WAV Recorder, Bofinit: SoundForm Signal Generator

Cover photo by PEROU

Follow EQ on



Online Now!



Underworld interview
outtakes.



of Montreal on arranging
strings, mastering.

Get All The Links at eqmag.com/nov2010

EQ (ISSN 1050-7868) is published monthly by NewBay Media, LLC 1111 Bayhill Drive, Suite 125, San Bruno, CA 94061. EQ is a trademark of NewBay Media. All material published in EQ is copyrighted (c) 2010 by NewBay Media. All rights reserved. Reproduction of material appearing in EQ is prohibited without written permission. POSTMASTER: Send address changes to EQ, P.O. Box 232, Lowell, MA 01853. Publisher assumes no responsibility for return of unsolicited manuscripts, photos, or artwork. All product information is subject to change; publisher assumes no responsibility for such changes. All listed model numbers and product names are manufacturers' registered trademarks.

Canada Post: Publications Mail Agreement #40612608. Canada Returns to be sent to Bluechip International, P.O. Box 28542, London, ON N6C 6B2.



"A-T has raised the bar once again, this time with the new M50 headphones, and this time they've raised it quite a bit. Already these phones are by far the favorite in our studio."

George Massenburg

Grammy®-winning engineer & producer

EXPERIENCE MORE .: TRUTH .:

"...it's the most exciting thing to come along in years. These are fantastic-sounding headphones, period. There just isn't anything better you can do for your artist than to give them a pair of these."

Frank Filipetti

Grammy®-winning mixer and producer

"I tried these phones on a few major artists and they all said, 'WOW these are great.' We use these phones on all our vocalists."

Al Schmitt

Grammy®-winning recording engineer and producer

"Since I got my ATH-M50 headphones, I have actually enjoyed mixing and referencing with headphones. My M50 headphones are now an integral part of my process...they absolutely translate with my speakers, but most importantly, they translate to the outside world."

Ed Cherney

Grammy® and TEC award-winning producer/engineer

"The M50's seem to be winning hands-down. Everyone that's heard them won't give them back."

Tom Schlam

Chief Engineer | Capitol Studios

METAalliance
CERTIFIED



Believe everything you hear. Audio-Technica's ATH-M50 studio monitor headphones deliver natural response throughout the entire frequency range, without hyping or diminishing sounds along the way. Wherever your music leads you, experience more. audio-technica.com

FEATURES

- Natural response ideal for professional monitoring and mixing
- Collapsible design for easy portability and convenient storage
- Proprietary 45 mm large-aperture drivers with neodymium magnet systems
- Closed-back cushioned earcups for isolation
- Adjustable padded headband for comfort during long mixing/recording sessions
- Single-sided coiled (ATH-M50) or straight (ATH-M50x) cable terminates to gold-plated mini-plug with screw-on 1/4" adapter



audio-technica

always listening

George L's



**THE ORIGINAL HIGH-END CABLE
STRINGS • GUITAR ACCESSORIES • PICKUPS**

www.georgels.com

EQ

www.eqmag.com

Vol. 21 No. 11, November 2010

Executive Editor Craig Anderton, canderton@musicplayer.com

Editor Kylee Swenson, ekeditor@musicplayer.com

Managing Editor Debbie Greenberg,

dgreenberg@musicplayer.com

Contributors David Albin, Kent Carmical, Teri Danz, Justin Kleinfeld,

Ken Micallef, Bill Murphy, Buddy Saleman, Patrick Sisson,

Tony Ware

Editorial Intern Grace Larkin

Art Director Patrick Wong, pwong@musicplayer.com

Staff Photographers Paul Haggard, phaggard@musicplayer.com,

Craig Anderton, canderton@musicplayer.com

Group Publisher Joe Perry jperry@musicplayer.com, 770.343.9978

Advertising Director, Northwest, Midwest, & New Business Dev. Greg Sutton

gsutton@musicplayer.com, 925.425.9967

Advertising Director, Southwest Albert Margolis

amargolis@musicplayer.com, 949.582.2753

Advertising Director, East Coast & Europe Jeff Donnenwerth

jdonnenwerth@musicplayer.com, 770.643.1425

Specialty Sales Associate, North Contessa Abono

cabono@musicplayer.com, 650.238.0296

Specialty Sales Associate, South Will Sheng

wsheng@musicplayer.com, 650.238.0325

Production Manager Beatrice Kim

MUSIC PLAYER NETWORK

Vice President John Pledger

Editorial Director Michael Molenda

Senior Financial Analyst Bob Jenkins

Production Department Manager Beatrice Kim

Director of Sales Operations Lauren Gerber

Web Director Max Sidman

Motion Graphics Designer Tim Tsuruda

Marketing Designer Joelle Katcher

Systems Engineer John Meneses

Assoc. Consumer Marketing Director Christopher Dyson

NEWBAY MEDIA CORPORATE

President & CEO Steve Palm

Chief Financial Officer Paul Mastronardi

Vice President of Web Development Joe Ferrick

Circulation Director Denise Robbins

HR Director Ray Vollmer

IT Director Greg Topf

Director of Publishing Operations and Strategic Planning Bill Amstutz

Controller Jack Liedke

Please direct all advertising and editorial inquiries to:

EQ, 1111 Bayhill Dr., Ste. 125, San Bruno, CA 94066

(650) 238-0300; Fax (650) 238-0262; eq@musicplayer.com

Please direct all subscription orders, inquiries, and address changes to:

800-289-9919, outside the U.S. 978-667-0364,

eqmag@computerfulfillment.com

Back Issues: Back Issues are available for \$10 each at 800-289-9919,

978-667-0364, eqmag@computerfulfillment.com

EQ (ISSN 1050-7868) is published monthly by NewBay Media, LLC

1111 Bayhill Drive, Suite 125, San Bruno, CA 94066. EQ is a

trademark of NewBay Media. All material published in EQ is copy-

righted (©) 2010 by NewBay Media. All rights reserved. Reproduc-

tion of material appearing in EQ is prohibited without written

permission. POSTMASTER: Send address changes to EQ, P.O. Box

232, Lowell, MA 01853. Publisher assumes no responsibility for

return of unsolicited manuscripts, photos, or artwork. All product

information is subject to change; publisher assumes no responsibility

for such changes. All listed model numbers and product names are

manufacturers' registered trademarks.

Canada Post: Publications Mail Agreement #40612608. Canada

Returns to be sent to Bleuchip International, P.O. Box 25542,

London, ON N6C 6B2.

Periodicals Postage Paid at San Bruno, CA, and at additional

mailing offices.

DECOMPRESS

AT THE HOTTEST AES AFTER-PARTY

**SATURDAY
NOVEMBER 6**
Free with RSVP
From 8P-Midnight



temple

540 Howard St.
San Francisco
Blossoms from Moscow

RSVP NOW!

templeafterparty.eventbrite.com

Media Sponsors

EQ keyboard

Produced By

((MATK))

glow
MARKETING



"I did it myself... ...Primacoustic made it easy!"

A conversation with jazz/blues guitar legend Scott Henderson

(Tribal Tech, Chick Corea, Jean Luc Ponty, Joe Zawinul, Jeff Berlin, Victor Wooten)

Scott, tell us about your studio.

It's a two room overdub studio - a control room and a room to mic guitar cabs, horn players, singers, etc...

What do you do there as opposed to in commercial studios?

I use commercial studios when there's a drummer involved, but I get the best guitar tones at home.

What were some of the problems you noticed with the acoustics?

Actually I never thought there were any problems, until I A/B'd the Primacoustic Broadway panels with what I was using before.

What type of panels did you have?

I had a popular brand of foam and I needed to take it down because after 3 years it started to crumble and fall apart.

Did you do the set up yourself?

I did it all myself. Primacoustic made it easy and fast. Believe me, if I can do it, anyone can. All you need is a drill, screws and a level.

How did you configure the panels?

In the control room, because there's a lot of gear to work around, I just put them where they fit. The mic'ing room was just bare walls so it required planning. I configured them randomly to cover about 30% of the walls.

What improvements did you hear?

A big difference! Tighter low end with more of it, plus a sweeter top end and a clearer, open sound.

How would you compare it to foam?


The foam gave the guitar a bit of a nasal sound - more emphasis on mid frequencies, and not good ones in my case.

What would you tell someone thinking about acoustic treatment?

Whatever you do, don't use foam, especially attached with glue. The foam turns into dust after a while and is a total mess. Even worse is trying to get the glue residue off your walls. Mine had to be completely sanded and re-painted. Plus foam doesn't sound nearly as good as the Broadway acoustic panels.

Right from day one, we have been led to believe that a great sounding room could only happen if you custom built it from the ground up. Although world class studios will never be replaced, Primacoustic can get you closer than ever before!

Start with our highly acclaimed Broadway™ panels. These feature high density 6lb glass-wool for maximum absorption. Unlike foam that only attenuates the highs, Broadway panels deliver smooth, even absorption down into the difficult to manage bass region. The result: **Recordings are more balanced and mixes translate better to other rooms.**



Tests performed by Riverbank Labs on 3" Primacoustic Broadway panels and common acoustic foam. Both absorb high frequencies but as sound shifts to bass, the foam stops working.



Installation is easy: unlike foam that ruins your walls, Broadway panels hang like pictures. They take no time to put up and look terrific! Each panel features resin hardened edges and is individually fabric wrapped in a choice of three architecturally neutral colors.

For those that want to go the extra, Primacoustic offers a wide array of bass traps, diffusers and ceiling clouds to suit.

Primacoustic... great sound made easy!



PRIMACOUSTIC®
... take control of your room!™

A division of Radial Engineering Ltd. - 1588 Keblet Way, Port Coquitlam BC V3C 5M5
www.primacoustic.com

TALKBOX



MUSIC—THE GATEWAY DRUG?

Of all the weird Internet flaps that hit the world from time to time, the whole concept of i-drugs has to be one of the more unusual. Based on the theory of binaural beats—that certain sounds, when played back through headphones, can emulate the effect that different drugs have on the brain—i-drugs have become a new bogeyman for those who find things like the Internet and electronic music evil. Some go so far as to say that this type of sound serves as a kind of gateway drug, either by getting people more accepting of real drugs, or because if they don't get the promised high from the i-drugs, they'll go get real drugs.

News flash!! Music has been getting people high for centuries. Whether we're talking about the panpipers of Joujouka, electronic trance music, *Dark Side of the Moon*, or just someone getting all misty-eyed when they hear Cyndi Lauper sing "Time after Time," music has profound effects on the brain. This is news?

I admit it: Bach makes me high. However, I never take off the headphones after listening to the

Branderburgs and say, "Well, I guess I should go get some heroin now!" A lot of the fear-mongering seems to involve electronic music, like trance, techno, etc. Admittedly, these already have a reputation of being associated with drug use, particularly ecstasy. But seriously, *it's just music*. I have yet to see a study that shows i-drugs provide anything more than a placebo effect, or that they create effects beyond what you'd get from listening to any trancey-type music when you're relaxed and grooving with a pair of good headphones.

C'mon, watchdogs of the public good . . . you have many more important things to worry about than whether people playing synthesizers in studios are going to turn your kids into drug addicts. And to the readers of this magazine, all I can say is that if the music you make gets me as high as the Branderburgs, more power to you—and thanks!

STUDIO HORROR STORY

BY BOB KETCHUM

This incident happened several years ago here at my studio. I had just earned a couple of gold records working with Krokus (<http://clients.oznet.com/cedarcrest/krokus.html>) on Arista, and received some album credits as well. A guitarist in Los Angeles had somehow heard about my studio, and wanted to come here to Arkansas and cut some demos for a prospective record company.

This guitarist had an *enormous* ego and upon arriving at the studio, insisted that he be allowed to engineer the session as well as produce it. In cases like this I simply back off and let the client do what they want. After all, it is what the studio business is all about—making money.

Well, this control freak blew his entire budget fooling around before he even had all the basic tracks done, much less overdubs. It was painfully obvious to the rest of the band that he didn't know the signal flow of my setup, but he refused any suggestions on my part and waved me away whenever I approached him. I finally shrugged my shoulders and went back to the kitchen, where I spent

the rest of the session hanging with the band.

Every once in a while one of the guys would show up in the kitchen with a real scared look and tell some horrific new tale of Mr. Ego's ill-fated journey into engineering. I wandered into the control room during mixdown and couldn't believe my ears. I had *never* heard something *sound so bad* coming out of my facility. This guy had EQ'ed all the guitars way off the scale! There was not one channel strip that did not have the EQ cranked all the way up in some fashion.

After the mixes were done, I informed the guy that I would prefer the studio's name not be included anywhere on the tape box, citing that it was "his project," not mine. But I felt so sorry for the rest of the band that I actually sat down after they left and remixed the entire project (four songs). I sent those mixes to the other guys in the band with instructions that this was on me and not to tell Mr. Ego. I received several grateful letters of thanks from California about a week later.

Needless to say, Mr. Ego did *not* get the record deal.



EQ'S FACEBOOK JURY

Is it important to record the real-deal instrument, or is it possible to create a great-sounding album using samples and modeled soft-synths/plugin-ins?

Having to master an MP3 is always problematic, but sometimes a sharp high-end cutoff, coupled with additional fixes to take care of other problems, can improve the sound.

ASK EQ

I am not a professional mastering engineer, but have become pretty good at it over the years, and help my friends from time to time by doing their mastering. However, sometimes the only mix someone will have is an MP3 version, and for whatever reason, they can't go back to the original tracks and do a proper mix to WAV file. Sometimes they even give me a 128kbps MP3, which of course, would never be anyone's first choice for mastering!

I do the best I can but was wondering if you know any techniques that can help make better-sounding masters from MP3 format files.

Benjamin Mills, Lagos, Nigeria

EQ: We've noticed this disturbing trend as well, where musicians convert directly to MP3 because they want to put their music on the web, and either don't keep—or don't even create in the first place—a high-resolution file without data compression.

Some MP3 files lend themselves to mastering better than others. Often, if the person thought that an MP3 would suffice as a master, then

there are other "rookie errors" in the recording that mastering can't fix. But sometimes an MP3 was created from a quality recording that got lost over the years and is no longer available. In that case there's hope, especially if the MP3 was recorded at a higher bit rate.

Like any mastering, you need to consider each piece of music on a case-by-case basis. However, we've noticed that usually, the high frequencies have an annoying quality that "smells" of data compression. Often, applying a sharp high-cut filter somewhere between 10 and 20kHz will make the high end sound much sweeter. If this "dulls" the sound too much, a slight boost below the range where you've cut—for example, a dB or two at 5–8kHz or so—will give a brighter, shinier sound.

Another problem with some MP3s seems to be a muddy-sounding bass, although that can be the result of the recording or mixing. Adding a narrow peak and tuning it to the kick drum's fundamental can give more power in the low end, and drive the song a bit more. Good luck!

Ask EQ a technical audio-related question, and EQ will answer it. Send it to eqeditor@musicplayer.com.

"Real deal. However, there is something to using some of that stuff as last resort. In my amateur world, I see a lot of drummers with poorly maintained kits. Sometimes replacement is good for the record. That's about it. I have yet to find samples of strings or horns that sound as good as the real deal. And amp simulators never stack up." **Scot Gallop**


"What sounds good, sounds good. I do not care if it is a real Hammond, Wurly, Moog or whatever. Now if we're talking about orchestral instruments, it depends: Real deal is better if you have a great musician, a superb instrument to record, awesome mics, a well-prepared room, etc. Otherwise, use the best sampled library and program those damned articulations good." **Gus Lozada**

"Usually the real deal. But using software instruments, etc. can give you added flexibility that allows you to work a lot faster and often more comfortably (e.g., laptop on couch vs. in big studio atmosphere), which is nice." **Matt Biggers**

EQ POLL

What's Your Songwriting Process?

- 1 Writing ideas with a songwriting partner.
- 2 Assembling parts in a sampler/hard-disk recorder.
- 3 Jamming with a group of musicians.
- 4 Writing alone with one instrument and vocals.
- 5 Tracking layers of instruments in a DAW.



"There is nothing like the feel of your fingers on the keys or strings. It is the organic expression that turns me on. But, I am experimenting with sampled drums, strings, and guitar modeling software and I love it. Yet, for me, there always has to be something organic other than my voice at work in a song." **Derek Raven**

ANTHONY AND THE JOHNSONS

Compiling Performances to Capture Fiery Vocals

Transforming from paper-thin whispers to an emotional tempest, Anthony Hegarty's vocals are revelatory. A centerpiece of Anthony and the Johnsons' intimate chamber pop, Hegarty's dynamic voice offers a challenge to engineers who want to capture his acrobatic range without clipping parts of the performance. The vocal sessions for the band's new album *Swanlights* took place independently from the instrumental tracks, over four months—giving engineer/producer Bryce Goggin, who has worked with the vocalist since 2003, ample time to craft complex voice parts from hundreds of takes.

Hegarty spent extensive time recording, often laying down long, improvised performances that were later cut up and re-assembled. Goggin estimates that for every one note that

appears on the record, they recorded 35–40 ideas in his Trout Recording Studio in Brooklyn. With so much editing required to assemble the right vocal track, he decided to track straight to Pro Tools. "It's amazing compositing with him, because I can play back five passes and he recalls phrases from each one," says Goggin. "His recall is fantastic, and the objectivity he brings is incredible."

More Online



Watch the official video for "Thank You for Your Love."

Get All The Links at eqmag.com/nov2010

Hegarty's flexible, dynamic voice presented a unique miking challenge, due to Hegarty's intense, quick-changing, near-operatic vocal style, and his method of listening to himself on headphones and reflexively altering vocal melodies to shape and color his performance. Goggin's standard setup included a Neumann (FET) SM69 microphone, set about two-and-a-half feet back, run through a Langevin AM 16 preamp and Neve 2254 compressors, which were robust enough to handle the extreme dynamic range that the singer put out. "One of my major concerns was his dynamic performance, so I needed a bulletproof mic," Goggin says.

Goggin bounced the Pro Tools tracks off his Studer A80 MKI 16-inch 2-track and ran them through an RCA BA-45 solid-state stereo limiter/compressor/preamp to add analog warmth and provide sonic consistency. "There's disparity in source on that record," he says, "so by sitting down and taking each track and putting it down to a 2-inch machine, I could effect each track dynamically and do quality control. When I run it through a tape machine, I'm already limited by [a 30 dB dynamic range]. Being forced to work in that limited dynamic range means I'm policing the dynamics while I'm bouncing to tape; I'm riding a fader to tape. It would



DON FELIX CERVANTES

be impossible for me to do that while I'm tracking him live, because he's so unpredictable."

"When you're deep in the micro, you sort of lose sight of the big picture sometimes, but I have to tip my hat to Antony," says Goggin. "He always keeps an objective overview of the arc, and all the revising helped the arc of the song." Patrick Sisson

PUNCH IN

MUSIC IS YOUR PASSION. MAKE IT YOUR CAREER.



WHEN IT COMES TO AUDIO, WE ARE THE EXPERTS IN MAKING IT YOUR CAREER.



CONSERVATORY
OF RECORDING ARTS & SCIENCES

If you're serious about a career in audio recording, you need to attend a recording school that is as committed to your success as you are. The Conservatory of Recording Arts and Sciences teaches you on state of the art recording equipment in eight world-class studios, six labs, and a 6,000 square foot live sound room. Study under seasoned Gold and Platinum award winning instructors who know what it takes to succeed.

Earn certifications on industry-standard software like Pro Tools, Logic Pro, Rational Acoustics Smaart, Waves, and more. Receive a laptop package loaded with software and our CRAS Connect curriculum delivery system that gives you 24 hour access to the educational tools you'll need to make your CRAS experience a success. And before you graduate, you'll complete an internship at an industry location you help choose.

(888) 694-3526

www.AudioRecordingSchool.com/eq.html



2300 E Broadway Road
Tempe, AZ 85282

1205 N Fiesta Boulevard
Gilbert, AZ 85233
(satellite facility)

Studio In-A-Bay
laptop package.

MATTHEW DEAR

Playing with Imperfections

Black City, the latest offering from Brooklyn-by-way-of-Detroit-and-Austin-based DJ/producer Matthew Dear, picks up where his previous CD, *Asa Breed*, left off. As the title implies, it's a dark affair, with production built on traditional song structures, Dear's vocals, and '80s synth-pop influences.

Dear created *Black City* in his home studio, using a roughly 60/40 split of digital and analog gear, including Korg Poly 6 and MS-20 synths, effects such as the Roland Chorus Echo RE-501 (it adds great warmth to the tracks, he says) and Eventide H8000, and Ohmforce, Audio Damage, PSP Audioware, and Native Instruments Komplete 6 plug-ins. Sampling played a big role in production; Dear often traveled around looking for new and unique sounds, which he captured using Native Instruments' Kontakt sampler. "I like to take a little recorder and set it up in a hotel room while hanging with friends on tour, or sometimes I'll record in the subways here in New York City," Dear explains. "Some sounds that made it on to the CD include my dog snoring and my wife crunching on tortilla chips; on the track 'I Can't Feel,' there's a weird breakdown where there's one loud crunch," he says, laughing. "The Kontakt sampler is a beast, and you can always get so many sounds out of it; especially atonal instrument sounds. Sometimes I'll use my own voice and build instruments right off of it, and I always rely on happy accidents for sounds that I don't plan."

Although *Black City* leans heavily on Dear's vocals, he admits to not being able to sing very well and he relies on a series of processes and quality microphones (Coles 4038 stereo matched pair and a Korbys KAT67) to make his voice work in the context of the record: "I've been under the



"I've been under the impression that you can work with your imperfections."

—Matthew Dear

impression that you can work with your imperfections and create a unique sound personalized to you," says Dear. "What I come up with lyrically is rhythmic, and I like to sing within the music rather than on top of it, as it's like an instrument in itself. Then, I make my voice sound good by using spatial effects and a bit of panning with overdubs. I do three takes: low baritone, middle, and falsetto which sound bad but I sweeten them up with equalization and reverbs. I think you need to find a sweet spot within your own voice by experimenting hours and hours on end," he says. "Phil Collins is a good example of someone who defined his sound with effects. He's not the most gifted vocalist, but he's recognizable with that short delay which gives a choral, synthetic effect." Justin Kleinfeld

More Online



Check out Matthew Dear's "Totem."

Get All The Links at eqmag.com/nov2010

Sweetwater®

Nobody Does Music Gear Better, Faster, or Friendlier

**Don't just take our word for it!
See what our customers have to say!**

"My three favorite, most efficient, customer-service-oriented companies to order from are Amazon.com, L.L. Bean, and Sweetwater. When it comes to electronics, I will always go to you first. Your company sets the standard for service that other companies can only hope to emulate. I have received excellent help from my Sales Engineers. Congratulations on a job well done."

— Allen Rough,
College Park, Maryland

When you shop with Sweetwater, you get more than great gear, fast. You get unsurpassed service, FREE shipping, the best tech support in the business, and even our exclusive FREE 2-year warranty. We're your go-to source for the best music equipment and technology!

**Call us today to experience what
you've been missing!**

Sweetwater®

Music Instruments & Pro Audio

(800) 222-4700

www.sweetwater.com



**FREE
Professional
Advice**

We're here to help
answer your questions.



FREE Shipping
Almost everything ships
to you for free.




FREE Technical Support
Knowledgeable pros are here
to back you up.



FREE Warranty
You won't find free 2-year coverage
like this anywhere else.



LOWEST Possible Prices
Get the gear you want,
at the right price.



Avid Pro Tools HD Series Interfaces

What New line of HD interfaces designed specifically for Pro Tools

Why Next-generation A/D and D/A conversion, filtering, and clocking provide a significant increase in sound quality compared to the previous generation of interfaces.

How The HD I/O, HD OMNI, and HD MADI offer different functionality, and are optimized for different recording and post-production scenarios. *HD I/O* is available in three configurations: 16 x 16 analog, 16 x 16 digital and 8 x 8 x 8 analog/digital in a 2 RU rack-mountable interface. *HD OMNI* integrates the functionality of numerous outboard components (dual mic preamps, headphone outs, surround monitor section, 14 x 26 channel mixer, etc.) into an all-in-one solution. *HD MADI* allows connecting Pro Tools|HD systems to industry-standard MADI infrastructures via a 1U rack-mountable interface, without the need for format conversion.

Price HD I/O starting at \$3,995; HD OMNI \$2,995; HD MADI \$4,995

Web www.avid.com

Josephson C715 Microphone

What Large, single diaphragm, made-in-USA condenser mic with adjustable pickup pattern

Why An adjustable vent allows cardioid or omni operation to accommodate various miking scenarios.

How The backplate has an adjustable vent, reached through an opening in the back of the grille, that allows adjusting the pickup pattern. Furthermore, the C715 includes a patent-pending metal foam housing that eliminates many internal reflecting surfaces, thus minimizing acoustic coloration. The internal circuitry uses a class-A cascode FET front end, driving a large nickel core Lundahl output transformer for compatibility with a wide range of preamps and consoles. The internal high voltage linear supply generates capsule polarization voltage without a switching oscillator, thus reducing noise.

Price \$4,560

Web www.josephson.com



MOTU MasterWorks Collection

What Plug-in bundle for Mac OS X 10.5 or 10.6 with three signal processors

Why Originally developed for Digital Performer, these plug-ins are now available for any host that supports the RTAS/AU/VST3 plug-in formats.

How The *MasterWorks EQ* models British analog console EQ with five bands of filtering, each with four EQ types. Two mid bands include shelf filtering, and two outside bands provide variable slope low- and high-pass filtering. A graphic display allows clicking on the filter control points to create EQ curves, while a realtime FFT display shows the effects of EQing on the audio being processed. The *MasterWorks Leveler* is an LA-2A-style optical leveling amplifier with four different models: slow vintage, fast vintage, slow modern, and fast modern. *ProVerb* is a CPU-efficient convolution reverb that delivers the ambience of realistic acoustic spaces, but also provides realtime parameter adjustment. ProVerb supports six different channel format variations.

Price \$295

Web www.motu.com





Royer Labs R-101 Ribbon Microphone

What Ribbon mic with high SPL capabilities and extremely low residual noise

Why Because you want a Royer R-121, can't afford it, but still want something with exemplary performance and the Royer pedigree.

How Multi-layered wind screening protects against air blasts and plosives, while reducing the proximity effect to facilitate close miking. The patented offset-ribbon design positions the ribbon element toward the front of the mic's body, allowing for higher SPL handling (up to 135dB SPL @ 30Hz) on the front (logo) side of the microphone or a brighter response when recording lower SPL sound sources on the mic's back side. What's more, the ribbon element is unaffected by heat or humidity. The R-101 ships with a protective carrying case, suspension-type shock mount, and mic sock.

Price \$895

Web www.royerlabs.com

Waves W43 Noise-Reduction Plug-In

What Post-production noise-reduction software

Why Reduce ambient noise such as hiss, hum, traffic noise, wind, and air conditioning on dialog and other types of audio.


How Inspired by the classic, long-out-of-production Cat. 43 hardware noise-reduction tool, the W43 delivers the original hardware's high-quality, minimal-artifact multiband noise-reduction while adding the advantages of software. The easy-to-use four-band noise suppression is controlled by four faders, a global threshold, and an engage button. The cross-platform W43 supports multiple simultaneous instances and features true Pro Tools integration, full recall, zero latency, automation, up to 24-bit/192kHz resolution, and TDM/RTAS/Audio Suite/VST/AU support.

Price \$300 Native/\$600 TDM. Mercury V7 owners covered by the Waves Update Plan receive the W43 at no additional charge.

Web www.waves.com



Propellerhead Reason 5 and Record 1.5 Duo



What Virtual MIDI studio/virtual instrument collection and full-featured DAW

Why Reason and Record make a phenomenal combination for music creation.

How Reason 5 provides (among other things) virtual instruments and processors, while Record integrates with Reason to provide a multi-tracking environment for audio and MIDI tracks. This latest upgrade introduces the Kong Drum Designer, Dr. Octo Rex loop player, redesigned sequencing paradigm, pitch correction for vocals and voice synthesis, realtime sampling, expanded Factory Sound Bank, signature patches, multicore computer optimization, interface improvements, and more. Each program is available separately, as a bundle, or as upgrades from previous versions.

Price \$449 (bundle of both programs)

Web www.propellerheads.se

Buzz Audio QSP-20 Quad Studio Preamplifier

What Quad mic preamp with Class A operation

Why Provides multiple mic preamps as well as high-Z instrument inputs.

How Each channel uses two Class A amplifiers at the input, a Lundahl audio transformer at the output to add subtle coloration while preserving transient response, and a hi-Z/lo-Z switch to vary microphone loading. Direct-coupled inputs contribute to low noise, as well as a 92dB dynamic range at the full 70dB of gain. The output headroom is +28dBu.


Price \$2,980

Web www.buzzaudio.com



by David Albin

All prices are MSRP unless stated otherwise



Underworld

**Barking Mad: Reinvention
as Self-Realization** by Ken Micallef



Underworld—Rick Smith (left) and Karl Hyde.

When Underworld's Rick Smith and Karl Hyde realized time (and perhaps life, at least as recording artists) was passing them by, they knew that drastic measures were required. Appraising their own catalog, from 1993's *Dubnobasswithmyheadman* to 2007's *Oblivion with Bells*, Underworld wondered if they still had the goods intact, much less any goods to deliver.

"Sometime in 2009, I started listening to German electronic music again, especially La Dusseldorf," Karl Hyde recalls while driving the Autobahn between Berlin and Leipzig. "That music blew me away again. This is why we like synthesizers! That German sound was chemical, alchemic. Machine music was an animal; it was just a strange animal. I started to fuse those ideas together with a rediscovery of the enjoyment of melody. Then I wondered, 'Is this allowed in Underworld?' We needed to change things radically. We wanted to redefine what was okay in the Underworld sound of palettes and instruments."

What Underworld needed was a youthful shot of adrenaline, which they eventually injected into their 10th album, *Barking* (OM Records). Calling on the best dance producers in Europe and the U.K.—High Contrast, Dubfire, Mark Knight, Dean Ramirez, Appleblim, Al Tourettes and Paul van Dyk—Underworld realized that reinvention was just a matter of letting down their guard and opening up Logic.

"Collaborating with different producers came about as a result of 20 years of being inspired by


remixes of our music and wanting to enter into a musical dialog with the remixers," Hyde continues. "But it was always after the album. We've frequently benefitted from dialog with other musicians, but Underworld has typically been a closed shop."

Tamla Motown Machine Music

Underworld are old-worlders, when you get down to it; Hyde, raised on Tamla Motown and power pop, Smith on New Wave and Kraftwerk. It wasn't until they discovered DJ Darren Emerson that Underworld truly ignited, with Emerson adding acid house and dub excursion beats to the Hyde/Smith melodic brain trust. Underworld's *Barking* isn't as radical a departure as *Dubnobasswithmyheadman*; that was a first salvo in the so-called electronic revolution of the early '90s, of which Underworld were founding members. *Barking* shows reinvention, reinvigoration, and a rethink of what made Underworld great to begin with.

"Our last album didn't give us material for the live show," Hyde admits. "Our set was starting to sound pretty old. It didn't lift our spirits. It was time to move on."

Barking is easily the duo's best album in a decade, perhaps the best since the mid-'90s classics *Dubnobasswithmyheadman* and *Second Toughest in the Infants* and the singles "Born



"Machine music was an animal; it was just a strange animal."

—Karl Hyde



The authentic sound of analog.



FEATURING POPULAR PLUG-INS FROM THESE PARTNERS:

Roland AIRCHILD PULTEC

Little Labs SPL

helios Empirical Labs MANLEY

moog BOSS Neve

UNIVERSAL AUDIO UAD-2 PLUG-INS For more than 50 years, the name Universal Audio has been synonymous with the word "analog." So it's with great pride that we produce our UAD-2 Powered Plug-Ins platform: the world's most authentically analog hardware emulation plug-ins for Mac and PC.

Powered by the UAD-2 SOLO, DUO and QUAD processing cards, UAD plug-ins deliver complex, era-defining sounds that would be difficult or impossible to achieve with native systems. And because our world-class DSP engineers work with the original hardware manufacturers — using their exact schematics, golden units, and experienced ears — UAD plug-ins deliver warmth and harmonics in all the right places... just like analog.

Learn why the majority of the world's top engineers rely on UAD plug-ins. Test drive a UAD-2 Powered Plug-Ins card at your local UA dealer. Hear the analog you're missing.



UNIVERSAL AUDIO

www.uaudio.com

Slippy" (from the 1996 soundtrack, *Trainspotting*), "Pearl's Girl," and "Moaner."

How did Underworld find new fulfillment where previously there was none? Like the Roland VP-330 vocoder they've used since the late '80s, Underworld simply needed a retrofit. Cue the roll call of collaborators who shook up Underworld's world. But first, a look at the Pigshed process.

Pigshed Process

Tracking in Underworld's three studios in Essex, England—the communal Pigshed, and Hyde and Smith's respective studios—they began writing with guitars, synths, various drum machines, and vocals. Identical setups of Apple Mac Pro 8-Core Intel Xeon computers, Apple Logic Studio (versions 7, 8, and 9), Midas Heritage 1000 consoles, and assorted plug-ins were replicated at each studio.

"We used every possible means of making a track," Rick Smith reports while "squatting on a concrete block outside the tour bus" in Salzburg, Germany. "From playing live, to playing individually and together, and sequencing. Sometimes I worked with just a trackpad on a Mac PowerBook because I was on a plane. I love electronics, and how you can manipulate real sounds. Live takes with real instruments are particularly intriguing because of what's available to manipulate digital audio."

While recording, Smith used the Midas console as a summing amplifier, bringing up the audio through three RME interfaces, and 24 channels of stems. A month before they were ready to finish the album, they set up an identical computer system at mix engineer Simon Gogerly's studio, Hub II. "He uses an SSL AWS900+ 24 channel hybrid console," says Smith. "The mixes were printed from Logic through RME through the SSL to Pro Tools [7.4 HD2 Accel]."

Underworld relied on both software and hardware synthesizers. Soft-horses included Logic ES2; GForce ImpOSCar, ImpOSCar2, String Machine,

and Oddity; Sonic Charge's Synplant; Synthogy Ivory (piano); Rob Papen BLUE; and Native Instruments' Battery 3, FM8, Reaktor 5, and Massive. Hardware synths Clavia Nord Lead 1 and 2, Moog Minimoog, and Yamaha DX7 MK1 still reign at the Pigshed.

"Logic ES2 is all over the record," Smith says. "I love the GForce soft synths, too—particularly String Machine, which is a glorious modeling of dozens of ancient string machines. String Machine was particularly lovely and multiplied on 'Always Loved a Film.' The producers of that track, Dean Ramirez and Mark Knight, added analog Moog Voyager, which was significant to the bass midrange pulse; that was mixed in with String Machine playing the vamping chordal thing. Dean did what he called 'an homage to Rick' at the end of 'Always Loved a Film'—a bell sequence. That was amusing and nice."

The Roland VP-330 vocoder is Underworld's longest-running usable piece. They just can't shake the hardware addiction. "I always play the vocoder in by hand, either as a live part or working bar by bar, mostly for vocals," Smith explains. "It works particularly well with Karl's voice, either as something really subtle that just involves tracking his voice in a particular way, or to draw the melody out of the note he's singing, or to use as a kind of mad harmony."

"Bass-wise," Smith continues, "I used the ES2 in combination with [Spectrasonics] Trilogy. One of my favorite hardware synths is the Yamaha DX7 MK1. People think it's 'cause I like bell tones. But actually, it's the organ principle behind the DX7 that appeals to me—the idea of layering sine waves in particular tunings and harmonic clusters. I'm a still fan of breaking down something into components that are sine waves in a sense, and thinking 'What do I need here? Which octave and in what quantity?'"

Smith favors Logic's default plug-ins ("They're cheap and not so processor hungry!" he exclaims), and also uses Waves' Gold Bundle, but he's hard-pressed to explain Underworld's groove machinery. "It's difficult to name a main drum machine," Smith says. "The sounds come in from [iZotope] iDrum, [FXpansion] Guru, Logic's Ultrabeat and ESX24 sampler, and Drumazon, which is this TR-909 modeled plug-in from D16 Group. I use all of that, really, with some Addictive Drums, a live drum plug-in."

Dubnovocalwithmyheadman

After instrumentation, the most important element in any Underworld track is Karl Hyde's unique vocals. More narrator than singer, Hyde's a commentator, not a frontman.

"Unlike in the '80s, when the singer stood in front of the bass and the drums, I envision Underworld as the bass and drums out front and



PEROU



BUY NOW & SAVE \$10*



Shure SM Microphones are renowned for coming through even under extreme conditions onstage. With solid construction and a signature sound, these microphones continue to earn the respect of sound engineers and musicians around the world.

Take advantage of this special mail-in rebate now to save \$10 off these necessary tools of the trade. Visit www.shure.com/rebate to download a rebate form and for more details. Valid 10/01/2010–12/31/2010.

*\$10 mail-in rebate on SM58® microphones (SM58-CN, SM58-LC, SM58S) and SM57 microphones (SM57-LC). Limit (6) units per customer. Offer valid 10/01/2010–12/31/2010. For more details, visit www.shure.com/rebate.

www.shure.com/Americas

© 2010 Shure Incorporated

SHURE
LEGENDARY
PERFORMANCE™

Simon Gogerly: Mixing *Barking*

Grammy Award-winning mix engineer Simon Gogerly has worked with U2, Gwen Stefani, N.E.R.D., Massive Attack, Tracey Thorn, and New Order, among many other artists. Calling his Hub II studio home, Gogerly says, "Rick Smith was very keen to have the all tracks in progress at the same time, which was an unusual approach."

Underworld weren't looking for uniformity across the tracks, Gogerly explains, but to maintain similar levels of quality and detail. "We did want consistency in areas of bass lines and bass drums," Gogerly says. "We would have to be careful about making sure that we didn't have a track where one bass drum was much more subby than one on another track. So I used highpass filters and basic EQ plug-ins to make sure we had a certain consistency. Quite often, we would split up bass sounds into different frequencies, and generate sub-bass to add to an existing bass frequency with MIDI or the Moogerfooger lowpass plug-in (Bomb Factory Moogerfooger Bundle).

"We used Microphaser in Logic on Karl's vocals quite a bit," he continues. "It gives vocals a really nice stereo quality. It helped widen the vocals and add movement. It seemed to compliment what Rick did with the vocoder, as well. In general, I try to have movement in the stereo field. I keep drums static: maybe a little panning on the hi-hats and percussion, but kicks and snares are up the middle. Little details, sequencers, effects, they would most of the time be moving to take you somewhere else."

Gogerly created an illusion of space in what he calls Underworld's "epic tracks," judiciously using reverbs and EQ to balance the mix. "We used Logic Space Designer quite a lot for reverb," Gogerly says. "I used impulse responses from the Bricasti M7 [reverb] and imported those into Space Designer. I love the sound of the Bricasti; the impulse responses for it sound 99 percent like a proper Bricasti. That meant I could use a lot of the presets and types of reverbs that I use when I normally mix. That was particularly beneficial for this record because there's a lot of use of generated space in it. I've used Lexicons for many years, but when I heard the Bricasti, it sounded open and clear and natural. It's one of the best reverbs that I've heard."



"We've frequently benefitted from dialog with other musicians."

—Karl Hyde

the singer in the back," Hyde says. "It's the singer's job to support the rhythm section. And to listen to the rhythm section as one would a film director to figure out where are the spaces that I can use to enhance the rhythm and what is the rhythm telling me to do."

A careful musician, Hyde loves a challenge. A former session guitarist, he enjoys meeting a producer's expectations. Hyde's vocal approach for "Louisiana," the lone track on the album that didn't involve an outside producer, evolved over 36 months. "The vocal in the first verse and first chorus of 'Louisiana' are original recordings from three years ago; the job for me was to match the vocals in the second verse and chorus. That meant not only using the same microphone but also the same mic position, the same attitude in my head, the same lip shapes," he says. "I worked out that I sat down, kind of slightly hunched forward. Then I sang. It took weeks of sending takes back and forth to Rick. And finally, there was something wrong in the sound. I realized I was singing across the mic, not at the mic. I originally recorded it in a much smaller space, where there wasn't enough room for me to sing at the mic. In general, there were lots of demands made on our musicianship—a fascinating project in that respect."

Smith supplies microphone and preamp details: "We used a Neumann TLM170 for Karl, quite an old one. In terms of a mic pre, Karl used an Apogee Mini Me at his home studio. In my studio, it was the Midas console preamp, or possibly a Focusrite ISA 430 MkII Producer Pack. We use that at the

Pigshed, or a gain just going directly into the Midas console and the internal preamps and EQs. That creates a beautiful analog circuit.

"The Neumann is a good fit with Karl's voice," Smith continues. "Often you're making a choice in what to pursue at what time. There are times to be experimenting with mic technique and placement, and there are times to just get a great vocal down as quickly as possible." "The Neumann allows me through," Hyde adds. "It's more transparent to my voice. When I listen to the results of the recording, the Neumann sounds like what was coming out of my mouth during the session. It captures the resonant cavities of my body and my bones vibrating. It captures the breath."

EQ and compression were applied by one of three rusting vocoders, and various plug-ins. "The single biggest effect on Karl's vocal is the VP-330 vocoder," Smith says. "Roland also makes a V-Synth, a rack-mounted emulation of various vocoders, and it's beautiful. But it doesn't do what the old VP-330 does. Also, there's an effect in Logic called Scanner Vibrato, a modulation effect. It's a fairly drastic effect . . . it almost introduces a constant vibrato.

"In terms of compression," he continues, "Eiosis' E2Deesser is one of the very few software de-essers that actually does the trick. Beyond that, it would be anything: Waves Renaissance, or default Logic channel plug-ins. My engineering skills only go so far, which is not a bad thing. When I hit a sound that I feel is happening, then that tends to stick. If there is tweaking needed beyond that, it's not



RECORD. SAMPLE. MIX. MASTER.



INTRODUCING THE ALL-NEW R24.

It's a 24-track recorder, audio interface, control surface and sampler. But it's so much more: an onboard loop sequencer, 1 GB of drum loops from Big Fish Audio and over 100 studio effects. With the incredible R24, a complete production solution is at your fingertips.

Includes 500 MB of drum loops by Peter Erskine.

zoom



always tweaking the plug-ins or the settings—it might be the addition of another set of stuff to deal with the sound that already exists.”

Once the tracks were completed, the co-producers (enlisted with the help of executive producer Steven Hall) received the songs via email, and the party started all over again.

“The collaborations were largely done on the Internet,” Smith says. “That was fantastic: You send your thing off, you get something back. But in terms of deadlines and keeping communication moving quickly, it was difficult. The different sequencer formats, or even if one of the producers was using Logic, as we do, there would be issues of plug-in compatibility. It was an unbelievable amount of work, really, trying to reconstruct and rebuild tracks, and keeping the quality, trying not to just reduce and go down in generations. It involved email, chatting on the phone, and often just bouncing their ideas off sections of a particular synth or plug-in.”

The Breakdown: Smith Vs. Ramirez

Producers Dean Ramirez and Mark Knight collaborated on two tracks: “Always Loved a Film” and “Between Stars.” Ramirez spoke from his Creator Studio in Sheffield, England.

“Mark Knight and I thought the basic tracks

needed more contemporary drums, synth work, more drama, etc.,” he says. “The work was done but the production wasn’t there.” Working with Logic on a Mac Pro 8-Core and an SSL G Series desk, Ramirez constructed new bass and drum parts, rearranged vocals, and introduced a breakdown section and a new outro with numerous software and hardware effects.

“The bass sounds came from the Moog Voyager; Nord Lead 3, which is the more MIDI, detuned sound; and Spectrasonics Trilian,” Ramirez confirms. “The actual chords came from three different synths: One is the Circle (Future Audio Workshop), another is GForce’s VSM. One of the main plug-ins I like is SoundToys Decapitator. I have a Thermionic Culture Vulture, too—it’s a valve distortion compressor that fattens up the sound no matter how hard you drive it. The Decapitator is a plug-in version of that. I ran everything through the Decapitator to fatten it up and make it warmer sounding. That’s the problem with digital synths and plug-ins; they can sound sterile.”

Ramirez replaced Underworld’s drums with sounds from his own sample library (“We liked Underworld’s TR-909 sounds, but they sounded 10 to 15 years too late”) and created a breakdown using a hidden guitar part. “The breakdown didn’t exist initially, their arrangement was quite linear,” Ramirez recalls. “We wanted to keep that big, euphoric moment, so we stripped it down to Karl’s guitar, which was originally buried very low in the mix just as a thickening element. We really liked it, so we made the guitar into the main breakdown element. There was a middle eight-vocal bit, we put that over the breakdown. And Rick hated that bit! He was really against it. We had to fight with him to put it in. After a few months, he admitted he liked it.”

Born Slippy, Born Again

“Born Slippy,” the 1996 dance anthem used as a soundtrack to the misdeeds of four Scottish lads in *Trainspotting*, introduced not only Underworld, but a new sound: ethereal, layered synths; lashing, deeply booming beats; and weird, cut-up vocals reminiscent of a military commander shouting orders in his sleep. Fourteen years later, Underworld can fondly remember the past, assured they still have a future.

“I do see *Barking* as a reinvention,” Karl Hyde states. “It’s a redefining of the group. At the end of our last tour, we were playing an old set and it was sounding very tired. It felt wrong; it didn’t feel like a group being true to itself. It was time to move on. Now we walk out onstage and it feels like I’m in an exciting, vibrant group that I would’ve dreamed I could be in. And what’s better, it’s with the same people.” **ea**

More Online



Interview outtakes: tracking vocals and guitars.



From the EQ vault: collaborating with Eno.

Get All The Links at eqmag.com/nov2010



POWERFUL TOOLS

for the Computer-Based Musician

Backed by Roland's 35-plus years of groundbreaking innovation and world-renowned quality, our extensive cross-platform product lineup is the top choice for all computer-based musicians and recording enthusiasts, from hobbyist to pro.

The V-Studio Family


V-Studio 700

The ultimate workstation for pro music production—a controller, audio/MIDI interface, and Fantom sound engine, powered by SONAR 8 Producer



V-Studio 100

Potent music production features in a small package, bundled with the VS Production Plus Pack



V-Studio 20

Audio interface/control surface with onboard guitar FX powered by BOSS®



Compact USB Audio Interfaces

UA-25EX

24-bit/96 kHz USB bus-powered audio capture




UA-4FX

Audio/MIDI interface with built-in FX



SD-50

Mobile Studio Canvas



MIDI Controller Keyboards


A-300 PRO

USB keyboard and control surface with 32 full-size keys



A-500 PRO

USB keyboard and control surface with 49 full-size keys



A-800 PRO

USB keyboard and control surface with 61 full-size keys



USB MIDI Interfaces

UM-1G

Compact and affordable MIDI I/O



UM-2G/UM-3G

Two more great MIDI interfaces

MA-15D

Digital stereo micro monitors, perfect for any PC



Bundled Software

Cakewalk Production Plus Pack

Powerful music software bundle, included with audio and MIDI interface products (PC)



OCTA-CAPTURE UA-1010

Compact, high-performance 10x10 USB 2.0 audio/MIDI interface with eight premium microphone preamps, perfect for multi-mic recordings like drums and full bands.

- One-touch AUTO-SENS automatically sets the perfect input levels, making it easy to record a full band
- Eight premium grade mic preamps built with superior components for pristine, transparent sound
- Cross-platform (Windows and Mac) VS Streaming drivers for extreme low-latency performance
- Multi-channel recording and playback at rates up to 24-bit/192 kHz
- Cakewalk Production Plus Pack DVD includes Cakewalk Sonar 8.5 LE (PC), and more

See your local authorized Roland dealer or visit us at RolandUS.com/PCMusic for more about these products.

COMING OF AGE

On *Flamingo*, The Killers' frontman Brandon Flowers finds his inner troubadour with the help of producers Daniel Lanois, Brendan O'Brien, and Stuart Price

by Bill Murphy

About 250 miles north of Las Vegas, U.S. Highway 50, nicknamed "The Loneliest Road in America," winds its way across the desolate landscape of central Nevada like an ornery old rattlesnake of dust and asphalt. It's the typical lonesome highway, conjuring up near-mythical images of the American wilderness—images that have inspired music from the likes of Bob Dylan, Tom Petty, and Johnny Cash, to name a few.

"This album feels like the place where I'm from," says Vegas native Brandon Flowers, describing the rootsy alt-country rock sound he had in mind for many of the songs on *Flamingo* (Island), his first solo effort apart from The Killers. When the band decided to take a break after more than a year on tour supporting their 2008 dance-rock slab *Day & Age*, Flowers saw an opening to start tracking his own material.

"I've tried to do this kind of music with The Killers," he explains, "but sometimes it's difficult when you've got four different people coming from four different places. That 'dusty roads' sound is something I've always admired about some of my favorite albums, and I had a pretty clear vision of how I wanted to get it."


The picture came into focus with Stuart Price, who worked with The Killers on *Day & Age*. Price might be more well-known for his electropop forays, particularly with his group Zoot Woman, but he's also a practiced hand at laying down a performance-based rock record—the Scissor Sisters' *Night Work* being his latest. Once

he and Flowers settled in behind the API 1608 console (outfitted with Apple Logic Pro 9) at The Killers' Battle Born Studios in Vegas, the ideas started flowing.

"At first I didn't realize the steps that I was taking away from synth and pop music," Flowers recalls. "I was already knee-deep in the album with Stuart when I thought it would be great to bring somebody in who had already been down the road I was traveling. Daniel Lanois came to mind because I knew he likes organic roots music, but he's obviously not afraid of synthesizers and experimentation."

Intrigued by the invitation, Lanois loaded up his car in L.A. with his Sho-Bud LDG pedal steel guitar, a Suzuki Omnichord, a Korg SDD-3000 digital delay, an AMS Harmonizer, a vintage Moog Taurus 1 bass pedal synth, and a smattering of guitars and gadgets. As soon as he arrived at Battle Born, he set up the Sho-Bud and a Gibson Les Paul guitar, plugged into a Vox AC30 amp and started jamming—with Price on bass, ex-Ambulance LTD members Benji Lysaght on guitar and Darren Beckett on drums, and Flowers on synths (primarily a Nord Lead 2 and a Juno-G).

"They actually already had a record," Lanois says, "but sometimes when you've been in the trenches for a while, a new face can wake up another way of looking at things. Brandon had some new songs, so I encouraged him to huddle up the band and force us to knock them out live off the floor. With Stuart's computer





skills—I mean, you just pour yourself a coffee and suddenly he's got a track together—and with my more rene-gade approach, I think we ended up with a nice blend.”

Lanois' guitar atmospheric and richly textured electronic treatments—a signature sound that he has brought, both as producer and musician, to classic albums by U2, Brian Eno, and Bob Dylan—fuel the

dusky heart of *Flamingo*, especially on the spooky desert rocker “Playing With Fire.” Opening with cascading synth and guitar washes and a quietly plucked slide figure on pedal steel, the song settles into a midnight groove, with Flowers singing the verses (using only a Shure Beta 58) in his lower register, and the chorus in a Roy Orbison-channeling falsetto.

“I can’t claim the Beta 58 is the ultimate mic,” Price jokes, “but it has a great character when Brandon wants to bite a line; the cupping happens naturally for emphasis. The chain we usually have is straight into the API with no EQ, with a Purple Audio 1176 500 Series compressor on him—low ratio, high input, fast release. It’s easily pulling 12 to 16dB of gain reduction.”

Lanois is credited with the song’s “dub sonics”—a process he says has taken 20 years to get right. “Basically I’ll take any available ingredient, extract it, process it, and then surgically stick it back into the song,” he explains, referring to the swirling intro section. “It might just be a split second of guitar that I sample with the SDD-3000 or the AMS Harmonizer, and then I might add an echo or put it through a distortion box and then back into the amp. But you have to be *musical* with it; it has to make harmonic sense when you put it all back together.”

Price elaborates further. “We’d send a guitar or an organ—anything, really—out of a Logic aux to the Korg or the AMS. The goal is to make the sound unrecognizable,

UE ULTIMATE EARS
BY LOGIC



+ **UE**

RECORD MIX & MASTER ANYWHERE, ANYTIME


Ultimate Ears In-Ear Reference Monitors
Developed in collaboration with Capitol Studios

An industry first, tuned to a true and revealing flat frequency response. The Ultimate Ears In-Ear Reference Monitors isolates all outside noise, eliminating environmental acoustics enabling you to record, mix and master anywhere, anytime.

www.ultimateears.com 1.877.458.1113



EATS COMPLEX ALGORITHMS FOR BREAKFAST.



EVENTIDE H8000FW ULTRA-HARMONIZER



**FIREWIRE UPGRADE
AVAILABLE**

Eventide's signature 5.1 reverbs and effects require sheer processing power for dense reverbs and complex algorithms — the kind that can crush mortal effects processors. If you're ready to push the boundaries of creativity, meet the new super-heavyweight champion: the 8-channel, 24-bit/96kHz Eventide H8000FW Ultra-Harmonizer® effects processor.

Built on a foundation of eighteen hundred preset-algorithms that encapsulates Eventide's last 36 years of digital effects processing. And with over eighty 5.1 presets, this baby's ready to take the future head-on with headroom to spare. If, for example, a complex algorithm gets a little too big for its britches, Monolithic Tandem™ runs it on two DSP chips. With that kind of parallel processing power, your creativity is unrestrained.

Despite all that brain and brawn, the H8000FW is remarkably friendly and easy-to-use, optimized for flexibility and control. Virtual racks have been crafted which give you up to five stereo effects processors combined in one preset-algorithm. Search functionality helps you sort presets for easy retrieval.

The H8000FW combines the advantages of the H8000A with the H8000 and adds seamless FireWire connectivity with your computer.

So, crank up an Eventide H8000FW Ultra-Harmonizer and feast your ears on the most amazing effects you've never imagined.

- 8 channels of 24-bit AES/EBU, ADAT and FireWire I/O
- MIDI, BPM and Tap Tempo synchronization
- Up to 96kHz sampling frequency
- PC and OS X graphic editor/development tools included
- 4 channels of pristine analog I/O; s/n >110dB

For more information call (201) 641-1200, email audio@eventide.com or visit www.eventide.com

Eventide and Harmonizer are registered trademarks, and Monolithic Tandem is a trademark of Eventide Inc. ©2007 Eventide Inc. All other trademarks are the property of their respective owners.

Eventide®

so the choice is less relevant. This send would go to Dan's rig; then we'd do a few passes back into Logic and go through it to find the magic."

Flamingo is rife with effects processing, but never to the point where it trumps the album's organic feel. On the upbeat "Jilted Lovers & Broken Hearts"—one of just two songs mixed on the API desk—Flowers' vocal cycles through a modulating effects stream that originates with an AMS DMX 15-80S, with brief swims through a Roland RE-201 for further delay and Logic's Platinum Verb plug-in for reverb. "Overall, it's close to a resonator-type effect that subtly changes throughout the song," Price notes. "It brings out harmonics in Brandon's voice to give you a sense that it's evolving."

After three weeks of recording, Flowers still had one more card to play. "Stuart was back in England and Daniel was working with Neil Young," he recalls, "so at the time I thought I might as well shoot for the stars and try Brendan O'Brien." The legendary rock producer rarely takes on a project that isn't his from the ground up, but when he heard an early demo of "Crossfire," the stirring anthem that eventually became *Flamingo*'s first single, he was hooked. "He told me it could be a great song if I changed the way I sang the chorus," Flowers says. "We ended up making

it a bit more bombastic and recorded it right away."

Price mixed the bulk of *Flamingo* on his SSL G-Series desk back in London, relying on Logic for automation and riding the faders only on vocals. ("The red light does wonders for vocal perception!" he quips.) To say that Flowers was pleased with the results is putting it mildly; from the Springsteen-like inflections of "Hard Enough" (with backing vocals by Rilo Kiley's Jenny Lewis) to the gospel stirrings of "On The Floor," this is the grown-up rock album that he set out to make.

"I think what's great about a lot of these songs is that you hear five guys in a room, and we're not playing to a click," he says. "We're just hammering it out. To me, it sounds like five guys that have been through something. That's one of the first things I really recognized. There's a serious and even holy feeling that you can get out of making music this way, and I want to hold on to that." **EQ**

More Online



Daniel Lanois talks about songwriting and production.



Hear "Crossfire" and read Brandon Flowers' newsletter.

Get All The Links at eqmag.com/nov2010

M103
The Grace Design of Channel Strips.
www.gracedesign.com

"Instead of searching for that ever elusive box that's going to magically make your sh**ty mics sound like rainbows, consider investing in an m103, which will afford you the ability to capture the true color of the source and the dynamic detail of the performance." - Scott McChane, TapeOP Magazine

Products on command, knowledge on cue.
bhproaudio.com

PRODUCT
DEMOS

PODCASTS

LIVE HELP

SEARCH
CAPABILITIES

CUSTOMER
REVIEWS

bhproaudio.com

A wealth of options at the tip of your finger. Find exactly what you need through advanced search filters and Live Help. With in-depth product demos, podcasts, and customer reviews, you'll know exactly what you're getting. Knowledge is expansive. Get more of it at B&H.

Visit Our SuperStore
420 Ninth Ave, New York, NY 10001


800-947-5518
Speak to a Sales Associate



The Professional's Source™

of Montreal

Kevin Barnes and producer Jon Brion build organic textures by layering soft synths with vintage instruments on the band's 10th album, *False Priest*



by Tony Ware



of Montreal (top, left to right)—Nicolas Dobbratz, Thayer Sarrano, Matt Wheeler, Dan Korn, Paul Nunn, Nick Gould, Clayton Rychlik, and Jerrod Porter. Seated—Bryan Poole and Kevin Barnes. Front—Michael Wheeler, Davey Pierce, Dottie Alexander, and Nikki Martin.

On stage, Athens, GA-based octet of Montreal is a kaleidoscopic menagerie, a polymorphous vaudeville performance set to an avant ADD electro-disco-glam-funk beat. In the studio, of Montreal is historically the project of songwriter Kevin Barnes, a Beatles enthusiast who has indulged some inner *Camille*-era Prince through a series of psychosexual lysergic mood shifts. Like Os Mutantes, Eno-era David Bowie, Sly Stone and P-Funk cavorting around in Todd Rundgren's *I/O*s, Barnes' songs exhibit prog-sleaze and rhythmic moxie.

Recording since 1997, Barnes transitioned his influences from the straightforward, prismatic retro-pop of bands like The Kinks to a far more coltish, just-plain-kinky R&B synth-pop. Along the way, he progressed from old-school, 8-track, 1/4-inch tape-based recording to programming synths and mixing "in the box" in Apple Logic. Now, with *False Priest*, of Montreal's 10th album, Barnes collaborated with producer Jon Brion on a hybrid production approach that resulted in the most accessible and most theatrical of Montreal work to date.

Sessions for *False Priest*, like those of the past four of Montreal albums, began in Barnes' Apollinaire Rave home studio in Athens. Barnes recorded the majority of


the album parts as he composed them: "I ran pretty much everything through Logic Pro 9.1.1, an Apogee Rosetta 800 A/D interface, an Apogee Big Ben master clock, a Tube-Tech MP 1A two-channel tube mic pre-amp, a Tube-Tech CL 1B compressor, a Lawson L251 tube mic, and a Toft Audio ATB24 mixing console," Barnes recounts of the preliminary recordings. "For the most part, I only use one channel and just build things up an instrument at a time."

Despite having a wealth of multi-instrumentalists in his live ensemble, Barnes has been programming drums and soft synths since 2004's *Satanic Panic in the Attic*. Initially, he worked in Propellerheads Reason

More Online



Interview extras: arranging strings, mastering.



The SFLogicNinja's YouTube channel.

Get All The Links at eqmag.com/nov2010

"I feel [Logic isn't] built for an engineer; it's built for people who write." —Greg Koller

slaved to Steinberg's Cubase, but around 2007 Barnes abandoned both and made the move to Logic to facilitate making his own percussion maps and sampler instruments (augmented by a drum library from Atlanta-based Ben H. Allen, engineer for Gnarl's Barkley, among other projects). While Barnes praises Logic's EXS24 sampler, Ultrabeat drum synthesizer, and Delay Designer and Space Designer effects, he especially appreciates Logic's composition

features such as drag-and-drop patterns and arrangements, as well as efficient workflow features such as the marquee tools. (A crash course in integrating Logic's editing shortcuts would become a theme for *False Priest*; Barnes credits the SFLLogicNinja's YouTube channel as invaluable for shortening his learning curve.)

When he played a show with songwriter/producer Jon Brion (Fiona Apple, Kanye West, Spoon), Brion asked to hear

some tracks, and then suggested Barnes come out to Los Angeles for a few weeks to use his vintage gear trove to supplement virtually modeled instruments.

The pair convened in Studio B at Ocean Way Recording in Hollywood. Brion, engineer Greg Koller, and crew are Pro Tools-based, and making mix stems to swap from Logic was proving too time-consuming and sound-compromising, so Apogee provided a Symphony I/O and Mac rig, which allowed Koller to integrate newly-recorded tracks as he quickly came up to speed within Logic. "I feel [Logic isn't] built for an engineer; it's built for people who write," says Koller. "When I started looking at it like that, I really grasped it."

With all systems patched in, tracking commenced. In the live room, Brion and Barnes set about tracking enhancements to the primary, mid-fi home recordings. For example, where Barnes had recorded with emulations of the LinnDrum or the Yamaha CS-80 polyphonic synthesizer, Brion would draw from vintage units to lead him through reseating the parts while preserving the original arrangements. "I really like the idea of this foreign . . . weird, 'wrong' element being there," says Barnes of layering sequences with the analog synths' sometimes unpredictable harmonic signatures. "It makes it seem more exciting to me . . . when it's not just this homogeneous landscape." With the overdub process proceeding quickly, editor Eric Caudieux performed pitch correction when needed.

Brion used a Moog Modular synth to add subsonics to Barnes' Rickenbacker bass parts (many of which he re-recorded for consistency). "My bass lines are really more baritone guitar parts," says Barnes. "It's not just low, it's more noodle-ly and almost percussive . . . I'm usually doing a lot of stuff on the G string, way up by the 12th fret. It really worked well having the synthesizers filling in the gaps."

The weight of some tracks, such as "Like a Tourist" and "Our Riotous Defects," was augmented by recordings of a Mighty Wurlitzer pipe organ, miked in surround sound (it was also being tracked for a film project) with Shure SM50s and Neumann KM53s through an



ADAM
PROFESSIONAL AUDIO

A3X

The First Professional Desktop Monitor System

With monitors in the world's leading recording and production facilities, ADAM Audio is uniquely positioned to create the first desktop monitor system for professionals.

Our very compact new A3X monitor uses the ADAM proprietary X-ART transducer technology to ensure absolute accuracy and the expansive full-frequency sound ideal for recording engineers and audio enthusiasts. At a price that makes ADAM Audio more accessible than ever.

Find out more about the A3X and AX Series monitor systems at www.adam-audio.com, audition them at an ADAM Audio dealer near you or call us at 516.681.0690.

"I've used various monitors for my computer work before, but never of the caliber of the A3X series. Highly recommended."
(Jon Chappell - Senior Editor - Harmony Central)

The AX Series

A3X A5X A7X A9X

www.adam-audio.com

Inward Connections 820 sidecar.

Standout session drummer Matt Chamberlain contributed on many tracks, such as *False Priest* lead single "Coquet Coquette"; for drum sessions, Koller would typically set up an AKG D12 on the kick, Neumann U67s on snares, plus an overhead mono (either a Neumann U47, AKG Elam or D19), with Neumann M50s and sometimes RCA 44 ribbon mics in the room for ambiance. However, for the song "Black Lion Massacre" (on the upcoming *Controller's Sphere*, an EP of additional songs written during the *False Priest* period), the team created a tight, ringing, highly effected groove by placing contact mics on each piece of the drum kit, having Brion and Barnes mute parts as Chamberlain played, and running the result through guitar amps, which he then miked and recorded.

On the same track, as well as ones such as "Sex Karma" (a duet with Solange Knowles), Brion applied what Barnes jokingly calls "the most expensive fuzz pedal in the world"—an EMI TG 12345 portable console that served as the Abbey Road mobile unit in the '70s. "You can overdrive it in a specific way, because John has a special relationship with the gain structure," says Koller. "We'd push channels in the group master at different levels for effect, and even for parts we didn't re-track, I'd run them out of Logic through the EMI to open them up, drive them with that sonic character."

When recording, the team used the EMI board and/or what they dubbed "the God chain"—the best-sounding outboard modules for each application, pulled from tube preamps, a rare pair of Pultec shelving EQs, a Fairchild limiter, Altec RS124 compressors, a boutique Overstayer stereo compressor, and Sontec parametric mastering EQs.

The same outboard gear was used to detail out and fatten up pre-recorded material in the mix, as Koller dealt with a lot of "mid-range build-up . . . I find a lot of modern gear and recording compounds [frequencies] in the 3–5kHz range." Other processors included the Sonnox Oxford SuprEsser, the SoTube FET Compressor, and Trident A-Range EQ.

"I used a lot of synth filters to take off nasty high end, make mids more aggressive, and add low end," says Koller. "Some

were plug-ins, such as the UAD Moog Multimode Filter, and others were outboard filters like the Schippmann EBBE und Flut and the Moogerfooger pedals." Koller, however, avoided using main bus compression before mastering, which gave him more opportunities to preserve dynamics in the complex mixes. (By the time the sessions were completed, each of the 13 songs contained 30–50 tracks.)

Reflecting on what was the most technically complex recording process of his career to date, Barnes has nothing but glowing things to say about what Brion and his team brought to the punchy

soul-punk of *False Priest*. "Jon's a beautiful person, an amazing musician; he has a great ear, he has soul, and he has technical proficiency to top it all," he says. "Next to him, I felt almost like how Brian Eno describes himself, like a 'non-musician.' I'm more about quickly getting the ideas out and having the excitement come through in the texture, rather than playing or engineering with perfect tone. He really helped bring out all the body I'd heard before and imagined and wondered how to fully incorporate, but I'd never seen the real gear. And no one ever did anything generic through any of it." **EW**



StrobeSoft 2 VST/AU

STROBE TUNING SOFTWARE

- The highest accuracy in the industry (0.1 Cent)
- Loaded with over 30 exclusive Sweetened Tunings™ that compensate for certain instruments' design flaws and optimize their sound
- More than 50 on-board, preset alternate tunings that cover a wide range of playing styles
- Quickly dial in the tuning you need or compile play lists for studio sessions or your live shows with unlimited user-presets

peterson
STROBE TUNERS
The Sound of Precision.

www.strobesoft.com

3 Reasons Guitarists Should Love Logic

Recording software and hardware manufacturers have been courting guitarists for some time, and many have been savvy enough to turn our fickle little heads with uncomplicated features that embrace the way guitar players like to work. While working with Apple Logic Pro 9 (\$499 retail) isn't as easy as kicking on an overdrive pedal, this DAW does offer some fabulous tools for crafting trippy guitar sounds. (And, really, it ain't *that* hard to use—especially if you've already taken GarageBand for a couple of spins.) Here are three features of this super-powerful DAW that even the most techno-fearful guitarists will applaud.

Varispeed

Back in my analog-tape-machine days, I always rocked the deck's Varispeed (or pitch control) to add a little zip to a lackluster groove, or slow down the tape to sing parts that sounded like a pixie chorus when the deck was brought back to normal speed, or speed things up to gain 300 pounds and vocalize like a gorilla armed with a chest-mounted subwoofer. Of course, these tricks worked for guitars and drums and everything else, as well. Logic's Varispeed can work just like the old-school tape versions to create pitch-manipulated madness, and it also has a Speed Only mode that lets you slow down playback without pitch being affected. This is a great option if you need a little help laying down a blazing-fast solo. Just slow down the track until you can perform the part, and then go back to the original speed to hear your supersonic riffing. And, as pitch is magically unchanged in Speed Only mode, you won't have to deal with your guitar being "sour" to the pitch of the song as you play. You can also use this mode to increase or decrease the tempo of an entire track without also goofing with the pitch. In the old days, manipulating tempo with a reel-to-reel Varispeed meant that you made the track a little sharp or a little flat. Sometimes that was cool—such as the famous pitch-shifted edit in the Beatles' "Strawberry Fields"—and, other times, rocking the Varispeed could make a song a tad too lugubrious, or unnaturally cheery.

Amp Designer

Logic also includes the Amp Designer plug-in. Graphically, you're pretty much in cartoon territory,

but the renderings are very cool, and the sounds are excellent. While Logic *implies* certain classic amps with obvious visual clues, all of the controls are the same for each amp. So you won't get the precise tweakage options of, say, a non-master-volume Marshall, because *every* amp offers Gain, Bass, Mids, Treble, Reverb Level, Tremolo Depth and Speed, Presence, and Master. This doesn't bother me, because the advantage is that the control knobs remain in the same positions when you switch amps, so you can dial in your desired tone, and then critically audition the tonal variations of each amp model with identical settings. As with many amp modelers, you can mix-and-match heads and cabinets. You also get three mic types (dynamic, condenser, and ribbon), and the ability to change mic positions.

Are the digital models accurate to the amps they represent? Who cares? The glory here is exploring unique tones and textures by messing sh*t up. Mate a tiny cab with a Marshall. Mic a pawnshop amp with a ribbon. Go alien with the EQ. As it's so easy to try different combos and immediately determine whether something brings life—or aural shock value—to a work, why would you even *want* to go conventional?

Pedalboard

Logic also includes Pedalboard, which lets you arrange stompboxes in any order, and, here, the control knobs are different, depending on the pedal you select. There's also a zany "Complete Pedalboards" menu that serves up Logic's interpretation of pedal paths for Dub Reggae, Grunge, Jazz Fusion, Funkadelia, and so on. I typically like to choose my own effects chain, but I must admit it was giddy fun calling up, say, the Cool Jazz pedalboard, and then seeing whether I could use it to devise some punk-rock sounds. There are a lot of options in the 30 available pedals, and every one of them delivered something so cool that I only reached into my own bag of tricks on two occasions when I wanted a Mick Ronson wah sound and a more realistic tape delay. Again, half the fun is in cooking up something blissfully horrible, in a good way. If that sentence makes sense to your style of playing and creative concepts, you'll adore these three Logic features. Far out! **ea**

SAE Institute, the internationally renowned school for Creative Media Education Invites you to...



Open House

**Nov 13th
12PM-3PM**



New York

1293 Broadway 9th Floor
New York, NY 10001
W: newyork.sae.edu
T: 212-944-9121
E: saeny@sae.edu

Miami

16051 West Dixie Highway
Suite 200
North Miami Beach, FL, 33160
W: miami.sae.edu
T: 305 944 7494
E: saemiami@sae.edu

Atlanta

215 Peachtree Street
Suite 300
Atlanta, GA 30303
W: atlanta.sae.edu
T: 404-526-9366
E: saeatlanta@sae.edu

San Francisco

450 Bryant Street, Suite 100
San Francisco, CA 94107
W: sanfrancisco.sae.edu
T: 415-344-0886
E: info@saef.com

Nashville

7 Music Circle North
Nashville, TN 37203
W: nashville.sae.edu
T: 615-244-5848
E: saenash@sae.edu

Los Angeles

6565 Sunset Blvd.,
Suite 100
Los Angeles, CA 90028
W: losangeles.sae.edu
T: 323-466-6323
E: saela@sae.edu



1877-27-AUDIO
www.sae-usa.com

Back to the Future

Sometimes, you need to look back at where you have been in order to see where you are going—this includes working in your home studio. Let's look at ways that adhering to old-school mixing models can help maximize your efficiency "in the box."

Most home DAWs run on a native environment. This means that your computer performs all of your audio effects processing, drives the audio engine, and runs your Facebook page, all at the same time. Well, it doesn't take a genius to know that too much of a good thing can be a drag. So ask yourself this question: Which resources do you need on every track, and which can be shared among tracks?

A common problem in today's digital audio environment is the overuse of effects in the mix. They are cheap (even free) and readily available, much like Big Macs! Does every track needs its own reverb? Some folks say yes, by applying individual effects, each track has an individual character. At the same time, I can hear that collective moan as their systems crash for the tenth time in a session.

To Each (Track) Its Own

With old analog boards, each channel had its own EQ and dynamics sections, which could not be shared. I like this concept, so I still use it in today's digital world. On individual tracks, I apply effects that cannot be duplicated, such as EQ or compression, because their settings are usually specific to particular instruments or voices. That doesn't mean that you can't use the same EQ settings on more than one track, but the instance of a plug-in will be specific.

Using Your Aux Bus to Share Effects

Reverbs, delays, even harmonic effects can be shared if they're configured properly. I run the effects as an aux bus and share them between tracks, bringing the effects back on their own dedicated aux return and mixing them like audio channels.

As an example, let's take three audio tracks: snare, background vocal, and acoustic guitar. I assign each track to the same aux bus (let's say bus 1 and 2). I then bring up an aux return and place a reverb on that return. Then I assign the input of the return to bus 1 and 2. This configuration gives me the freedom of a wet/dry mix at the board as well as the ability to put some of the tracks into prefader mode for added flexibility.

This may seem like a lot of steps, but you'll save substantial processor resources by adding a single dedicated track to a mix instead of running numerous reverbs. There are side benefits to this work flow as well. When you use a single reverb for an entire drum kit or choral section, it makes the individual instruments or voices sound like they are contained in the same space, lending believability to the mix.

Don't Bounce, Sub-Mix

Since a lot of workstation effects process in real time, you'll need to do a full bounce at the end of the session or song in order to save them. This can be a huge burden on the client clock, one that you should alleviate whenever possible.

If you put a stereo aux send on each channel, return it to a stereo audio return and place that return in Record, then on your last go-around, you can mix in real time, just like the old days.

You are probably asking yourself why you would work this way. Sometimes, it can be better to do something yourself than have a machine do it for you. Something intangible has been lost since the era of automation; mixes can sound very staid and lacking in urgency. Think about it: You have the ability to play the mix in real time, much like a musician playing an instrument!

By easing the burden on your computer, you can sometimes find yourself in a place that resembles the past but looks toward the future. **EQ**

AMPKIT LiNK™

HIGH FIDELITY ELECTRIC GUITAR INTERFACE FOR iPhone®

ONLY
\$29.99

Rock Your iPhone!

AmpKit App

Agile Partners and Peavey Electronics are proud to announce AmpKit and AmpKit+, the ultimate iPhone amps and effects studios with extensive recording and re-amping capabilities.

AmpKit+ has all the gear in the free version of AmpKit plus 3 amazing amps and 8 essential pedals at less than 1/2 their individual prices—save a bundle! In both AmpKit and AmpKit+, an amazing array of additional gear is available for purchase through an in-app Gear Store with more than twice the number of components of other apps!

In addition to ultra-low latency simulations, the AmpKit apps include a high precision tuner and metronome. You can also upload your favorite songs and play along, record your own backing tracks, create both "dry" (before effects) and "wet" (with effects) recordings, and re-amp a previous session with a different setup—all the tools you need for a complete guitar studio.

Sweetwater knows cutting-edge technology. Call your Sales Engineer today and Rock Your iPhone!

AmpKit LiNK™

The AmpKit LiNK™ audio interface raises the audio fidelity bar for the iPhone® platform. AmpKit LiNK is an iPhone®, iPod touch® and iPad™ interface for electric guitar, bass, or any line level source, with an output that can be connected to headphones, powered speakers or a PA.

Unlike unpowered guitar interfaces that suffer from feedback when using headphones, AmpKit LiNK is a powered device with circuitry that greatly reduces feedback. AmpKit LiNK is the first guitar interface that was specifically designed to provide solutions for the iPhone® platform.

Compatible with iPad®, iPhone®, and iPod touch®. *Excludes first generation iPod touch. iPhone and iPod touch are registered trademarks of Apple, Inc. iPad is a trademark of Apple, Inc.



Available on the iPhone
App Store

Sweetwater
Music Instruments & Pro Audio

(800) 222-4700
www.sweetwater.com



Five Studio Disasters and How to Avoid Them

Disaster #1: The Honeymoon is Over

At first, you see eye to eye with the producer, and it is beautiful. Then, the honeymoon fades. Perhaps the producer needs something that is not in your ability range (cutting harmonies on the spot, getting that gospel growl, being available at a moment's notice), or, on your end, you have a vision for your music (genre and instrumentation, for example) that the producer cannot realize. (Been there, done that!) The result: a less-than-desirable product, possible hard feelings or conflict, misused resources, and having to start over.

Solution: Do your homework when choosing a producer. Get references and trust your gut. Have a conversation (or many) before you decide whether you should proceed together. Once you decide to go ahead, get a contract and specify what will happen and when it will happen. Don't end up with a *Chinese Democracy* on your hands (re-doing and re-doing, then, years later, finally getting the project out).

Disaster #2: There Are Conflicting Ideas About the Project's Scope

You start the project, and then everyone (musicians, singers, engineer, etc.) starts to bitch about how it's taking more time, more money, etc. than they thought (or are being compensated for). Or, you agree to do a project for a certain price, and production runs way over what you expected or wanted. Ouch! The result: frustration, tension, strained relationships, less-than-stellar performances, and ultimately, an unfinished project.

Solution: Break the project down into pieces for yourself, your band, your musicians, the producer, and engineer. Have clear expectations and a realistic estimate of the time it will take (plus two hours or so). Charge and compensate accordingly. Accomplish only what you can achieve successfully within your timeframe and budget, and don't compromise on quality.

Disaster #3: You Can't Cut It, Performance-Wise

Thinking that you know the parts and knowing the parts are very different. When you sing in the studio,

every detail is under a microscope—pitch, attitude, timing, resonance, lyrics, etc.—so *how* you perform is just as important as *what* you perform. When I studied with Raz Kennedy (of Bobby McFerrin's Voicestra), his mantra was that every note has an attitude. It's a high bar, but hey, why do something mediocre? A poor performance can result in paying for extra studio time, re-cutting over and over, and group frustration.

Solution: Practice! Get a coach, break down the parts, pay attention to detail, and don't record until you're ready.

Disaster #4: The Song Isn't Finished

Bottom line: The song is everything. You can finish that bridge in the studio—no problem! You didn't memorize the lyrics, or you just wrote them—not a problem. Yes, it is a problem! Unless you're a studio rat who enjoys the challenge of finishing a song on the fly and you can hustle under pressure, don't go into the studio with half a song.

Solution: Get the song completed, *then* get it down.

And finally, the showstopper . . .

Disaster #5: People Behaving Badly

Frustrated, tired, stressed people get ugly fast.

Unprofessional people get more unprofessional as the project goes on. Late people screw up sessions by holding up the process. Professional people get fed up with unprepared and uncooperative people. Heavy partiers have a good time at everyone's expense while their recording becomes either a rare fluke of genius or a total waste of time. People who hire producers, engineers, or vocal coaches to work with an artist, without setting clear boundaries of who does what and who has the final say, set people up for conflict and power plays. The result: disaster #5 on steroids. Once the yelling, rising tension, and kicking people out of the studio start, you know you're in a "people behaving badly" moment.

Solution: Keep a level head, plan the session carefully, avoid working with impossible people (even if they have a Grammy—true story!), get clarity about everyone's roles, and set ground rules before you record! **ca**

Columbia College Chicago

Music

...it keeps getting better!

Nathan

MFA Candidate
Music Composition
for the Screen

MFA Music Composition for the Screen

You're talented, creative, and serious about making it. You're ready for a graduate program that understands your ambition and is focused on your success. Columbia College Chicago's MFA program in Music Composition for the Screen is a complete education in the art and business of composing and producing music for film, television, and new media.

create...
change

Columbia
COLLEGE CHICAGO

COLUM.EDU/SCREENMUSIC
312.369.7260
GRADSTUDY@COLUM.EDU

APPLICATIONS DEADLINE
January 5, 2011

Bluegrass in Your Living Room

You've just been informed that your cousins from West Virginia are on a Greyhound bus heading directly to your house, and they want you to record their bluegrass masterpiece. Your entire understanding of bluegrass is based upon a documentary about the Hatfield and McCoys and a movie scene where Ned Beatty is squealing like a pig—what do you do?

First things first, collect all the mics you can; you are gonna need 'em. Bluegrass isn't an overdub recording scene; bluegrass players like to play live, all together, all at once, no matter the individual degrees of virtuosity. You'll need enough mics to cover every instrument, and possibly vocals. If you have only one condenser mic, reserve it for vocals and substitute dynamics for the instruments. Because dynamic mics aren't as sensitive as condensers, you'll have to jack up preamp gain and place the mics closer to the instruments than you would place condensers.

When you experiment with these miking techniques, remember that, as with any music recording, vibe is king, so if the player is spooked by close mics, opt for a less-intrusive set-up.

Fiddle

Fiddle is a tough instrument to mic in a live recording; its timbre can change when it is played in different keys. For fat fiddle tones, you can't beat a large-diaphragm condenser: Start by placing the mic above the fiddle, about eight to ten inches away. Point the mic toward the top of the fiddle, where the bow strikes the strings. Position the mic right over the lower f-hole for that down-home, scratchy, rosin-coated bluegrass sound. If the fiddle sounds weak in the mix, sweep the 2 to 3kHz range with a 1 or 2dB boost until you get more "presence."

Mandolin

You can get a great mandolin sound with a single small-diaphragm condenser: Position the mic above the mandolin, pointing down at the strings, aiming

between the neck and bridge. A distance of six to ten inches is ideal for picking up high-end articulation and detail. If you're looking for more plectrum/string interaction—as well as a nice dose of body punch—point the mic at the lower soundhole, seven to nine inches from the top of the instrument. Be aware that a mandolin player's hand and wrists flick about like your grandma shaking a Polaroid picture, which can cause a weird audio modulating effect that gets worse the closer you place the mic.

Acoustic Guitar

If the guitar has a naturally boomy low end, accentuate articulation by pointing a small-diaphragm condenser around 10–12 inches from where the neck joins the body. If you find the overall sound lacks a certain "woodiness," angle the mic more toward the soundhole. If fingerpicking sounds wimpy, move the mic three or four inches closer to the guitar and patch in some light compression with a 3:1 ratio with a medium attack.

Banjo

A large-diaphragm condenser is ideal for capturing the nuances of a banjo, but by this time you are probably running out of them. If the picker plays hard, you can get great results with a dynamic mic, but use the most sensitive one that you own. A tube preamp can add a nice level of down-home filth. Most decent banjos have a sweet spot around the point where the neck joins the head, so start by placing the mic six to eight inches from that spot. Experiment with the angle of the mic until you find the desired mix of twang and warmth. Applying a light compression ratio of 2:1 with a fast attack can make the notes really pop.

Upright Bass

To capture lots of detail with plenty of body, wrap a cheap omnidirectional condenser in foam rubber and wedge it between the bass' bridge and body, with the capsule pointing up toward the neck. Cut everything below 30Hz. You won't hear those frequencies,

FORTY YEARS OF MINIMOOG

MINIMOOG


MODEL D • VOYAGER • VOYAGER XL



Provide more flexible editing for MIDI drum parts


OBJECTIVE: Take a drum part recorded in one MIDI track, and split its notes—kick, open hat, snare, etc.—to individual tracks.

BACKGROUND: It's convenient to record a drum part into a single MIDI track, but splitting each note off to its own track simplifies editing (e.g., adding swing to only a closed hi-hat part). Sonar includes a CAL (Cakewalk Application Language) routine that makes this easy to do.




1

Select the track with the MIDI data you want to split to separate tracks, then type Ctrl-F1.



2

A list of CAL files appears. Click on *Split Note to Tracks.cal*, then click on *Open*.




3

Specify the Source track (the one selected in Step 1), then click on *OK*.



4

Specify the first Destination track for the series of split notes (typically one track higher than the current highest-numbered track), then click on *OK*. You'll similarly be asked to specify the Destination Channel (e.g., channel 10 for a drum part) and Destination Port; click on *OK* after each selection.



5

The notes from the original track split to multiple tracks, starting with the track specified in Step 4. Each track's name is the note name.

Tips

- Step 1: You can also go *Process > Run CAL*; if CAL isn't visible, click on the Arrow bar (menu bottom) for additional options.
- Step 4: If the destination tracks include any existing tracks, MIDI data will be placed on those tracks.
- If you can't find the folder with CAL routines, go *Options > Global > Folders* tab, then look for the CAL Files folder path.
- You can't undo this operation other than going *Edit > History*, then picking a step prior to the CAL operation.

BOB ROCK

Musician, engineer and producer
for such legends as Metallica,
Mötley Crüe, David Lee Roth,
Bon Jovi, Michael Bubl , Bush,
The Cult, American Bang,
The Offspring, and 311.

Music Hall of Fame inductee
and Juno Award winner.
Inspiring and recording rock's
greatest performances
- for over 3 decades.

STERLING.
Capture the moment.



Sterling ST69
Class A Tube



STERLING



See our Bob Rock interview at
[YouTube.com/SterlingMicrophones](https://www.youtube.com/SterlingMicrophones)
or visit sterlingaudio.net

PROPELLERHEAD REASON 5

BY CRAIG ANDERTON

Sample your own drum (and other) sounds


OBJECTIVE: Create your own drum sounds for the Kong Drum Designer module.

BACKGROUND: Reason 5's Kong is an extremely flexible drum module that even lets you sample your own drum sounds. We'll assume you have an audio interface with an audio input, have selected it under *Edit > Preferences*, and have a sound source you want to sample.




1

Click on Kong's *Show Drum and FX* button; in the Drum Module, select *NN-Nano Sampler*.




2

Select one of four sample slots, then click on *Start Sampling*.




3

When you've finished sampling, click on *Edit*.



4

Click-drag across the region you want as your sample, then click on *Crop*.



5

On the *Edit* screen, you can also normalize, reverse, fade, audition, set the root key, name the sample, and more. When done, click on *Save*.



6

Use the NN-Nano's processing options to further modify the sample.

Tips

- Step 3: You don't have to edit immediately after sampling. For example hit Stop, continue sampling into other slots, then edit any sample at any time by selecting its slot and clicking on the Edit Sample button.
- Step 5: You can also loop samples in this window.

**IF YOUR MIX SOUNDS GOOD ON THESE,
IT'LL SOUND GOOD ON ANYTHING**



HS80M

HS50M

HS50M

- 5" white polypropylene cone
- 3/4" dome tweeter
- 70-watt bi-amplified power
- XLR and 1/4" connectors
- Room Control and Frequency Response Switches

HS80M

- 8" white polypropylene cone
- 1" dome tweeter
- 120-watt bi-amplified power
- XLR and 1/4" connectors
- Room Control and Frequency Response Switches

HS10W

- 8" long stroke 120-watt woofer
- Dual XLR and 1/4" inputs
- 3 balanced XLR outputs (Mix, L&R)
- Phase switch
- Low/High cutoff

HS SERIES POWERED MONITORS

The new HS Series powered monitors were designed to be true studio reference monitors in the tradition of the famous NS10MS. That means, mixes that sound good on Yamaha HS speakers will sound good on anything. In fact, that's the ultimate test of a reference monitor. Even better than that, HS series speakers not only sound good, they look great, too.

The HS10W powered subwoofer complements the HS speakers and easily handles today's bass-enhanced music or the most dramatic surround effects. The HS10W subwoofer uses a bass reflex design cabinet that maintains high efficiency and low distortion. You can combine HS50Ms or HS80Ms with the HS10W subwoofer to create different 2:1 (stereo) and 5:1 surround sound systems. So check out the new standard in near-field reference monitors at a Yamaha dealer near you.



HS10W

**THE NEW STANDARD
IN NEAR-FIELD MONITORS**



YAMAHA



THE GREAT BIG VOCAL ROUNDUP

BY CRAIG ANDERTON

Recording vocals is actually easy: Get a singer to give a great performance, and make sure a mic is set up to capture it. Done!

Well . . . okay, that might be a bit of an oversimplification. Or not. In any event, there are new tools for fixing vocals, new techniques (like a DAW's loop recording option) so singers can get good takes more easily, and a new awareness of the importance of acoustics in getting good vocal sounds.

In this roundup, we have reviews of two unique products tailored for vocals, ways to get more natural sounds from Antares' Auto-Tune Evo, some great insights from super-engineer Bruce Swedien, and tips from those "in the trenches." So do those vocal exercises, drink plenty of water, practice your scales, and let's hit "Record"!

Fig. 1. The Vocalizer has an uncluttered layout; while most controls will be familiar, the Primary and Second Voice sections open up new possibilities for vocal processing.

SONiVOX VOCALIZER

Format: VST/AU/RTAS, cross-platform

Price: \$149.99 MSRP, \$100 street

Info: www.sonivoxmi.com



Think of it this way: The guy who invented "Auto-Tuning the news" walks into SONiVOX and says "I need to take this to the next level. I want weird resonances, and processing, and the ability to get fairly standard vocal sounds or really twist things around. Oh, and I want to be able to put other instruments through this processor too; the warbling vocal fad won't last forever. And I don't want it to be too expensive. Can you do it?"

If this is what happened, then apparently SONiVOX said "yes." It's been ages since I ran into a product where I had no idea what some of the parameters were actually controlling, but the Vocalizer is not like any other processor. If pressed, I'd relate it to a vocoder; but that's only one of the possible sounds it delivers, not the technology behind it. Even the term "Vocalizer" isn't very descriptive, as it works with signal sources other than voice, and creates effects that aren't necessarily vocal in nature.

BASICS

The Vocalizer is a MIDI-controlled audio processor, and different DAWs handle this type of plug-in differently. For example, in Ableton Live, you insert the Vocalizer as a processor in an audio track, then create a MIDI track and assign its output to the audio track. In Sonar, you need to use the Plug-In Manager to specify Vocalizer as an instrument, not just a processor. You can then insert it in an audio track as you would an audio effect, and create a MIDI track

whose output "sees" the Vocalizer's MIDI input.

The interface has four main sections (Figure 1), along with a virtual keyboard along the bottom. Let's look at three familiar sections first.

- Time-based effect, with delay up to three seconds and chorus on separate tabs. The stereo delay is fairly conventional, aside from the inclusion of lowpass and highpass filters. Each delay can have its own sync-to-tempo. The chorus has the standard initial delay, feedback, LFO, and mix controls. The long delay should delight looping fans.
- Four-band EQ. The outer bands are low and high shelves, with two parametric stages. The frequency control for all stages covers from 20Hz to 20kHz.
- Primary Voice filter. There are two "voices," and this filter affects one of them. It has five different filter responses, velocity control over frequency, saturation (nice), and LFO.

There's also a non-polyphonic portamento control for the MIDI keyboard.

PRIMARY AND SECONDARY VOICES

This is the fourth section and the Vocalizer's heart, which is definitely uncharted territory. The Secondary Voice by itself is the most "vocoder-like"—speak into a mic, play the keyboard, and

whatever you "say" is transformed into "sung," including harmonies. The only controls are Volume and Tune (Coarse and Fine). The sound is rather resonant, like a vocoder with a lot of bands, and any words are quite intelligible unless you drop pitch considerably. You're going to hear this on a lot of hits.

The Primary Voice is—well, just turn the dials and listen to what happens. Some settings resemble a flanger set for a long delay but with no sweep, others like some strange digital filtering, and one setting made my voice seem as if it had been morphed with some kind of Harmonium, both of which had ingested a potent psychedelic. There are two identical sets of controls (Scale, Position, and Spread), and if those labels don't make sense to you, don't feel bad—they don't make sense to me either. The Primary voice gives useful effects all by itself, but also provides interesting layering with the somewhat more conventional Secondary voice.

CONCLUSIONS

I'd like to see a MIDI learn option for the controls, because you can do amazing effects by altering parameter values in real time. One workaround is automating a parameter, then tying the automation to a MIDI controller. There are also no "tooltips" to show

parameter values as you alter them. For example, the Secondary Voice Tune control has markings at -12, 0, and +12; double-clicking returns to zero. After that, you're on your own. You can always listen, but for finding a particular pitch fast, better calibrations, tooltips, or adding a modifier key to quantize to semitones would be helpful. Finally, the delay has only one dotted value—quarter note. I'd like to see at least a dotted half-note option (I'm sure a lot of other DJs would, too) and dotted whole note; of course, you can always add a delay plug-in afterward for other delays.

But these are relatively minor points—the bottom line is that the Vocalizer is big fun. With voice, it can do amazing effects for dance tracks, commercials, background vocals, alien voices, and a lot more; check out the SONiVOX site for examples. It's also intriguing with other instruments—I've posted eight examples with drums on the EQ magazine site.

Overall, the Vocalizer is one of the most original and unusual effects to come across my path in a long time—I plan to use the daylights out of it before everyone else does.

More Online!

Find vocal examples at www.sonivoxmi.com, and examples with drum processing at www.eqmag.com.

MAKE MUSIC YOUR LIFE!

The challenge of audio for music, film, video game production and live performances is hard work, but you love it!
Welcome to the world of...

AUDIO RECORDING TECHNOLOGY!



Attend a four-year college that takes music as seriously as you do.
Earn a degree in Business or Music with a concentration in
AUDIO RECORDING TECHNOLOGY.

Contact an Admissions Representative right now and
MAKE MUSIC YOUR LIFE!

For our next Open House date, visit us online at
www.ftc.edu

(631) 656-2110
www.ftc.edu
Old Hills, NY 11746

FIVE TOWNS COLLEGE
When you're serious about music and the performing arts!

Stay connected between issues of **EQ**

A background image for the EQ magazine advertisement showing several orange and black audio cables plugged into a rack of equipment. The EQ logo is visible in the top right corner.

Subscribe to: Record Ready

EQ's **FREE** e-newsletter!

Twice a month...

- Get the latest artist and industry news
- Enter gear giveaways
- Check out the latest features on EQmag.TV
- Stay up to date on new products
- Get playing tips from the experts
- Go beyond the pages of EQ!

The EQ magazine logo, featuring the letters 'e' and 'Q' in a stylized, lowercase font.

Subscribe today at EQmag.com!

CELEMONY MELODYNE EDITOR

Format: VST/AU/RTAS,
cross-platform

Price: \$349 MSRP,
\$300 street

Info:
www.celemony.com

The Melodyne line consists of several products: Assistant (pitch correction and processing essentials), Studio (editing on multiple tracks, with arranging and mixing), and Editor—the subject of this review. Editor works in stand-alone or plug-in mode, and is the first Celemony product to include their DNA (Direct Note Access) technology. DNA can extract individual notes from polyphonic material for editing, which isn't really relevant to vocals but—with certain limitations—can work miracles with guitar, piano, and other instruments.

We won't dwell on DNA here, because of the focus on vocals. To summarize, though, it works better than expected, because I wouldn't expect this kind of technology to work at all! Depending on the source material, DNA requires "prepping" the file before Melodyne can work its magic. This can be anything from minimal—with classical guitar, I was shocked at how effortlessly DNA did the job with no prepping whatsoever—to impossible, as there was no way to separate out the notes from a distorted power chord. It seems DNA likes distinct, defined notes with clearly identifiable harmonic structures and start times, and wants to work on a single instrument at a time. Within those constraints, and if you're willing to do any required preparations, DNA is more like science fiction than a plug-in.

Note that in addition to DNA, Melodyne Editor has algorithms for melodic and percussive material. I used the melodic algorithm for vocals.




Fig. 2. Melodyne transforms audio into editable "blobs," much like a MIDI piano roll editor. Pitch Center and Pitch Drift are being lightly corrected for the selected group of notes toward the left.

IT'S THE SOUND

When it comes to interfaces, the biggest factor in achieving a great sound is the quality of the mic pres. Focusrite have been designing mic pres for 25 years. It's what we do. The best sounding mic pres and interfaces in their class.



Saffire PRO 24

- + Two Focusrite mic pres, based on an unparalleled preamp legacy
- + With an optical input, Saffire PRO 24 provides a vast I/O count for the money
- + Xcite+ bundle features 1 gig of loops, Ableton Live 8 Lite, and more

ALSO AVAILABLE Saffire PRO 24 DSP



Want to mix on studio monitors at 2AM?

Imagine if you could use your headphones to hear your mix as you would in the studio. Imagine you could model an ideal control room, choose between 10 pairs of industry standard monitors, and select from different listening positions. Imagine being able to reference your mix on hi-fi, radio, television or computer speakers, all through your headphones. The Saffire PRO 24 DSP featuring VRM delivers.

www.focusrite.com/saffire
For further information: (310) 322 5500

Focusrite
THE INTERFACE COMPANY™

VOCAL PROCESSING

Melodyne has a reputation for retaining excellent sound quality when shifting pitch, but part of that is due to an inherent advantage: Unlike most audio plug-ins, it doesn't process in real time. Instead, you record the audio you want to process into Melodyne (the "transfer" process), which analyzes the audio. You then work with the audio in Melodyne; when you start playback on the host, transferred material plays back through Melodyne. This process happens in real time, without hiccups (I moved the original audio just to prove to myself that I wasn't hearing it instead).

After analysis, Melodyne displays the notes as audio "blobs" that not only resemble MIDI piano roll notation, but can be manipulated in the same ways: transpose, move, change start time, lengthen, and shorten (Figure 2). There are also audio-specific tools that work "inside" the note; two of my favorites are the Pitch Drift and Pitch Modulation correction tools.

Pitch Drift linearizes pitch changes within a note. For example, if the pitch sort of drifts flat toward the end of the note, you can lessen (or even eliminate) this drift. Pitch Modulation can increase vibrato or flatten it—and even change the vibrato's phase. Other tools include change amplitude, change formant, and even copy/paste so you can build harmonies and doubling based on the original vocal.

It's possible to work on anything from individual notes to groups of notes, but the important point is that—like "quantize strength" commands in MIDI—

you can make subtle or obvious edits. For example, if you select Correct Pitch, you can nudge the notes a little closer to pitch, or quantize them precisely to pitch—it's the same with Correct Pitch Drift.

CONCLUSIONS

Full disclosure: When I contacted the company for a copy to review, I was upfront and said I really wasn't that interested, because I rarely use pitch correction. Also, I had used some very early versions of Melodyne, and while impressed by the technology, it seemed awkward to use. I also had doubts about whether DNA could actually work, so I reviewed this more out of a sense of duty to the readers than personal interest.

Well, I stand corrected. Melodyne was easy to use, and gave zero problems. The classical guitar DNA experience was very impressive, and when modifying vocals, the sound quality was far more natural than I expected; with relatively minor edits, you cannot tell edits were made. But I also liked that I could completely transform voices if I wanted to, and make no-apology alien voices. When you couple all those capabilities with a clean interface and excellent documentation, and solid online support, you have a winner.

This isn't just about pitch correction; it's also about vocal processing. After spending some quality time with Melodyne, I think I'm going to give it quite a bit of use in the future.

More Online



Download demo versions of Celemony's products.

Get All The Links at eqmag.com/nov2010

REALISTIC PITCH CORRECTION WITH AUTO-TUNE EVO

With all of the attention these past few years on the Auto-Tune Vocal Effect (the T-Pain/Cher style effect), it's easy to forget that Auto-Tune was initially designed for natural-sounding pitch correction. However, not everyone takes advantage of the available tools to avoid that "pitch-corrected" sound, so here's a primer on how to get the most realistic pitch correction.

RETUNE SPEED

This is the most important parameter for natural

pitch correction, as it adjusts the speed at which out-of-tune notes are changed to the "right" notes (Figure 3). The speed should be

fast enough to get out-of-tune notes in tune quickly, but not so fast that it sounds unnatural. This is tricky, as the optimum Retune Speed depends on song



Fig. 3. The proper Retune Speed control setting is crucial for natural-sounding pitch correction.

129TH AES CONVENTION

CONFERENCE

November 4-7, 2010

EXHIBITS

November 5-7, 2010

Moscone Center
San Francisco, CA

www.aesshow.com

Your Bridge to the Future



Audio
Engineering
Society

MORE COMPLETE THAN EVER.



● KOMplete 7 is the latest version of the ultimate software collection from Native Instruments. Now bigger and better, and featuring 24 KOMplete Instruments and Effects, this 90 GB package is bursting with more than 10,000 production-ready sounds for all styles and genres. KOMplete 7 includes renowned flagship products like KONTAKT, GUITAR RIG and the redesigned REAKTOR 5.5 plus all-new instruments and effects from Native Instruments and brands like Abbey Road and Scarbee. What's more, you also get a \$60 e-voucher to keep on expanding, making this best-selling bundle more complete than ever.

Get full details on all 24 KOMplete Instruments and Effects at:
www.native-instruments.com/komplete



MASSIVE was designed and developed entirely by Native Instruments GmbH. Since the name Massive is a registered trademark of Massive Audio Inc, USA, ABBEY ROAD is a registered trademark of EMI (IP) Limited

NI NATIVE INSTRUMENTS

THE FUTURE OF SOUND

tempo, note duration, vocal style, etc., and can often change from note to note. Fortunately, Auto-Tune Evo includes tools in both Automatic and Graphical Modes that simplify setting the optimum Retune Speed.

HUMANIZE

In Automatic Mode, a performance that includes both very short notes and longer sustained notes can be problematic because in order to get the short notes in tune, you have to set a fast Retune Speed, which would then make any sustained notes sound unnaturally static. To solve this problem, use Automatic Mode's Humanize function.

The Humanize function (Figure 4) differentiates between short and sustained notes, so you can apply a slower Retune Speed just to the sustained notes. This lets those notes retain the natural variations of the original performance.

To adjust Humanize start by setting it to 0, then edit the Retune Speed until the shortest "problem notes" are in tune. If any sustained notes sound unnaturally static, start advancing the Humanize control. Higher settings slow the Retune Speed more for sustained notes. Find the point where the sustained notes are also in tune, but have enough natural variation to sound realistic (if Humanize is too high, any problematic sustained notes may not be fully corrected).



Fig. 4. Use Humanize to make sure both short and sustained notes receive the proper amount of correction.

INDIVIDUAL CORRECTION OBJECT RETUNE SPEEDS

Prior to Auto-Tune Evo, it was necessary to select a single Graphical Mode Retune Speed that applied to all of your pitch corrections. Your choice was typically picking a Retune Speed that was a "good enough" compromise for an entire track, or painstakingly automating the Retune Speed from phrase to phrase or even note to note.

Auto-Tune Evo allows setting independent Retune Speeds for every individual correction object, whether Line, Curve, or Note (Figure 5); select one or more objects, then set the Retune Speed that provides the most natural result.

Of course, in practice you don't need to set an individual Retune Speed for every object. To streamline the process, start by selecting all your audio and setting a Retune Speed that works for the majority of the performance. Then listen to the result and note which notes or phrases could still use improvement. Select those notes or phrases, adjust their Retune Speeds for the most natural result, and you're done.




Fig. 5. These buttons represent the three different types of editable objects in Auto-Tune Evo.

DEFAULT GRAPHICAL RETUNE SPEEDS

Auto-Tune Evo lets you set custom default Retune Speeds for each of the three object types: Lines, Curves, and Notes. These initial Retune Speed values (Figure 6) are automatically assigned to each newly created object.

To choose your own default values, just pay attention to what values you most commonly use for the various objects and set those as defaults in Auto-Tune Evo's Option dialog. Update as necessary.

Default Retune Speed for Lines (400 max):	19
Default Retune Speed for Curves (400 max):	0
Default Retune Speed for Note Objects (400 max):	28

Fig. 6. You can set useful defaults for the three object types to serve as a point of departure for editing.

More Online

Acknowledgement:

Thanks to Antares for permission to adapt this article, which originally appeared in their online newsletter, for print.



Find more applications and tips.

Get All The Links at eqmag.com/nov2010

ENTER THE WORLD OF KOMPLETE



KOMPLETE 7 ELEMENTS

The all new KOMPLETE 7 ELEMENTS brings you 2,000 of the best sounds from Native Instruments' flagship KOMPLETE 7 for just \$119. With 12 GB of instruments and effects, it's all you need to start producing music right away. Add the included \$60 e-voucher and you've got the most affordable way ever to enter the world of KOMPLETE.

www.native-instruments.com/elements



THE FUTURE OF SOUND



TEN DO'S AND DON'TS FOR SOLID VOCALS

1. *Don't* tell the singer that this is going to be the take that will be forever imprinted in the recording. There's no better recipe for a bad vocal performance than having a wound-up, nerve-struck singer.
2. *Do* drink tons of water before doing a vocal take.
3. *Do* know the lyrics—you can hear when someone is reading the freakin' words off a sheet.
4. *Don't* do a vocal performance with the mindset that you can fix it later—no matter how good your technological tools. Give it all you have the first time around.
5. *Do* vocal warmups. Start with a yawning-like motion while softly portamenting from your highest to your lowest note. Then do some triad scales. Then do ascending and descending scales while saying "picky-ticky" to exercise your lips and get better enunciation.
6. *Do* use the best vocal mic you can find. I use an ELUX 251 whenever possible; your voice may like something different, so use that.
7. *Do* stretch your body. Loosen the muscles of your legs, diaphragm, neck, and back before singing.
8. *Do* a ton of takes. Mix engineers seldom say "I wish we had less stuff to choose from."
9. *Do* rest your voice every half hour. Don't blow out your voice, and then try and record anyway; you'll just have to re-do it.
10. *Don't* be shy . . . tell the engineer what you need. More volume? A little reverb in the cans for confidence? Less drums? Don't accept no for an answer. —Jeff Klopmeier

BRUCE SWEDIEN'S SIX TIPS ON RECORDING IN SMALL ROOMS

- 8' by 10' by 6' will actually work for recording high quality lead vocals. This is about half the size of the average bedroom.
- A 12' by 10' by 8' room will work quite well for recording lead vocals, but start by trapping the bass in the corners.
- A 7' by 7' by 7' will absolutely not work. This is a "cube" room that stores too much energy.
- The object of what we are doing here in recording lead vocals is to control the room's "sonic signature." Keep that in mind at all times!
- A small room can have a great deal of "proximity effect."
- Locate the node-free zones of your recording room, because that's where mics and sound sources should be located.

BRUCE SWEDIEN ON THE PROXIMITY EFFECT AND DIRECTIVITY

The proximity effect in audio is an increase in low frequency response as the sound source moves closer to the mic. You can think of the proximity effect as a "distortion" caused by the use of ports to create directional polar pickup patterns, so omni-directional mics are not affected. To me, the proximity effect is more like distortion-free EQ. Depending on the mic design, proximity effect may easily result in a boost of up to 16dB, usually focused at about 100Hz or below.

Singers tend to like the proximity effect, as it fattens up their voice. When I recorded Michael Jackson singing the lead vocal on "Earth Song," I had him sing as close as possible to my Neumann M-49—about two inches or less, from the mic's front grille. The resultant proximity effect is quite dramatic.

Incidentally, in case you've wondered how a mic acquires directivity, a microphone is constructed with a diaphragm whose mechanical movement is converted to electrical signals (via a magnetic coil, for example). The movement of the diaphragm is a function of the air pressure difference across the diaphragm arising from incident sound waves. In a directional microphone, sound reflected from surfaces behind the diaphragm is permitted to be incident on the rear side of the diaphragm.

As the sound reaching the rear of the diaphragm travels slightly farther than the sound at the front, it's slightly out of phase. The greater this phase difference, the greater the pressure difference and the greater the diaphragm movement.

As the sound source moves off the diaphragm axis, this phase difference decreases due to decreasing path length difference. This is what gives directional microphones their directivity.

THE VOCAL TIPS ROUNDTABLE

We threw out a request for miking tips from the forumites at Craig Anderton's Sound, Studio, and Stage forum, and got some great ones. Here are the contributors.

AB: Alan Barnes, BP: Bill Plummer, BS: Bruce Swedien, CA: Craig Anderton, EB: Ernest Buckley, JC: Jon Chappell, KL: Ken Lee, LF: Lee Flier, NW: Nat Whilk II, PK: Philbo King, RR: Russ Ragsdale

Minimize sibilance: Place the microphone so that it's slightly off-axis from the signer. This really helps. —KL

The importance of the lyric sheet: For me it all starts with the lyric sheet first—then microphone second, processing last. I get more done with the lyric sheet and a pencil, I can make the story pop off the page. —RR

Better composite recording: Ideally I have several copies of the lyrics, and as the singer is recording, I make marks under particularly strong performances for each take. This makes it easier to comp the vocal tracks after doing several complete vocal passes. —KL

Make mic-shy singers more comfortable: I usually have a large diaphragm condenser or two set up. But if the singer is really performance-oriented and feels uncomfortable wearing headphones and singing into a big mic, I occasionally set up speakers (putting one out of phase to try and minimize bleed), and give the singer a hand-held dynamic mic. I'd rather have a great vocal performance than an emotionally flat performance that sounds pristine. —KL

All hail Vocal Rider: Lately, I've been using Waves' Vocal Rider, which almost feels like cheating. I used to feel like I was getting carpal tunnel from automating my vocals, but now I just slap on Waves' Vocal Rider and need to do very little automation—just a few tweaks here and there. I love this because I'm not hitting the compressor very hard at all, which gives a big, natural-sounding vocal. This has worked well for really big rock vocals as well as hip-hop vocals. —KL

Minimize room sound when compressing: If you pick up too much room sound because you compress vocals heavily, use a relatively short release on your compressor to minimize the amount of "room" that it brings up. Or stop using so much compression and use gain riding, automation, or Vocal Rider. —KL

Acoustic fix: I record in a small living room with hideous acoustics. I place a couple of RealTraps MiniTraps around the mic, which greatly improves the acoustics going into the mic. As a bonus, I can tape lyric sheets to the acoustic treatment panels. I'll typically set up a small table nearby so the singer can place water or whatever for breaks. —KL

How not to deaden a room: Packing blankets, sleeping bags, etc. are mostly for upper mid/high frequency absorption, which is not generally considered good for vocals or anything else that has a wide frequency range. I prefer RealTraps, which do broadband absorption. —KL

Make a moveable iso-panel: Affix a moving blanket to a portable (on wheels) standing clothes rack to create a portable iso-panel. I usually put it about a foot behind the mic to help take the room out of the equation. —AB

Not too dry: I don't think that getting the driest possible sound is necessarily the way to go, even if you intend to add other processing. "Dry" often equates to "dead," which you don't want. If all the life has been sucked out of the track in the form of high frequency absorption, it's nigh impossible to put it back with processing. It also affects the singer's performance to sing in a dead space—they're used to hearing certain harmonics from the room reflections that affect the character of their voice. —LF

Reduce the proximity effect: If you want to minimize the proximity effect, put your favorite multipattern condenser in omni, and place something (like a bass trap



ELITE

Microphone Cables

Live Wire Elite is a premium mic cable that lays flat, coils easily, is incredibly durable and accurately transmits every nuance of sound that your heart pours into it.

**Better by Design
Guaranteed for Life**



15 ft EQMC15, list: \$89.99 **\$44.99**

25 ft EQMC25, list: \$109.99 **\$54.99**

www.livewire-usa.com

©2010 Live Wire

New from Royer The R-101 Ribbon Microphone

"Another great mic from Royer!"

Joe Barresi

(Producer/Engineer: Tool,
Queens of the Stone Age, Bad Religion)



\$895.00

Royer Ribbons

818.847.0121 • Burbank, CA.
www.royerlabs.com

or gobo) close behind the mic so you don't pick up too much of the room. The EV RE20 has almost no proximity effect, so that might be a good choice too if the vocalist sounds good through it—which many do. —LF

Don't work too hard: I'm pretty much a one take guy—I might comp verse B after verse A, but I almost never vocally comp a single section. That's more work to me than just singing it again. —AB

Switch mics before you switch in EQ: Instead of EQing, I tend to change mics instead. —EB

Choices are good: I record the vocal from the mic pre out and mult it. The first track goes straight, the second gets compression set to taste. I normally end up using the processed track, but like having the clean track in case the singer starts opening up and hitting the compressor too hard. —BP

Better vocal reverb/delay depth: For certain musical styles, I like to record a second mic about a foot or more away from the primary mic. The distant mic gets used for feeding reverbs and delays. It often gives a better sense of depth than taking the primary mic and feeding effects from it. The distant mic never hits the mix dry. —BP

Favorite vocal recordings: The vocal recordings I'm most proud of have mostly all been done with the mic in cardioid pattern—an extremely high quality condenser microphone, vintage or newer, will do nicely. I have a pair of Neumann U-47's that I bought new in 1953 that I absolutely adore . . . but I did use my SM7 most often on Michael Jackson for lead vocals. "Earth Song" is the one MJ vocal where I used a mic other than the SM7 on his lead vocal—I used one of my Neumann M-49s. I also used my MILAB VIP-50 on some of Michael's vocal recordings. —BS

Getting a better stereo field: I was tracking three backup vocals (and doing all the singing myself) on a song, and wanted a realistic stereo field. So I set up a figure-8 mic and an LDC up as a Mid-Side pair, then recorded each part separately onto a stereo track to capture the two M-S channels. I stood a couple feet left of the mic for the first part, about the same distance back from the mic for the second part, and the same distance off to the right for the third part. I bused all three to a common mix bus, and stuck in a M-S decoder plugin on it. The result was a pretty amazing stereo field—I was shocked that it worked so well. —PK

Compression point of departure: Every singer is different but for the most part, with pop/rock music, start with the threshold around -15, a 2:1 ratio, medium attack, and fast release. —EB

Intimate vocal sounds: The closer you get to the mic, the more intimate the sound becomes, as the lip smacks, breath variations, and other mouth-generated artifacts become more audible. Singing "across the path of the mic" is really an off-axis approach that mitigates the proximity effect and distortion-causing plosives, while retaining these intimate qualities you describe. I always tell people that if they really want to hear good use of the proximity effect, they should listen to Bill Cosby's early comedy albums! —JC

Really quiet narration: When I need extreme quiet for narration, I'll run a long headphone line to a room that's away from the studio's fans and hard drives, then use a Line 6 XD-V70 digital wireless mic. As there's no long mic cable, the sound can actually be cleaner than using a standard mic, and the mic modeling options allow a variety of narration qualities. I set the DAW for cycle recording, and go for it. —CA

Better-fitting backup vocals: Although I use a large condenser mic for lead vocals—with as much mic technique as I can, moving in and out to smooth out the levels and avoid overs—for backup vocals I often switch to a small condenser or a dynamic, sing from about a foot away or so, and compress a bit heavier. The result is a sonic quality that fits "inside" the lead vocal easily. —NW

The three P's: I always reach for the 3 P's: Pitch, Passion, and Pocket. The first two should be self-explanatory. Pocket is timing—like a punchline, if the timing isn't right, impact is lost. If a vocal doesn't have all three, I'll call for a retake. —PK



WOMEN'S AUDIO MISSION

Changing The Face Of Sound

JOIN TODAY!

RECORDING CLASSES
GEAR DISCOUNTS
CAREER COUNSELING
JOB PLACEMENT
LOW-COST STUDIO SERVICES

www.womensaudiomission.org

ROCK-IT
IN-EAR MONITORS

We Like Music too!

www.rockitsounds.com

REALTRAPS® High-Performance Acoustic Treatment



"The room is so much flatter. Mixing there now is a real pleasure. REALTRAPS eliminated the guess work in getting my control room acoustically correct." —Tony Maserati, mixer for Black Eyed Peas, John Legend, Mariah Carey, Destiny's Child, R. Kelly, J-Lo, Tupac.



"After adding 7 MondoTraps the bass response in my mastering room was smoothed out measurably and audibly, and not a bass note is out of place. Plus, the sweet spot has grown!" —Bob Katz, Digital Domain



"Our control room needed serious help. After installing MiniTraps the room sounds better than we believed possible, with clear, round bottom and vastly improved imaging. Fantastic product, great company." —Nite Rodgers

Please visit our web site for a wealth of product information, demo videos, and some of the clearest explanations of room acoustics you'll find anywhere.

866-RealTraps (866-732-5872)
www.REALTRAPS.com

SESCOM

IL-19®

Extreme Hum Fighter.



broadcast

live sound

Triple Action -

Removes All Types of Hum.

Provides Instant Relief For:

- Live Sound Equipment
- Radio & Broadcast Audio
- Line Level Equipment Interface
- Decoupling Lines to Reduce Hum
- Isolating Drive Lines to On-Stage Power Amps
- Long Line Cable Runs

The Industry Standard.

www.sescom.com

At Better Pro-Audio Dealers.

Achieve your MOTU studio breakthrough

Driven by Apple's all-new multi-core Mac Pro towers with up to 12 cores, plus all-new customizable look and feel, Digital Performer breaks through with unprecedented appeal and speed. Add powerful new third-party products to create your breakthrough MOTU studio.



Digital Performer 7
'Carbon Fiber Red' theme

Apple Mac Pro



A towering achievement in power

Choose your cores: 4, 6, 8, or 12. The new Mac Pro delivers more processing power, more graphics performance, and more storage options. It's the world's newest superpower.

MOTU MicroBook

Studio-grade I/O that fits in your pocket ▶▶▶

Welcome to studio-grade personal recording that fits in your pocket. Plug in your Mac Pro, mic, guitar, keyboard, speakers, and iPod, and enjoy pristine audio performance.



MC Mix

Avid Artist Series

High-end console technology

Together, MC Transport, MC Mix, and the new MC Control v2 give you access to almost every facet of your Digital Performer 7 project for an unprecedented "hands-on" editing and mixing experience. The Artist Series brings Avid's high-end console technology to your MOTU desktop studio in a compact design that fits perfectly in front of your Mac Pro system.



McDSP Classic Pack

Own a piece of history


McDSP processing is now AU and Digital Performer compatible!

The Classic Pack plug-in bundle delivers world-renowned emulations of vintage equalizers, compressors, tape machines, and channel amplifiers, including Analog Channel, CompressorBank, FilterBank, and the MC2000 multi-band compressor. From analog tape machine emulation to classic or customized EQ filter design, Classic Pack gives you must-have workhorse processors from McDSP for your MOTU studio.

BIAS Peak Pro XT 6

Mastering, restoration, and delivery for DP7

Whether you're a musician, a sound designer, an audio editor, a multimedia producer, or a mastering engineer, Peak Pro XT 6 offers more creative potential than ever before. Used side-by-side or launched directly from within DP7, Peak Pro XT 6 offers comprehensive restoration, mastering, and delivery tools to streamline your workflow with industry-renowned sonic quality and precision. Peak LE and Peak Pro are also available – call your Sweetwater agent today!



Shure KSM44A

Large-diaphragm, multi-pattern condenser mic

The flagship of the KSM line — and the new must-have mic for any MOTU studio. The KSM44A is a go-to mic you can count on for great results in just about any DP project, with extended frequency response specially tailored for critical studio vocal tracking. The dual-diaphragm design lets you select among cardioid, omnidirectional, or figure-8 pickup patterns.

Genelec 8040A

Active bi-amplified studio monitor

With performance comparable to much larger systems, but in a compact package, the bi-amplified Genelec 8040A is ideal for use in many MOTU studio situations where wide frequency response is needed but space is limited. Use the 8040A for nearfield monitoring in project/home studios, edit bays, broadcast and TV control rooms, and mobile production vehicles.




AUDIO APPS

BY CRAIG ANDERTON

for Android aficionados

As the Android smartphone's market share surges, so does the number of audio-related apps. Here are some of the best—and they're free.




BSB.BZ: deciBel Sound Level Meter (www.bsb.bz)

While billed as not being up to professional sound level meter standards (remember, we're dealing with a telephone mic), after calibrating this app I compared the results to a Phonic PAA6 sound level meter and was surprised at how closely they tracked midrange frequencies. deciBel has multiple modes: Slow mode updates the maximum, minimum, and average values every 15 seconds, along a timeline that can be set to 15, 30, 60, or 120 minutes; fast mode updates the reading every second. Exposition mode is a histogram that shows the number of times the device was exposed to particular sound levels since measurements started.

The app's screenshot function saves the screen image to the phone's SD card; you can also rotate the image to make for easier viewing when taking some measurements, as the mic is at the bottom of the phone. Calibration involves going to a screen and hitting up/down buttons until the reading matches that of a calibrated meter.

Sure, it has limitations—but having a sound level meter in your phone is very handy. For example, shoot a tone with a consistent output level through your monitors, and you can check that you're monitoring at the same approximate level every time you fire up your studio.



University of Cambridge: Hertz, the WAV Recorder (www.cl.cam.ac.uk/research/dtg/android/)

Some Android recorders are low-fidelity affairs designed to record phone conversations or Internet radio stations playing on your phone, but Hertz records 16-bit WAV files up to 44.1kHz to the Android's SD card.

The GUI is Spartan. Enter the filename (or click on a clock button to automatically enter the date/time as the filename), choose the sample rate (8, 11.025, 16, 22.05, 44.1kHz), then select "Start Recording." There are no level controls, but for just grabbing samples or rehearsals, most Android mics suffice—especially because you're recording at 44.1kHz.

If you want to use a real audio interface instead of the mic, Peavey's AmPLiNK works well (it's designed for the iPhone, though, so you can't use the amp sim app with the Android)—yes, you can record electric guitar with full, high-impedance input fidelity. Regardless of whether or not you use an interface, retrieving files simply involves hooking the phone up to USB, and transferring the files from the SD card.

There are many other Android recorders; for more features, check out Virtual Recorder (www.andro-ix.com), which includes a mic preamp control, pitch change, and auto-level. It's a bit more of a hassle because it saves as .PCM files, but it's not a big deal to convert them.



Bofinit: SoundForm Signal Generator (<https://sites.google.com/site/bofinit/>)

Of course you want a signal generator in your pocket—especially one that can generate white and pink noise, sine, square, triangle and sawtooth waves, and impulses. You can specify the waveform frequency by direct numeric entry, or using up/down arrow buttons. Although you can hear the waveform coming out of the speaker, if you want to feed a piece of gear in a more pro manner, you'll need an interface like the AmPLiNK mentioned above, or a headphone adapter/splitter.

According to specs on the website, the frequency accuracy is about 1% on a Motorola Droid (I used a Motorola Backflip for testing these apps, so yes, they'll run on older Android operating systems). Waveform purity is reasonably good, although the upper range of harmonically-rich waveforms shows some degree of ringing and artifacts.

One very cool aspect is that the white and pink noise really are random, not periodic; when on the road, I even find the pink noise a welcome sleep aid. I also like the oscilloscope display for your Android mic, so you can more-or-less monitor the results of what's happening as you feed a signal into a particular piece of gear. And of course, you can always set up an A=440Hz for tuning. What's not to like?



PROSCREEN XL Metal pop filter

Stedman Corporation

Now Available

The original Stedman Proscreen XL patented metal pop filter has undergone refinements to its proprietary metal Proscreen. These refinements keep the Proscreen at the top of the list of products designed to eliminate bursts in the studio while retaining high frequency detail. This USA made product is washable and has a lifetime warranty.

SRP: \$79.00

www.stedmancorp.com

888-629-5960



WOOD



INSTALLED



DIFFUSION



ABSORPTION

ASC-COOLTRAP Absorption/Diffusion Modular Sound Panels

ASC-TubeTrap

Now Available

Convert any room or space into a professional sounding studio. Diffuse/Absorb reflections; take the room out of the mic and mix. Great for ADR, VO, Foley, narration work and vocal booths.

Develop ambiance out of slap-back in control and live rooms.

SRP: \$31 each, sets of 16, (fabric finish, wood extra)

www.acousticssciences.com

800-ASC-TUBE (272-8823)



Radial J+4 Stereo -10dB to +4dB Line Driver

By Radial Engineering

Now available

Converts consumer level unbalanced high-impedance signals to +4dB for broadcast, recording or live applications. Transformer isolated active buffered circuit delivers >95dB signal-to-noise and eliminates hum and buzz from ground loops.

SRP \$220 USD

www.radialeng.com

604-942-1001



ATH-M35 Closed-back Dynamic Stereo Monitor Headphones

Audio-Technica

Now Available

For studio tracking/mixing, these new compact folding headphones offer beautifully balanced, articulate sound; impressive power-handling; and a lightweight and comfortable ergonomic design. A 40 mm neodymium driver offers impressive power handling for tracking sessions.

MSRP: \$139.00

www.audio-technica.com

330-686-2600

CLASSIFIEDS

CATEGORIES

STUDIO FURNISHINGS

MIXING/MASTERING

EDUCATION/TUTORIALS

ACOUSTIC PRODUCTS AND SERVICES

DUPLICATION

ACCESSORIES

STUDIO FURNISHINGS

www.argosyconsole.com
800.315.0878
furniture
Studio Transformation



●●●●●ARGOSY®

MIXING / MASTERING

HANS DEKLINE
MASTERING ENGINEER

310 621 896
SOUNDBITESDOG.COM

EARS, GEAR & EXPERIENCE
AT INDIE RATES



FREE TEST

MASTERING

"BIG LABEL" Sound...Guaranteed!

Located in New York
Serving the U.S.
Since 1989

\$475. Complete
Album Deal!

1-800-692-1210

www.musichousemastering.com

EDUCATION/TUTORIALS

BE A RECORDING ENGINEER

ONLINE COURSE

from **AIA**

BRAND NEW online practical training in Multi-track Recording. Join our successful working graduates or build your own studio. Diploma/Career guidance. Registered School.

FREE INFO:
Audio Institute of America

814 48th Ave. San Francisco, CA 94121

www.AudioInstitute.com

ACOUSTIC PRODUCTS & SERVICES

WhisperRoom INC.
SOUND ISOLATION ENCLOSURES

20 Sizes
Immediate Shipping
Portable
Expandable

REDUCING SOUND
20 YEARS
A WHISPER

SOUND BOOTH FOR THE OLYMPICS
423-585-5827 800-200-8168
www.whisperroom.com

AcousticsFirst™
Toll-Free Number: **888-765-2900**

Full product line for sound control and noise elimination.
Web: <http://www.acousticsfirst.com>

NEED HELP MAKING YOUR AD STAND OUT?

You need a professional designer

cafepress.com/musicplayernet

DUPLICATION

CRYSTAL CLEAR
MEDIA GROUP A World Media Group Company

1000 RETAIL READY CDS ONLY \$870!
1000 RETAIL READY DVDs ONLY \$990!

TOLL FREE 1-800-880-0073 WWW.CRYSTALCLEARCDS.COM

CD · DVD · PRINTING · PACKAGING

EQ ENTHUSIASTS!

Check out the latest t-shirts, hats & other merchandise from EQ's online store.

cafepress.com/musicplayernet

ACCESSORIES

JustStrings.com

World's Largest Selection of Guitar & Bass Strings!

www.juststrings.com (800) 822-3953

BUY THE SOFTWARE YOU USE



Don't bite the hand that feeds you. Respect yourself, your craft and the work of others. The software community made it possible to record an album on your laptop. If you want to make sure there is a future version of the software you are using, buy the software you use. It's the smart thing to do.

www.imsta.org



INTERNATIONAL MUSIC SOFTWARE TRADE ASSOCIATION
New York • Toronto • Berlin • Tokyo
Tel: 416 789-6849 • Fax: 416 789-1667
Email: info@imsta.org
BUY THE SOFTWARE YOU USE

The International Music Software Trade Association is a non-profit organization that represents the interests of music software and soundware publishers. One of our most important functions is to advocate for the legal use of software in the music production and creation landscape. We do this primarily through public education campaigns. We are supported by our members who are software and soundware developers, distributors, retailers and publications. We are fighting piracy on moral grounds appealing to the good in all of us. We are trying to change behavior.

WILL I. AM

BY LISA ROY



Lisa Roy interviewed Will I. Am on producing the Black Eyed Peas *Monkey Business* back in January 2005. Here's excerpts on Will's take on Pro Tools and the future, as well as a few tips for Pro Tools users.

EQ: Chris Lord-Alge said that when he worked with you he really respected you because as a producer and an engineer, "Will saw the finish line and I helped him get there. He heard in his head the way he wanted it, and all his comments were just, which I respect." How do you feel the role of the producer has changed?

Will.i.am: I think the role of the producer's the same as it ever was. There are just different tools to execute your thoughts and ideas. The tools have made it a little bit easier to articulate your thoughts, made it a little bit more user-friendly to those that are aspiring producers to bring forth the things they have in their heads. I remember recording and editing on two-inch tape. But now it's totally different; we can do so many things, it's limitless now.

How easily did you make the transition from analog into the digital world?

Dave Pensado said [imitates Pensado], "Hey, Will, you can do really good with this Pro Tools stuff, you should give it a shot. Go meet with Rhett Lawrence, he will teach you all the things you need to know about Pro Tools." So I went

to meet Rhett. He showed me a couple of tricks. I would call them to troubleshoot. They were really, really helpful.

You've got a studio in your house in LA. Dish on the goodies?

Pro Tools: I've got the Digi 002, the Control 24, the M-box. Then, I have some vintage analog gear like a Clavi, Moog, Hammond organ, drum set.

And no going back from Pro Tools?

I don't program on a sequencer anymore. I do it all on Pro Tools. For me, it's the now and the future. I don't know what tomorrow's going to bring; all I know is that right now, the way I produce music, I wouldn't want to change it, because I see it on Pro Tools. I see the way it forms. I see the grid, I sequence on that, it gets played there and edited there and mixed there. I used to use the Akai MPC; I do everything on Pro Tools now. It wasn't designed to be a sequencer, but I sequence on that and program on that. So I get my drums right, or the combination of my stock sounds that I created and a live kit, and I manipulate it to make my program.

When you go into your studio what comes first?

The beat. I have a live kit, but instead of playing the whole kit or sampling a hi-hat, I just play hi-hat for three minutes. Then I'll go play the snare for three minutes; then I'll program the kick. That's what makes hip-hop, hip-hop—the focus the drum machine gives each drum without the bleed. So why don't I interpret what a drum machine does live, take out everything else and just play the hi-hat? Then, I will treat the drums the same way I would treat vocals. The way you would do a vocal and ad-lib a vocal, I have a drummer come in and ad-lib my drum program and put the fills and the crashes in.

What tips would you have for someone in the deep end of Pro Tools possibilities?

Well, I would like those people to keep this in mind: this equipment is becoming more and more affordable, so you're going to get a lot of young guys that are going to do all these crazy tricks. The one thing that technology can't mimic is that natural raw magic. Capturing that is worth more than any crazy trick and plug-in that you could put on a vocal. You can do all the editing tricks in the world, but natural magic is natural magic, and capturing that is priceless. **EQ**

Where there's sound, there's **WAVES**.




Gold
Over 20 plugins



Platinum
Over 30 plugins



Diamond
Over 40 plugins



Horizon
Over 50 plugins



Mercury
Over 100 plugins



www.waves.com

Finally. A video recorder
that **sounds** as good as it looks.



Introducing VideoTrack – The best way to capture video that sounds as good as it looks. Equally at home at the gig, in your backyard or on vacation, VideoTrack delivers crisp, clear video with exceptional audio clarity thanks to a pair of built-in hi-quality stereo condenser microphones. A bright 2.4" LCD screen lets you easily monitor your footage, while 3X zoom gets you close to the action, even from afar. The included software gives you easy drag-and-drop file transfer and direct-to-YouTube upload capability so you can edit and share your masterpiece in no time flat.

Don't settle for video with inferior audio. Start capturing your life with VideoTrack today.

VIDEOTRACK
HANDHELD AUDIO | VIDEO RECORDER

ALESIS
alesis.com