

Feature Article

Trends of Cancer Mortality in Europe, 1955-1989: I, Digestive Sites

Carlo La Vecchia, Franca Lucchini, Eva Negri, Peter Boyle,
Patrick Maisonneuve and Fabio Levi

CANCER INCIDENCE and mortality data in the early 1980s have been estimated and published for various European countries [1-4]. Death certification data of most European countries, however, have been available for almost 4 decades now. Although these have been analysed and published in several national publications [5-9], there is no single publication including a general overview of major patterns of trends in cancer mortality in Europe.

The availability of such a publication is of importance and interest for descriptive epidemiology and public health implications, since it allows comparative examination and assessment of long-term trends and hence current and future priorities for prevention and intervention [10]. Further, there are relevant implications for analytical epidemiology, since substantial heterogeneities in standard of life and several risk factor exposures across Europe were present in the first half of the current century, which however have systematically tended to flatten off over more recent decades, at least in Western Europe. Thus, inspection of trends in various countries between the mid 1950s and the late 1980s offers interesting clues for understanding and assessing the implications of these changes on national cancer rates to an extent that, probably, will be difficult to reproduce in the future.

In this series, therefore, we present in tabular and graphical form mortality data for 27 cancer sites or groups of sites plus total cancer mortality in 28 European countries over the period 1955-1989, in order to offer summary documentation and a general reference for epidemiologists, health statisticians and oncologists.

MATERIALS AND METHODS

Official death certification numbers for 28 European countries (excluding the Soviet Union and a few small countries such as Andorra and Liechtenstein) were derived from the World Health Organization (WHO) database.

Correspondence to C. La Vecchia.

C. La Vecchia, F. Lucchini and F. Levi are at the Institut universitaire de médecine sociale et préventive, Bugnon 17, 1005 Lausanne, Switzerland; C. La Vecchia and E. Negri are at the Istituto di Ricerche Farmacologiche "Mario Negri", Milano, Italy; P. Boyle and P. Maisonneuve are at the SEARCH Programme, Unit of Analytical Epidemiology, IARC, Lyon, France and at the European Institute of Oncology, 20121 Milano, Italy; and F. Levi is at the Registre vaudois des tumeurs, Institut Universitaire de médecine sociale et préventive, Lausanne, Switzerland.

Received and accepted 25 Sep. 1991.

During the calendar period considered (1955-1989), four different Revisions of the International Classification of Diseases (ICD) were used [11-14]. Classification of cancer deaths were thus re-coded, for all calendar periods and countries, according to the Ninth Revision (ICD-9). Table 1 gives the cancers or groups of cancers considered, together with the corresponding ICD codes under subsequent revisions. To improve comparability of data throughout different countries and calendar periods, we pooled together all intestinal sites including rectum, all uterine cancers (cervix and endometrium), all skin neoplasms (melanomas and non-melanomatous), all malignant neoplasms of the brain or nerves, and some relatively uncommon cancers (all connective and soft tissue sarcomas, all non-Hodgkin lymphomas).

Estimates of the resident population, generally based on official censuses, were obtained from the same WHO databank. From the matrices of certified deaths and resident populations, age-specific rates for each 5 year age group and calendar period were computed. Age-standardised rates, at all ages and truncated 35-64 years, were based on the world standard population [15].

In a few countries, data were missing for part of one or more calendar periods (Table 2). When a single year was missing within a quinquennium, numerators and denominators were interpolated linearly from the previous and subsequent calendar year. No extrapolation was made for missing data at the beginning or the end of the calendar period considered, or when data on one or more quinquennia were not available.

RESULTS

For each cancer site and country one table and three figures are presented.

The table includes, for each calendar period and sex, the absolute number of deaths and the age-standardised overall and truncated 35-64 years mortality rates.

The first figure includes world standardised rates (all ages and truncated) for each 5-year calendar period in both sexes.

Age-specific rates from 30-34 to 80-84 years were plotted against the central year of birth cohort in the second figure for males and in the third for females. The points corresponding to the same age group were joined to provide more clearly spaced graphs. Thus, in this graph the cohort effect can be read in the ordinate.

GENERAL COMMENT

This report has mainly a descriptive value, and comments and interpretations are consequently limited. A few general

Table 1. Cancers or groups of cancers considered

Type of cancer	6 ICD	7 ICD	8 ICD	9 ICD
Mouth or pharynx	140-148	140-148	140-149	140-149
Oesophagus	150	150	150	150
Stomach	151	151	151	151
Intestines, chiefly colon and rectum	152-154	152-154	152-154	152-154 + 159.0
Liver	—	155.0 + 155.8	155	155.0
Gallbladder and bile ducts	—	155.1	156	156
Pancreas	157	157	157	157
Larynx	161	161	161	161
Trachea, bronchus and lung	162	(162 + 163)-162.2	162	162
Pleura	—	162.2	163.0	163
Bone	196	196	170	170
Connective and soft tissue sarcomas	197	171	171	171
Skin including melanoma	190 + 191	190 + 191	172 + 173	172 + 173
Breast	170	170	174	174 (M)/175 (F)
Uterus (cervix and corpus)	171-174	171-174	180-182	179-182
Ovary	175	175	183	183
Prostate	177	177	185	185
Testis	178	178	186	186
Bladder	181*	181*	188	188
Kidney	180	180	189*	189*
Eye	192	192	190	190
Brain and nerves	193	193	191 + 192	191 + 192
Thyroid	194	194	193	193
Hodgkin's disease	201	201	201	201
All other lymphomas	200 + 202 + 205	200 + 202 + 205	200 + 202 + 208 + 209	200 + 202
Multiple myeloma	203	203	203	203
Leukaemias	204	204	204-207	204-208
Total, all sites, all histologies	140-239	140-239	140-239	140-239

*And other urinary sites

ICD = International Classification of Diseases.

Table 2. Calendar years for which data were missing for each country and cancer site.

Country	Cancer sites						
	Oral cavity	Oesophagus	Stomach	Intestines	Liver	Gallbladder	Pancreas
Austria	—	—	—	—	55-68	55-68	—
Belgium	85, 87-89	85, 87-89	85, 87-89	85, 87-89	55-67, 85, 87-89	55-67, 85, 87-89	77-78, 85, 87-89
Bulgaria	55-63	55-63	55-63	55-63	55-67	55-67, 83	55-65
Czechoslovakia	—	—	—	—	55-67, 79-81, 83-87	55-67	—
Denmark	89	89	89	89	55-60, 89	55-65, 89	89
Finland	89	89	89	89	55-57, 89	55-57, 88-89	89
France	89	89	89	89	55-57, 89	55-57, 89	89
Germany (GDR)	55-72, 79	55-72, 79	55-72, 79	55-72, 79	55-75, 77-86	55-75, 77-82	55-75, 77-79
Germany (FRG)	—	—	—	—	55-67	55-67	—
Greece	55-60, 89	55-60, 89	55-60, 89	55-60, 89	55-65, 89	55-65, 89	55-65, 89
Hungary	—	—	—	—	55-69	55-69	55-69
Iceland	—	—	—	—	55-70	55-70, 81-82	55-70
Ireland	89	89	89	89	55-67, 89	55-67, 89	89
Italy	89	89	89	89	55-57, 89	55-57, 89	89
Luxembourg	55-66	55-66	55-66	55-66	55-87	55-78	55-78
Malta	55-64, 66	55-64, 66	55-64, 66	55-64, 66	55-77	55-77	55-77
Netherlands	89	89	89	89	55-68, 89	55-68, 89	89
Norway	89	89	89	89	55-68, 89	55-68, 89	89
Poland	55-58	55-58	55-58	55-58	55-69, 72-79	55-69, 72-89	55-60, 69, 72-79
Portugal	—	—	—	—	55-79	55-83	55-79
Romania	55-58	55-58, 79	55-58, 79	55-58, 79	55-79, 85-89	55-89	55-79
	79, 85-89	85-89	85-89	85-89			85-89
Spain	87-89	87-89	87-89	87-89	55-67, 87-89	55-67, 87-89	87-89
Sweden	88-89	88-89	88-89	88-89	55-57, 88-89	55-57, 88-89	88-89
Switzerland	—	—	—	—	55-68	55-68	—
UK, England and Wales	—	—	—	—	55-57	55-67	—
UK, Northern Ireland	—	—	—	—	55-57, 64-67	55-57, 64-67	—
UK, Scotland	—	—	—	—	55-57	55-57	—
Yugoslavia	55-60, 89	55-60, 89	55-60, 89	55-60, 89	55-67, 79-85, 89	55-67, 89	55-59, 89

(Table 2 continued)

	Larynx	Lung	Pleura	Bone	Soft tissues sarcomas	Skin
Austria	—	—	55-70	—	—	—
Belgium	85, 87-89	85, 87-89	55-68, 85 87-89	85, 87-89	83, 85, 87-89	85, 87-89
Bulgaria	55-63	55-63	55-79, 83	55-65	55-65, 83	55-63
Czechoslovakia	—	—	55-78	—	—	—
Denmark	89	89	55-68, 82-87, 89	89	89	89
Finland	89	89	55-68, 84, 88-89	89	88-89	89
France	89	89	55-67, 89	89	89	89
Germany (GDR)	55-72, 79	55-72, 79	55-82	55-72, 79	55-75, 77-82	55-72, 79
Germany (FRG)	—	—	55-68	—	—	—
Greece	55-60, 89	55-60, 89	55-67, 89	55-65, 89	55-65, 89	55-60, 89
Hungary	—	—	55-69	55-68	55-69	—
Iceland	—	—	55-70, 81-82	55-70	55-70, 81-82	—
Ireland	89	89	55-67, 89	89	89	89
Italy	89	89	55-67, 89	89	55, 89	89
Luxembourg	55-66	55-66	55-78	55-70	55-78	55-66
Malta	55-64, 66	55-64, 66	55-77	55-67	55-77	55-64, 66
Netherlands	89	89	55-68, 89	89	89	89
Norway	89	89	55-68, 89	89	89	89
Poland	55-58	55-58	55-89	55-60	55-60, 69 72-89	55-58
Portugal	—	—	55-83	55-70	55-83	—
Romania	55-58 79, 85-89	55-58, 79, 85-89	55-89	55-68, 79, 85-89	55-89	55-58, 79, 85-89
Spain	87-89	87-89	55-74, 87-89	87-89	87-89	87-89
Sweden	88-89	88-89	55-68, 70-86, 88-89	88-89	88-89	88-89
Switzerland	—	—	55-68	—	—	—
UK, England and Wales	—	—	55-67	—	—	—
UK, Northern Ireland	—	—	55-78	—	—	—
UK, Scotland	—	—	55-67	—	—	—
Yugoslavia	55-60, 89	55-60, 89	55-78, 89	55-59, 89	55-59, 89	55-60, 89
	Breast	Uterus	Ovary	Prostate	Testis	
Austria	—	—	55-68	—	—	
Belgium	85, 87-89	85, 87-89	80-83 85, 87-89	85, 87-89	85, 87-89	
Bulgaria	55-63	55-63	55-65, 80-88	55-63	55-65	
Czechoslovakia	—	—	79, 81, 84-86	—	—	
Denmark	89	89	89	89	89	
Finland	89	89	87-89	89	89	
France	89	89	89	89	89	
Germany (GDR)	55-72, 79	55-72, 79	55-75, 77-82	55-72, 79	55-75, 77-79	
Germany (FRG)	—	—	55-67	—	—	
Greece	55-60, 89	55-60, 89	55-65, 89	55-60, 89	55-65, 89	
Hungary	—	—	55-69	—	55-69	
Iceland	—	—	55-70, 81-82	—	55-70, 81-82	
Ireland	89	89	89	89	89	
Italy	89	89	89	89	89	
Luxembourg	55-66	55-66	55-89	55-66	55-78	
Malta	55-64, 66	55-64, 66	55-77	55-64, 66	55-77	
Netherlands	89	89	89	89	89	
Norway	89	89	89	89	89	
Poland	55-58	55-58	55-60, 69, 72-89	55-58	55-60, 69	
Portugal	—	—	55-83	—	55-79	
Romania	55-58, 79, 85-89	55-58, 79, 85-89	55-89	55-68, 79, 85-89	55-79, 79, 85-89	
Spain	87-89	87-89	87-89	87-89	87-89	
Sweden	88-89	88-89	88-89	88-89	88-89	
Switzerland	—	—	—	—	—	
UK, England and Wales	—	—	—	—	—	
UK, Northern Ireland	—	—	—	—	—	
UK, Scotland	—	—	—	—	—	
Yugoslavia	55-60, 89	55-60, 89	55-59, 79-89	55-60, 89	55-59	

(Table 2 continued)

	Bladder	Kidney	Eye	Brain	Thyroid
Austria	55-68	55-68	—	89	—
Belgium	85, 87-89	85, 87-89	85, 87-89	85, 87-89	85, 87-89
Bulgaria	55-65	55-65, 83	55-65, 83	55-65, 83, 89	55-65, 83
Czechoslovakia	—	—	—	89	—
Denmark	89	89	89	89	89
Finland	89	88-89	88-89	88-89	88-89
France	89	89	89	89	89
Germany (GDR)	55-75, 77-79	55-75, 77-82	55-75, 77-82	55-75, 77-82, 89	55-75, 77-82
Germany (FRG)	55-67	55-67	55-57	89	—
Greece	55-65, 89	55-65, 89	55-65, 89	55-65, 88-89	55-65, 89
Hungary	55-69	55-69	55-69	55-69, 89	55-69
Iceland	55-70	55-70, 81-82	55-70, 81-82	55-89	55-70, 81-82
Ireland	89	89	89	88-89	89
Italy	89	89	55, 68, 89	88-89	55, 89
Luxembourg	55-78	55-78	55-78	55-78, 89	55-78
Malta	55-77	55-77	55-77	55-89	55-77
Netherlands	89	89	89	88-89	89
Norway	89	89	89	88-89	89
Poland	55-60, 69	55-60, 69, 72-89	55-60, 69, 72-89	55-60, 69, 72-89	55-60, 69, 72-89
Portugal	55-79	55-83	55-83	55-83, 89	55-83
Romania	55-68, 79, 85-89	55-89	55-89	55-89	55-89
Spain	87-89	87-89	87-89	86-89	87-89
Sweden	88-89	88-89	88-89	88-89	88-89
Switzerland	—	—	—	89	—
UK, England and Wales	—	—	—	89	—
UK, Northern Ireland	—	—	—	89	—
UK, Scotland	—	—	—	89	—
Yugoslavia	55-59, 89	55-59, 89	55-59, 89	55-59, 87-89	55-59, 89

	Hodgkin's disease	Other lymphomas	Multiple myelomas	Leukaemias	Total
Austria	—	—	68-55	—	—
Belgium	85, 87-89	85, 87-89	85, 87-89	85, 87-89	85, 87-89
Bulgaria	55-64	55-65, 83	55-64, 83	55-63	55-63
Czechoslovakia	—	—	—	—	—
Denmark	89	89	89	89	89
Finland	89	88-89	88-89	89	89
France	89	89	89	89	89
Germany (GDR)	55-75, 76-79	55-75, 77-82	55-75, 77-82	55-72, 79	55-72, 79
Germany (FRG)	—	—	55-67	—	—
Greece	55-63, 89	55-65, 89	55-63, 89	55-60, 89	55-60, 89
Hungary	55-69	55-69	55-69	—	—
Iceland	55-63	55-70, 81-82	55-63, 81-82	—	—
Ireland	89	89	89	89	89
Italy	89	89	55, 89	89	89
Luxembourg	55-66, 68-78	55-78	55-66, 60-78	55-66	55-66
Malta	55-77	55-77	55-77	55-66	55-66
Netherlands	89	89	89	89	89
Norway	89	89	89	89	89
Poland	55-60, 69, 72-79	55-60, 69, 72-89	55-60, 69, 72-89	55-58	55-58
Portugal	55-79	55-83	55-83	—	—
Romania	55-68, 79, 85-89	55-89	55-89	55-58, 79, 85-89	55-58, 79, 85-89
Spain	87-89	87-89	87-89	87-89	87-89
Sweden	88-89	88-89	88-89	88-89	88-89
Switzerland	—	—	—	—	—
UK, England and Wales	—	—	—	—	—
UK, Northern Ireland	—	—	—	—	—
UK, Scotland	—	—	—	—	—
Yugoslavia	55-59, 89	55-59, 89	55-59, 89	55-60, 89	55-59, 89

comments are nonetheless included, to assist in reading and interpreting trends for major cancer sites.

It is more useful to stress that any inference on trends in cancer mortality should be based on accurate inspection of various age-specific rates, bearing in mind the importance of trends at younger ages, not only because death certification and population estimates are more reliable, but also because they may contain useful indications as to the most likely future trends [16]. More specifically, due caution should be paid to upward trends only affecting older age groups while rates in the younger middle age are stable (e.g. for cancer of the prostate, brain tumours, multiple myeloma), where large diagnostic improvements have been achieved over the last 2 or 3 decades. Most of these apparent trends should in general be considered largely or totally artefactual [16].

Further, problems related to random variability should always be considered, and are clearly greater in relation to smaller populations and rarer cancers.

Finally, and more complex, there are problems of death certification accuracy and reliability in various countries and calendar periods. In general, for most common cancer sites and European countries, death certification data can be considered sufficiently reliable and comparable to permit meaningful inference, particularly in relation to trends within countries and under age 65.

Greater caution is required for a few cancer sites, whose diagnosis and certification may be largely influenced by the availability and utilization of diagnostic techniques and accuracy of registration [16–18]. These cancers include, among others, liver, prostate, brain, and myeloma and other lympho-haemopoietic neoplasms.

ORAL CAVITY AND PHARYNX

All cancers of the oral cavity and pharynx were grouped together, to increase comparability between countries and on account of the relatively limited number of deaths from individual sites in several countries.

Male rates in the late 1950s or early 1960s ranged between 1.4/100 000 in Greece and 7.3 in France. Substantial increases were observed in most European countries, particularly from the mid 1970s onwards to reach 14.5 in France, 12.5 in Hungary and over 5/100 000 in several countries, including Austria, Czechoslovakia, the Federal Republic of Germany (FRG), Italy, Poland, Portugal, Scotland, Spain, Switzerland and Yugoslavia.

Upward trends were more pronounced in young and middle age. Truncated rates, for instance, increased from 4.1 to 13.4 in Austria, from 3.8 to 6.6 in Belgium, from 13.4 to 32.3 in France, from 2.2 to 14.0 in Germany (FR), from 7.0 to 12.2 in Italy, from 3.4 to 11.8 in Poland, from 3.4 to 11.5 in Spain, from 3.8 to 12.5 in Yugoslavia. Only in Scandinavia oral cancer mortality was approximately stable (in Norway and Sweden) or downwards (in Finland).

Inspection of age-specific rates shows substantial increases at younger ages in most European countries. This indicates that, in the absence of adequate intervention, the epidemic of oral and pharyngeal cancers is likely to further spread among European males during future decades [16, 19].

Mortality rates were substantially lower in females, being in most areas around or under 1/100 000. Changes were relatively minor, some (particularly in Central Europe) being upwards, but others, such as in Britain or Scandinavia, downwards.

Alcohol and tobacco have long been recognised as the main risk factors for oral and pharyngeal cancer in Europe, and largely

explain the substantial excess observed in France—as well as the high rates of several central European countries [8, 16, 19–21]. It is particularly regrettable that mortality for a neoplasm whose causes have long been known is still rising in most European countries, particularly, at younger ages and hence in more recent generations [22].

OESOPHAGUS

Oesophageal cancer mortality among males, and the corresponding trends, were largely heterogeneous in different European countries. Some of them, such as Austria or Italy and, particularly, France (whose overall mortality was persistently over 10/100 000 males), started with high rates which remained approximately stable. Substantial rises were observed in other countries, such as Belgium, Czechoslovakia, Denmark, Germany (FRG), Hungary, the Netherlands, Spain and Great Britain. Finally, rates decreased in Finland and Switzerland.

This is another neoplasm related to alcohol and tobacco consumption [20], which explained over 80% of cases in high incidence area of Northern France [23].

It has been shown that these trends correlate well with national statistics on alcohol consumption, which showed an upward threshold around 8 l of ethanol per caput per year: mortality rates were relatively insensible to changes under this threshold, but consistently rose with consumption of larger quantities [24].

Even more worrying is inspection of male age-specific rates, since the increases were restricted, or larger, at younger age, and for more recent generations were evident also in the absence of large rises in the overall age-standardized rates.

As for oral cavity cancers, rates were substantially lower for females, rates being in most European areas constantly under 1/100 000 and showed no major trend over time. Among the outliers there was Finland, whose female oesophageal cancer rate was over 5/100 000 in the late 1950s, but declined to 1.9/100 000 in 1985–1989, and Britain, with rates between 2 and 3/100 000 in the 1950s and rising to 3–4/100 000 in late 1980s.

STOMACH

Stomach cancer mortality declined for both sexes in all European countries but the falls were quantitatively different both in absolute and in relative terms. In Northern Europe, Germany (FRG), France and Switzerland the decline was around or over 60%, and rates in the late 1980s were generally between 10 and 15/100 000 males and between 5 and 10/100 000 females. Thus, stomach cancer, which almost invariably was the most common site of cancer death in both sexes in the late 1950s, became a relatively uncommon site 3 decades later.

The downward trends were more limited in Southern Europe: approximately 50% in Italy, Spain and Greece, and only 20 to 30% in Portugal and Yugoslavia. In the latter countries, moreover, the declines started only from the late 1960s onwards. Proportionally similar were the declines in stomach cancer in Eastern Europe, where most countries in the late 1980s had still overall mortality rates ranging between 20 and 30/100 000 males and 10 to 15/100 000 females. In these areas, therefore, gastric cancer is still an important cause of disease and death.

In 1985–1989 the range of variation for males was between 33–34/100 000 in Poland, Portugal and Romania (in 1980–1984) and 9–10/100 000 in Denmark, France and Sweden for females, between 11 and 12 in Bulgaria, Hungary and Portugal and 4 and 5 in France and Switzerland.

It is nonetheless reassuring that declines in gastric cancer mortality are still evident even in the younger generations, thus

suggesting that these favourable trends will continue in the future.

The causes of this generalised decline are not well understood, but it is generally accepted that a more affluent diet and improved methods of food storage played an important role [16, 25]. This concept is consistent with the pattern of trends registered in various European countries.

INTESTINES, CHIEFLY COLON AND RECTUM

Although the causes of neoplasms of the rectum, colon and of various subsites within the colon are, at least in part, different, we had to group all intestinal subsites since it is difficult, on the basis of death certification to reliably distinguish even neoplasms arising from the colon and from the rectum [26].

In the 1950s, a substantial heterogeneity was present in colorectal cancer mortality, since Britain and central European countries had elevated rates, while Southern and Eastern Europe had considerably lower mortality.

A systematic tendency towards levelling of various rates over more recent calendar periods around higher values (i.e. between 18 and 25/100 000 males, and between 13 and 20/100 000 females, world standard) was observed. Rates were still somewhat lower in Greece, Romania, Spain and Yugoslavia, although the persisting upward trends in these countries suggest that they may reach levels comparable to those of other European areas in the near future.

Favourable trends were observed in Scotland, whose exceedingly high values of the 1950s declined in both sexes over more recent decades, as declined among English women. Further, persisting low rates were observed in Finland and Sweden, with particularly favourable trends among women.

Inspection of age-specific rates shows that rates were often more favourable at younger ages, particularly in women.

Taken together, however, trends in colorectal cancer mortality in various European countries are consistent with a systematic levelling of rates towards high values. Since diet plays an important role in the aetiology of the disease [26, 27], this pattern of trends probably reflects the tendency towards more uniform dietary habits throughout Europe.

LIVER

Trends in liver cancer mortality are presented for the scope of completeness, but should be interpreted with utmost caution since: (i) liver cancer is difficult to diagnose, and its rates are substantially influenced by changes in diagnostic accuracy, particularly since the liver is one of the most common sites of secondaries [16]; and (ii) changes in the ICD, with the inclusion of unspecified liver cancer in the 155 code in the ninth revision, may have introduced spurious trends.

This may well explain several of the apparently diverging trends, i.e. between Belgium and France, as well as generally or largely account for the upward trends in France [28] or Italy, or for the surprising decline in Spain.

It is possible, nonetheless, that some meaningful information is present in the data, such as the particular low rates in Britain or some Scandinavian countries as contrasted with the high liver cancer mortality in several southern and eastern European countries. These figures could be related to the established knowledge on liver cancer aetiology, and particularly, to the role of hepatitis B virus and alcohol on the aetiology of this neoplasm [29, 30].

GALLBLADDER AND BILE DUCTS

This is one of the few non-sex-related sites—together with thyroid cancer—whose rates are higher in females than in males.

There are substantial difficulties in the diagnosis and ascertainment of this relatively rare cancer, which introduce large uncertainties in the interpretation of observed trends. Further, gallbladder cancer mortality is influenced by and inversely related to the frequency of cholecystectomy [31].

These observations underline the caution required for interpreting trends in gallbladder cancer. Nonetheless, a number of patterns is consistent enough to deserve careful consideration. Rates, in fact, were persistently elevated in Poland and other areas of Eastern and Central Europe, started with high values but subsequently declined in Western Germany, Austria, Denmark and the Netherlands, and were much lower, but with systematic upward trends in Southern Europe and Scandinavia, and originally low and still decreasing in Britain.

As for several other sites, trends tended to be generally more favourable at younger age, i.e. in more recent generations.

PANCREAS

Certified mortality from pancreatic cancer over the last 4 decades has been systematically upwards in all European countries. Only in Britain has a favourable trend been observed since the late 1970s, particularly in middle aged men. Starting from appreciably lower levels, mortality rates approached 8–12/100 000 males and 4–6/100 000 females in most countries over most recent years.

Since this is a tobacco-related site [16, 32, 33], some of these generalized upward trends are probably real, and related to increased tobacco consumption over the past decades [33]. These trends should however be considered with caution, since the diagnosis of pancreatic cancer is difficult, and hence the reliability of death certification generally poor. Thus, at least part of the upward trends registered are probably attributable to improved diagnosis and certification.

Not surprisingly, therefore, the upward trends were more moderate in middle aged and even smaller in the younger age groups, when death certification is more accurate and reliable.

1. Levi F, Maisonneuve P, Filiberti R, La Vecchia C, Boyle P. Cancer incidence and mortality in Europe. *Soz Praeventivmed* 1989, **34** (Suppl. 2), S1–S84.
2. Jensen OM, Estève J, Møller H, Renard H. Cancer in the European Community and its member states. *Eur J Cancer* 1990, **26**, 1167–1256.
3. Parkin DM, Läärä E, Muir CS. Estimates of the worldwide frequency of sixteen major cancers in 1980. *Int J Cancer* 1988, **41**, 184–197.
4. Coleman M, Demaret E. Cancer registration in the European Community. *Int J Cancer* 1988, **42**, 339–345.
5. Osmond C, Gardner MJ, Acheson ED, Adelstein AM. Trends in cancer mortality 1951–1980. Analyses by period of birth and death. London, Her Majesty's Stationery Office, 1983.
6. La Vecchia C, Negri E, Decarli A, Fasoli M, Cislighi C. Cancer mortality in Italy: an overview of age-specific and age-standardized trends from 1955 to 1984. *Tumori* 1990, **76**, 87–166.
7. Levi F, Decarli A, La Vecchia C. Trends in cancer mortality in Switzerland, 1951–1984. *Revue Epidemiol Santé Publ* 1988, **36**, 15–25.
8. Hill C, Benhamou E, Doyon F. Trends in cancer mortality, France 1951–1985. *Br J Cancer* 1991, **63**, 587–590.
9. Bolumar F, Vioque J, Cayuela A. Changing mortality patterns for major cancers in Spain, 1951–1985. *Int J Epidemiol* 1991, **20**, 20–25.
10. Commission of the European Community. Europe Against Cancer Action Plan, 1987–1989. *Official J Eur Community* 1987, **87/C50/01**, 1–58.

11. World Health Organization. *International Classification of Disease: 6th Revision*. World Health Organization, Geneva, 1950.
12. World Health Organization. *International Classification of Disease: 7th Revision*. World Health Organization, Geneva, 1957.
13. World Health Organization. *International Classification of Disease: 8th Revision*. World Health Organization, Geneva, 1967.
14. World Health Organization. *International Classification of Disease: 9th Revision*. World Health Organization, Geneva, 1977.
15. Doll R, Smith PG. Comparison between registries: age-standardized rates. In: Waterhouse JAH, Muir C, Shanmugaratnam K, et al. eds. *Cancer Incidence in Five Continents*, Vol. IV. IARC Scient Publ No 42, Lyon, International Agency for Research on Cancer, 1982, 671-675.
16. Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *JNCI* 1981, **66**, 1191-1308.
17. Percy C, Stanek E, Gloeckler L. Accuracy of cancer death certificates and its effects on mortality statistics. *Am J Publ Hlth* 1981, **71**, 242-250.
18. Boyle P. Relative value of incidence and mortality data in cancer research. *Recent Results Cancer Res* 1989, **114**, 41-63.
19. La Vecchia C, Boyle P, Franceschi S, et al. Smoking and cancer with emphasis on Europe. *Eur J Cancer* 1991, **27**, 94-104.
20. International Agency for Research on Cancer. *IARC Monographs on the Evaluation of Carcinogenic Risk to Humans*, Vol. 44: *Alcohol Drinking*, Lyon, International Agency for Research on Cancer, 1988.
21. Franceschi S, Talamini R, Barra S, et al. Smoking and drinking in relation to cancers of the oral cavity, pharynx, larynx and oesophagus in Northern Italy. *Cancer Res* 1990, **50**, 6502-6507.
22. Boyle P, Macfarlane GJ, McGinn R, et al. International epidemiology of head and neck cancer. In: Boyle P, Fallon BG, Gluckman JL, et al. eds. *Multiple Primary Tumors in the Head and Neck*. New York, Thieme Verlag, 1990, 81-138.
23. Tuyns AJ, Péquignot G, Jensen OM. Les cancers de l'oesophage en Ile-et-Villaine en fonction des niveaux de consommation d'alcool et de tabac. Des risques qui se multiplient. *Bull Cancer (Paris)* 1977, **64**, 45-60.
24. Møller H, Boyle P, Maisonneuve P, La Vecchia C, Jensen OM. Changing mortality from esophageal cancer in males in Denmark and other European countries, in relation to changing levels of alcohol consumption. *Cancer Causes and Control* 1990, **1**, 181-188.
25. Howson CP, Hiyama T, Wynder EL. The decline of gastric cancer: epidemiology of an unplanned triumph. *Epidem Rev* 1986, **8**, 1-27.
26. Doll R. General epidemiologic considerations in etiology of colorectal cancer. In: Winawer S, Schottenfeld D, Sherlock P, eds. *Colorectal Cancer: Prevention, Epidemiology and Screening. Progress in Cancer Research and Therapy*, Vol. 3, New York, Raven Press, 1980, 3-12.
27. Willett WC. The search for the causes of breast and colon cancer. *Nature* 1989, **338**, 389-394.
28. Hill C, Benhamou E, Doyon F, Flamant R. Evolution de la mortalité par cancer en France entre 1950 et 1985. *Statistiques de Santé*, Paris, INSERM, 1989, 340.
29. Trichopoulos D, Tabor E, Gerety RJ, et al. Hepatitis B and primary hepatocellular carcinoma in a European population. *Lancet* 1978, **ii**, 1217-1219.
30. La Vecchia C, Negri E, Decarli A, D'Avanzo B, Franceschi S. Risk factors for hepatocellular carcinoma in Northern Italy. *Int J Cancer* 1988, **42**, 872-876.
31. Lowenfels AB, Linström CG, Conway MJ, Hastings PR. Gallstones and risk of gallbladder cancer. *JNCI* 1985, **75**, 77-80.
32. U.S. Office on Smoking and Health: The health consequences of smoking: cancer. *A Report of the Surgeon General of the Public Health Service*. Washington DC, U.S.G.P.O., 1982.
33. Boyle P, Hsieh CC, Maisonneuve P, et al. Epidemiology of pancreas cancer (1988). *Int J Pancreatol* 1989, **5**, 327-346.

Acknowledgements—This study has been made possible by a core grant of the Swiss (Aargau and St-Gall) League against Cancer. Supports were also received by the Italian Association for Cancer Research and the Italian League against cancer.

This study was conducted within the framework of the CNR (Italian National Research Council) Applied Project "Clinical Application of Oncological Research" and of the "Europe Against Cancer" Programme of the Commission of the European Communities.







Austria*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	706	3.14	4.10	263	0.85	1.06
60-64	670	2.81	3.74	281	0.81	1.07
65-69	771	3.15	4.48	293	0.82	1.21
70-74	944	3.95	6.40	275	0.71	0.96
75-79	980	4.36	8.69	264	0.66	0.97
80-84	1080	4.79	10.77	297	0.75	1.22
85-89	1354	5.81	13.44	363	0.94	1.87

Belgium*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	840	2.70	3.76	257	0.66	0.73
60-64	956	2.98	4.24	347	0.83	0.97
65-69	942	2.83	4.08	294	0.66	0.84
70-74	898	2.67	3.88	281	0.60	0.80
75-79	1032	3.07	4.93	338	0.75	1.13
80-84	1270	3.81	7.25	421	0.90	1.58
85-89*	241	3.48	6.57	88	0.99	1.88

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Bulgaria*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	86	1.95	3.64	33	0.65	0.91
65-69	511	2.10	3.36	184	0.67	0.96
70-74	467	1.79	2.88	187	0.64	0.88
75-79	558	1.93	3.33	210	0.65	0.99
80-84	715	2.38	4.88	246	0.70	0.89
85-89	1107	3.60	7.75	245	0.67	1.04

*Information is missing for one or more years.

Czechoslovakia*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1224	3.42	4.19	414	0.91	1.34
60-64	1331	3.55	4.23	500	1.02	1.39
65-69	1307	3.14	4.14	449	0.80	0.91
70-74	1483	3.40	5.01	454	0.79	1.00
75-79	1921	4.39	7.89	532	0.83	1.01
80-84	2604	5.99	12.72	649	0.95	1.26
85-89	3580	8.18	18.99	700	1.00	1.46






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the mouth or pharynx*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	333	2.32	3.08	170	1.06	1.05
60-64	330	2.13	2.86	190	1.03	1.08
65-69	328	2.02	2.78	202	1.01	1.15
70-74	372	2.14	3.02	195	0.88	1.13
75-79	475	2.56	4.08	287	1.18	1.77
80-84	595	3.20	5.79	358	1.39	2.10
85-89*	529	3.58	6.54	290	1.38	2.55

*Information is missing for one or more years.

**Finland***Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	332	3.86	4.56	217	1.68	2.38
60-64	320	3.24	4.16	198	1.37	1.79
65-69	291	2.75	3.49	190	1.20	1.54
70-74	280	2.42	3.65	173	0.98	1.35
75-79	316	2.50	3.06	234	1.16	1.51
80-84	331	2.35	3.45	251	1.11	1.37
85-89*	256	2.10	3.17	188	0.89	1.16

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	9793	7.25	13.42	1474	0.74	0.97
60-64	12705	8.78	16.50	1651	0.76	0.94
65-69	16441	10.85	20.57	1975	0.86	1.27
70-74	21069	13.31	27.00	2427	1.01	1.69
75-79	25011	15.30	32.93	2703	1.11	2.01
80-84	26541	15.66	34.75	3031	1.25	2.36
85-89*	20422	14.49	32.34	2556	1.29	2.52

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	493	2.15	3.14	208	0.58	0.70
75-79*	1021	2.42	4.07	505	0.68	0.91
80-84	1724	3.50	7.15	696	0.75	1.04
85-89	2250	4.48	9.77	756	0.86	1.34




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2547	1.67	2.16	1252	0.64	0.71
60-64	3102	1.78	2.24	1466	0.61	0.75
65-69	3612	1.90	2.59	1582	0.57	0.70
70-74	4249	2.19	3.38	1851	0.62	0.91
75-79	5905	3.06	5.74	2141	0.69	1.10
80-84	8830	4.52	9.87	2667	0.84	1.49
85-89	12416	6.01	14.01	3158	0.98	1.86






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Greece*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	257	1.42	2.05	119	0.50	0.58
65-69	337	1.40	2.06	157	0.53	0.90
70-74	431	1.50	2.36	177	0.52	0.86
75-79	519	1.64	2.60	239	0.60	0.78
80-84	597	1.70	2.68	258	0.59	0.88
85-89*	509	1.70	2.57	228	0.61	0.58




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the mouth or pharynx*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1082	4.18	4.87	303	0.96	1.11
60-64	1173	4.11	4.38	301	0.85	0.86
65-69	1245	4.02	4.77	355	0.86	0.78
70-74	1589	4.82	6.63	425	0.94	1.07
75-79	2106	6.17	10.63	504	1.06	1.31
80-84	3192	9.40	19.11	622	1.30	1.99
85-89	4111	12.52	28.24	754	1.55	2.80



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Iceland*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	8	2.26	1.78	8	1.71	1.75
60-64	11	2.28	3.95	10	1.78	1.56
65-69	14	2.84	3.78	12	1.95	2.12
70-74	13	2.25	2.00	12	1.81	2.48
75-79	14	2.15	2.46	7	0.91	1.34
80-84	17	2.12	2.21	8	1.06	1.83
85-89	18	2.41	3.91	9	1.13	1.84






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	740	7.04	6.03	241	2.46	3.87
60-64	564	5.51	4.93	202	2.02	3.68
65-69	463	4.61	4.58	190	1.81	2.75
70-74	434	4.29	4.63	185	1.81	3.21
75-79	410	4.02	4.42	187	1.58	2.19
80-84	412	4.09	6.38	170	1.33	1.74
85-89*	371	4.54	6.99	158	1.49	2.13

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6953	5.20	6.99	1491	0.92	1.12
60-64	8103	5.55	7.63	1723	0.96	1.26
65-69	9056	5.80	8.37	1887	0.95	1.35
70-74	10114	6.04	9.16	1987	0.91	1.32
75-79	10833	5.97	10.49	2100	0.87	1.28
80-84	12174	6.43	11.97	2525	0.99	1.51
85-89*	10285	6.47	12.16	2309	1.02	1.54

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	24	3.36	5.98	9	1.07	2.53
70-74	74	6.16	9.46	12	0.84	1.91
75-79	80	6.72	12.38	13	0.80	1.70
80-84	76	6.71	12.10	24	1.53	3.77
85-89	90	7.25	14.79	23	1.34	2.50

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	32	5.24	9.30	16	2.15	3.49
70-74	51	6.18	10.31	19	2.02	3.54
75-79	53	6.63	10.86	21	2.31	3.79
80-84	46	5.48	7.29	13	1.26	2.47
85-89	45	4.90	9.61	16	1.44	3.10

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the mouth or pharynx*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	561	1.85	2.08	288	0.86	1.23
60-64	595	1.78	2.18	323	0.82	0.93
65-69	659	1.74	2.20	313	0.71	0.85
70-74	780	1.95	2.55	331	0.68	0.76
75-79	825	1.94	2.69	379	0.67	0.87
80-84	961	2.16	3.25	483	0.75	1.01
85-89*	933	2.52	4.26	441	0.83	1.33

*Information is missing for one or more years.

**Norway***Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	357	3.10	4.13	196	1.45	1.95
60-64	368	2.92	3.26	202	1.33	1.75
65-69	375	2.69	3.10	224	1.29	1.62
70-74	454	3.07	3.89	190	1.00	1.25
75-79	404	2.61	3.65	172	0.82	0.95
80-84	448	2.79	4.37	213	0.95	1.34
85-89*	370	2.93	4.71	197	0.99	1.21

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Poland*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	252	2.23	3.41	125	0.81	1.04
60-64	1707	2.84	4.27	702	0.85	1.17
65-69	2520	3.58	5.22	920	0.94	1.11
70-74	3763	4.77	7.69	1134	1.03	1.43
75-79	4185	4.77	8.49	1213	0.98	1.39
80-84	4771	5.11	9.50	1379	1.01	1.51
85-89	5630	5.73	11.79	1432	0.97	1.51

*Information is missing for one or more years.

**Portugal***Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	821	4.34	7.03	251	0.95	1.33
60-64	1011	4.78	8.55	351	1.18	1.50
65-69	1062	4.81	8.35	334	1.07	1.45
70-74	1200	5.16	8.55	321	0.99	1.33
75-79	1285	5.05	8.62	347	0.97	1.14
80-84	1389	4.83	9.13	315	0.76	1.13
85-89	1640	5.24	10.50	363	0.79	1.08






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	165	1.96	3.02	62	0.58	0.98
60-64	1125	2.48	4.29	368	0.65	0.94
65-69	1387	2.77	4.54	511	0.83	1.33
70-74	1527	2.82	5.02	569	0.86	1.34
75-79*	1486	3.16	5.55	495	0.87	1.28
80-84	2741	4.33	8.99	791	1.04	1.77
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Spain*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1697	2.43	3.35	443	0.46	0.49
60-64	2374	3.04	4.32	637	0.62	0.70
65-69	2414	2.78	4.08	674	0.57	0.67
70-74	3032	3.21	5.06	746	0.57	0.67
75-79	4020	3.91	6.87	858	0.61	0.81
80-84	5222	4.62	9.22	977	0.62	0.87
85-89*	2569	5.42	11.47	489	0.72	0.98

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Sweden*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	570	2.28	3.10	458	1.57	2.07
60-64	654	2.31	3.16	524	1.58	1.89
65-69	706	2.32	3.46	480	1.27	1.39
70-74	780	2.39	3.14	459	1.13	1.32
75-79	889	2.57	3.62	488	1.04	1.21
80-84	941	2.68	4.28	464	0.95	1.22
85-89*	568	2.66	4.14	279	0.91	1.22

*Information is missing for one or more years.

Switzerland*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1019	6.70	9.92	207	1.07	1.18
60-64	1137	6.87	10.65	204	0.93	1.35
65-69	1156	6.45	9.64	216	0.93	1.31
70-74	1242	6.36	10.11	265	0.98	1.13
75-79	1304	6.31	10.76	295	1.03	1.43
80-84	1468	6.92	13.11	361	1.16	1.86
85-89	1489	6.49	12.27	390	1.19	2.04






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England and Wales*Deaths from cancer of the mouth or pharynx*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6430	4.39	3.94	3243	1.68	2.63
60-64	5249	3.48	3.41	3200	1.53	2.38
65-69	4862	3.08	3.28	3181	1.42	2.17
70-74	4766	2.84	3.38	3112	1.33	2.04
75-79	4825	2.77	3.75	3164	1.29	2.01
80-84	5142	2.86	4.51	3214	1.24	1.81
85-89	5185	2.82	4.78	3262	1.24	1.88



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	203	5.02	4.18	110	2.24	3.55
60-64	170	3.97	3.72	107	2.08	3.07
65-69	161	3.63	3.09	121	2.24	3.76
70-74	149	3.35	3.78	98	1.73	2.98
75-79	111	2.51	2.62	86	1.38	1.86
80-84	104	2.23	2.87	87	1.28	1.71
85-89	152	3.27	5.12	86	1.16	1.46



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	817	5.23	4.08	410	2.00	3.07
60-64	622	3.97	3.15	397	1.83	2.71
65-69	584	3.70	3.60	360	1.55	2.00
70-74	500	3.04	2.98	332	1.35	1.81
75-79	519	3.05	3.89	329	1.28	2.00
80-84	555	3.26	4.91	386	1.48	2.38
85-89	688	3.97	6.85	366	1.39	2.22

Yugoslavia*Deaths from cancer of the mouth or pharynx*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	764	2.35	3.81	221	0.52	0.77
65-69	995	2.21	3.54	316	0.57	0.90
70-74	1473	3.00	5.33	397	0.64	0.84
75-79	2043	3.76	7.32	492	0.71	0.98
80-84	3012	5.01	10.16	643	0.84	1.17
85-89*	3153	6.01	12.53	640	0.93	1.29

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Austria*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1060	4.52	4.54	282	0.83	0.75
60-64	993	4.05	4.20	308	0.83	0.71
65-69	1168	4.72	5.77	310	0.74	0.77
70-74	1035	4.06	5.18	282	0.64	0.59
75-79	946	3.77	5.45	249	0.54	0.55
80-84	979	3.95	6.44	230	0.49	0.65
85-89	912	3.63	6.63	212	0.44	0.59

Belgium*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1143	3.62	4.23	453	1.09	0.97
60-64	1242	3.72	4.54	483	1.06	1.00
65-69	1335	3.92	4.98	461	0.98	1.04
70-74	1268	3.71	5.33	497	0.96	0.93
75-79	1415	4.04	5.51	534	0.98	1.09
80-84	1541	4.39	6.75	571	1.03	1.25
85-89*	328	4.61	7.73	124	1.06	1.41

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Bulgaria*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	77	1.73	2.83	24	0.46	0.55
65-69	351	1.44	2.06	154	0.55	0.64
70-74	324	1.18	1.45	170	0.56	0.90
75-79	359	1.20	1.94	158	0.45	0.58
80-84	383	1.22	1.93	136	0.35	0.36
85-89	612	1.87	3.21	223	0.58	0.95

*Information is missing for one or more years.

Czechoslovakia*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1049	2.92	3.30	300	0.64	0.64
60-64	1064	2.78	2.86	281	0.52	0.51
65-69	1032	2.45	2.34	307	0.52	0.56
70-74	1169	2.60	3.16	336	0.50	0.39
75-79	1328	2.88	4.23	293	0.42	0.44
80-84	1520	3.37	6.32	334	0.44	0.44
85-89	1868	4.10	8.15	364	0.48	0.57






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	513	3.46	3.39	269	1.59	1.28
60-64	468	2.89	3.06	255	1.28	0.65
65-69	447	2.64	3.18	254	1.15	0.82
70-74	547	2.98	3.72	270	1.12	1.13
75-79	611	3.16	4.08	317	1.14	1.03
80-84	802	4.16	5.98	339	1.25	1.71
85-89*	720	4.50	6.75	314	1.32	1.73

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	697	7.89	9.73	766	5.76	5.54
60-64	620	6.50	7.18	726	4.79	4.12
65-69	524	5.05	5.11	632	3.72	3.13
70-74	506	4.33	4.64	573	2.99	2.52
75-79	460	3.56	3.30	548	2.41	2.10
80-84	470	3.27	3.30	552	2.03	1.30
85-89*	373	2.99	3.51	435	1.88	1.71

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	15651	11.49	19.36	2420	1.11	1.06
60-64	19594	13.36	22.28	2727	1.12	1.03
65-69	22370	14.37	23.51	2961	1.11	1.09
70-74	23410	14.21	24.17	3093	1.10	1.26
75-79	24327	14.05	24.96	3113	1.07	1.43
80-84	23265	12.96	24.05	3026	1.03	1.54
85-89*	17723	11.95	22.58	2497	1.02	1.53

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	674	2.80	3.60	262	0.62	0.74
75-79*	1323	2.95	4.39	435	0.50	0.51
80-84	1685	3.22	5.72	574	0.57	0.75
85-89	1938	3.79	7.25	551	0.58	0.81




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Germany, FRG*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6270	3.95	3.85	2408	1.16	0.76
60-64	6939	3.85	3.87	2725	1.04	0.75
65-69	7224	3.67	3.77	2946	0.95	0.66
70-74	7192	3.52	4.10	2812	0.81	0.65
75-79	7768	3.76	5.19	2808	0.74	0.69
80-84	8735	4.22	7.20	2963	0.75	0.89
85-89	10580	4.94	9.50	3088	0.80	1.18

**Greece***Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	299	1.69	2.37	153	0.70	1.08
65-69	435	1.71	2.29	187	0.60	0.73
70-74	547	1.83	2.31	231	0.66	0.94
75-79	696	2.07	2.45	277	0.65	0.73
80-84	704	1.87	2.38	259	0.53	0.50
85-89*	545	1.68	2.07	200	0.48	0.59

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the oesophagus*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	683	2.55	3.47	220	0.65	0.79
60-64	755	2.55	3.37	195	0.51	0.61
65-69	811	2.52	3.41	229	0.55	0.66
70-74	872	2.54	3.82	214	0.47	0.65
75-79	1121	3.24	5.56	235	0.50	0.69
80-84	1647	4.82	9.77	266	0.53	0.83
85-89	2144	6.45	14.04	309	0.64	1.18



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Iceland*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	28	6.98	6.75	21	4.08	3.29
60-64	32	7.13	6.36	32	5.21	3.71
65-69	30	5.53	4.30	24	3.26	0.73
70-74	22	3.75	0.00	18	2.32	2.72
75-79	22	3.60	5.22	18	2.21	2.44
80-84	26	3.52	2.85	21	2.22	2.18
85-89	32	4.43	7.03	15	1.26	0.00



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the oesophagus*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	430	4.35	6.13	325	3.24	5.38
60-64	535	5.34	6.91	363	3.56	5.56
65-69	492	4.93	5.88	429	4.00	6.06
70-74	526	5.35	7.46	489	4.32	6.26
75-79	622	6.01	8.30	446	3.74	5.37
80-84	639	6.18	8.86	512	3.90	4.93
85-89*	553	6.60	9.32	414	3.62	4.11

Italy*Deaths from cancer of the oesophagus*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5366	3.99	5.51	1422	0.84	0.98
60-64	6397	4.36	5.61	1650	0.87	1.01
65-69	7197	4.54	6.00	1742	0.81	0.94
70-74	7905	4.64	6.44	1930	0.81	0.89
75-79	8883	4.73	7.23	2258	0.84	0.97
80-84	9215	4.71	7.48	2322	0.78	0.90
85-89*	7558	4.59	7.68	1929	0.75	0.88

*Information is missing for one or more years.

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	56	8.01	9.06	14	1.29	1.19
70-74	87	7.33	12.24	17	1.00	1.12
75-79	81	6.63	10.45	23	1.41	2.54
80-84	84	6.95	12.38	25	1.34	1.87
85-89	79	6.22	9.53	17	0.78	0.68

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	23	3.64	5.36	12	1.46	0.44
70-74	17	2.04	3.51	13	1.25	0.78
75-79	20	2.31	1.83	16	1.68	1.47
80-84	40	4.85	5.33	17	1.48	1.09
85-89	29	2.75	1.57	10	0.69	0.64

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the oesophagus*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1052	3.30	3.01	493	1.37	1.08
60-64	1090	3.11	2.97	512	1.25	0.92
65-69	1129	2.94	2.88	583	1.24	1.20
70-74	1278	3.08	3.08	606	1.11	1.02
75-79	1415	3.22	3.74	735	1.20	1.22
80-84	1679	3.64	4.36	863	1.23	1.18
85-89*	1723	4.47	6.33	875	1.46	1.77

*Information is missing for one or more years.

**Norway***Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	343	2.95	3.38	111	0.77	0.49
60-64	373	2.92	3.30	119	0.73	0.69
65-69	380	2.66	2.67	140	0.79	0.69
70-74	356	2.35	2.83	147	0.69	0.56
75-79	416	2.63	3.21	147	0.64	0.64
80-84	427	2.54	2.92	148	0.60	0.49
85-89*	330	2.46	3.46	130	0.67	0.81

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Poland*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	435	3.98	5.99	181	1.18	1.57
60-64	2888	4.80	6.89	1179	1.39	1.79
65-69	3432	4.83	6.55	1176	1.16	1.40
70-74	3623	4.55	6.35	1188	1.02	1.15
75-79	3582	4.03	6.20	1197	0.89	0.97
80-84	4233	4.48	7.50	1218	0.83	0.99
85-89	4915	4.98	8.96	1209	0.76	0.89

*Information is missing for one or more years.

**Portugal***Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	830	4.42	7.04	439	1.63	2.28
60-64	1085	5.16	8.98	520	1.76	2.65
65-69	1247	5.56	9.21	618	1.93	2.47
70-74	1406	5.94	9.61	655	1.96	2.46
75-79	1527	5.94	8.94	642	1.67	1.92
80-84	1710	5.73	9.34	701	1.57	1.81
85-89	1896	5.75	9.65	656	1.24	1.34






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	168	2.03	3.68	64	0.62	1.26
60-64	830	1.86	3.07	335	0.58	0.99
65-69	981	1.96	3.13	325	0.51	0.77
70-74	974	1.75	2.71	380	0.56	0.84
75-79*	795	1.65	2.63	310	0.52	0.80
80-84	1009	1.56	2.74	342	0.43	0.69
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Spain*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1939	2.73	4.12	718	0.75	1.00
60-64	2882	3.66	5.50	1146	1.08	1.36
65-69	3545	4.03	6.11	1344	1.11	1.23
70-74	4551	4.76	7.11	1488	1.09	1.11
75-79	5615	5.38	8.49	1425	0.93	1.00
80-84	6312	5.41	9.55	1439	0.79	0.75
85-89*	2690	5.44	9.82	545	0.68	0.69

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Sweden*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	696	2.64	3.01	423	1.36	1.19
60-64	748	2.61	3.21	375	1.06	0.89
65-69	808	2.57	3.05	405	1.01	0.90
70-74	964	2.82	3.15	438	0.97	0.76
75-79	1057	2.93	3.53	436	0.86	0.75
80-84	1115	2.97	3.92	424	0.75	0.72
85-89*	678	2.93	3.76	257	0.75	0.73




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Switzerland*Deaths from cancer of the oesophagus*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1803	11.83	13.78	282	1.33	1.10
60-64	1792	10.61	12.22	316	1.34	1.12
65-69	1677	9.08	10.46	311	1.17	1.00
70-74	1634	8.11	9.29	293	0.99	0.95
75-79	1541	7.11	9.15	286	0.82	0.82
80-84	1411	6.16	8.96	356	0.95	0.88
85-89	1363	5.65	8.55	377	1.02	1.35



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England and Wales*Deaths from cancer of the oesophagus*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6717	4.56	4.98	4826	2.27	2.69
60-64	6772	4.42	5.04	5367	2.36	2.92
65-69	7680	4.76	5.76	6114	2.48	3.05
70-74	8839	5.17	6.69	6895	2.64	3.39
75-79	9956	5.56	7.53	7829	2.82	3.45
80-84	11583	6.12	8.29	8518	2.86	3.36
85-89	14110	7.15	9.67	9661	3.03	3.42



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	157	3.83	3.69	144	2.86	4.00
60-64	148	3.39	4.40	137	2.43	3.09
65-69	195	4.43	5.92	187	3.21	4.25
70-74	184	4.13	5.10	155	2.34	2.58
75-79	201	4.55	6.99	164	2.39	2.65
80-84	247	5.38	8.47	187	2.50	2.67
85-89	293	6.21	9.11	219	2.86	3.34



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	874	5.81	6.72	691	3.16	3.74
60-64	836	5.28	6.45	715	3.17	4.00
65-69	936	5.84	7.52	767	3.15	4.05
70-74	1032	6.19	8.44	914	3.44	4.00
75-79	1246	7.31	10.82	1046	3.71	4.18
80-84	1485	8.27	11.36	1207	4.18	5.15
85-89	1707	9.25	12.76	1259	4.03	4.55

Yugoslavia*Deaths from cancer of the oesophagus*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	654	2.03	3.01	220	0.53	0.84
65-69	992	2.20	3.27	311	0.55	0.83
70-74	1205	2.44	3.82	356	0.56	0.76
75-79	1699	3.14	5.49	491	0.68	0.95
80-84	2330	3.90	7.13	594	0.76	1.02
85-89*	1934	3.71	6.83	483	0.71	1.08

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Austria*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	10959	47.43	58.82	9213	27.34	26.65
60-64	10699	44.11	50.63	9389	25.06	24.56
65-69	10069	39.90	45.72	8933	21.53	20.09
70-74	8792	33.87	37.59	7867	17.85	17.82
75-79	7447	28.08	30.97	6550	14.10	14.67
80-84	6351	23.46	25.70	5546	11.25	11.54
85-89	5157	18.43	19.14	4789	9.14	9.35

Belgium*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	10312	32.28	38.11	8011	19.43	20.07
60-64	10057	30.29	35.68	7818	17.44	16.75
65-69	8962	25.96	28.74	6735	13.77	12.47
70-74	7732	21.82	23.35	5731	10.90	9.48
75-79	6400	17.47	17.52	5163	9.16	8.45
80-84	5702	15.17	15.70	4388	7.13	6.37
85-89*	1006	12.57	11.82	775	5.89	6.16

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1889	42.32	52.73	1416	27.21	30.00
65-69	9167	37.46	48.85	6566	23.27	27.51
70-74	8605	31.48	41.38	5773	18.49	22.74
75-79	8119	27.03	36.91	5301	15.39	19.74
80-84	7576	23.67	32.76	4924	13.07	16.31
85-89	7042	20.87	29.40	4538	11.23	14.15




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	16661	46.34	66.88	11739	25.27	30.88
60-64	17275	44.16	58.91	12335	23.53	26.92
65-69	17326	40.45	50.46	12390	20.86	22.41
70-74	15886	34.72	41.82	11458	17.36	18.02
75-79	13756	29.09	35.58	9706	13.72	14.07
80-84	11669	24.20	28.53	8355	11.34	12.33
85-89	9870	20.33	24.99	7035	9.25	9.76






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4360	29.52	31.76	3104	18.28	14.60
60-64	4027	24.82	24.78	2923	15.23	12.80
65-69	3406	19.49	18.88	2354	10.85	9.43
70-74	3107	16.50	16.75	2154	8.83	8.05
75-79	2739	13.59	13.67	1924	7.02	7.09
80-84	2354	11.13	11.61	1681	5.52	6.12
85-89*	1605	9.26	10.57	1188	4.62	5.34

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4921	54.92	74.49	4229	31.35	33.98
60-64	4407	44.65	55.42	3596	24.01	25.18
65-69	3883	36.01	41.22	3035	18.29	18.56
70-74	3338	28.26	30.27	2682	14.29	14.90
75-79	2997	22.87	25.45	2449	11.41	12.64
80-84	2606	18.14	19.65	2410	9.79	11.00
85-89*	1906	15.18	16.71	1818	8.26	9.26

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	37063	26.72	31.33	30680	14.11	14.00
60-64	36083	24.22	27.62	29055	11.96	11.10
65-69	32871	20.42	22.39	26416	9.76	8.76
70-74	29420	16.65	18.14	23121	7.64	6.83
75-79	26830	14.11	15.64	20261	6.18	5.53
80-84	23764	11.61	12.21	17688	4.96	4.40
85-89*	17271	10.05	10.69	12113	3.99	3.55

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	6847	28.15	35.80	5535	13.28	14.85
75-79*	12006	25.34	31.78	10177	12.17	14.22
80-84	11917	21.23	25.82	10664	10.31	11.99
85-89	9647	17.92	21.43	8940	8.76	10.07




*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	67450	42.54	49.63	54411	25.84	25.19
60-64	70399	39.03	43.69	57829	22.37	20.94
65-69	68633	34.89	37.81	58325	18.97	16.85
70-74	60404	29.23	31.07	52583	15.41	14.21
75-79	52316	24.35	26.19	47230	12.61	12.28
80-84	43679	19.42	19.99	41332	10.10	10.28
85-89	37427	15.89	16.72	36287	8.26	8.73

**Greece***Deaths from cancer of the stomach*

Years of death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	2980	16.24	22.00		2265	10.16	13.64
60-64*	3864	15.37	19.01		2812	9.03	11.11
65-69	4149	13.87	17.71		2882	7.79	9.50
70-74	4462	13.36	17.18		3145	7.54	8.98
80-84	4209	11.36	14.99		2852	6.03	8.94
85-89*	3220	9.99	12.61		2196	5.32	6.21






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the stomach*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	12878	47.94	66.61	9240	26.91	32.70
60-64	13312	45.00	60.36	9406	24.27	26.84
65-69	13564	41.85	51.64	9495	21.88	23.04
70-74	13458	38.83	46.91	9130	19.03	20.15
75-79	12566	34.56	41.45	8351	16.07	17.64
80-84	10896	29.40	34.90	7098	12.74	13.34
85-89	8955	24.41	29.77	6155	10.72	12.11



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Iceland*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	257	63.62	94.44	129	26.58	31.43
60-64	244	52.68	68.70	139	25.22	28.00
65-69	203	38.24	45.83	110	16.86	17.21
70-74	202	34.39	36.40	83	11.92	13.25
75-79	160	24.75	30.51	100	12.33	10.87
80-84	157	21.64	23.31	76	7.60	8.53
85-89	161	19.91	19.35	74	6.79	5.69






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2699	27.64	40.87	1991	18.83	25.08
60-64	2431	24.92	36.61	1813	16.50	20.25
65-69	2308	23.52	31.75	1799	15.81	18.65
70-74	2153	21.50	27.86	1663	13.66	14.07
75-79	1892	18.43	24.04	1390	10.77	11.28
80-84	1611	14.91	17.26	1066	7.81	7.66
85-89*	1237	13.78	15.01	777	6.47	6.65

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	47834	35.37	50.11	33409	19.74	23.63
60-64	51410	34.78	46.72	35239	18.32	20.60
65-69	51971	32.75	41.80	36008	16.65	17.67
70-74	50263	29.19	35.65	34497	14.19	14.29
75-79	46664	24.18	29.84	32241	11.68	12.12
80-84	44983	21.94	25.65	31187	10.31	10.61
85-89*	33937	19.40	22.07	24269	9.11	9.07

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	157	22.04	24.50	120	12.48	9.17
70-74	257	20.79	23.60	189	11.25	10.90
75-79	234	18.20	19.55	178	9.37	9.26
80-84	203	15.55	16.82	143	7.45	8.00
85-89	163	11.86	10.83	131	5.47	4.38

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	115	17.22	21.10	66	8.31	11.36
70-74	158	19.32	23.46	91	8.89	10.21
75-79	150	19.67	23.96	76	7.55	8.16
80-84	177	20.08	21.35	84	7.32	8.14
85-89	144	13.86	16.23	69	5.26	6.04

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the stomach*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	10625	33.82	37.40	7129	20.26	18.38
60-64	10689	30.32	32.45	6605	16.12	14.14
65-69	10268	26.57	27.42	6661	13.91	11.86
70-74	9404	22.66	23.15	5946	10.94	9.70
75-79	8745	19.68	19.94	5387	8.62	8.11
80-84	7859	16.42	16.52	4846	6.81	6.44
85-89*	5799	14.38	14.70	3637	5.76	5.73

*Information is missing for one or more years.

**Norway***Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3944	34.06	41.78	2839	20.11	23.26
60-64	3612	27.95	33.60	2524	16.05	17.16
65-69	3593	25.36	28.72	2369	13.54	14.36
70-74	3015	19.80	21.97	2009	10.42	11.81
75-79	2696	16.55	18.27	1793	8.24	9.36
80-84	2446	13.88	14.03	1728	7.16	7.93
85-89*	1805	12.14	12.90	1185	5.69	6.28

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Poland*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	4044	36.03	59.27	2870	18.41	28.73
60-64	26261	43.04	66.06	17571	20.75	29.59
65-69	30215	42.15	61.16	19724	19.76	25.94
70-74	30186	37.48	52.70	18297	15.81	19.91
75-79	29758	33.32	46.80	17009	12.93	16.40
80-84	27661	28.92	39.72	15799	10.97	13.58
85-89	25482	25.33	34.41	13996	9.04	11.31

Portugal*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5632	29.81	48.33	4723	17.71	26.40
60-64	6968	32.90	51.65	5350	18.25	26.42
65-69	7668	34.43	52.45	6175	19.74	27.51
70-74	8285	35.09	50.07	6258	18.92	25.65
75-79	8388	32.32	45.55	5930	15.96	20.81
80-84	8509	27.90	39.81	5945	13.85	17.44
85-89	8549	25.04	33.87	5890	12.06	15.63

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the stomach*







Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	2747	33.14	51.22	1990	18.77	27.39
60-64	16741	37.26	55.29	12050	20.94	28.24
65-69	16517	32.61	47.43	10468	16.32	22.52
70-74	16713	30.06	43.95	9808	13.92	18.63
75-79*	13415	27.56	39.13	7754	12.62	16.09
80-84	14547	22.36	33.52	7743	9.39	12.68
85-89						

Spain*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	20432	28.71	39.91	16286	17.09	22.12
60-64	24710	31.25	41.34	19303	18.25	21.65
65-69	26203	29.58	38.98	19531	16.27	18.47
70-74	25722	26.49	33.58	19449	14.29	15.38
75-79	24144	22.72	27.86	17576	11.61	12.29
80-84	21330	17.44	21.75	14970	8.45	8.94
85-89*	8287	15.82	19.74	5903	7.58	7.72

*Information is missing for one or more years.

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Sweden*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	7769	29.06	31.34	5402	17.56	17.63
60-64	7333	24.90	25.19	4616	13.47	13.67
65-69	6378	19.92	19.34	4117	10.68	10.88
70-74	5996	17.17	16.69	3973	9.10	9.13
75-79	5559	14.85	14.44	3664	7.62	8.11
80-84	4628	11.49	10.53	3145	5.95	6.58
85-89*	2483	9.81	9.26	1736	5.24	6.34

Switzerland*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5505	35.79	37.37	4480	21.31	18.77
60-64	5069	29.94	30.29	4058	17.02	13.63
65-69	4617	25.02	23.87	3678	13.69	10.62
70-74	4239	20.74	19.29	3281	10.67	8.54
75-79	3755	16.77	16.39	2778	7.97	6.10
80-84	3160	12.93	12.88	2458	6.17	5.30
85-89	2812	10.55	10.81	2100	4.84	4.81

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England and Wales*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	39572	27.10	36.99	30719	14.36	16.12
60-64	38596	25.08	33.55	29491	12.69	14.04
65-69	36990	22.83	28.86	27628	10.97	11.88
70-74	35828	20.75	25.18	25963	9.54	10.16
75-79	33805	18.48	21.08	24219	8.29	8.44
80-84	31244	15.96	17.43	21381	6.77	6.81
85-89	28686	13.79	14.63	18995	5.62	5.56

**UK, Northern Ireland***Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1158	28.56	42.74	987	18.92	20.53
60-64	1089	26.03	37.72	858	15.29	17.57
65-69	988	22.56	31.66	741	12.30	13.36
70-74	945	20.70	27.54	728	10.97	11.09
75-79	882	19.79	24.56	708	10.62	12.62
80-84	752	15.94	18.95	575	7.66	8.30
85-89	687	13.99	16.79	513	6.49	6.94



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




UK, Scotland*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4543	29.79	41.72	4032	18.79	21.53
60-64	4168	26.48	36.94	3563	15.51	17.17
65-69	4008	24.84	33.65	3227	12.87	13.51
70-74	3516	20.94	27.46	3050	11.37	12.04
75-79	3286	18.99	24.97	2653	9.36	10.03
80-84	2878	15.89	20.01	2335	7.80	8.55
85-89	2687	14.08	16.61	2092	6.61	7.04




Yugoslavia*Deaths from cancer of the stomach*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	7148	22.25	34.47	5136	12.36	17.63
65-69	10066	22.46	32.94	6795	11.85	16.01
70-74	11614	23.23	33.92	7367	11.49	15.55
75-79	12300	22.21	31.21	7752	10.69	13.65
80-84	12225	20.21	27.62	7699	9.58	11.85
85-89*	9431	18.19	25.73	5829	8.33	10.79

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Austria*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4369	18.92	19.25	4701	14.21	16.67
60-64	4474	18.48	19.21	4969	13.60	15.98
65-69	5207	20.70	22.12	5953	15.16	17.76
70-74	6083	23.53	24.98	6803	16.28	19.57
75-79	6402	23.99	25.02	7309	16.33	18.70
80-84	6347	23.46	25.27	7523	16.14	19.01
85-89	6304	22.61	24.16	7377	14.90	16.89

**Belgium***Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6884	21.43	22.42	7613	18.84	21.24
60-64	7408	22.17	22.93	8178	18.83	21.12
65-69	7656	22.16	23.31	8584	18.44	21.04
70-74	7657	21.67	22.61	8847	17.88	20.44
75-79	7803	21.42	21.84	9191	17.18	19.00
80-84	8333	22.15	21.99	9596	16.71	17.88
85-89*	1665	20.96	20.29	1913	15.46	17.15

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Bulgaria*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	292	6.41	8.36	276	5.45	7.37
65-69	1827	7.52	10.35	1705	6.20	8.78
70-74	2315	8.51	11.74	2129	6.98	10.19
75-79	3150	10.59	14.94	2678	7.95	11.13
80-84	4187	13.19	18.38	3472	9.63	14.18
85-89	5133	15.37	21.81	4178	10.82	15.97

Czechoslovakia*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5210	14.63	18.55	4511	9.80	13.49
60-64	5925	15.31	18.97	5338	10.31	13.10
65-69	7918	18.68	23.06	6780	11.76	15.21
70-74	9567	21.10	26.93	8619	13.68	17.70
75-79	11571	24.64	30.13	10150	15.12	19.42
80-84	13199	27.59	33.97	11953	16.88	20.47
85-89	15556	32.09	39.40	13686	18.53	22.20

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3730	25.30	25.45	3497	21.23	24.42
60-64	4147	25.52	24.86	3796	20.39	23.27
65-69	4028	23.18	24.04	4028	19.58	24.54
70-74	4222	22.60	24.41	4255	18.48	22.70
75-79	4736	23.82	25.79	4876	18.66	22.02
80-84	5048	23.99	24.50	5338	18.53	22.00
85-89*	4149	23.74	23.89	4311	17.55	20.72

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	809	9.19	10.50	1163	8.72	10.07
60-64	991	10.34	11.38	1515	10.17	11.22
65-69	1129	10.76	11.30	1606	9.72	9.57
70-74	1364	11.95	12.49	1887	10.25	10.78
75-79	1566	12.33	12.86	2114	9.88	10.15
80-84	1790	12.46	11.85	2416	9.80	10.67
85-89*	1584	12.62	11.97	2092	9.23	9.01

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	25516	18.44	19.78	32224	15.03	16.23
60-64	28107	18.95	20.18	34436	14.62	15.32
65-69	31468	19.63	20.69	36496	14.04	14.89
70-74	35159	19.89	21.13	37941	13.32	14.79
75-79	40559	21.16	22.13	41615	13.55	15.07
80-84	47478	23.16	23.45	47823	14.25	15.09
85-89*	38483	22.28	22.92	37326	13.15	13.91

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	4140	17.06	20.91	5704	14.32	18.54
75-79*	8404	17.55	21.13	11719	14.52	18.64
80-84	10471	18.53	22.48	15299	15.01	18.46
85-89	10742	19.97	24.25	15720	15.68	18.57




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Germany, FRG*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	23710	14.95	15.85	22133	10.68	13.57
60-64	30081	16.73	17.65	32470	12.89	15.75
65-69	39295	20.01	21.48	45967	15.61	18.62
70-74	46262	22.38	23.87	56404	17.38	20.79
75-79	51210	23.67	24.17	64879	18.10	20.99
80-84	53064	23.40	23.63	71111	17.85	19.34
85-89	54618	23.00	23.83	74381	17.10	18.24

**Greece***Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	963	5.30	6.62	1173	5.34	7.35
65-69	1285	5.13	6.39	1580	5.16	6.85
70-74	1738	5.83	7.33	2030	5.60	7.08
75-79	2279	6.80	8.15	2797	6.80	8.66
80-84	2961	7.78	8.77	3260	6.89	8.31
85-89*	2754	8.17	8.21	2989	7.29	8.59

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the intestines, chiefly colon and rectum*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3197	11.97	15.06	3710	10.96	13.87
60-64	3833	13.17	15.62	4546	12.04	14.88
65-69	5045	15.85	18.65	5813	13.67	15.92
70-74	6489	18.95	22.01	7107	15.20	17.85
75-79	7959	22.15	25.58	8563	16.90	19.33
80-84	9399	25.46	29.76	10019	18.41	21.26
85-89	10300	28.05	33.25	10581	18.58	21.03



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Iceland*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	38	9.13	9.96	56	10.69	10.71
60-64	48	9.45	6.68	56	9.81	13.09
65-69	68	12.71	14.63	66	10.77	8.54
70-74	90	15.76	22.03	93	13.61	17.19
75-79	78	11.35	13.96	94	11.63	11.13
80-84	101	13.62	11.59	98	10.18	10.44
85-89	116	14.36	13.82	105	10.91	12.23






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2087	20.46	23.80	1797	17.37	24.58
60-64	1912	18.94	22.13	1838	17.19	22.65
65-69	2099	21.06	23.24	2027	18.21	23.14
70-74	2287	22.46	26.75	2301	19.68	24.43
75-79	2508	24.07	27.00	2415	19.63	25.40
80-84	2531	24.07	29.17	2467	18.72	23.13
85-89*	2238	26.02	31.31	2035	18.61	24.94

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	14416	10.66	13.35	15237	9.13	11.71
60-64	18863	12.80	15.83	19254	10.23	13.07
65-69	23510	14.87	17.65	23641	11.26	13.70
70-74	28957	16.87	19.81	28763	12.35	15.44
75-79	33883	17.61	20.79	34190	12.99	16.09
80-84	37968	18.64	21.32	37928	13.12	15.72
85-89*	33854	19.40	21.69	33576	13.17	15.36

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	178	25.69	35.76	153	16.49	19.91
70-74	285	22.89	22.42	258	15.89	21.20
75-79	317	24.54	27.83	314	17.29	20.02
80-84	358	27.57	24.78	378	19.53	24.49
85-89	363	26.69	26.51	354	16.03	15.41

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	75	11.68	20.27	75	9.35	8.14
70-74	97	11.56	17.23	85	8.00	11.70
75-79	112	15.62	18.17	108	11.02	9.24
80-84	122	14.34	18.92	148	13.66	18.13
85-89	144	14.40	16.41	136	10.39	14.69

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5260	16.75	16.68	5523	15.92	17.95
60-64	6132	17.43	17.37	6490	16.35	18.81
65-69	6941	18.01	18.68	7642	16.68	18.09
70-74	7680	18.49	18.75	8386	16.04	17.88
75-79	8765	19.72	19.92	9362	15.72	17.58
80-84	9671	20.19	20.06	10853	15.75	17.78
85-89*	8576	21.27	21.05	9578	15.57	16.67

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1454	12.48	13.53	1461	10.46	11.60
60-64	1672	12.95	14.61	1672	10.74	12.62
65-69	2058	14.45	15.48	2117	12.17	13.89
70-74	2390	15.69	17.38	2387	12.58	16.03
75-79	2760	16.68	17.36	2930	13.94	17.22
80-84	3294	18.76	19.07	3361	14.51	18.11
85-89*	2900	20.03	21.80	2959	14.95	18.72

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Poland*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	460	4.09	6.48	577	3.68	5.86
60-64	3724	6.09	9.13	4297	5.10	8.00
65-69	5736	8.05	11.14	6659	6.75	9.82
70-74	7997	10.03	14.12	8917	7.91	11.26
75-79	10041	11.25	15.65	11084	8.67	12.34
80-84	12355	12.94	17.64	13404	9.63	13.34
85-89	14569	14.46	19.42	15406	10.33	14.36




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Portugal*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1798	9.49	12.91	2619	9.71	12.96
60-64	2265	10.77	13.85	3217	10.85	14.56
65-69	2796	12.54	15.83	3716	11.74	14.43
70-74	3273	13.99	16.47	4091	12.30	15.19
75-79	4082	16.01	18.90	4661	12.38	14.95
80-84	4171	13.52	16.59	4117	9.42	11.98
85-89	6012	17.34	21.04	5876	11.74	14.29






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	386	4.65	6.57	485	4.57	6.92
60-64	2738	6.10	8.36	3455	6.02	8.44
65-69	3056	6.10	8.61	3548	5.55	7.89
70-74	3612	6.59	9.24	4275	6.20	9.07
75-79*	3592	7.45	10.49	3881	6.46	9.06
80-84	5616	8.65	12.23	5543	6.84	9.88
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Spain*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5048	7.11	8.49	7184	7.50	9.63
60-64	7297	9.27	10.54	10059	9.52	11.20
65-69	8277	9.40	10.44	10890	9.10	10.14
70-74	9965	10.27	11.74	12472	9.33	10.95
75-79	12077	11.33	12.60	14094	9.48	10.95
80-84	15476	12.54	13.52	16491	9.51	10.82
85-89*	7139	13.36	13.77	7511	9.94	11.81

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Sweden*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4253	16.00	16.97	3865	13.09	16.48
60-64	4898	16.85	16.78	4442	13.36	15.85
65-69	5171	16.28	16.92	4836	12.95	15.09
70-74	6321	18.27	17.81	5857	13.80	15.17
75-79	6679	17.95	17.26	6303	13.30	15.08
80-84	6189	15.74	16.38	6173	12.12	14.76
85-89*	3795	15.42	15.94	3766	11.48	13.38

*Information is missing for one or more years.

**Switzerland***Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3081	20.25	20.47	2873	14.18	16.16
60-64	3238	19.28	20.36	2959	12.81	13.50
65-69	3720	20.17	20.01	3351	12.92	13.52
70-74	4130	20.28	19.58	3735	12.79	12.56
75-79	4278	19.12	18.36	4102	12.43	13.01
80-84	4650	19.03	17.47	4555	12.09	12.26
85-89	5014	18.70	16.84	4728	11.32	11.39






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England and Wales*Deaths from cancer of the intestines, chiefly colon and rectum*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	35036	23.85	25.72	40062	19.11	23.77
60-64	33552	21.92	23.96	40251	17.77	22.25
65-69	35078	21.88	24.16	42253	17.42	21.97
70-74	37337	21.90	24.48	44519	17.09	21.41
75-79	38938	21.56	24.44	45673	16.49	20.44
80-84	40838	21.25	24.42	45647	15.46	18.75
85-89	44003	21.56	24.76	47040	15.13	18.43



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the intestines, chiefly colon and rectum*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	928	22.37	25.20	991	19.63	24.00
60-64	870	20.42	22.81	941	17.43	24.39
65-69	962	21.79	27.16	1142	19.40	23.86
70-74	1053	23.28	27.11	1239	19.16	21.58
75-79	1036	23.06	25.41	1259	19.03	22.53
80-84	1094	22.77	25.00	1269	17.63	22.34
85-89	1253	25.57	27.90	1367	18.15	21.77



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4365	28.39	30.24	4918	23.27	28.75
60-64	4153	26.58	28.26	4812	21.47	27.44
65-69	4004	24.86	27.26	5028	20.83	25.94
70-74	4043	24.23	26.90	5133	19.77	24.70
75-79	4123	23.91	26.55	5262	19.09	22.84
80-84	4137	22.66	24.90	5019	17.15	20.68
85-89	4241	22.31	25.04	5084	16.67	19.98






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Yugoslavia*Deaths from cancer of the intestines, chiefly colon and rectum*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1636	5.04	7.58	1698	4.08	6.03
65-69	2813	6.27	8.71	3057	5.37	8.03
70-74	4062	8.14	11.47	4234	6.65	9.23
75-79	5626	10.14	13.90	5625	7.81	10.53
80-84	7555	12.50	16.38	7518	9.49	12.59
85-89*	7329	14.05	18.35	7042	10.14	13.17

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Austria*Deaths from liver cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	150	3.00	3.85	70	0.86	1.07
70-74	685	2.73	3.74	369	0.91	1.08
75-79	746	2.93	3.91	450	1.10	1.59
80-84	899	3.53	4.73	541	1.30	1.83
85-89	850	3.29	4.30	498	1.09	1.32

*Information is missing for one or more years.

**Belgium***Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	468	3.43	3.56	567	2.95	3.09
70-74	1262	3.67	4.45	1255	2.54	2.98
75-79	1005	2.86	3.66	981	1.93	2.29
80-84	1130	3.12	3.80	931	1.69	1.80
85-89*	160	2.25	2.65	98	0.94	1.17

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Bulgaria*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1270	12.55	17.97	985	8.70	12.46
70-74	2824	10.40	14.25	2122	6.90	9.53
75-79	2759	9.29	13.84	2003	5.91	7.85
80-84	2671	8.49	12.49	1932	5.35	7.95
85-89	2643	7.99	12.47	1833	4.77	6.99

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Czechoslovakia*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1211	6.92	9.22	1272	5.38	6.61
70-74	2779	6.17	8.76	2418	3.88	4.89
75-79*	2204	5.95	8.63	1772	3.36	4.52
80-84						
85-89*	1390	4.97	7.80	891	2.20	3.16

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	425	3.37	4.53	377	2.49	2.28
65-69	525	3.13	4.44	397	1.98	2.09
70-74	431	2.46	3.25	342	1.58	2.13
75-79	474	2.52	3.36	405	1.71	2.60
80-84	451	2.28	2.99	379	1.53	2.28
85-89*	355	2.23	2.89	257	1.18	1.71

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	19	0.51	0.53	23	0.41	0.25
60-64	104	0.98	1.91	88	0.62	0.92
65-69	208	1.83	3.12	177	1.07	1.45
70-74	333	2.77	4.06	257	1.41	1.94
75-79	438	3.37	4.46	418	1.99	2.08
80-84	561	3.95	4.51	524	2.16	2.44
85-89*	367	2.94	3.07	325	1.53	1.76

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France

Deaths from liver cancer

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	281	0.51	0.83	250	0.32	0.42
60-64	898	0.63	1.00	662	0.34	0.50
65-69	1302	0.84	1.29	902	0.41	0.64
70-74	2201	1.33	2.07	1325	0.57	0.89
75-79	3486	1.98	3.03	1503	0.61	0.92
80-84	6500	3.57	5.43	1755	0.69	1.02
85-89*	8573	5.60	8.09	2019	0.90	1.24

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, GDR

Deaths from liver cancer

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79	290	2.81	4.75	303	1.69	2.52
80-84						
85-89*	366	1.90	2.81	322	0.94	1.34

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1173	1.51	2.08	1274	1.05	1.17
70-74	3019	1.53	2.22	2875	0.90	1.08
75-79	3063	1.53	2.26	2615	0.79	1.05
80-84	3427	1.67	2.45	2338	0.65	0.81
85-89	4889	2.25	2.97	2925	0.77	0.93

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Greece*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	229	1.12	1.81	181	0.79	1.45
70-74	561	1.92	2.96	335	0.98	1.57
75-79	665	2.07	3.04	387	1.02	1.39
80-84	461	1.30	1.81	217	0.52	0.89
85-89*	281	0.91	1.32	102	0.27	0.37




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Hungary*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	2584	7.58	10.47	2469	5.27	6.20
75-79	2829	8.01	11.61	2184	4.33	5.20
80-84	2795	7.79	11.22	1940	3.80	4.87
85-89	2842	8.04	10.79	1866	3.51	4.53

**Iceland***Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	8	1.92	1.65	4	0.62	0.00
75-79	15	2.52	3.80	11	1.25	0.00
80-84	7	1.00	1.18	10	1.14	1.30
85-89	13	1.65	1.64	8	1.05	1.14

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from liver cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	77	2.00	2.98	81	1.91	2.43
70-74	241	2.48	3.53	202	1.88	2.59
75-79	186	1.82	2.55	141	1.18	1.43
80-84	60	0.71	1.28	37	0.32	0.43
85-89*	57	0.69	1.06	37	0.42	0.78

*Information is missing for one or more years.

**Italy***Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	1067	1.96	3.33	971	1.46	2.36
60-64	3419	2.37	4.00	2945	1.61	2.39
65-69	4181	2.70	4.49	3458	1.72	2.40
70-74	5478	3.28	5.27	4162	1.87	2.64
75-79	7730	4.16	6.61	5676	2.22	2.82
80-84	11004	5.61	8.52	6942	2.49	3.11
85-89*	9759	5.90	8.78	4986	2.08	2.51

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	57	0.76	1.06	68	0.71	0.75
70-74	450	1.17	1.89	312	0.65	0.95
75-79	511	1.24	1.96	330	0.62	0.81
80-84	532	1.22	1.80	275	0.52	0.80
85-89*	481	1.28	1.64	261	0.51	0.63

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	16	0.52	0.63	13	0.49	0.44
70-74	186	1.35	1.88	116	0.70	0.87
75-79	236	1.54	1.93	153	0.72	0.74
80-84	239	1.47	1.71	178	0.86	1.12
85-89*	174	1.30	1.19	138	0.76	0.85

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Poland*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	2332	7.63	9.95	3944	8.85	10.41
75-79						
80-84	7236	7.68	10.76	9822	6.83	8.60
85-89	7198	7.21	10.05	8679	5.66	7.09

*Information is missing for one or more years.

Portugal*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84	265	0.93	1.72	163	0.40	0.62
85-89	379	1.18	1.87	157	0.35	0.44



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Romania*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84	1113	1.77	3.19	661	0.83	1.16
85-89						

Spain*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	3567	9.74	13.86	4752	9.85	12.53
70-74	9827	10.21	13.94	12005	9.22	11.69
75-79	10080	9.60	13.36	10999	7.52	9.24
80-84	8224	6.98	10.02	6983	4.12	4.83
85-89*	1112	2.24	3.52	485	0.70	0.91

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Sweden*Deaths from liver cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	124	1.19	1.50	78	0.68	0.75
60-64	317	1.14	1.35	210	0.66	0.76
65-69*	312	1.27	1.28	182	0.67	0.81
70-74	1020	2.98	2.94	780	1.90	2.14
75-79	1446	3.97	4.24	1165	2.57	3.14
80-84	1269	3.32	3.66	894	1.86	2.52
85-89*	575	2.51	3.24	421	1.41	1.65

*Information is missing for one or more years.

**Switzerland***Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	129	3.35	3.68	71	1.29	1.17
70-74	819	4.10	5.37	404	1.43	1.61
75-79	864	4.02	4.98	426	1.36	1.67
80-84	1059	4.58	5.89	403	1.12	1.07
85-89	1275	5.10	6.22	514	1.34	1.38

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England and Wales*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	456	0.80	1.20	358	0.46	0.68
60-64	1275	0.86	1.39	935	0.47	0.64
65-69	1430	0.93	1.51	886	0.42	0.63
70-74	1609	0.98	1.58	968	0.43	0.62
75-79	1883	1.10	1.76	1010	0.46	0.64
80-84	2039	1.14	1.77	1139	0.49	0.67
85-89	2241	1.22	1.80	1094	0.47	0.71

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	10	0.72	0.61	6	0.34	1.00
60-64*	23	0.70	1.07	19	0.45	0.45
65-69*	11	0.64	1.35	11	0.47	0.77
70-74	21	0.46	0.33	14	0.23	0.38
75-79	80	1.80	2.07	74	1.20	1.64
80-84	27	0.54	0.67	21	0.32	0.49
85-89	44	0.92	0.99	36	0.51	0.75

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from liver cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	85	1.49	2.21	61	0.73	1.03
60-64	249	1.63	2.56	169	0.78	0.96
65-69	242	1.51	2.63	170	0.77	1.19
70-74	278	1.66	2.66	150	0.66	0.82
75-79	238	1.38	2.02	166	0.69	1.03
80-84	288	1.66	2.15	126	0.49	0.80
85-89	307	1.68	1.92	140	0.57	0.90

*Information is missing for one or more years.

**Yugoslavia***Deaths from liver cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1365	7.37	11.17	1291	5.42	7.22
70-74	3625	7.27	10.90	3142	4.95	6.97
75-79*	3684	8.44	12.56	3033	5.42	7.89
80-84						
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Austria*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	151	2.95	2.46	534	6.41	6.72
70-74	845	3.19	2.79	2418	5.50	5.43
75-79	811	2.98	2.97	2402	5.12	5.22
80-84	855	3.12	3.13	2334	4.71	4.83
85-89	674	2.36	2.24	2057	4.00	4.26

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Belgium*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	132	0.95	1.06	250	1.31	1.32
70-74	660	1.84	1.96	1256	2.49	2.66
75-79	623	1.71	1.90	1280	2.41	2.57
80-84	683	1.78	1.51	1274	2.16	2.07
85-89*	140	1.74	1.69	274	2.15	1.82

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	116	1.16	1.42	154	1.37	2.09
70-74	268	1.00	1.24	466	1.52	2.14
75-79	291	0.97	1.17	475	1.39	1.93
80-84*	171	0.68	1.04	388	1.32	1.98
85-89	248	0.74	1.06	503	1.29	1.91

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	481	2.74	2.72	1170	4.82	5.62
70-74	1256	2.76	3.18	3354	5.16	6.08
75-79	1480	3.14	3.46	3826	5.57	6.63
80-84*	1013	3.44	3.85	2311	5.40	6.50
85-89	1734	3.53	3.73	4351	5.88	6.62

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	83	1.23	1.43	236	2.71	2.92
70-74	345	1.87	1.95	690	2.86	2.83
75-79	313	1.55	1.70	709	2.65	2.91
80-84	315	1.47	1.54	752	2.65	3.12
85-89*	253	1.47	1.65	519	2.21	2.62

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	61	1.69	2.40	119	2.17	2.62
60-64	102	1.11	1.36	233	1.57	2.23
65-69	116	1.06	1.24	338	2.02	2.24
70-74	178	1.48	1.68	546	2.87	2.96
75-79	214	1.66	1.73	771	3.47	3.40
80-84	293	2.04	1.64	880	3.50	3.64
85-89*	192	2.09	2.52	566	3.40	3.45

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	474	0.83	0.95	1156	1.38	1.74
60-64	1333	0.90	1.07	3115	1.38	1.67
65-69	1569	0.98	1.07	3522	1.43	1.67
70-74	1875	1.06	1.19	4171	1.53	1.75
75-79	2188	1.13	1.15	4801	1.64	1.78
80-84	2667	1.29	1.28	5565	1.74	1.88
85-89*	2564	1.48	1.49	4802	1.76	1.82

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	378	3.14	3.80	1319	6.47	8.34
80-84*	685	3.06	3.40	2432	5.96	7.22
85-89	1576	2.95	3.04	5360	5.42	6.69

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	2313	2.87	2.97	6569	5.28	5.92
70-74	5555	2.68	2.82	16781	5.01	5.41
75-79	5872	2.72	2.73	17905	4.88	5.33
80-84	5799	2.55	2.50	17994	4.48	4.67
85-89	5771	2.42	2.42	16874	3.89	3.93

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Greece*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	58	0.28	0.42	74	0.31	0.37
70-74	104	0.35	0.44	180	0.52	0.83
75-79	124	0.37	0.53	205	0.51	0.58
80-84	114	0.29	0.29	217	0.49	0.63
85-89*	111	0.36	0.47	223	0.57	0.71




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Hungary*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	998	2.91	3.16	3490	7.36	8.63
75-79	1198	3.33	3.69	4003	7.83	9.16
80-84	1324	3.58	4.04	4415	8.17	9.82
85-89	1427	3.88	4.40	4207	7.44	8.80

**Iceland***Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	4	0.93	1.54	9	1.45	0.00
75-79	4	0.60	0.00	15	2.11	3.07
80-84*	7	1.71	1.96	6	0.95	0.00
85-89	12	1.37	0.48	13	1.29	1.01

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the gallbladder and bile ducts*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	38	0.97	1.10	85	1.97	2.82
70-74	98	0.98	1.22	211	1.85	2.68
75-79	108	1.08	1.46	226	1.94	2.98
80-84	132	1.20	1.35	174	1.45	2.29
85-89*	89	1.01	0.90	151	1.34	1.30

*Information is missing for one or more years.

**Italy***Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	490	0.90	1.28	853	1.26	1.93
60-64	1201	0.82	1.00	2420	1.31	1.89
65-69	1497	0.95	1.28	2891	1.41	1.83
70-74	2046	1.20	1.45	3924	1.70	2.17
75-79	2367	1.23	1.66	4627	1.81	2.39
80-84	3270	1.61	2.02	6460	2.28	2.83
85-89*	3263	1.86	2.06	6176	2.47	2.95

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	7	2.59	3.04	7	1.36	0.00
80-84	21	1.40	0.89	56	2.72	3.39
85-89	23	1.67	0.60	50	2.46	2.45

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	11	3.83	9.44	5	1.04	1.75
80-84	12	1.38	2.34	17	1.45	0.77
85-89	11	1.07	1.09	21	1.60	1.99

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	223	2.78	2.81	495	5.08	5.29
70-74	919	2.20	2.10	2107	3.99	4.26
75-79	980	2.21	2.28	2231	3.70	4.10
80-84	1048	2.22	2.31	2243	3.27	3.30
85-89*	699	1.73	1.63	1514	2.51	2.66

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	26	0.89	1.19	46	1.33	2.13
70-74	138	0.91	1.02	245	1.20	1.18
75-79	155	0.92	0.82	283	1.31	1.48
80-84	178	1.03	0.99	309	1.25	1.38
85-89*	157	1.11	1.29	248	1.16	1.25

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Poland*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	523	1.76	2.14	2141	4.87	6.48
75-79						
80-84						
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Portugal*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	84	1.29	1.84	115	1.32	1.79
85-89	474	1.37	1.63	755	1.51	1.85

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Romania*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	373	1.02	1.23	373	0.77	1.02
70-74	845	0.87	1.07	1407	1.09	1.43
75-79	835	0.78	0.94	2037	1.40	1.69
80-84	1307	1.06	1.16	3092	1.81	2.07
85-89*	626	1.14	1.18	1489	1.96	2.18

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Sweden*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	139	1.26	1.43	271	2.21	2.52
60-64	452	1.58	1.70	987	2.91	3.26
65-69*	457	1.81	1.94	1079	3.47	3.43
70-74	669	1.90	1.61	1710	3.93	3.72
75-79	853	2.26	2.19	1975	4.18	4.66
80-84	1047	2.61	2.68	2260	4.44	5.19
85-89*	605	2.43	2.38	1364	4.22	5.03

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Switzerland*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	69	1.80	1.46	171	3.18	3.00
70-74	338	1.64	1.56	835	2.85	2.80
75-79	399	1.84	1.91	1052	3.19	3.43
80-84	438	1.82	2.03	1024	2.79	2.93
85-89	411	1.55	1.57	944	2.30	2.24

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England and Wales*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	849	1.29	1.76	1394	1.38	1.48
70-74	2004	1.16	1.44	3474	1.34	1.56
75-79	2081	1.15	1.47	3387	1.24	1.49
80-84	1813	0.94	1.09	3020	1.05	1.33
85-89	1620	0.79	0.87	2829	0.92	1.14

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	18	1.18	2.07	48	2.32	2.69
60-64*	29	0.91	1.56	86	1.97	2.67
65-69*	21	1.09	1.08	45	1.86	2.79
70-74	43	0.97	1.22	102	1.59	1.68
75-79	56	1.27	1.78	79	1.22	1.60
80-84	48	0.98	1.20	93	1.24	1.34
85-89	40	0.75	0.74	77	1.13	1.35

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	89	1.41	2.00	168	1.94	2.55
60-64	221	1.42	1.45	389	1.71	1.98
65-69	223	1.37	1.76	431	1.76	2.03
70-74	224	1.33	1.78	375	1.43	1.64
75-79	191	1.09	1.30	405	1.48	1.83
80-84	199	1.08	1.27	342	1.14	1.23
85-89	181	0.94	0.94	306	0.97	1.08

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Yugoslavia*Deaths from cancer of the gallbladder and bile ducts*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	143	0.76	0.91	396	1.72	2.66
70-74	432	0.87	1.11	1196	1.88	2.71
75-79	566	1.02	1.29	1447	2.04	2.79
80-84	852	1.42	2.02	2056	2.61	3.66
85-89*	754	1.45	1.99	1724	2.50	3.26




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Austria*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1463	6.38	9.11	1413	4.30	5.39
60-64	1733	7.19	10.18	1716	4.71	5.75
65-69	1931	7.78	10.90	2010	5.05	5.80
70-74	2114	8.36	11.80	2197	5.20	6.21
75-79	2098	8.29	12.07	2338	5.32	6.36
80-84	2259	8.74	11.85	2729	5.86	6.69
85-89	2341	8.87	12.07	2852	5.76	6.54

**Belgium***Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1230	3.98	5.66	1036	2.64	3.40
60-64	1642	5.08	7.59	1362	3.18	3.95
65-69	2028	6.04	8.28	1560	3.35	3.75
70-74	2314	6.75	9.67	1874	3.78	4.25
75-79*	1661	7.88	10.41	1349	4.33	4.90
80-84	2764	7.64	9.75	2424	4.32	4.82
85-89*	572	7.59	8.99	533	4.44	4.84

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	630	3.19	5.20	438	1.96	3.16
70-74	1066	3.93	6.38	676	2.19	3.20
75-79	1222	4.14	7.05	823	2.45	3.74
80-84	1714	5.49	9.07	1085	2.95	4.04
85-89	1989	6.08	9.67	1280	3.23	4.40




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1609	4.45	7.47	1228	2.68	4.04
60-64	2326	5.87	9.32	1796	3.46	4.89
65-69	2941	6.84	10.01	2336	4.05	5.36
70-74	3452	7.63	11.85	2831	4.48	5.88
75-79	3971	8.63	13.64	3303	4.94	6.54
80-84	4300	9.25	15.00	3523	5.10	6.62
85-89	4841	10.35	16.25	4016	5.67	7.39






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	928	6.34	8.30	712	4.36	5.52
60-64	1246	7.83	10.29	939	5.05	5.42
65-69	1408	8.31	11.63	1111	5.43	7.08
70-74	1686	9.31	12.28	1368	6.04	8.02
75-79	1763	9.14	11.66	1672	6.45	7.67
80-84	1950	9.50	11.66	1976	7.36	9.67
85-89*	1474	8.82	10.59	1492	6.43	7.94

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	534	5.76	9.31	481	3.64	5.05
60-64	809	8.10	12.25	689	4.63	5.73
65-69	1003	9.15	12.48	892	5.38	6.05
70-74	1140	9.49	13.60	1137	6.03	6.47
75-79	1311	9.99	12.82	1313	6.08	7.04
80-84	1360	9.51	12.40	1594	6.38	6.91
85-89*	1179	9.68	13.22	1365	6.32	6.90

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the pancreas*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5592	4.10	5.76	5115	2.46	2.97
60-64	6945	4.74	6.35	5993	2.61	2.95
65-69	8769	5.55	7.27	7374	2.95	3.34
70-74	10452	6.10	8.37	8658	3.11	3.45
75-79	12479	6.85	9.42	9418	3.14	3.45
80-84	13519	7.02	9.58	10738	3.34	3.58
85-89*	11857	7.34	9.71	9709	3.67	4.08

*Information is missing for one or more years.

**Germany, GDR***Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	715	6.36	9.67	775	3.79	4.74
80-84	3563	6.90	11.10	3962	4.12	5.50
85-89	3537	6.90	10.33	4054	4.26	5.57

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6630	4.24	6.90	5827	2.83	4.14
60-64	9491	5.35	8.20	8745	3.45	4.60
65-69	12173	6.29	8.99	11566	3.91	4.90
70-74	13323	6.63	9.57	13013	4.00	4.92
75-79	15017	7.26	10.07	15802	4.43	5.28
80-84	17151	7.96	10.82	19268	4.97	5.77
85-89	18783	8.38	11.17	22141	5.36	5.96






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Greece*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	594	2.96	4.48	435	1.78	2.38
70-74	1029	3.50	5.08	703	1.91	2.36
75-79	1393	4.25	5.85	962	2.36	2.95
80-84	1874	5.16	7.37	1275	2.76	3.32
85-89*	1783	5.66	7.98	1296	3.21	3.62




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	2545	7.49	10.52	2386	5.07	6.18
75-79	2947	8.28	12.00	2740	5.41	6.42
80-84	3305	9.20	13.67	3081	5.83	7.39
85-89	3674	10.34	15.69	3217	5.84	7.28






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Iceland*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	31	6.70	9.85	32	5.94	6.36
75-79	64	9.94	11.23	45	5.95	5.58
80-84	75	10.37	11.31	61	6.68	7.75
85-89	68	8.92	10.71	70	7.49	10.98

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	565	5.89	9.60	488	4.77	7.24
60-64	615	6.41	9.61	549	5.23	7.19
65-69	778	8.03	10.87	581	5.15	6.09
70-74	840	8.40	11.27	694	5.98	7.80
75-79	897	8.73	10.78	739	6.09	7.92
80-84	970	9.13	11.58	769	5.92	7.49
85-89*	772	8.90	11.44	627	5.51	6.41

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4092	3.05	4.77	3133	1.91	2.76
60-64	5323	3.64	5.55	3950	2.15	3.00
65-69	6911	4.41	6.48	5322	2.57	3.30
70-74	8814	5.22	7.71	6710	2.89	3.62
75-79	10955	5.88	9.04	8603	3.30	4.11
80-84	12989	6.61	10.02	10507	3.68	4.41
85-89*	12018	7.15	10.01	10692	4.27	4.79

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the pancreas*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	18	7.24	5.94	23	5.83	5.47
80-84	127	10.42	12.65	105	4.87	4.22
85-89	101	7.65	8.51	103	4.60	4.63

*Information is missing for one or more years.

**Malta***Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	21	7.76	10.55	20	5.62	5.46
80-84	64	7.75	12.08	65	5.79	4.86
85-89	90	8.77	10.52	49	3.52	2.80

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1481	4.83	7.32	1183	3.45	4.57
60-64	2132	6.27	8.70	1541	3.88	4.53
65-69	2749	7.38	10.22	2143	4.72	5.63
70-74	3367	8.41	11.67	2633	5.11	6.06
75-79	3776	8.81	11.10	3124	5.42	6.38
80-84	4297	9.39	12.01	3624	5.49	6.33
85-89*	3387	8.65	10.37	3266	5.65	6.52

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	668	5.96	8.96	428	3.18	4.33
60-64	742	5.89	8.39	567	3.78	5.09
65-69	1011	7.20	9.39	692	4.03	4.78
70-74	1186	7.89	10.51	870	4.60	5.37
75-79	1218	7.65	9.90	995	4.77	5.77
80-84	1372	8.10	9.71	1181	5.04	5.84
85-89*	1182	8.22	9.37	1163	5.84	6.84

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Poland*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1510	2.97	5.29	1470	2.13	3.59
65-69*	2362	4.10	7.11	2407	3.09	4.62
70-74*	1593	5.10	8.69	1476	3.39	5.07
75-79						
80-84	6613	7.05	11.45	5990	4.30	5.98
85-89	8264	8.30	13.61	7242	4.87	6.76

Portugal*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84	1461	4.85	7.23	1197	2.73	3.08
85-89	1882	5.62	8.21	1561	3.09	3.64

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84	3571	5.50	9.04	2380	2.92	4.17
85-89						






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Spain*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	973	1.35	2.20	1007	1.07	1.54
60-64	1726	2.21	3.71	1686	1.65	2.38
65-69	2368	2.68	4.24	2208	1.89	2.56
70-74	3125	3.27	5.01	2873	2.19	2.76
75-79	4074	3.89	5.73	3316	2.25	2.65
80-84	5384	4.52	6.62	4480	2.60	3.00
85-89*	2681	5.25	7.32	2170	2.91	3.27

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Sweden*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1654	6.31	8.53	1284	4.30	5.50
60-64	2197	7.59	9.71	1682	5.00	5.93
65-69	2724	8.70	10.87	2201	5.81	6.91
70-74	3240	9.50	11.69	2594	6.09	6.67
75-79	3299	9.08	10.97	3058	6.54	7.62
80-84	3531	9.15	10.45	3314	6.55	7.67
85-89*	2005	8.43	10.49	2117	6.75	8.07




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Switzerland*Deaths from cancer of the pancreas*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	762	4.96	7.79	714	3.54	4.79
60-64	896	5.41	8.19	750	3.36	4.72
65-69	1143	6.25	8.68	1094	4.37	5.28
70-74	1357	6.74	9.26	1234	4.31	4.89
75-79	1687	7.81	10.13	1512	4.73	5.26
80-84	1781	7.35	9.45	1704	4.79	4.88
85-89	2006	7.87	9.31	1974	5.18	5.90



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England and Wales*Deaths from cancer of the pancreas*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	9631	6.64	9.10	8505	4.08	5.16
60-64	10850	7.10	9.46	9798	4.33	5.39
65-69	12560	7.80	10.38	11225	4.65	5.98
70-74	13766	8.06	10.68	12496	4.85	6.05
75-79	14831	8.26	10.72	13651	5.03	6.30
80-84	15018	7.91	10.31	14266	4.96	6.06
85-89	14857	7.42	9.38	15452	5.16	6.32



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the pancreas*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	264	6.39	8.22	208	4.11	5.01
60-64	275	6.49	9.20	231	4.17	4.73
65-69	316	7.21	9.89	268	4.50	6.06
70-74	359	7.94	11.22	338	5.48	6.96
75-79	418	9.22	11.68	347	5.39	7.40
80-84	334	6.99	8.78	384	5.49	7.03
85-89	363	7.31	8.45	408	5.51	6.24



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1098	7.13	9.96	1031	4.84	5.75
60-64	1211	7.71	11.03	1189	5.26	6.37
65-69	1437	8.97	11.35	1287	5.25	6.44
70-74	1551	9.20	11.43	1427	5.61	7.53
75-79	1524	8.75	11.29	1494	5.53	7.30
80-84	1469	8.14	10.27	1644	5.76	7.23
85-89	1418	7.50	9.64	1569	5.45	7.13






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Yugoslavia*Deaths from cancer of the pancreas*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	980	2.43	4.14	780	1.54	2.48
65-69	1419	3.16	4.89	1157	2.03	2.94
70-74	1977	3.97	6.62	1513	2.37	3.33
75-79	2478	4.54	7.57	1900	2.67	3.88
80-84	3227	5.38	8.78	2494	3.19	4.63
85-89*	3241	6.27	10.09	2521	3.65	4.79

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.