

Trends of Cancer Mortality in Europe, 1955–1989: II, Respiratory Tract, Bone, Connective and Soft Tissue Sarcomas, and Skin

Carlo La Vecchia, Franca Lucchini, Eva Negri, Peter Boyle,
Patrick Maisonneuve and Fabio Levi

*A general introduction appears in part I of this series
Eur J Cancer*, Vol. 28, No. 1, pp. 132–235, 1992.

LARYNX

LARYNGEAL CANCER mortality in males in the 1950s was much higher in France (8.9/100 000) than in any other European country. French rates peaked at 11.8 in the late 1970s, but subsequently declined to a value similar to that of the late 1950s, the recent downward trend being substantial in younger middle age. Other countries starting with relatively high values, and showing no major change were Spain, Belgium, Italy and Greece. In Eastern Europe, rates started relatively low, but showed substantial rises particularly over the past decade, and mortality in 1985–1989 for Hungary, Poland and Yugoslavia was among the highest in Europe. Upward trends were observed, though to a more limited extent, in Germany and Denmark. Rates were low, and showed no major trend in Sweden and Britain. Finally, downward trends were observed in Switzerland and, chiefly, in Finland.

For the countries showing upward trends, the increases tended to be greater at younger and middle age, thus indicating that the laryngeal cancer epidemic is still spreading in those areas.

Cancer of the larynx has the largest male-to-female ratios for any non sex-related neoplasms. Consequently, trends in females are generally unremarkable.

This pattern of trend is qualitatively at least in part similar to that observed for cancers of the oral cavity and oesophagus, thus further confirming the similarity in the main aetiological factors (alcohol and tobacco) for these neoplasms in Europe [19].

TRACHEA, BRONCHUS AND LUNG

Lung cancer is now the leading cause of cancer mortality in males in all European countries. Still, the pattern of trends in lung cancer epidemics is largely heterogeneous. In England and

Wales, the overall rate peaked at 74.3 in 1970–1974, and declined thereafter to 60.9 in 1985–1989. In middle age, mortality started to decline in the mid 1960s, peaking at 113.8 for the truncated rate in 1960–1964. A similar trend was observed in Finland, with a peak of 66.7 in 1970–1974 and in Sweden, whose peak value was only 25.1 in 1975–1979.

In Northern and Central Europe, lung cancer rates in males have been upwards up to the late 1970s and are now flattening off around values of 75/100 000 in Belgium and the Netherlands, and around 50/100 000 in Denmark and the German-speaking areas. Lung cancer rates are still upwards in Norway, although the overall value for 1985–1988 was only 30.6/100 000.

In France and all Southern Europe mortality started from low values, but is still increasing, and only in Italy some flattening of rates (at high levels, i.e. 91.8/100 000 at 35–64 years) became apparent in middle age. The upward trends were even more substantial in eastern European countries, which now have by far the highest lung cancer rates in young and middle aged males. This pattern of trends suggests that Southern and, mostly, Eastern Europe will have the highest lung cancer rates at the beginning of the next century, in the absence of urgent interventions on tobacco smoking [19]. The peak rate at age 35–64 for Czechoslovakia (129.9), Hungary (127.8) and Poland (121.8) are now comparable with that registered in Scotland in the early 1960s (132.4), but higher than for any other European country.

Over the last 3 decades, lung cancer rates in females increased in all European countries, but only in Denmark and Britain are overall rates now over 20/100 000. There is, therefore, ample scope for urgent intervention aimed at controlling a major tobacco-related lung cancer epidemic among European women in the near future [19].

Cigarette smoking is now responsible for about 85% of lung cancer cases in European males, and over 50% of cases in females [3, 34]. The low rates in Scandinavian males indicate that comprehensive policies against tobacco can have a major impact on lung cancer mortality, and that the impact is already evident 1 or 2 decades after adoption of these strategies [19, 35]. Unfortunately, substantial delays in developing any such action are present in other countries, particularly in Southern and Eastern Europe, where cigarette smoking is still widespread and socially accepted, high tar dark tobacco cigarettes are still common, and legislation is largely deficient [19].

Correspondence to C. La Vecchia.

C. La Vecchia, F. Lucchini and F. Levi are at the Institut universitaire de médecine sociale et préventive, Bugnon 17, 1005 Lausanne, Switzerland; C. La Vecchia and E. Negri are at the Istituto di Ricerche Farmacologiche "Mario Negri", Milano, Italy; P. Boyle and P. Maisonneuve are at the Division of Epidemiology and Biostatistics, European Institute of Oncology, 20121 Milan, Italy; and F. Levi is at the Registre vaudois des tumeurs, Institut Universitaire de médecine sociale et préventive, Lausanne, Switzerland.

Received and accepted 25 Sep. 1991.

PLEURA

Pleural mesothelioma is due to (mainly occupational) exposure to asbestos [36]. It is possible that the upward trends observed in several European countries are partly or largely due to increased manufacture and use of asbestos over the past decades, but death certificates from pleural cancers are difficult to interpret, on account of ascertainment difficulties and, chiefly, of the changed criteria for classification in the subsequent revisions of the International Classification of Diseases (ICD). The indication that at least part of the trends are artefactual is suggested by the observation that trends were discontinuous in several countries, major rises being often concomitant with changes in ICD.

BONE

Certified mortality from bone cancer fell in both sexes and all European countries, except Greece, Poland and Romania, the declines being over 60% in Britain, Switzerland, Germany or the Netherlands.

Part of these trends can be due to improved treatment, but progressive reduction of misclassification in diagnosis and certification of secondaries has probably played an important role, too, since the bones are a common site of metastases [16]. Not surprisingly, therefore, rates of the late 1980s, were higher in Greece, Spain and Eastern Europe, where death certification is probably less accurate and reliable.

CONNECTIVE AND SOFT TISSUE SARCOMAS

Although absolute numbers of deaths were limited for this heterogeneous group of neoplasms, the figure emerging from age-specific and age-standardized rates in most countries is consistent with widespread increases in both sexes. In the late 1980s, most overall age-standardized rates were between 0.5 and 0.9/100 000 males, and around 0.5/100 000 females. Only Hungary, whose rates in the early 1970s were the highest in Europe (1.4/100 000 males and 1.0/100 000 females) showed a decline of mortality towards the upper range of values of other countries.

The upward trends were observed in all subsequent age groups but, for this group of neoplasms, it is difficult to quantify the role of improved diagnosis and certification rather than occupational exposure to carcinogens (such as, possibly, herbicides [37]).

SKIN, INCLUDING MELANOMA

On the basis of death certification, distinction between melanoma and non-melanomatous skin cancer is unreliable in most countries. Nonetheless, most deaths in younger and middle age can confidently be attributed to skin melanoma, while a proportion of deaths at older ages may be due to squamous cell cancers.

Between the 1950s and the 1980s steady and substantial upward trends were observed in most European countries, particularly in middle age. Truncated rates in the late 1950s were around 2.5–3.0/100 000 for males and 1.5–2.0 for females in Scandinavia, and between 1.5 and 2.0 for males and 1.0 and 1.5 females in other areas. 3 decades later, they were over 5/100 000 males in several countries, including Austria, Czechos-

lovakia, Denmark, Norway and Sweden, and were substantially upwards in females, too, particularly at younger ages.

Even in countries of Southern Europe showing less consistent rises in the overall rates, like France, Germany, Spain, Italy or Greece, considerable increases were observed in the truncated rates and, even more substantial at younger ages. Indeed, these countries showed the largest increase in young adults (aged 20–44) over the last 2 decades.

Thus, the melanoma epidemic has involved the majority of European countries, and is still spreading in most Northern and Central Europe in middle age, although it seems now to be levelling off in the young in these areas. By contrast, the pattern of trends in Southern Europe, with substantial increases in younger ages (i.e. in most recent generations), is typical of the early phases of an epidemic [16].

Intense intermittent sunlight exposure is the most likely cause of cutaneous melanoma increases and seems particularly harmful when it leads to sunburn in individuals of light complexion [37]. The fact that most southern European countries, albeit still at relatively low risk for skin melanoma, showed substantial increases in young adults suggests, however, that modern sunbathing habits have been adopted and/or have produced their effect later in these populations of darker complexion, but that skin melanoma is by no means sparing them. This is particularly regrettable, since the main cause of this neoplasm has long been suspected, and practical measures of protection have, at least in principle, been available [38].

References 1, 2, 4–15, 17, 18 and 20–33 appear in part I of this series (*Eur J Cancer* 1992, 28, 132–235).

3. Parkin DM, Läärä E, Muir CS. Estimates of the worldwide frequency of sixteen major cancers in 1980. *Int J Cancer* 1988, 41, 184–197.
16. Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *J Natl Cancer Inst* 1981, 66, 1191–1308.
19. La Vecchia C, Boyle P, Franceschi S, *et al.* Smoking and cancer in Europe. *Eur J Cancer* 1991, 27, 94–104.
34. International Agency for Research on Cancer. *Tobacco Smoking IARC Monographs on the Evaluation of Carcinogenic Risk to Humans*, Vol. 38. Lyon, International Agency for Research on Cancer, 1985.
35. Bjartveit K. Legislation and political activity. In: Zaridze DG, Peto R, eds. *Tobacco: A Major International Health Hazard*. Lyon, International Agency for Research on Cancer, 1986, 285–289.
36. Doll R, Peto J. Effects on health of exposure to asbestos. (Health and Safety Commission) London, Her Majesty's Stationery Office, 1985.
37. Council on Scientific Affairs. Cancer risk of pesticides in agricultural workers. *JAMA* 1988, 260, 959–966.
38. Lee JAH. Melanoma and exposure to sunlight. *Epidemiol Rev* 1982, 4, 110–136.

Acknowledgements—This study has been made possible by a core grant of the Swiss (Aargau and St-Gall) League against cancer. Supports were also received by the Italian Association for Cancer Research and the Italian League against cancer.

This study was conducted within the framework of the CNR (Italian National Research Council) Applied Project "Clinical Application of Oncological Research" and of the "Europe Against Cancer" Programme of the Commission of the European Communities.







Austria*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	773	3.43	4.63	60	0.20	0.30
60-64	900	3.70	5.02	81	0.22	0.34
65-69	934	3.73	5.19	86	0.22	0.30
70-74	812	3.23	4.39	81	0.20	0.29
75-79	871	3.56	5.82	59	0.14	0.20
80-84	920	3.77	7.31	81	0.22	0.33
85-89	859	3.51	6.74	74	0.19	0.40

Belgium*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1114	3.60	6.38	129	0.33	0.40
60-64	1356	4.21	7.60	140	0.33	0.45
65-69	1619	4.91	8.06	159	0.37	0.56
70-74	1542	4.53	7.06	138	0.33	0.60
75-79	1623	4.71	7.44	156	0.33	0.49
80-84	1611	4.58	7.26	178	0.38	0.73
85-89*	334	4.61	7.84	39	0.37	0.52

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Bulgaria*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	184	4.05	8.10	19	0.41	0.63
65-69	903	3.68	6.62	109	0.41	0.66
70-74	1091	4.03	7.09	110	0.37	0.60
75-79	1133	3.93	7.71	116	0.36	0.53
80-84	1160	3.81	7.82	115	0.33	0.59
85-89	1470	4.60	9.88	124	0.31	0.46




*Information is missing for one or more years.

Czechoslovakia*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	986	2.73	4.34	124	0.28	0.38
60-64	1109	2.85	4.42	93	0.18	0.27
65-69	1465	3.40	5.12	120	0.22	0.33
70-74	1718	3.85	6.44	122	0.21	0.33
75-79	1968	4.34	7.81	134	0.22	0.35
80-84	2139	4.78	9.40	149	0.24	0.43
85-89	2412	5.36	11.06	159	0.26	0.53



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the larynx*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	158	1.11	1.85	29	0.16	0.14
60-64	175	1.13	1.75	31	0.18	0.27
65-69	206	1.24	1.89	39	0.21	0.38
70-74	313	1.77	2.69	49	0.23	0.34
75-79	343	1.85	2.97	65	0.31	0.61
80-84	485	2.49	3.94	83	0.33	0.55
85-89*	348	2.32	4.09	65	0.36	0.63

*Information is missing for one or more years.




Finland*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	254	2.74	4.53	40	0.30	0.38
60-64	311	3.03	5.65	28	0.19	0.41
65-69	351	3.16	4.84	21	0.13	0.16
70-74	337	2.74	4.44	22	0.12	0.19
75-79	263	2.02	3.24	16	0.07	0.08
80-84	282	1.97	2.79	21	0.10	0.20
85-89*	183	1.49	1.77	16	0.09	0.13

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the larynx*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	12006	8.88	17.51	744	0.36	0.45
60-64	14804	10.22	19.81	812	0.37	0.53
65-69	17171	11.24	21.31	846	0.37	0.58
70-74	18268	11.39	22.11	901	0.38	0.67
75-79	19692	11.82	24.10	927	0.40	0.79
80-84	18230	10.45	21.30	884	0.37	0.72
85-89*	12900	8.90	18.13	686	0.36	0.76

*Information is missing for one or more years.




Germany, GDR*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	483	2.08	3.18	36	0.11	0.21
75-79*	960	2.10	3.07	85	0.11	0.13
80-84	1165	2.20	3.70	89	0.10	0.14
85-89	1194	2.35	4.10	113	0.13	0.25

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Germany, FRG*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2994	1.90	2.69	386	0.19	0.25
60-64	3625	2.02	2.72	394	0.16	0.18
65-69	4503	2.28	2.74	453	0.15	0.17
70-74	4761	2.32	2.84	525	0.16	0.20
75-79	4957	2.38	3.41	496	0.15	0.22
80-84	5445	2.58	4.37	532	0.16	0.27
85-89	5906	2.73	4.89	657	0.21	0.40




Greece*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	766	4.24	6.62	95	0.46	0.81
65-69	1069	4.32	6.25	130	0.43	0.79
70-74	1239	4.15	5.54	165	0.47	0.68
75-79	1345	4.06	5.37	148	0.38	0.56
80-84	1369	3.69	4.74	121	0.27	0.35
85-89*	1140	3.57	4.54	107	0.26	0.29

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the larynx*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1068	3.95	6.22	147	0.44	0.53
60-64	1187	4.02	6.17	164	0.45	0.65
65-69	1428	4.38	6.46	185	0.45	0.57
70-74	1834	5.40	8.27	191	0.44	0.69
75-79	2120	6.07	10.42	201	0.45	0.81
80-84	2206	6.35	12.28	194	0.43	0.88
85-89	2603	7.67	16.30	254	0.59	1.29

Iceland*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1	0.17	0.00	0	0.00	0.00
60-64	5	1.13	0.83	2	0.40	0.86
65-69	2	0.46	0.77	1	0.10	0.00
70-74	5	0.90	1.29	1	0.23	0.74
75-79	6	1.01	1.90	2	0.39	1.25
80-84	11	1.59	1.78	2	0.34	0.58
85-89	7	0.74	0.48	3	0.24	0.00



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the larynx*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	257	2.60	3.51	102	1.08	1.91
60-64	216	2.16	2.72	99	1.01	1.90
65-69	215	2.11	2.17	92	0.99	1.94
70-74	200	1.98	2.34	104	1.03	2.00
75-79	232	2.29	3.33	82	0.68	0.95
80-84	246	2.41	3.48	81	0.69	1.11
85-89*	207	2.53	3.88	43	0.46	0.79

*Information is missing for one or more years.




Italy*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5334	4.03	8.08	464	0.29	0.44
60-64	7015	4.88	9.16	587	0.33	0.50
65-69	9080	5.91	10.49	603	0.30	0.44
70-74	11031	6.64	11.56	685	0.31	0.46
75-79	12227	6.63	11.76	804	0.33	0.54
80-84	12723	6.59	11.54	813	0.31	0.47
85-89*	9996	6.10	10.04	643	0.28	0.38

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	41	5.74	10.63	1	0.07	0.00
70-74	77	6.44	11.16	4	0.29	0.54
75-79	79	6.51	9.83	2	0.06	0.00
80-84	64	5.15	8.66	9	0.45	0.23
85-89	70	5.74	9.82	6	0.33	0.46

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	27	4.24	8.58	3	0.37	0.44
70-74	36	4.30	6.60	6	0.63	1.21
75-79	23	2.67	1.33	3	0.29	0.40
80-84	47	5.66	8.00	5	0.45	0.31
85-89	24	2.31	3.00	2	0.13	0.00

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the larynx*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	469	1.53	1.97	75	0.22	0.25
60-64	565	1.65	2.24	70	0.19	0.28
65-69	621	1.64	1.91	85	0.19	0.28
70-74	760	1.87	2.46	90	0.17	0.29
75-79	812	1.88	2.24	73	0.14	0.21
80-84	843	1.84	2.43	85	0.14	0.19
85-89*	641	1.67	2.19	99	0.20	0.29

*Information is missing for one or more years.




Norway*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	45	0.40	0.61	6	0.05	0.09
60-64	79	0.64	1.13	3	0.02	0.03
65-69	114	0.83	1.23	10	0.07	0.12
70-74	166	1.14	1.60	16	0.08	0.16
75-79	150	0.93	1.04	18	0.09	0.14
80-84	184	1.11	1.57	29	0.11	0.12
85-89*	162	1.12	1.12	17	0.09	0.15

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Poland*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	162	1.39	2.52	31	0.19	0.23
60-64	1461	2.33	4.03	249	0.29	0.45
65-69	2439	3.34	5.91	356	0.36	0.53
70-74	2857	3.54	6.86	302	0.28	0.47
75-79	4332	4.96	9.75	408	0.34	0.59
80-84	5927	6.37	12.83	529	0.41	0.76
85-89	7121	7.24	14.64	661	0.50	0.97




*Information is missing for one or more years.

Portugal*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	869	4.56	9.01	110	0.42	0.65
60-64	1117	5.25	9.90	127	0.45	0.78
65-69	1250	5.57	10.36	142	0.46	0.62
70-74	1281	5.41	10.39	167	0.53	0.91
75-79	1355	5.24	9.76	132	0.36	0.49
80-84	1716	5.83	10.87	185	0.45	0.60
85-89	1672	5.15	9.87	120	0.26	0.40



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the larynx*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	280	3.31	6.75	70	0.65	1.40
60-64	1976	4.35	8.36	399	0.71	1.27
65-69	2293	4.52	8.40	340	0.55	1.03
70-74	2740	4.95	9.45	344	0.52	0.98
75-79*	2297	4.85	9.58	297	0.51	0.82
80-84	3058	4.79	10.04	346	0.46	0.86
85-89						

*Information is missing for one or more years.




Spain*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4336	6.05	11.17	402	0.43	0.56
60-64	5308	6.72	12.61	384	0.36	0.45
65-69	6133	7.04	12.81	477	0.40	0.48
70-74	6785	7.16	13.32	472	0.37	0.42
75-79	7819	7.55	13.79	363	0.25	0.34
80-84	8665	7.51	14.16	339	0.20	0.24
85-89*	3576	7.22	13.36	136	0.18	0.23

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Sweden*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	134	0.51	0.54	32	0.11	0.19
60-64	169	0.59	0.77	23	0.07	0.09
65-69	211	0.67	0.79	22	0.07	0.14
70-74	246	0.71	0.67	30	0.08	0.12
75-79	333	0.90	0.92	26	0.06	0.09
80-84	292	0.77	0.95	37	0.09	0.19
85-89*	192	0.81	0.94	23	0.08	0.14




*Information is missing for one or more years.

Switzerland*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	540	3.58	5.19	37	0.19	0.17
60-64	514	3.05	4.45	28	0.13	0.21
65-69	619	3.37	4.94	42	0.18	0.21
70-74	630	3.19	4.63	27	0.11	0.20
75-79	647	3.11	5.19	56	0.21	0.42
80-84	623	2.78	4.55	48	0.17	0.33
85-89	541	2.27	3.65	50	0.16	0.30



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.









Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3336	2.29	2.85	896	0.46	0.81
60-64	3170	2.07	2.55	759	0.37	0.65
65-69	2952	1.82	2.09	707	0.32	0.55
70-74	3072	1.78	2.19	677	0.30	0.54
75-79	3075	1.70	2.20	813	0.34	0.58
80-84	3129	1.66	2.31	891	0.35	0.59
85-89	3376	1.72	2.36	865	0.34	0.54

UK, Northern Ireland*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	70	1.76	2.36	41	0.92	1.90
60-64	65	1.55	2.21	30	0.55	0.93
65-69	73	1.65	2.17	37	0.71	1.63
70-74	81	1.83	2.97	29	0.52	1.07
75-79	88	1.94	2.93	34	0.60	1.16
80-84	66	1.41	1.66	26	0.41	0.78
85-89	89	1.89	2.67	19	0.29	0.57



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	332	2.13	3.10	108	0.55	0.97
60-64	305	1.96	2.29	91	0.43	0.79
65-69	313	1.97	2.44	88	0.40	0.73
70-74	330	1.96	2.48	82	0.36	0.66
75-79	302	1.76	2.39	106	0.45	0.80
80-84	310	1.80	2.41	86	0.33	0.41
85-89	340	1.91	3.14	94	0.39	0.58

Yugoslavia*Deaths from cancer of the larynx*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1055	3.24	5.73	167	0.41	0.73
65-69	1847	4.13	6.94	296	0.54	0.84
70-74	2389	4.80	8.32	322	0.52	0.86
75-79	3110	5.72	10.28	382	0.55	0.85
80-84	3713	6.21	11.53	389	0.50	0.82
85-89*	3245	6.22	11.86	318	0.47	0.86

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Austria*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	10543	46.02	81.85	1891	6.03	9.57
60-64	12107	50.01	79.16	1988	5.75	8.78
65-69	13211	52.24	71.45	2276	6.21	9.25
70-74	13294	51.27	64.51	2508	6.44	9.36
75-79	13223	50.54	64.97	2826	6.84	9.71
80-84	12740	48.80	66.59	3323	7.92	11.60
85-89	12115	46.13	66.96	3573	8.59	13.27

Belgium*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	9479	31.11	62.64	1357	3.62	5.91
60-64	13576	42.69	79.87	1669	4.26	6.98
65-69	17543	52.81	88.11	1880	4.48	6.92
70-74	22120	64.85	98.71	2203	5.02	7.97
75-79	25914	73.96	102.92	2603	5.85	9.55
80-84	28469	78.93	105.72	3024	6.44	10.50
85-89*	5780	77.16	102.20	736	7.58	13.33

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Bulgaria*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1615	36.00	61.29	402	7.81	12.52
65-69	8942	36.46	57.50	1797	6.66	10.60
70-74	9821	36.05	59.04	1872	6.20	9.61
75-79	10417	35.39	61.26	1958	5.95	9.59
80-84	11588	37.69	71.48	2120	5.98	9.86
85-89	12865	39.98	79.55	2399	6.41	10.36




*Information is missing for one or more years.

Czechoslovakia*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	14205	39.19	72.67	2512	5.53	8.55
60-64	20912	52.46	86.50	2788	5.55	8.45
65-69	26417	60.40	88.66	3262	5.77	8.19
70-74	29310	63.37	91.34	3306	5.44	8.22
75-79	31615	67.28	103.25	3879	6.20	10.11
80-84	33077	70.88	120.89	4437	7.03	11.57
85-89	34184	74.05	129.89	5152	8.08	13.83



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the trachea, bronchus and lung*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3434	24.61	47.49	721	4.55	7.44
60-64	5005	32.71	56.42	1051	5.92	8.69
65-69	6554	39.63	64.09	1415	7.48	12.31
70-74	8099	45.38	65.20	1929	9.49	16.62
75-79	9441	49.40	67.99	2709	12.71	23.43
80-84	10863	54.28	72.53	3845	17.52	33.56
85-89*	8885	54.34	71.19	3921	21.69	39.83

*Information is missing for one or more years.




Finland*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4808	51.90	93.00	543	4.08	6.23
60-64	6173	59.91	102.46	540	3.63	5.65
65-69	7328	64.86	104.03	640	4.00	6.19
70-74	8166	66.65	98.58	746	4.14	6.39
75-79	8744	65.85	90.17	1008	5.10	8.27
80-84	8893	61.60	80.08	1299	5.84	8.84
85-89*	6680	53.84	67.38	1239	6.48	9.25

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the trachea, bronchus and lung*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	25093	18.71	35.69	6388	3.39	5.53
60-64	35105	24.25	43.15	7317	3.56	5.49
65-69	45676	29.35	48.47	8182	3.66	5.45
70-74	55100	33.04	53.42	8350	3.41	5.00
75-79	69396	39.35	63.24	9170	3.61	5.62
80-84	79495	43.02	68.90	10620	3.99	6.19
85-89*	70785	45.99	74.67	10252	4.65	7.32

*Information is missing for one or more years.




Germany, GDR*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	11853	50.85	75.31	1622	4.60	8.04
75-79*	23270	51.66	76.85	3284	4.59	7.60
80-84	27043	51.77	78.95	4541	5.25	8.60
85-89	25252	49.97	76.89	4861	5.75	9.28

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.





Germany, FRG*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	47710	30.63	58.51	8537	4.21	6.86
60-64	69024	38.67	65.29	11711	4.85	7.84
65-69	84934	43.35	63.91	13792	4.96	7.63
70-74	94005	45.75	62.02	14527	4.81	7.30
75-79	102447	48.51	64.12	17386	5.36	8.08
80-84	105802	49.02	65.86	21065	6.22	9.58
85-89	109099	48.98	68.33	25597	7.42	11.49

Greece*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	4910	27.45	42.51	1063	5.05	8.92
65-69	8098	32.59	46.78	1745	6.09	10.67
70-74	10472	35.65	50.37	1967	5.89	10.23
75-79	14022	43.00	61.54	2545	6.72	10.76
80-84	16282	45.47	66.75	2625	6.18	9.49
85-89*	14926	48.75	70.82	2453	6.65	9.94

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the trachea, bronchus and lung*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6439	23.86	44.91	1924	5.76	9.81
60-64	9111	30.65	50.93	2575	7.02	11.32
65-69	12655	38.86	57.37	3001	7.28	10.90
70-74	15129	43.45	60.25	3624	8.12	11.94
75-79	18746	51.97	76.18	4204	8.91	13.77
80-84	22458	62.54	102.33	5186	10.74	17.58
85-89	25262	72.24	127.78	6339	13.08	22.88



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Iceland*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	37	9.48	18.26		16	3.73	5.08
60-64	52	11.64	28.52		31	6.31	12.47
65-69	68	14.03	28.40		45	8.33	18.15
70-74	81	14.97	30.55		53	9.47	19.52
75-79	125	21.17	37.01		82	12.66	25.31
80-84	163	25.23	40.36		155	21.29	31.80
85-89	205	28.04	37.86		179	22.13	36.95



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the trachea, bronchus and lung*







Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1922	21.91	48.46	518	5.64	11.37
60-64	2465	27.73	55.69	602	6.56	13.29
65-69	3238	35.11	63.07	822	8.57	16.33
70-74	3994	41.60	68.10	1227	11.93	21.12
75-79	4735	46.65	68.86	1557	14.28	24.69
80-84	5077	48.51	68.49	1972	16.94	27.20
85-89*	4305	49.88	64.74	1771	17.57	25.70

*Information is missing for one or more years.

Italy*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	23024	17.57	39.68	5459	3.44	6.16
60-64	35004	24.60	51.20	7269	4.11	7.05
65-69	50940	33.37	62.09	8989	4.64	7.63
70-74	67717	40.78	69.88	10554	4.94	8.04
75-79	88839	48.02	82.39	13507	5.64	9.04
80-84	108530	55.63	93.01	16423	6.33	9.82
85-89*	97085	58.70	91.84	15879	7.10	10.59

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the trachea, bronchus and lung*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	435	61.90	109.82	34	3.98	6.27
70-74	783	65.19	103.92	67	4.56	8.20
75-79	842	67.68	99.83	97	5.55	8.47
80-84	894	70.15	99.35	114	6.85	12.60
85-89	898	69.18	101.90	148	8.36	13.46

*Information is missing for one or more years.




Malta*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	226	35.02	66.95	24	3.06	6.15
70-74	267	32.79	54.79	19	1.84	1.95
75-79	335	44.33	74.39	28	3.24	6.10
80-84	379	45.87	68.68	61	5.70	7.54
85-89	449	46.45	70.02	45	3.92	6.46

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	10634	35.58	69.51	1029	3.07	4.45
60-64	15712	47.65	85.67	1310	3.41	5.18
65-69	21291	58.85	94.48	1496	3.53	5.50
70-74	26757	68.25	99.45	1885	4.00	6.54
75-79	32059	75.31	96.66	2572	4.96	8.33
80-84	35649	77.35	92.09	3844	6.96	12.75
85-89*	29905	75.80	87.33	4116	8.92	17.11

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1063	9.71	20.20	327	2.55	4.15
60-64	1591	13.16	25.02	380	2.66	4.42
65-69	2175	16.46	27.40	484	3.10	5.19
70-74	2816	19.68	31.18	649	3.90	7.12
75-79	3679	23.94	36.37	848	4.82	8.98
80-84	4489	27.83	40.96	1186	6.60	12.26
85-89*	4103	30.60	43.02	1348	9.06	17.01

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Poland*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	1705	14.58	27.79	486	3.10	5.66
60-64	13726	21.76	38.49	3244	3.86	6.59
65-69	23235	31.66	53.05	4630	4.74	7.75
70-74	32817	40.44	67.99	5694	5.11	8.04
75-79	43351	48.96	84.28	7384	6.04	10.16
80-84	55353	59.00	106.30	9657	7.40	12.97
85-89	66557	67.52	121.76	12075	8.78	15.10




*Information is missing for one or more years.

Portugal*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1474	7.78	13.33	580	2.27	4.24
60-64	2026	9.58	16.35	682	2.45	4.25
65-69	2674	11.92	20.39	775	2.60	4.18
70-74	3373	14.20	23.47	974	3.16	5.33
75-79	4592	17.60	29.09	1142	3.28	5.52
80-84	6258	20.79	33.49	1479	3.75	6.12
85-89	8200	24.62	39.35	1774	4.01	6.45



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	1613	19.11	37.40	476	4.56	8.61
60-64	10950	24.02	44.29	2978	5.35	9.51
65-69	13683	26.80	48.57	3216	5.19	9.20
70-74	15674	28.38	51.19	3643	5.44	9.90
75-79*	14643	30.91	59.49	3311	5.75	10.48
80-84	20945	33.05	69.18	4581	5.97	10.99
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Spain*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	9518	13.33	22.89		2893	3.20	5.89
60-64	14076	17.78	29.13		3592	3.64	6.50
65-69	18074	20.57	32.46		4293	3.88	6.49
70-74	23507	24.60	37.36		4953	4.09	6.87
75-79	32841	31.28	46.65		5435	3.95	5.97
80-84	43435	36.47	54.24		5913	3.72	5.32
85-89*	20461	40.26	59.70		2538	3.61	4.90

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Sweden*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3096	12.25	21.98	1100	3.87	6.05
60-64	4328	15.56	24.76	1207	3.80	5.74
65-69	5536	18.14	25.10	1522	4.38	6.54
70-74	7426	22.02	27.90	2058	5.32	7.93
75-79	9091	25.06	31.05	2585	6.29	9.82
80-84	9094	24.16	32.00	3270	7.85	13.26
85-89*	5546	23.99	30.85	2243	8.89	15.72




*Information is missing for one or more years.

Switzerland*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	4393	28.86	53.62		609	3.12	4.60
60-64	5541	33.46	60.78		651	3.07	4.83
65-69	7065	39.17	66.58		767	3.27	5.30
70-74	8646	43.88	69.75		1008	3.91	6.35
75-79	10287	48.70	73.21		1259	4.60	7.81
80-84	11035	48.75	71.25		1696	5.81	9.56
85-89	11351	46.78	64.05		2076	6.84	11.49



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.









Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	82087	57.46	109.15	13373	7.15	13.38
60-64	100853	66.24	113.84	17541	8.85	16.68
65-69	116987	72.27	111.68	23292	11.17	20.75
70-74	128295	74.26	105.57	29635	13.44	24.68
75-79	132980	72.70	96.11	36517	15.89	28.24
80-84	131585	67.65	83.11	44453	18.15	29.56
85-89	124551	60.92	70.75	51519	20.03	29.88

UK, Northern Ireland*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1301	34.15	69.55	273	5.84	10.03
60-64	1573	38.72	73.24	297	5.94	10.79
65-69	1995	45.86	75.35	410	7.80	14.96
70-74	2322	51.65	81.94	517	9.65	18.97
75-79	2536	54.89	80.76	720	12.69	22.66
80-84	2637	54.99	73.82	897	14.82	26.23
85-89	2789	56.81	72.78	1072	16.59	26.48



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	8814	59.36	120.05	1608	8.23	14.53
60-64	11221	72.10	132.35	1947	9.59	17.95
65-69	13009	79.94	130.13	2605	12.32	23.79
70-74	14316	84.27	123.49	3493	16.06	32.40
75-79	14835	84.28	114.27	4458	19.81	38.67
80-84	14819	81.02	104.40	5765	24.39	41.88
85-89	14329	75.87	94.59	6795	27.23	42.30

Yugoslavia*Deaths from cancer of the trachea, bronchus and lung*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	6552	20.30	34.19	1505	3.74	6.64
65-69	10981	24.20	39.08	2384	4.27	7.26
70-74	14851	29.57	46.35	3076	4.92	8.20
75-79	19424	35.46	59.42	4131	5.99	10.13
80-84	24652	41.34	73.34	5026	6.62	11.14
85-89*	23709	45.93	84.75	4871	7.40	12.71

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Austria*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	91	0.48	0.85	120	0.42	0.69
75-79	109	0.44	0.67	123	0.29	0.39
80-84	123	0.49	0.71	130	0.35	0.69
85-89	110	0.44	0.79	135	0.31	0.43

*Information is missing for one or more years.




Belgium*Deaths from cancer of the pleura*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69*	12	0.18	0.29		10	0.12	0.10
70-74	97	0.29	0.42		60	0.14	0.21
75-79	86	0.25	0.33		49	0.10	0.17
80-84	125	0.35	0.49		65	0.13	0.14
85-89*	53	0.71	0.98		15	0.15	0.27

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	12	0.05	0.12	17	0.06	0.07
85-89	26	0.08	0.14	21	0.06	0.13

*Information is missing for one or more years.




Czechoslovakia*Deaths from cancer of the pleura*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79*	121	1.28	2.05		43	0.38	0.74
80-84	335	0.74	1.35		185	0.29	0.48
85-89	316	0.70	1.09		178	0.28	0.49

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the pleura*







Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	13	0.40	0.43	12	0.25	0.22
70-74	144	0.83	1.33	54	0.24	0.35
75-79	127	0.67	0.97	86	0.37	0.53
80-84*	73	0.98	1.55	35	0.36	0.63
85-89*	50	1.31	2.20	15	0.29	0.39

*Information is missing for one or more years.

Finland*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	17	0.79	0.49	7	0.18	0.19
70-74	67	0.57	0.77	33	0.20	0.29
75-79	91	0.69	0.95	47	0.23	0.35
80-84*	107	0.98	1.69	52	0.32	0.49
85-89*	94	1.04	1.89	47	0.33	0.39

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	407	0.62	0.88	297	0.33	0.51
70-74	1136	0.68	1.01	848	0.34	0.49
75-79	1563	0.87	1.22	918	0.34	0.44
80-84	2047	1.08	1.56	1038	0.35	0.50
85-89*	2141	1.34	1.90	945	0.40	0.55

*Information is missing for one or more years.




Germany, GDR*Deaths from cancer of the pleura*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79							
80-84*	224	1.03	1.23		113	0.35	0.66
85-89	478	0.94	1.42		341	0.40	0.57

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	277	0.70	0.92	275	0.48	0.79
70-74	1367	0.67	0.90	1379	0.47	0.73
75-79	1546	0.75	1.10	1295	0.40	0.62
80-84	2065	0.98	1.49	1347	0.39	0.59
85-89	2536	1.14	1.73	1333	0.36	0.53

*Information is missing for one or more years.




Greece*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1	0.01	0.04	7	0.06	0.06
70-74	8	0.03	0.06	14	0.04	0.07
75-79	16	0.05	0.09	12	0.03	0.04
80-84	9	0.02	0.02	8	0.02	0.02
85-89*	9	0.04	0.05	6	0.02	0.03

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Hungary*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	111	0.32	0.51	91	0.21	0.34
75-79	133	0.39	0.57	103	0.22	0.34
80-84	171	0.49	0.82	126	0.27	0.45
85-89	186	0.52	0.88	143	0.28	0.39

Iceland*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	0	0.00	0.00	0	0.00	0.00
75-79	1	0.11	0.00	0	0.00	0.00
80-84*	0	0.00	0.00	0	0.00	0.00
85-89	6	0.77	1.00	1	0.16	0.53

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	0	0.00	0.00
70-74*	5	0.06	0.09	2	0.02	0.00
75-79	4	0.04	0.04	4	0.04	0.07
80-84	13	0.12	0.19	5	0.04	0.04
85-89*	13	0.16	0.29	6	0.07	0.11

*Information is missing for one or more years.




Italy*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	367	0.57	0.88	214	0.27	0.40
70-74	1240	0.74	1.16	811	0.37	0.57
75-79	1399	0.75	1.15	842	0.34	0.50
80-84	1929	0.98	1.43	1115	0.41	0.58
85-89*	1881	1.14	1.68	1068	0.45	0.60

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	2	0.93	3.00	1	0.16	0.00
80-84	6	0.44	0.36	8	0.39	0.23
85-89	9	0.71	1.08	1	0.07	0.24

*Information is missing for one or more years.




Malta*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	1	0.39	1.25	0	0.00	0.00
80-84	4	0.54	0.92	2	0.17	0.00
85-89	4	0.40	0.39	3	0.23	0.61

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	60	0.82	1.48	17	0.20	0.25
70-74*	208	0.89	1.37	54	0.18	0.29
75-79	467	1.13	1.85	99	0.19	0.33
80-84	755	1.71	2.81	143	0.24	0.37
85-89*	745	1.99	3.12	118	0.23	0.36

*Information is missing for one or more years.




Norway*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	5	0.19	0.38	3	0.13	0.42
70-74	43	0.30	0.51	11	0.07	0.13
75-79	65	0.44	0.60	10	0.05	0.08
80-84	99	0.59	0.87	22	0.12	0.22
85-89*	132	1.02	1.63	17	0.09	0.08

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Poland*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Portugal*Deaths from cancer of the pleura*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79							
80-84*	4	0.06	0.11		4	0.04	0.04
85-89	40	0.13	0.22		46	0.10	0.14

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Romania*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from cancer of the pleura*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79	246	0.23	0.36		218	0.17	0.28
80-84	339	0.28	0.42		254	0.16	0.25
85-89*	147	0.28	0.40		121	0.18	0.25

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Sweden*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	38	0.56	0.80	19	0.25	0.36
70-74						
75-79						
80-84						
85-89*	88	1.13	1.53	30	0.31	0.54

*Information is missing for one or more years.




Switzerland*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	13	0.35	0.54	4	0.09	0.18
70-74	123	0.63	0.95	50	0.20	0.29
75-79	143	0.69	1.14	71	0.28	0.54
80-84	216	0.97	1.55	62	0.21	0.35
85-89	283	1.17	1.73	73	0.21	0.27

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	188	0.29	0.63	75	0.10	0.20
70-74	548	0.34	0.68	207	0.10	0.20
75-79	880	0.52	0.98	239	0.12	0.24
80-84	1203	0.69	1.34	310	0.14	0.25
85-89	1885	1.05	1.99	327	0.14	0.23

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	3	0.31	0.41	1	0.08	0.00
80-84	14	0.29	0.49	2	0.05	0.16
85-89	107	2.26	3.57	9	0.17	0.29

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from cancer of the pleura*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	15	0.24	0.42	6	0.06	0.00
70-74	45	0.27	0.46	9	0.04	0.07
75-79	87	0.51	0.94	15	0.06	0.11
80-84	129	0.73	1.21	17	0.07	0.11
85-89	200	1.14	1.83	28	0.11	0.12

*Information is missing for one or more years.




Yugoslavia*Deaths from cancer of the pleura*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	55	0.53	1.11	41	0.32	0.65
80-84	368	0.62	1.09	274	0.37	0.64
85-89*	268	0.50	0.97	205	0.32	0.61

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Austria*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	391	1.86	2.71	333	1.19	1.50
60-64	407	1.85	2.20	283	0.94	1.37
65-69	414	1.81	2.13	337	1.07	1.27
70-74	356	1.61	1.91	289	0.93	1.08
75-79	311	1.38	2.01	261	0.81	0.86
80-84	219	1.00	1.45	170	0.51	0.37
85-89	144	0.62	0.81	127	0.36	0.39

Belgium*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	610	2.11	2.87	458	1.38	1.66
60-64	593	1.97	2.68	466	1.28	1.69
65-69	570	1.88	2.64	388	1.06	1.24
70-74	492	1.58	2.10	407	1.06	1.15
75-79	462	1.48	1.93	340	0.85	0.86
80-84	354	1.08	1.28	283	0.67	0.76
85-89*	70	1.08	1.62	40	0.51	0.49

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Bulgaria*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	340	1.79	2.57	237	1.16	1.65
70-74	392	1.54	2.08	289	1.09	1.45
75-79	384	1.49	2.36	299	1.07	1.45
80-84	369	1.33	2.01	278	0.96	1.19
85-89	371	1.31	1.91	259	0.82	1.10

*Information is missing for one or more years.

Czechoslovakia*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	812	2.34	3.20	660	1.60	2.04
60-64	895	2.35	3.19	697	1.53	1.96
65-69	740	1.82	2.36	610	1.20	1.46
70-74	747	1.75	2.33	564	1.08	1.33
75-79	712	1.64	2.43	540	0.97	1.23
80-84	585	1.36	1.79	455	0.83	0.98
85-89	562	1.31	1.81	426	0.75	0.98



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from bone cancer*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	193	1.45	1.82	116	0.84	0.91
60-64	172	1.23	1.31	117	0.78	1.13
65-69	139	0.97	0.94	92	0.60	0.56
70-74	123	0.85	0.77	83	0.50	0.46
75-79	123	0.79	0.67	89	0.54	0.66
80-84	137	0.84	0.97	71	0.42	0.40
85-89*	78	0.62	0.62	61	0.39	0.51

*Information is missing for one or more years.




Finland*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	185	1.94	3.04	177	1.41	1.78
60-64	175	1.68	2.42	149	1.12	1.24
65-69	150	1.30	1.45	109	0.77	0.95
70-74	111	0.91	0.74	74	0.48	0.46
75-79	97	0.78	0.81	80	0.50	0.37
80-84	100	0.76	0.70	71	0.43	0.45
85-89*	52	0.51	0.53	43	0.28	0.28

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from bone cancer*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3164	2.46	3.45	2572	1.47	1.95
60-64	3304	2.37	3.22	2534	1.35	1.79
65-69	3377	2.26	3.32	2509	1.25	1.55
70-74	3214	2.05	2.95	2080	0.97	1.23
75-79	3066	1.84	2.62	1898	0.83	0.99
80-84	2771	1.60	2.27	1579	0.66	0.69
85-89*	2078	1.45	2.02	1088	0.56	0.57

*Information is missing for one or more years.




Germany, GDR*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	224	1.11	1.51	200	0.71	0.88
75-79*	420	1.08	1.33	359	0.66	0.77
80-84	446	0.94	1.15	414	0.63	0.64
85-89	416	0.91	1.18	361	0.55	0.74

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Germany, FRG*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2808	1.91	2.45	2519	1.37	1.75
60-64	3155	1.92	2.48	2979	1.37	1.71
65-69	3103	1.74	2.14	2644	1.11	1.35
70-74	2417	1.33	1.55	1970	0.79	0.86
75-79	2199	1.18	1.55	1821	0.69	0.74
80-84	1804	0.94	1.19	1540	0.54	0.55
85-89	1354	0.70	0.85	1135	0.40	0.41

Greece*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	443	2.25	3.29	366	1.62	2.69
70-74	700	2.51	3.42	488	1.52	2.47
75-79	895	2.93	3.74	581	1.68	2.65
80-84	972	2.79	3.32	689	1.74	2.37
85-89*	802	2.74	3.39	577	1.70	2.29

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from bone cancer*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	144	2.26	2.83	104	1.40	1.75
70-74	683	2.15	2.67	490	1.28	1.66
75-79	656	1.99	3.03	478	1.16	1.63
80-84	552	1.71	2.23	372	0.88	1.04
85-89	416	1.29	2.01	328	0.80	0.94

*Information is missing for one or more years.




Iceland*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	9	1.92	1.76	3	0.67	0.75
75-79	5	0.78	1.24	6	0.99	2.56
80-84	5	0.88	2.33	1	0.18	0.58
85-89	2	0.21	0.00	5	0.72	0.93

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	232	2.44	3.11	124	1.37	2.11
60-64	211	2.28	2.79	118	1.27	1.48
65-69	173	1.86	1.96	134	1.34	1.72
70-74	177	1.92	2.19	106	1.02	1.20
75-79	99	1.04	1.18	97	0.86	0.76
80-84	77	0.78	0.72	52	0.47	0.68
85-89*	66	0.78	0.90	44	0.49	0.67

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from bone cancer*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	3472	2.67	4.00		2536	1.68	2.44
60-64	3340	2.38	3.60		2294	1.39	1.96
65-69	3314	2.23	3.25		2306	1.31	1.82
70-74	3707	2.33	3.40		2503	1.31	1.84
75-79	3446	1.97	2.88		2377	1.10	1.52
80-84	3001	1.64	2.23		2071	0.90	1.14
85-89*	2177	1.42	1.73		1517	0.79	0.93

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	20	2.12	1.43	12	1.00	0.99
75-79	20	1.77	3.15	24	1.62	2.39
80-84	20	1.71	3.15	16	1.13	0.55
85-89	9	0.65	0.73	13	0.74	0.79

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1	0.26	0.00	1	0.24	0.00
70-74	12	1.55	2.78	3	0.35	0.39
75-79	11	1.37	1.88	11	1.08	1.53
80-84	10	1.19	1.70	10	1.06	1.36
85-89	10	1.08	1.29	6	0.44	0.61

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	520	1.81	2.06	316	1.03	1.29
60-64	455	1.41	1.60	325	0.93	1.00
65-69	442	1.24	1.23	306	0.81	0.71
70-74	397	1.07	1.14	263	0.65	0.65
75-79	290	0.73	0.71	208	0.47	0.37
80-84	242	0.60	0.42	173	0.38	0.32
85-89*	194	0.59	0.47	121	0.32	0.30

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from bone cancer*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	69	0.80	0.86		50	0.55	0.56
60-64	65	0.66	0.52		41	0.47	0.14
65-69	65	0.60	0.49		50	0.43	0.42
70-74	60	0.53	0.43		42	0.35	0.39
75-79	83	0.71	0.61		39	0.28	0.15
80-84	60	0.54	0.51		44	0.35	0.32
85-89*	63	0.64	0.62		30	0.28	0.22

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Poland*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	679	1.32	1.99	609	0.90	1.29
65-69	1396	1.88	2.80	1108	1.18	1.67
70-74	1597	1.95	2.82	1266	1.22	1.76
75-79	1581	1.79	2.59	1191	1.06	1.43
80-84	1661	1.80	2.76	1153	0.96	1.30
85-89	1753	1.82	2.94	1102	0.87	1.18

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Portugal*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	419	2.30	3.25	445	1.89	2.87
75-79	559	2.24	3.15	466	1.43	2.09
80-84	488	1.74	2.53	355	1.02	1.36
85-89	445	1.45	2.07	327	0.85	1.02

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from bone cancer*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	263	2.55	4.29	199	1.67	2.36
70-74	1481	2.71	4.33	1024	1.64	2.25
75-79*	1243	2.72	4.46	894	1.67	2.40
80-84	1671	2.70	4.56	1152	1.61	2.37
85-89						

*Information is missing for one or more years.




Spain*Deaths from bone cancer*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	1054	1.48	2.15		903	1.02	1.71
60-64	1552	1.98	2.92		1273	1.33	2.12
65-69	1668	1.94	2.83		1437	1.34	1.86
70-74	2051	2.21	2.97		1621	1.40	2.07
75-79	1994	1.97	2.74		1484	1.16	1.55
80-84	2168	1.94	2.50		1372	0.96	1.15
85-89*	646	1.36	1.73		359	0.60	0.68

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Sweden*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	438	1.83	2.01	374	1.45	1.69
60-64	263	1.09	0.99	207	0.81	0.86
65-69	278	1.08	1.11	190	0.69	0.62
70-74	303	1.11	1.27	224	0.69	0.63
75-79	269	0.91	0.91	204	0.56	0.53
80-84	165	0.62	0.57	123	0.32	0.33
85-89*	103	0.64	0.59	66	0.33	0.42

*Information is missing for one or more years.

Switzerland*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	262	1.88	1.80	202	1.19	1.29
60-64	224	1.43	1.56	190	1.01	0.97
65-69	249	1.49	1.46	133	0.66	0.70
70-74	173	1.00	0.86	125	0.60	0.43
75-79	130	0.70	0.66	115	0.55	0.35
80-84	100	0.55	0.46	76	0.36	0.27
85-89	84	0.45	0.34	69	0.34	0.26



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1766	1.36	1.50	1423	0.88	0.88
60-64	1549	1.14	1.27	1270	0.73	0.72
65-69	1539	1.10	1.16	1141	0.65	0.66
70-74	1407	0.96	0.95	1097	0.58	0.57
75-79	1203	0.80	0.84	922	0.49	0.44
80-84	820	0.56	0.47	675	0.40	0.27
85-89	702	0.48	0.44	554	0.32	0.24

UK, Northern Ireland*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	66	1.67	1.76	41	0.90	1.17
60-64	46	1.22	1.06	49	1.04	0.90
65-69	50	1.20	0.46	42	0.80	0.86
70-74	56	1.35	1.53	38	0.73	0.63
75-79	45	1.04	0.88	41	0.78	0.61
80-84	25	0.57	0.85	23	0.44	0.31
85-89	32	0.75	0.58	18	0.33	0.23



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	321	2.22	2.67	209	1.14	1.60
60-64	229	1.57	1.84	153	0.80	1.05
65-69	197	1.35	1.55	135	0.74	0.75
70-74	167	1.10	1.18	104	0.56	0.57
75-79	152	1.01	1.04	110	0.52	0.47
80-84	88	0.58	0.78	73	0.41	0.21
85-89	72	0.48	0.49	35	0.17	0.12

Yugoslavia*Deaths from bone cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	724	1.76	2.66	572	1.14	1.85
65-69	905	1.98	2.77	730	1.33	1.94
70-74	1026	2.02	2.80	817	1.36	1.91
75-79	1377	2.55	3.73	1047	1.57	2.04
80-84	1529	2.58	3.62	1098	1.48	1.79
85-89*	846	1.66	2.43	597	0.96	1.25

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Austria*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	62	0.32	0.42	53	0.20	0.29
60-64	90	0.42	0.70	110	0.38	0.52
65-69	93	0.43	0.65	109	0.35	0.58
70-74	125	0.57	0.80	145	0.44	0.51
75-79	139	0.61	0.77	147	0.44	0.47
80-84	183	0.83	1.15	231	0.71	1.11
85-89	212	0.90	1.29	283	0.84	1.26

Belgium*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	57	0.21	0.28	30	0.09	0.13
60-64	64	0.22	0.34	60	0.17	0.26
65-69	97	0.31	0.32	66	0.19	0.31
70-74	132	0.43	0.53	119	0.33	0.46
75-79	175	0.56	0.72	148	0.38	0.45
80-84*	91	0.35	0.50	101	0.32	0.43
85-89*	22	0.33	0.53	24	0.28	0.32

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Bulgaria*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	36	0.20	0.19	39	0.21	0.17
70-74	57	0.23	0.33	38	0.15	0.17
75-79	85	0.31	0.43	48	0.16	0.22
80-84*	65	0.28	0.40	52	0.24	0.33
85-89	106	0.36	0.57	75	0.22	0.28

*Information is missing for one or more years.

Czechoslovakia*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	28	0.08	0.16		26	0.07	0.12
60-64	54	0.15	0.25		35	0.08	0.13
65-69	174	0.45	0.66		164	0.35	0.49
70-74	275	0.66	0.79		242	0.48	0.61
75-79	268	0.65	0.78		233	0.43	0.49
80-84	327	0.76	1.11		268	0.48	0.63
85-89	378	0.86	1.28		329	0.59	0.78




Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	53	0.41	0.58	42	0.29	0.62
60-64	58	0.42	0.50	51	0.33	0.47
65-69	81	0.52	0.89	86	0.51	0.74
70-74	113	0.69	0.94	113	0.58	0.87
75-79	94	0.57	0.83	59	0.30	0.48
80-84	103	0.61	0.88	80	0.40	0.72
85-89*	90	0.62	0.73	75	0.51	0.58

*Information is missing for one or more years.




Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	54	0.57	0.93		42	0.35	0.63
60-64	52	0.50	0.69		52	0.38	0.70
65-69	63	0.55	0.81		58	0.41	0.71
70-74	86	0.73	1.18		85	0.58	0.82
75-79	84	0.66	0.85		99	0.58	0.88
80-84	116	0.88	1.04		123	0.64	0.91
85-89*	73	0.83	0.96		75	0.59	0.88

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from connective and soft tissue sarcomas*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	120	0.09	0.16	104	0.06	0.07
60-64	220	0.16	0.19	213	0.12	0.15
65-69	329	0.22	0.30	292	0.14	0.17
70-74	526	0.34	0.52	414	0.21	0.31
75-79	669	0.42	0.60	621	0.31	0.42
80-84	1182	0.71	0.99	1097	0.50	0.68
85-89*	991	0.70	0.91	907	0.49	0.70

*Information is missing for one or more years.




Germany, GDR*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79*	75	0.71	1.12		72	0.42	0.63
80-84*	156	0.79	1.03		172	0.54	0.72
85-89	393	0.82	1.09		442	0.65	0.80

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.





Germany, FRG*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	227	0.16	0.22	225	0.13	0.19
60-64	365	0.22	0.33	354	0.17	0.22
65-69	741	0.42	0.57	739	0.32	0.42
70-74	1015	0.56	0.72	1050	0.41	0.61
75-79	1322	0.72	1.03	1450	0.56	0.77
80-84	1708	0.88	1.28	1896	0.67	0.98
85-89	1883	0.94	1.37	2200	0.76	1.17

Greece*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	44	0.23	0.24	40	0.15	0.11
70-74	69	0.25	0.35	51	0.16	0.13
75-79	79	0.27	0.38	69	0.19	0.20
80-84	95	0.29	0.24	125	0.35	0.45
85-89*	117	0.42	0.39	78	0.24	0.25

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary

Deaths from connective and soft tissue sarcomas







Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	437	1.40	1.76	383	0.97	1.24
75-79	450	1.38	1.76	367	0.83	0.97
80-84	372	1.17	1.41	283	0.65	0.82
85-89	305	0.95	1.24	300	0.63	0.73

Iceland

Deaths from connective and soft tissue sarcomas

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	3	0.67	1.70	5	0.88	1.58
75-79	3	0.48	0.70	6	1.12	2.07
80-84*	4	1.10	0.00	5	0.86	0.96
85-89	10	1.29	1.09	9	1.39	3.70

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	20	0.22	0.44	10	0.12	0.12
60-64	24	0.26	0.33	13	0.16	0.31
65-69	29	0.36	0.63	27	0.28	0.32
70-74	43	0.48	0.81	36	0.40	0.62
75-79	52	0.58	0.86	35	0.38	0.69
80-84	80	0.87	1.23	68	0.67	1.03
85-89*	56	0.71	0.82	57	0.61	0.92

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59*	80	0.08	0.11		75	0.06	0.09
60-64	236	0.17	0.26		167	0.10	0.14
65-69	229	0.16	0.24		189	0.11	0.16
70-74	317	0.20	0.27		263	0.14	0.23
75-79	357	0.21	0.29		301	0.15	0.21
80-84	527	0.31	0.43		539	0.26	0.40
85-89*	642	0.45	0.59		623	0.36	0.54

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from connective and soft tissue sarcomas*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	0	0.00	0.00	0	0.00	0.00
80-84	6	0.53	0.36	7	0.48	0.46
85-89	14	1.23	1.70	5	0.29	0.54

*Information is missing for one or more years.




Malta*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	2	0.60	1.25	2	0.60	1.95
80-84	6	0.72	0.00	5	0.50	0.59
85-89	4	0.50	0.35	7	0.62	1.21

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	134	0.46	0.64	103	0.34	0.45
60-64	175	0.54	0.83	164	0.48	0.72
65-69	194	0.55	0.71	185	0.47	0.76
70-74	263	0.72	1.15	234	0.57	0.71
75-79	355	0.90	1.26	317	0.68	0.88
80-84	419	0.99	1.38	350	0.67	0.90
85-89*	384	1.06	1.46	328	0.75	0.98

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	75	0.75	0.78		55	0.47	0.77
60-64	70	0.63	0.91		80	0.65	0.77
65-69	83	0.71	0.98		75	0.50	0.52
70-74	119	0.91	1.24		84	0.65	0.93
75-79	142	0.99	1.38		106	0.62	0.77
80-84	130	0.91	1.33		116	0.67	1.03
85-89*	75	0.64	0.77		90	0.59	0.92

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Poland*Deaths from connective and soft tissue sarcomas*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	119	0.24	0.32	125	0.18	0.30
65-69*	165	0.29	0.43	147	0.20	0.32
70-74*	145	0.47	0.52	123	0.31	0.48
75-79						
80-84						
85-89						

*Information is missing for one or more years.




Portugal*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79							
80-84*	29	0.48	0.58		21	0.31	0.25
85-89	163	0.58	0.81		160	0.43	0.65

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Romania*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	82	0.11	0.20		77	0.08	0.15
60-64	115	0.15	0.22		115	0.12	0.16
65-69	169	0.20	0.29		178	0.16	0.19
70-74	195	0.21	0.26		191	0.16	0.19
75-79	275	0.28	0.32		261	0.23	0.30
80-84	595	0.57	0.75		475	0.38	0.47
85-89*	280	0.62	0.91		217	0.41	0.52

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Sweden*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	81	0.36	0.50	64	0.24	0.34
60-64	132	0.53	0.72	125	0.45	0.69
65-69	141	0.50	0.75	115	0.41	0.57
70-74	223	0.76	0.82	145	0.43	0.59
75-79	207	0.67	0.72	169	0.46	0.62
80-84	208	0.66	0.94	220	0.60	0.79
85-89*	142	0.76	1.06	140	0.62	0.92




*Information is missing for one or more years.

Switzerland*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	59	0.41	0.59		39	0.21	0.39
60-64	67	0.43	0.52		61	0.31	0.33
65-69	107	0.63	1.02		89	0.42	0.55
70-74	129	0.68	0.87		124	0.50	0.58
75-79	155	0.79	1.03		154	0.61	0.67
80-84	172	0.79	1.06		181	0.70	0.95
85-89	172	0.77	0.96		173	0.62	0.71



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	580	0.45	0.65	521	0.32	0.45
60-64	636	0.47	0.64	596	0.35	0.45
65-69	663	0.46	0.67	678	0.37	0.54
70-74	699	0.48	0.65	790	0.43	0.62
75-79	919	0.60	0.78	838	0.42	0.62
80-84	1221	0.76	1.02	1120	0.58	0.84
85-89	1362	0.82	1.12	1278	0.62	0.90

UK, Northern Ireland*Deaths from connective and soft tissue sarcomas*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	13	0.31	0.56		15	0.33	0.49
60-64	13	0.33	0.18		12	0.22	0.22
65-69	12	0.30	0.57		11	0.22	0.22
70-74	10	0.24	0.40		11	0.22	0.33
75-79	18	0.42	0.67		22	0.46	0.92
80-84	27	0.69	0.96		25	0.46	0.20
85-89	28	0.60	0.57		28	0.55	1.09



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	64	0.45	0.67	51	0.28	0.48
60-64	96	0.66	0.88	97	0.54	0.70
65-69	106	0.72	0.94	83	0.43	0.59
70-74	70	0.48	0.77	89	0.45	0.69
75-79	107	0.68	1.01	92	0.50	0.63
80-84	105	0.68	0.96	100	0.49	0.62
85-89	141	0.90	1.24	114	0.59	1.00

Yugoslavia*Deaths from connective and soft tissue sarcomas*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	22	0.05	0.06	13	0.03	0.05
65-69	93	0.21	0.32	63	0.12	0.13
70-74	224	0.45	0.59	162	0.26	0.31
75-79	183	0.36	0.43	139	0.21	0.27
80-84	242	0.40	0.53	181	0.26	0.34
85-89*	246	0.50	0.70	203	0.34	0.42

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.





Austria*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	384	1.85	1.99	456	1.61	1.46
60-64	390	1.85	2.82	466	1.46	1.67
65-69	434	2.03	3.34	561	1.67	2.44
70-74	474	2.19	3.56	545	1.65	2.74
75-79	502	2.21	3.86	548	1.57	2.80
80-84	621	2.67	4.71	616	1.72	3.02
85-89	848	3.41	5.89	744	1.83	2.93

Belgium*Deaths from skin cancer including melanoma*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	478	1.67	1.67		488	1.24	1.13
60-64	439	1.46	1.48		421	1.04	1.11
65-69	557	1.71	1.78		456	1.10	1.42
70-74	465	1.44	1.87		407	0.97	1.25
75-79	484	1.45	2.05		483	1.09	1.68
80-84	516	1.51	2.00		411	0.92	1.58
85-89*	121	1.76	2.56		116	1.31	2.33

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Bulgaria*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	69	1.64	1.44	56	1.05	0.68
65-69	359	1.54	1.47	335	1.21	1.05
70-74	445	1.76	1.83	364	1.19	0.88
75-79	388	1.38	1.65	340	1.02	0.97
80-84	470	1.52	1.78	376	1.02	1.17
85-89	502	1.61	2.22	406	1.07	1.36




*Information is missing for one or more years.

Czechoslovakia*Deaths from skin cancer including melanoma*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	636	1.88	1.84		716	1.71	1.35
60-64	806	2.27	2.72		801	1.70	1.63
65-69	891	2.36	3.10		898	1.69	1.78
70-74	965	2.43	3.45		939	1.64	2.07
75-79	1160	2.78	4.19		1096	1.84	2.59
80-84	1419	3.18	5.00		1265	2.01	2.96
85-89	1648	3.56	5.32		1576	2.31	3.42



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from skin cancer including melanoma*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	272	1.94	2.52	250	1.63	2.70
60-64	292	1.99	3.01	298	1.90	2.93
65-69	346	2.28	4.13	316	1.90	3.50
70-74	423	2.64	4.75	369	2.02	3.89
75-79	425	2.52	4.98	433	2.26	4.58
80-84	552	3.11	5.51	465	2.18	4.37
85-89*	474	3.23	5.63	408	2.32	4.60

*Information is missing for one or more years.




Finland*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	167	1.93	3.00	191	1.55	1.87
60-64	180	1.79	2.58	185	1.35	1.89
65-69	254	2.44	3.66	235	1.56	2.25
70-74	311	2.75	4.28	255	1.62	2.24
75-79	334	2.63	4.57	268	1.46	2.39
80-84	349	2.57	4.00	305	1.46	2.49
85-89*	316	2.62	4.50	270	1.38	2.00

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from skin cancer including melanoma*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2573	1.97	1.74	3601	1.67	1.06
60-64	2703	1.92	1.94	3778	1.57	1.16
65-69	2797	1.86	2.11	3648	1.39	1.21
70-74	2659	1.62	2.10	3513	1.24	1.41
75-79	2989	1.72	2.43	3539	1.29	1.65
80-84	3108	1.69	2.56	3262	1.22	1.93
85-89*	2543	1.66	2.61	2559	1.12	1.78

*Information is missing for one or more years.




Germany, GDR*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	329	1.62	2.96	469	1.36	2.20
75-79*	776	1.86	3.05	838	1.28	2.20
80-84	1012	1.97	3.10	1183	1.43	2.32
85-89	1090	2.13	3.52	1210	1.41	2.28

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Germany, FRG*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2190	1.54	1.74	2736	1.52	1.36
60-64	2893	1.81	2.45	3339	1.51	1.80
65-69	3515	2.02	3.15	3850	1.55	2.10
70-74	3302	1.80	2.90	3609	1.38	2.23
75-79	3692	1.94	3.27	3916	1.36	2.14
80-84	4075	2.05	3.47	4333	1.44	2.43
85-89	4622	2.18	3.65	4604	1.42	2.34

Greece*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	204	1.10	1.22	228	0.94	0.70
65-69	233	0.95	0.81	280	0.88	0.70
70-74	283	0.96	1.03	339	0.83	0.74
75-79	326	1.04	1.30	409	0.92	0.76
80-84	348	0.98	1.30	377	0.79	0.77
85-89*	339	1.11	1.57	339	0.81	0.80

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Hungary*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	592	2.45	1.94	583	1.85	1.21
60-64	636	2.45	1.97	653	1.92	1.37
65-69	668	2.39	2.19	706	1.84	1.55
70-74	842	2.77	2.58	907	2.09	2.21
75-79	913	2.76	3.38	979	2.09	2.32
80-84	953	2.79	3.87	950	1.94	2.68
85-89	1084	3.18	4.64	1042	2.01	2.71

Iceland*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2	0.59	0.82	4	0.79	0.00
60-64	5	1.06	0.78	3	0.58	1.51
65-69	3	0.52	0.00	4	0.77	0.73
70-74	7	1.13	1.43	15	2.38	4.19
75-79	9	1.51	2.63	7	0.99	1.19
80-84	11	1.86	3.83	9	1.23	1.88
85-89	9	1.39	2.27	6	0.65	1.54






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	301	3.00	2.76	211	2.00	1.86
60-64	283	2.79	2.75	220	1.94	1.84
65-69	262	2.64	2.42	240	2.20	2.62
70-74	232	2.37	2.46	219	2.04	2.73
75-79	196	2.02	2.72	216	1.95	2.91
80-84	232	2.33	2.93	244	2.06	2.97
85-89*	265	3.14	3.98	240	2.26	3.08

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2413	1.84	1.74	2180	1.35	1.10
60-64	2386	1.67	1.81	2155	1.18	1.15
65-69	2599	1.70	2.06	2304	1.15	1.28
70-74	2572	1.58	2.10	2199	0.99	1.27
75-79	2678	1.51	2.34	2431	1.01	1.40
80-84	3766	2.02	3.18	3339	1.31	1.97
85-89*	3306	2.09	3.25	2856	1.31	2.04

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	10	1.52	1.89	12	1.18	0.00
70-74	22	1.82	1.65	21	1.43	1.61
75-79	25	2.02	1.85	26	1.79	2.32
80-84	14	1.25	2.22	37	2.15	2.67
85-89	27	2.15	4.65	41	2.43	3.71

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from skin cancer including melanoma*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69*	7	1.01	0.62		5	0.68	1.59
70-74	3	0.40	0.93		5	0.58	1.59
75-79	11	1.86	1.47		11	1.31	0.00
80-84	18	2.22	3.52		13	1.34	2.51
85-89	7	0.65	0.83		12	1.01	1.62

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	488	1.67	1.95	416	1.29	1.42
60-64	537	1.62	1.96	463	1.26	1.71
65-69	598	1.67	2.23	509	1.25	2.04
70-74	716	1.88	2.91	595	1.33	2.15
75-79	812	1.97	3.09	695	1.38	2.13
80-84	942	2.16	3.63	800	1.48	2.56
85-89*	865	2.34	4.07	705	1.54	2.81

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Norway*Deaths from skin cancer including melanoma*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	204	1.83	2.68		174	1.38	1.71
60-64	239	2.03	3.30		199	1.48	2.24
65-69	278	2.24	3.64		227	1.64	2.65
70-74	398	3.11	5.49		256	1.75	3.16
75-79	485	3.53	5.80		329	2.07	3.95
80-84	488	3.46	6.44		358	2.05	4.17
85-89*	474	3.92	6.98		336	2.25	4.42

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Poland*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	80	0.73	0.95	86	0.56	0.54
60-64	682	1.18	1.34	833	1.01	1.10
65-69	1289	1.89	2.39	1559	1.62	1.77
70-74	1420	1.91	2.21	1702	1.58	1.98
75-79	1754	2.04	2.88	1984	1.60	2.17
80-84	2084	2.24	3.30	2321	1.67	2.16
85-89	2532	2.53	3.70	2770	1.85	2.68

*Information is missing for one or more years.

Portugal*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	243	1.36	1.39	317	1.15	0.96
60-64	304	1.50	1.49	372	1.21	1.07
65-69	359	1.70	1.82	438	1.34	1.26
70-74	409	1.85	2.09	489	1.42	1.27
75-79	450	1.90	1.93	463	1.27	1.31
80-84	277	0.97	1.40	281	0.68	0.97
85-89	437	1.36	1.98	371	0.77	0.92






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	33	0.43	0.44	38	0.33	0.25
60-64	407	0.95	1.01	509	0.86	0.75
65-69	565	1.17	1.34	574	0.87	0.70
70-74	944	1.81	2.22	807	1.18	1.08
75-79*	775	1.69	2.00	691	1.19	1.20
80-84	1150	1.82	2.44	1052	1.34	1.57
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Spain*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1028	1.53	1.38	1211	1.23	0.79
60-64	1201	1.60	1.46	1212	1.12	0.77
65-69	1173	1.38	1.27	1157	0.95	0.65
70-74	1213	1.28	1.25	1144	0.82	0.66
75-79	1495	1.47	1.81	1349	0.89	0.75
80-84	1910	1.65	2.26	1454	0.87	1.00
85-89*	1034	2.08	2.89	759	1.01	1.12

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Sweden*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	386	1.59	2.80	285	1.07	1.46
60-64	465	1.79	2.85	378	1.31	2.16
65-69	550	2.00	3.64	394	1.30	2.29
70-74	677	2.35	4.25	520	1.55	2.58
75-79	819	2.66	4.89	603	1.64	2.81
80-84	900	2.81	5.19	721	1.88	3.50
85-89*	599	3.03	5.63	422	1.80	3.38

* Information is missing for one or more years.

Switzerland*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	326	2.31	3.07	340	1.81	1.79
60-64	368	2.37	3.46	391	1.91	2.68
65-69	435	2.54	3.89	409	1.79	2.50
70-74	532	2.82	4.11	426	1.79	2.94
75-79	644	3.21	5.56	512	1.93	3.12
80-84	750	3.37	4.80	657	2.09	3.22
85-89	945	3.84	4.95	828	2.33	3.48



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2246	1.62	1.69	2295	1.22	1.60
60-64	2105	1.47	1.76	2313	1.18	1.76
65-69	2313	1.55	2.21	2502	1.24	2.03
70-74	2509	1.60	2.29	2798	1.37	2.45
75-79	2848	1.76	2.78	3221	1.51	2.64
80-84	3116	1.85	3.04	3323	1.52	2.73
85-89	3583	2.00	3.28	3843	1.61	2.87

UK, Northern Ireland*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	60	1.54	1.37	77	1.47	0.74
60-64	80	1.90	1.65	76	1.42	1.69
65-69	92	2.19	2.36	87	1.60	2.12
70-74	72	1.72	1.77	64	1.11	1.43
75-79	57	1.44	1.53	85	1.54	2.51
80-84	75	1.70	2.41	98	1.75	3.52
85-89	72	1.56	2.05	98	1.62	2.66



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	310	2.14	2.02	285	1.47	1.78
60-64	306	2.03	1.80	298	1.43	1.94
65-69	249	1.72	1.95	331	1.56	2.44
70-74	312	2.04	2.51	343	1.53	2.38
75-79	327	2.09	3.02	381	1.70	2.67
80-84	286	1.74	2.47	346	1.49	2.43
85-89	354	2.09	2.95	390	1.53	2.63

Yugoslavia*Deaths from skin cancer including melanoma*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	498	1.54	1.75	463	1.06	1.01
65-69	624	1.44	1.54	672	1.15	0.94
70-74	746	1.58	1.92	735	1.16	1.22
75-79	890	1.66	2.17	894	1.28	1.47
80-84	1063	1.82	2.43	972	1.26	1.52
85-89*	1155	2.23	3.18	1044	1.54	1.97

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.