

Trends of Cancer Mortality in Europe, 1955–1989: III, Breast and Genital Sites

Carlo La Vecchia, Franca Lucchini, Eva Negri, Peter Boyle,
Patrick Maisonneuve and Fabio Levi

Parts I and II of this series appear in the Eur J Cancer Vol. 28, pp.132–235 and pp. 514–599, 1992.

BREAST

IN THE 1950s, there was a substantial variation in breast cancer mortality in Europe. Rates in Britain were already over 23 per 100 000, while those of Spain, Greece, Poland or Romania were well below 10 per 100 000. This variation has subsequently become smaller, since rates have increased to a much greater extent in countries starting from low rates. Thus, overall age-standardised rates for most European countries were in the late 1980s between 20 and 30 per 100 000. Breast cancer mortality was lower only in Scandinavia (whose rates remained constantly below 20 per 100 000), and a few southern and eastern European countries, whose mortality was however substantially upwards over recent periods.

The pattern of trends was generally similar in middle age (35–64 years), although accurate inspection of age-specific rates may suggest that recent trends in some countries were somewhat more favourable in younger women.

As for intestinal cancer, the levelling of rates around high values in most European countries may reflect a systematic tendency towards more uniform reproductive, dietary and general lifestyle habits in various areas of the continent over recent decades [27]. The persistently low rates in Scandinavia are interesting, and may offer important aetiological clues.

UTERUS, CERVIX AND CORPUS

On the basis of death certification it is not possible to distinguish reliably between cancers of the cervix and corpus uteri, since a considerable (and variable, between and within countries) proportion of deaths are simply certified as “uterus, other and unspecified”. It is clear, nonetheless, that most of the substantial decline in mortality among young and middle-aged women (as indicated by the truncated rates, as well as by

inspection of age-specific rates) was due to cervical cancer, since endometrial cancer is rare in these age groups. These falls, which were over 50% in most countries for the truncated rates, are attributable to changes in risk factor exposure (sexual habits, genital hygiene) and screening practices [39, 40]. The declines were greater in countries like Iceland, where comprehensive screening programs have been implemented [41], and generally smaller in Southern and Eastern Europe and in Ireland, although only Bulgaria showed upward trends. Consequently, in the 1980's, the highest rates were observed in Romania, Hungary and Poland, with rates over 12/100 000 at all ages and 20/100 000 at age 35–64.

A reversal of trends, with increases in younger generations, was observed in Britain [42] and, to a lesser extent in Hungary and Czechoslovakia.

Rates were only moderately downwards at older ages. It is likely that even these smaller declines were due to favourable cervical cancer trends, since there is little indication for similar trends for endometrial cancer, whose epidemiology is at least partly similar to that of ovarian and breast cancers [43].

OVARY

Over the 35 years considered, overall age-standardised ovarian cancer mortality was stable in most northern and central European countries. Substantial rises were, however, observed in Ireland, Poland, France and all Mediterranean countries. Truncated rates tended to decline in several countries, reflecting the favourable trends registered in younger generations, likely due to the protection of oral contraceptives and to the improvements in treatment of non-epithelial ovarian cancers [44, 45].

The upward trends in Southern Europe may be related to the changed childbearing patterns of these populations, since the risk of ovarian cancer is inversely related to the number of births [46]. Some influence of diet is also possible [47], but the increases observed are almost certainly in part influenced by improvements in diagnosis and certification, since this is a difficult neoplasm to certify [16]. Still, the highest rates in the late 1980's were observed in Scandinavian countries and Britain, with overall rates between 9 and 10/100 000, whereas rates ranged between 5 and 7 in France, Italy and Eastern Europe, and only around 3 in Portugal, Spain and Greece. As for intestinal cancers and a few other neoplasms, for ovarian cancer too the overall variation across European countries, therefore, was considerably reduced in the late 1980s as compared with 3 decades earlier.

Correspondence to C. La Vecchia.

C. La Vecchia, F. Lucchini and F. Levi are at the Institut Universitaire de Médecine Sociale et Préventive, Bugnon 17, 1005 Lausanne, Switzerland; C. La Vecchia and E. Negri are at the Istituto di Ricerche Farmacologiche “Mario Negri”, Milano, Italy; P. Boyle and P. Maisonneuve are at the SEARCH Programme, Unit of Analytical Epidemiology, IARC, Lyon Cedex 08, France and at the Division of Epidemiology and Biostatistics, European Institute of Oncology, 20121 Milan, Italy; and F. Levi is at the Registre vaudois des tumeurs, Institut universitaire de médecine sociale et préventive, Lausanne, Switzerland.

Received and accepted 25 Sep. 1991.

PROSTATE

Cancer of the prostate is a disease of older males, but death certification in the elderly can be largely influenced by recent improvements in diagnostic accuracy, since neoplastic foci in the prostate are found in a large proportion of elderly men [48]. Thus, inference on trends should be chiefly based on rates in middle age, although these account only for a small proportion of cases [16].

In most European countries, truncated 35–64 years rates have remained stable around values of 5/100 000 (and of 7–8/100 000 in Nordic countries), or have only slightly increased.

Generalised upward trends were however evident at older ages and consequently in the overall age-standardised rate, which show moreover much greater variation between the high rates of Switzerland, Norway, and Sweden around or over 20/100 000 and the lower ones of Southern and Eastern Europe (around or under 10/100 000). Although the causes of prostatic cancer remain largely obscure [49], this pattern of trends indicates that the apparent rises in the elderly are probably artefactual, and a consequence of improved diagnosis and certification.

TESTIS

This is a relatively rare neoplasm, and among the tumours showing the largest therapeutic improvements over the last two decades.

In all Western European countries, except Spain, mortality rates from testicular cancer were lower in the late 1980s as compared with 3 decades earlier. The average fall in rates was over 30% in the whole of Western Europe, corresponding with the avoidance of over 500 deaths per year if the rates of the late 1950s were applied to the population structure of the late 1980s [50].

The progress may well have been larger, since incidence rates of testicular cancer have been rising in most developed areas over the past decades. In Eastern Europe, indeed, where the impact of newer therapies has probably been limited, mortality rates increased by an average of approximately 60% [50, 51]. Thus the absolute advantage of newer therapies on testicular cancer mortality in Western Europe may well be substantially larger, and possibly approach 1000 deaths avoided per year. Consequently, the absence or delay in availability or application of newer therapeutic approaches for testicular cancer in countries of Eastern Europe has probably implicated an excess of 200 to 400 deaths per year. The importance of these figures is further stressed by the age distribution of testicular cancer, which shows an early peak (including seminomas and teratomas, i.e. the histotypes largely affected by improved therapy) in the third decade of life [52].

Response rates up to one third of the patient treated were observed in the 1960s and 1970s using combination of drugs including actinomycin D, chlorambucil and methotrexate, but

a major advancement was registered since the addition of cisplatin to chemotherapy schemes in the mid 1970s. This led to cure rates of the order of 80%, which were subsequently further improved by refinements of the schemes [45]. These values underline the importance of achieving adequate treatment standards in various European countries [51].

References 1–15, 17–26 and 28–38 appear in parts I and II of this series (*Eur J Cancer* 1992, 28, 132–235 and 514–599).

16. Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *JNCI* 1981, 66, 1191–1308.
27. Willett WC. The search for the causes of breast and colon cancer. *Nature* 1989, 338, 389–394.
39. La Vecchia C. The epidemiology of cervical neoplasia. *Biomed Pharmacother* 1985, 39, 426–433.
40. IARC Working Group on Evaluation of Cervical Screening Programmes. Screening for squamous cervical cancer: duration of low risk after negative results of cervical cytology and its implication for screening policies. *Br Med J* 1986, 293, 659–664.
41. Läärä E, Day NE, Hakama M. Trends in mortality from cervical cancer in the Nordic countries: association with organized screening programmes. *Lancet* 1987, i, 1247–1249.
42. Doll R. Invasive cervical cancer and combined oral contraceptives. *Br Med J* 1985, 290, 1210.
43. Parazzini F, La Vecchia C, Bocciolone L, Franceschi S. The epidemiology of endometrial cancer. *Gynecol Oncol* 1991, 41, 1–16.
44. La Vecchia C, Franceschi S, Bruzzi P, Parazzini F, Boyle P. The relationship between oral contraceptive use, cancer and vascular disease. *Drug Safety* 1990, 5, 436–446.
45. Kaye SB, Boyle P. The impact of chemotherapy in germ cell tumours. *Cancer Surveys* 1989, 8, 631–646.
46. Negri E, Franceschi S, Tzonou A, *et al.* Reproductive factors and risk of epithelial ovarian cancer: pooled analysis of three European case-control studies. *Int J Cancer*, 1991, 49, 50–56.
47. La Vecchia C. Nutritional factors and cancer of the breast, endometrium and ovary. *Eur J Cancer Clin Oncol* 1989, 25, 1945–1951.
48. Breslow N, Chan CW, Dhom G, *et al.* Latent carcinoma of prostate at autopsy in seven areas. *Int J Cancer* 1977, 20, 680–688.
49. Zaridze DG, Boyle P. Cancer of the prostate: epidemiology and aetiology. *Br J Urol* 1987, 59, 493–502.
50. La Vecchia C, Levi F, Lucchini F, Garattini S. Progress from anticancer drugs in reducing mortality from selected cancers in Europe: an assessment. *Anticancer Drugs*, 1991, 2, 215–221.
51. Boyle P, Maisonneuve P, Kaye SB. Therapy for testicular cancer in Central and Eastern Europe. *Lancet* 1990, 335, 1033.
52. Levi F, Te VC, La Vecchia C. Testicular cancer trends in the Canton of Vaud, Switzerland, 1974–1987. *Br J Cancer* 1990, 62, 871–873.

Acknowledgements—This study has been made possible by a core grant of the Swiss (Aargau and St-Gall) League against cancer. Supports were also received by the Italian Association for Cancer Research and the Italian League against cancer.

This study was conducted within the framework of the CNR (Italian National Research Council) Applied Project “Clinical Application of Oncological Research” and of the “Europe Against Cancer” Programme of the Commission of the European Communities.







Austria*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	59	0.27	0.40	4572	15.27	29.56
60-64	54	0.23	0.29	5030	16.08	32.02
65-69	66	0.29	0.38	5897	17.96	35.43
70-74	61	0.26	0.32	6552	19.06	36.96
75-79	69	0.29	0.56	6813	19.51	38.27
80-84	60	0.24	0.42	7363	20.72	40.08
85-89	77	0.30	0.44	8276	22.18	41.94

Belgium*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	89	0.29	0.30	7041	20.03	39.44
60-64	71	0.22	0.03	7777	21.15	41.66
65-69	59	0.17	0.21	8331	21.84	43.32
70-74	64	0.19	0.29	9228	23.35	46.77
75-79	72	0.20	0.22	9906	24.25	49.20
80-84*	74	0.26	0.31	11120	26.20	52.70
85-89	18	0.25	0.29	2400	26.83	54.01

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Bulgaria*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	8	0.19	0.36	471	9.58	21.15
65-69	48	0.20	0.25	2431	9.31	20.13
70-74	25	0.09	0.17	3109	10.97	24.06
75-79	58	0.19	0.35	3932	12.85	28.11
80-84*	37	0.15	0.26	4489	13.80	30.18
85-89	48	0.15	0.28	5278	15.34	32.44

*Information is missing for one or more years.

Czechoslovakia*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	64	0.18	0.29	5711	12.96	27.04
60-64	73	0.18	0.26	6622	13.92	28.56
65-69	91	0.22	0.27	7802	15.17	30.67
70-74	100	0.23	0.31	9102	16.73	33.86
75-79	71	0.16	0.20	10447	18.40	36.78
80-84	105	0.22	0.25	11386	19.26	38.19
85-89	104	0.21	0.27	12183	19.80	38.12






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Denmark*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	29	0.20	0.24	3757	24.17	44.21
60-64	44	0.27	0.28	4166	24.46	44.41
65-69	32	0.18	0.22	4481	24.75	48.46
70-74	51	0.28	0.43	5094	26.31	51.96
75-79	37	0.18	0.19	5416	26.02	51.33
80-84	45	0.22	0.24	5869	26.00	49.40
85-89*	40	0.24	0.34	5189	28.11	55.77

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Finland*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	10	0.15	0.17	1719	13.25	27.91
60-64	14	0.14	0.11	1900	13.43	27.83
65-69	9	0.08	0.16	2220	14.51	29.37
70-74	7	0.06	0.05	2513	15.16	30.60
75-79	9	0.06	0.03	2749	15.24	30.01
80-84	12	0.08	0.11	3134	15.67	30.58
85-89*	7	0.08	0.08	2918	16.89	32.21

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

France*Deaths from breast cancer*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	511	0.38	0.57	27671	15.41	29.50
60-64	629	0.43	0.59	30754	15.98	30.55
65-69	709	0.45	0.56	35066	17.29	33.44
70-74	841	0.50	0.70	37662	17.79	35.62
75-79	989	0.55	0.78	41032	18.42	36.38
80-84	674	0.35	0.47	44847	19.09	37.62
85-89*	571	0.34	0.47	38475	19.44	37.69

*Information is missing for one or more years.




Germany, GDR*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	34	0.15	0.20	4666	14.79	30.55
75-79*	82	0.18	0.25	9770	15.57	31.64
80-84*	23	0.12	0.22	12862	16.68	34.08
85-89	94	0.18	0.23	13310	17.26	34.20

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







Germany, FRG*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	348	0.22	0.32	31614	16.03	31.17
60-64	442	0.25	0.33	39219	17.06	33.30
65-69	516	0.27	0.39	47535	18.60	36.46
70-74	602	0.31	0.42	53142	19.87	39.43
75-79	697	0.34	0.44	58533	20.66	40.63
80-84	491	0.22	0.27	64322	21.54	42.14
85-89	424	0.19	0.25	71673	23.03	44.99

Greece*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	21	0.11	0.13	1364	6.68	14.78
65-69	41	0.17	0.30	2474	8.92	19.41
70-74	72	0.25	0.42	3382	10.99	24.45
75-79	82	0.25	0.36	4403	13.08	29.06
80-84	24	0.07	0.08	5633	15.03	32.58
85-89*	34	0.10	0.10	4952	15.33	32.02

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Hungary*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	77	0.29	0.46	3929	12.11	24.72
60-64	86	0.30	0.43	4707	13.42	27.15
65-69	108	0.33	0.35	5675	14.85	29.66
70-74	137	0.41	0.51	7174	17.47	34.14
75-79	129	0.38	0.67	8563	19.85	38.71
80-84	101	0.28	0.33	9253	20.59	40.14
85-89	123	0.34	0.38	10266	22.24	43.47




Iceland*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2	0.37	0.00	62	14.78	36.26
60-64	0	0.00	0.00	109	23.37	51.94
65-69	0	0.00	0.00	115	21.26	40.17
70-74	2	0.39	0.71	108	19.36	38.57
75-79	1	0.17	0.56	132	20.09	42.54
80-84*	1	0.24	0.00	135	18.80	33.96
85-89	3	0.30	0.00	163	21.16	45.76

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Ireland*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	16	0.18	0.20	1791	19.85	41.87
60-64	13	0.14	0.24	1891	20.92	45.91
65-69	10	0.09	0.07	2085	22.35	46.94
70-74	16	0.14	0.15	2352	24.80	53.83
75-79	33	0.34	0.66	2569	25.73	53.59
80-84	15	0.15	0.24	2742	26.43	55.97
85-89*	13	0.15	0.16	2351	26.86	56.43

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Italy*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	293	0.22	0.31	22083	14.11	28.66
60-64	340	0.24	0.28	26006	15.25	31.48
65-69	366	0.23	0.34	30815	16.78	34.58
70-74	447	0.27	0.37	36226	18.29	37.88
75-79	512	0.27	0.38	40442	18.62	38.66
80-84	267	0.13	0.19	46482	19.88	40.21
85-89*	106	0.06	0.08	41029	20.53	40.72

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	176	21.51	38.83
70-74	0	0.00	0.00	294	21.09	43.74
75-79	0	0.00	0.00	324	22.15	45.18
80-84	0	0.00	0.00	384	25.11	50.33
85-89	2	0.17	0.23	423	25.97	53.39

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Malta*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1	0.15	0.47	168	22.42	38.65
70-74	1	0.13	0.43	232	24.36	48.92
75-79	6	0.73	1.33	262	28.26	48.07
80-84	2	0.24	0.00	310	29.73	56.44
85-89	2	0.25	0.46	330	27.89	52.48

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from breast cancer*




Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	75	0.24	0.23	7659	23.58	45.31
60-64	81	0.23	0.34	8979	24.63	47.59
65-69	115	0.31	0.34	10807	26.83	52.64
70-74	101	0.26	0.42	12035	17.19	53.57
75-79	111	0.26	0.34	12702	26.06	50.53
80-84	95	0.21	0.29	14188	26.11	50.31
85-89*	75	0.19	0.23	12605	26.70	50.99

*Information is missing for one or more years.




Norway*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	18	0.15	0.16	2165	17.48	34.73
60-64	24	0.18	0.19	2314	16.98	33.65
65-69	15	0.11	0.13	2672	18.26	36.52
70-74	17	0.10	0.08	2776	17.57	35.25
75-79	17	0.10	0.09	3160	18.50	35.61
80-84	30	0.17	0.19	3258	17.55	33.03
85-89*	14	0.12	0.23	2929	18.94	35.96

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Poland*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	0	0.00	0.00	808	5.14	10.91
60-64	47	0.07	0.13	6678	8.00	17.37
65-69	227	0.31	0.55	10490	11.19	24.13
70-74	139	0.18	0.24	12636	12.25	26.52
75-79	76	0.09	0.13	15498	13.75	29.69
80-84	0	0.00	0.00	18142	14.98	31.95
85-89	0	0.00	0.00	19686	15.26	32.00

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Portugal*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	24	0.14	0.18	2788	10.86	21.87
60-64	16	0.08	0.18	3281	11.94	24.84
65-69	17	0.07	0.10	3641	12.71	26.81
70-74	26	0.11	0.11	4113	14.17	30.24
75-79	38	0.17	0.25	4638	14.16	29.82
80-84*	11	0.18	0.40	5511	15.56	33.90
85-89	84	0.27	0.40	6463	16.74	36.36

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Romania*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	15	0.19	0.22	585	5.63	11.63
60-64	29	0.07	0.10	4237	7.70	17.00
65-69	98	0.20	0.30	5339	8.84	19.40
70-74	117	0.22	0.24	6667	10.32	22.89
75-79*	128	0.27	0.31	6294	11.40	25.12
80-84	0	0.00	0.00	9358	12.72	27.86
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Spain*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	5728	6.39	12.77
60-64	0	0.00	0.00	8724	9.00	18.77
65-69	42	0.05	0.07	10231	9.68	20.58
70-74	87	0.09	0.14	12727	11.23	24.11
75-79	186	0.18	0.27	16153	13.21	28.32
80-84	174	0.15	0.25	19383	14.26	30.18
85-89*	93	0.18	0.18	8854	15.35	32.33

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Sweden*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	39	0.15	0.21	5109	18.77	36.88
60-64	56	0.19	0.12	5914	19.66	37.85
65-69	65	0.19	0.21	5967	18.42	36.35
70-74	58	0.17	0.18	6969	19.73	37.06
75-79	62	0.17	0.19	7235	18.93	34.81
80-84	62	0.16	0.18	7341	18.53	35.18
85-89*	23	0.11	0.18	4355	17.73	33.95




*Information is missing for one or more years.

Switzerland*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	27	0.19	0.29	4114	21.99	41.21
60-64	38	0.24	0.37	4516	22.08	41.40
65-69	20	0.12	0.14	5209	23.20	42.57
70-74	27	0.13	0.19	5798	23.93	45.03
75-79	43	0.20	0.27	6321	24.08	45.59
80-84	45	0.18	0.17	7191	24.60	44.85
85-89	49	0.17	0.10	8055	24.87	43.88



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.









Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	351	0.25	0.35	43345	23.59	46.74
60-64	377	0.25	0.35	46998	24.32	49.28
65-69	421	0.26	0.39	50567	25.16	51.55
70-74	382	0.22	0.26	55675	27.00	55.75
75-79	423	0.25	0.33	59226	27.89	57.03
80-84	435	0.23	0.28	63067	28.57	57.76
85-89	422	0.21	0.24	68636	29.33	57.23

UK, Northern Ireland*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	7	0.16	0.09	903	19.60	38.97
60-64	12	0.28	0.42	939	19.43	40.24
65-69	13	0.28	0.45	1142	22.96	49.01
70-74	14	0.32	0.57	1257	23.86	49.63
75-79	9	0.19	0.31	1400	26.03	53.37
80-84	11	0.20	0.08	1435	25.87	55.06
85-89	9	0.18	0.32	1527	26.74	56.35



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	31	0.22	0.29	4435	23.17	45.16
60-64	33	0.21	0.37	4785	24.14	49.06
65-69	29	0.18	0.19	5033	24.40	49.06
70-74	37	0.23	0.34	5531	26.36	54.42
75-79	35	0.20	0.19	5709	26.78	55.18
80-84	33	0.18	0.09	6121	27.91	58.25
85-89	50	0.28	0.38	6416	27.79	55.26

Yugoslavia*Deaths from breast cancer*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	13	0.04	0.04	2977	7.43	15.82
65-69	0	0.00	0.00	4668	8.50	17.79
70-74	117	0.24	0.39	6112	10.11	21.57
75-79	105	0.20	0.22	7928	11.87	25.23
80-84	106	0.18	0.24	9460	12.94	27.50
85-89*	102	0.19	0.27	9418	15.02	32.04

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age-specific death rate for females 30-34 to 80-84.




Austria*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	5925	20.88	44.43
60-64	0	0.00	0.00	5700	18.92	40.03
65-69	0	0.00	0.00	5677	17.87	36.02
70-74	0	0.00	0.00	5260	15.78	31.23
75-79	0	0.00	0.00	4419	12.66	23.61
80-84	0	0.00	0.00	4033	10.69	18.13
85-89	0	0.00	0.00	3544	9.12	15.44


Belgium*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	5210	14.78	29.19
60-64	0	0.00	0.00	5053	13.61	26.62
65-69	0	0.00	0.00	4679	11.82	22.12
70-74	0	0.00	0.00	4034	9.67	17.75
75-79	0	0.00	0.00	3653	8.16	14.18
80-84	0	0.00	0.00	3463	7.25	11.64
85-89*	0	0.00	0.00	627	6.41	10.52

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	0	0.00	0.00	342	7.04	14.75
65-69	0	0.00	0.00	1918	7.29	14.46
70-74	0	0.00	0.00	2139	7.46	14.98
75-79	0	0.00	0.00	2400	7.69	15.01
80-84	0	0.00	0.00	2611	7.91	15.61
85-89	0	0.00	0.00	3337	9.62	18.54



*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	6720	15.34	32.20
60-64	0	0.00	0.00	6496	13.64	27.70
65-69	0	0.00	0.00	6334	12.27	24.77
70-74	0	0.00	0.00	6396	11.68	22.64
75-79	0	0.00	0.00	6435	11.18	21.34
80-84	0	0.00	0.00	6775	11.29	20.66
85-89	0	0.00	0.00	7312	11.73	20.49





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Denmark*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	2738	18.64	40.00
60-64	0	0.00	0.00	2947	18.64	38.87
65-69	0	0.00	0.00	2788	16.62	35.49
70-74	0	0.00	0.00	2527	13.67	28.00
75-79	0	0.00	0.00	2487	12.24	24.18
80-84	0	0.00	0.00	2443	10.94	19.86
85-89*	0	0.00	0.00	1794	9.37	16.21

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Finland*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	1489	11.49	24.79
60-64	0	0.00	0.00	1546	10.91	21.44
65-69	0	0.00	0.00	1491	9.57	18.90
70-74	0	0.00	0.00	1322	7.64	13.29
75-79	0	0.00	0.00	1221	6.16	9.46
80-84	0	0.00	0.00	1099	4.91	7.03
85-89*	0	0.00	0.00	900	4.43	5.51

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

France*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	22107	12.77	26.04
60-64	0	0.00	0.00	22095	11.99	24.41
65-69	0	0.00	0.00	21668	10.97	22.13
70-74	0	0.00	0.00	20742	9.73	19.00
75-79	0	0.00	0.00	19918	8.78	16.61
80-84	0	0.00	0.00	17940	7.24	12.78
85-89*	0	0.00	0.00	13392	6.32	10.32

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	0	0.00	0.00	4381	14.33	29.48
75-79*	0	0.00	0.00	8161	13.18	26.51
80-84	0	0.00	0.00	9075	11.54	20.99
85-89	0	0.00	0.00	7880	9.96	16.77



*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	25239	13.20	28.69
60-64	0	0.00	0.00	27840	12.75	27.94
65-69	0	0.00	0.00	31125	12.71	26.83
70-74	0	0.00	0.00	29748	11.24	22.68
75-79	0	0.00	0.00	27648	9.59	17.93
80-84	0	0.00	0.00	24737	7.78	12.87
85-89	0	0.00	0.00	22505	6.61	10.47





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Greece*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	0	0.00	0.00	1398	6.84	14.49
65-69	0	0.00	0.00	1755	6.25	12.58
70-74	0	0.00	0.00	1857	5.78	11.67
75-79	0	0.00	0.00	2135	5.99	11.40
80-84	0	0.00	0.00	1902	4.83	9.28
85-89*	0	0.00	0.00	1574	4.54	8.20



*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Hungary*Deaths from cancer of the uterus, cervix and corpus*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	7317	22.56	47.51
60-64	0	0.00	0.00	7100	20.17	40.84
65-69	0	0.00	0.00	6827	17.88	35.43
70-74	0	0.00	0.00	6836	16.59	32.44
75-79	0	0.00	0.00	6867	15.77	29.57
80-84	0	0.00	0.00	6265	13.69	24.06
85-89	0	0.00	0.00	5831	12.37	21.74



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Iceland*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	57	13.26	31.96
60-64	0	0.00	0.00	68	14.54	28.15
65-69	0	0.00	0.00	85	17.00	37.53
70-74	0	0.00	0.00	55	9.69	19.12
75-79	0	0.00	0.00	41	6.74	14.75
80-84	0	0.00	0.00	50	6.49	7.64
85-89	0	0.00	0.00	35	4.04	7.77





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Ireland*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	795	9.01	19.50
60-64	0	0.00	0.00	726	7.97	17.02
65-69	0	0.00	0.00	749	8.04	16.82
70-74	0	0.00	0.00	762	7.85	15.13
75-79	0	0.00	0.00	722	6.76	12.28
80-84	0	0.00	0.00	690	6.05	10.97
85-89*	0	0.00	0.00	574	6.18	11.10

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Italy*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	21328	13.82	30.16
60-64	0	0.00	0.00	22880	13.55	29.03
65-69	0	0.00	0.00	23540	12.86	26.87
70-74	0	0.00	0.00	23272	11.52	22.73
75-79	0	0.00	0.00	21999	9.65	17.84
80-84	0	0.00	0.00	19941	7.95	13.45
85-89*	0	0.00	0.00	14436	6.61	10.55

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	126	16.34	35.31
70-74	0	0.00	0.00	175	12.51	25.46
75-79	0	0.00	0.00	166	10.62	18.51
80-84	0	0.00	0.00	137	7.69	12.64
85-89	0	0.00	0.00	132	7.53	12.65

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Malta*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	83	11.00	17.95
70-74	0	0.00	0.00	82	8.28	13.06
75-79	0	0.00	0.00	66	6.81	11.23
80-84	0	0.00	0.00	88	8.38	12.93
85-89	0	0.00	0.00	85	6.68	11.27

*Information is missing for one or more years.




Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	3470	10.81	22.09
60-64	0	0.00	0.00	3746	10.48	21.21
65-69	0	0.00	0.00	4082	10.23	20.26
70-74	0	0.00	0.00	3909	8.75	16.42
75-79	0	0.00	0.00	3758	7.43	13.29
80-84	0	0.00	0.00	3350	5.82	9.53
85-89*	0	0.00	0.00	2724	5.28	7.73

*Information is missing for one or more years.




Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Norway*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	1244	10.49	22.68
60-64	0	0.00	0.00	1179	9.17	19.68
65-69	0	0.00	0.00	1281	9.06	18.47
70-74	0	0.00	0.00	1298	8.58	19.96
75-79	0	0.00	0.00	1353	8.24	16.37
80-84	0	0.00	0.00	1351	7.56	13.96
85-89*	0	0.00	0.00	1091	7.14	12.95

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.





Poland*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	0	0.00	0.00	1779	11.40	25.67
60-64	0	0.00	0.00	11757	14.12	31.76
65-69	0	0.00	0.00	15048	16.13	35.25
70-74	0	0.00	0.00	14713	14.27	30.58
75-79	0	0.00	0.00	14786	13.03	27.30
80-84	0	0.00	0.00	15328	12.51	25.33
85-89	0	0.00	0.00	15964	12.31	24.62

*Information is missing for one or more years.

Portugal*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	3560	13.95	30.11
60-64	0	0.00	0.00	3869	14.10	29.51
65-69	0	0.00	0.00	3786	13.00	25.69
70-74	0	0.00	0.00	3773	12.63	25.00
75-79	0	0.00	0.00	3476	10.25	19.36
80-84	0	0.00	0.00	3152	8.24	14.89
85-89	0	0.00	0.00	3091	7.43	14.01





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Romania*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	0	0.00	0.00	2155	21.13	50.13
60-64	0	0.00	0.00	11976	22.12	51.22
65-69	0	0.00	0.00	11578	19.52	45.18
70-74	0	0.00	0.00	11572	18.03	40.33
75-79*	0	0.00	0.00	8931	16.22	35.76
80-84	0	0.00	0.00	10847	14.70	30.89
85-89						

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Spain*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	7986	8.95	18.62
60-64	0	0.00	0.00	9851	10.18	21.45
65-69	0	0.00	0.00	9899	9.25	18.70
70-74	0	0.00	0.00	10563	8.95	17.14
75-79	0	0.00	0.00	10365	7.95	14.65
80-84	0	0.00	0.00	9440	6.37	11.35
85-89*	0	0.00	0.00	3626	5.72	9.95

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.





Sweden*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	2900	10.98	22.28
60-64	0	0.00	0.00	3052	10.72	22.08
65-69	0	0.00	0.00	2987	9.73	19.66
70-74	0	0.00	0.00	3137	9.10	17.32
75-79	0	0.00	0.00	2937	7.59	12.92
80-84	0	0.00	0.00	2569	6.18	10.27
85-89*	0	0.00	0.00	1447	5.62	9.13

*Information is missing for one or more years.

Switzerland*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	2540	13.68	25.40
60-64	0	0.00	0.00	2616	12.78	23.56
65-69	0	0.00	0.00	2663	11.76	20.84
70-74	0	0.00	0.00	2729	10.96	19.17
75-79	0	0.00	0.00	2413	8.80	14.82
80-84	0	0.00	0.00	2390	7.74	12.07
85-89	0	0.00	0.00	2274	6.54	9.41





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the uterus, cervix and corpus*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	19867	10.94	21.76
60-64	0	0.00	0.00	20042	10.54	21.46
65-69	0	0.00	0.00	19737	9.96	20.53
70-74	0	0.00	0.00	18920	9.09	18.36
75-79	0	0.00	0.00	18277	8.48	16.30
80-84	0	0.00	0.00	17453	7.87	14.46
85-89	0	0.00	0.00	17006	7.44	13.35



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	445	9.94	21.97
60-64	0	0.00	0.00	441	9.12	18.68
65-69	0	0.00	0.00	424	8.41	18.18
70-74	0	0.00	0.00	442	8.18	16.27
75-79	0	0.00	0.00	381	6.76	12.83
80-84	0	0.00	0.00	397	6.83	12.54
85-89	0	0.00	0.00	352	5.84	10.40



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.





UK, Scotland*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	2228	11.97	25.58
60-64	0	0.00	0.00	2181	11.32	24.10
65-69	0	0.00	0.00	2065	10.24	21.14
70-74	0	0.00	0.00	1858	8.64	17.46
75-79	0	0.00	0.00	1869	8.51	16.85
80-84	0	0.00	0.00	1716	7.70	14.47
85-89	0	0.00	0.00	1658	7.41	13.42

Yugoslavia*Deaths from cancer of the uterus, cervix and corpus*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	0	0.00	0.00	4742	11.90	26.39
65-69	0	0.00	0.00	6054	11.09	24.05
70-74	0	0.00	0.00	6515	10.80	22.86
75-79	0	0.00	0.00	7034	10.40	20.32
80-84	0	0.00	0.00	7166	9.57	17.85
85-89*	0	0.00	0.00	5877	9.12	16.62

*Information is missing for one or more years.




Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Austria*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	611	9.29	18.56
70-74	0	0.00	0.00	3083	9.02	16.89
75-79	0	0.00	0.00	3107	8.97	17.41
80-84	0	0.00	0.00	3097	8.34	15.01
85-89	0	0.00	0.00	3082	7.99	13.84

*Information is missing for one or more years.




Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Belgium*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	1804	5.35	11.71
60-64	0	0.00	0.00	2017	5.63	11.55
65-69	0	0.00	0.00	2331	6.21	12.41
70-74	0	0.00	0.00	2828	7.29	14.91
75-79	0	0.00	0.00	2899	7.05	13.60
80-84*	0	0.00	0.00	617	6.97	13.70
85-89*	0	0.00	0.00	667	7.20	12.60

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	714	3.46	7.87
70-74	0	0.00	0.00	1122	4.02	8.49
75-79	0	0.00	0.00	1299	4.31	9.63
80-84						
85-89*						

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	2618	5.95	13.11
60-64	0	0.00	0.00	3013	6.37	13.67
65-69	0	0.00	0.00	3644	7.13	14.46
70-74	0	0.00	0.00	4093	7.63	15.57
75-79*	0	0.00	0.00	3462	7.80	15.89
80-84*	0	0.00	0.00	0	0.00	0.00
85-89*	0	0.00	0.00	2197	6.28	13.30

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Denmark*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	1582	10.46	21.95
60-64	0	0.00	0.00	1783	10.82	21.83
65-69	0	0.00	0.00	2102	11.75	23.14
70-74	0	0.00	0.00	2161	11.36	23.20
75-79	0	0.00	0.00	2272	10.92	20.91
80-84	0	0.00	0.00	2299	10.46	20.06
85-89*	0	0.00	0.00	1804	9.86	18.77

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Finland*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	679	5.27	10.48
60-64	0	0.00	0.00	836	5.87	11.85
65-69	0	0.00	0.00	980	6.42	12.36
70-74	0	0.00	0.00	1069	6.39	12.39
75-79	0	0.00	0.00	1331	7.20	13.66
80-84	0	0.00	0.00	1254	6.13	11.15
85-89*	0	0.00	0.00	521	5.99	10.40

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

France*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	5247	3.19	6.93
60-64	0	0.00	0.00	6305	3.60	7.59
65-69	0	0.00	0.00	7640	4.08	8.33
70-74	0	0.00	0.00	8871	4.47	9.14
75-79	0	0.00	0.00	11079	5.19	10.03
80-84	0	0.00	0.00	12799	5.52	10.32
85-89*	0	0.00	0.00	11854	5.85	10.42

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	0	0.00	0.00	1380	8.95	18.77
80-84*	0	0.00	0.00	2143	6.95	13.47
85-89*	0	0.00	0.00	987	6.47	12.20

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	7663	7.54	15.40
70-74	0	0.00	0.00	20733	7.85	15.92
75-79	0	0.00	0.00	22612	7.99	15.53
80-84	0	0.00	0.00	23534	7.75	14.45
85-89	0	0.00	0.00	25253	7.67	13.20

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Greece*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	0	0.00	0.00	228	1.09	2.57
70-74	0	0.00	0.00	417	1.44	3.29
75-79	0	0.00	0.00	686	2.14	4.95
80-84	0	0.00	0.00	939	2.60	5.44
85-89*	0	0.00	0.00	971	3.02	6.21



*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Hungary*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	0	0.00	0.00	2685	6.54	12.40
75-79	0	0.00	0.00	2975	6.91	13.15
80-84	0	0.00	0.00	3153	7.19	14.31
85-89	0	0.00	0.00	3232	6.95	12.56





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Iceland*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	0	0.00	0.00	34	7.29	14.74
75-79	0	0.00	0.00	57	9.11	17.14
80-84*	0	0.00	0.00	36	7.27	10.45
85-89	0	0.00	0.00	68	8.26	14.80

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Ireland*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	366	4.34	10.03
60-64	0	0.00	0.00	446	5.13	10.88
65-69	0	0.00	0.00	526	5.78	12.23
70-74	0	0.00	0.00	606	6.48	13.90
75-79	0	0.00	0.00	738	7.50	15.48
80-84	0	0.00	0.00	754	7.09	14.30
85-89*	0	0.00	0.00	722	8.14	15.89

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Italy*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	4119	2.72	6.01
60-64	0	0.00	0.00	5056	3.06	6.45
65-69	0	0.00	0.00	6093	3.43	7.24
70-74	0	0.00	0.00	7221	3.75	7.71
75-79	0	0.00	0.00	8283	3.91	8.01
80-84	0	0.00	0.00	9978	4.32	8.47
85-89*	0	0.00	0.00	9802	4.88	9.12

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.



Luxembourg*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Malta*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	0	0.00	0.00	27	7.30	10.77
80-84	0	0.00	0.00	88	8.74	17.23
85-89	0	0.00	0.00	78	6.71	12.45

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	2471	7.71	15.92
60-64	0	0.00	0.00	2856	7.96	15.98
65-69	0	0.00	0.00	3437	8.55	16.52
70-74	0	0.00	0.00	4158	9.51	18.36
75-79	0	0.00	0.00	4375	9.03	17.62
80-84	0	0.00	0.00	4218	7.70	14.03
85-89*	0	0.00	0.00	3857	7.94	13.13

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Norway*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	936	7.94	17.38
60-64	0	0.00	0.00	1044	7.98	16.84
65-69	0	0.00	0.00	1216	8.59	17.92
70-74	0	0.00	0.00	1296	8.53	17.50
75-79	0	0.00	0.00	1384	8.52	17.33
80-84	0	0.00	0.00	1475	8.44	16.81
85-89*	0	0.00	0.00	1227	8.34	15.89

*Information is missing for one or more years.




Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Poland*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	0	0.00	0.00	1981	2.93	6.50
65-69*	0	0.00	0.00	3042	4.13	8.96
70-74*	0	0.00	0.00	1969	4.92	10.65
75-79						
80-84						
85-89						

*Information is missing for one or more years.




Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Portugal*Deaths from cancer of the ovary*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79							
80-84*	0	0.00	0.00		226	2.98	5.07
85-89	0	0.00	0.00		1181	3.01	5.76

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.



Romania*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	477	0.56	1.19
60-64	0	0.00	0.00	727	0.78	1.82
65-69	0	0.00	0.00	938	0.92	2.07
70-74	0	0.00	0.00	1554	1.42	3.10
75-79	0	0.00	0.00	2323	1.96	4.29
80-84	0	0.00	0.00	3544	2.64	5.56
85-89*	0	0.00	0.00	1700	2.93	5.94

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.





Sweden*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	2315	8.75	18.70
60-64	0	0.00	0.00	2580	8.86	18.19
65-69	0	0.00	0.00	3024	9.56	18.80
70-74	0	0.00	0.00	3219	9.45	18.50
75-79	0	0.00	0.00	3565	9.63	18.42
80-84	0	0.00	0.00	3311	8.54	16.52
85-89*	0	0.00	0.00	1904	7.88	14.83

*Information is missing for one or more years.

Switzerland*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	1437	7.79	15.46
60-64	0	0.00	0.00	1607	8.03	16.04
65-69	0	0.00	0.00	1864	8.45	15.94
70-74	0	0.00	0.00	1968	8.15	14.90
75-79	0	0.00	0.00	2246	8.58	15.75
80-84	0	0.00	0.00	2150	7.38	12.60
85-89	0	0.00	0.00	2249	7.02	11.53





Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the ovary*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	14299	8.12	17.73
60-64	0	0.00	0.00	15281	8.19	17.51
65-69	0	0.00	0.00	16795	8.61	17.95
70-74	0	0.00	0.00	17923	8.89	18.51
75-79	0	0.00	0.00	18480	8.90	18.37
80-84	0	0.00	0.00	18542	8.54	17.10
85-89	0	0.00	0.00	19235	8.54	16.45



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the ovary*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00		264	5.76	11.74
60-64	0	0.00	0.00		268	5.71	12.21
65-69	0	0.00	0.00		291	5.94	13.19
70-74	0	0.00	0.00		355	6.67	13.15
75-79	0	0.00	0.00		336	6.35	12.76
80-84	0	0.00	0.00		393	7.00	14.26
85-89	0	0.00	0.00		426	7.47	14.48



Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.





UK, Scotland*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	0	0.00	0.00	1347	7.28	15.75
60-64	0	0.00	0.00	1523	7.85	17.10
65-69	0	0.00	0.00	1645	8.09	17.13
70-74	0	0.00	0.00	1746	8.39	17.65
75-79	0	0.00	0.00	1786	8.33	16.94
80-84	0	0.00	0.00	1799	8.06	15.63
85-89	0	0.00	0.00	1905	8.04	14.70

Yugoslavia*Deaths from cancer of the ovary*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	0	0.00	0.00	1180	2.42	5.39
65-69	0	0.00	0.00	1586	2.96	6.52
70-74	0	0.00	0.00	2083	3.49	7.48
75-79*	0	0.00	0.00	1999	3.82	8.17
80-84						
85-89						

*Information is missing for one or more years.




Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Top panel, total deaths; bottom panel, age-specific death rates for females 30-34 to 80-84.

Austria*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2963	12.67	5.25	0	0.00	0.00
60-64	3311	13.35	5.76	0	0.00	0.00
65-69	3679	13.99	5.70	0	0.00	0.00
70-74	3871	14.18	5.45	0	0.00	0.00
75-79	4281	14.87	6.15	0	0.00	0.00
80-84	4580	15.28	5.88	0	0.00	0.00
85-89	5117	16.05	6.08	0	0.00	0.00




Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Belgium*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4317	13.14	5.74	0	0.00	0.00
60-64	5343	15.37	6.17	0	0.00	0.00
65-69	5632	15.51	6.07	0	0.00	0.00
70-74	5717	15.23	5.73	0	0.00	0.00
75-79	6613	16.81	6.46	0	0.00	0.00
80-84	7157	17.55	6.54	0	0.00	0.00
85-89*	1503	17.14	6.49	0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Bulgaria*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	267	6.14	4.05	0	0.00	0.00
65-69	1515	6.21	4.60	0	0.00	0.00
70-74	1727	6.36	3.77	0	0.00	0.00
75-79	1914	6.15	3.71	0	0.00	0.00
80-84	2317	6.76	3.80	0	0.00	0.00
85-89	2681	7.48	4.32	0	0.00	0.00



*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2842	8.11	4.85	0	0.00	0.00
60-64	3187	8.55	4.56	0	0.00	0.00
65-69	3837	9.20	4.30	0	0.00	0.00
70-74	4653	10.17	5.34	0	0.00	0.00
75-79	5524	11.29	5.95	0	0.00	0.00
80-84	6114	11.96	6.14	0	0.00	0.00
85-89	6870	13.20	6.58	0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Denmark*Deaths from cancer of the prostate*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2172	13.91	5.84	0	0.00	0.00
60-64	2520	14.65	5.54	0	0.00	0.00
65-69	2474	13.31	5.44	0	0.00	0.00
70-74	2633	13.17	5.85	0	0.00	0.00
75-79	3139	14.21	6.25	0	0.00	0.00
80-84	4030	17.14	7.23	0	0.00	0.00
85-89*	3441	17.51	8.18	0	0.00	0.00

*Information is missing for one or more years.



Finland*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	875	10.89	5.91	0	0.00	0.00
60-64	1039	11.53	5.12	0	0.00	0.00
65-69	1138	11.76	4.38	0	0.00	0.00
70-74	1545	14.26	6.02	0	0.00	0.00
75-79	1997	16.10	5.40	0	0.00	0.00
80-84	2366	16.43	5.56	0	0.00	0.00
85-89*	2161	16.81	7.10	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

France*Deaths from cancer of the prostate*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	18926	13.28	5.47	0	0.00	0.00
60-64	23167	15.14	5.89	0	0.00	0.00
65-69	26070	15.69	5.46	0	0.00	0.00
70-74	27720	14.69	5.52	0	0.00	0.00
75-79	31404	14.95	5.66	0	0.00	0.00
80-84	36138	15.65	5.82	0	0.00	0.00
85-89*	33551	17.05	6.36	0	0.00	0.00

*Information is missing for one or more years.



Germany, GDR*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	2502	8.99	5.08	0	0.00	0.00
75-79*	5109	9.36	4.99	0	0.00	0.00
80-84	6468	10.03	4.92	0	0.00	0.00
85-89	6282	10.52	5.10	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Germany, FRG*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	18640	11.51	5.03	0	0.00	0.00
60-64	22207	12.11	5.26	0	0.00	0.00
65-69	26977	13.33	5.32	0	0.00	0.00
70-74	31766	14.72	5.87	0	0.00	0.00
75-79	37229	16.18	6.18	0	0.00	0.00
80-84	39747	16.08	5.95	0	0.00	0.00
85-89	43440	16.69	6.09	0	0.00	0.00



Greece*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	905	4.68	2.26	0	0.00	0.00
65-69	1476	5.62	2.74	0	0.00	0.00
70-74	2015	6.18	2.84	0	0.00	0.00
75-79	2576	6.85	2.93	0	0.00	0.00
80-84	3176	7.36	2.60	0	0.00	0.00
85-89*	3058	8.10	3.35	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Hungary*Deaths from cancer of the prostate*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2235	8.58	4.79	0	0.00	0.00
60-64	3294	11.37	5.23	0	0.00	0.00
65-69	4340	13.60	5.93	0	0.00	0.00
70-74	5249	15.23	6.08	0	0.00	0.00
75-79	6101	16.17	6.76	0	0.00	0.00
80-84	6063	15.35	6.08	0	0.00	0.00
85-89	6291	15.95	7.33	0	0.00	0.00

Iceland*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	34	8.13	4.24	0	0.00	0.00
60-64	36	7.23	5.43	0	0.00	0.00
65-69	68	11.83	7.50	0	0.00	0.00
70-74	75	11.91	5.38	0	0.00	0.00
75-79	83	11.66	7.32	0	0.00	0.00
80-84	136	15.68	4.12	0	0.00	0.00
85-89	172	18.59	5.33	0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Ireland*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	973	8.62	4.69	0	0.00	0.00
60-64	1116	10.15	5.52	0	0.00	0.00
65-69	1298	11.71	5.34	0	0.00	0.00
70-74	1480	13.14	5.46	0	0.00	0.00
75-79	1624	14.31	6.29	0	0.00	0.00
80-84	1659	14.09	5.45	0	0.00	0.00
85-89*	1583	16.04	6.10	0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Italy*Deaths from cancer of the prostate*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	10417	7.52	4.62		0	0.00	0.00
60-64	13481	8.79	4.94		0	0.00	0.00
65-69	16042	9.77	4.98		0	0.00	0.00
70-74	18966	10.56	4.86		0	0.00	0.00
75-79	21771	10.57	4.82		0	0.00	0.00
80-84	24361	11.00	4.53		0	0.00	0.00
85-89*	22412	11.73	4.82		0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Luxembourg*Deaths from cancer of the prostate*


Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	112	15.37	8.61	0	0.00	0.00
70-74	183	14.39	7.63	0	0.00	0.00
75-79	220	16.26	6.44	0	0.00	0.00
80-84	255	17.69	7.14	0	0.00	0.00
85-89	269	19.41	6.61	0	0.00	0.00

*Information is missing for one or more years.


Malta*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	56	8.40	4.62	0	0.00	0.00
70-74	54	6.26	4.76	0	0.00	0.00
75-79	72	8.68	3.76	0	0.00	0.00
80-84	112	12.15	5.96	0	0.00	0.00
85-89	111	9.70	5.12	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Netherlands*Deaths from cancer of the prostate*


Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4141	12.79	4.36	0	0.00	0.00
60-64	5086	13.67	4.40	0	0.00	0.00
65-69	6221	14.99	5.00	0	0.00	0.00
70-74	6639	14.76	4.73	0	0.00	0.00
75-79	7622	15.74	4.87	0	0.00	0.00
80-84	8498	16.31	5.54	0	0.00	0.00
85-89*	7679	17.42	6.32	0	0.00	0.00

*Information is missing for one or more years.


Norway*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1822	14.53	5.66	0	0.00	0.00
60-64	2260	16.25	6.18	0	0.00	0.00
65-69	2493	16.08	5.53	0	0.00	0.00
70-74	2855	17.05	6.20	0	0.00	0.00
75-79	3576	19.64	7.30	0	0.00	0.00
80-84	3966	19.97	7.34	0	0.00	0.00
85-89*	3617	21.43	8.09	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Poland*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	281	2.87	1.87	0	0.00	0.00
60-64	2711	5.16	2.80	0	0.00	0.00
65-69	5113	7.92	4.12	0	0.00	0.00
70-74	6290	8.25	4.06	0	0.00	0.00
75-79	7459	8.22	4.31	0	0.00	0.00
80-84	8587	8.68	4.73	0	0.00	0.00
85-89	9800	9.52	5.40	0	0.00	0.00



*Information is missing for one or more years.

Portugal*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1619	9.02	4.80	0	0.00	0.00
60-64	2159	10.40	5.64	0	0.00	0.00
65-69	2707	12.33	5.43	0	0.00	0.00
70-74	3083	13.43	5.17	0	0.00	0.00
75-79	3474	13.98	6.30	0	0.00	0.00
80-84	4163	12.91	5.01	0	0.00	0.00
85-89	4888	12.94	5.32	0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Romania*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	528	6.64	4.84	0	0.00	0.00
60-64	3385	7.80	4.56	0	0.00	0.00
65-69	3756	7.61	4.35	0	0.00	0.00
70-74	4461	8.31	4.53	0	0.00	0.00
75-79*	4100	8.37	4.37	0	0.00	0.00
80-84	4861	7.20	3.73	0	0.00	0.00
85-89				0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Spain*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5086	7.45	3.58	0	0.00	0.00
60-64	8202	10.61	4.76	0	0.00	0.00
65-69	9680	10.95	4.53	0	0.00	0.00
70-74	12099	12.10	4.40	0	0.00	0.00
75-79	14096	12.75	4.87	0	0.00	0.00
80-84	16388	12.51	4.78	0	0.00	0.00
85-89*	7490	12.86	4.51	0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Sweden*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4180	14.82	6.17	0	0.00	0.00
60-64	5556	17.82	6.81	0	0.00	0.00
65-69	5933	17.48	6.91	0	0.00	0.00
70-74	7549	20.19	7.52	0	0.00	0.00
75-79	8805	21.51	7.57	0	0.00	0.00
80-84	8159	18.45	7.64	0	0.00	0.00
85-89*	5512	19.47	7.88	0	0.00	0.00



*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Switzerland*Deaths from cancer of the prostate*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2336	15.16	6.79	0	0.00	0.00
60-64	2713	16.07	6.11	0	0.00	0.00
65-69	3179	16.89	5.94	0	0.00	0.00
70-74	4054	19.27	7.27	0	0.00	0.00
75-79	4437	18.65	6.72	0	0.00	0.00
80-84	5568	20.74	6.82	0	0.00	0.00
85-89	6608	22.31	7.24	0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the prostate*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	17562	11.69	4.83	0	0.00	0.00
60-64	18656	11.98	4.72	0	0.00	0.00
65-69	19723	12.18	4.71	0	0.00	0.00
70-74	20663	11.81	4.71	0	0.00	0.00
75-79	23204	12.21	5.27	0	0.00	0.00
80-84	27347	13.10	5.57	0	0.00	0.00
85-89	36023	15.70	6.38	0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the prostate*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	510	11.74	4.48		0	0.00	0.00
60-64	536	11.76	4.38		0	0.00	0.00
65-69	562	12.15	4.93		0	0.00	0.00
70-74	600	12.58	4.25		0	0.00	0.00
75-79	628	13.53	5.04		0	0.00	0.00
80-84	669	12.91	4.81		0	0.00	0.00
85-89	755	14.11	5.27		0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



UK, Scotland*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1858	11.79	4.93	0	0.00	0.00
60-64	1986	12.51	4.83	0	0.00	0.00
65-69	1952	11.85	5.40	0	0.00	0.00
70-74	1954	11.49	4.85	0	0.00	0.00
75-79	2041	11.42	4.32	0	0.00	0.00
80-84	2406	12.43	5.43	0	0.00	0.00
85-89	2892	13.90	5.25	0	0.00	0.00



Yugoslavia*Deaths from cancer of the prostate*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1626	5.22	2.94	0	0.00	0.00
65-69	2779	6.46	3.08	0	0.00	0.00
70-74	3478	7.12	3.60	0	0.00	0.00
75-79	5200	9.47	4.49	0	0.00	0.00
80-84	6121	9.80	4.23	0	0.00	0.00
85-89*	4496	8.36	4.10	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Austria*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	121	0.69	1.06	0	0.00	0.00
60-64	180	1.02	0.99	0	0.00	0.00
65-69	192	1.06	1.19	0	0.00	0.00
70-74	229	1.24	1.11	0	0.00	0.00
75-79	237	1.23	1.22	0	0.00	0.00
80-84	170	0.83	0.71	0	0.00	0.00
85-89	139	0.64	0.85	0	0.00	0.00



Belgium*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	121	0.46	0.57	0	0.00	0.00
60-64	152	0.57	0.82	0	0.00	0.00
65-69	151	0.56	0.57	0	0.00	0.00
70-74	95	0.36	0.43	0	0.00	0.00
75-79	130	0.46	0.51	0	0.00	0.00
80-84	102	0.34	0.48	0	0.00	0.00
85-89*	13	0.18	0.21	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.





Bulgaria*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	143	0.80	0.75	0	0.00	0.00
70-74	193	0.81	0.90	0	0.00	0.00
75-79	216	0.88	1.10	0	0.00	0.00
80-84	223	0.91	1.15	0	0.00	0.00
85-89	297	1.19	1.22	0	0.00	0.00

*Information is missing for one or more years.

Czechoslovakia*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	155	0.46	0.47	0	0.00	0.00
60-64	201	0.58	0.69	0	0.00	0.00
65-69	246	0.69	0.68	0	0.00	0.00
70-74	373	0.95	0.88	0	0.00	0.00
75-79	465	1.16	1.04	0	0.00	0.00
80-84	466	1.12	1.15	0	0.00	0.00
85-89	472	1.10	1.14	0	0.00	0.00





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Denmark*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	216	1.87	2.37	0	0.00	0.00
60-64	228	1.89	2.23	0	0.00	0.00
65-69	257	2.01	2.65	0	0.00	0.00
70-74	279	2.10	2.79	0	0.00	0.00
75-79	227	1.65	2.17	0	0.00	0.00
80-84	121	0.81	0.91	0	0.00	0.00
85-89*	113	0.91	1.55	0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Finland*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	49	0.52	0.56	0	0.00	0.00
60-64	55	0.55	0.57	0	0.00	0.00
65-69	43	0.40	0.35	0	0.00	0.00
70-74	70	0.59	0.57	0	0.00	0.00
75-79	75	0.58	0.56	0	0.00	0.00
80-84	58	0.42	0.45	0	0.00	0.00
85-89*	36	0.33	0.41	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

France*Deaths from cancer of the testis*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	738	0.62	0.80	0	0.00	0.00
60-64	864	0.70	0.85	0	0.00	0.00
65-69	920	0.70	0.96	0	0.00	0.00
70-74	1111	0.79	1.10	0	0.00	0.00
75-79	1110	0.74	1.00	0	0.00	0.00
80-84	1023	0.65	0.86	0	0.00	0.00
85-89*	687	0.51	0.63	0	0.00	0.00

*Information is missing for one or more years.



Germany, GDR*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	139	1.58	1.15	0	0.00	0.00
80-84	816	1.79	1.76	0	0.00	0.00
85-89	768	1.63	1.80	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Germany, FRG*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1134	0.86	1.03	0	0.00	0.00
60-64	1629	1.10	1.12	0	0.00	0.00
65-69	1870	1.17	1.13	0	0.00	0.00
70-74	2173	1.30	1.26	0	0.00	0.00
75-79	2059	1.23	1.22	0	0.00	0.00
80-84	1678	0.96	1.04	0	0.00	0.00
85-89	1238	0.65	0.74	0	0.00	0.00



Greece*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	53	0.28	0.37	0	0.00	0.00
70-74	114	0.48	0.60	0	0.00	0.00
75-79	105	0.43	0.33	0	0.00	0.00
80-84	96	0.35	0.41	0	0.00	0.00
85-89*	85	0.35	0.31	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Hungary*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	284	1.01	0.93	0	0.00	0.00
75-79	338	1.18	0.82	0	0.00	0.00
80-84	342	1.17	1.04	0	0.00	0.00
85-89	361	1.22	1.12	0	0.00	0.00



Iceland*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	3	0.76	0.00	0	0.00	0.00
75-79	4	0.64	0.00	0	0.00	0.00
80-84*	1	0.53	1.70	0	0.00	0.00
85-89	1	0.12	0.00	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Ireland*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	42	0.55	0.55	0	0.00	0.00
60-64	48	0.63	0.92	0	0.00	0.00
65-69	46	0.62	0.94	0	0.00	0.00
70-74	59	0.82	1.11	0	0.00	0.00
75-79	71	0.86	0.76	0	0.00	0.00
80-84	74	0.85	0.86	0	0.00	0.00
85-89*	37	0.47	0.64	0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Italy*Deaths from cancer of the testis*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59	955	0.72	1.04		0	0.00	0.00
60-64	1054	0.76	1.09		0	0.00	0.00
65-69	1097	0.77	1.12		0	0.00	0.00
70-74	1110	0.74	0.99		0	0.00	0.00
75-79	1162	0.72	0.95		0	0.00	0.00
80-84	860	0.51	0.68		0	0.00	0.00
85-89*	542	0.37	0.49		0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Luxembourg*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	1	0.56	0.00	0	0.00	0.00
80-84	9	0.77	0.32	0	0.00	0.00
85-89	6	0.53	0.28	0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Malta*Deaths from cancer of the testis*

Years of Death	Males				Females		
	Deaths No.	World Stand	Trunc 35-64		Deaths No.	World Stand	Trunc 35-64
55-59							
60-64							
65-69							
70-74							
75-79*	1	0.29	0.94		0	0.00	0.00
80-84	7	0.83	1.58		0	0.00	0.00
85-89	2	0.22	0.35		0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Netherlands*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	347	1.25	1.54	0	0.00	0.00
60-64	391	1.29	1.94	0	0.00	0.00
65-69	398	1.24	1.79	0	0.00	0.00
70-74	395	1.11	1.47	0	0.00	0.00
75-79	308	0.80	1.21	0	0.00	0.00
80-84	226	0.56	0.87	0	0.00	0.00
85-89*	144	0.41	0.53	0	0.00	0.00

*Information is missing for one or more years.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Norway*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	114	1.24	1.47	0	0.00	0.00
60-64	131	1.44	1.58	0	0.00	0.00
65-69	120	1.32	1.70	0	0.00	0.00
70-74	158	1.54	1.97	0	0.00	0.00
75-79	136	1.27	1.42	0	0.00	0.00
80-84	74	0.60	0.79	0	0.00	0.00
85-89*	51	0.49	0.80	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.


Poland*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	162	0.30	0.29	0	0.00	0.00
65-69*	271	0.46	0.56	0	0.00	0.00
70-74*	189	0.61	0.56	0	0.00	0.00
75-79						
80-84	877	0.90	0.94	0	0.00	0.00
85-89	773	0.76	0.81	0	0.00	0.00


*Information is missing for one or more years.

Portugal*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84	75	0.27	0.40	0	0.00	0.00
85-89	84	0.29	0.28	0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

Romania*Deaths from cancer of the testis*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	44	0.42	0.55	0	0.00	0.00
70-74	202	0.37	0.46	0	0.00	0.00
75-79*	205	0.45	0.59	0	0.00	0.00
80-84	295	0.50	0.60	0	0.00	0.00
85-89						

*Information is missing for one or more years.



Spain*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	92	0.12	0.19	0	0.00	0.00
60-64	140	0.18	0.28	0	0.00	0.00
65-69	190	0.22	0.20	0	0.00	0.00
70-74	201	0.23	0.25	0	0.00	0.00
75-79	273	0.29	0.31	0	0.00	0.00
80-84	246	0.24	0.26	0	0.00	0.00
85-89*	101	0.22	0.21	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Sweden*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	152	0.77	0.87	0	0.00	0.00
60-64	186	0.90	1.15	0	0.00	0.00
65-69	167	0.77	0.92	0	0.00	0.00
70-74	194	0.86	0.89	0	0.00	0.00
75-79	208	0.87	1.03	0	0.00	0.00
80-84	119	0.47	0.70	0	0.00	0.00
85-89*	54	0.33	0.45	0	0.00	0.00



Switzerland*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	136	1.00	1.12	0	0.00	0.00
60-64	157	1.09	1.09	0	0.00	0.00
65-69	192	1.21	1.31	0	0.00	0.00
70-74	225	1.36	1.32	0	0.00	0.00
75-79	244	1.45	1.42	0	0.00	0.00
80-84	180	1.00	1.15	0	0.00	0.00
85-89	139	0.72	0.83	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.





Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the testis*



Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	937	0.78	0.95	0	0.00	0.00
60-64	1051	0.87	1.02	0	0.00	0.00
65-69	1125	0.91	1.10	0	0.00	0.00
70-74	1275	1.02	1.16	0	0.00	0.00
75-79	1207	0.94	1.06	0	0.00	0.00
80-84	830	0.61	0.76	0	0.00	0.00
85-89	637	0.44	0.58	0	0.00	0.00

UK, Northern Ireland*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	27	0.82	1.18	0	0.00	0.00
60-64	26	0.68	0.69	0	0.00	0.00
65-69	41	1.19	1.27	0	0.00	0.00
70-74	23	0.58	0.63	0	0.00	0.00
75-79	30	0.76	0.57	0	0.00	0.00
80-84	31	0.81	1.06	0	0.00	0.00
85-89	15	0.39	0.94	0	0.00	0.00



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



UK, Scotland*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	110	0.87	1.05	0	0.00	0.00
60-64	132	1.04	1.07	0	0.00	0.00
65-69	149	1.23	1.21	0	0.00	0.00
70-74	146	1.17	0.98	0	0.00	0.00
75-79	144	1.12	1.38	0	0.00	0.00
80-84	113	0.82	1.11	0	0.00	0.00
85-89	66	0.47	0.83	0	0.00	0.00



Yugoslavia*Deaths from cancer of the testis*

Years of Death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	159	0.35	0.44	0	0.00	0.00
65-69	192	0.38	0.53	0	0.00	0.00
70-74	258	0.48	0.61	0	0.00	0.00
75-79	308	0.53	0.64	0	0.00	0.00
80-84	331	0.54	0.67	0	0.00	0.00
85-89*	243	0.49	0.57	0	0.00	0.00

*Information is missing for one or more years.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.



Top panel, total deaths; bottom panel, age-specific death rates for males 30-34 to 80-84.