

Trends of Cancer Mortality in Europe, 1955–1989: IV, Urinary Tract, Eye, Brain and Nerves, and Thyroid

Carlo La Vecchia, Franca Lucchini, Eva Negri, Peter Boyle,
Patrick Maisonneuve and Fabio Levi

Parts I, II, and III of this series appear in the Eur J. Cancer Vol. 28, pp. 132–235, pp. 514–599 and pp. 927–998, 1992. Eur J Cancer, Vol. 28A, No. 6/7, pp. 1210–1281, 1992.

BLADDER

PROBLEMS of case ascertainment and death certification were probably present in bladder cancer data [53], too, since in several countries recent trends of males were upward in the elderly, but stable or declining in middle age. Some of these patterns, however, are probably real, and reflect a cohort effect in tobacco exposure, since this is another smoking-related neoplasm [32, 34]. There are, in fact, several similarities with the pattern observed for lung cancer, with downward trends over the last one or two decades in several northern European countries, but persistent rises in Southern and Eastern Europe. Changes in exposure to occupational carcinogens (which are the other major cause of bladder cancer [54]) in subsequent generations of European males may also have caused earlier rises and subsequent declines in rates, which are particularly large at younger age.

In the late 1980s, most of the rates fell in the rather narrow range of 5 to 8/100 000. Only Denmark (9.5) and Italy (9.1) had rates above 8. Low rates were registered in Sweden and a few eastern European countries.

Rates for females were between 1 and 3/100 000 in most countries, and showed no appreciable trend over time.

KIDNEY AND OTHER URINARY SITES

Since artefactual change in kidney cancer rates has probably been introduced by changes in ICD Revisions, particularly following the inclusion of other urinary sites in this category since the Eighth ICD, this is another tobacco-related site [32, 34], and its patterns of trends are in several aspects similar to those of other neoplasms associated with cigarette consumption. In particular, generalised upward trends were observed for most southern and eastern European countries, while rates were stable in Central and Northern Europe. Similar trends were evident in

females as well, though absolute values were lower and the pattern was less clear.

Starting from values between 1.5 and 3.5/100 000 males in the 1950s, rates for most countries in the late 1980s ranged between 4 and 6/100 000. Lower rates were still observed in Britain and Southern Europe, but trends have been upwards in those areas over more recent years. Over recent periods, kidney cancer mortality rates in females ranged between 2.0 and 3.5/100 000 in most countries.

EYE

Mortality rates from eye cancer are extremely low, and hence largely influenced by random variation. It is therefore difficult to assess how much of the variation is real. None the less, there has been no systematic tendency for eye cancer mortality to increase over recent years. This is interesting, since most eye cancers of adult life are malignant melanomas, which may, in acute intermittent exposure to non-ionising sunshine radiation, share a risk factor in common with skin melanoma [55, 56].

BRAIN OR NERVES, BENIGN AND MALIGNANT

There are major problems in the interpretation of trends in brain cancer mortality, following (i) changes in the ICD Classification, and difficulties in the classification of malignant, benign and unspecified brain neoplasms, and (ii) major advances in diagnosis, following the introduction of computed transaxial tomography and other techniques.

It is therefore difficult to interpret the major increases in certified mortality observed in most European countries (generally from 2 to 4 in the 1950s to 5–7/100 000 in the 1970s for males, and from 2–3 to 3–5 for females). The observation that the upward trends tend to be larger at older age, and that incidence has remained stable in a few well-surveyed populations [57–59] would suggest that the apparent trends are largely or totally artefactual, although the issue is still attracting attention [16, 60–61].

THYROID

Thyroid cancer is one of the rarest forms of cancer, with age-standardised rates generally under 0.5/100 000 for males, and 0.8/100 000 for females. Thus, together with gallbladder, this is the other non sex-related site whose rates are higher for females than for males. There is some hint that the female-to-male ratio is relatively lower in high-mortality countries such as Iceland or Switzerland as compared with low-risk ones.

Correspondence to C. La Vecchia.

C. La Vecchia, F. Lucchini and F. Levi are at the Institut universitaire de médecine sociale et préventive, Bugnon 17, 1005 Lausanne, Switzerland (address for correspondence); C. La Vecchia and E. Negri are at the Istituto di Ricerche Farmacologiche "Mario Negri", Via Eritrea 62, 20157 Milano, Italy; P. Boyle and P. Maisonneuve are at the SEARCH Programme, Unit of Analytical Epidemiology, IARC, 150 cours Albert-Thomas, 69372 Lyon Cedex 08, France and at the European Institute of Oncology, 20121, Milan, Italy; and F. Levi is at the Registre vaudois des tumeurs, Institut universitaire de médecine sociale et préventive, CHUV – Falaises 1, 1011 Lausanne, Switzerland.

Received and accepted 11 Oct. 1991.

During the past four decades, mortality has been steadily decreasing in areas with originally high rates, such as Switzerland, Austria, Denmark, Norway and Scotland. More recent declines, particularly in females, were also observed in Belgium, Finland, West Germany, Ireland, Italy, the Netherlands, Portugal, Sweden, and England and Wales. Rates were stable in France, and upwards in Hungary, Greece and Spain. Most countries showing some increase in mortality, therefore, had been formerly in the lowest mortality groups, and have experienced recent improvements in the quality of death certification which may have reduced the proportion of misclassification with cancers of the head and neck, etc.

High-mortality countries were originally located in areas with iodine excess (Iceland) or deficiency (the Alpine belt) [62, 63]. Thus, more regular levels of dietary iodine intake can explain the favourable trends in these areas, together perhaps with more general improvements in diet composition. The impact of ionising radiation, the other major risk factor for the disease [62], is difficult to assess, as are possible role of diagnostic and therapeutic advancements.

References 1–52 appear in parts I–III of this series (*Eur J Cancer* 1992, 28, 132–235, 514–599 and 927–998)

16. Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *JNCI* 1981, **66**, 1191–1308.
32. U.S. Office on Smoking and Health. The health consequences of smoking: cancer. A report of the Surgeon General of the Public Health Service. Washington DC, USGPO, 1982.
34. International Agency for Research on Cancer. *IARC Monographs on the Evaluation of Carcinogenic Risk to Humans*, Vol. 38, *Tobacco Smoking*. Lyon, International Agency for Research on Cancer, 1985.
53. Saxèn E. Histopathology in cancer epidemiology (The Maude Abbott Lecture). *Pathol Annu* 1979, **14**, 203–217.
54. Matanoski GM, Elliott FA. Bladder cancer epidemiology. *Epidemiol Rev* 1981, **3**, 203–229.
55. Østerlind A. Trends in incidence of ocular malignant melanoma in Denmark 1943–1982. *Int J Cancer* 1987, **40**, 161–164.
56. Holly EA, Aston DA, Char DH, et al. Uveal melanoma in relation to ultraviolet light exposure and host factors. *Cancer Res* 1990, **50**, 5773–5777.
57. Annegers JF, Schoenberg BS, Okazaki H, Kurland LT. Epidemiologic study of primary intracranial neoplasms. *Arch Neurol* 1981, **38**, 217–219.
58. Levi F, La Vecchia C. Trends in brain cancer. *Lancet* 1989, **ii**, 917.
59. Boyle P, Maisonneuve P, Saracci R, Muir CS. Is the increased incidence of primary malignant brain tumors in the elderly real? *JNCI* 1990, **82**, 1594–1596.
60. Davis DL, Hoel D, Fox A, Lopez A. International trends in cancer mortality in France, West Germany, Italy, Japan, England and Wales, and the USA. *Lancet* 1990, **ii**, 474–481.
61. Science News and Comment. Experts clash over cancer data. *Science* 1990, **250**, 900–902.
62. Levi F, Franceschi S, Te VC, Negri E, La Vecchia C. Descriptive epidemiology of thyroid cancer in the Swiss Canton of Vaud. *J Cancer Res Clin Oncol* 1990, **116**, 639–647.
63. Ron E, Modan B. Thyroid. In: Schottenfeld D, Fraumeni JF Jr, (eds). *Cancer Epidemiology and Prevention*. Philadelphia, Saunders, 1982, 837–854.




Acknowledgements—This study has been made possible by a core grant of the Swiss (Aargau and St-Gall) League against cancer. Supports were also received by the Italian Association for Cancer Research and the Italian League against cancer.

This study was conducted within the framework of the CNR (Italian National Research Council) Applied Project “Clinical Application of Oncological Research” and of the “Europe Against Cancer” Programme of the Commission of the European Communities.

Austria*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	391	7.53	6.58	136	1.67	1.75
70-74	1901	7.13	5.75	741	1.67	1.61
75-79	1889	6.83	5.41	790	1.63	1.38
80-84	1850	6.48	4.94	914	1.84	1.64
85-89	1793	6.11	4.36	912	1.67	1.32

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Belgium*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1516	4.77	5.96	618	1.53	1.50
60-64	1926	5.81	6.79	837	1.91	2.08
65-69	2291	6.63	7.45	811	1.69	1.78
70-74	2626	7.31	7.16	881	1.68	1.45
75-79	3123	8.50	8.04	1050	1.86	1.77
80-84	3369	8.70	7.34	1225	1.97	1.61
85-89*	636	7.82	6.34	227	1.73	1.32

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







Bulgaria*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	810	4.12	4.31	175	0.76	0.83
70-74	1085	3.94	4.62	282	0.89	0.96
75-79	1180	3.89	4.50	283	0.79	0.74
80-84	1365	4.24	5.01	355	0.91	1.04
85-89	1521	4.45	5.35	386	0.90	0.96

Czechoslovakia*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1739	4.93	6.52	547	1.18	1.59
60-64	2328	6.10	6.75	787	1.53	1.73
65-69	2793	6.55	6.22	708	1.21	1.20
70-74	2739	5.92	5.55	771	1.16	1.15
75-79	3185	6.62	6.22	811	1.11	1.02
80-84	3486	7.12	7.20	982	1.30	1.34
85-89	3634	7.36	7.20	1074	1.38	1.39

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Denmark*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	870	6.00	7.00	379	2.28	2.15
60-64	1159	7.24	8.26	440	2.27	2.24
65-69	1280	7.46	9.03	480	2.28	2.53
70-74	1499	8.03	8.32	536	2.29	2.44
75-79	1822	8.88	8.17	698	2.66	3.08
80-84	2008	9.32	8.60	754	2.52	2.73
85-89*	1716	9.52	8.33	641	2.45	2.66

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Finland*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	345	4.02	4.01	125	0.91	0.82
60-64	441	4.59	4.83	162	1.06	1.10
65-69	507	4.87	4.67	183	1.09	0.88
70-74	584	5.18	4.13	223	1.16	1.07
75-79	634	4.95	4.01	244	1.08	0.84
80-84	680	4.72	3.22	251	0.92	0.54
85-89*	534	4.15	2.92	207	0.80	0.65

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

France*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5024	3.63	4.29	2397	1.12	1.16
60-64	6938	4.68	5.20	2953	1.25	1.29
65-69	8875	5.49	5.37	3509	1.33	1.34
70-74	10345	5.80	5.72	3898	1.31	1.20
75-79	12298	6.35	6.27	4275	1.30	1.13
80-84	13847	6.71	6.56	4590	1.26	1.00
85-89*	12056	6.91	6.79	4040	1.27	0.95

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	834	6.59	5.84	279	1.30	1.37
80-84	4085	7.04	6.76	1579	1.44	1.34
85-89	4119	7.62	7.06	1676	1.51	1.23

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	5654	7.02	6.44	1967	1.54	1.39
70-74	14813	7.03	6.04	5399	1.58	1.40
75-79	15878	7.18	6.02	6452	1.69	1.51
80-84	17046	7.31	5.77	7369	1.70	1.34
85-89	17227	7.00	4.92	8063	1.66	1.17

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Greece*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1049	5.12	5.56	343	1.34	1.52
70-74	1525	4.95	5.02	381	0.99	0.98
75-79	2079	5.95	5.49	480	1.11	1.20
80-84	2434	6.17	5.44	569	1.14	0.96
85-89	2367	6.88	5.61	579	1.32	1.19

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







Hungary*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	2069	5.93	5.00	574	1.18	0.93
75-79	2440	6.58	5.37	625	1.16	0.98
80-84	2683	7.09	6.46	792	1.36	1.07
85-89	2693	7.11	6.37	872	1.44	1.39

Iceland*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	17	3.59	3.37	12	2.25	1.67
75-79	22	3.28	4.19	17	2.36	2.45
80-84	41	5.37	4.10	16	1.41	1.15
85-89	36	3.95	1.98	28	2.67	2.31

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Ireland*Deaths from bladder cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	316	3.17	4.55	139	1.35	1.71
60-64	346	3.55	4.77	169	1.50	1.78
65-69	337	3.31	3.53	163	1.43	1.89
70-74	446	4.24	3.85	207	1.64	1.56
75-79	467	4.43	4.38	203	1.55	1.60
80-84	505	4.60	4.34	201	1.44	1.57
85-89*	413	4.44	2.75	184	1.50	1.26

*Information is missing for one or more years.

**Italy***Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	5806	4.33	6.18	1974	1.18	1.37
60-64	7464	5.12	6.78	2243	1.15	1.24
65-69	9342	5.93	7.16	2569	1.19	1.19
70-74	11761	6.81	7.36	3028	1.23	1.13
75-79	15179	7.71	8.13	3812	1.35	1.18
80-84	18054	8.62	8.48	4475	1.40	1.09
85-89*	16394	9.12	7.85	3841	1.33	0.89

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	15	5.77	6.51	4	1.04	1.52
80-84	74	5.82	4.63	39	1.88	1.86
85-89	87	6.54	5.98	40	1.78	1.47

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Malta*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	33	11.02	8.83	3	0.81	1.95
80-84	74	8.73	5.38	27	2.17	2.22
85-89	73	6.91	4.76	24	1.63	0.61

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1474	4.72	4.75	641	1.80	1.60
60-64	1927	5.46	5.63	771	1.86	1.57
65-69	2487	6.47	6.12	865	1.80	1.48
70-74	2914	6.95	6.20	957	1.71	1.39
75-79	3187	7.05	5.88	1040	1.60	1.22
80-84	3639	7.41	5.58	1223	1.65	1.42
85-89*	3134	7.46	5.59	1222	1.77	1.42

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Norway*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	420	3.60	3.75	242	1.72	1.45
60-64	520	3.99	4.52	275	1.74	1.88
65-69	695	4.83	4.73	328	1.82	1.61
70-74	804	5.13	4.65	379	1.81	1.53
75-79	948	5.61	4.91	423	1.75	1.10
80-84	1094	5.89	4.52	490	1.83	1.48
85-89*	916	5.71	3.70	400	1.65	1.09

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Poland*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1971	4.20	4.55	602	0.88	1.21
65-69*	1600	5.34	5.81	347	0.78	0.84
70-74						
75-79						
80-84	6570	6.83	7.43	1399	0.94	1.00
85-89	7486	7.40	8.44	1549	0.97	1.06




Portugal*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84	1457	4.65	4.19	525	1.11	0.82
85-89	1760	4.89	4.08	629	1.14	0.81

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Romania*Deaths from bladder cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	373	3.68	4.30	119	0.93	1.24
70-74	2161	3.89	4.86	605	0.86	1.10
75-79*	1958	4.01	4.76	644	1.04	1.23
80-84	2846	4.30	5.23	932	1.11	1.39
85-89						

*Information is missing for one or more years.

**Spain***Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2724	3.89	4.04	762	0.78	0.94
60-64	3574	4.56	4.63	892	0.84	0.98
65-69	4049	4.57	4.54	967	0.80	0.94
70-74	5922	6.05	5.81	1306	0.93	0.76
75-79	7910	7.33	6.87	1771	1.13	0.98
80-84	9155	7.30	6.88	2018	1.07	0.83
85-89*	4296	7.82	6.53	1024	1.22	0.84

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







Sweden*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	731	2.75	3.14	391	1.28	1.34
60-64	1031	3.50	3.46	460	1.34	1.33
65-69	1313	4.10	3.80	547	1.41	1.31
70-74	1668	4.72	4.15	687	1.51	1.30
75-79	1839	4.71	3.57	791	1.55	1.23
80-84	1770	4.23	3.31	706	1.23	0.91
85-89*	1109	4.20	3.41	486	1.25	0.93

*Information is missing for one or more years.

Switzerland*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	695	4.59	4.94	317	1.55	1.57
60-64	804	4.85	5.16	338	1.47	1.39
65-69	1008	5.44	5.77	405	1.57	1.54
70-74	1142	5.65	5.62	461	1.56	1.41
75-79	1374	6.10	5.53	556	1.67	1.59
80-84	1682	6.80	5.57	647	1.75	1.78
85-89	1808	6.59	4.88	700	1.53	1.01



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	10047	6.87	7.68	4407	2.04	2.08
60-64	11275	7.36	7.59	4728	2.02	2.18
65-69	12632	7.80	7.67	5331	2.08	2.12
70-74	13908	8.00	7.39	5855	2.12	2.18
75-79	14572	7.84	6.69	6400	2.19	2.25
80-84	15167	7.56	6.18	6721	2.12	2.04
85-89	16020	7.42	5.84	7478	2.18	2.01

UK, Northern Ireland*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	180	4.56	5.96	92	1.81	2.51
60-64	189	4.44	5.70	106	1.92	2.55
65-69	211	4.81	5.05	96	1.66	2.11
70-74	229	4.83	3.62	100	1.48	1.54
75-79	243	5.26	3.98	128	1.94	2.23
80-84	277	5.54	5.21	120	1.48	1.19
85-89	282	5.35	4.24	145	1.67	1.39



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







UK, Scotland*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	933	6.05	6.77	443	2.08	2.54
60-64	1094	6.95	7.34	554	2.40	2.91
65-69	1244	7.67	8.08	580	2.35	2.79
70-74	1389	8.10	7.99	703	2.67	3.04
75-79	1405	7.98	7.71	730	2.70	3.42
80-84	1423	7.63	7.22	804	2.68	2.75
85-89	1502	7.63	5.94	820	2.55	2.67

Yugoslavia*Deaths from bladder cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	1202	3.07	3.79	360	0.70	1.06
65-69	1523	3.46	3.60	481	0.84	1.10
70-74	1823	3.65	3.60	562	0.86	1.00
75-79	2133	3.80	3.86	717	0.96	0.97
80-84	2623	4.25	4.70	836	1.02	1.05
85-89*	2317	4.40	4.86	814	1.09	1.15

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Austria*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	239	5.06	7.80	202	2.70	3.44
70-74	1147	4.73	7.12	1020	2.74	3.92
75-79	1289	5.22	7.77	1047	2.64	3.89
80-84	1390	5.58	8.24	1242	3.09	4.52
85-89	1528	5.84	8.33	1303	2.89	3.50

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Belgium*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	728	2.47	4.01	560	1.58	2.21
60-64	855	2.75	4.48	642	1.70	2.40
65-69	1122	3.43	4.86	806	1.97	2.85
70-74	1168	3.50	5.31	848	1.91	2.71
75-79	1403	4.05	5.55	1058	2.32	3.19
80-84	1541	4.28	5.98	1204	2.39	3.32
85-89*	321	4.22	5.44	275	2.55	2.95

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	235	1.22	2.09	165	0.84	1.36
70-74	384	1.50	2.27	216	0.82	0.97
75-79	425	1.52	2.79	275	0.94	1.28
80-84*	415	1.77	3.35	239	0.92	1.43
85-89	648	2.10	3.87	344	0.93	1.46




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1189	3.29	6.09	735	1.72	2.71
60-64	1562	4.01	6.67	926	1.93	3.01
65-69	2072	4.91	7.56	1196	2.21	3.15
70-74	2790	6.33	9.94	1506	2.64	4.03
75-79	3044	6.74	11.16	1732	2.87	4.37
80-84	3269	7.23	13.14	1883	3.08	5.37
85-89	3848	8.34	14.35	2258	3.59	5.83






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	615	4.45	6.47	453	2.97	3.83
60-64	708	4.62	6.87	598	3.43	4.34
65-69	788	4.81	7.74	637	3.44	5.30
70-74	915	5.23	7.88	709	3.47	5.10
75-79	952	5.13	8.11	851	3.84	6.01
80-84	1074	5.47	7.59	871	3.54	5.42
85-89*	864	5.54	8.18	774	3.81	5.63

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	259	2.77	4.48	192	1.52	2.21
60-64	326	3.13	5.55	279	1.96	2.51
65-69	406	3.65	5.96	343	2.23	3.15
70-74	507	4.29	7.06	411	2.42	3.61
75-79	656	5.11	7.52	499	2.49	3.50
80-84	744	5.32	8.20	630	2.76	4.00
85-89*	481	5.33	8.19	423	2.86	3.83

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2953	2.27	3.37	2504	1.37	1.92
60-64	3686	2.59	3.72	3021	1.53	2.21
65-69	4465	2.91	4.12	3541	1.65	2.37
70-74	5444	3.27	4.59	3937	1.65	2.20
75-79	6463	3.61	5.05	4402	1.74	2.34
80-84	7621	4.01	5.53	4794	1.77	2.41
85-89*	7125	4.48	6.23	4150	1.74	2.39

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	465	4.42	7.90	369	2.14	3.17
80-84*	1147	5.83	11.13	824	2.57	4.51
85-89	3094	6.19	10.86	2348	2.92	4.72

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	3315	4.42	7.49	2431	2.25	3.39
70-74	8550	4.45	7.58	6414	2.27	3.47
75-79	10042	5.06	8.29	7537	2.43	3.68
80-84	12412	5.94	9.05	8810	2.58	3.69
85-89	13501	6.06	8.48	10048	2.67	3.56

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Greece*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	278	1.41	1.83	173	0.76	0.85
70-74	452	1.60	2.39	246	0.75	0.98
75-79	567	1.79	2.47	304	0.87	1.10
80-84	799	2.25	3.32	382	0.90	1.29
85-89*	719	2.31	3.37	356	0.94	1.16




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Hungary*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	1234	3.70	5.29	876	2.08	2.68
75-79	1516	4.38	6.74	1064	2.26	3.01
80-84	1726	4.83	7.23	1132	2.27	3.03
85-89	2037	5.84	9.07	1355	2.65	3.64






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Iceland*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	27	5.91	6.67	21	3.94	5.78
75-79	45	6.82	7.75	26	3.58	4.45
80-84*	20	4.21	3.02	20	4.14	5.20
85-89	42	5.57	8.04	43	4.50	4.21

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the kidney and other urinary sites*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	148	1.74	3.11	80	0.91	1.19
60-64	145	1.65	2.67	100	1.16	1.76
65-69	179	2.05	2.96	119	1.33	1.91
70-74	261	2.83	4.77	134	1.34	2.02
75-79	291	3.03	4.92	155	1.43	2.07
80-84	277	2.76	4.65	170	1.58	2.56
85-89*	275	3.37	5.76	156	1.57	2.24

*Information is missing for one or more years.

**Italy***Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2097	1.62	2.73	1424	0.95	1.29
60-64	2506	1.80	2.87	1673	1.00	1.33
65-69	3004	2.01	3.28	1851	1.02	1.43
70-74	3977	2.44	3.91	2399	1.19	1.54
75-79	5138	2.85	4.81	2868	1.24	1.68
80-84	6786	3.54	5.69	3653	1.45	2.01
85-89*	6742	4.08	6.15	3575	1.60	2.09

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	8	3.03	4.61	6	1.96	4.25
80-84	61	4.74	5.87	22	1.42	2.75
85-89	69	5.32	7.54	45	2.12	1.70

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Malta*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	7	2.08	4.19	6	1.14	0.00
80-84	23	2.87	5.09	16	1.47	2.37
85-89	28	2.87	3.43	24	2.08	1.88

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	817	2.75	4.64	600	1.88	2.61
60-64	1133	3.44	5.87	729	2.02	2.70
65-69	1397	3.92	6.43	922	2.22	3.23
70-74	1580	4.12	6.38	1077	2.32	3.04
75-79	1866	4.51	6.88	1243	2.36	3.32
80-84	2231	4.98	6.98	1562	2.58	3.77
85-89*	2015	5.29	7.61	1482	2.81	3.96

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Norway*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	390	3.56	5.56	290	2.39	3.63
60-64	433	3.54	4.83	321	2.29	3.42
65-69	515	3.89	5.52	362	2.27	2.76
70-74	590	4.14	6.65	386	2.14	2.82
75-79	650	4.28	6.57	457	2.44	3.90
80-84	784	4.82	6.73	485	2.35	3.18
85-89*	645	4.77	6.87	426	2.30	3.13

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Poland*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	780	1.48	2.62	626	0.95	1.48
65-69*	1091	1.90	3.33	802	1.10	1.63
70-74*	729	2.37	3.82	540	1.35	2.07
75-79						
80-84						
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Portugal*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	124	1.99	2.42	72	0.90	0.97
85-89	575	1.80	2.54	362	0.83	1.10

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Romania*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	766	1.08	1.31	599	0.66	0.87
60-64	1149	1.49	1.89	899	0.91	1.13
65-69	1315	1.52	1.91	979	0.90	1.09
70-74	1654	1.76	2.24	1191	0.97	1.17
75-79	1971	1.90	2.52	1260	0.95	1.25
80-84	2484	2.09	2.93	1445	0.94	1.21
85-89*	1147	2.25	3.26	615	0.93	1.12

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Sweden*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1032	4.08	5.61	786	2.83	3.96
60-64	1330	4.82	6.63	972	3.21	4.35
65-69	1583	5.31	8.36	1105	3.27	4.63
70-74	1970	6.05	8.82	1471	3.74	4.82
75-79	2260	6.51	9.19	1605	3.70	5.05
80-84	2152	5.93	8.75	1595	3.43	4.68
85-89*	1249	5.62	7.68	983	3.42	4.65




*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Switzerland*Deaths from cancer of the kidney and other urinary sites*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	536	3.63	5.54	346	1.90	3.09
60-64	621	3.80	6.07	438	2.23	3.51
65-69	714	4.03	5.87	482	2.06	3.02
70-74	801	4.08	6.37	568	2.21	3.03
75-79	942	4.52	6.64	670	2.46	3.73
80-84	1008	4.43	6.30	783	2.55	3.51
85-89	1258	5.06	6.63	863	2.50	3.06



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the kidney and other urinary sites*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3575	2.57	4.22	2280	1.29	1.67
60-64	3986	2.71	4.30	2609	1.37	1.92
65-69	4560	2.94	4.66	2869	1.40	1.97
70-74	4814	2.93	4.72	3150	1.42	2.03
75-79	5565	3.25	5.06	3338	1.46	2.21
80-84	6090	3.41	5.40	3736	1.57	2.47
85-89	6979	3.69	5.77	4420	1.75	2.75



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the kidney and other urinary sites*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	83	2.18	3.72	63	1.39	2.38
60-64	90	2.28	3.03	62	1.32	1.74
65-69	114	2.66	4.40	70	1.28	2.03
70-74	125	2.85	4.32	80	1.46	2.34
75-79	131	2.98	4.47	82	1.48	2.34
80-84	137	2.98	4.96	86	1.45	2.06
85-89	181	3.87	6.10	132	1.97	2.63



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	568	3.84	6.46	312	1.64	2.37
60-64	583	3.81	6.19	368	1.84	2.74
65-69	591	3.74	6.05	434	2.04	3.11
70-74	645	3.92	5.74	468	2.06	3.16
75-79	677	3.98	6.44	477	1.99	3.19
80-84	746	4.21	6.38	533	2.14	3.20
85-89	758	4.23	6.82	571	2.26	3.39






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Yugoslavia*Deaths from cancer of the kidney and other urinary sites*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	472	1.15	2.00	315	0.64	1.07
65-69	560	1.25	2.15	457	0.83	1.40
70-74	766	1.56	2.76	617	1.02	1.45
75-79	964	1.79	3.09	749	1.12	1.74
80-84	1169	2.02	3.42	898	1.20	1.73
85-89*	1245	2.45	4.07	921	1.41	1.90

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Austria*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	9	0.26	0.27	12	0.22	0.33
60-64	36	0.18	0.28	36	0.12	0.13
65-69	29	0.13	0.11	45	0.13	0.14
70-74	46	0.20	0.36	49	0.14	0.18
75-79	54	0.23	0.37	47	0.14	0.19
80-84	31	0.12	0.11	48	0.11	0.06
85-89	37	0.17	0.25	49	0.12	0.13

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Belgium*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	66	0.27	0.25	60	0.20	0.20
60-64	55	0.19	0.25	45	0.14	0.16
65-69	61	0.20	0.33	61	0.17	0.23
70-74	72	0.23	0.32	42	0.11	0.19
75-79	55	0.20	0.26	48	0.13	0.23
80-84	51	0.14	0.11	48	0.12	0.13
85-89*	6	0.08	0.05	8	0.09	0.00

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Bulgaria*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	38	0.22	0.23	34	0.18	0.11
70-74	38	0.18	0.16	44	0.16	0.17
75-79	37	0.15	0.11	50	0.17	0.14
80-84*	44	0.19	0.14	38	0.17	0.13
85-89	46	0.16	0.19	34	0.11	0.14




*Information is missing for one or more years.

Czechoslovakia*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	61	0.18	0.24	72	0.18	0.18
60-64	73	0.20	0.25	65	0.14	0.17
65-69	84	0.21	0.34	70	0.15	0.15
70-74	88	0.22	0.30	91	0.17	0.23
75-79	83	0.19	0.20	83	0.15	0.23
80-84	91	0.22	0.21	84	0.13	0.16
85-89	87	0.19	0.31	101	0.16	0.24



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Denmark*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	32	0.24	0.23	37	0.27	0.43
60-64	46	0.31	0.37	47	0.29	0.44
65-69	55	0.36	0.55	56	0.33	0.55
70-74	54	0.32	0.38	67	0.34	0.42
75-79	44	0.22	0.20	46	0.21	0.27
80-84	57	0.33	0.52	44	0.21	0.33
85-89	41	0.27	0.39	34	0.18	0.20

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Finland*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	35	0.41	0.22	30	0.24	0.27
60-64	39	0.38	0.64	38	0.29	0.31
65-69	36	0.31	0.54	40	0.29	0.30
70-74	27	0.26	0.23	41	0.23	0.26
75-79	41	0.35	0.42	44	0.25	0.38
80-84	29	0.22	0.22	56	0.29	0.48
85-89	23	0.24	0.35	25	0.16	0.24

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

France*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	130	0.11	0.08	191	0.11	0.10
60-64	180	0.14	0.14	188	0.10	0.09
65-69	164	0.11	0.14	186	0.09	0.11
70-74	222	0.14	0.15	201	0.08	0.10
75-79	227	0.14	0.21	317	0.14	0.16
80-84	296	0.18	0.21	340	0.14	0.17
85-89*	210	0.14	0.17	248	0.11	0.13

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	25	0.24	0.38	37	0.24	0.41
80-84*	51	0.29	0.54	47	0.15	0.19
85-89	83	0.17	0.22	104	0.14	0.21

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	80	0.14	0.19	68	0.09	0.06
60-64	162	0.10	0.11	204	0.10	0.12
65-69	496	0.26	0.29	176	0.08	0.09
70-74	179	0.10	0.11	192	0.07	0.08
75-79	178	0.09	0.12	178	0.07	0.08
80-84	161	0.08	0.10	190	0.06	0.07
85-89	143	0.07	0.07	188	0.06	0.07

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Greece*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	42	0.23	0.25	52	0.25	0.07
70-74	49	0.18	0.21	59	0.16	0.15
75-79	40	0.14	0.10	55	0.11	0.05
80-84	37	0.10	0.11	46	0.10	0.01
85-89*	37	0.11	0.10	36	0.08	0.06

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







Hungary*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	52	0.16	0.31	61	0.17	0.13
75-79	45	0.15	0.22	61	0.16	0.15
80-84	94	0.29	0.34	86	0.20	0.29
85-89	69	0.21	0.31	84	0.18	0.21

Iceland*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	2	0.50	0.00	0	0.00	0.00
75-79	1	0.17	0.56	2	0.39	1.26
80-84*	0	0.00	0.00	0	0.00	0.00
85-89	1	0.15	0.48	1	0.14	0.00

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Ireland*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	21	0.22	0.20	16	0.17	0.17
60-64	19	0.19	0.20	17	0.17	0.21
65-69	16	0.18	0.28	17	0.16	0.09
70-74	27	0.30	0.34	20	0.20	0.33
75-79	32	0.36	0.54	16	0.15	0.14
80-84	12	0.13	0.26	18	0.15	0.11
85-89*	13	0.15	0.24	9	0.10	0.09

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Italy*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	193	0.20	0.20	197	0.17	0.14
60-64	270	0.20	0.21	251	0.16	0.16
65-69*	199	0.18	0.17	234	0.18	0.19
70-74	236	0.15	0.21	256	0.13	0.16
75-79	262	0.16	0.22	197	0.09	0.15
80-84	288	0.16	0.20	236	0.10	0.12
85-89*	224	0.15	0.18	232	0.11	0.13

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from eye cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	0	0.00	0.00	0	0.00	0.00
80-84	3	0.20	0.00	0	0.00	0.00
85-89	1	0.09	0.31	2	0.06	0.00

*Information is missing for one or more years.




Malta*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	0	0.00	0.00	0	0.00	0.00
80-84	3	0.30	0.45	0	0.00	0.00
85-89	0	0.00	0.00	1	0.08	0.27

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	73	0.26	0.37	60	0.18	0.28
60-64	66	0.21	0.28	58	0.17	0.29
65-69	88	0.25	0.41	63	0.16	0.22
70-74	73	0.19	0.27	64	0.14	0.23
75-79	87	0.22	0.34	84	0.16	0.22
80-84	106	0.24	0.33	74	0.13	0.16
85-89	49	0.14	0.18	66	0.14	0.15

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Norway*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	35	0.33	0.33	34	0.32	0.34
60-64	40	0.34	0.33	36	0.28	0.37
65-69	31	0.26	0.41	23	0.16	0.18
70-74	40	0.31	0.37	32	0.22	0.42
75-79	43	0.28	0.47	41	0.24	0.37
80-84	38	0.23	0.30	46	0.24	0.34
85-89*	48	0.38	0.65	24	0.17	0.37

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Poland*Deaths from eye cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	90	0.18	0.17	104	0.16	0.14
65-69*	156	0.29	0.29	202	0.29	0.23
70-74*	82	0.28	0.33	110	0.28	0.27
75-79						
80-84						
85-89						

*Information is missing for one or more years.




Portugal*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	10	0.17	0.19	10	0.14	0.15
85-89	53	0.18	0.19	50	0.13	0.05

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Romania*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	74	0.11	0.09	92	0.11	0.08
60-64	88	0.12	0.08	103	0.11	0.09
65-69	121	0.15	0.12	118	0.12	0.07
70-74	118	0.13	0.11	142	0.12	0.12
75-79	134	0.13	0.12	139	0.09	0.08
80-84	134	0.13	0.10	134	0.08	0.07
85-89*	50	0.11	0.15	57	0.08	0.06

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Sweden*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	64	0.28	0.38	60	0.23	0.25
60-64	74	0.27	0.37	58	0.19	0.30
65-69	79	0.28	0.46	59	0.20	0.34
70-74	53	0.20	0.24	61	0.18	0.22
75-79	54	0.17	0.25	46	0.13	0.12
80-84	38	0.12	0.15	38	0.08	0.11
85-89*	25	0.11	0.20	21	0.10	0.22




Switzerland*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	27	0.19	0.28	33	0.18	0.22
60-64	27	0.17	0.20	34	0.17	0.16
65-69	44	0.27	0.49	29	0.15	0.16
70-74	45	0.25	0.37	37	0.14	0.21
75-79	31	0.15	0.18	32	0.16	0.16
80-84	64	0.32	0.53	57	0.21	0.29
85-89	43	0.18	0.26	57	0.19	0.23

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from eye cancer*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	294	0.22	0.35	283	0.16	0.27
60-64	328	0.23	0.35	335	0.19	0.29
65-69	351	0.23	0.34	355	0.18	0.29
70-74	379	0.24	0.33	454	0.22	0.35
75-79	370	0.22	0.36	412	0.20	0.28
80-84	364	0.21	0.30	403	0.19	0.28
85-89	377	0.21	0.32	372	0.16	0.25



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	6	0.16	0.25	10	0.23	0.15
60-64	12	0.30	0.51	14	0.32	0.37
65-69	3	0.07	0.00	4	0.08	0.09
70-74	9	0.20	0.23	10	0.22	0.25
75-79	5	0.14	0.00	9	0.20	0.33
80-84	3	0.08	0.07	9	0.14	0.08
85-89	5	0.11	0.18	5	0.09	0.15



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




UK, Scotland*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	31	0.22	0.37	36	0.20	0.15
60-64	33	0.23	0.33	30	0.15	0.18
65-69	35	0.21	0.39	37	0.20	0.33
70-74	37	0.25	0.38	47	0.24	0.37
75-79	44	0.28	0.35	51	0.23	0.32
80-84	34	0.22	0.32	52	0.20	0.26
85-89	46	0.27	0.48	44	0.18	0.28




Yugoslavia*Deaths from eye cancer*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	58	0.14	0.14	74	0.15	0.16
65-69	76	0.18	0.17	83	0.15	0.13
70-74	76	0.16	0.18	78	0.13	0.14
75-79	82	0.16	0.18	72	0.12	0.12
80-84	89	0.15	0.15	100	0.14	0.08
85-89	89	0.18	0.16	98	0.15	0.14

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Austria*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	467	2.38	4.52	438	1.81	3.27
60-64	532	2.71	5.06	470	1.89	3.64
65-69	610	3.10	5.61	536	2.14	3.72
70-74	664	3.37	6.02	618	2.36	4.43
75-79	735	3.65	6.55	643	2.38	4.14
80-84	769	3.80	6.82	658	2.52	4.54
85-89*	653	3.77	6.87	586	2.63	4.58

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Belgium*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	924	3.49	6.76	696	2.40	4.80
60-64	1101	3.98	7.95	883	2.91	5.47
65-69	1272	4.48	8.52	1073	3.33	6.09
70-74	1494	5.19	9.89	1272	3.95	7.48
75-79	1659	5.61	10.24	1484	4.15	7.16
80-84	2076	6.74	11.21	1603	4.14	6.76
85-89*	819	6.35	9.83	669	3.92	6.03

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Bulgaria*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	499	2.71	5.48	325	1.81	3.18
70-74	647	2.71	5.33	415	1.74	3.28
75-79	615	2.41	4.47	482	1.90	3.56
80-84	1025	3.91	8.05	879	3.28	6.19
85-89	1150	5.28	9.69	787	3.63	5.97

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Czechoslovakia*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	DeathsNo	World Stand	Trunc 35-64
55-59	1489	4.19	8.28	1168	3.03	5.47
60-64	1545	4.10	7.85	1215	2.92	5.44
65-69	1703	4.36	8.45	1286	2.98	5.44
70-74	1773	4.45	8.72	1323	2.97	5.54
75-79	1724	4.31	8.29	1291	2.87	5.23
80-84	1769	4.35	8.21	1425	3.03	5.79
85-89*	1617	4.84	8.98	1230	3.19	5.79

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	543	4.28	8.86	371	2.79	5.63
60-64	656	4.91	9.55	529	3.77	7.02
65-69	730	5.22	10.11	534	3.54	6.63
70-74	822	5.59	11.34	624	3.99	6.87
75-79	805	5.30	9.66	685	4.08	7.24
80-84	904	5.73	10.33	718	4.13	7.55
85-89*	700	5.48	9.73	591	4.23	7.32

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	334	3.23	6.56	242	2.09	3.23
60-64	381	3.48	6.91	308	2.44	4.41
65-69	441	3.93	7.33	309	2.39	4.19
70-74	469	3.99	7.21	377	2.84	4.92
75-79	501	4.26	7.42	468	3.26	5.80
80-84	560	4.23	7.77	548	3.48	5.60
85-89*	346	4.15	6.40	356	3.39	5.76

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1667	1.35	2.72	1230	0.84	1.64
60-64	2350	1.78	3.44	1672	1.08	2.06
65-69	2966	2.14	4.09	2052	1.29	2.31
70-74	3531	2.46	4.68	2426	1.47	2.62
75-79	4489	3.00	5.32	3137	1.79	3.01
80-84	5212	3.27	5.98	3763	1.99	3.40
85-89*	4782	3.52	6.12	3772	2.30	3.87

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	1391	4.29	9.42	1070	2.47	5.25
80-84	1774	4.30	9.55	1221	2.19	4.69
85-89*	1421	4.06	7.87	1176	2.80	5.26

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, FRG*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	3098	2.25	4.66	2514	1.54	3.01
60-64	3529	2.33	4.84	2999	1.63	3.19
65-69	4272	2.66	5.17	3866	1.94	3.70
70-74	3622	2.25	4.29	3024	1.55	2.87
75-79	4270	2.59	4.90	3877	1.86	3.37
80-84	5860	3.34	6.08	5195	2.30	4.06
85-89*	5756	3.87	6.81	5316	2.71	4.63

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Greece*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	666	3.47	6.69	380	1.87	3.82
70-74	1162	4.40	8.32	711	2.49	4.77
75-79	1813	6.61	12.17	1197	4.03	7.01
80-84	2132	7.06	12.35	1426	4.36	7.47
85-89						

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Hungary, FRG*Deaths from cancer of the brain or nerves (Ben + Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	1192	3.96	7.47	1027	3.05	5.53
75-79	1506	4.94	8.79	1367	3.81	6.63
80-84	1775	5.79	10.31	1459	3.95	6.66
85-89*	1395	5.64	10.02	1185	3.95	6.58

Iceland*Deaths from cancer of the brain or nerves (Ben + Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	212	2.77	5.66	145	1.94	3.70
60-64	240	3.19	6.13	175	2.35	4.25
65-69	301	3.85	7.14	202	2.61	4.92
70-74	358	4.44	9.07	222	2.77	5.00
75-79	416	4.87	9.15	284	3.31	6.07
80-84	455	5.09	9.96	341	3.62	6.09
85-89*	295	5.37	10.13	234	3.81	6.87

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Italy*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2203	1.72	3.66	1603	1.15	2.17
60-64	2662	1.95	4.12	1813	1.22	2.36
65-69	3480	2.45	5.00	2411	1.55	2.93
70-74	4526	3.02	5.78	3235	1.94	3.53
75-79	6353	3.96	7.57	4704	2.59	4.54
80-84	8315	4.87	8.94	6237	3.12	5.46
85-89*	5144	4.72	8.23	4053	3.15	5.11

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Luxembourg*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	11	4.86	9.30	13	4.91	8.36
80-84	75	6.53	15.11	52	3.73	6.51
85-89*	49	5.42	9.61	32	2.37	4.42

Malta*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	1020	3.61	7.46	756	2.61	5.02
60-64	987	3.26	6.56	673	2.14	3.98
65-69	1095	3.39	6.62	727	2.16	3.87
70-74	1167	3.40	6.62	837	2.30	4.22
75-79	1553	4.26	8.00	1164	2.95	5.37
80-84	1813	4.56	8.15	1439	3.21	5.54
85-89*	1275	5.01	8.92	987	3.37	5.96

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Norway*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	446	4.56	8.96	323	3.16	5.93
60-64	431	4.16	7.86	334	3.11	6.02
65-69	476	4.40	8.35	299	2.72	5.14
70-74	490	4.34	8.62	350	3.03	4.83
75-79	544	4.58	8.65	404	3.20	5.60
80-84	593	4.81	9.22	474	3.54	6.55
85-89*	404	5.20	9.24	275	3.38	6.59

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Poland*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	1087	1.91	4.03	829	1.27	2.32
65-69	1949	2.58	5.35	1502	1.71	3.33
70-74*	1113	3.52	6.82	891	2.47	4.61
75-79						
80-84						
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Portugal*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	203	3.74	7.88	159	2.50	4.63
85-89*	1014	4.53	8.67	780	2.90	5.25

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Romania*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	2086	2.89	5.42	1644	2.01	3.59
60-64	2804	3.63	7.13	2222	2.55	4.65
65-69	3337	4.03	7.42	2709	2.86	4.95
70-74	4326	4.87	9.24	3260	3.26	5.79
75-79	5250	5.46	9.95	3872	3.59	6.34
80-84	5702	5.34	9.70	4200	3.44	6.07
85-89						






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Sweden*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	582	2.69	5.06	425	1.83	3.77
60-64	898	3.87	7.50	670	2.80	5.17
65-69	873	3.62	6.80	716	2.81	5.22
70-74	1379	5.37	9.45	1089	3.92	6.78
75-79	1524	5.56	10.18	1271	4.25	7.40
80-84	1413	5.00	8.71	1142	3.66	6.32
85-89*	737	4.32	7.49	656	3.49	5.64

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Switzerland*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	533	3.95	7.17	381	2.56	4.36
60-64	581	3.86	7.93	436	2.57	4.61
65-69	564	3.49	6.60	482	2.78	5.00
70-74	655	3.87	7.00	505	2.66	4.51
75-79	800	4.47	7.68	589	2.92	4.67
80-84	884	4.75	8.53	711	3.31	5.60
85-89*	798	4.91	8.30	562	2.95	4.87

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	4811	3.80	7.61	3554	2.54	4.79
60-64	5663	4.23	8.51	4080	2.82	5.20
65-69	5749	4.14	8.03	4122	2.76	4.99
70-74	6125	4.33	8.29	4461	2.87	5.38
75-79	6560	4.55	8.62	4802	3.03	5.64
80-84	6653	4.35	8.36	4997	2.92	5.57
85-89*	5945	4.73	9.13	4511	3.20	5.75

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	130	3.64	7.60	111	2.76	5.14
60-64	139	3.68	6.85	120	2.87	6.25
65-69	162	4.24	7.93	108	2.51	4.76
70-74	160	4.06	7.75	125	2.84	5.44
75-79	201	5.11	9.08	133	3.04	6.04
80-84	192	4.57	8.65	137	2.82	5.23
85-89*	135	4.01	7.81	112	2.81	5.82

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	537	3.93	8.09	388	2.53	4.83
60-64	579	4.09	8.54	444	2.78	5.43
65-69	560	3.90	7.77	452	2.76	5.37
70-74	620	4.40	8.06	486	3.02	5.50
75-79	685	4.84	9.43	517	3.12	5.74
80-84	673	4.45	8.08	585	3.28	5.80
85-89*	555	4.49	8.58	434	3.10	5.39

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Yugoslavia*Deaths from cancer of the brain or nerves (Ben+Mal)*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	498	1.14	2.29	362	0.74	1.46
65-69	738	1.56	2.98	548	1.05	1.93
70-74	1142	2.31	4.63	855	1.53	3.06
75-79	2010	3.74	7.76	1504	2.46	5.02
80-84	2981	5.07	10.42	2230	3.35	6.72
85-89*	1805	4.79	9.71	1358	3.25	6.50

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







Austria*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	274	1.21	1.86	541	1.67	2.04
60-64	288	1.23	1.79	562	1.64	2.37
65-69	244	0.98	1.27	544	1.43	1.77
70-74	279	1.10	1.47	562	1.43	1.80
75-79	258	1.01	1.37	534	1.24	1.52
80-84	229	0.86	1.19	523	1.16	1.55
85-89	168	0.61	0.79	395	0.79	0.75

Belgium*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	117	0.37	0.55	245	0.65	1.01
60-64	103	0.31	0.42	263	0.65	0.81
65-69	161	0.49	0.78	305	0.68	0.82
70-74	137	0.40	0.54	251	0.53	0.75
75-79	101	0.30	0.48	316	0.64	0.90
80-84	137	0.39	0.53	342	0.65	0.81
85-89*	38	0.50	0.48	60	0.53	0.35

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Bulgaria*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	55	0.27	0.50	116	0.53	0.92
70-74	88	0.32	0.61	203	0.68	1.17
75-79	92	0.32	0.50	191	0.60	0.97
80-84*	86	0.34	0.62	140	0.52	0.91
85-89	119	0.38	0.70	188	0.49	0.77




*Information is missing for one or more years.

Czechoslovakia*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	189	0.51	0.88	449	0.99	1.40
60-64	203	0.51	0.81	468	0.92	1.41
65-69	248	0.59	0.91	506	0.90	1.31
70-74	204	0.46	0.66	516	0.84	1.15
75-79	276	0.59	0.94	620	0.94	1.21
80-84	258	0.55	0.83	550	0.80	1.13
85-89	245	0.51	0.76	527	0.72	0.79



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Denmark*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	69	0.48	0.54	172	1.04	1.47
60-64	80	0.51	0.54	162	0.89	1.23
65-69	99	0.48	0.82	180	0.89	1.14
70-74	88	0.54	0.64	163	0.68	0.81
75-79	87	0.48	0.67	204	0.78	0.90
80-84	102	0.52	0.74	177	0.67	0.89
85-89*	71	0.46	0.76	125	0.53	0.60

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Finland*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	47	0.53	0.76	117	0.88	1.32
60-64	63	0.64	0.85	142	0.95	1.35
65-69	62	0.56	1.03	171	1.03	1.34
70-74	67	0.58	0.68	200	1.08	1.04
75-79	78	0.60	0.74	202	0.93	1.17
80-84	70	0.52	0.48	213	0.86	1.04
85-89*	50	0.55	0.57	117	0.66	0.57

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

France*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	413	0.31	0.51	1157	0.59	0.87
60-64	457	0.32	0.52	1143	0.53	0.68
65-69	605	0.39	0.61	1390	0.60	0.78
70-74	710	0.44	0.73	1574	0.62	0.83
75-79	730	0.42	0.72	1685	0.63	0.87
80-84	774	0.42	0.67	1691	0.58	0.76
85-89*	631	0.41	0.64	1419	0.57	0.79

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Germany, GDR*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	54	0.51	0.79	123	0.69	0.95
80-84*	104	0.54	0.78	278	0.73	1.12
85-89	252	0.49	0.76	621	0.69	1.02

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Germany, FRG*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	872	0.56	0.87	1852	0.90	1.32
60-64	983	0.57	0.92	2111	0.85	1.26
65-69	1046	0.54	0.83	2511	0.87	1.18
70-74	1133	0.57	0.85	2778	0.88	1.18
75-79	1267	0.61	0.83	3040	0.89	1.14
80-84	1276	0.59	0.87	3104	0.82	1.01
85-89	1265	0.56	0.84	2899	0.70	0.81




Greece*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	30	0.15	0.17	54	0.22	0.33
70-74	36	0.13	0.24	74	0.21	0.32
75-79	57	0.19	0.27	132	0.34	0.44
80-84	90	0.27	0.54	166	0.35	0.38
85-89*	84	0.28	0.44	157	0.38	0.51

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.







Hungary*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	172	0.51	0.76	421	0.92	1.12
75-79	213	0.60	0.82	434	0.86	0.94
80-84	231	0.63	0.88	434	0.84	1.11
85-89	211	0.59	0.89	477	0.89	1.32

Iceland*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	5	1.04	1.71	14	2.09	1.59
75-79	3	0.35	0.00	8	1.28	2.57
80-84*	9	2.18	2.95	10	1.98	1.72
85-89	4	0.31	0.00	10	0.86	0.95

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Ireland*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	32	0.35	0.61	98	1.07	2.03
60-64	39	0.40	0.49	92	0.92	1.49
65-69	32	0.35	0.68	97	0.99	1.85
70-74	27	0.29	0.44	112	1.00	1.41
75-79	43	0.42	0.50	90	0.71	0.89
80-84	40	0.38	0.47	97	0.74	0.81
85-89*	39	0.48	0.61	70	0.67	0.84

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Italy*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59*	421	0.39	0.71	882	0.68	1.04
60-64	650	0.45	0.78	1326	0.74	1.17
65-69	587	0.48	0.83	1186	0.75	1.11
70-74	832	0.50	0.89	1658	0.76	1.19
75-79	1015	0.56	0.96	1957	0.82	1.27
80-84	951	0.49	0.85	1935	0.72	0.99
85-89*	847	0.52	0.83	1547	0.65	0.88

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Luxembourg*Deaths from cancer of the thyroid*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	2	1.00	3.22	4	1.42	3.09
80-84	5	0.33	0.28	20	1.03	1.09
85-89	5	0.33	0.28	11	0.50	0.68

*Information is missing for one or more years.

**Malta***Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	1	0.29	0.94	0	0.00	0.00
80-84	2	0.23	0.36	12	1.09	0.74
85-89	4	0.46	0.81	10	0.80	0.64

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Netherlands*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	96	0.31	0.56	224	0.66	0.94
60-64	127	0.37	0.54	280	0.71	1.02
65-69	140	0.38	0.65	306	0.69	0.87
70-74	203	0.53	0.92	357	0.71	0.83
75-79	176	0.41	0.52	370	0.66	0.86
80-84	169	0.38	0.55	345	0.54	0.76
85-89*	154	0.39	0.51	260	0.45	0.61

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Norway*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	58	0.51	0.80	129	0.93	1.03
60-64	77	0.60	0.77	136	0.89	0.88
65-69	72	0.53	0.78	121	0.67	0.63
70-74	69	0.47	0.60	154	0.76	0.63
75-79	56	0.35	0.39	142	0.66	0.67
80-84	68	0.38	0.30	153	0.61	0.67
85-89*	59	0.45	0.68	110	0.52	0.56

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Poland*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64*	154	0.31	0.44	360527	0.53	0.92
65-69*	206	0.36	0.60	302	0.68	0.98
70-74*	121	0.39	0.61		0.71	1.05
75-79						
80-84						
85-89						

*Information is missing for one or more years.






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Portugal*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	16	0.23	0.27	55	0.62	0.89
85-89	87	0.27	0.47	185	0.36	0.38

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Romania*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89						

Spain*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	64	0.09	0.13	227	0.24	0.37
60-64	123	0.16	0.30	314	0.30	0.39
65-69	135	0.16	0.21	314	0.27	0.37
70-74	164	0.17	0.26	435	0.35	0.52
75-79	214	0.20	0.33	556	0.39	0.49
80-84	275	0.23	0.34	602	0.38	0.55
85-89*	93	0.18	0.27	283	0.40	0.46

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.




Sweden*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	114	0.44	0.69	265	0.89	0.95
60-64	149	0.55	0.71	331	0.99	0.99
65-69	176	0.58	0.75	294	0.77	0.82
70-74	208	0.63	0.87	330	0.77	0.81
75-79	197	0.55	0.66	400	0.84	0.91
80-84	170	0.45	0.64	328	0.64	0.79
85-89*	96	0.41	0.50	171	0.47	0.45




*Information is missing for one or more years.

Switzerland*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	238	1.56	2.59	348	1.79	2.71
60-64	223	1.30	1.51	330	1.49	2.08
65-69	215	1.17	1.43	340	1.35	1.59
70-74	233	1.16	1.08	398	1.42	1.59
75-79	208	0.93	1.17	352	1.11	1.24
80-84	218	0.87	0.85	364	1.00	1.03
85-89	173	0.65	0.66	328	0.72	0.61






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, England & Wales*Deaths from cancer of the thyroid*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	489	0.33	0.48	1328	0.66	0.95
60-64	507	0.34	0.51	1408	0.65	0.87
65-69	524	0.33	0.48	1435	0.61	0.80
70-74	559	0.34	0.50	1489	0.59	0.77
75-79	579	0.33	0.47	1467	0.56	0.76
80-84	502	0.28	0.41	1225	0.43	0.57
85-89	541	0.27	0.37	1151	0.39	0.51



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, Northern Ireland*Deaths from cancer of the thyroid*




Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	16	0.43	0.70	57	1.18	1.78
60-64	18	0.42	0.48	45	0.82	1.03
65-69	18	0.40	0.67	51	0.91	1.59
70-74	17	0.39	0.56	56	0.91	0.96
75-79	16	0.35	0.40	49	0.71	0.71
80-84	18	0.37	0.31	49	0.65	0.69
85-89	17	0.39	0.62	39	0.56	0.91



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

UK, Scotland*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59	65	0.41	0.56	189	0.91	1.27
60-64	58	0.37	0.58	204	0.90	1.10
65-69	78	0.49	0.59	211	0.87	1.02
70-74	67	0.40	0.58	193	0.73	0.78
75-79	46	0.28	0.50	164	0.57	0.59
80-84	54	0.29	0.33	133	0.47	0.62
85-89	46	0.24	0.38	125	0.42	0.54






Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.

Yugoslavia*Deaths from cancer of the thyroid*

Years of death	Males			Females		
	Deaths No.	World Stand	Trunc 35-64	Deaths No.	World Stand	Trunc 35-64
55-59						
60-64	114	0.29	0.49	260	0.51	0.93
65-69	115	0.25	0.46	340	0.62	1.12
70-74	174	0.35	0.50	371	0.60	0.97
75-79	226	0.43	0.74	474	0.67	1.00
80-84	292	0.50	0.86	495	0.64	1.03
85-89*	199	0.38	0.57	389	0.58	0.92

*Information is missing for one or more years.



Top panel, total deaths; middle panel, age-specific death rate for males 30-34 to 80-84; bottom panel, age specific death rate for females 30-34 to 80-84.