


available at www.sciencedirect.com







Forthcoming papers

Editorial Comments

Editorial by Mike Stevens

Reviews

Homeopathic and complex homeopathic remedies for cancer care

Milazzo S, Russell N, Ernst E

Key signal transduction pathways altered in cancer cell as therapeutic targets

Bianco R, Melisi D, Ciardiello F et al.

The prognostic significance of multidrug resistance-related proteins in childhood acute lymphoblastic leukaemia

Swerts K, De Moerloose B, Dhooge C et al.

Mechanisms of pericyte recruitment in tumour angiogenesis: a new role for metalloproteinases

Chantrain CF, Henriet P, Jodele S et al.

Original papers

Clinical

Randomized evidence on chemotherapy and hormonal therapy regimens for advanced endometrial cancer: an overview of survival data

Polyzos NP, Pavlidis N, Paraskevaidis E, Ioannidis JPA

Quality of life in long-term Hodgkin's disease survivors with chronic fatigue

Hjermstad MJ, Oldervoll L, Fosså SD et al.

The experiences of men with breast cancer in the United Kingdom

Iredale R, Brain K, Williams B et al.

Prospective comparison of the impact on treatment decisions of whole-body MRI and CT in patients with metastatic malignant melanoma

Muller-Horval C, Radny P, Eigentler TK et al.

Breast conserving therapy and young age are both associated with isolated loco-regional recurrences in early stage breast cancer: long-term results of EORTC studies de Bock GH, van der Hage JA, Putter H et al.

Prognostic value of lymphovascular invasion in women with lymph node negative invasive carcinoma of the breast

Lee AHS, Pinder SE, Macmillan RD et al.

Pre-treatment proliferation and the outcome of conventional and accelerated radiotherapy

Wilson GD, Saunders MI, Dische S et al.

High positive sentinel node identification rate by EORTC Melanoma Group Protocol – prognostic indicators of metastatic patterns after sentinel node biopsy in melanoma

van Akkooi ACJ, de Wilt JHW, Verhoef C et al.

Paediatric

The two human homologues of the yeast UFD2 ubiquitination factor, UBE4A and UBE4B, are located in common neuroblastoma deletion regions and are subject to mutations in tumours Carén H, Holmstrand A, Sjöberg R-M et al.

Epidemiology and Cancer Prevention

Surgical treatment of ovarian cancer in dierent hospital categories – a prospective nationwide study in Finland European Journal of Cancer

Kumpulainen S, Kuoppala T, Leminen A et al. How multiple myeloma has changed in the last thirty years. A single center experience Zappasodi P, Corso A, Klersy C et al.

Cancer survival among adolescents in France Desandes E, Lacour B, Sommelet D et al. High risk of venous thrombosis in patients with pancreatic caner: a cohort study of 202 patients

Blom JW, Osanto S, Rosendaal FR

Experimental

Cyclooxygenase-2 expression and oxidative DNA adducts in murine intestinal adenomas: modification by dietary curcumin and implications for clinical trials Tunstall RG, Sharma RA, Perkins S et al.

Celecoxib leads to a G₂/M arrest by induction of p21 and down regulation of cyclin B1 expression in a

p53-independent manner Cohen-Noyman E, Dvory-Sobol H, Kazanov D et al.