



## 1. General Information

The *European Journal of Inorganic Chemistry* (EurJIC) publishes 36 issues per year.

**Manuscripts should be submitted online** by using our online submission service at <http://www.manuscriptXpress.org>. You should prepare a **single file containing all tables, graphics, Supporting Information (where appropriate) etc.** Acceptable file formats are **Microsoft Word, Rich Text Format, Postscript and PDF**. Avoid the use of page breaks even between the title and the introduction. If graphics are included at the end of the manuscript, try to fit as many as possible onto a single page.

Authors can follow the progress of their manuscript on their **personal homepage**, which is created automatically upon initial registration. This homepage is the same for the family of Wiley-VCH European journals and can be used to **store the latest version of a submitted paper** and to **upload the document file after acceptance**. Your referee reports for the family of Wiley-VCH European journals are also archived here.

**No paper copies of the manuscript are required when using this system.**

- EurJIC does not publish manuscripts that have already appeared in print or electronically. **The author must inform the editor of manuscripts submitted, soon to be submitted, or in press at other journals that have a bearing on the manuscript being submitted.** If a manuscript is, in fact, a revised/extended version of a manuscript previously rejected by EurJIC, **the author must inform the editor about the previous submission in the cover letter and explain in detail which changes have been made.** The *Ethical Guidelines for Publication in Journals and Reviews* issued by the European Association for Chemical and Molecular Sciences (EuCheMS) are followed and applied by the editors of EurJIC. **Authors should reveal all sources of funding for the work presented in the manuscript and should declare any conflict of interest.**
- Manuscripts containing **animal experiments** must include a statement in the Experimental Section to state that permission was obtained from the relevant national or local authorities. The institutional committees that have approved the experiments must be identified and the accreditation number of the laboratory or of the investigator given where applicable. If no such rules or permissions are in place in the country where the experiments were performed, then this must also be clearly stated. Manuscripts with experiments with **human subjects** or **tissue samples**

from human subjects must contain a disclaimer in the Experimental Section to state that informed signed consent was obtained either from the patient or from next of kin.

- The correspondence author of a Microreview will receive a complimentary copy of the journal along with a PDF file of his/her paper restricted to 50 printouts; the correspondence author of other articles will receive a PDF file restricted to 25 printouts. Colour figures can be reproduced. Unless the editor deems colour to be essential for the understanding of a paper, authors will be requested to make a contribution towards the costs of colour reproduction. Details will be provided after acceptance of the manuscript.
- We encourage authors to submit pictures for the cover page. A template of our cover page, **eurjiccover.pdf**, can be reached by clicking the link "For Authors" on our journal homepage (<http://www.eurjic.org>), to help you visualize the final effect of your design.

**IMPORTANT:** Any manuscript already available on personal/group web pages will be considered by the editors as already published and will not be accepted.

On behalf of our authors who are also US National Institutes of Health (NIH) grantees, Wiley-VCH will deposit the peer-reviewed version of the manuscript in PubMed Central (PMC). PMC may display the material 12 months after Wiley-VCH has published the article. By assuming this responsibility, we will ensure that our authors are in compliance with the NIH request and make certain that the appropriate version of the manuscript is deposited. We reserve the right to change or rescind this policy.

## 2. Types of Contributions

**EurJIC publishes articles on inorganic, organometallic, bio-inorganic, physical inorganic and solid-state chemistry. EurJIC is a fully peer-reviewed journal. An author may appeal against the decision on his/her manuscript, in writing. Three types of contributions are accepted for publication:**

- **Full Papers** are articles with an Experimental Section that describe a significant contribution to the development of an area of research of importance. There are no restrictions placed on the length of a Full Paper.
- **Short Communications** are brief reports on results of high significance and urgency. Generally, they are no longer than about 8

# GUIDELINES FOR AUTHORS

pages or 3–4 typeset pages. An Experimental Section (as a separate paragraph or as part of the references) is desirable; if it is not included in the paper, the experimental data should be submitted as Supporting Information for refereeing purposes, and marked as such. A justification for urgent publication should accompany submission.

- A **Microreview** is a highly focused overview of a selected topic. In general it includes a concise overview of the author's own research; reference to all appropriate work by others is essential, but the Experimental Sections of the original papers should not be repeated. As a rule, Microreviews are written on invitation, although unsolicited articles are also welcome. It is recommended, however, to contact the editor before submitting an unsolicited Microreview. The content should balance scope with depth in about 20 pages or 10–12 typeset pages. Microreviews will undergo peer review.

## 3. Manuscript Preparation

### 3.1 General

We recommend the use of our manuscript templates (MS Word for Win/Mac), which can be reached by clicking the **For Authors** link on our journal homepage (<http://www.eurjic.org>) and scrolling down. Each template can be downloaded and saved as a doc file, in which the positions for inserting the parts of the text and graphics of the manuscript have been clearly indicated. If, however, you do not wish to use the template, then please use a large script (Times New Roman, 12 pt). We recommend that you prepare your text with **Microsoft Word (PC or Macintosh versions)** (see Section 3.2). Page numbers are essential: use the automatic pagination function incorporated in your word processing software. Leave a 2-cm margin around the perimeter of each page. **The figures, schemes and graphical abstract in the accepted version should be camera-ready.** Consult a current issue of the journal for an overview of the format. A manuscript should comprise: ♦ Title ♦ Keywords ♦ Abstract ♦ Main Text including Introduction, Results and Discussion etc. ♦ Experimental Section ♦ Acknowledgments (optional) ♦ Captions ♦ Tables ♦ References ♦ Schemes and Figures ♦ Graphical Abstract including a Key Topic (two or three words highlighting the most important aspect of your paper), a short text (max. 350 characters) and a graphical element (use of free colour is strongly recommended). ♦ For Microreviews only: Biographical sketches and a portrait-quality photograph of all authors (when several authors from one institution are involved, group photographs are preferred).

### 3.2 Text

The text should be typed with carriage returns (hard returns) only at the end of a paragraph, title, heading and similar features. Avoid end-of-line word divisions.

**Abbreviations and acronyms** should be used sparingly and consistently. Where they first appear in the text, the complete term – apart from the most common ones such as NMR, IR, thf, *t*Bu etc. – should also be given.

**In the Experimental Section**, quantities of reactants, solvents etc. should be included in parentheses [e.g. A solution of triphenylphosphane (500 mg, 1.91 mmol) in dichloromethane (15 mL) was added to...].

**NMR spectroscopic data** should be quoted as in the following example:  $^1\text{H}$  NMR (300 MHz,  $\text{C}_6\text{D}_6$ , 25 °C):  $\delta$  = 1.3 (s, 18 H,  $\text{SiMe}_3$ ), 0.9 (d,  $^3J_{\text{H,H}}$  = 5.7 Hz, 2 H, 2-H) ppm. For each chemical shift, additional information should be given in the order: multiplicity, coupling constant, number of protons, assignment.

**The purity of all new compounds** should be verified by elemental analysis to an accuracy within  $\pm 0.4\%$ . In special cases, for instance when the compound is unstable or not available in sufficient quantities for complete analysis, the exact relative molecular mass obtained from a high-resolution mass spectrum and a clean  $^{13}\text{C}$  NMR spectrum (as additional material for inspection by the referees) should be supplied.

**Symbols of physical quantities**, but not their units (e.g.  $T$  for temperature,  $J$ ,  $\lambda$ ), stereochemical information (*cis*, *trans*,  $Z$ ,  $R$ ), locants (*N*-methyl), symmetry and space groups ( $P2_1/c$ ), and prefixes in formulas (*t*Bu) or compound names (*tert*-butyl) **must be in italics**. Latin phrases, such as “*in situ*”, should not.

**Stereochemical descriptors**, such as D- and L-, and molar (M) or normal (N) should be in **small capitals**. Use character formatting for italic and bold characters. Avoid any *special style sheets* to format these features. Write *capital letters* by using the keyboard (shift + letter key), **not** the format “Capital letter” in Word.

**Use only characters from the Symbol and Normal Text character sets**, especially when inserting Greek letters and characters with umlauts, accents, tildes, etc.:  $\alpha$ ,  $\ddot{\alpha}$ ,  $\tilde{\alpha}$ ,  $\text{\AA}$ .

There are three types of hyphens: normal dashes (–), en dashes (–), and em dashes (—). Use these as illustrated – spacing is important too – in the following examples:

well-known reaction	C–H bond
six-membered ring	Tables 2–4
3-position of the ring	carbon–oxygen bond
signal-to-noise ratio	C–N stretch
$\text{Mo}-K_\alpha$	Diels–Alder reaction
1,2-dicyanobutane	structure–activity relationship
<i>p</i> - <i>tert</i> -butylphenol	80–100 mg
(–)-tartaric acid	carried out at –10 °C
$[\text{M}^+ - \text{CH}_3]$	$\text{cm}^{-1}$

Use the symbol  $\times$  where appropriate, rather than the letter x:

... washed with water ( $2 \times 150$  mL) ...

Use the double quotation marks “...” rather than „...“, “...” or «...».

**Graphics (including structural formulas, schemes, figures, equations and small graphical items that appear in captions) must be submitted camera-ready on separate pages after acceptance of the manuscript (see Section 3.5).**

**Lines or arcs**, for example to indicate ring compounds, cannot be used within the text. Another method for indicating such compounds must be devised. Please contact the Editorial Office if any help is needed.

If practical, authors should use a systematic name (IUPAC or Chemical Abstracts) for each title compound in the Experimental Section. Please avoid complicated, multi-line names if a simpler version (e.g. alcohol **4**, ketone **5**, compound **6**) could be used instead. EurJIC follows the IUPAC rules of nomenclature as updated by the latest recommendations and revisions.

According to a recent recommendation [N. G. Connelly, T. Damhus, R. M. Hartshorn, A. T. Hutton (Eds.), *Nomenclature of*

*Inorganic Chemistry IUPAC Recommendations 2005*, RSC Publishing, Cambridge, UK, **2005**]:

- “Names of anionic ligands, whether inorganic or organic, are modified to end in ‘o’. In general, if the anion name ends in ‘ide’, ‘ite’ or ‘ate’, the final ‘e’ is replaced by ‘o’, giving ‘ido’, ‘ito’ and ‘ato’, respectively. It follows that halide ligands are named fluoro, chloro, bromo and iodo, and coordinated cyanide is named cyanido. In its complexes, except for those of molecular hydrogen, hydrogen is always treated as anionic, and therefore ‘hydrido’ is used for hydrogen coordinating to all elements including boron.”
- “In the formulae for coordination entities, ligands are now ordered alphabetically according to first symbol of the abbreviation or formula used for the ligand, *as written*, irrespective of the charge.”
- “No numerical subscript should follow the square bracket used to enclose a whole coordination entity of a neutral (formal) coordination compound.”

For further details, please see the “Frequently Asked Questions” section ([http://www3.interscience.wiley.com/cgi-bin/jabout/27721/2005\\_faq.html](http://www3.interscience.wiley.com/cgi-bin/jabout/27721/2005_faq.html)) at the journal website and IUPAC publications and websites.

### 3.3 Tables

Use the Insert Table command from the Table menu or use the Insert Table button on the Standard toolbar for creating tables, and use tabs **ONLY** to move between cells.

### 3.4 References

We strongly recommend the use of the Endnotes feature of Word. If you prefer not to use this function, references should be indicated by numbers in square brackets as superscripts and, if applicable, after punctuation (example: text.<sup>[1]</sup>). Use the Format Font menu.

Journal titles should be abbreviated according to the Chemical Abstracts Service Source Index (CASSI).

The Author is responsible for correct citations. The *European Journal of Inorganic Chemistry* is a member of CrossRef. (<http://www.crossref.org>), a service which links reference citations to the online content that those references cite. This can only function if the citations are accurate. Please ensure that a composite reference is subdivided into parts a), b) etc. For example:

[1] a) A. Einstein, A. N. Other, *Eur. J. Inorg. Chem.* **2003**, 1–15; b) R. Schoenfeld, *The Chemist's English*, 3rd ed., VCH, Weinheim, **1990**, p. 111.

If a paper has been published online but has not appeared in print yet, it is cited by listing the author names and then the abbreviated title of the journal followed by the DOI number, e.g.:

[1] J. J. Schneider, J. Engstler, *Eur. J. Inorg. Chem.*, DOI: 10.1002/ejic.200501145.

### 3.5 Graphics

Graphics are schemes, figures, equations and small graphical items that appear in captions. Graphics differ fundamentally from the text portion of your manuscript in that they must be scanned or

electronically processed. Schemes should be self-explanatory: reaction conditions should therefore be given above the arrows rather than in the caption.

In the revised version please submit **each graphic in its own file** within a graphic folder. For good reproduction, the following formats are preferred: \*.cdr, \*.cdx, \*.tif, \*.pdf, \*.psd, \*.ai, \*.fh, \*.qxd, \*.pct, \*.eps. The resolution should be a minimum of 300 dpi in general and 600 dpi for bitmap graphics.

Consult the following table for the appropriate size of lettering. Lettering smaller than 3.0 mm will reproduce poorly. Please use only one size of lettering per graphic and the same letter font for all graphics.

Table 1. Guide for preparing graphics

Letter Size	Font	Maximum Graphic Width <sup>[a]</sup>	
		1-Column Format	2-Column Format
	Arial		
3.0 mm	12	13 cm	26 cm
<b>3.5 mm</b>	<b>14</b>	<b>15 cm<sup>[b]</sup></b>	–
<b>4.0 mm</b>	<b>16</b>	<b>17 cm<sup>[b]</sup></b>	–
4.5 mm	18	19 cm	–

[a] Most graphics are in 1-column format. [b] We prefer lettering of 3.5 or 4.0 mm with maximum graphic widths of 15 or 17 cm, respectively.

The settings for one-column graphics constructed with Chem Draw are: Print Setup: Orientation Portrait. Caption and Label Settings: Font Arial, Font Style Standard, Size 12. These settings help ensure the correct letter-size-to-graphic-width ratio for best reproduction.

Use abbreviations such as R<sup>1</sup>, R<sup>2</sup> (not R<sub>2</sub>), R', R'', Ph, Me, Et, *i*Pr, *t*Bu, Ph, Bn (benzyl), Bz (benzoyl), Hal, L, M (metal), X (heteroatom).

## 4. Crystallographic Data

Authors must deposit the data of X-ray structure analyses in a crystallographic database before submitting their manuscript, so that referees can access the information electronically. The two databases, the Cambridge Crystallographic Data Centre (CCDC) and the Fachinformationszentrum Karlsruhe (FIZ) have the same procedure for the deposition of data and both will be pleased to provide help. In general, you will receive a depository number from the database two working days after electronic deposition. Send your data to the appropriate address below and quote the standard text, including the depository number, in your manuscript.

#### • For all compounds without C–H bonds

Fachinformationszentrum Karlsruhe (FIZ)  
76344 Eggenstein-Leopoldshafen, Germany  
Phone: +49-(0)7247/808-205  
Fax: +49-(0)7247/808-666  
E-mail: [crysdata@fiz-karlsruhe.de](mailto:crysdata@fiz-karlsruhe.de)  
FTP: [ftp.fiz-karlsruhe.de](ftp://ftp.fiz-karlsruhe.de) (under path /pub/csd)  
WWW: <http://www.fiz-karlsruhe.de> (under “Products and Services”)

Further details of the crystal-structure investigation(s) may be obtained from the Fachinformationszentrum Karlsruhe, 76344 Eggenstein-Leopoldshafen, Germany, on quoting the depository number(s) CSD-....

# GUIDELINES FOR AUTHORS

- **For all compounds with at least one C–H bond:**

Cambridge Crystallographic Data Centre (CCDC)

12 Union Road, Cambridge CB2 1EZ, UK

Phone: +44-(0)1223/336-408

Fax: +44-(0)1223/336-033

E-mail: [deposit@ccdc.cam.ac.uk](mailto:deposit@ccdc.cam.ac.uk)

WWW: <http://www.ccdc.cam.ac.uk>

CCDC-\*\*\*\*\* contains the supplementary crystallographic data for this paper. These data can be obtained free of charge from The Cambridge Crystallographic Data Centre via [www.ccdc.cam.ac.uk/data\\_request/cif](http://www.ccdc.cam.ac.uk/data_request/cif).

**NOTE:** Please use the free online **Checkcif** service provided by the International Union of Crystallography and submit the Checkcif report along with your manuscript: <http://journals.iucr.org/services/cif/checkcif.html>.

Finally, before you return your revised manuscript, please update your database entry if necessary.

## 5. Supporting Information

A manuscript may include electronic Supporting Information which will be accessible only on the WWW. Authors must keep a copy to make available to readers who do not have access to the internet. As this material [text, tables, schemes, figures **but not crystallographic (CIF) data**, which must be submitted to either the FIZ or the CCDC] undergoes the peer review process, it must be included, clearly marked as “Supporting Information to be published electronically”, when the paper is submitted. The following file formats are accepted: MS Winword or ASCII (\*.doc, \*.txt), MS Excel (\*.xls), Encapsulated Postscript (\*.eps), Portable Document Format (\*.pdf), graphics embedded in MS Winword; if you wish to submit other formats, please consult the Editorial Office. When preparing such material, authors should keep in mind that – once accepted – it will be made available as provided by the author and not edited. Material accepted for electronic publication will be available mostly as PDF files (Adobe Acrobat Reader required) by following the Table of Contents link of EurJIC’s WWW home page. A standard text will be added on the first page of the article in the printed version:

- Supporting information for this article is available on the WWW under <http://www.eurjic.org> or from the author.

The supporting information file must start with the title of the paper, the authors and the CASSI abbreviation of the journal to which it was submitted (e.g. *Eur. J. Inorg. Chem.*).

## 6. Basic Keyword List

To increase the relevance of articles found by search engines of Wiley InterScience, we have compiled a keyword catalogue common to our chemistry journals that is printed here and is also available online (<http://www.eurjic.org>).

To assist you in finding keywords they are listed according to categories. You may choose keywords from any category. As with all such records, a few guidelines facilitate the catalogue’s use, and these are briefly explained below:

1. As many as possible, but at least two, of the maximum of five keywords assigned to an article must come from this list.
2. Named reactions will be incorporated only in exceptional cases. Generally the reaction type is selected instead. For example, Diels–Alder reactions will be found under “Cycloadditions” and Claisen rearrangements under “Rearrangements”.
3. Heteroanalogues of compounds are mainly classified under the C variants, for example, (hetero)cumulenes, (hetero)dienes. A few aza and phospho derivatives are exceptions.
4. Compounds with inorganic components that are central to the article are listed under the element, for instance, iron complexes under “Iron”. Some group names like “Alkali metals” exist alongside the names of important members of the group like “Lithium”. In such cases the group name is used for these members only when comparative studies are described. The members not appearing separately are also categorized under the group name.
5. A keyword in the form “N ligand” is only chosen if a considerable portion of the paper deals with the coordination of any ligand ligating through the atom concerned.
6. Spectroscopic methods are assigned as keywords only if the article is about the method itself, or if the spectroscopic technique has made an important contribution to the problem under investigation.
7. “Structure elucidation” is intended only if the crux of the paper is a structural elucidation or if a combination of several spectroscopic techniques were needed for conclusive solution of the structure.
8. An attempt has been made to avoid synonyms and to select more general concepts rather than specialized terms. Thus, the term “Double-decker complexes” is excluded in favour of “Sandwich complexes”.

This list will be a “living” catalogue to be flexible enough to absorb the new developments in chemistry. We therefore welcome all suggestions from our authors that might improve its user-friendliness.



## Analytical Chemistry and Spectroscopic Methods

Analytical methods	Gas chromatography	Moessbauer spectroscopy	Surface analysis
Circular dichroism	High-throughput screening	Neutron diffraction	Surface plasmon resonance
Cyclic voltammetry	Ion chromatography	NMR spectroscopy	Trace analysis
Electron diffraction	Ion exchange	Photoelectron spectroscopy	UV/Vis spectroscopy
Electron microscopy	IR spectroscopy	Plasma chemistry	Vibrational spectroscopy
Electrophoresis	Isotopic labeling	Raman spectroscopy	Water chemistry
ENDOR spectroscopy	Laser spectroscopy	Rotational spectroscopy	X-ray absorption spectroscopy
EPR spectroscopy	Liquid chromatography	Scanning probe microscopy	X-ray diffraction
EXAFS spectroscopy	Luminescence	Sensors	ZEKE spectroscopy
Fluorescence spectroscopy	Mass spectrometry		

## Biological Chemistry and Chemical Biology (including Biochemistry, Bioinorganic Chemistry, Bioorganic Chemistry, Medicinal Chemistry and Molecular Cell Biology)

Allosterism	DNA cleavage	Isomerases	Phytochemistry
Amino acids	DNA damage	Ligases	Polyketides
Angiogenesis	DNA methylation	Lipids	Polymerase chain reaction
Antibiotics	DNA recognition	Lipophilicity	Prodrugs
Antibodies	DNA replication	Lipoproteins	Prostaglandins
Antifungal agents	DNA structures	Liposomes	Protein design
Antigens	Dopamines	Lyases	Protein engineering
Antisense agents	Drug delivery	Medicinal chemistry	Protein folding
Antitumor agents	Drug design	Membrane proteins	Protein models
Antiviral agents	Electron transport	Membranes	Protein modifications
Aza-peptides	Enzyme models	Metabolism	Protein structures
Azasugars	Enzymes	Metalloenzymes	Proteins
Bioinformatics	Fibrous proteins	Metalloproteins	Proteomics
Bioinorganic chemistry	Fluorescent probes	Micelles	Proton transport
Biological activity	Gene expression	Molecular evolution	Radiopharmaceuticals
Biomimetic synthesis	Gene sequencing	mRNA	Receptors
Bioorganic chemistry	Gene technology	Mutagenesis	Redox chemistry
Biophysics	Genomics	Natural products	Ribonucleosides
Biosensors	Glycoconjugates	Neurochemistry	Ribozymes
Biosynthesis	Glycolipids	Neurotransmitters	RNA
Biotransformations	Glycopeptides	Nitrogen fixation	RNA recognition
C-glycosides	Glycoproteins	Nitrogenases	RNA structures
Carbohydrates	Glycosides	Nucleic acids	Sensitizers
Carbon dioxide fixation	Glycosylation	Nucleobases	Sequence determination
Carotenoids	Growth factors	Nucleosides	Sialic acids
Cell adhesion	Helical structures	Nucleotides	Siderophores
Cell recognition	Heme proteins	Oligonucleotides	Signal transduction
Cerebrosides	Hormones	Oligosaccharides	Sphingolipids
Chaperone proteins	Hydrolases	Oxidoreductases	Steroids
Cobalamines	Immobilization	Peptide nucleic acids	Structure-activity relationships
Cofactors	Immunoassays	Peptides	Terpenoids
Combinatorial chemistry	Immunochemistry	Peptidomimetics	Toxicology
Cyclitols	Immunology	Pheromones	Transferases
Cyclodextrins	Inhibitors	Phospholipids	tRNA
Cytokines	Ion channels	Photoaffinity labeling	Vesicles
DNA	Ionophores	Photosynthesis	Vitamins

## Catalysis

Asymmetric catalysis	Catalytic antibodies	Heterogeneous catalysis	Phase-transfer catalysis
Autocatalysis	Enzyme catalysis	Homogeneous catalysis	Supported catalysts
Biphasic catalysis			

# GUIDELINES FOR AUTHORS

---

## Coordination Chemistry: Compound Classes

Cage compounds	Cuprates	Metallacycles	Polyoxometalates
Chelates	Dendrimers	Metallocenes	Sandwich complexes
Clathrates	Heterometallic complexes	Nitrogen oxides	Ylides
Cluster compounds			

## Coordination Chemistry: Ligand Classes

Alkene ligands	Carboxylate ligands	Macrocyclic ligands	Phosphane ligands
Alkyne ligands	Carbyne ligands	N ligands	P ligands
Allyl ligands	Cyclopentadienyl ligands	N,O ligands	S ligands
Arene ligands	Diene ligands	N,P ligands	Si ligands
As ligands	Dioxygen ligands	O ligands	Tridentate ligands
Bridging ligands	Fluorinated ligands	Oxide ligands	Tripodal ligands
Carbene ligands	Hydride ligands	Peroxide ligands	Vinylidene ligands
Carbonyl ligands	Isocyanide ligands		

## Coordination Chemistry: Methodology and Reactions

Carbon dioxide fixation	Matrix isolation	Oxidation	Solvolysis
Chemical vapor deposition	Metathesis	Radical reactions	Substituent effects
Chiral resolution	Neighboring-group effects	Reduction	Template synthesis
Crystal engineering	Nitrogen fixation	Ring-opening polymerization	
Ligand design	O–O activation	Solvent effects	

## Coordination Chemistry: Structure

Agostic interactions	Electronic structure	Inclusion compounds	Noncovalent interactions
Aurophilicity	Electrostatic interactions	Isolobal relationship	Pi interactions
Charge transfer	Fluxionality	Jahn–Teller distortion	Stacking interactions
Cooperative effects	Helical structures	Ligand effects	Structure elucidation
Coordination modes	Host–guest systems	Metal–metal interactions	Through-bond interactions
Donor–acceptor systems	Hydrogen bonds	Multiple bonds	Through-space interactions
Electron-deficient compounds			

## Elements and Element Groups

Actinides	Chlorine	Iron	Phosphorus
Alkali metals	Chromium	Krypton	Platinum
Alkaline earth metals	Cobalt	Lanthanides	Pnicogens
Aluminum	Copper	Lanthanum	Potassium
Antimony	Deuterium	Lead	Rare earths
Argon	Fluorine	Lithium	Rhenium
Arsenic	Gallium	Magnesium	Rhodium
Barium	Germanium	Manganese	Rubidium
Beryllium	Gold	Mercury	Ruthenium
Bismuth	Group 13 elements	Molybdenum	Samarium
Boron	Group 14 elements	Neon	Scandium
Bromine	Hafnium	Nickel	Selenium
Cadmium	Halogens	Niobium	Silicon
Calcium	Helium	Nitrogen	Silver
Carbon	Hydrogen	Noble gases	Sodium
Cerium	Indium	Osmium	Strontium
Cesium	Iodine	Oxygen	Sulfur
Chalcogens	Iridium	Palladium	Tantalum

Technetium  
Tellurium  
Thallium  
Tin

Titanium  
Tungsten  
Uranium

Vanadium  
Xenon  
Ytterbium

Yttrium  
Zinc  
Zirconium

## Environmental and Atmospheric Chemistry

Anions  
Atmospheric chemistry  
Cations  
Chlorine  
Computer chemistry  
Crop protection agents  
Cycloaddition  
Denitrification  
Desulfurization

Environmental chemistry  
Fluorine  
Gas-phase reactions  
Green chemistry  
Halogenation  
Kinetics  
Molecular dynamics  
Molecular modeling  
Nitrogen oxides

Oxidation  
Ozone  
Peroxides  
Photochemistry  
Photolysis  
Photooxidation  
Radical ions  
Radical reactions  
Radicals

Reaction mechanisms  
Reactive intermediates  
Sensors  
Sustainable chemistry  
Toxicology  
Trace analysis  
Waste prevention  
Water chemistry

## Inorganic Chemistry

Alanes  
Allotropy  
Alloys  
Aluminosilicates  
Amalgams  
Amorphous materials  
Anions  
Automerization  
Autoxidation  
Azides  
Bond theory  
Boranes  
Borates  
Carbene homologues  
Carbides  
Carboranes  
Cations  
Chain structures  
Chromates  
Clathrates  
Cluster compounds

Cyanides  
Electron-deficient compounds  
Fluorides  
Halides  
High-pressure chemistry  
Host-guest systems  
Hydrates  
Hydrides  
Hydrothermal synthesis  
Hypervalent compounds  
Inclusion compounds  
Intercalations  
Intermetallic phases  
Isoelectronic analogues  
Isomers  
Layered compounds  
Lewis acids  
Lewis bases  
Main group elements  
Metal-metal interactions  
Mixed-valent compounds

Nitrides  
Nonstoichiometric compounds  
Organic-inorganic hybrid  
composites  
Perovskite phases  
Peroxides  
Phosphaalkenes  
Phosphaalkynes  
Phosphanes  
Phosphazenes  
Platinates  
Pnictides  
Polyanions  
Polycations  
Polychalcogenides  
Polyhalides  
Polymorphism  
Polyoxometalates  
Radical ions  
Radicals  
Silanes

Silicates  
Sol-gel processes  
Solid-phase synthesis  
Solid-state reactions  
Solid-state structures  
Spinel phases  
Stannanes  
Subvalent compounds  
Synthesis design  
Titanates  
Topochemistry  
Transition metals  
Transuranium elements  
Valence isomerization  
Vanadates  
Zeolite analogues  
Zeolites  
Zincates  
Zintl anions  
Zintl phases

## Materials Science: General

Alloys  
Amorphous materials  
Automerization  
Block copolymers  
Ceramics  
Charge-carrier injection  
Chemical vapor deposition  
Chemical vapor transport  
Clays  
Cluster compounds  
Colloids  
Conducting materials  
Copolymerization  
Crystal engineering  
Crystal growth

Cyclooligomerization  
Cyclotrimerization  
Dendrimers  
Doping  
Energy conversion  
Fullerenes  
Gels  
Glasses  
Holography  
Imprinting  
Intercalations  
Interfaces  
Intermetallic phases  
Ladder polymers  
Layered compounds

Liquid crystals  
Materials science  
Mechanical properties  
Membranes  
Mesophases  
Mesoporous materials  
Metal-metal interactions  
Metallomesogens  
Micelles  
Microporous materials  
Monolayers  
Nanostructures  
Nanotechnology  
Nanotubes

Nonlinear optics  
Polymerization  
Polymers  
Ring-opening polymerization  
Scanning probe microscopy  
Semiconductors  
Sensitizers  
Sensors  
Superconductors  
Surface chemistry  
Thin films  
Vesicles  
Zeolite analogues  
Zeolites

# GUIDELINES FOR AUTHORS

---

## Miscellaneous

History of science

## Organic Chemistry: Compound Classes

Alcohols	Biaryls	Enols	Peroxides
Aldehydes	Calixarenes	Enones	Pheromones
Alkaloids	Carbanions	Enynes	Phosphorus heterocycles
Alkanes	Carbenes	Fatty acids	Phthalocyanines
Alkenes	Carbenoids	Fragrances	Polycycles
Alkynes	Carbocations	Fullerenes	Polymethines
Allenes	Carbocycles	Fused-ring systems	Porphyrinoids
Allylic compounds	Carbohydrates	Heterocycles	Quinodimethanes
Amides	Carboxylic acids	Hydrazones	Quinones
Amines	Carotenoids	Hydrides	Radical ions
Amino acids	Catenanes	Hydrocarbons	Radicals
Amino alcohols	Cations	Ketones	Rotaxanes
Amino aldehydes	Cavitands	Lactams	Schiff bases
Amphiphiles	Crown compounds	Lactones	Small ring systems
Anhydrides	Cryptands	Ladder polymers	Spiro compounds
Anions	Cumulenes	Macrocycles	Steroids
Annulenes	Cyanides	Mannich bases	Sulfonamides
Arenes	Cyanines	Medium-ring compounds	Sulfur heterocycles
Arynes	Cyclodextrins	Metallacycles	Surfactants
Azides	Cyclophanes	Natural products	Terpenoids
Azo compounds	Dendrimers	Nitrogen heterocycles	Ylides
Azomethine ylides	Diazo compounds	Oxygen heterocycles	Zwitterions
Betaines	Dyes/Pigments		

## Organic Chemistry: Methodology and Reactions

Acylation	Cross-coupling	Hydrogenation	Photooxidation
Aldol reactions	Cyclization	Hydrolysis	Polymerization
Alkylation	Cycloaddition	Hydrosilylation	Protecting groups
Allylation	Cyclotrimerization	Hydrostannation	Protonation
Amination	Dehydrogenation	Hydroxylation	Radical reactions
Annulation	Dihydroxylation	Immobilization	Rearrangement
Aromatic substitution	Dimerization	Insertion	Reduction
Aromaticity	Domino reactions	Ionic liquids	Retro reactions
Asymmetric amplification	Electrocyclic reactions	Isomerization	Ring contraction
Asymmetric catalysis	Electrophilic addition	Lithiation	Ring expansion
Asymmetric synthesis	Electrophilic substitution	Metalation	Sigmatropic rearrangement
Automerization	Elimination	Michael addition	Solid-phase synthesis
Autoxidation	Ene reaction	Molecular diversity	Solvent effects
Biomimetic synthesis	Epoxidation	Multicomponent reactions	Solvolytic
C–C activation	Flash pyrolysis	Nucleophilic addition	Steric hindrance
C–C coupling	Glycosylation	Nucleophilic substitution	Substituent effects
C–H activation	Grignard reaction	Olefination	Synthesis design
C1 building blocks	Halogenation	Oligomerization	Synthetic methods
Carbonylation	Heck reaction	Oxidation	Template synthesis
Carboxylation	High-pressure chemistry	Oxygenation	Topochemistry
Chiral auxiliaries	Hydroamination	Ozonolysis	Total synthesis
Chiral pool	Hydroboration	Perfluorinated solvents	Transesterification
Cleavage reactions	Hydroformylation	Pericyclic reactions	Umpolung
Combinatorial chemistry	Hydrogen transfer	Phosphorylation	Wittig reactions
Cracking			

## Organic Chemistry: Stereochemistry and Structures

Atropisomerism	Configuration determination	Enantioselectivity	Strained molecules
Chemoselectivity	Conformation analysis	Hyperconjugation	Structure elucidation
Chiral resolution	Conjugation	Kinetic resolution	Tautomerism
Chirality	Diastereoselectivity	Regioselectivity	Valence isomerization



## Physical Chemistry and Chemical Physics (including Electrochemistry, Kinetics, Photochemistry, Radiochemistry, Thermodynamics and Theoretical Chemistry)

Ab initio calculations	Electron transfer	Laser chemistry	Plasma chemistry
Absorption	ELF (Electron Localization Function)	Lewis acids	Polarized spectroscopy
Acidity	Energy conversion	Lewis bases	Quantum chemistry
Adsorption	Exchange interactions	Linear free energy relationships	Radiochemistry
Basicity	Femtochemistry	Liquid crystals	Radiopharmaceuticals
Biophysics	Fluorescence	Liquids	Reaction mechanisms
Bond energy	Fluorescent probes	Low-temperature studies	Reactive intermediates
Bond theory	Fractals	Magnetic properties	Redox chemistry
Calorimetry	FRET (Fluorescence Resonance Energy Transfer)	Matrix isolation	Salt effect
CARS (Coherent Anti-Stokes Raman Scattering)	Gas-phase reactions	Mesophases	Semiempirical calculations
Charge-carrier injection	Gels	Metallomesogens	Single-molecule studies
Charge transfer	Glasses	Metastable compounds	Singlet oxygen
Chemisorption	Heats of formation	Microreactors	Sol-gel processes
Chromophores	High-pressure chemistry	Molecular dynamics	Solvatochromism
Colloids	High-temperature chemistry	Molecular electronics	Spin crossover
Computer chemistry	Hot-atom chemistry	Molecular modeling	Statistical mechanics
Conducting materials	Hydrophobic effect	Monolayers	Statistical thermodynamics
Conical intersections	Imaging agents	Nanotechnology	Structure-activity relationships
Crystal engineering	Ion pairs	Neighboring-group effects	Superacidic systems
Crystal growth	Ion-molecule reactions	Nonequilibrium processes	Supercritical fluids
Cyclic voltammetry	Ionization potentials	Phase diagrams	Thermochemistry
Density functional calculations	Isotope effects	Phase transitions	Thermodynamics
Donor-acceptor systems	Isotopes	Photochemistry	Time-resolved spectroscopy
Doping	Kinetics	Photochromism	Transition states
Electrochemistry	Langmuir-Blodgett films	Photolysis	Viruses
Electron microscopy		Physisorption	Voltammetry

## Supramolecular Chemistry

Aggregation	Molecular evolution	Pi interactions	Self-assembly
Host-guest systems	Molecular recognition	Receptors	Supramolecular chemistry
Molecular devices	Nanostructures		