

## [Pd(NHC)(allyl)Cl] Complexes: Synthesis and Determination of the NHC Percent Buried Volume ( $\%V_{\text{bur}}$ ) Steric Parameter

Hervé Clavier,<sup>\*,[a],[‡]</sup> Andrea Correa,<sup>[b]</sup> Luigi Cavallo,<sup>[b]</sup> Eduardo C. Escudero-Adán,<sup>[a]</sup> Jordi Benet-Buchholz,<sup>[a]</sup> Alexandra M. Z. Slawin,<sup>[c]</sup> and Steven P. Nolan<sup>\*,[a],[‡]</sup>

**Keywords:** Ligand effects / Carbenes / Palladium / Steric hindrance

*The address of the correspondence authors in this paper<sup>[1]</sup> has been changed from that quoted in the original online version, in which the present address of the author was given and no credit was given to the Institute of Chemical Research of Catalonia (Tarragona) where the work was done. To assign the affiliation correctly, this has now been changed. The authors apologise for any misunderstanding that might have arisen.*

- [1] H. Clavier, A. Correa, L. Cavallo, E. C. Escudero-Adán, J. Benet-Buchholz, A. M. Z. Slawin, S. P. Nolan, *Eur. J. Inorg. Chem.* **2009**, 1767–1773; this issue.

Received: March 26, 2009

Published Online: April 8, 2009

[a] Institute of Chemical Research of Catalonia (ICIQ),  
Av. Països Catalans 16, 43007 Tarragona, Spain

[b] Dipartimento di Chimica, Università di Salerno,  
Via Salvador Allende, 84081 Baronissi (SA), Italy

[c] University of St Andrews, School of Chemistry,  
St Andrews, KY16 9ST, UK

[‡] Present address since January 1, 2009: University of  
St Andrews, School of Chemistry, St Andrews, KY16 9ST, UK,  
E-mail: sn17@st-andrews.ac.uk