

Synthesis and Characterization of [FeFe]-Hydrogenase Models with Bridging Moieties Containing (S, Se) and (S, Te)

Mohammad K. Harb,^[a] Helmar Görls,^[a] Taka Sakamoto,^[b] Greg A. N. Felton,^[c]
Dennis H. Evans,^{*,[d]} Richard S. Glass,^{*,[b]} Dennis L. Lichtenberger,^{*,[b]}
Mohammad El-khateeb,^[e] and Wolfgang Weigand^{*,[a]}

Keywords: Iron / Hydrogenases / Tellurium / Selenium / Sulfur / Electrocatalysis

In the original article,^[1] in the Experimental Section on page 3983, the formula for compound 3 should be indicated as $[\text{Fe}_2(\mu\text{-SC}_3\text{H}_6\text{Te})(\text{CO})_6]$ and NOT $[\text{Fe}_2(\mu\text{-STeC}_3\text{H}_6\text{Te})(\text{CO})_6]$ (only one Te atom should be indicated). Elsewhere in the original article, the formula for 3 is correctly shown.

The Authors

- [1] M. K. Harb, H. Görls, T. Sakamoto, G. A. N. Felton, D. H. Evans, R. S. Glass, D. L. Lichtenberger, M. El-khateeb, W. Weigand, *Eur. J. Inorg. Chem.* **2010**, 3976–3985.

Received: August 19, 2010

Published Online: August 30, 2010

- [a] Institut für Anorganische und Analytische Chemie,
Friedrich-Schiller-Universität Jena,
August-Bebel-Straße 2, 07743 Jena, Germany
[b] Department of Chemistry and Biochemistry,
The University of Arizona,
Tucson, AZ, 85721, USA
[c] Department of Chemistry, Oakland University,
Rochester, MI, 48309, USA
[d] Department of Chemistry, Purdue University,
West Lafayette, IN, 47907, USA
[e] Chemistry Department,
Jordan University of Science and Technology,
22110 Irbid, Jordan