

Mesoporous CeO₂ Hollow Spheres Prepared by Ostwald Ripening and Their Environmental Applications

Zhijie Yang,^[a] Jingjing Wei,^[a] Hongxiao Yang,^[a] Ling Liu,^[a] Hui Liang,^[a] and Yanzhao Yang^{*[a]}

Keywords: Hydrothermal synthesis / Template-free synthesis / Water treatment / Heterogeneous catalysis / Adsorption

In the original article,^[1] an important paper^[2] that reported the synthesis of single/multiwall hollow CeO₂ microspheres by a hydrothermal method was inadvertently not cited. Although that method is similar to ours, there are variations in the amounts of reactants, reaction temperature, and template usage, which result in different size and shape of the spheres. We apologise for the oversight of that paper.

The Authors

[1] Z. Yang, J. Wei, H. Yang, L. Liu, H. Liang, Y. Yang, *Eur. J. Inorg. Chem.* **2010**, 3354–3359.

[2] Y. Zhang, Q. Hu, Z. Fang, T. Cheng, K. Hang, X. Yang, *Chem. Lett.* **2006**, 8, 944–945.

Received: March 2, 2011

Published Online: March 15, 2011

[a] Key Laboratory for Special Functional Aggregate Materials of Education Ministry, School of Chemistry and Chemical Engineering, Shandong University, Jinan 250100, P. R. China
Fax: +86-531-88564464
Email: yzhyang@sdu.edu.cn