

Keyword index

A

- A_{2A}/A_{2B} selectivity** – 8-Substituted-9-deazaxanthines as adenosine receptor ligands: design, synthesis and structure-affinity relationships at A_{2B}, 879
- A_{2B} and A_{2A} binding affinities** – 8-Substituted-9-deazaxanthines as adenosine receptor ligands: design, synthesis and structure-affinity relationships at A_{2B}, 879
- β₁-Adrenoceptor** – Site-directed mutagenesis of the rat β₁-adrenoceptor. Involvement of Tyr³⁵⁶ (7,43) in (+/-)cyanopindolol but not (+/-)[¹²⁵I]iodocyanopindolol binding, 625
- A431 cells** – Antiproliferative activity of new 1-aryl-4-amino-1*H*-pyrazolo[3,4-*d*]pyrimidine derivatives toward the human epidermoid carcinoma A431 cell line, 939
- 3-(2-Alkyl-1*H*-imidazol-4-yl)-propionic acid derivatives** – Ring-substituted imidazoles as a new class of anti-tuberculosis agents, 805
- 3-(2-Alkyl-1*H*-imidazol-4-yl)-propionic acid derivatives** – Ring-substituted imidazoles as a new class of anti-tuberculosis agents, 805
- 2-Amino-benzo[*d*]isothiazol-3-one** – Synthesis and antimicrobial properties of 2-(benzylidene-amino)-benzo[*d*]isothiazol-3-ones, 135
- γ-Aminobutyric acid** – Synthesis and GABA uptake inhibitory properties of 6-aryl iminoxymethyl substituted nipecotic acids, 889
- 2-Amino-3-heteroaroylthiophenes** – Synthesis of 2-amino-3-heteroaroylthiophenes and evaluation of their activity as potential allosteric enhancers at the human A₁ receptor, 855
- 4-Anilinoquinazolines** – 4-Anilinoquinazolines with Lavendustin A subunit as inhibitors of epidermal growth factor receptor tyrosine kinase: syntheses, chemical and pharmacological properties, 1001
- 9-anilinothiazolo[5,4-*b*]quinoline derivatives** – Synthesis and evaluation of 9-anilinothiazolo[5,4-*b*]quinoline derivatives as potential antitumorals, 5
- 1-β-D-Arabinofuranosylcytosine** – PEG–Ara-C conjugates for controlled release, 123
- 6-Aryliminoxymethyl nipecotic acid** – Synthesis and GABA uptake inhibitory properties of 6-aryl iminoxymethyl substituted nipecotic acids, 889
- Acridine sulfides** – Synthesis of 9-acridinyl sulfur derivatives: sulfides, sulfoxides and sulfones. Comparison of their activity on tumour cells, 1029
- Acridines** – Tetrahydroacridin-9-ones, 9-chlorotetrahydroacridines, 9-amino-tetrahydroacridines and 9-(pyrazol-1-yl)-tetrahydroacridines derived from chiral cyclanones, 37 – Synthesis of pathogen inactivating nucleic acid intercalators, 975
- Acridinic sulfone** – Arylsulfonyl acridinyl derivatives acting on *Plasmodium falciparum*, 735
- Acridinones** – Synthesis and antileishmanial activity of (1,3-benzothiazol-2-yl) amino-9-(10*H*)-acridinone derivatives, 685
- Acridones** – Anti-calmodulin acridone derivatives modulate vinblastine resistance in multidrug resistant (MDR) cancer cells, 161 – Benzo[*b*]acronycine derivatives: a novel class of antitumor agents, 649
- Acronycine** – Benzo[*b*]acronycine derivatives: a novel class of antitumor agents, 649
- Activation energy** – A comparative study of the hydrolysis pathways of substituted aryl phosphoramidate versus aryl thiophosphoramidate derivatives of stavudine, 665
- Acute toxicity** – Synthesis and pharmacological evaluation of newer substituted benzoxazepine derivatives as potent anticonvulsant agents, 369 – Synthesis and antiinflammatory activity of heterocyclic indole derivatives, 449
- Adenosine** – Synthesis of 1-(2-chloro-2-phenylethyl)-6-methylthio-1*H*-pyrazolo[3,4-*d*]pyrimidines 4-amino substituted and their biological evaluation, 153
- Adenosine A₁ receptor** – Synthesis of 2-amino-3-heteroaroylthiophenes and evaluation of their activity as potential allosteric enhancers at the human A₁ receptor, 855
- Adenosine receptor antagonists** – 8-Substituted-9-deazaxanthines as adenosine receptor ligands: design, synthesis and structure-affinity relationships at A_{2B}, 879
- ADME** – Synthesis, biological activity and molecular modeling studies of novel COX-1 inhibitors, 141
- Albino rates** – Synthesis and antiinflammatory activity of heterocyclic indole derivatives, 449
- Alkannin derivatives** – Synthesis and cytotoxicity study of alkannin derivatives, 755
- Allosteric enhancer** – Synthesis of 2-amino-3-heteroaroylthiophenes and evaluation of their activity as potential allosteric enhancers at the human A₁ receptor, 855
- Alzheimer's disease** – Fluoro-substituted and ¹³C-labeled styrylbenzene derivatives for detecting brain amyloid plaques, 573 – Potential prodrugs of non-steroidal anti-inflammatory agents for targeted drug delivery to the CNS, 715
- Amphotericin B** – Piperazine-linked bisbenzamides: a novel class of antileishmanial agents, 547
- Analgesic activity** – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535
- Anthranilic acid** – Anthranilic acid based CCK₁ antagonists: the 2-indole moiety may represent a “needle” according to the recent homonymous concept, 85
- Anti-amastigote activity** – Synthesis and antileishmanial activity of (1,3-benzothiazol-2-yl) amino-9-(10*H*)-acridinone derivatives, 685
- Anti-calmodulin activity** – Anti-calmodulin acridone derivatives modulate vinblastine resistance in multidrug resistant (MDR) cancer cells, 161
- Anti-candida activity** – Synthesis, antimycobacterial, anti-trichomonas and anticandida in vitro activities of 2-substituted-6,7-difluoro-3-methylquinoxaline 1,4-dioxides, 195
- Anti-MDR activity** – Anti-calmodulin acridone derivatives modulate vinblastine resistance in multidrug resistant (MDR) cancer cells, 161
- Anti-mycobacterial** – Synthesis, antimycobacterial, anti-trichomonas and anticandida in vitro activities of 2-substituted-6,7-difluoro-3-methylquinoxaline 1,4-dioxides, 195
- Anti-trichomonas** – Synthesis, antimycobacterial, anti-trichomonas and anticandida in vitro activities of 2-substituted-6,7-difluoro-3-methylquinoxaline 1,4-dioxides, 195
- Anti-trypanosomal compounds** – Design, synthesis and biological evaluation of new potent 5-nitrofuryl derivatives as anti-*Trypanosoma cruzi* agents. Studies of trypanothione binding site of trypanothione reductase as target for rational design, 421
- Anti-tumor activity** – Ruthenium (II) nitro-furylsemicarbazone complexes: new DNA binding agents, 377
- Antiarrhythmic activity** – Synthesis and evaluation of in vivo activity of diphenylhydantoin basic derivatives, 1013
- Antibacterial activity** – Synthesis and antimicrobial properties of 2-(benzylidene-amino)-benzo[*d*]isothiazol-3-ones, 135 – Synthesis and study of antibacterial and antifungal activities of novel 1-[2-(benzoxazol-2-yl)ethoxy]- 2,6-diarylpiperidin-4-ones, 527 – Novel cephalosporin derivatives possessing a substituted cinnamoyl moiety at the 7β-position. Synthesis, structural characterization and antibacterial activity of 3-acetoxymethyl cephalosporin derivatives, 657 – Synthesis and anti-

- bacterial activity of 2-(4-substituted phenyl)-3(2H)-isothiazolones, 699 – Esters, amides and substituted derivatives of cinnamic acid: synthesis, antimicrobial activity and QSAR investigations, 827 – Novel Mannich ketones of oxazolidinones as antibacterial agents, 989 – Organoiodine (III) mediated synthesis of 3-aryl/heteryl-5,7-dimethyl-1,2,4-triazolo[4,3-a]pyrimidines as antibacterial agents, 1073
- Anticancer activity** – Synthesis, characterization and cytotoxicity evaluation of some new platinum(II) complexes of tetrazolo[1,5-a]quinolines, 499 – Studies on the synthesis and characterization of four *trans*-planar platinum(II) complexes of the form *trans*-PtL(NH₃)₂CL₂ where L = 2-hydroxypyridine, 3-hydroxypyridine, imidazole, and imidazo(1,2- α)pyridine, 691 – Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible, 707 – One pot synthesis of thiazolodihydropyrimidinones and evaluation of their anticancer activity, 777 – Synthesis, characterisation, activities, cell uptake and DNA binding of [{*trans*-PtCl(NH₃)₂} { μ -(H₂N(CH₂)₆NH₂)} {*trans*-PdCl(NH₃)₂}]-(NO₃)Cl, 947 – Synthesis of 9-acridinyl sulfur derivatives: sulfides, sulfoxides and sulfones. Comparison of their activity on tumour cells, 1029
- Anticonvulsant activity** – Cytotoxic and anticonvulsant aryloxyaryl Mannich bases and related compounds, 27 – Synthesis and pharmacological evaluation of newer substituted benzoxazepine derivatives as potent anticonvulsant agents, 369 – 3-Chloro-2-methylphenyl-substituted semicarbazones: synthesis and anticonvulsant activity, 729 – Synthesis and evaluation of in vivo activity of diphenylhydantoin basic derivatives, 1013
- Antifungal activity** – Analysis of datasets showing which compounds kill which organisms: inferring two systems, 107 – Synthesis and antimicrobial properties of 2-(benzylidene-amino)-benzo[d]isothiazol-3-ones, 135 – Synthesis and study of antibacterial and antifungal activities of novel 1-[2-(benzoxazol-2-yl)ethoxy]-2,6-diaryl-piperidin-4-ones, 527 – Synthesis of novel substituted tetrazoles having antifungal activity, 579 – Esters, amides and substituted derivatives of cinnamic acid: synthesis, antimicrobial activity and QSAR investigations, 827 – Synthesis and antifungal activity of cholesterol-hydrazone derivatives, 1067
- Antifungal studies** – Synthesis of some new 5-(2-substituted-1,3-thiazol-5-yl)-2-hydroxy benzamides and their 2-alkoxy derivatives as possible antifungal agents, 867
- Antihypertensive activity** – Some pyrrole substituted aryl pyridazinone and phthalazine derivatives and their antihypertensive activities, 1089
- Antiinflammatory activity** – Synthesis and evaluation of the antioxidant and antiinflammatory activities of some benzo[l]k-hellactone derivatives and analogues, 323 – Synthesis and antiinflammatory activity of heterocyclic indole derivatives, 449 – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535
- Antileishmanial activity** – Synthesis and antileishmanial profile of some novel terphenyl pyrimidines, 969 – Synthesis and antileishmanial activity of (1,3-benzothiazol-2-yl) amino-9-(10H)-acridinone derivatives, 685
- Antimicrobial activity** – New α -(N)-heterocyclichydrazones: evaluation of anticancer, anti-HIV and antimicrobial activity, 113 – Synthesis and biological evaluation of oxindoles and benzimidazolones derivatives, 453 – Synthesis and antimicrobial activities of some new 1-(5-phenylamino-[1,3,4]thiadiazol-2-yl)methyl-5-oxo-[1,2,4]triazole and 1-(4-phenyl-5-thioxo-[1,2,4]triazol-3-yl)methyl-5-oxo-[1,2,4]triazole derivatives, 793 – Synthesis and antifungal activity of cholesterol-hydrazone derivatives, 1067
- Antimitotic agents** – Synthesis, cytotoxicity, and inhibitory effects on tubulin polymerization of a new 3-heterocyclo substituted 2-styrylquinazolinones, 299
- Antioxidant activity** – Synthesis and evaluation of the antioxidant and antiinflammatory activities of some benzo[l]k-hellactone derivatives and analogues, 323
- Antiplatelet activity** – Synthesis and in vitro inhibitory activity on human platelet aggregation of novel properly substituted 4-(1-piperazinyl)coumarins, 397
- Antiproliferative activity** – Antiproliferative activity of new 1-aryl-4-amino-1H-pyrazolo[3,4-d]pyrimidine derivatives toward the human epidermoid carcinoma A431 cell line, 939 – 4-Anilinoquinazolines with Lavendustin A subunit as inhibitors of epidermal growth factor receptor tyrosine kinase: syntheses, chemical and pharmacological properties, 1001
- Antitumor activity** – Synthesis and evaluation of 9-anilinothiazolo[5,4-b]quinoline derivatives as potential antitumorals, 5 – New α -(N)-heterocyclichydrazones: evaluation of anticancer, anti-HIV and antimicrobial activity, 113 – PEG–Ara-C conjugates for controlled release, 123 – Synthesis of a new series of 4-chloro-2-mercapto-5-methylbenzenesulfonamide derivatives with potential antitumor activity, 179 – Alkyl and carboxylalkyl esters of 4'-demethyl-4-deoxypodophyllotoxin: synthesis, cytotoxic, and antitumor activity, 189 – Synthesis and cytotoxic activity of substituted 7-aryliminomethyl derivatives of camptothecin, 507 – Synthesis and antimicrobial activities of some new 1-(5-phenylamino-[1,3,4]thiadiazol-2-yl)methyl-5-oxo-[1,2,4]triazole and 1-(4-phenyl-5-thioxo-[1,2,4]triazol-3-yl)methyl-5-oxo-[1,2,4]triazole derivatives, 793 – Synthesis, antitumor and antimicrobial activities of new peptidyl derivatives containing the 1,3-benzodioxole system, 1059 – Structural variations of piritrexim, a lipophilic inhibitor of human dihydrofolate reductase: synthesis, antitumor activity and molecular modeling investigations, 1079
- Antiviral agent** – Synthesis of pathogen inactivating nucleic acid intercalators, 975
- Ara-C** – PEG–Ara-C conjugates for controlled release, 123
- Aromatic** – QSAR study on carbonic anhydrase inhibitors: aromatic/heterocyclic sulfonamides containing 8-quinoline-sulfonyl moieties, with topical activity as antiglaucoma agents, 593
- Aryl semicarbazones** – 3-Chloro-2-methylphenyl-substituted semicarbazones: synthesis and anticonvulsant activity, 729
- Arylfurfural** – One pot synthesis of thiazolodihydropyrimidinones and evaluation of their anticancer activity, 777
- Arylnitroazoles** – Synthesis and antituberculosis activity of *N*-aryl-*C*-nitroazoles, 849
- Arylsulfonamide** – Synthesis and evaluation of new arylsulfonamidomethylcyclohexyl derivatives as human neuropeptide Y Y₅ receptor antagonists for the treatment of obesity, 49
- ATCase inhibitors** – Design, synthesis and activity of bisubstrate, transition-state analogues and competitive inhibitors of aspartate transcarbamylase, 333
- ATP-sensitive potassium channels** – Synthesis by microwave irradiation of a substituted benzoxazine parallel library with preferential relaxant activity for guinea pig trachealis, 815
- Azaindole dimers** – Preparation of 4-azaindole and 7-azaindole dimers with a bisalkoxyalkyl spacer in order to preferentially target melatonin MT₁ receptors over melatonin MT₂ receptors, 515
- Azecines** – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481
- Azo derivatives** – Synthesis and antiinflammatory activity of heterocyclic indole derivatives, 449

B

- 1,3-Benzodioxole** – Synthesis, antitumor and antimicrobial activities of new peptidyl derivatives containing the 1,3-benzodioxole system, 1059
- B-cellular immune response** – Synthesis, immunomodulating activity and ¹H NMR studies of 7-oxo-9,11-ethano-13-azaprostanooids, 389
- Benzamidoquinazolines** – A new synthetic approach of *N*-(4-amino-2-methylquinolin-6-yl)-2-(4-ethylphenoxy)methylbenzamide (JTC-801) and its analogues and their pharmacological evaluation as nociceptin receptor (NOP) antagonists, 1047

- Benzamidoquinolines** – A new synthetic approach of *N*-(4-amino-2-methylquinolin-6-yl)-2-(4-ethylphenoxy)methylbenzamide (JTC-801) and its analogues and their pharmacological evaluation as nociceptin receptor (NOP) antagonists, 1047
- Benzanilides** – Synthesis and biological activity of novel substituted benzanilides as potassium channel activators. V, 491
- Benzimidazolinones** – Synthesis and biological evaluation of oxindoles and benzimidazolinones derivatives, 453
- Benzo[b]acronycine** – Benzo[b]acronycine derivatives: a novel class of antitumor agents, 649
- Benzo[f]seselin** – Synthesis and evaluation of the antioxidant and antiinflammatory activities of some benzo[f]khellactone derivatives and analogues, 323
- Benzo[l]khellactones** – Synthesis and evaluation of the antioxidant and antiinflammatory activities of some benzo[l]khellactone derivatives and analogues, 323
- Benzoxazine** – Synthesis by microwave irradiation of a substituted benzoxazine parallel library with preferential relaxant activity for guinea pig trachealis, 815
- Benzoxazole** – Synthesis and study of antibacterial and antifungal activities of novel 1-[2-(benzoxazol-2-yl)ethoxy]-2,6-diarylpiperidin-4-ones, 527
- Benzylidene-amino derivatives** – Synthesis and antimicrobial properties of 2-(benzylidene-amino)-benzo[d]isothiazol-3-ones, 135
- Bicyclo[2.2.1]heptane derivatives** – Synthesis, immunomodulating activity and ¹H NMR studies of 7-oxo-9,11-ethano-13-azaprostanooids, 389
- Bicyclo[3.3.0]octane** – Orally active PDE4 inhibitor with therapeutic potential, 555
- Binding site mapping** – Homology modeling and binding site mapping of the human histamine H1 receptor, 959
- Bis-coumarins** – Cytotoxic activity of new neodymium (III) complexes of bis-coumarins, 765
- Bis-netropsin** – Aromatic analogues of DNA minor groove binders—synthesis and biological evaluation, 99
- Bisguanylhydrazones** – Synthesis, anti-*Trypanosoma cruzi* activity and micelle interaction studies of bisguanylhydrazones analogous to pentamidine, 925
- BK channels** – Synthesis and biological activity of novel substituted benzanilides as potassium channel activators. V, 491
- BK-openers** – Synthesis and biological activity of novel substituted benzanilides as potassium channel activators. V, 491
- Bulky group** – Structure–activity relationships of sandalwood odorants: synthesis and odor of tricyclo β -santalol, 1039
- C**
- 2-Chloroethylnitrososulfamide** – Inclusion complexes of 2-chloroethylnitrososulfamides (CENS) with β -cyclodextrin, 79
- 4-Chloro-2-mercapto-5-methylbenzenesulfonamide derivatives** – Synthesis of a new series of 4-chloro-2-mercapto-5-methylbenzenesulfonamide derivatives with potential antitumor activity, 179
- 3-Chloro-2-methyl substituted phenyl semicarbazones** – 3-Chloro-2-methyl-phenyl-substituted semicarbazones: synthesis and anticonvulsant activity, 729
- (+/-)cyanopindolol** – Site-directed mutagenesis of the rat β_1 -adrenoceptor. Involvement of Tyr³⁵⁶ (7,43) in (+/-)cyanopindolol but not (+/-)[¹²⁵Iodo]cyanopindolol binding, 625
- β -Cyclodextrin** – Inclusion complexes of 2-chloroethylnitrososulfamides (CENS) with β -cyclodextrin, 79
- Camptothecin** – Synthesis and cytotoxic activity of substituted 7-aryliminomethyl derivatives of camptothecin, 507
- Carbamylphosphate analogues** – Design, synthesis and activity of bisubstrate, transition-state analogues and competitive inhibitors of aspartate transcarbamylase, 333
- Carbonic anhydrase inhibitors** – QSAR study on carbonic anhydrase inhibitors: aromatic/heterocyclic sulfonamides containing 8-quinoline-sulfonyl moieties, with topical activity as antiglaucoma agents, 593
- CCK₁** – Anthranilic acid based CCK₁ antagonists: the 2-indole moiety may represent a “needle” according to the recent homonymous concept, 85
- Cell culture** – Synthesis, characterisation, activities, cell uptake and DNA binding of [{*trans*-PtCl(NH₃)₂} { μ -(H₂N(CH₂)₆NH₂)} {*trans*-PdCl(NH₃)₂}(NO₃)Cl, 947
- Cell viability** – Synthesis of 4-hydroxycoumarin and 2,4-quinolinediol derivatives and evaluation of their effects on the viability of HepG2 cells and human hepatocytes culture, 931
- Cephalosporin** – Novel cephalosporin derivatives possessing a substituted cinnamoyl moiety at the 7 β -position. Synthesis, structural characterization and antibacterial activity of 3-acetoxymethyl cephalosporin derivatives, 657
- Chagas’ disease** – Studies on the trypanocidal activity of semi-synthetic pyran[*b*-4,3]naphtho[1,2-*d*]imidazoles from β -lapachone, 639 – Synthesis, anti-*Trypanosoma cruzi* activity and micelle interaction studies of bisguanylhydrazones analogous to pentamidine, 925
- Chalcone** – 3D QSAR studies on antimalarial alkoxylated and hydroxylated chalcones by CoMFA and CoMSIA, 745
- Chalcones** – Synthesis and antiinflammatory activity of heterocyclic indole derivatives, 449
- Chelating agent** – Influence of *trans*-1,2-diaminocyclohexane structure and mixed carboxylic/phosphonic group combinations on samarium-153 chelation capacity and stability, 467
- Cholecystokinin** – Anthranilic acid based CCK₁ antagonists: the 2-indole moiety may represent a “needle” according to the recent homonymous concept, 85
- Cholesterol derivatives** – Synthesis and antifungal activity of cholesterol-hydrazone derivatives, 1067
- Cinnamic acid** – Esters, amides and substituted derivatives of cinnamic acid: synthesis, antimicrobial activity and QSAR investigations, 827
- Cinnamoyl** – Novel cephalosporin derivatives possessing a substituted cinnamoyl moiety at the 7 β -position. Synthesis, structural characterization and antibacterial activity of 3-acetoxymethyl cephalosporin derivatives, 657
- Circular dichroism** – Structural requirements of the N-terminal region of GLP-1-[7-37]-NH₂ for receptor interaction and cAMP production, 473
- Cisplatin** – Studies on the synthesis and characterization of four *trans*-planar platinum(II) complexes of the form *trans*-PtL(NH₃)₂CL₂ where L = 2-hydroxypyridine, 3-hydroxypyridine, imidazole, and imidazo(1,2- α)pyridine, 691
- CNS activity** – Synthesis and biological activity of new derivatives of 3-(3,4-diaryl-1,2,4-triazole-5-yl)propenoic acid, 873
- CNS depressants** – 3-Chloro-2-methyl-phenyl-substituted semicarbazones: synthesis and anticonvulsant activity, 729
- Cocaine addiction treatment** – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481
- CoMFA** – 3D QSAR studies on antimalarial alkoxylated and hydroxylated chalcones by CoMFA and CoMSIA, 745 – Investigation of structure–activity relationships in a series of glibenclamide analogues, 835
- Competition studies** – Influence of *trans*-1,2-diaminocyclohexane structure and mixed carboxylic/phosphonic group combinations on samarium-153 chelation capacity and stability, 467
- CoMSIA** – 3D QSAR studies on antimalarial alkoxylated and hydroxylated chalcones by CoMFA and CoMSIA, 745
- Configuration** – Tetrahydroacridin-9-ones, 9-chlorotetrahydroacridines, 9-amino-tetrahydroacridines and 9-(pyrazol-1-yl)-tetrahydroacridines derived from chiral cyclanones, 37
- Conformational analysis** – Investigation of structure–activity relationships in a series of glibenclamide analogues, 835
- Conformations** – Structural requirements of the N-terminal region of GLP-1-[7-37]-NH₂ for receptor interaction and cAMP production, 473 – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481
- Conjugated addition** – Synthesis and cytotoxicity study of alkannin derivatives, 755

Coumarins – Umbelliferone aminoalkyl derivatives, a new class of squalene-hopene cyclase inhibitors, 917 – Synthesis of 4-hydroxycoumarin and 2,4-quinolinediol derivatives and evaluation of their effects on the viability of HepG2 cells and human hepatocytes culture, 931

COX-1 – Synthesis, biological activity and molecular modeling studies of novel COX-1 inhibitors, 141

COX-2 – Quantitative structure activity relationship studies of diaryl furanones as selective COX-2 inhibitors, 383 – Quantitative structure activity relationship studies of diaryl furanones as selective COX-2 inhibitors, 899

COX1/COX2 – *N*-Benzyl-2-chloroindole-3-carboxylic acids as potential anti-inflammatory agents. Synthesis and screening for the effects on human neutrophil functions and on COX1/COX2 activity, 785

Crystal structure – Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible, 707

Cyanoethylation – Synthesis and study of antibacterial and antifungal activities of novel 1-[2-(benzoxazol-2-yl)ethoxy]-2,6-diarylpiperidin-4-ones, 527

Cyclic AMP – Synthesis of 2-amino-3-heteroarylthiophenes and evaluation of their activity as potential allosteric enhancers at the human A₁ receptor, 855

Cytotoxic activity – Synthesis and evaluation of 9-anilinothiazolo[5,4-b]quinoline derivatives as potential antitumorals, 5 – Cytotoxic and anticonvulsant aryloxyaryl Mannich bases and related compounds, 27 – Aromatic analogues of DNA minor groove binders—synthesis and biological evaluation, 99 – Alkyl and carboxylalkyl esters of 4'-demethyl-4-deoxypodophyllotoxin: synthesis, cytotoxic, and antitumor activity, 189 – Synthesis, cytotoxicity, and inhibitory effects on tubulin polymerization of a new 3-heterocyclo substituted 2-styrylquinazolinones, 299 – Synthesis, characterization and cytotoxicity evaluation of some new platinum(II) complexes of tetrazolo[1,5-a]quinolines, 499 – Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible, 707 – Synthesis and cytotoxicity study of alkannin derivatives, 755 – Cytotoxic activity of new neodymium (III) complexes of bis-coumarins, 765

D

1,3-Dialkyl-6-substituted-1*H*-pyrrolo[3,2-*d*]-pyrimidine-2,4(3*H*, 5*H*)-diones – 8-Substituted-9-deazaxanthines as adenosine receptor ligands: design, synthesis and structure-affinity relationships at A_{2B}, 879

1,4-Diarylpiperazines – Piperazine-linked bisbenzamidines: a novel class of antileishmanial agents, 547

3,4-Diaryl-1,2,4-triazoles – Synthesis and biological activity of new derivatives of 3-(3,4-diaryl-1,2,4-triazole-5-yl)propenoic acid, 873

2,4-Dihydroxythiobenzanilides – Analysis of datasets showing which compounds kill which organisms: inferring two systems, 107

β,β-Dimethylacrylalkannin – Synthesis and cytotoxicity study of alkannin derivatives, 755

DAG-lactone – Conformationally constrained diacylglycerol (DAG) analogs: 4-*C*-hydroxyethyl-5-*O*-acyl-2,3-dideoxy-D-glyceropentono-1,4-lactone analogs as protein kinase C (PKC) ligands, 69

Data condensation – Analysis of datasets showing which compounds kill which organisms: inferring two systems, 107

Dendrimer – PEG–Ara-C conjugates for controlled release, 123

Deoxypodophyllotoxin – Alkyl and carboxylalkyl esters of 4'-demethyl-4-deoxypodophyllotoxin: synthesis, cytotoxic, and antitumor activity, 189

Dermatophytes – Analysis of datasets showing which compounds kill which organisms: inferring two systems, 107

Diacylglycerol – Conformationally constrained diacylglycerol (DAG) analogs: 4-*C*-hydroxyethyl-5-*O*-acyl-2,3-dideoxy-D-glyceropentono-1,4-lactone analogs as protein kinase C (PKC) ligands, 69

Diamidines – Piperazine-linked bisbenzamidines: a novel class of antileishmanial agents, 547

Diclofenac – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535

Dihydrofolate reductase inhibitor – Structural variations of piritrexim, a lipophilic inhibitor of human dihydrofolate reductase: synthesis, antitumor activity and molecular modeling investigations, 1079

Diphenylhydantoin derivatives – Synthesis and evaluation of in vivo activity of diphenylhydantoin basic derivatives, 1013

Discriminant analysis – A topological substructural approach for predicting human intestinal absorption of drugs, 905

DNA Alkylation – Benzo[*b*]acronycine derivatives: a novel class of antitumor agents, 649

DNA binding – Ruthenium (II) nitrofuryl-semicarbazone complexes: new DNA binding agents, 377 – Piperazine-linked bisbenzamidines: a novel class of antileishmanial agents, 547 – Synthesis, characterisation, activities, cell uptake and DNA binding of [{*trans*-PtCl(NH₃)₂} {μ-(H₂N(CH₂)₆NH₂)} {*trans*-PdCl(NH₃)₂-(NO₃)Cl}, 947

DNA interaction – Synthesis of 9-acridinyl sulfur derivatives: sulfides, sulfoxides and sulfones. Comparison of their activity on tumour cells, 1029

DNA intercalation – Synthesis and evaluation of 9-anilinothiazolo[5,4-*b*]quinoline derivatives as potential antitumorals, 5

DNA topoisomerase – Aromatic analogues of DNA minor groove binders—synthesis and biological evaluation, 99

Docking – Synthesis, biological activity and molecular modeling studies of novel COX-1 inhibitors, 141 – Is it possible docking and scoring new ligands with few experimental data? Preliminary results on estrogen receptor as a case study, 601 – Structural variations of piritrexim, a lipophilic inhibitor of human dihydrofolate reductase: synthesis, antitumor activity and molecular modeling investigations, 1079

Dopamine antagonists – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481

E

EGFR PTK – Salicylanilides as inhibitors of the protein tyrosine kinase epidermal growth factor receptor, 11

EGFR tyrosine kinase inhibitory activity – 4-Anilinoquinazolines with Lavendustin A subunit as inhibitors of epidermal growth factor receptor tyrosine kinase: syntheses, chemical and pharmacological properties, 1001

Enantiomers – Cytotoxicity of enantiomers of gossypol Schiff's bases and optical stability of gossypolone, 619

Enol ether – Syntheses and GABA uptake properties of 6-ether- and 6-enol ether-substituted nipecotic acids, 633

Eperezolid – Novel Mannich ketones of oxazolidinones as antibacterial agents, 989

Epidermal growth factor – Synthesis of 1-(2-chloro-2-phenylethyl)-6-methylthio-1*H*-pyrazolo[3,4-*d*]pyrimidines 4-amino substituted and their biological evaluation, 153

EPR effect – PEG–Ara-C conjugates for controlled release, 123

Esters – Alkyl and carboxylalkyl esters of 4'-demethyl-4-deoxypodophyllotoxin: synthesis, cytotoxic, and antitumor activity, 189

Estrogen receptor – Is it possible docking and scoring new ligands with few experimental data? Preliminary results on estrogen receptor as a case study, 601

Ether – Syntheses and GABA uptake properties of 6-ether- and 6-enol ether-substituted nipecotic acids, 633

Exocyclic double bond – Structure–activity relationships of sandalwood odorants: synthesis and odor of tricyclo β-santalol, 1039

F

Fluorinated phosphonates – Design, synthesis and activity of bisubstrate, transition-state analogues and competitive inhibitors of aspartate transcarbamylase, 333

Furoquinolinones – 1,4,8-Trimethylfuro-[2,3-*H*]quinolin-2(1*H*)-one, a new furo-coumarin bioisoster, 411

G

GABA uptake inhibitors – Syntheses and GABA uptake properties of 6-ether- and 6-enol ether-substituted nipecotic acids, 633 – Synthesis and GABA uptake inhibitory properties of 6-aryl iminoxymethyl substituted nipecotic acids, 889

Gel electrophoresis – Synthesis, characterization, activities, cell uptake and DNA binding of [*trans*-PtCl(NH₃)₂] {μ-(H₂N(CH₂)₆NH₂)} {*trans*-PdCl(NH₃)₂}-[NO₃]Cl, 947

GIAO – Tetrahydroacridin-9-ones, 9-chloro-tetrahydroacridines, 9-amino-tetrahydroacridines and 9-(pyrazol-1-yl)-tetrahydroacridines derived from chiral cyclanones, 37

Glibenclamide – Investigation of structure-activity relationships in a series of glibenclamide analogues, 835

Glucagon-Like Peptide-1 – Structural requirements of the N-terminal region of GLP-1-[7-37]-NH₂ for receptor interaction and cAMP production, 473

Glucose tolerance test – Structural requirements of the N-terminal region of GLP-1-[7-37]-NH₂ for receptor interaction and cAMP production, 473

Gossypol – Cytotoxicity of enantiomers of gossypol Schiff's bases and optical stability of gossypolone, 619

Gossypolone – Cytotoxicity of enantiomers of gossypol Schiff's bases and optical stability of gossypolone, 619

Gram-positive organism – Novel Mannich ketones of oxazolidinones as antibacterial agents, 989

Guanine – Benzo[*b*]acronycine derivatives: a novel class of antitumor agents, 649

H

H NPY Y₅ antagonists – Synthesis and evaluation of new arylsulfonamidomethyl-cyclohexyl derivatives as human neuropeptide Y Y₅ receptor antagonists for the treatment of obesity, 49

5-HT_{1B} receptor – Synthesis and serotonergic activity of variously substituted (3-amido)phenylpiperazine derivatives and benzothiophene-4-piperazine derivatives: novel antagonists for the vascular 5-HT_{1B} receptor, 305

2-Hydroxypyridine – Studies on the synthesis and characterization of four *trans*-planaramineplatinum(II) complexes of the form *trans*-PtL(NH₃)₂CL₂ where L = 2-hydroxypyridine, 3-hydroxypyridine, imidazole, and imidazo(1,2-*α*)pyridine, 691

3-Hydroxypyridine – Studies on the synthesis and characterization of four *trans*-planaramineplatinum(II) complexes of the form *trans*-PtL(NH₃)₂CL₂ where L = 2-hydroxypyridine, 3-hydroxypyridine, imidazole, and imidazo(1,2-*α*)pyridine, 691

Heterocyclic sulfonamides – QSAR study on carbonic anhydrase inhibitors: aromatic/

heterocyclic sulfonamides containing 8-quinoline-sulfonyl moieties, with topical activity as antiglaucoma agents, 593

High-intensity ultrasound – Umbelliferone aminoalkyl derivatives, a new class of squalene-hopene cyclase inhibitors, 917

HINT – Is it possible docking and scoring new ligands with few experimental data? Preliminary results on estrogen receptor as a case study, 601

Histochemical staining – Fluoro-substituted and ¹³C-labeled styrylbenzene derivatives for detecting brain amyloid plaques, 573

Homology model – Homology modelling and binding site mapping of the human histamine H1 receptor, 959

Homolytic radical reaction – Ring-substituted imidazoles as a new class of anti-tuberculosis agents, 805

HPLC – A comparative study of the hydrolysis pathways of substituted aryl phosphoramidate versus aryl thiophosphoramidate derivatives of stavudine, 665

Human histamine H1 receptor – Homology modelling and binding site mapping of the human histamine H1 receptor, 959

Human liver cells – Synthesis of 4-hydroxycoumarin and 2,4-quinolinediol derivatives and evaluation of their effects on the viability of HepG2 cells and human hepatocytes culture, 931

Hydrazone – Synthesis and antifungal activity of cholesterol-hydrazone derivatives, 1067

Hydrophobicity – Synthesis and antibacterial activity of 2-(4-substituted phenyl)-3(2*H*)-isothiazolones, 699

Hydroxybenzamides – Synthesis of some new 5-(2-substituted-1,3-thiazol-5-yl)-2-hydroxy benzamides and their 2-alkoxy derivatives as possible antifungal agents, 867

Hypoglycemic activity – Synthesis and biological activity of novel substituted pyridines and purines containing 2,4-thiazolidinedione, 433

Hypolipidemic activity – Synthesis and biological activity of novel substituted pyridines and purines containing 2,4-thiazolidinedione, 433

Hypotensive activity – Synthesis and evaluation of in vivo activity of diphenylhydantoin basic derivatives, 1013

I

(+/-)[¹²⁵Iodo]cyanopindolol – Site-directed mutagenesis of the rat β₁-adrenoceptor. Involvement of Tyr³⁵⁶ (7.43) in (+/-)cyanopindolol but not (+/-)[¹²⁵Iodo]cyanopindolol binding, 625

3(2*H*)-Isothiazolones – Synthesis and antibacterial activity of 2-(4-substituted phenyl)-3(2*H*)-isothiazolones, 699

Ibuprofen – Synthesis, biological activity and molecular modeling studies of novel COX-1 inhibitors, 141

Imidazole – Studies on the synthesis and characterization of four *trans*-planaramineplatinum(II) complexes of the form *trans*-PtL(NH₃)₂CL₂ where L = 2-hydroxy-

pyridine, 3-hydroxypyridine, imidazole, and imidazo(1,2-*α*)pyridine, 691

Imines – Synthesis and cytotoxic activity of substituted 7-aryliminomethyl derivatives of camptothecin, 507

Immunomodulating activity – Synthesis, immunomodulating activity and ¹H NMR studies of 7-oxo-9,11-ethano-13-azaprostanooids, 389

In silico – A topological sub-structural approach for predicting human intestinal absorption of drugs, 905

In vitro antiamebic activity – Synthesis, characterization and in vitro Antiamoebic Activity of 5-nitrothiophene-2-carboxaldehyde thiosemicarbazones and their Palladium (II) and Ruthenium (II) Complexes, 459

In-vitro MIC – Novel Mannich ketones of oxazolidinones as antibacterial agents, 989

Inclusion complexes – Inclusion complexes of 2-chloroethylnitrososulfamides (CENS) with β-cyclodextrin, 79

Inclusion of solvents – 4-Anilinoquinazolines with Lavendustin A subunit as inhibitors of epidermal growth factor receptor tyrosine kinase: syntheses, chemical and pharmacological properties, 1001

Indole – *N*-Benzyl-2-chloroindole-3-carboxylic acids as potential anti-inflammatory agents. Synthesis and screening for the effects on human neutrophil functions and on COX1/COX2 activity, 785

Inflammation – *N*-Benzyl-2-chloroindole-3-carboxylic acids as potential anti-inflammatory agents. Synthesis and screening for the effects on human neutrophil functions and on COX1/COX2 activity, 785

Intercalators – Synthesis of pathogen inactivating nucleic acid intercalators, 975

Intestinal absorption – A topological sub-structural approach for predicting human intestinal absorption of drugs, 905

Iodobenzene diacetate – Organoiodine (III) mediated synthesis of 3-aryl/heteryl-5,7-dimethyl-1,2,4-triazolo[4,3-*a*]pyrimidines as antibacterial agents, 1073

Ionones – Synthesis and antileishmanial profile of some novel terpenyl pyrimidines, 969

K

K_{ATP} channel – Investigation of structure-activity relationships in a series of glibenclamide analogues, 835

KB – Cytotoxicity of enantiomers of gossypol Schiff's bases and optical stability of gossypolone, 619

Ketoprofen – Synthesis, biological activity and molecular modeling studies of novel COX-1 inhibitors, 141

Kinases inhibitors – Synthesis and biological evaluation of oxindoles and benzimidazolinones derivatives, 453

L

β-lapachone – Studies on the trypanocidal activity of semi-synthetic pyran[*b*-

- 4,3]naphtho[1,2-*d*]imidazoles from β -lapachone, 639
- LE300** – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481
- Leishmania donovani** – Piperazine-linked bisbenzamidines: a novel class of antileishmanial agents, 547
- Linezolid** – Novel Mannich ketones of oxazolidinones as antibacterial agents, 989
- Lipid peroxidation** – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535
- Lipophilicity** – Potential prodrugs of non-steroidal anti-inflammatory agents for targeted drug delivery to the CNS, 715
- Local Intersection Volume (LIV)** – LIV-3D-QSAR models for PGI₂ receptor ligands using multiple conformations, 359
- Low energy conformations** – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481

M

- (Z)-2-Methyltricyclo[5.2.1.0^{2',6'}]dec-2'-yl-2-pentenol** – Structure–activity relationships of sandalwood odorants: synthesis and odor of tricyclo β -santalol, 1039
- Magnetic resonance imaging** – Fluoro-substituted and ¹³C-labeled styrylbenzene derivatives for detecting brain amyloid plaques, 573
- Malaria** – Structure–activity relationship study of antimalarial indolo [2,1-*b*]quinazoline-6,12-diones (tryptanthrins). Three dimensional pharmacophore modeling and identification of new antimalarial candidates, 59 – 3D QSAR studies on antimalarial alkoxylated and hydroxylated chalcones by CoMFA and CoMSIA, 745
- Mannich bases** – Cytotoxic and anticonvulsant aryloxyaryl Mannich bases and related compounds, 27
- Mannich ketones** – Novel Mannich ketones of oxazolidinones as antibacterial agents, 989
- MCF-7** – Cytotoxicity of enantiomers of gossypol Schiff's bases and optical stability of gossypolone, 619
- MCF-7/ADR** – Cytotoxicity of enantiomers of gossypol Schiff's bases and optical stability of gossypolone, 619
- MCR** – One pot synthesis of thiazolodihydropyrimidinones and evaluation of their anticancer activity, 777
- Melatonin** – Preparation of 4-azaindole and 7-azaindole dimers with a bisalkoxyalkyl spacer in order to preferentially target me-

- latonin MT₁ receptors over melatonin MT₂ receptors, 515
- Micelle** – Synthesis, anti-*Trypanosoma cruzi* activity and micelle interaction studies of bisguanylhyazones analogous to pentamidine, 925
- Microtubules** – Synthesis, cytotoxicity, and inhibitory effects on tubulin polymerization of a new 3-heterocyclo substituted 2-styrylquinazolinones, 299
- Microwave** – Synthesis by microwave irradiation of a substituted benzoxazine parallel library with preferential relaxant activity for guinea pig trachealis, 815 – Umbelliferone aminoalkyl derivatives, a new class of squalene-hopene cyclase inhibitors, 917 – Synthesis and evaluation of in vivo activity of diphenylhydantoin basic derivatives, 1013
- Minor groove binding** – Aromatic analogues of DNA minor groove binders—synthesis and biological evaluation, 99
- Molecular modelling** – Cytotoxic and anticonvulsant aryloxyaryl Mannich bases and related compounds, 27 – Synthesis and serotonergic activity of variously substituted (3-amido)phenylpiperazine derivatives and benzothienophene-4-piperazine derivatives: novel antagonists for the vascular 5-HT_{1B} receptor, 305 – Site-directed mutagenesis of the rat β_1 -adrenoceptor. Involvement of Tyr³⁵⁶ (7.43) in (+/-)cyanopindolol but not (+/-)[¹²⁵I]doxycyanopindolol binding, 625 – Structural variations of piritrexim, a lipophilic inhibitor of human dihydrofolate reductase: synthesis, antitumor activity and molecular modeling investigations, 1079
- MRSA** – Novel cephalosporin derivatives possessing a substituted cinnamoyl moiety at the 7 β -position. Synthesis, structural characterization and antibacterial activity of 3-acetoxymethyl cephalosporin derivatives, 657
- MT₁ and MT₂ receptors** – Preparation of 4-azaindole and 7-azaindole dimers with a bisalkoxyalkyl spacer in order to preferentially target melatonin MT₁ receptors over melatonin MT₂ receptors, 515
- Multi-drug resistance** – Cytotoxicity of enantiomers of gossypol Schiff's bases and optical stability of gossypolone, 619
- Murine toxicity** – Cytotoxic and anticonvulsant aryloxyaryl Mannich bases and related compounds, 27
- Mutagenesis** – Site-directed mutagenesis of the rat β_1 -adrenoceptor. Involvement of Tyr³⁵⁶ (7.43) in (+/-)cyanopindolol but not (+/-)[¹²⁵I]doxycyanopindolol binding, 625

N

- α -(N)-Heterocyclihydrazones** – New α -(N)-heterocyclihydrazones: evaluation of anticancer, anti-HIV and antimicrobial activity, 113
- ¹⁵N labelling** – Inclusion complexes of 2-chloroethylnitrososulfamides (CENS) with β -cyclodextrin, 79
- ¹⁵N MAS-NMR** – Inclusion complexes of 2-chloroethylnitrososulfamides (CENS) with β -cyclodextrin, 79
- 5-(4-[2-[N-methyl-(5-phenyl-pyridin-2-yl)-amino]ethoxy]benzyl)thiazolidine-2,4-dione** – Synthesis and biological activity of novel substituted pyridines and purines containing 2,4-thiazolidinedione, 433
- 5-nitrofurfuraldiacetate** – One pot synthesis of thiazolodihydropyrimidinones and evaluation of their anticancer activity, 777
- 5-Nitrofuryl derivatives** – Design, synthesis and biological evaluation of new potent 5-nitrofuryl derivatives as anti-*Trypanosoma cruzi* agents. Studies of trypanothione binding site of trypanothione reductase as target for rational design, 421
- N^ω-nitro-L-arginine alkyl esters** – Inhibitory effects of L-arginine derivatives on endothelium-dependent vasorelaxing response to acetylcholine of the rat aorta, 611
- 5-Nitrothiophene-2-carboxaldehyde** – Synthesis, characterization and in vitro Antiamoebic Activity of 5-nitrothiophene-2-carboxaldehyde thiosemicarbazones and their Palladium (II) and Ruthenium (II) Complexes, 459
- N,N'-Dithiodipropionamides** – Synthesis and antibacterial activity of 2-(4-substituted phenyl)-3(2H)-isothiazolones, 699
- Naphthoimidazoles** – Studies on the trypanocidal activity of semi-synthetic pyran[b-4,3]naphtho[1,2-*d*]imidazoles from β -lapachone, 639
- Naphthoquinones** – Studies on the trypanocidal activity of semi-synthetic pyran[b-4,3]naphtho[1,2-*d*]imidazoles from β -lapachone, 639
- Neodymium (III) complexes** – Cytotoxic activity of new neodymium (III) complexes of bis-coumarins, 765
- Netropsin** – Aromatic analogues of DNA minor groove binders—synthesis and biological evaluation, 99
- Neutrophil** – N-Benzyl-2-chloroindole-3-carboxylic acids as potential anti-inflammatory agents. Synthesis and screening for the effects on human neutrophil functions and on COX1/COX2 activity, 785
- NF023** – Structure–activity relationships of analogues of NF449 confirm NF449 as the most potent and selective known P2X₁ receptor antagonist, 345
- NF279** – Structure–activity relationships of analogues of NF449 confirm NF449 as the most potent and selective known P2X₁ receptor antagonist, 345
- NF449** – Structure–activity relationships of analogues of NF449 confirm NF449 as the most potent and selective known P2X₁ receptor antagonist, 345
- Nipecotic acid** – Syntheses and GABA uptake properties of 6-ether- and 6-enol ether-substituted nipecotic acids, 633 – Synthesis and GABA uptake inhibitory properties of 6-aryl iminoxymethyl substituted nipecotic acids, 889
- Nitric oxide synthase** – Inhibitory effects of L-arginine derivatives on endothelium-dependent vasorelaxing response to acetylcholine of the rat aorta, 611

Nitrofurylsemicarbazone – Ruthenium (II) nitrofurylsemicarbazone complexes: new DNA binding agents, 377 **37**

NMR relaxation – Synthesis, anti-*Trypanosoma cruzi* activity and micelle interaction studies of bisguanyldiazones analogous to pentamidine, 925

NOP receptor antagonists – A new synthetic approach of *N*-(4-amino-2-methylquinolin-6-yl)-2-(4-ethylphenoxyethyl)benzamide (JTC-801) and its analogues and their pharmacological evaluation as nociceptin receptor (NOP) antagonists, 1047

NPY – Synthesis and evaluation of new arylsulfonamidomethylcyclohexyl derivatives as human neuropeptide Y Y₅ receptor antagonists for the treatment of obesity, 49

NSAIDs – Synthesis, biological activity and molecular modeling studies of novel COX-1 inhibitors, 141 – Quantitative structure activity relationship studies of diaryl furanones as selective COX-2 inhibitors, 383 – Potential prodrugs of non-steroidal anti-inflammatory agents for targeted drug delivery to the CNS, 715 – Quantitative structure activity relationship studies of diaryl furanones as selective COX-2 inhibitors, 899

Nucleophilic addition – Synthesis, immunomodulating activity and ¹H NMR studies of 7-oxo-9,11-ethano-13-azaprostanooids, 389

O

1,3,4-Oxadiazole – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535

Obesity – Synthesis and evaluation of new arylsulfonamidomethylcyclohexyl derivatives as human neuropeptide Y Y₅ receptor antagonists for the treatment of obesity, 49

Opioids – A new synthetic approach of *N*-(4-amino-2-methylquinolin-6-yl)-2-(4-ethylphenoxyethyl)benzamide (JTC-801) and its analogues and their pharmacological evaluation as nociceptin receptor (NOP) antagonists, 1047

Orally active – Orally active PDE4 inhibitor with therapeutic potential, 555

Oxaliplatin – Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible, 707

Oxazolidinone – Novel Mannich ketones of oxazolidinones as antibacterial agents, 989

Oxidosqualene cyclase – Umbelliferone aminoalkyl derivatives, a new class of squalene-hopene cyclase inhibitors, 917

Oxindoles – Synthesis and biological evaluation of oxindoles and benzimidazolinones derivatives, 453

P

³¹P-NMR – A comparative study of the hydrolysis pathways of substituted aryl phosphoramidate versus aryl thiophosphoramidate derivatives of stavudine, 665

P2X – Structure–activity relationships of analogues of NF449 confirm NF449 as the

most potent and selective known P2X₁ receptor antagonist, 345

P2Y – Structure–activity relationships of analogues of NF449 confirm NF449 as the most potent and selective known P2X₁ receptor antagonist, 345

PABA – Arylsulfonyl acridinyl derivatives acting on *Plasmodium falciparum*, 735

Palladium – Synthesis, characterisation, activities, cell uptake and DNA binding of [{*trans*-PtCl(NH₃)₂] {μ-(H₂N(CH₂)₆NH₂)} {*trans*-PdCl(NH₃)₂}(NO₃)Cl, 947

Palladium (II) complexes – Synthesis, characterization and in vitro Antiamoebic Activity of 5-nitrothiophene-2-carboxaldehyde thiosemicarbazones and their Palladium (II) and Ruthenium (II) Complexes, 459

Parallel synthesis – Synthesis by microwave irradiation of a substituted benzoxazine parallel library with preferential relaxant activity for guinea pig trachealis, 815

Pathogen inactivation – Synthesis of pathogen inactivating nucleic acid intercalators, 975

PDE4 inhibitor – Orally active PDE4 inhibitor with therapeutic potential, 555

PEGylation – PEG–Ara-C conjugates for controlled release, 123

Pentamidine – Piperazine-linked bisbenzamidines: a novel class of antileishmanial agents, 547

Peptidyl derivatives – Synthesis, antitumour and antimicrobial activities of new peptidyl derivatives containing the 1,3-benzodioxole system, 1059

Pharmacophore – Structure–activity relationship study of antimalarial indolo [2,1-b]quinazoline-6,12-diones (tryptanthrins). Three dimensional pharmacophore modeling and identification of new antimalarial candidates, 59

Phorbol ester – Conformationally constrained diacylglycerol (DAG) analogs: 4-C-hydroxyethyl-5-*O*-acyl-2,3-dideoxy-D-glyceropentono-1,4-lactone analogs as protein kinase C (PKC) ligands, 69

Phosphonopeptides – Design, synthesis and activity of bisubstrate, transition-state analogues and competitive inhibitors of aspartate transcarbamylase, 333

Phosphoramides – A comparative study of the hydrolysis pathways of substituted aryl phosphoramidate versus aryl thiophosphoramidate derivatives of stavudine, 665

Phototoxicity – 1,4,8-Trimethylfuro[2,3-*H*]quinolin-2(1*H*)-one, a new furocoumarin bioisoster, 411

Phthalazinone – Some pyrrole substituted aryl pyridazinone and phthalazinone derivatives and their antihypertensive activities, 1089

Physicochemical properties – Synthesis and antibacterial activity of 2-(4-substituted phenyl)-3(2*H*)-isothiazolones, 699

Piperidin-4-one – Synthesis and study of antibacterial and antifungal activities of novel 1-[2-(benzoxazol-2-yl)ethoxy]- 2,6-diarylpiperidin-4-ones, 527

Piritrexim – Structural variations of piritrexim, a lipophilic inhibitor of human di-

hydrofolate reductase: synthesis, antitumor activity and molecular modeling investigations, 1079

Plasma stability – Structural requirements of the N-terminal region of GLP-1-[7-37]-NH₂ for receptor interaction and cAMP production, 473

Plasmodium falciparum – Arylsulfonyl acridinyl derivatives acting on *Plasmodium falciparum*, 735

Platinum – Synthesis, characterization and cytotoxicity evaluation of some new platinum(II) complexes of tetrazolo[1,5-*a*]quinolines, 499 – Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible, 707 – Synthesis, characterisation, activities, cell uptake and DNA binding of [{*trans*-PtCl(NH₃)₂] {μ-(H₂N(CH₂)₆NH₂)} {*trans*-PdCl(NH₃)₂}(NO₃)Cl, 947

Predicting blood brain barrier permeation – Potential prodrugs of non-steroidal anti-inflammatory agents for targeted drug delivery to the CNS, 715

Prodrugs – Potential prodrugs of non-steroidal anti-inflammatory agents for targeted drug delivery to the CNS, 715

Propenoic acid derivatives – Synthesis and biological activity of new derivatives of 3-(3,4-diaryl-1,2,4-triazole-5-yl)propenoic acid, 873

Prostacyclin I₂ receptor – LIV-3D-QSAR models for PGI₂ receptor ligands using multiple conformations, 359

Prostaglandin endoperoxide analogues – Synthesis, immunomodulating activity and ¹H NMR studies of 7-oxo-9,11-ethano-13-azaprostanooids, 389

Prostanoids – Synthesis, immunomodulating activity and ¹H NMR studies of 7-oxo-9,11-ethano-13-azaprostanooids, 389

Protein kinase C – Conformationally constrained diacylglycerol (DAG) analogs: 4-C-hydroxyethyl-5-*O*-acyl-2,3-dideoxy-D-glyceropentono-1,4-lactone analogs as protein kinase C (PKC) ligands, 69

Protein tyrosine kinase inhibitors – Salicylanilides as inhibitors of the protein tyrosine kinase epidermal growth factor receptor, 11

Pyrazolines – Synthesis and antiinflammatory activity of heterocyclic indole derivatives, 449

Pyrazolo-pyrimidine – Antiproliferative activity of new 1-aryl-4-amino-1*H*-pyrazolo[3,4-*d*]pyrimidine derivatives toward the human epidermoid carcinoma A431 cell line, 939

Pyrazolo-pyrimidines – Synthesis of 1-(2-chloro-2-phenylethyl)-6-methylthio-1*H*-pyrazolo[3,4-*d*]pyrimidines 4-amino substituted and their biological evaluation, 153

Pyridazinone – Some pyrrole substituted aryl pyridazinone and phthalazinone derivatives and their antihypertensive activities, 1089

Pyrido[2,3-*d*]pyrimidines – Structural variations of piritrexim, a lipophilic inhibitor

of human dihydrofolate reductase: synthesis, antitumor activity and molecular modeling investigations, 1079

Pyrrole – Some pyrrole substituted aryl pyridazinone and phthalazinone derivatives and their antihypertensive activities, 1089

Q

3D-QSAR – LIV-3D-QSAR models for PGI₂ receptor ligands using multiple conformations, 359

QSAR – Structure-activity relationship study of antimalarial indolo [2,1-b]quinazoline-6,12-diones (tryptanthrins). Three dimensional pharmacophore modeling and identification of new antimalarial candidates, 59 – Quantitative structure activity relationship studies of diaryl furanones as selective COX-2 inhibitors, 383 – QSAR study on carbonic anhydrase inhibitors: aromatic/heterocyclic sulfonamides containing 8-quinoline-sulfonyl moieties, with topical activity as antiglaucoma agents, 593 – 3D QSAR studies on antimalarial alkoxylated and hydroxylated chalcones by CoMFA and CoMSIA, 745 – Esters, amides and substituted derivatives of cinnamic acid: synthesis, antimicrobial activity and QSAR investigations, 827 – 8-Substituted-9-deazaxanthines as adenosine receptor ligands: design, synthesis and structure-affinity relationships at A_{2B}, 879 – Quantitative structure activity relationship studies of diaryl furanones as selective COX-2 inhibitors, 899

Quinolones – Synthesis of 4-hydroxycoumarin and 2,4-quinolinediol derivatives and evaluation of their effects on the viability of HepG2 cells and human hepatocytes culture, 931

Quinones – 4-Anilinoquinazolines with Lavendustin A subunit as inhibitors of epidermal growth factor receptor tyrosine kinase: syntheses, chemical and pharmacological properties, 1001

Quinoxaline 1,4-dioxides – Synthesis, antimycobacterial, anti-trichomonas and anticandida in vitro activities of 2-substituted-6,7-difluoro-3-methylquinoxaline 1,4-dioxides, 195

R

Radioimmunotherapy – Influence of *trans*-1,2-diaminocyclohexane structure and mixed carboxylic/phosphonic group combinations on samarium-153 chelation capacity and stability, 467

Reactive oxygen species – 1,4,8-Trimethylfuro[2,3-*H*]quinolin-2(1*H*)-one, a new furocoumarin bioisoster, 411

Reductive alkylation – Synthesis and cytotoxicity study of alkannin derivatives, 755

Regression analysis – QSAR study on carbonic anhydrase inhibitors: aromatic/heterocyclic sulfonamides containing 8-quinoline-sulfonyl moieties, with topical activity as antiglaucoma agents, 593

Relaxant activity – Synthesis by microwave irradiation of a substituted benzoxazine pa-

rallel library with preferential relaxant activity for guinea pig trachealis, 815

Ring-substituted-1*H*-imidazole-4-carboxylic acid derivatives – Ring-substituted imidazoles as a new class of anti-tuberculosis agents, 805

RNA-protein cross-links – 1,4,8-Trimethylfuro[2,3-*H*]quinolin-2(1*H*)-one, a new furocoumarin bioisoster, 411

Ruthenium (II) complexes – Ruthenium (II) nitrofurylsemicarbazone complexes: new DNA binding agents, 377 – Synthesis, characterization and in vitro Antiamoebic Activity of 5-nitrothiophene-2-carboxaldehyde thiosemicarbazones and their Palladium (II) and Ruthenium (II) Complexes, 459

S

β-Santalol – Structure-activity relationships of sandalwood odorants: synthesis and odor of tricyclo β-santalol, 1039

S-(5-Chloro-4-methyl-2-sulfamoylphenyl)alkanethio (or benzothio)hydrazonates – Synthesis of a new series of 4-chloro-2-mercapto-5-methylbenzenesulfonamide derivatives with potential antitumor activity, 179

2-Styrylquinazolinones – Synthesis, cytotoxicity, and inhibitory effects on tubulin polymerization of a new 3-heterocyclo substituted 2-styrylquinazolinones, 299

5-Substituted tetrazole derivatives – Synthesis of novel substituted tetrazoles having antifungal activity, 579

S-23906 – Benzo[*b*]acronycine derivatives: a novel class of antitumor agents, 649

Safrole – Synthesis, antitumor and antimicrobial activities of new peptidyl derivatives containing the 1,3-benzodioxole system, 1059

Salicylanilides – Salicylanilides as inhibitors of the protein tyrosine kinase epidermal growth factor receptor, 11 – 4-Anilinoquinazolines with Lavendustin A subunit as inhibitors of epidermal growth factor receptor tyrosine kinase: syntheses, chemical and pharmacological properties, 1001

Samarium-153 – Influence of *trans*-1,2-diaminocyclohexane structure and mixed carboxylic/phosphonic group combinations on samarium-153 chelation capacity and stability, 467

SAR – Synthesis, anti-mycobacterial, anti-trichomonas and anti-candida in vitro activities of 2-substituted-6,7-difluoro-3-methylquinoxaline 1,4-dioxides, 195

Scoring function – Is it possible docking and scoring new ligands with few experimental data? Preliminary results on estrogen receptor as a case study, 601

Serotonin antagonists – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481

Serum stability – Influence of *trans*-1,2-diaminocyclohexane structure and mixed carboxylic/phosphonic group combinations on samarium-153 chelation capacity and stability, 467

Spatial arrangement – Orally active PDE4 inhibitor with therapeutic potential, 555

Squalene-hopene cyclase – Umbelliferone aminoalkyl derivatives, a new class of squalene-hopene cyclase inhibitors, 917

Stavudine – A comparative study of the hydrolysis pathways of substituted aryl phosphoramidate versus aryl thiophosphoramidate derivatives of stavudine, 665

Structure-odor relationship – Structure-activity relationships of sandalwood odorants: synthesis and odor of tricyclo β-santalol, 1039

Styrylbenzenes – Fluoro-substituted and ¹³C-labeled styrylbenzene derivatives for detecting brain amyloid plaques, 573

Sub-structural approach – A topological sub-structural approach for predicting human intestinal absorption of drugs, 905

Substituted 4-(1-piperazinyl)coumarins – Synthesis and in vitro inhibitory activity on human platelet aggregation of novel properly substituted 4-(1-piperazinyl)coumarins, 397

Substituted benzoxazepines – Synthesis and pharmacological evaluation of newer substituted benzoxazepine derivatives as potent anticonvulsant agents, 369

Substituted pyridines and purines containing 2,4-thiazolidinedione – Synthesis and biological activity of novel substituted pyridines and purines containing 2,4-thiazolidinedione, 433

Sulfones – Synthesis of 9-acridinyl sulfur derivatives: sulfides, sulfoxides and sulfones. Comparison of their activity on tumour cells, 1029

Sulfoxides – Synthesis of 9-acridinyl sulfur derivatives: sulfides, sulfoxides and sulfones. Comparison of their activity on tumour cells, 1029

Suramin – Structure-activity relationships of analogues of NF449 confirm NF449 as the most potent and selective known P2X₁ receptor antagonist, 345

T

1,3,4-Thiadiazole – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535

1,2,4-Triazine – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535

1,2,4-Triazole – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535

Tacrine – Tetrahydroacridin-9-ones, 9-chlorotetrahydroacridines, 9-amino-tetrahydro-

acridines and 9-(pyrazol-1-yl)-tetrahydroacridines derived from chiral cyclanones, 37

Terpenyl pyrimidines – Synthesis and antileishmanial profile of some novel terpenyl pyrimidines, 969

Tetrazolo[1,5-a]quinolines derivatives – Synthesis, characterization and cytotoxicity evaluation of some new platinum(II) complexes of tetrazolo[1,5-a]quinolines, 499

Thiazoles – Synthesis of some new 5-(2-substituted-1,3-thiazol-5-yl)-2-hydroxy benzamides and their 2-alkoxy derivatives as possible antifungal agents, 867

Thiazolodihydropyrimidinones – One pot synthesis of thiazolodihydropyrimidinones and evaluation of their anticancer activity, 777

Thioacetamide – Synthesis of some new 5-(2-substituted-1,3-thiazol-5-yl)-2-hydroxy benzamides and their 2-alkoxy derivatives as possible antifungal agents, 867

Thiophenecarboxaldehyde – New α -(*N*)-heterocyclichydrazones: evaluation of anticancer, anti-HIV and antimicrobial activity, 113

Thiophosphoramides – A comparative study of the hydrolysis pathways of substituted aryl phosphoramidate versus aryl thiophosphoramidate derivatives of stavudine, 665

Thiosemicarbazones – Synthesis, characterization and in vitro Antiamoebic Activity of 5-nitrothiophene-2-carboxaldehyde thiosemicarbazones and their Palladium (II) and Ruthenium (II) Complexes, 459

Thiourea – Synthesis of some new 5-(2-substituted-1,3-thiazol-5-yl)-2-hydroxy benzamides and their 2-alkoxy derivatives as possible antifungal agents, 867

Three component reaction – One pot synthesis of thiazolodihydropyrimidinones and evaluation of their anticancer activity, 777

Topoisomerase – Synthesis and cytotoxic activity of substituted 7-aryliminomethyl derivatives of camptothecin, 507

Transplatin – Studies on the synthesis and characterization of four *trans*-planar platinum(II) complexes of the form *trans*-PtL(NH₃)Cl₂ where L = 2-hydroxypyridine, 3-hydroxypyridine, imidazole, and imidazo(1,2-*a*)pyridine, 691

Triazoles – Synthesis and antimicrobial activities of some new 1-(5-phenylamino-[1,3,4]thiadiazol-2-yl)methyl-5-oxo-[1,2,4]-triazole and 1-(4-phenyl-5-thioxo-[1,2,4]-triazol-3-yl)methyl-5-oxo-[1,2,4]triazole derivatives, 793

Triazolopyrimidines – Organoiodine (III) mediated synthesis of 3-aryl/heteryl-5,7-dimethyl-1,2,4-triazolo[4,3-*a*]pyrimidines as antibacterial agents, 1073

Triglyceride accumulation – Synthesis and biological activity of novel substituted pyridines and purines containing 2,4-thiazolidinedione, 433

Trypanosoma cruzi – Studies on the trypanocidal activity of semi-synthetic pyran[*b*-4,3]naphtho[1,2-*d*]imidazoles from β -lapachone, 639

Tuberculosis – Ring-substituted imidazoles as a new class of anti-tuberculosis agents, 805

Tuberculosis inhibition – Synthesis and anti-tuberculosis activity of *N*-aryl-*C*-nitroazoles, 849

Tyrosine kinase – Antiproliferative activity of new 1-aryl-4-amino-1*H*-pyrazolo[3,4-*d*]-

pyrimidine derivatives toward the human epidermoid carcinoma A431 cell line, 939

U

Ulcerogenic activity – Synthesis and antiinflammatory activity of heterocyclic indole derivatives, 449 – Synthesis and anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation activities of some new 2-[(2,6-dichloroanilino) phenyl]acetic acid derivatives, 535

V

Valence connectivity – QSAR study on carbonic anhydrase inhibitors: aromatic/heterocyclic sulfonamides containing 8-quinoline-sulfonyl moieties, with topical activity as antiglaucoma agents, 593

Vasodilator activity – Synthesis and biological activity of novel substituted benzanilides as potassium channel activators. V, 491

W

Wittig reaction – Synthesis and evaluation of the antioxidant and antiinflammatory activities of some benzo[*l*]khellactone derivatives and analogues, 323

X

X-ray – Tetrahydroacridin-9-ones, 9-chlorotetrahydroacridines, 9-amino-tetrahydroacridines and 9-(pyrazol-1-yl)-tetrahydroacridines derived from chiral cyclanones, 37 – Dopamine/serotonin receptor ligands. Part VIII^[1]: the dopamine receptor antagonist LE300 - modelled and X-ray structure plus further pharmacological characterization, including serotonin receptor binding, biogenic amine transporter testing and in vivo testings, 481