

Index des mots clés

- α -Ionone** – Antileishmanial agents part-IV: synthesis and antileishmanial activity of novel terpenyl pyrimidines, 552
- β -Carboline** – Synthesis and in vitro cytotoxic evaluation of 1,3-bisubstituted and 1,3,9-trisubstituted β -carboline derivatives, 249
- β -Lactam** – Carbapenem-based prodrugs. Design, synthesis, and biological evaluation of carbapenems, 339
- β -Lactamase inhibitor** – Carbapenem-based prodrugs. Design, synthesis, and biological evaluation of carbapenems, 339
- β -Lactamases** – AMBER force field implementation of the boronate function to simulate the inhibition of β -lactamases by alkyl and aryl boronic acids, 1134
- β -tetralonohydantoins** – Synthesis and 5-HT_{1A}, 5-HT_{2A} receptor activity of new β -tetralonohydantoins, 820
- β -Turn** – Aromatic–aromatic and proline–aromatic interactions in endomorphin-1 and endomorphin-2, 674
- γ -Turn** – Aromatic–aromatic and proline–aromatic interactions in endomorphin-1 and endomorphin-2, 674
- 1,2,3-Benzothiadiazoles** – Synthesis and antibacterial activity of some 5-(4-biphenyl)-7-aryl[3,4-d] [1,2,3]-benzothiadiazoles, 728
- 1,2,3-Triazoles** – Benzoyl and/or benzyl substituted 1,2,3-triazoles as potassium channel activators. VIII, 521
- 1,2,4-Triazole-3-(2H)thiones** – Synthesis and antimicrobial study of novel heterocyclic compounds from hydroxybenzophenones, 1156
- 1,2,4-Triazolidin-3-thiones** – Synthesis and study of antibacterial and antifungal activities of novel 8-methyl-7,9-diaryl-1,2,4,8-tetraazaspiro[4.5]decan-3-thiones, 694
- 1,2,4-Triazolo thiadiazines** – Synthesis and antimicrobial study of novel heterocyclic compounds from hydroxybenzophenones, 1156
- 1,3,4-Oxadiazole-2-(3H)thiones** – Synthesis and antimicrobial study of novel heterocyclic compounds from hydroxybenzophenones, 1156
- 1,3,4-Thiadiazole** – Synthesis and in vitro leishmanicidal activity of 2-(1-methyl-5-nitro-1H-imidazol-2-yl)-5-substituted-1,3,4-thiadiazole derivatives, 1346
- 1,3-Dipolar cycloaddition** – Synthesis, characterization and antimicrobial activity of some substituted 1,2,3-triazoles, 1173
- 1,4-Naphthoquinones** – Synthesis and antifungal activity of 2/3-arylthio- and 2,3-bis(arylthio)-5-hydroxy-/5-methoxy-1,4-naphthoquinones, 438
- 1,5-Diarylpyrazoles** – Synthesis and SAR/3D-QSAR studies on the COX-2 inhibitory activity of 1,5-diarylpyrazoles to validate the modified pharmacophore, 977
- 1-[(2-Benzooxazole)-4-*n*-propyl]piperazine** – Non-imidazole histamine H₃ ligands. Part III. New 4-*n*-propylpiperazines as non-imidazole histamine H₃-antagonists, 15
- 1-[(2-Benzothiazole)-4-*n*-propyl]piperazine** – Non-imidazole histamine H₃ ligands. Part III. New 4-*n*-propylpiperazines as non-imidazole histamine H₃-antagonists, 15
- 1-[(2-Thiazolopyridine)-4-*n*-propyl]piperazines** – Non-imidazole histamine H₃ ligands. Part III. New 4-*n*-propylpiperazines as non-imidazole histamine H₃-antagonists, 15
- 1-aryl piperazine derivatives** – Synthesis and 5-HT_{1A}, 5-HT_{2A} receptor activity of new β -tetralonohydantoins, 820
- ¹⁸F** – Structural changes of benzylether derivatives of vesamicol and their influence on the binding selectivity to the vesicular acetylcholine transporter, 1197
- 1[(2-Oxazolopyridine)-4-*n*-propyl]piperazines** – Non-imidazole histamine H₃ ligands. Part III. New 4-*n*-propylpiperazines as non-imidazole histamine H₃-antagonists, 15
- 1H-benzimidazole-carboxamides** – Synthesis and potent antibacterial activity against MRSA of some novel 1,2-disubstituted-1H-benzimidazole-*N*-alkylated-5-carboxamides, 1062
- 1H-pyrrolo[3,4-*c*]quinoline** – Pyrrolo[3,4-*c*]quinoline-1,3-diones as potent caspase-3 inhibitors. Synthesis and SAR of 2-substituted 4-methyl-8-(morpholine-4-sulfonyl)-pyrrolo[3,4-*c*]quinoline-1,3-diones, 1377
- 2,6-di-O-Methyl- β -cyclodextrin** – Preparation of celecoxib-dimethyl- β -cyclodextrin inclusion complex: characterization and in vitro permeation study, 624
- 2- α -Hydroxybenzylbenzimidazole** – Synthesis, in vitro cytotoxic and antiviral activity of *cis*-[Pt(R(–) and S(+)-2- α -hydroxybenzylbenzimidazole)₂Cl₂] complexes, 135
- 2-(2,3-Dihydrothiazol-5-yl)benzoxazoles** – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949
- 2-Arylamino-2-imidazolines** – The synthesis and antimicrobial activity of some new methyl *N*-arylthiocarbamates, dimethyl *N*-aryldithiocarbonimides and 2-aryl-amino-2-imidazolines, 687
- 2-Arylidencynomethylbenzoxazoles** – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949
- 2-Cynomethylbenzoxazole** – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949
- 2-Hydrazonocynomethylbenzoxazoles** – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949
- 2-Nitrobenzylsulphanylbenzimidazoles** – Synthesis and antimicrobial activity of 2-substituted halogenobenzimidazoles, 203
- 2-Polyfluoroalkylbenzimidazoles**, *Mycobacterium tuberculosis* – Synthesis and antimicrobial activity of 2-substituted halogenobenzimidazoles, 203
- 2-Thiocarbamoylcyanomethylbenzoxazoles** – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949
- 2H-1,4-benzoxazine-3(4H)-one** – Design and synthesis of novel platelet fibrinogen receptor antagonists with 2H-1,4-benzoxazine-3(4H)-one scaffold. A systematic study, 25
- 3-(1-Pyridinio)pyridine-6-thiolates** – 3,4-*trans*-4-Aryl-3-(1-pyridinio)-1,2,3,4-tetrahydropyridine-6-thiolates—new group of potential cardiotonic drugs, 1163
- 3D-QSAR** – 3D-QSAR, Synthesis, and antimicrobial activity of 1-Alkylpyridinium Compounds as Potential Agents to Improve Food Safety, 840 – Synthesis and SAR/3D-QSAR studies on the COX-2 inhibitory activity of 1,5-diarylpyrazoles to validate the modified pharmacophore, 977
- 3H-pyrido[2,1-*b*]benzoxazoles** – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949
- 4-Aminobicyclo[2.2.2]octane derivatives** – Synthesis and evaluation of the antitrypanosomal and antiparasitoid activities of new 4-aminobicyclo[2.2.2]octane derivatives, 888
- 4-Aminopyridine** – Development of novel 4-aminopyridine derivatives as potential treatments for neurological injury and disease, 908
- 4-Aminopyridine derivatives** – Development of novel 4-aminopyridine derivatives as potential treatments for neurological injury and disease, 908
- 4-Anilino-2-phenylquinoline derivatives** – Synthesis and cytotoxic evaluation of certain 4-anilino-2-phenylquinoline derivatives, 792
- 4-Anilino-furo[2,3-*b*]quinoline** – Synthesis and anticancer evaluation of certain 4-anilino-furo[2,3-*b*]quinoline and 4-anilino-furo[3,2-*c*]quinoline derivatives, 928
- 4-Anilino-furo[3,2-*c*]quinoline** – Synthesis and anticancer evaluation of certain 4-anilino-furo[2,3-*b*]quinoline and 4-anilino-furo[3,2-*c*]quinoline derivatives, 928
- 4-azido-8-(trifluoromethyl)quinoline** – Synthesis, characterization and antimicrobial

- activity of some substituted 1,2,3-triazoles, 1173
- 4-Chloro-2-mercapto-*N*-(1,2,4-triazin-3-yl)benzenesulfonamide** – Synthesis, molecular structure, and *in vitro* antitumor activity of new 4-chloro-2-mercapto-benzenesulfonamide derivatives, 377
- 4-Methylthiosemicarbazones** – Synthesis and evaluation of the antitrypanosomal and antiplasmodial activities of new 4-amino-bicyclo[2.2.2]octane derivatives, 888
- 5-Arylidene imidazolidine-2,4-dione derivatives** – Synthesis, structure–activity relationship of some new anti-arrhythmic 5-arylidene imidazolidine-2,4-dione derivatives, 259
- 5-Fluoro-2'-deoxyuridine derivatives** – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494
- 5-HT_{1A} receptor** – Synthesis, dopamine D₂ receptor binding studies and docking analysis of 5-[3-(4-arylpiperazin-1-yl)propyl]-1*H*-benzimidazole, 5-[2-(4-arylpiperazin-1-yl)ethoxy]-1*H*-benzimidazole and their analogs, 481
- 5-HT_{1A}/5-HT_{2A} functional activity** – Synthesis and 5-HT_{1A}, 5-HT_{2A} receptor activity of new β -tetralonohydantoins, 820
- 5-Nitro-1*H*-imidazole** – Synthesis and *in vitro* leishmanicidal activity of 2-(1-methyl-5-nitro-1*H*-imidazol-2-yl)-5-substituted-1,3,4-thiadiazole derivatives, 1346
- 5-Nitro-2-carboxaldehyde** – Novel bidentate complexes of Cu(II) derived from 5-nitro-2-carboxaldehyde thiosemicarbazones with antimicrobial activity against *E. histolytica*, 557
- 5HT_{1A}, 5HT_{2A}, D₁/D₂ receptor affinity** – Synthesis and 5-HT_{1A}, 5-HT_{2A} receptor activity of new β -tetralonohydantoins, 820
- 7-Azaindole** – Synthesis and cytotoxicities of 7-aza rebeccamycin analogues bearing various substituents on the sugar moiety, on the imide nitrogen and on the carbazole framework, 961
- [1,2,4]Triazolo[4,3-*a*] [1,8]naphthyridines** – 1,8-Naphthyridines V. Novel *N*-substituted 5-amino-*N,N*-diethyl-9-isopropyl [1,2,4]triazolo[4,3-*a*] [1,8]naphthyridine-6-carboxamides, as potent anti-inflammatory and/or analgesic agents completely devoid of acute gastrolesivity, 155
- A**
- A_{2A} adenosine receptor antagonists** – Derivatives of 4,6-diamino-1,2-dihydro-2-phenyl-1,2,4-triazolo[4,3-*a*]quinoxalin-2*H*-1-one: potential antagonist ligands for imaging the A_{2A} adenosine receptor by positron emission tomography (PET), 421
- A_{2A} adenosine receptors agonists** – GE-TAWAY descriptors to predicting A_{2A} adenosine receptors agonists, 1080
- Acetoxy-4-methyl coumarin** – Synthesis of novel amino and acetyl amino-4-methyl-coumarins and evaluation of their antioxidant activity, 413
- Acetylcholine** – *p*-Aminobenzoic acid derivatives as acetylcholinesterase inhibitors, 732
- Acetylcholinesterase** – *p*-Aminobenzoic acid derivatives as acetylcholinesterase inhibitors, 732 – Synthesis and biological evaluation as AChE inhibitors of new indanones and thianthranones related to donepezil, 1222
- Activated factor X inhibitors** – Ligand-based assessment of factor Xa binding site flexibility via elaborate pharmacophore exploration and genetic algorithm-based QSAR modeling, 701
- Active site flexibility** – Ligand-based assessment of factor Xa binding site flexibility via elaborate pharmacophore exploration and genetic algorithm-based QSAR modeling, 701
- Acute toxicity** – New triorganotin(IV) derivatives of dipeptides as anti-inflammatory–antimicrobial agents, 289 – Design, synthesis and *in vitro* and *in vivo* antitumor activities of novel β -carboline derivatives, 991 – Novel milrinone analogs of pyridine-3-carbonitrile derivatives as promising cardiotoxic agents, 1405
- Acylhydrazones** – Synthesis, stereochemistry and biological activity of some novel long alkyl chain substituted thiazolidin-4-ones and thiazan-4-one from 10-undecenoic acid hydrazide, 173
- ADL** – Unified drug–target interaction thermodynamic Markov model using stochastic entropies to predict multiple drugs side effects, 1030
- ADME** – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-*b*]pyridin-6-ones as potential hypnotic drugs, 1179
- Adrenomedullin** – Adrenomedullin: a new target for the design of small molecule modulators with promising pharmacological activities, 737
- Alkannin derivatives** – The molecular mechanisms involved in the cytotoxicity of alkannin derivatives, 1341
- Alkylpyridinium analogues** – 3D-QSAR, Synthesis, and antimicrobial activity of 1-Alkylpyridinium Compounds as Potential Agents to Improve Food Safety, 840
- Alpha-bromoacryloyl** – Synthesis and biological activity of alpha-bromoacryloyl lexi-tropsin conjugates, 1123
- Alzheimer disease** – Synthesis and biological evaluation as AChE inhibitors of new indanones and thianthranones related to donepezil, 1222
- Alzheimer's disease** – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331
- AM1** – A quantum chemical and statistical study of ganoderic acids with cytotoxicity against tumor cell, 972
- Amber** – AMBER force field implementation of the boronate function to simulate the inhibition of β -lactamases by alkyl and aryl boronic acids, 1134
- Amides** – *p*-Aminobenzoic acid derivatives as acetylcholinesterase inhibitors, 732
- Amido-imido tautomerism** – Antinociceptive activity of new imidazolidine carbonyl derivatives, 127
- Animals** – Synthesis, spectroscopic and biological properties of bis(3-arylimidazolidinyl-1)methanes. A novel family of antimicrobial agents, 811
- Amino-4-methyl coumarin** – Synthesis of novel amino and acetyl amino-4-methyl-coumarins and evaluation of their antioxidant activity, 413
- Aminopeptidase N** – α -Aminoalkylphosphonates as a tool in experimental optimisation of P1 side chain shape of potential inhibitors in S1 pocket of leucine- and neutral aminopeptidases, 764
- Aminophosphonates** – α -Aminoalkylphosphonates as a tool in experimental optimisation of P1 side chain shape of potential inhibitors in S1 pocket of leucine- and neutral aminopeptidases, 764
- Aminosteroids** – Novel synthesized aminosteroidal heterocycles intervention for inhibiting iron-induced oxidative stress, 1283
- AMPA receptor antagonists** – Synthesis and pharmacological studies at the Gly/NMDA, AMPA and Kainate receptors of new oxazolo[4,5-*c*]quinolin-4-one derivatives bearing different substituents at position-2 and on the fused benzo ring, 897
- Amphiphilic heterodinucleoside phosphates** – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494
- Amphotericin-B** – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropane ligand and its Pd(II) and Zn(II) halide complexes, 1096
- Analgesic** – 1,8-Naphthyridines V. Novel *N*-substituted 5-amino-*N,N*-diethyl-9-isopropyl [1,2,4]triazolo[4,3-*a*] [1,8]naphthyridine-6-carboxamides, as potent anti-inflammatory and/or analgesic agents completely devoid of acute gastrolesivity, 155 – 2-Arylidene-4-(4-phenoxy-phenyl)but-3-en-4-olides: Synthesis, reactions and biological activity, 1394
- Anthracedione antitumor agents** – Molecular basis of the low activity of antitumor anthracenediones, mitoxantrone and ametantrone, in oxygen radical generation catalyzed by NADH dehydrogenase. Enzymatic and molecular modelling studies, 321
- Anthranilic acid** – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563

- Anti-arrhythmic activity** – Synthesis, structure–activity relationship of some new anti-arrhythmic 5-arylidene imidazolidine-2,4-dione derivatives, 259
- Anti-HBV activity** – A solid-phase approach to DDB derivatives, 805
- Anti-HIV activity** – Design, synthesis and bioactivities of TAR RNA targeting β -carboline derivatives based on Tat–TAR interaction, 831 – Synthesis, anti-HIV and antitubercular activities of lamivudine prodrugs, 1373
- Anti-HIV-1** – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949
- Anti-inflammatory** – Synthetic chalcones as potential anti-inflammatory and cancer chemopreventive agents, 103 – 1,8-Naphthyridines V. Novel *N*-substituted 5-amino-*N,N*-diethyl-9-isopropyl [1,2,4]triazolo[4,3-*a*] [1,8]naphthyridine-6-carboxamides, as potent anti-inflammatory and/or analgesic agents completely devoid of acute gastrolesivity, 155 – Synthesis and inhibition of PGE₂ production of 6,8-disubstituted chrysin derivatives, 943 – 2-Arylidene-4-(4-phenoxy-phenyl)but-3-en-4-olides: Synthesis, reactions and biological activity, 1394
- Anti-inflammatory activity** – New triorganotin(IV) derivatives of dipeptides as anti-inflammatory–antimicrobial agents, 289 – Synthesis and in vivo analgesic and anti-inflammatory activity of some bi heterocyclic coumarin derivatives, 882
- Anti-microbial activity** – An unexpected amide bond cleavage: poly (ethylene glycol) transport forms of vancomycin, 2, 798
- Anti-promastigote activity** – Synthesis and in vitro leishmanicidal activity of 2-(1-methyl-5-nitro-1*H*-imidazol-2-yl)-5-substituted-1,3,4-thiadiazole derivatives, 1346
- Antipsychotics** – Atypical and typical antipsychotic drug interactions with the dopamine D2 receptor, 185
- Anti-trypanocidal activity** – A structure–activity relationship study of quinone compounds with trypanocidal activity, 329 – A structure–activity relationship study of quinone compounds with trypanocidal activity, 329
- Anti-trypanosomal** – Synthesis and evaluation of the antitrypanosomal and antiplasmodial activities of new 4-aminobicyclo [2.2.2]octane derivatives, 888
- Anti-tumor** – The cytotoxic activity of ursolic acid derivatives, 582
- Antiacetylcholinesterase activity** – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331
- Antiamoebic activity** – Novel bidentate complexes of Cu(II) derived from 5-nitrofuran-2-carboxaldehyde thiosemicarbazones with antiamoebic activity against *E. histolytica*, 557 – Copper(II) complexes with substituted thiosemicarbazones of thiophene-2-carboxaldehyde: synthesis, characterization and antiamoebic activity against *E. histolytica*, 1414
- Antibacterial activity** – Syntheses and antibacterial activity of a series of 3-(pyridine-3-yl)-2-oxazolidinone, 209 – Synthesis of Schiff bases of 4-(4-aminophenyl)-morpholine as potential antimicrobial agents, 225 – Synthesis and antimicrobial activity of 4-phenyl/cyclohexyl-5-(1-phenoxyethyl)-3-[*N*-(2-thiazolyl)acetamido]thio-4*H*-1,2,4-triazole derivatives, 607 – Synthesis and study of anti-bacterial and antifungal activities of novel 8-methyl-7,9-diaryl-1,2,4,8-tetraazaspiro[4.5]decan-3-thiones, 694 – Synthesis and antibacterial activity of some 5-(4-biphenyl)-7-aryl[3,4-*d*] [1,2,3]-benzothiadiazoles, 728 – Synthesis of aryl-7,7-dimethyl-1,2,3,4,5,6,7,8-octahydroquinazoline-2-one/thione-5-one derivatives and evaluation as antibacterials, 816 – Synthesis and antibacterial activity of some new 1-heteroaryl-5-amino-4-phenyl-3-trifluoromethyl-pyrazoles, 922 – Synthesis and potent antibacterial activity against MRSA of some novel 1,2-disubstituted-1*H*-benzimidazole-*N*-alkylated-5-carboxamides, 1062 – Synthesis, antibacterial, antifungal activity and interaction of CT-DNA with a new benzimidazole derived Cu(II) complex, 1103 – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143 – One pot synthesis of oxygenated triheterocycles as anti-microbial agents, 1168 – Synthesis, characterization and antimicrobial activity of some substituted 1,2,3-triazoles, 1173 – Synthesis of new series of 1-Aryl-1,4-dihydro-4-oxo-6-methyl pyridazine-3-carboxylic acid as potential antibacterial agents, 1325
- Antibiotic** – Carbapenem-based prodrugs. Design, synthesis, and biological evaluation of carbapenems, 339
- Anticancer activity** – Discovery of pyrimidyl-5-hydroxamic acids as new potent histone deacetylase inhibitors, 597 – Synthesis, characterization, activities, cell uptake and DNA binding of trinuclear complex: [$\{trans\text{-PtCl}(\text{NH}_3)\}_2\mu\text{-}\{trans\text{-Pt}(\text{NH}_3)(2\text{-hydroxy-pyridine})\text{-}(\text{H}_2\text{N}(\text{CH}_2)_6\text{NH}_2)_2\}$] Cl₄, 772 – Synthesis and cytotoxic evaluation of certain 4-anilino-2-phenylquinoline derivatives, 792 – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949 – Synthesis of 2,6-diphenylpyrazine derivatives and their DNA binding and cytotoxic properties, 1206 – Synthesis and antiproliferative activity of 2,6-Dibenzylamino-3,5-dicyanopyridines on human cancer cell lines, 1365
- Anticancer complexes** – Synthesis and structure–activity relationships of mono- and dialkyl-substituted oxaliplatin derivatives, 1149
- Anticancer prodrugs** – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494
- Anticonvulsant properties** – Synthesis, structure–activity relationship of some new anti-arrhythmic 5-arylidene imidazolidine-2,4-dione derivatives, 259
- Antiepileptic** – Synthesis and biological evaluation of new GABA-uptake inhibitors derived from proline and from pyrrolidine-2-acetic acid, 231
- Antifungal activity** – Synthesis of Schiff bases of 4-(4-aminophenyl)-morpholine as potential antimicrobial agents, 225 – Synthesis and antimicrobial activity of 4-phenyl/cyclohexyl-5-(1-phenoxyethyl)-3-[*N*-(2-thiazolyl)acetamido]thio-4*H*-1,2,4-triazole derivatives, 607 – Synthesis and antifungal activity of 2/3-arylthio- and 2,3-bis(arylthio)-5-hydroxy-/5-methoxy-1,4-naphthoquinones, 438 – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiapropane ligand and its Pd(II) and Zn(II) halide complexes, 1096 – Synthesis and study of antibacterial and antifungal activities of novel 8-methyl-7,9-diaryl-1,2,4,8-tetraazaspiro[4.5]decan-3-thiones, 694 – Synthesis, characterization and antimicrobial activity of some substituted 1,2,3-triazoles, 1173 – Tin(IV) complexes of pyrrolidinedithiocarbamate: synthesis, characterisation and antifungal activity, 1277
- Antileishmanial agents** – Antileishmanial agents part-IV: synthesis and antileishmanial activity of novel terphenyl pyrimidines, 552
- Antimalarial activity** – Non-thiol farnesyltransferase inhibitors: *N*-(4-aminoacylamino-3-benzoylphenyl)-3-[5-(4-nitrophenyl)-2 furyl]acrylic acid amides and their antimalarial activity, 93 – Synthesis and antimalarial activity of E-2-quinolinylbenzocycloalcanones, 875 – Synthesis and evaluation of the antitrypanosomal and antiplasmodial activities of new 4-aminobicyclo [2.2.2]octane derivatives, 888 – Synthesis and antimalarial activities of some furoxan sulfones and related furazans, 1335
- Antimetabolites** – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494
- Antimicrobial activity** – Biological and physicochemical properties of gemini quaternary ammonium compounds in which the positions of a cross-linking sulfur in the spacer differ, 113 – Synthesis, stereochemistry and biological activity of some novel long alkyl chain substituted thiazolidin-4-ones and thiazan-4-one from 10-undecenoic acid hydrazide, 173 – New triorganotin(IV) derivatives of dipeptides as anti-inflammatory–antimicrobial agents, 289 – Benzenesulfonamide analogs of fluoroquinolones. Antibacterial activity and QSAR studies, 361 – Antibacterial and antifungal activity

- ties of new pyrazolo[3,4-*d*]pyridazin derivatives, 401 – Synthetic studies on cyclic octapeptides: Yunnanin F and Hymenistatin, 407 – The synthesis and antimicrobial activity of some new methyl *N*-arylthiocarbamates, dimethyl *N*-aryldithiocarbonylimidates and 2-arylamino-2-imidazolines, 687 – Synthesis, spectroscopic and biological properties of bis(3-arylimidazolidinyl-1)methanes. A novel family of antimicrobial agents, 811 – Synthesis of some novel benzoxazole derivatives as anticancer, anti-HIV-1 and antimicrobial agents, 949 – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiapropane ligand and its Pd(II) and Zn(II) halide complexes, 1096 – Synthesis and antimicrobial study of novel heterocyclic compounds from hydroxybenzophenones, 1156 – Synthesis and antimicrobial activity of some novel derivatives of benzofuran: part 1. Synthesis and antimicrobial activity of (benzofuran-2-yl)(3-phenyl-3-methyl-cyclobutyl) ketoxime derivatives, 1351 – 2-Arylidene-4-(4-phenoxyphenyl)but-3-en-4-olides: Synthesis, reactions and biological activity, 1394
- Antimitotic** – Synthesis and evaluation of double bond substituted combretastatins, 529
- Antimycobacterial activity** – Synthesis and antimycobacterial activity of 2-substituted halogenobenzimidazoles, 203 – Synthesis, anti-HIV and antitubercular activities of lamivudine prodrugs, 1373
- Antinociception** – Antinociceptive activity of new imidazolidine carbonyl derivatives., 127
- Antinociceptive activity** – Synthesis and antinociceptive activity of some substituted-{5-[2-(1,2,3,4-tetrahydrocarbazol-9-yl)ethyl]tetrazol-1-yl}alkanones, 1359
- Antioxidant** – Synthesis of novel amino and acetyl amino-4-methylcoumarins and evaluation of their antioxidant activity, 413
- Antiplatelet activity** – Synthesis and antiplatelet activity of thioaryloxyacids analogues of clofibric acid, 918
- Antiproliferative activity** – Epoxide-containing side chains enhance antiproliferative activity of paullones, 655
- Antitubercular** – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143
- Antitumor activity** – Histone deacetylase inhibitors, 1 – Synthesis, molecular structure, and *in vitro* antitumor activity of new 4-chloro-2-mercaptobenzenesulfonamide derivatives, 377 – Novel Cu(II) quinoxaline *N*¹,*N*⁴-dioxide complexes as selective hypoxic cytotoxins, 473 – Synthesis and cytotoxicities of 7-aza rebeccamycin analogues bearing various substituents on the sugar moiety, on the imide nitrogen and on the carbazole framework, 961 – Design, synthesis and *in vitro* and *in vivo* antitumor activities of novel β -carboline derivatives, 991 – Antiproliferative activities of iron and platinum conjugates of salicylaldehyde semi-/thiosemicarbazones against C6 glioma cells, 1052
- Antiviral activity** – Synthesis, *in vitro* cytotoxic and antiviral activity of *cis*-[Pt(R(–) and S(+)-2- α -hydroxybenzylbenzimidazole)₂Cl₂] complexes, 135 – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudo-peptides, 445 – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudo-peptides, 445 – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudo-peptides, 445
- Anxiolytics/antidepressants** – Synthesis and 5-HT_{1A}, 5-HT_{2A} receptor activity of new β -tetralonohydantoin, 820
- Apoptosis** – Histone deacetylase inhibitors, 1 – Preparations of vitamin D analogs, spirostanols and furostanols from diosgenin and their cytotoxic activities, 662 – New thiophene analogues of kenpaullone: synthesis and biological evaluation in breast cancer cells, 757
- Apple peel** – The cytotoxic activity of ursolic acid derivatives, 582
- Arginine side chain mimetics** – Novel pyrazinone and pyridinone thrombin inhibitors incorporating weakly basic heterobicyclic P₁-arginine mimetics, 782
- Arginine vasopressin** – Influence of enantiomers of 1-naphthylalanine in position 2 of VAVP and dVAVP on their pharmacological properties, 63
- Aromatic esters** – Synthesis and evaluation of the antitrypanosomal and antiparasitoid activities of new 4-aminobicyclo[2.2.2]octane derivatives, 888
- Aromatic-aromatic interaction** – Aromatic-aromatic and proline-aromatic interactions in endomorphin-1 and endomorphin-2, 674
- Aroylpropionic acid** – 2-Arylidene-4-(4-phenoxyphenyl)but-3-en-4-olides: Synthesis, reactions and biological activity, 1394
- Arylpiperazines** – Synthesis, dopamine D₂ receptor binding studies and docking analysis of 5-[3-(4-arylpiperazin-1-yl)propyl]-1*H*-benzimidazole, 5-[2-(4-arylpiperazin-1-yl)ethoxy]-1*H*-benzimidazole and their analogs, 481
- Aza-fluorenes** – The interaction between resistance modifiers such as pyrido[3,2-*g*]quinoline, aza-oxafluorene and pregnane derivatives with DNA, plasmid DNA and tRNA, 195
- Azafulvenes** – Novel pyrrolinones as *N*-methyl-D-aspartate receptor antagonists, 391
- ## B
- Benzofuran** – Synthesis and antimicrobial activity of some novel derivatives of benzofuran: part 1. Synthesis and antimicrobial activity of (benzofuran-2-yl)(3-phenyl-3-methylcyclobutyl) ketoxime derivatives, 1351
- Benzofuranyl ether** – Synthesis and *in vivo* analgesic and anti-inflammatory activity of some bi heterocyclic coumarin derivatives, 882
- benzoheterocycle** – Synthesis and biological activity of alpha-bromoacryloyl lexitropsin conjugates, 1123
- Benzoindolinothiazepines** – New antiproliferative benzoindolinothiazepines derivatives, 167
- Binding** – Structure-activity relationship of trihexyphenidyl analogs with respect to the dopamine transporter in the on going search for a cocaine inhibitor, 1013 – Synthesis of 2,5- and 3,5-diphenylpyridine derivatives for DNA recognition and cytotoxicity, 1087
- Binding pocket** – Synthesis, dopamine D₂ receptor binding studies and docking analysis of 5-[3-(4-arylpiperazin-1-yl)propyl]-1*H*-benzimidazole, 5-[2-(4-arylpiperazin-1-yl)ethoxy]-1*H*-benzimidazole and their analogs, 481
- Binding sites description** – Towards a model for the inhibition of choline kinase by a new type of inhibitor, 315
- Biopartitioning micellar chromatography** – Estimation of the effect of the acidosis and alkalosis on the anesthetic potency of local anesthetics by biopartitioning micellar chromatography and micellar electrokinetic chromatography, 215
- Bipyridines** – 3,4-*trans*-4-Aryl-3-(1-pyridinio)-1,2,3,4-tetrahydropyridine-6-thiolates—new group of potential cardiotoxic drugs, 1163
- Bis(3-arylimidazolidinyl-1)methanes** – Synthesis, spectroscopic and biological properties of bis(3-arylimidazolidinyl-1)methanes. A novel family of antimicrobial agents, 811
- Bis-coumarins** – Cytotoxic activity of new lanthanum (III) complexes of bis-coumarins, 542 – Cytotoxic activity of new cerium (III) complexes of bis-coumarins, 1246
- bis[N-(2,6-diisopropylphenyl)imino] acenaphthene** – Synthesis, antimicrobial activity and molecular modeling of cobalt and nickel complexes containing the bulky ligand: bis[N-(2,6-diisopropylphenyl)imino] acenaphthene, 1214
- Bisammonium salts** – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331
- Bispyridinium cyclophanes** – Towards a model for the inhibition of choline kinase by a new type of inhibitor, 315
- BK-activators** – Benzoyl and/or benzyl substituted 1,2,3-triazoles as potassium channel activators. VIII, 521
- Boronic acid** – AMBER force field implementation of the boronate function to simulate the inhibition of β -lactamases by alkyl and aryl boronic acids, 1134
- Breast cancer** – New thiophene analogues of kenpaullone: synthesis and biological evaluation in breast cancer cells, 757
- Butenolide** – 2-Arylidene-4-(4-phenoxyphenyl)but-3-en-4-olides: Synthesis, reactions and biological activity, 1394
- ## C
- Cancer** – Adrenomedullin: a new target for the design of small molecule modulators with promising pharmacological activities, 737
- Cancer chemoprevention** – Anti-tumor-promoting activity of simple models of

- galactoglycerolipids with branched and unsaturated acyl chains, 69 – Synthetic chalcones as potential anti-inflammatory and cancer chemopreventive agents, 103
- Candida albicans** – Tin(IV) complexes of pyrrolidinedithiocarbamate: synthesis, characterisation and antifungal activity, 1277
- Cannabinoid** – Synthesis and properties of isocannabinoid and cholesterol derivatized rhamnosurfactants: application to liposomal targeting of keratinocytes and skin, 1022
- Cannabinoid receptor** – Homology models of the cannabinoid CB1 and CB2 receptors. A docking analysis study, 75
- Carbapenem** – Carbapenem-based prodrugs. Design, synthesis, and biological evaluation of carbapenems, 339
- Carbonic anhydrase inhibitor** – QSAR study on carbonic anhydrase inhibitors: water-soluble sulfonamides incorporating β -alanil moieties, possessing long lasting-intra ocular pressure lowering properties—a molecular connectivity approach, 1002
- Cardiotonic activity** – 3,4-*trans*-4-Aryl-3-(1-pyridinio)-1,2,3,4-tetrahydropyridine-6-thiolates—new group of potential cardiotonic drugs, 1163 – Novel milrinone analogs of pyridine-3-carbonitrile derivatives as promising cardiotonic agents, 1405
- Cardiovascular activity** – New triorganotin(IV) derivatives of dipeptides as anti-inflammatory-antimicrobial agents, 289
- Caspase-3** – Pyrrolo[3,4-*c*]quinoline-1,3-diones as potent caspase-3 inhibitors. Synthesis and SAR of 2-substituted 4-methyl-8-(morpholine-4-sulfonyl)-pyrrolo[3,4-*c*]quinoline-1,3-diones, 1377
- Catalyst** – Synthesis of 2-substituted β -cyclodextrin derivatives with a hydrolytic activity against the organophosphorylester paraoxon, 615 – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-*b*]pyridin-6-ones as potential hypnotic drugs, 1179
- CB1** – Homology models of the cannabinoid CB1 and CB2 receptors. A docking analysis study, 75
- CB2** – Homology models of the cannabinoid CB1 and CB2 receptors. A docking analysis study, 75
- CCK₁** – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563
- Celecoxib** – Preparation of celecoxib-dimethyl- β -cyclodextrin inclusion complex: characterization and in vitro permeation study, 624
- Cell culture** – Synthesis, characterization, activities, cell uptake and DNA binding of trinuclear complex: $[\{trans\text{-PtCl}(\text{NH}_3)_2\}_2\mu\{trans\text{-Pt}(\text{NH}_3)(2\text{-hydroxypyridine})\}(\text{H}_2\text{N}(\text{CH}_2)_6\text{NH}_2)_2]\text{Cl}_4$, 772
- Cell cycle** – New antiproliferative benzoindolinthiazepines derivatives, 167 – New thio-pene analogues of kenpaullone: synthesis and biological evaluation in breast cancer cells, 757
- Cell cycle specificity** – Synthesis and cytotoxic activity of 2-acyl-1*H*-indole-4,7-diones on human cancer cell lines, 85
- Cell uptake** – Synthesis, characterization, activities, cell uptake and DNA binding of trinuclear complex: $[\{trans\text{-PtCl}(\text{NH}_3)_2\}_2\mu\{trans\text{-Pt}(\text{NH}_3)(2\text{-hydroxypyridine})\}(\text{H}_2\text{N}(\text{CH}_2)_6\text{NH}_2)_2]\text{Cl}_4$, 772
- Cerium (III) complexes** – Cytotoxic activity of new cerium (III) complexes of bis-coumarins, 1246
- Cetylpyridinium chloride** – 3D-QSAR, Synthesis, and antimicrobial activity of 1-Alkylpyridinium Compounds as Potential Agents to Improve Food Safety, 840
- Chalcone** – Synthetic chalcones as potential anti-inflammatory and cancer chemopreventive agents, 103
- Chelating** – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropane ligand and its Pd(II) and Zn(II) halide complexes, 1096
- Chemical-physical characterization** – Preparation of celecoxib-dimethyl- β -cyclodextrin inclusion complex: characterization and in vitro permeation study, 624
- Chemiluminescence** – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331
- Chemometrics** – A structure-activity relationship study of quinone compounds with trypanocidal activity, 329 – A structure-activity relationship study of quinone compounds with trypanocidal activity, 329
- Chitin synthase** – Iminosugars as glycosyltransferase inhibitors: synthesis of polyhydroxypyrolidines and their evaluation on chitin synthase activity, 1255
- Chlorin** – The 2-aminoglucosamide motif improves cellular uptake and photodynamic activity of tetraphenylporphyrin, 1111
- Cholecystokinin** – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563
- Cholesterol** – Synthesis and properties of isocannabinoid and cholesterol derivatized rhamnosurfactants: application to liposomal targeting of keratinocytes and skin, 1022
- Choline kinase** – Towards a model for the inhibition of choline kinase by a new type of inhibitor, 315
- Cholinesterase inhibition** – Novel inhibitors of acetyl- and butyrylcholinesterase derived from the alkaloids dehydroevodiamine and rutaecarpine, 305 – Synthesis and biological evaluation of functionalized coumarins as acetylcholinesterase inhibitors, 1307
- Chromonyl ether** – Synthesis and in vivo analgesic and anti-inflammatory activity of some bi heterocyclic coumarin derivatives, 882
- Chrysin** – Synthesis and inhibition of PGE₂ production of 6,8-disubstituted chrysin derivatives, 943
- Ciprofloxacin** – NO-donors, part 9 : diazeniumdiolates inhibit human platelet aggregation and induce a transient vasodilatation of porcine pulmonary arteries in accordance with the NO-releasing rates, 281 – Benzenesulfonamide analogs of fluoroquinolones. Antibacterial activity and QSAR studies, 361
- Clofibrate analogues** – Synthesis and biological evaluation of new clofibrate analogues as potential PPAR α agonists, 143
- Clofibrate bioisosters** – Synthesis and antiplatelet activity of thioaryloxyacids analogues of clofibric acid, 918
- CNS activity** – Antinociceptive activity of new imidazolidine carbonyl derivatives., 127
- Cocaine** – Structure-activity relationship of trihexyphenidyl analogs with respect to the dopamine transporter in the on going search for a cocaine inhibitor, 1013
- Combinatorial chemistry** – Construction of a virtual combinatorial library using SMILES strings to discover potential structure-diverse PPAR modulators, 632 – A solid-phase approach to DDB derivatives, 805 – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetra-hydropyrazolo[3,4-*b*]pyridin-6-ones as potential hypnotic drugs, 1179
- Combretastatin** – Synthesis and evaluation of double bond substituted combretastatins, 529
- CoMFA analysis** – 3D-QSAR, Synthesis, and antimicrobial activity of 1-Alkylpyridinium Compounds as Potential Agents to Improve Food Safety, 840
- Computer-assisted methods** – Towards a model for the inhibition of choline kinase by a new type of inhibitor, 315
- Conformational analysis** – Aromatic-aromatic and proline-aromatic interactions in endomorphin-1 and endomorphin-2, 674
- Copper complexes** – Novel Cu(II) quinoxaline *N*¹,*N*⁴-dioxide complexes as selective hypoxic cytotoxins, 473 – Novel bidentate complexes of Cu(II) derived from 5-nitrofuran-2-carboxaldehyde thiosemicarbazones with antiamebic activity against *E. histolytica*, 557 – Copper(II) complexes with substituted thiosemicarbazones of thiophene-2-carboxaldehyde: synthesis, characterization and antiamebic activity against *E. histolytica*, 1414
- Coumarins** – Synthesis of novel amino and acetyl amino-4-methylcoumarins and evaluation of their antioxidant activity, 413 – Synthesis and in vivo analgesic and anti-inflammatory activity of some bi heterocyclic coumarin derivatives, 882 – One pot synthesis of oxygenated tri-heterocycles as anti-microbial agents, 1168 – Synthesis and biological evaluation of functionalized cou-

marins as acetylcholinesterase inhibitors, 1307

COX-2 – Synthesis and inhibition of PGE₂ production of 6,8-disubstituted chrysin derivatives, 943

COX-2 inhibitors – Synthesis and SAR/3D-QSAR studies on the COX-2 inhibitory activity of 1,5-diarylpyrazoles to validate the modified pharmacophore, 977

COX-2 selective inhibitor – A new potential cyclooxygenase-2 inhibitor, pyridinic analogue of nimesulide, 1316

Crystal structures – Synthesis, molecular structure, and in vitro antitumor activity of new 4-chloro-2-mercaptobenzenesulfonamide derivatives, 377 – Structural studies and cytotoxic activity of N(4)-phenyl-2-benzoylpyridine thiosemicarbazone Sn(IV) complexes, 467

CTDNA interaction – Synthesis, antibacterial, antifungal activity and interaction of CT-DNA with a new benzimidazole derived Cu(II) complex, 1103

Coppa(II) complex – Synthesis, antibacterial, antifungal activity and interaction of CT-DNA with a new benzimidazole derived Cu(II) complex, 1103

Cycle cell analysis – Synthesis of 2,5- and 3,5-diphenylpyridine derivatives for DNA recognition and cytotoxicity, 1087

Cyclic peptides – Synthetic studies on cyclic octapeptides: Yunnanin F and Hymenistatin, 407

Cyclic voltammetry – Synthesis, antibacterial, antifungal activity and interaction of CT-DNA with a new benzimidazole derived Cu(II) complex, 1103

Cyclin-dependent kinases – Epoxide-containing side chains enhance antiproliferative activity of paullones, 655

Cyclobutane – Synthesis and antimicrobial activity of some novel derivatives of benzofuran: part 1. Synthesis and antimicrobial activity of (benzofuran-2-yl)(3-phenyl-3-methylcyclobutyl) ketoxime derivatives, 1351

Cyclodextrin – Synthesis of 2-substituted β -cyclodextrin derivatives with a hydrolytic activity against the organophosphoryl-ester paraoxon, 615

Cyclopentathiophene – Synthesis and biological evaluation as AChE inhibitors of new indanones and thiaindanones related to donepezil, 1222

Cytostatic activity – Synthesis and antiproliferative activity of 2,6-Dibenzylamino-3,5-dicyanopyridines on human cancer cell lines, 1365

Cytotoxic activity – Synthesis and cytotoxic activity of 2-acyl-1*H*-indole-4,7-diones on human cancer cell lines, 85 – Synthesis, in vitro cytotoxic and antiviral activity of *cis*-[Pt(R(-)) and S(+)-2- α -hydroxybenzylbenzimidazole]₂Cl₂] complexes, 135 – Synthesis, stereochemistry and biological activity of some novel long alkyl chain substituted thiazolidin-4-ones and thiazan-4-one from 10-undecenoic acid hydrazide, 173 – Synthesis and in vitro cytotoxic evaluation of 1,3-bisubstituted and 1,3,9-trisubstituted

β -carboline derivatives, 249 – Structural studies and cytotoxic activity of N(4)-phenyl-2-benzoylpyridine thiosemicarbazone Sn(IV) complexes, 467 – Cytotoxic activity of new lanthanum (III) complexes of bis-coumarins, 542 – The cytotoxic activity of ursolic acid derivatives, 582 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590 – Design, synthesis and in vitro cytotoxic studies of novel bis-pyrrolo[2,1][1,4] benzodiazepine-pyrrole and imidazole polyamide conjugates, 641 – Preparations of vitamin D analogs, spirostanols and furostanols from diosgenin and their cytotoxic activities, 662 – New thiophene analogues of kenpaullone: synthesis and biological evaluation in breast cancer cells, 757 – Synthesis and cytotoxic evaluation of certain 4-anilino-2-phenylquinoline derivatives, 792 – Inhibition of secretory phospholipase A₂. 1-Design, synthesis and structure-activity relationship studies starting from 4-tetra-decyloxybenzamidine to obtain specific inhibitors of group II sPLAs, 850 – A quantum chemical and statistical study of ganoderic acids with cytotoxicity against tumor cell, 972 – Synthesis and anticancer evaluation of certain 4-anilino-furo[2,3-*b*]quinoline and 4-anilino-furo[3,2-*c*]quinoline derivatives, 928 – Design, synthesis and *in vitro* and *in vivo* antitumor activities of novel β -carboline derivatives, 991 – Synthesis of 2,5- and 3,5-diphenylpyridine derivatives for DNA recognition and cytotoxicity, 1087 – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143 – Synthesis and structure-activity relationships of mono- and dialkyl-substituted oxaliplatin derivatives, 1149 – Synthesis of 2,6-diphenylpyrazine derivatives and their DNA binding and cytotoxic properties, 1206 – Cytotoxic activity of new cerium (III) complexes of bis-coumarins, 1246 – The molecular mechanisms involved in the cytotoxicity of alkannin derivatives, 1341

D

D₂ receptor – Synthesis, dopamine D₂ receptor binding studies and docking analysis of 5-[3-(4-arylpiperazin-1-yl)propyl]-1*H*-benzimidazole, 5-[2-(4-arylpiperazin-1-yl)ethoxy]-1*H*-benzimidazole and their analogs, 481

DDB – A solid-phase approach to DDB derivatives, 805

Dehydroevodiamine analogues – Novel inhibitors of acetyl- and butyrylcholinesterase derived from the alkaloids dehydroevodiamine and rutaecarpine, 305

Demyelination – Development of novel 4-aminopyridine derivatives as potential treatments for neurological injury and disease, 908

DFT – A structure-activity relationship study of quinone compounds with trypanocidal activity, 329 – A structure-activity rela-

tionship study of quinone compounds with trypanocidal activity, 329

Diabetes – Adrenomedullin: a new target for the design of small molecule modulators with promising pharmacological activities, 737 – Molecular design, synthesis, and hypoglycemic and hypolipidemic activities of novel pyrimidine derivatives having thiazolidinedione, 862

Diazeniumdiolates – NO-donors, part 9: diazeniumdiolates inhibit human platelet aggregation and induce a transient vasodilatation of porcine pulmonary arteries in accordance with the NO-releasing rates, 281

Dicyanopyridines – Synthesis and antiproliferative activity of 2,6-Dibenzylamino-3,5-dicyanopyridines on human cancer cell lines, 1365

Dieckmann condensation – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143

Difluoromethylphosphonoazasugars – Iminosugars as glycosyltransferase inhibitors: synthesis of polyhydroxypyrrolidines and their evaluation on chitin synthase activity, 1255

Dihydroquinazolines – Novel inhibitors of acetyl- and butyrylcholinesterase derived from the alkaloids dehydroevodiamine and rutaecarpine, 305

Dimethyl *N*-aryldithiocarbonimidates – The synthesis and antimicrobial activity of some new methyl *N*-aryldithiocarbonimidates, dimethyl *N*-aryldithiocarbonimidates and 2-aryl-amino-2-imidazolines, 687

Dipeptide – New triorganotin(IV) derivatives of dipeptides as anti-inflammatory-antimicrobial agents, 289

Distereoisomers – Protease-mediated enzymatic hydrolysis and activation of aryl phosphoramidate derivatives of stavudine, 452

Dithiocarbamate complexes – Tin(IV) complexes of pyrrolidinedithiocarbamate: synthesis, characterisation and antifungal activity, 1277

DNA – Cytotoxic activity of new lanthanum (III) complexes of bis-coumarins, 542 – Synthesis of 2,5- and 3,5-diphenylpyridine derivatives for DNA recognition and cytotoxicity, 1087 – Cytotoxic activity of new cerium (III) complexes of bis-coumarins, 1246

DNA binding – Synthesis, characterization, activities, cell uptake and DNA binding of trinuclear complex: [{*trans*-PtCl(NH₃)₂}- μ -{*trans*-Pt(NH₃)(2-hydroxypyridine)-(H₂N(CH₂)₆NH₂)₂}]Cl₄, 772 – Synthesis of 2,6-diphenylpyrazine derivatives and their DNA binding and cytotoxic properties, 1206

DNA complex – Synthesis of acridine-nuclear localization signal (NLS) conjugates and evaluation of their impact on lipoplex and polyplex-based transfection, 1295

DNA interaction – The interaction between resistance modifiers such as pyrido[3,2-*g*]quinoline, aza-oxafluorene and pregnane derivatives with DNA, plasmid DNA and tRNA, 195

DNA minor groove binders – Design, synthesis and in vitro cytotoxic studies of

- novel bis-pyrrolo[2,1][1,4] benzodiazepine-pyrrole and imidazole polyamide conjugates, 641 – Synthesis and biological activity of alpha-bromoacryloyl lexitropsin conjugates, 1123
- Docking** – Homology models of the cannabinoid CB1 and CB2 receptors. A docking analysis study, 75
- Docking analysis** – Synthesis, dopamine D₂ receptor binding studies and docking analysis of 5-[3-(4-arylpiperazin-1-yl)propyl]-1*H*-benzimidazole, 5-[2-(4-arylpiperazin-1-yl)ethoxy]-1*H*-benzimidazole and their analogs, 481
- Donepezil** – Synthesis and biological evaluation as AChE inhibitors of new indanones and thiaindanones related to donepezil, 1222
- Dopamine** – Structure–activity relationship of trihexyphenidyl analogs with respect to the dopamine transporter in the on going search for a cocaine inhibitor, 1013
- Dopamine D2 receptor** – Atypical and typical antipsychotic drug interactions with the dopamine D2 receptor, 185
- Double sucrose gap chamber** – Development of novel 4-aminopyridine derivatives as potential treatments for neurological injury and disease, 908
- DP receptor** – Development of a prostaglandin D₂ receptor antagonist: discovery of a new chemical lead, 505
- Drug carrier** – Dendrimers as Potential Drug Carriers. Part I. Solubilization of Non-Steroidal Anti-Inflammatory Drugs in the Presence of Polyamidoamine Dendrimers, 1188
- Drugs side effects** – Unified drug–target interaction thermodynamic Markov model using stochastic entropies to predict multiple drugs side effects, 1030
- Dyslipidemia** – Synthesis and biological evaluation of new clofibrate analogues as potential PPAR α agonists, 143

E

- Electron transfer** – Electron transfer in *N*-hydroxyurea complexes with iron(III), 51
- Ellman assay** – Novel inhibitors of acetyl- and butyrylcholinesterase derived from the alkaloids dehydroevodiamine and rutaecarpine, 305
- Enantiomers** – Novel pyrazinone and pyridinone thrombin inhibitors incorporating weakly basic heterobicyclic P₁-arginine mimetics, 782
- Endomorphin** – Aromatic–aromatic and proline–aromatic interactions in endomorphin-1 and endomorphin-2, 674
- Entamoeba histolytica** – 1-*N*-Substituted Thiocarbamoyl-3-Phenyl-2-Pyrazolines: Synthesis and In Vitro Antiamoebic Activities, 935
- Enzymatic inhibitors** – *p*-Aminobenzoic acid derivatives as acetylcholinesterase inhibitors, 732
- Enzymes** – Histone deacetylase inhibitors, 1
- Epoxides** – Epoxide-containing side chains enhance antiproliferative activity of paullonenes, 655

- EPR** – Electron transfer in *N*-hydroxyurea complexes with iron(III), 51
- Epstein–Barr virus** – Anti-tumor-promoting activity of simple models of galactoglycerolipids with branched and unsaturated acyl chains, 69
- Equipotent** – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropene ligand and its Pd(II) and Zn(II) halide complexes, 1096
- Erythrocyte** – Novel synthesized aminosteroidal heterocycles intervention for inhibiting iron-induced oxidative stress, 1283
- Ethyl 2-(4-chlorophenoxy)-3-hydroxyalkanoates** – Synthesis and biological evaluation of new clofibrate analogues as potential PPAR α agonists, 143
- Ethyl 2-(4-chlorophenoxy)-3-oxoalkanoates** – Synthesis and biological evaluation of new clofibrate analogues as potential PPAR α agonists, 143

F

- Fibrates** – Synthesis and antiplatelet activity of thioaryloxyacids analogues of clofibric acid, 918
- Fibrinogen receptor antagonists** – Design and synthesis of novel platelet fibrinogen receptor antagonists with 2*H*-1,4-benzoxazine-3(4*H*)-one scaffold. A systematic study, 25
- Flavonoids** – Synthesis and inhibition of PGE₂ production of 6,8-disubstituted chrysin derivatives, 943
- Fluconazole** – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropene ligand and its Pd(II) and Zn(II) halide complexes, 1096
- Fluorescein-isothiocyanate-sinistrin** – Fluorescein-labeled sinistrin as marker of glomerular filtration rate, 1056
- Fluoroquinolones** – Benzenesulfonamide analogs of fluoroquinolones. Antibacterial activity and QSAR studies, 361
- Force field parameterization** – AMBER force field implementation of the boronate function to simulate the inhibition of β -lactamases by alkyl and aryl boronic acids, 1134
- Fungi** – Synthesis and antifungal activity of 2/3-arylthio- and 2,3-bis(arylthio)-5-hydroxy-/5-methoxy-1,4-naphthoquinones, 438
- Furostanol** – Preparations of vitamin D analogs, spirostanols and furostanols from diosgenin and their cytotoxic activities, 662
- Furoxanyl sulfones** – Synthesis and antimalarial activities of some furoxan sulfones and related furazans, 1335

G

- G-protein-coupled receptors (GPCRs)** – Homology models of the cannabinoid CB1 and CB2 receptors. A docking analysis study, 75
- GABA-A receptor** – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-*b*]pyridin-6-ones as potential hypnotic drugs, 1179

- GABA-uptake inhibitors** – Synthesis and biological evaluation of new GABA-uptake inhibitors derived from proline and from pyrrolidine-2-acetic acid, 231
- Ganoderic acid** – A quantum chemical and statistical study of ganoderic acids with cytotoxicity against tumor cell, 972
- Gastrolesivity** – 1,8-Naphthyridines V. Novel *N*-substituted 5-amino-*N,N*-diethyl-9-isopropyl [1,2,4]triazolo[4,3-*a*] [1,8]naphthyridine-6-carboxamides, as potent anti-inflammatory and/or analgesic agents completely devoid of acute gastrolesivity, 155
- GAT-1** – Synthesis and biological evaluation of new GABA-uptake inhibitors derived from proline and from pyrrolidine-2-acetic acid, 231
- GAT-3** – Synthesis and biological evaluation of new GABA-uptake inhibitors derived from proline and from pyrrolidine-2-acetic acid, 231
- Gel electrophoresis** – Synthesis, characterization, activities, cell uptake and DNA binding of trinuclear complex: [*trans*-PtCl(NH₃)]₂ μ -{*trans*-Pt(NH₃)(2-hydroxypyridine)-(H₂N(CH₂)₆NH₂)₂Cl₄}, 772
- Gemini quaternary ammonium compounds** – Biological and physicochemical properties of gemini quaternary ammonium compounds in which the positions of a cross-linking sulfur in the spacer differ, 113
- Gene expression** – Histone deacetylase inhibitors, 1
- Gene transfer** – Synthesis of acridine-nuclear localization signal (NLS) conjugates and evaluation of their impact on lipoplex and polyplex-based transfection, 1295
- Genetic algorithm** – Ligand-based assessment of factor Xa binding site flexibility via elaborate pharmacophore exploration and genetic algorithm-based QSAR modeling, 701
- GETAWAY descriptors** – GETAWAY descriptors to predicting A_{2A} adenosine receptors agonists, 1080
- GFR marker** – Fluorescein-labeled sinistrin as marker of glomerular filtration rate, 1056
- Glaucoma** – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331
- Glioma** – Antiproliferative activities of iron and platinum conjugates of salicylaldehyde semi-/thiosemicarbazones against C6 glioma cells, 1052
- Glomerular filtration rate** – Fluorescein-labeled sinistrin as marker of glomerular filtration rate, 1056
- Glucose and lipid lowering activity** – Molecular design, synthesis, and hypoglycemic and hypolipidemic activities of novel pyrimidine derivatives having thiazolidinedione, 862
- Glucosylation** – The 2-aminoglucosamide motif improves cellular uptake and photodynamic activity of tetraphenylporphyrin, 1111
- Glutathione** – Synthesis and biological activity of alpha-bromoacryloyl lexitropsin conjugates, 1123

Glyceride prodrugs – Synthesis, pharmacological activity and hydrolytic behavior of glyceride prodrugs of ibuprofen, 371

Glycine/NMDA receptor antagonists – Novel pyrrolinones as *N*-methyl-D-aspartate receptor antagonists, 391 – Synthesis and pharmacological studies at the Gly/NMDA, AMPA and Kainate receptors of new oxazolo[4,5-*c*]quinolin-4-one derivatives bearing different substituents at position-2 and on the fused benzo ring, 897

Glycoglycerolipids – Anti-tumor-promoting activity of simple models of galactoglycerolipids with branched and unsaturated acyl chains, 69

Glycosyl amines – Synthesis and antimicrobial activities of glycosylated amino alcohols and amines, 351

Glycosyl amino alcohols – Synthesis and antimicrobial activities of glycosylated amino alcohols and amines, 351

Glycosyltransferase – Iminosugars as glycosyltransferase inhibitors: synthesis of polyhydroxypyrrrolidines and their evaluation on chitin synthase activity, 1255

Guest molecules – Dendrimers as Potential Drug Carriers. Part I. Solubilization of Non-Steroidal Anti-Inflammatory Drugs in the Presence of Polyamidoamine Dendrimers, 1188

Guinea-pig taenia coli – Structure–activity relationships of novel P2-receptor antagonists structurally related to Reactive Blue 2, 1262

H

H₃-antagonists – Non-imidazole histamine H₃ ligands. Part III. New 4-*n*-propylpiperazines as non-imidazole histamine H₃-antagonists, 15

Haem – Synthesis and antimalarial activity of E-2-quinolinylbenzocycloalcanones, 875

Hemoglobin – Synthesis and antimalarial activity of E-2-quinolinylbenzocycloalcanones, 875

Hemolytic toxicity – Biological and physicochemical properties of gemini quaternary ammonium compounds in which the positions of a cross-linking sulfur in the spacer differ, 113

Hierarchical cluster analysis – A quantum chemical and statistical study of ganoderic acids with cytotoxicity against tumor cell, 972

Histamine H₃-receptor – Non-imidazole histamine H₃ ligands. Part III. New 4-*n*-propylpiperazines as non-imidazole histamine H₃-antagonists, 15

Histone deacetylase – Discovery of pyrimidyl-5-hydroxamic acids as new potent histone deacetylase inhibitors, 597

Histone deacetylases – Histone deacetylase inhibitors, 1

HIV – Protease-mediated enzymatic hydrolysis and activation of aryl phosphoramidate derivatives of stavudine, 452 – Design, synthesis and bioactivities of TAR RNA targeting β -carboline derivatives based on Tat–TAR interaction, 831

HIV protease inhibitors – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-

hydroxyalkyl hydrazide pseudopeptides, 445 – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudopeptides, 445 – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudopeptides, 445

Homology modeling – Homology models of the cannabinoid CB1 and CB2 receptors. A docking analysis study, 75

Hydantoins – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590

Hydrazide pseudopeptides – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudopeptides, 445 – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudopeptides, 445 – HIV protease inhibitors: synthesis and activity of *N*-aryl-*N'*-hydroxyalkyl hydrazide pseudopeptides, 445

Hydrogen peroxide – Synthesis and study of antibacterial and antifungal activities of novel 8-methyl-7,9-diaryl-1,2,4,8-tetraazaspiro[4.5]decan-3-thiones, 694

Hydrolysis – Protease-mediated enzymatic hydrolysis and activation of aryl phosphoramidate derivatives of stavudine, 452

Hydroxamic acid – Discovery of pyrimidyl-5-hydroxamic acids as new potent histone deacetylase inhibitors, 597

Hydroxyurea – Electron transfer in *N*-hydroxyurea complexes with iron(III), 51

Hymenistatin – Synthetic studies on cyclic octapeptides: Yunnanin F and Hymenistatin, 407

Hypertension – Adrenomedullin: a new target for the design of small molecule modulators with promising pharmacological activities, 737

Hypoglycaemic agents – Synthesis and Biological Activity of Novel Acridinylidene and Benzylidene thiazolidinediones, 1129

Hypoxic selective cytotoxins – Novel Cu(II) quinoxaline *N*¹,*N*⁴-dioxide complexes as selective hypoxic cytotoxins, 473

I

Ibuprofen – Synthesis, pharmacological activity and hydrolytic behavior of glyceride prodrugs of ibuprofen, 371

Imidazo[2,1-*b*]thiazole – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331

Imidazo[2,1-*c*] [1,2,4]triazines – Antinociceptive activity of new imidazolidine carbonyl derivatives., 127

Imidazolidines – Synthesis, spectroscopic and biological properties of bis(3-

arylimidazolidinyl-1)methanes. A novel family of antimicrobial agents, 811

Imides – *p*-Aminobenzoic acid derivatives as acetylcholinesterase inhibitors, 732

Iminosugars – Iminosugars as glycosyltransferase inhibitors: synthesis of polyhydroxypyrrrolidines and their evaluation on chitin synthase activity, 1255

Immobilized artificial chromatography – Estimation of the effect of the acidosis and alkalosis on the anesthetic potency of local anesthetics by biopartitioning micellar chromatography and micellar electrokinetic chromatography, 215

In vitro-binding – Synthesis and biological evaluation of 6/7-*exo*-methyl-3 β -(4-iodo)phenyltropane-2 β -carboxylic acid methyl esters, 299

In vivo studies – Chemotherapy of leishmaniasis part II: synthesis and bioevaluation of substituted arylketene dithioacetals as antileishmanial agents, 751

Indanone – Synthesis and biological evaluation as AChE inhibitors of new indanones and thiaindanones related to donepezil, 1222

Indiplon – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-*b*]pyridin-6-ones as potential hypnotic drugs, 1179

Indole-4,7-diones – Synthesis and cytotoxic activity of 2-acyl-1*H*-indole-4,7-diones on human cancer cell lines, 85

Interactions model – A new potential cyclooxygenase-2 inhibitor, pyridinic analogue of nimesulide, 1316

Iodosobenzoic acid – Synthesis of 2-substituted β -cyclodextrin derivatives with a hydrolytic activity against the organophosphorylester paraoxon, 615

Ionotropic glutamate receptor antagonists – Synthesis and pharmacological studies at the Gly/NMDA, AMPA and Kainate receptors of new oxazolo[4,5-*c*]quinolin-4-one derivatives bearing different substituents at position-2 and on the fused benzo ring, 897

IR- and NMR spectra – Cytotoxic activity of new lanthanum (III) complexes of bis-coumarins, 542

Iron and platinum complexes – Antiproliferative activities of iron and platinum conjugates of salicylaldehyde semithiosemicarbazones against C6 glioma cells, 1052

Iron(III) complexes – Electron transfer in *N*-hydroxyurea complexes with iron(III), 51

Iron-induced – Novel synthesized aminosteroidal heterocycles intervention for inhibiting iron-induced oxidative stress, 1283

Isoxazolone – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143

J

Juglone – Synthesis and antifungal activity of 2/3-arylthio- and 2,3-bis(arylthio)-5-hydroxy-/5-methoxy-1,4-naphthoquinones, 438

K

Ketene thioacetals – Chemotherapy of leishmaniasis part II: synthesis and bioevaluation

tion of substituted arylketene dithioacetals as antileishmanial agents, 751

Ketoprofen – Polyamidoamine dendrimers used as solubility enhancers of ketoprofen, 1390

Ketoxime – Synthesis and antimicrobial activity of some novel derivatives of benzofuran: part 1. Synthesis and antimicrobial activity of (benzofuran-2-yl)(3-phenyl-3-methylcyclobutyl) ketoxime derivatives, 1351

L

Lamivudine prodrug – Synthesis, anti-HIV and antitubercular activities of lamivudine prodrugs, 1373

Lanthanum (III) complexes – Cytotoxic activity of new lanthanum (III) complexes of bis-coumarins, 542

Laser magnetic resonance – NO-donors, part 9: diazeniumdiolates inhibit human platelet aggregation and induce a transient vasodilatation of porcine pulmonary arteries in accordance with the NO-releasing rates, 281

Left-hand inhibitors – Synthesis and evaluation of new tripeptide phosphonate inhibitors of MMP-8 and MMP-2, 271

Leishmaniasis – Chemotherapy of leishmaniasis part II: synthesis and bioevaluation of substituted arylketene dithioacetals as antileishmanial agents, 751 – Synthesis and in vitro leishmanicidal activity of 2-(1-methyl-5-nitro-1*H*-imidazol-2-yl)-5-substituted-1,3,4-thiadiazole derivatives, 1346

Leucine aminopeptidase – α -Aminoalkylphosphonates as a tool in experimental optimisation of P1 side chain shape of potential inhibitors in S1 pocket of leucine- and neutral aminopeptidases, 764

Libraries – Pyrrolo[3,4-*c*]quinoline-1,3-diones as potent caspase-3 inhibitors. Synthesis and SAR of 2-substituted 4-methyl-8-(morpholine-4-sulfonyl)-pyrrolo[3,4-*c*]quinoline-1,3-diones, 1377

Ligand induced receptor conformation – Atypical and typical antipsychotic drug interactions with the dopamine D2 receptor, 185

Linezolid – Syntheses and antibacterial activity of a series of 3-(pyridine-3-yl)-2-oxazolidinone, 209

Lipase transesterification – Anti-tumor promoting activity of simple models of galactoglycerolipids with branched and unsaturated acyl chains, 69

Lipoamino acids – Enhancement of drug affinity for cell membranes by conjugation with lipoamino acids. I. Synthesis and biological evaluation of lipophilic conjugates of tranlylcypromine, 1074

Liponucleotide – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494 – Synthesis and anticancer activities of amphiphilic 5-fluoro-2'-deoxyuridylic acid prodrugs, 494

Lipophilicity – Benzenesulfonamide analogs of fluoroquinolones. Antibacterial activity and QSAR studies, 361

– Enhancement of drug affinity for cell membranes by conjugation with lipoamino acids. I. Synthesis and biological evaluation of lipophilic conjugates of tranlylcypromine, 1074

Liposomes – Synthesis and properties of isocannabinoid and cholesterol derivatized rhamnosurfactants: application to liposomal targeting of keratinocytes and skin, 1022

Local anesthetics – Estimation of the effect of the acidosis and alkalosis on the anesthetic potency of local anesthetics by biopartitioning micellar chromatography and micellar electrokinetic chromatography, 215

Locomotor studies – Synthesis and biological evaluation of 6/7-*exo*-methyl-3 β -(4-iodo)phenyltropane-2 β -carboxylic acid methyl esters, 299

M

Mannich base – 1-*N*-Substituted Thiocarbamoyl-3-Phenyl-2-Pyrazolines: Synthesis and In Vitro Antiamoebic Activities, 935

MAO inhibition – Enhancement of drug affinity for cell membranes by conjugation with lipoamino acids. I. Synthesis and biological evaluation of lipophilic conjugates of tranlylcypromine, 1074

Markov model – Unified drug–target interaction thermodynamic Markov model using stochastic entropies to predict multiple drugs side effects, 1030

Matrix metalloproteinases inhibitors – Synthesis and evaluation of new tripeptide phosphonate inhibitors of MMP-8 and MMP-2, 271

MDR tuberculosis – Synthesis and antimycobacterial activities of glycosylated amino alcohols and amines, 351

MDR1 *p*-glycoprotein – The interaction between resistance modifiers such as pyrido[3,2-*g*]quinoline, aza-oxafluorene and pregnane derivatives with DNA, plasmid DNA and tRNA, 195

Mechanism – Protease-mediated enzymatic hydrolysis and activation of aryl phosphoramidate derivatives of stavudine, 452

Mercaptobenzimidazole – Synthesis, antibacterial, antifungal activity and interaction of CT-DNA with a new benzimidazole derived Cu(II) complex, 1103

Methicillin resistant *S. aureus* – Synthesis and potent antibacterial activity against MRSA of some novel 1,2-disubstituted-1*H*-benzimidazole-*N*-alkylated-5-carboxamides, 1062

Methyl *N*-arylthiocarbamates – The synthesis and antimicrobial activity of some new methyl *N*-arylthiocarbamates, dimethyl *N*-aryldithiocarbonimides and 2-aryl-amino-2-imidazolines, 687

Miastenia gravis – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331

MIC activity – 3D-QSAR, Synthesis, and antimicrobial activity of 1-Alkylpyridinium Compounds as Potential Agents to Improve Food Safety, 840

Micellar electrokinetic chromatography – Estimation of the effect of the acidosis and alkalosis on the anesthetic potency of local anesthetics by biopartitioning micellar chromatography and micellar electrokinetic chromatography, 215

Michael addition – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143

Microwave irradiation – Synthesis of 4-aryl-7,7-dimethyl-1,2,3,4,5,6,7,8-octahydroquinazoline-2-one/thione-5-one derivatives and evaluation as antibacterials, 816

Milrinone analogs – Novel milrinone analogs of pyridine-3-carbonitrile derivatives as promising cardiotoxic agents, 1405

MMP – Synthesis and evaluation of new tripeptide phosphonate inhibitors of MMP-8 and MMP-2, 271

Molecular connectivity index – QSAR study on carbonic anhydrase inhibitors: water-soluble sulfonamides incorporating β -alanyl moieties, possessing long lasting-intra ocular pressure lowering properties—a molecular connectivity approach, 1002

Molecular docking – *p*-Aminobenzoic acid derivatives as acetylcholinesterase inhibitors, 732

Molecular dynamics – Atypical and typical antipsychotic drug interactions with the dopamine D2 receptor, 185

Molecular mechanism – The molecular mechanisms involved in the cytotoxicity of alkannin derivatives, 1341

Molecular modelling – Towards a model for the inhibition of choline kinase by a new type of inhibitor, 315 – Molecular basis of the low activity of antitumor anthracenediones, mitoxantrone and ametantrone, in oxygen radical generation catalyzed by NADH dehydrogenase. Enzymatic and molecular modelling studies, 321 – A new potential cyclooxygenase-2 inhibitor, pyridinic analogue of nimesulide, 1316

Molecular structure – Antinociceptive activity of new imidazolidine carbonyl derivatives., 127

Morpholine – Synthesis of Schiff bases of 4-(4-aminophenyl)-morpholine as potential antimicrobial agents, 225

Multiple linear regression – Ligand-based assessment of factor Xa binding site flexibility via elaborate pharmacophore exploration and genetic algorithm-based QSAR modeling, 701

N

***n*-methylscopolamine** – Structure–activity relationship of trihexyphenidyl analogs with respect to the dopamine transporter in the on going search for a cocaine inhibitor, 1013

NADH dehydrogenase – Molecular basis of the low activity of antitumor anthracenediones, mitoxantrone and ametantrone, in oxygen radical generation catalyzed by NADH dehydrogenase. Enzymatic and molecular modelling studies, 321

Naphthylalanine – Influence of enantiomers of 1-naphthylalanine in position 2 of VAVP and dVAVP on their pharmacological properties, 63

Neoflavanones – Regioselective synthesis and estrogenicity of (\pm)-8-alkyl-5,7-dihydroxy-4-(4-hydroxyphenyl)-3,4-dihydrocoumarins, 1042

Nephrotoxicity – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590

Neuromuscular transmission – Synthesis and chemiluminescent high throughput screening for inhibition of acetylcholinesterase activity by imidazo[2,1-*b*]thiazole derivatives, 1331

Nickel complexes – Synthesis, antimicrobial activity and molecular modeling of cobalt and nickel complexes containing the bulky ligand: *bis*[*N*-(2,6-diisopropylphenyl)imino]acenaphthene, 1214

Nicotinic acid – Solubility of nicotinic acid in polyamidoamine dendrimer solutions, 1384

Nitric oxide – NO-donors, part 9 : diazeniumdiolates inhibit human platelet aggregation and induce a transient vasodilatation of porcine pulmonary arteries in accordance with the NO-releasing rates, 281 – Synthesis and antimalarial activities of some furan sulfones and related furazans, 1335

Nitrones – Novel pyrrolinones as *N*-methyl-D-aspartate receptor antagonists, 391

Nitronic acid esters – Novel pyrrolinones as *N*-methyl-D-aspartate receptor antagonists, 391

NMR spectroscopy – Synthesis and antibacterial activity of some new 1-heteroaryl-5-amino-4-phenyl-3-trifluoromethylpyrazoles, 922

Non-benzodiazepinic – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-*b*]pyridin-6-ones as potential hypnotic drugs, 1179

Non-thiol farnesyltransferase inhibitors – Non-thiol farnesyltransferase inhibitors: *N*-(4-aminoacylamino-3-benzoylphenyl)-3-[5-(4-nitrophenyl)-2-furyl]acrylic acid amides and their antimalarial activity, 93

Non-viral vector – Synthesis of acridine-nuclear localization signal (NLS) conjugates and evaluation of their impact on lipoplex and polyplex-based transfection, 1295

NSAIDs – Synthesis, pharmacological activity and hydrolytic behavior of glyceride prodrugs of ibuprofen, 371 – Dendrimers as Potential Drug Carriers. Part I. Solubilization of Non-Steroidal Anti-Inflammatory Drugs in the Presence of Polyamidoamine Dendrimers, 1188

O

Opioid-like analgesics – Antinociceptive activity of new imidazolidine carbonyl derivatives, 127

Organophosphorus agents – Synthesis of 2-substituted β -cyclodextrin derivatives with a hydrolytic activity against the organophosphorylester paraoxon, 615

Oxadiazolone – Inhibition of secretory phospholipase A₂. 1-Design, synthesis and structure–activity relationship studies starting from 4-tetradecyloxybenzamidide to obtain specific inhibitors of group II sPLA₂s, 850

Oxaliplatin – Synthesis and structure–activity relationships of mono- and dialkyl-substituted oxaliplatin derivatives, 1149

Oxazolidinone – Syntheses and antibacterial activity of a series of 3-(pyridine-3-yl)-2-oxazolidinone, 209

Oxazoloquinoline derivatives – Synthesis and pharmacological studies at the Gly/NMDA, AMPA and Kainate receptors of new oxazolo[4,5-*c*]quinolin-4-one derivatives bearing different substituents at position-2 and on the fused benzo ring, 897

Oxidative stress – Novel synthesized aminosteroidal heterocycles intervention for inhibiting iron-induced oxidative stress, 1283

Oxindole – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143

Oxygen radical generation – Molecular basis of the low activity of antitumor anthracenediones, mitoxantrone and ametantrone, in oxygen radical generation catalyzed by NADH dehydrogenase. Enzymatic and molecular modelling studies, 321

Oxytocin antagonists – Influence of enantiomers of 1-naphthylalanine in position 2 of VAVP and dVAVP on their pharmacological properties, 63

P

***p*-Nitrophenyl ester method** – Synthetic studies on cyclic octapeptides: Yunnanin F and Hymenistatin, 407

P2-receptor antagonist – Structure–activity relationships of novel P2-receptor antagonists structurally related to Reactive Blue 2, 1262

p21^{WAF1/CIP1} – Histone deacetylase inhibitors, 1

P2X₁-receptor – Structure–activity relationships of novel P2-receptor antagonists structurally related to Reactive Blue 2, 1262

P2Y₁-like receptor – Structure–activity relationships of novel P2-receptor antagonists structurally related to Reactive Blue 2, 1262

PAMAM – Solubility of nicotinic acid in polyamidoamine dendrimer solutions, 1384 – Polyamidoamine dendrimers used as solubility enhancers of ketoprofen, 1390

Parallel synthesis – Pyrrolo[3,4-*c*]quinoline-1,3-diones as potent caspase-3 inhibitors. Synthesis and SAR of 2-substituted 4-methyl-8-(morpholine-4-sulfonyl)-pyrrolo[3,4-*c*]quinoline-1,3-diones, 1377

Pattern recognition – A structure–activity relationship study of quinone compounds with trypanocidal activity, 329 – A structure–activity relationship study of quinone compounds with trypanocidal activity, 329

Paullone analogues – New thiophene analogues of kenpaullone: synthesis and biological evaluation in breast cancer cells, 757

Paullones – Epoxide-containing side chains enhance antiproliferative activity of paullones, 655

PBD-polyamide conjugates – Design, synthesis and in vitro cytotoxic studies of novel bis-pyrrolo[2,1][1,4] benzodiazepine-pyrrole and imidazole polyamide conjugates, 641

PC3 – New antiproliferative benzoindolinethiazepines derivatives, 167

Pd and Zn complexes – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropane ligand and its Pd(II) and Zn(II) halide complexes, 1096

Permeation through CaCo-2 cells – Preparation of celecoxib-dimethyl- β -cyclodextrin inclusion complex: characterization and in vitro permeation study, 624

PET – Derivatives of 4,6-diamino-1,2-dihydro-2-phenyl-1,2,4-triazolo[4,3-*a*]quinoxalin-2*H*-1-one: potential antagonist ligands for imaging the A_{2A} adenosine receptor by positron emission tomography (PET), 421 – Structural changes of benzylether derivatives of vesamicol and their influence on the binding selectivity to the vesicular acetylcholine transporter, 1197

PFA-100® – Synthesis and antiplatelet activity of thioaryloxyacids analogues of clofibric acid, 918

PGE₂ production – Synthesis and inhibition of PGE₂ production of 6,8-disubstituted chrysin derivatives, 943

Pharmacokinetics – Synthesis, pharmacological activity and hydrolytic behavior of glyceride prodrugs of ibuprofen, 371

Pharmacophore – Generation of predictive pharmacophore model for SARS-coronavirus main proteinase, 57 – Synthesis of new series of 1-Aryl-1,4-dihydro-4-oxo-6-methyl pyridazine-3-carboxylic acid as potential antibacterial agents, 1325

Pharmacophore modeling – Ligand-based assessment of factor Xa binding site flexibility via elaborate pharmacophore exploration and genetic algorithm-based QSAR modeling, 701

Phenyltropans – Synthesis and biological evaluation of 6/7-*exo*-methyl-3 β -(4-iodo)phenyltropane-2 β -carboxylic acid methyl esters, 299

Photodynamic therapy – The 2-amino-glucosamide motif improves cellular uptake and photodynamic activity of tetraphenylporphyrin, 1111

Phytoestrogens – Regioselective synthesis and estrogenicity of (\pm)-8-alkyl-5,7-dihydroxy-4-(4-hydroxyphenyl)-3,4-dihydrocoumarins, 1042

Piperacillin – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropane ligand and its Pd(II) and Zn(II) halide complexes, 1096

Piperidin-4-one – Synthesis and study of antibacterial and antifungal activities of novel 8-methyl-7,9-diaryl-1,2,4,8-tetraazaspiro[4.5]decan-3-thiones, 694

Platelet aggregation – Design and synthesis of novel platelet fibrinogen receptor anta-

- gonists with 2*H*-1,4-benzoxazine-3(4*H*)-one scaffold. A systematic study, 25
- Platelet aggregation inhibition** – NO-donors, part 9 : diazeniumdiolates inhibit human platelet aggregation and induce a transient vasodilatation of porcine pulmonary arteries in accordance with the NO-releasing rates, 281
- Platinum** – Synthesis, characterization, activities, cell uptake and DNA binding of trinuclear complex: [*trans*-PtCl(NH₃)]₂ μ -[*trans*-Pt(NH₃)(2-hydroxypyridine)-(H₂N(CH₂)₆NH₂)₂Cl₄], 772 – Synthesis and structure-activity relationships of mono- and dialkyl-substituted oxalipatin derivatives, 1149
- Poly (ethylene glycol)** – An unexpected amide bond cleavage: poly (ethylene glycol) transport forms of vancomycin. 2, 798
- Polyamide** – Design, synthesis and in vitro cytotoxic studies of novel bis-pyrrolo [2,1][1,4] benzodiazepine-pyrrole and imidazole polyamide conjugates, 641
- Polyamidoamine dendrimers** – Dendrimers as Potential Drug Carriers. Part I. Solubilization of Non-Steroidal Anti-Inflammatory Drugs in the Presence of Polyamidoamine Dendrimers, 1188 – Solubility of nicotinic acid in polyamidoamine dendrimer solutions, 1384 – Polyamidoamine dendrimers used as solubility enhancers of ketoprofen, 1390
- Porphyrin** – The 2-aminoglucosamide motif improves cellular uptake and photodynamic activity of tetraphenylporphyrin, 1111
- Positive and negative modulators** – Adrenomedullin: a new target for the design of small molecule modulators with promising pharmacological activities, 737
- Potassium channel blocker** – Development of novel 4-aminopyridine derivatives as potential treatments for neurological injury and disease, 908
- Potassium channel activators** – Benzoyl and/or benzyl substituted 1,2,3-triazoles as potassium channel activators. VIII, 521
- PPAR** – Construction of a virtual combinatorial library using SMILES strings to discover potential structure-diverse PPAR modulators, 632
- PPARs** – Molecular design, synthesis, and hypoglycemic and hypolipidemic activities of novel pyrimidine derivatives having thiazolidinedione, 862
- Pr-BIAN** – Synthesis, antimicrobial activity and molecular modeling of cobalt and nickel complexes containing the bulky ligand: *bis*[*N*-(2,6-diisopropylphenyl)imino] acenaphthene, 1214
- Pregnanes** – The interaction between resistance modifiers such as pyrido[3,2-*g*]quinoline, aza-oxafluorene and pregnane derivatives with DNA, plasmid DNA and tRNA, 195
- Principal component analysis** – A quantum chemical and statistical study of ganoderic acids with cytotoxicity against tumor cell, 972
- Prodrugs** – Carbapenem-based prodrugs. Design, synthesis, and biological evaluation of carbapenems, 339 – Enhancement of drug affinity for cell membranes by conjugation with lipophilic acids. I. Synthesis and biological evaluation of lipophilic conjugates of tranlycypromine, 1074
- Proline–aromatic interaction** – Aromatic–aromatic and proline–aromatic interactions in endomorphin-1 and endomorphin-2, 674
- Prostaglandin** – Development of a prostaglandin D₂ receptor antagonist: discovery of a new chemical lead, 505
- Proteases** – Protease-mediated enzymatic hydrolysis and activation of aryl phosphoramidate derivatives of stavudine, 452
- Pt(II) complexes** – Synthesis, in vitro cytotoxic and antiviral activity of *cis*-[Pt(R(–) and S(+)-2- α -hydroxybenzylbenzimidazole)Cl₂] complexes, 135 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590 – Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins, 590
- Pyramidal** – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropane ligand and its Pd(II) and Zn(II) halide complexes, 1096
- Pyrazine derivatives** – Synthesis of 2,6-diphenylpyrazine derivatives and their DNA binding and cytotoxic properties, 1206
- Pyrazole** – Antibacterial and antifungal activities of new pyrazolo[3,4-*d*]pyridazin derivatives, 401
- Pyrazoline** – 1-*N*-Substituted Thiocarbamoyl-3-Phenyl-2-Pyrazolines: Synthesis and In Vitro Antiamoebic Activities, 935
- Pyrazolo-pyridazin** – Antibacterial and antifungal activities of new pyrazolo[3,4-*d*]pyridazin derivatives, 401
- Pyrazolo[3,4-*b*]pyridin-6-ones** – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-*b*]pyridin-6-ones as potential hypnotic drugs, 1179
- Pyridazine-3-carboxylic acids** – Synthesis of new series of 1-Aryl-1,4-dihydro-4-oxo-6-methyl pyridazine-3-carboxylic acid as potential antibacterial agents, 1325
- Pyridine** – Synthesis of 2,5- and 3,5-diphenylpyridine derivatives for DNA recognition and cytotoxicity, 1087
- Pyridine-3-carbonitrile** – Novel milrinone analogs of pyridine-3-carbonitrile derivatives as promising cardiotonic agents, 1405
- Pyridines** – Synthesis and antiproliferative activity of 2,6-Dibenzylamino-3,5-dicyanopyridines on human cancer cell lines, 1365
- Pyridinic compounds** – A new potential cyclooxygenase-2 inhibitor, pyridinic analogue of nimesulide, 1316
- Pyridoquinolines** – The interaction between resistance modifiers such as pyrido[3,2-*g*]quinoline, aza-oxafluorene and pregnane derivatives with DNA, plasmid DNA and tRNA, 195
- Pyrrolidines** – Synthesis and biological evaluation of new GABA-uptake inhibitors derived from proline and from pyrrolidine-2-acetic acid, 231
- Pyrrolo [2,1-*c*] [1,4] benzodiazepines** – Design, synthesis and in vitro cytotoxic studies of novel bis-pyrrolo[2,1][1,4] benzodiazepine-pyrrole and imidazole polyamide conjugates, 641
- Pyrrolone** – 2-Arylidene-4-(4-phenoxyphenyl)but-3-en-4-olides: Synthesis, reactions and biological activity, 1394

Q

- QSAR** – Benzenesulfonamide analogs of fluoroquinolones. Antibacterial activity and QSAR studies, 361 – Ligand-based assessment of factor Xa binding site flexibility via elaborate pharmacophore exploration and genetic algorithm-based QSAR modeling, 701 – QSAR study on carbonic anhydrase inhibitors: water-soluble sulfonamides incorporating β -alanyl moieties, possessing long lasting-intra ocular pressure lowering properties—a molecular connectivity approach, 1002 – Unified drug–target interaction thermodynamic Markov model using stochastic entropies to predict multiple drugs side effects, 1030 – GETAWAY descriptors to predicting A_{2A} adenosine receptors agonists, 1080
- QSTR** – Unified drug–target interaction thermodynamic Markov model using stochastic entropies to predict multiple drugs side effects, 1030
- Quinazolines** – Synthesis of 4-aryl-7,7-dimethyl-1,2,3,4,5,6,7,8-octahydroquinazoline-2-one/thione-5-one derivatives and evaluation as antibacterials, 816
- Quinolone antibiotic analogues** – Synthesis of new series of 1-Aryl-1,4-dihydro-4-oxo-6-methyl pyridazine-3-carboxylic acid as potential antibacterial agents, 1325
- Quinone** – A structure–activity relationship study of quinone compounds with trypanocidal activity, 329 – A structure–activity relationship study of quinone compounds with trypanocidal activity, 329

R

- Radicals** – Synthesis of novel amino and acetyl amino-4-methylcoumarins and evaluation of their antioxidant activity, 413
- Radical scavenging** – Synthesis of novel amino and acetyl amino-4-methylcoumarins and evaluation of their antioxidant activity, 413
- Radioligands** – Derivatives of 4,6-diamino-1,2-dihydro-2-phenyl-1,2,4-triazolo[4,3-*a*]quinoxalin-2*H*-1-one: potential antagonist ligands for imaging the A_{2A} adenosine receptor by positron emission tomography (PET), 421
- Rat vas deferens** – Structure–activity relationships of novel P2-receptor antagonists structurally related to Reactive Blue 2, 1262
- Rats** – Fluorescein-labeled sinistrin as marker of glomerular filtration rate, 1056
- Reactive Blue 2** – Structure–activity relationships of novel P2-receptor antagonists structurally related to Reactive Blue 2, 1262

Reactive oxygen species – Synthesis of novel amino and acetyl amino-4-methylcoumarins and evaluation of their antioxidant activity, 413

Rebeccamycin – Synthesis and cytotoxicities of 7-aza rebeccamycin analogues bearing various substituents on the sugar moiety, on the imide nitrogen and on the carbazole framework, 961

Recombinant yeast estrogen screen – Regioselective synthesis and estrogenicity of (\pm)-8-alkyl-5,7-dihydroxy-4-(4-hydroxyphenyl)-3,4-dihydrocoumarins, 1042

Redox potential – The molecular mechanisms involved in the cytotoxicity of alkan-1-ol derivatives, 1341

Reductive amination – Synthesis and antimycobacterial activities of glycosylated amino alcohols and amines, 351

Regression analysis – QSAR study on carbonic anhydrase inhibitors: water-soluble sulfonamides incorporating β -alanil moieties, possessing long lasting-intra ocular pressure lowering properties—a molecular connectivity approach, 1002

Renal function – Fluorescein-labeled sinistrin as marker of glomerular filtration rate, 1056

Retention-activity relationships – Estimation of the effect of the acidosis and alkalosis on the anesthetic potency of local anesthetics by biopartitioning micellar chromatography and micellar electrokinetic chromatography, 215

Rhamnosurfactant – Synthesis and properties of isocannabinoid and cholesterol derivatized rhamnosurfactants: application to liposomal targeting of keratinocytes and skin, 1022

Right-hand inhibitors – Synthesis and evaluation of new tripeptide phosphonate inhibitors of MMP-8 and MMP-2, 271

S

SARS-CoV – Generation of predictive pharmacophore model for SARS-coronavirus main proteinase, 57

Scaffold – A solid-phase approach to DDB derivatives, 805

Skin – Synthesis and properties of isocannabinoid and cholesterol derivatized rhamnosurfactants: application to liposomal targeting of keratinocytes and skin, 1022

SMILES – Construction of a virtual combinatorial library using SMILES strings to discover potential structure-diverse PPAR modulators, 632

Solid-phase – A solid-phase approach to DDB derivatives, 805

Solubility – Dendrimers as Potential Drug Carriers. Part I. Solubilization of Non-Steroidal Anti-Inflammatory Drugs in the Presence of Polyamidoamine Dendrimers, 1188

Solubility enhancer – Solubility of nicotinic acid in polyamidoamine dendrimer solutions, 1384 – Polyamidoamine dendrimers used as solubility enhancers of ketoprofen, 1390

Solvent free – Synthesis of 4-aryl-7,7-dimethyl-1,2,3,4,5,6,7,8-octahydroquinazolin-2-one/thione-5-one derivatives and evaluation as antibacterials, 816

Spectrophotometry – Synthesis, antibacterial, antifungal activity and interaction of CT-DNA with a new benzimidazole derived Cu(II) complex, 1103

Spinal cord injury – Development of novel 4-aminopyridine derivatives as potential treatments for neurological injury and disease, 908

Spirostanol – Preparations of vitamin D analogs, spirostanols and furostanols from diosgenin and their cytotoxic activities, 662

sPLA₂ inhibitors – Inhibition of secretory phospholipase A₂. 1-Design, synthesis and structure-activity relationship studies starting from 4-tetradecyloxybenzamidate to obtain specific inhibitors of group II sPLA₂s, 850

Stampidine – Protease-mediated enzymatic hydrolysis and activation of aryl phosphoramidate derivatives of stavudine, 452

Stereoselective action – Novel pyrazinone and pyridinone thrombin inhibitors incorporating weakly basic heterobicyclic P₁-arginine mimetics, 782

Stille coupling – Epoxide-containing side chains enhance antiproliferative activity of paullones, 655

Substituted pyrimidine derivatives – Molecular design, synthesis, and hypoglycemic and hypolipidemic activities of novel pyrimidine derivatives having thiazolidinedione, 862

Substituted-{5-[2-(1,2,3,4-tetrahydrocarbazol-9-yl)ethyl]tetrazol-1-yl}alkanones – Synthesis and antinociceptive activity of some substituted-{5-[2-(1,2,3,4-tetrahydrocarbazol-9-yl)ethyl]tetrazol-1-yl}alkanones, 1359

Surface activity – Biological and physicochemical properties of gemini quaternary ammonium compounds in which the positions of a cross-linking sulfur in the spacer differ, 113

Synthetic vector – Synthesis of acridine-nuclear localization signal (NLS) conjugates and evaluation of their impact on lipoplex and polyplex-based transfection, 1295

T

Targeting – The 2-aminoglucosamide motif improves cellular uptake and photodynamic activity of tetraphenylporphyrin, 1111

Tat-TAR interaction – Design, synthesis and bioactivities of TAR RNA targeting β -carboline derivatives based on Tat-TAR interaction, 831

Terminal carboxymethyl/ethylthio acylthio-drazones – Synthesis, stereochemistry and biological activity of some novel long alkyl chain substituted thiazolidin-4-ones and thiazan-4-one from 10-undecenoic acid hydrazide, 173

Terpenyl pyrimidine – Antileishmanial agents part-IV: synthesis and antileishmanial activity of novel terpenyl pyrimidines, 552

Tetrahydro-1,3-thiazin-4-one – Synthesis, stereochemistry and biological activity of some novel long alkyl chain substituted thiazolidin-4-ones and thiazan-4-one from 10-undecenoic acid hydrazide, 173

Tetrahydropyridine-5-carbonitriles – 3,4-*trans*-4-Aryl-3-(1-pyridinio)-1,2,3,4-tetrahydropyridine-6-thiolates—new group of potential cardiotonic drugs, 1163

Tetramic acids – Novel pyrrolinones as *N*-methyl-D-aspartate receptor antagonists, 391

Thermodynamic – Unified drug-target interaction thermodynamic Markov model using stochastic entropies to predict multiple drugs side effects, 1030

Thiadiazoles – Synthesis and antibacterial activity of some 5-(4-biphenyl)-7-aryl [3,4-*d*] [1,2,3]-benzothiadiazoles, 728

Thiaindanone – Synthesis and biological evaluation as AChE inhibitors of new indanones and thiaindanones related to donepezil, 1222

Thiazole – Synthesis and antimicrobial activity of 4-phenyl/cyclohexyl-5-(1-phenoxyethyl)-3-[*N*-(2-thiazolyl)acetamido]thio-4H-1,2,4-triazole derivatives, 607

Thiazolidin-4-ones – Synthesis, stereochemistry and biological activity of some novel long alkyl chain substituted thiazolidin-4-ones and thiazan-4-one from 10-undecenoic acid hydrazide, 173

Thiazolidinediones – Synthesis and Biological Activity of Novel Acridinylidene and Benzylidene thiazolidinediones, 1129

Thioaryloxyacids – Synthesis and antiplatelet activity of thioaryloxyacids analogues of clofibrate acid, 918

Thiocarbamoyl – 1-*N*-Substituted Thiocarbamoyl-3-Phenyl-2-Pyrazolines: Synthesis and In Vitro Antiamoebic Activities, 935

Thiophene-2-carboxaldehyde – Copper(II) complexes with substituted thiosemicarbazones of thiophene-2-carboxaldehyde: synthesis, characterization and antiamoebic activity against *E. histolytica*, 1414

Thiosemicarbazide – 1-*N*-Substituted Thiocarbamoyl-3-Phenyl-2-Pyrazolines: Synthesis and In Vitro Antiamoebic Activities, 935

Thiosemicarbazone – Antiproliferative activities of iron and platinum conjugates of salicylaldehyde semi-/thiosemicarbazones against C6 glioma cells, 1052

Thiosemicarbazones – Novel bidentate complexes of Cu(II) derived from 5-nitrofur-2-carboxaldehyde thiosemicarbazones with antiamoebic activity against *E. histolytica*, 557 – Structural studies and cytotoxic activity of N(4)-phenyl-2-benzoylpyridine thiosemicarbazone Sn(IV) complexes, 467 – Copper(II) complexes with substituted thiosemicarbazones of thiophene-2-carboxaldehyde: synthesis, characterization and antiamoebic activity against *E. histolytica*, 1414

Thorpe-Ziegler cyclization – Facile synthesis of active antitubercular, cytotoxic and antibacterial agents: a Michael addition approach, 1143

Thrombin inhibitors – Novel pyrazinone and pyridinone thrombin inhibitors incorporating weakly basic heterobicyclic P₁-arginine mimetics, 782

Tin(IV) complexes – Structural studies and cytotoxic activity of N(4)-phenyl-2-benzoylpyridine thiosemicarbazone Sn(IV) complexes, 467 – Tin(IV) complexes of pyrrolidinedithiocarbamate: synthesis, characterisation and antifungal activity, 1277

Topoisomerase I inhibitors – Synthesis and cytotoxicities of 7-aza rebeccamycin analogues bearing various substituents on the sugar moiety, on the imide nitrogen and on the carbazole framework, 961

Topological index – QSAR study on carbonic anhydrase inhibitors: water-soluble sulfonamides incorporating β -alanyl moieties, possessing long lasting-intra ocular pressure lowering properties—a molecular connectivity approach, 1002

Transfer RNA interaction – The interaction between resistance modifiers such as pyrido[3,2-g]quinoline, aza-oxafluorene and pregnane derivatives with DNA, plasmid DNA and tRNA, 195

Transporter – Structure–activity relationship of trihexyphenidyl analogs with respect to the dopamine transporter in the on going search for a cocaine inhibitor, 1013

Tranlycypromine – Enhancement of drug affinity for cell membranes by conjugation with lipoamino acids. I. Synthesis and biological evaluation of lipophilic conjugates of tranlycypromine, 1074

Tri-heterocycles – One pot synthesis of oxygenated tri-heterocycles as anti-microbial agents, 1168

Triazole – Synthesis and antimicrobial activity of 4-phenyl/cyclohexyl-5-(1-phenoxyethyl)-3-[N-(2-thiazolyl)acetamido]thio-4H-1,2,4-triazole derivatives, 607

Triazolo[4,3-a]quinoxaline – Derivatives of 4,6-diamino-1,2-dihydro-2-phenyl-1,2,4-triazolo[4,3-a]quinoxalin-2H-1-one: potential antagonist ligands for imaging the A_{2A} adenosine receptor by positron emission tomography (PET), 421

Tridentate – Structural characterization and antimicrobial activity of 1,3-bis(2-benzimidazolyl)-2-thiopropane ligand and its Pd(II) and Zn(II) halide complexes, 1096

Trifluoromethylpyrazoles – Synthesis and antibacterial activity of some new 1-heteroaryl-5-amino-4-phenyl-3-trifluoromethylpyrazoles, 922

Trihexyphenidyl – Structure–activity relationship of trihexyphenidyl analogs with respect to the dopamine transporter in the on going search for a cocaine inhibitor, 1013

Triorganotin – New triorganotin(IV) derivatives of dipeptides as anti-inflammatory–antimicrobial agents, 289

Tripeptide phosphonates – Synthesis and evaluation of new tripeptide phosphonate inhibitors of MMP-8 and MMP-2, 271

Triterpene – The cytotoxic activity of ursolic acid derivatives, 582

Tuberculosis – Synthesis and antimycobacterial activities of glycosylated amino alcohols and amines, 351

Tubulin – Synthesis and cytotoxic activity of 2-acyl-1H-indole-4,7-diones on human cancer cell lines, 85 – Synthesis and evaluation of double bond substituted combretastatins, 529

Two-stage skin carcinogenesis test – Antitumor-promoting activity of simple models of galactoglycerolipids with branched and unsaturated acyl chains, 69

Type 2 diabetes – Molecular design, synthesis, and hypoglycemic and hypolipidemic activities of novel pyrimidine derivatives having thiazolidinedione, 862

TZD compounds – Molecular design, synthesis, and hypoglycemic and hypolipidemic activities of novel pyrimidine derivatives having thiazolidinedione, 862

U

Ulcerogenic – 2-Arylidene-4-(4-phenoxyphenyl)but-3-en-4-olides: Synthesis, reactions and biological activity, 1394

Unnatural aminoacids – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563 – Anthranilic acid based CCK₁ receptor antagonists: preliminary investigation on their second “touch point”, 563

Uptake – Structure–activity relationship of trihexyphenidyl analogs with respect to the dopamine transporter in the on going search for a cocaine inhibitor, 1013

Ursolic acid derivative – The cytotoxic activity of ursolic acid derivatives, 582

V

VAcHT – Structural changes of benzylether derivatives of vesamicol and their influence on the binding selectivity to the vesicular acetylcholine transporter, 1197

Vancomycin – An unexpected amide bond cleavage: poly (ethylene glycol) transport forms of vancomycin. 2, 798

Vasodilatation – NO-donors, part 9 : diazeniumdiolates inhibit human platelet aggregation and induce a transient vasodilatation

of porcine pulmonary arteries in accordance with the NO-releasing rates, 281

Vasodilator activity – Benzoyl and/or benzyl substituted 1,2,3-triazoles as potassium channel activators. VIII, 521

Vesamicol analogue – Structural changes of benzylether derivatives of vesamicol and their influence on the binding selectivity to the vesicular acetylcholine transporter, 1197

Virtual combinatorial library – Construction of a virtual combinatorial library using SMILES strings to discover potential structure-diverse PPAR modulators, 632

Virtual screening – Generation of predictive pharmacophore model for SARS-coronavirus main proteinase, 57 – Construction of a virtual combinatorial library using SMILES strings to discover potential structure-diverse PPAR modulators, 632

Viscosity – Synthesis, antibacterial, antifungal activity and interaction of CT-DNA with a new benzimidazole derived Cu(II) complex, 1103

Vitamin D analog – Preparations of vitamin D analogs, spirostanols and furostanols from diosgenin and their cytotoxic activities, 662

Volsurf – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-b]pyridin-6-ones as potential hypnotic drugs, 1179

Voltammetry – Electron transfer in N-hydroxyurea complexes with iron(III), 51

W

Wogonin – Synthesis and inhibition of PGE₂ production of 6,8-disubstituted chrysin derivatives, 943

X

X-ray structure determination – Synthesis, structure–activity relationship of some new anti-arrhythmic 5-arylidene imidazolidine-2,4-dione derivatives, 259

Y

Yunnanin F – Synthetic studies on cyclic octapeptides: Yunnanin F and Hymenistatin, 407

Z

Zaleplon – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-b]pyridin-6-ones as potential hypnotic drugs, 1179

Zolpidem – Design, synthesis and biological activity of acyl substituted 3-amino-5-methyl-1,4,5,7-tetrahydropyrazolo[3,4-b]pyridin-6-ones as potential hypnotic drugs, 1179