

Keyword index

- α,β -Unsaturated ketones** – Design, synthesis and cytotoxic properties of novel 1-[4-(2-alkylaminoethoxy)phenylcarbonyl]-3,5-bis(arylidene)-4-piperidones and related compounds, 71
- α -Aminoisobutyric acid** – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799
- α -Triple helix peptides** – Type III collagen mimetic peptides designed with anti- or pro-aggregant activities on human platelets, 694
- α,β_3** – Identification of novel short chain 4-substituted indoles as potent α,β_3 antagonist using structure-based drug design, 334
- α,β_5** – Identification of novel short chain 4-substituted indoles as potent α,β_5 antagonist using structure-based drug design, 334
- β -Cyclodextrin** – Synthesis and antioxidant activity of new homocarnosine β -cyclodextrin conjugates, 910
- β -Ionone** – Chemotherapy of leishmaniasis. Part VII: Synthesis and bioevaluation of substituted terpenyl pyrimidines, 1211
- β 2 selective inhibitors** – Glutamine vinyl ester proteasome inhibitors selective for trypsin-like (β 2) subunit, 586
- γ -Pyrone** – Chemotherapy of leishmaniasis. Part V: Synthesis and *in vitro* bioevaluation of novel pyridinone derivatives, 669
- σ Receptor ligands** – Synthesis of bridged piperazines with σ receptor affinity, 1247
- 1- α -t-Butylglycine** – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799
- 1 β -Methylcarbapenems** – Synthesis and antibacterial evaluation of 1 β -methyl-2-[5-(1-methoxyimino-2-substituted sulfonamide ethyl)pyrrolidin-3-ylthio]carbapenems and their related compounds, 358 – Novel 1 β -methylcarbapenems having cyclic sulfonamide moieties: Synthesis and evaluation of *in vitro* antibacterial activity, 1176
- 2(3H)-Benzoxazolone** – Cytotoxic Mannich bases of 6-(3-aryl-2-propenoyl)-2(3H)-benzoxazolones, 1382
- 2(3H)-Furanones** – Conversion of some 2(3H)-furanones bearing a pyrazolyl group into other heterocyclic systems with a study of their antiviral activity, 934
- 2(3H)-Pyrrolones** – Conversion of some 2(3H)-furanones bearing a pyrazolyl group into other heterocyclic systems with a study of their antiviral activity, 934
- 1,2,3,4-Tetrahydroisoquinoline-3-carboxylic acid** – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799
- 1,2,3-Selenadiazole** – 4-Methyl-1,2,3-selenadiazole-5-carboxylic acid amides: Antitumor action and cytotoxic effect correlation, 635
- 1,2,3-Triazole** – Synthesis and evaluation of new difluoromethyl azoles as antileishmanial agents, 1388
- 1,2,3-Triazolo[4,5-d]pyrimidines** – Synthesis, biological activity and molecular modelling of new trisubstituted 8-azaadenines with high affinity for A_1 adenosine receptors, 1
- 1,2,4-Oxadiazole derivatives** – New GABA-modulating 1,2,4-oxadiazole derivatives and their anticonvulsant activity, 873
- 1,2,4-Triazoles** – Conversion of some 2(3H)-furanones bearing a pyrazolyl group into other heterocyclic systems with a study of their antiviral activity, 934 – *N*- and *S*- α -l-Arabinopyranosyl[1,2,4]triazolo[3,4-b][1,3,4]thiadiazoles. First synthesis and biological evaluation, 1193
- 1,2,4-Triazoline-3-thione** – Synthesis of some novel heterocyclic compounds derived from diflunisal hydrazide as potential anti-infective and anti-inflammatory agents, 893
- 1,2,4-Triazolo[3,4-b][1,3,4]thiadiazole-3-thiones** – *N*- and *S*- α -l-Arabinopyranosyl[1,2,4]triazolo[3,4-b][1,3,4]thiadiazoles. First synthesis and biological evaluation, 1193
- 1,3,4-Oxadiazole** – Synthesis of some novel heterocyclic compounds derived from diflunisal hydrazide as potential anti-infective and anti-inflammatory agents, 893
- 1,3,4-Oxadiazoles** – Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-(1-adamantyl)-5-substituted-1,3,4-oxadiazoles and 2-(1-adamantylamino)-5-substituted-1,3,4-thiadiazoles, 235
- 1,3,4-Thiadiazole** – Synthesis of some novel heterocyclic compounds derived from diflunisal hydrazide as potential anti-infective and anti-inflammatory agents, 893
- 1,3,4-Thiadiazoles** – Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-(1-adamantyl)-5-substituted-1,3,4-oxadiazoles and 2-(1-adamantylamino)-5-substituted-1,3,4-thiadiazoles, 235 – Evaluation of electronic, lipophilic and membrane affinity effects on antiproliferative activity of 5-substituted-2-(2,4-dihydroxyphenyl)-1,3,4-thiadiazoles against various human cancer cells, 940
- 2,4,6-Trisubstituted pyrimidines** – Synthesis and biological evaluation of 4-alkylamino-6-(2-hydroxyethyl)-2-methylthiopyrimidines as new rubella virus inhibitors, 256
- 1,2-Dihydropyrano[2,3-c]xanthenones** – Design and synthesis of new pyranoxanthenones bearing a nitro group or an aminosubstituted side chain on the pyran ring. Evaluation of their growth inhibitory activity in breast cancer cells, 307
- 1,3-Benzodioxole** – Synthesis and antitumour evaluation of peptidyl-like derivatives containing the 1,3-benzodioxole system, 351
- 1,3-Dipolar cycloaddition** – Asymmetric synthesis of chiral piperazinylpropylisoxazoline ligands for dopamine receptors, 1044
- 1,12-Diaminododecane** – New polyamine-sensitive inhibitors of the NMDA receptor: Syntheses and pharmacological evaluation, 175
- 2,4-Diarylchromane[4,3-d]- $\Delta^{1,9b}$ -1,2,3-thiadiazolines** – Synthesis and anticancer activity of a novel class of flavonoids: 2,4-Diarylchromane[4,3-d]- $\Delta^{1,9b}$ -1,2,3-thiadiazolines, 226
- 2,4-Dichloro-5-fluorophenyl chalcones** – Synthesis and antimicrobial studies on novel chloro-fluorine containing hydroxy pyrazolines, 30
- 2,4-Pyrimidinediones** – Synthesis and anti-HIV activity evaluation of 1-[(alkenyl or alkynyl or alkyloxy)methyl]-5-alkyl-6-(1-naphthoyl)-2,4-pyrimidinediones as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 198
- 2',5'-Dimethoxychalcones** – Synthetic 2',5'-dimethoxychalcones as G_2/M arrest-mediated apoptosis-inducing agents and inhibitors of nitric oxide production in rat macrophages, 660
- 3,8-Diazabicyclo[3.2.1]octane** – Synthesis and antiproliferative properties of $N_{3/8}$ -disubstituted 3,8-diazabicyclo[3.2.1]octane analogues of 3,8-bis[2-(3,4,5-trimethoxyphenyl)pyridin-4-yl]methylpiperazine, 293
- 6,8-Diazabicyclo[3.2.2]nonane** – Synthesis of bridged piperazines with σ receptor affinity, 1247
- 1-Adamantyl derivatives** – Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-(1-adamantyl)-5-substituted-1,3,4-oxadiazoles and 2-(1-adamantylamino)-5-substituted-1,3,4-thiadiazoles, 235
- 1-Chloro-3,4-dihydronaphthalene-2-carboxaldehyde** – Synthesis and antimicrobial evaluation of some new thiazole, thiazolidinone and thiazoline derivatives starting from 1-chloro-3,4-dihydronaphthalene-2-carboxaldehyde, 948
- 2-Acetylpyridine** – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base

- derived from 4-amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394
- 2-Aminopyrimidines** – Synthesis, *in vitro* antibacterial and antifungal evaluations of 2-amino-4-(1-naphthyl)-6-arylpyrimidines, 517
- 2-Benzylbenzoxazole** – Synthesis and *in vitro* antimicrobial activity of new 2-[*p*-substituted-benzyl]-5-[substituted-carbonylamino] benzoxazoles, 1293
- 2-Bromo-5-methoxy** – Synthesis of some bioactive 2-bromo-5-methoxy-*N'*-[4-(aryl)-1,3-thiazol-2-yl]benzohydrazide derivatives, 425
- 2-Hydroxyalkyl benzenesulfonamide** – Pharmacophoric 2-hydroxyalkyl benzenesulfonamide: A single-step synthesis from benzenesulfonamide via hemiaminal, 456
- 2-Morpholino substituted benzoxazines** – Synthesis, identification and antiplatelet evaluation of 2-morpholino substituted benzoxazines, 1200
- 2-Pyrazoline** – Synthesis and antimicrobial activity of 1-(4-aryl-2-thiazolyl)-3-(2-thienyl)-5-aryl-2-pyrazoline derivatives, 403
- 3-Amino-2-(4-chloro-2-mercaptobenzene-sulfonyl)guanidines** – Synthesis of novel 3-amino-2-(4-chloro-2-mercaptobenzene-sulfonyl)-guanidine derivatives as potential antitumor agents, 1218
- 3D-QSAR** – 3D-QSAR study of sulfonamide inhibitors of human carbonic anhydrase II, 365 – 3D-QSAR and molecular docking studies on benzothiazole derivatives as *Candida albicans* *N*-myristoyltransferase inhibitors, 477
- 4-Chloro-3-formyl-2-(2-hydroxy-ethene-1-yl)quinolines** – Synthesis, antimicrobial activities and cytogenetic studies of newer diazepino quinoline derivatives *via* Vilsmeier–Haack reaction, 1128
- 4-Methylthiobenzyl** – Convenient one pot synthesis and antimicrobial evaluation of some new Mannich bases carrying 4-methylthiobenzyl moiety, 1095
- 4-Methylthiophenyl** – Convenient one pot synthesis of some novel derivatives of thiazolo[2,3-*b*]dihydropyrimidinone possessing 4-methylthiophenyl moiety and evaluation of their antibacterial and antifungal activities, 380
- 5-Aminosalicylic acid** – Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential, 772 – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrug of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 885
- 5-HT₃ receptor** – Structure-based 3D-QSAR studies on heteroaryl piperazine derivatives as 5-HT₃ receptor antagonists, 977
- 5-Triazolymethyl-oxazolidinone** – Structure – antibacterial activity of arylcarbonyl- and arylsulfonyl-piperazine 5-triazolymethyl oxazolidinones, 214
- 6-Aryl-3-[(4-methyl sulphonyl phenoxy) methyl]-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines** – Synthesis and antimicrobial activities of some novel 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines carrying thioalkyl and sulphonyl phenoxy moieties, 521
- 6-Aryl-3-[(4-thio alkyl phenoxy) methyl]-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles** – Synthesis and antimicrobial activities of some novel 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines carrying thioalkyl and sulphonyl phenoxy moieties, 521
- 6-Aryl-3-[(4-thioalkyl phenoxy) methyl]-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines** – Synthesis and antimicrobial activities of some novel 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines carrying thioalkyl and sulphonyl phenoxy moieties, 521
- 6-(1-Naphthoyl)** – Synthesis and anti-HIV activity evaluation of 1-[(alkenyl or alkynyl or alkyloxy)methyl]-5-alkyl-6-(1-naphthoyl)-2,4-pyrimidinediones as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 198
- 6-Substituted purines** – Synthesis and biological evaluation of some 6-substituted purines, 530
- 8-Azaadenines** – Synthesis, biological activity and molecular modelling of new trisubstituted 8-azaadenines with high affinity for A₁ adenosine receptors, 1
- 15-Membered azalides** – Azithromycin-sulfonamide conjugates as inhibitors of resistant *Streptococcus pyogenes* strains, 138
- ### A
- as-Triazine** – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base derived from 4-amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394
- A₁ adenosine receptor ligands** – Synthesis, biological activity and molecular modelling of new trisubstituted 8-azaadenines with high affinity for A₁ adenosine receptors, 1
- Abraham equation** – Air to liver partition coefficients for volatile organic compounds and blood to liver partition coefficients for volatile organic compounds and drugs, 743
- Acetylcholinesterase** – Docking and quantum mechanic studies on cholinesterases and their inhibitors, 10
- Acid hydrazones** – Design and synthesis of anticonvulsants from a combined phthalimide–GABA–anilide and hydrazone pharmacophore, 146
- Acid stability** – Azithromycin-sulfonamide conjugates as inhibitors of resistant *Streptococcus pyogenes* strains, 138
- Acridines** – Synthesis and antileishmanial activity of 6-mono-substituted and 3,6-disubstituted acridines obtained by acylation of proflavine, 1277
- Activity** – A review of anti-infective and anti-inflammatory chalcones, 125
- Adamantane derivatives** – Synthesis and anti-HIV studies of 2-adamantyl-substituted thiazolidin-4-ones, 993
- AIDS** – Development of integrase inhibitors for treatment of AIDS: An overview, 1159
- Aldehyde** – Synthesis and antimicrobial activities of Schiff bases derived from 5-chlorosalicylaldehyde, 558
- Alzheimer's disease** – Docking and quantum mechanic studies on cholinesterases and their inhibitors, 10
- AM1** – A theoretical study of phenolic compounds with antioxidant properties, 440
- Amastigotes** – Chemotherapy of leishmaniasis. Part V: Synthesis and *in vitro* bioevaluation of novel pyridinone derivatives, 669
- Amidation** – Design, parallel synthesis and SAR of novel urotensin II receptor agonists, 276
- Amides** – Design and synthesis of anti-convulsants from a combined phthalimide–GABA–anilide and hydrazone pharmacophore, 146
- Amino acids** – α -Amino acid derivatives as proton pump inhibitors and potent anti-ulcer agents, 386
- Amino side chain** – Spectroscopic studies of DNA binding modes of cation-substituted anthrapyrazoles derived from emodin, 1169
- Amino triazoles** – Studies on synthesis and pharmacological activities of 3,6-disubstituted-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and their dihydro analogues, 823
- Aminomethylation** – Convenient one pot synthesis and antimicrobial evaluation of some new Mannich bases carrying 4-methylthiobenzyl moiety, 1095
- Amiodarone analogues** – Synthesis and cytotoxicity properties of amiodarone analogues, 861
- Amiodarone** – Synthesis and cytotoxicity properties of amiodarone analogues, 861
- Ammine/propylamine platinum(II) complexes** – Synthesis, cytotoxicity and DNA-binding levels of ammine/propylamine platinum(II) complexes with carboxylates, 286
- Amphiphilic** – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114
- Anacardic acid** – Synthesis of isonicotinoyl-hydrazones from anacardic acid and their *in vitro* activity against *Mycobacterium smegmatis*, 420
- Analgesic activity** – Syntheses of new tetra-substituted thiophenes as novel anti-inflammatory agents, 1049
- Analogues** – Synthesis and biological properties of 4-(3*H*)-quinazoline derivatives, 1234
- ANN** – ANN-QSAR model for selection of anticancer leads from structurally heterogeneous series of compounds, 580
- Ant colony optimization** – QSAR analysis of tyrosine kinase inhibitor using modified ant colony optimization and multiple linear regression, 81
- Anthelmintic activity** – Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential, 772
- Anthrapyrazole** – Spectroscopic studies of DNA binding modes of cation-substituted anthrapyrazoles derived from emodin, 1169
- Anti-aggregant and pro-aggregant activities** – Type III collagen mimetic peptides

- designed with anti- or pro-aggregant activities on human platelets, 694
- Anti-bacterial drugs** – Evaluation of polyamidoamine (PAMAM) dendrimers as drug carriers of anti-bacterial drugs using sulfamethoxazole (SMZ) as a model drug, 93
- Anti-diabetic** – Synthesis and evaluation of *N*-acetyl-L-tyrosine based compounds as PPAR α selective activators, 503
- Anti-HBV activity** – Identification of 1-isopropylsulfonyl-2-amine benzimidazoles as a new class of inhibitors of hepatitis B virus, 1358
- Anti-HIV activity** – Synthesis and anti-HIV activity evaluation of 1-[(alkenyl or alkynyl or alkyloxy)methyl]-5-alkyl-6-(1-naphthyl)-2,4-pyrimidinediones as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 198
- Anti-HIV studies** – Synthesis and anti-HIV studies of 2-adamantyl-substituted thiazolidin-4-ones, 993
- Anti-infectious** – Rapid synthesis of sulfone derivatives as potential anti-infectious agents, 880
- Anti-inflammatory activities** – Synthesis of novel triheterocyclic thiazoles as anti-inflammatory and analgesic agents, 1272
- Anti-inflammatory activity** – Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-(1-adamantyl)-5-substituted-1,3,4-oxadiazoles and 2-(1-adamantylamino)-5-substituted-1,3,4-thiadiazoles, 235 – Syntheses of new tetrasubstituted thiophenes as novel anti-inflammatory agents, 1049
- Anti-inflammatory agents** – Synthesis of some novel heterocyclic compounds derived from diflunisal hydrazide as potential anti-infective and anti-inflammatory agents, 893
- Anti-inflammatory effect** – Synthetic 2',5'-dimethoxychalcones as G $_2$ M arrest-mediated apoptosis-inducing agents and inhibitors of nitric oxide production in rat macrophages, 660
- Anti-inflammatory** – A review of anti-infective and anti-inflammatory chalcones, 125 – Non-carboxylic analogues of arylpropionic acids: Synthesis, anti-inflammatory activity and ulcerogenic potential, 152 – Evaluation of the anti-inflammatory and anti-nociceptive activities of novel synthesized melatonin analogues, 1285
- Anti-nociceptive** – Evaluation of the anti-inflammatory and anti-nociceptive activities of novel synthesized melatonin analogues, 1285
- Anti-tubercular** – Synthesis, structural activity relationship and anti-tubercular activity of novel pyrazoline derivatives, 268
- Anti-tumor promoters** – Synthetic cinnamylphenol derivatives as cancer chemopreventive agents, 902
- Anti-ulcer** – α -Amino acid derivatives as proton pump inhibitors and potent anti-ulcer agents, 386
- Antiamoebic activity** – Syntheses, characterization and *in vitro* antiamoebic activity of new Pd(II) complexes with 1-*N*-substituted thiocarbamoyl-3,5-diphenyl-2-pyrazoline derivatives, 544
- Antibacterial activities** – Synthesis, antimicrobial activities and cytogenetic studies of newer diazepino quinoline derivatives *via* Vilsmeier–Haack reaction, 1128
- Antibacterial activity** – Synthesis and antimicrobial studies on novel chloro-fluorine containing hydroxy pyrazolines, 30 – Synthesis, characterization and *in vitro* antibacterial activity of new steroidal thiazolo quinoxalines, 103 – Synthesis and antibacterial evaluation of 1 β -methyl-2-[5-(1-methoxyimino-2-substituted sulfonamide ethyl)pyrrolidin-3-ylthio]carbapenems and their related compounds, 358 – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base derived from 4-amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394 – Synthesis, *in vitro* antibacterial and antifungal evaluations of 2-amino-4-(1-naphthyl)-6-arylpyrimidines, 517 – Synthesis and antimicrobial activities of Schiff bases derived from 5-chloro-salicylaldehyde, 558 – Synthesis, stereochemistry and antimicrobial evaluation of *t*(3)-benzyl-*r*(2),*c*(6)-diarylpiperidin-4-one and its derivatives, 593 – Synthesis, stereochemistry and antimicrobial evaluation of some *N*-morpholinoacetyl-2,6-diarylpiperidin-4-ones, 851 – Organoiodine(III) mediated synthesis of 3,9-diaryl- and 3,9-difuryl-bis-1,2,4-triazolo[4,3-*a*][4,3-*c*]pyrimidines as antibacterial agents, 868 – Novel 1 β -methylcarbapenems having cyclic sulfonamide moieties: Synthesis and evaluation of *in vitro* antibacterial activity, 1176
- Antibacterial agents** – Synthesis and antibacterial activity of oxazolidinones containing triazolyl group, 1137
- Antibacterial and antifungal activity** – Synthesis and *in vitro* antimicrobial activity of new 2-[*p*-substituted-benzyl]-5-[substituted-carbonylamino]benzoxazoles, 1293
- Antibacterial and antifungal screening** – Synthesis and antimicrobial activities of some novel 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and 1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines carrying thioalkyl and sulphonyl phenoxy moieties, 521
- Antibacterial drugs** – Polyamidoamine (PAMAM) dendrimers as biocompatible carriers of quinolone antimicrobials: An *in vitro* study, 1032
- Antibacterial** – A review of anti-infective and anti-inflammatory chalcones, 125 – Structure–antibacterial activity of arylcarbonyl- and arylsulfonyl-piperazine 5-triazolylmethyl oxazolidinones, 214 – Convenient one pot synthesis of some novel derivatives of thiazolo[2,3-*b*]dihydropyrimidinone possessing 4-methylthiophenyl moiety and evaluation of their antibacterial and antifungal activities, 380 – Synthesis, characterization and *in vitro* biological studies of novel cyano derivatives of *N*-alkyl and *N*-aryl piperazine, 471 – Synthesis, SAR and antibacterial studies on novel chalcone oxazolidinone hybrids, 538 – Acid-catalyzed synthesis of oxathiolone fused chalcones. Comparison of their activity toward various microorganisms and human cancer cells line, 729 – Convenient one pot synthesis and antimicrobial evaluation of some new Mannich bases carrying 4-methylthiobenzyl moiety, 1095 – Synthesis and biological properties of 4-(3*H*)-quinazolinone derivatives, 1234 – Synthesis, characterization, cytotoxicity, antibacterial and antifungal evaluation of some new platinum (IV) and palladium (II) complexes of thiodiamines, 1239
- Antibiotics** – Synthesis, characterization and *in vitro* biological studies of novel cyano derivatives of *N*-alkyl and *N*-aryl piperazine, 471
- Anticancer activity** – ANN-QSAR model for selection of anticancer leads from structurally heterogeneous series of compounds, 580 – New 5-substituted thiazolo[3,2-*b*][1,2,4]triazol-6-ones: Synthesis and anticancer evaluation, 641
- Anticancer agents** – Impact on farnesyltransferase inhibition of 4-chlorophenyl moiety replacement in the Zarnestra series, 702
- Anticancerous** – Synthesis and biological properties of 4-(3*H*)-quinazolinone derivatives, 1234
- Anticonvulsant activity** – Synthesis and studies on antidepressant and anticonvulsant activities of some 3-(2-furyl)-pyrazoline derivatives, 373 – New GABA-modulating 1,2,4-oxadiazole derivatives and their anticonvulsant activity, 873
- Anticonvulsants** – Design and synthesis of anticonvulsants from a combined phthalimide–GABA–anilide and hydrazone pharmacophore, 146
- Antidepressant activity** – Synthesis and studies on antidepressant and anticonvulsant activities of some 3-(2-furyl)-pyrazoline derivatives, 373
- Antifungal activities** – Synthesis, antimicrobial activities and cytogenetic studies of newer diazepino quinoline derivatives *via* Vilsmeier–Haack reaction, 1128
- Antifungal activity** – Synthesis and antimicrobial studies on novel chloro-fluorine containing hydroxy pyrazolines, 30 – Study on the substituents' effects of a series of synthetic chalcones against the yeast *Candida albicans*, 87 – Synthesis, characterization and *in vitro* biological studies of novel cyano derivatives of *N*-alkyl and *N*-aryl piperazine, 471 – Synthesis, *in vitro* antibacterial and antifungal evaluations of 2-amino-4-(1-naphthyl)-6-arylpyrimidines, 517 – Synthesis and antimicrobial activities of Schiff bases derived from 5-chloro-salicylaldehyde, 558 – Synthesis, stereochemistry and antimicrobial evaluation of *t*(3)-benzyl-*r*(2),*c*(6)-diarylpiperidin-4-one and its derivatives, 593 – Synthesis, stereochemistry and antimicrobial evaluation of some *N*-morpholinoacetyl-2,6-diarylpiperidin-4-ones, 851 – Synthesis and evaluation of novel 1-(1*H*-1,2,4-triazol-1-yl)-2-(2,4-difluorophenyl)-3-[(4-substitutedphenyl)-piperazin-1-yl]-propan-2-ols as antifungal agents, 1151 – Synthesis of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase (CYP51), 1226
- Antifungal and thermal** – Synthesis, characterization, cytotoxicity, antibacterial and antifungal evaluation of some new platinum

- (IV) and palladium (II) complexes of thiodiamines, 1239
- Antifungal** – A review of anti-infective and anti-inflammatory chalcones, 125 – Synthesis, characterization and antimicrobial activity of Fe(II), Zn(II), Cd(II) and Hg(II) complexes with 2,6-bis(benzimidazol-2-yl) pyridine ligand, 205 – Convenient one pot synthesis of some novel derivatives of thiazolo[2,3-*b*]dihydropyrimidinone possessing 4-methylthiophenyl moiety and evaluation of their antibacterial and antifungal activities, 380 – 3D-QSAR and molecular docking studies on benzothiazole derivatives as *Candida albicans* *N*-myristoyltransferase inhibitors, 477 – Acid-catalyzed synthesis of oxathiolone fused chalcones. Comparison of their activity toward various microorganisms and human cancer cells line, 729 – Convenient one pot synthesis and antimicrobial evaluation of some new Mannich bases carrying 4-methylthiobenzyl moiety, 1095 – Synthesis and biological properties of 4-(3*H*)-quinazolinone derivatives, 1234
- Antigen 85C** – Design, synthesis, biochemical evaluation and antimycobacterial action of phosphonate inhibitors of antigen 85C, a crucial enzyme involved in biosynthesis of the mycobacterial cell wall, 54
- Antigenotoxic activity** – Synthesis and antigenotoxic activity of some naphtho[2,1-*b*]pyrano[3,2-*e*][1,2,4]triazolo[1,5-*c*]pyrimidine derivatives, 715
- Antileishmanial activity** – Chemotherapy of leishmaniasis Part VI: Synthesis and bioevaluation of some novel terpenyl *S,N*- and *N,N*-acetals, 511 – Synthesis and biological evaluation of some 6-substituted purines, 530 – Chemotherapy of leishmaniasis. Part V: Synthesis and *in vitro* bioevaluation of novel pyridinone derivatives, 669 – A comparative study of mesoionic compounds in *Leishmania* sp. and toxicity evaluation, 1039 – Chemotherapy of leishmaniasis. Part VII: Synthesis and bioevaluation of substituted terpenyl pyrimidines, 1211 – Synthesis and antileishmanial activity of 6-mono-substituted and 3,6-di-substituted acridines obtained by acylation of proflavine, 1277 – Synthesis and evaluation of new difluoromethyl azoles as antileishmanial agents, 1388
- Antileishmanial** – A review of anti-infective and anti-inflammatory chalcones, 125
- Antileukotrienic activity** – Antileukotrienic *N*-arylethyl-2-arylacetamides in the treatment of ulcerative colitis, 1084
- Antimalarial** – A review of anti-infective and anti-inflammatory chalcones, 125 – Synthesis and evaluation of sulfonylurea derivatives as novel antimalarials, 735
- Antimicrobial activity** – Azithromycin-sulfonamide conjugates as inhibitors of resistant *Streptococcus pyogenes* strains, 138 – Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-(1-adamantyl)-5-substituted-1,3,4-oxadiazoles and 2-(1-adamantylamino)-5-substituted-1,3,4-thiadiazoles, 235 – Synthesis and biological evaluation of 4-methylideneisoxazolidin-5-ones – A new class of highly cytotoxic α -methylidene- γ -lactones, 248 – Synthesis and antimicrobial activity of 1-(4-aryl-2-thiazolyl)-3-(2-thienyl)-5-aryl-2-pyrazoline derivatives, 403 – Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential, 772 – Synthesis and antimicrobial evaluation of some new thiazole, thiazolidinone and thiazoline derivatives starting from 1-chloro-3,4-dihydronaphthalene-2-carboxaldehyde, 948 – *N*- and *S*- α -l-Arabinopyranosyl[1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazoles. First synthesis and biological evaluation, 1193
- Antimicrobial** – Synthesis, characterization and antimicrobial activity of Fe(II), Zn(II), Cd(II) and Hg(II) complexes with 2,6-bis(benzimidazol-2-yl) pyridine ligand, 205 – Clubbed triazoles: A novel approach to antitubercular drugs, 807
- Antimitotic** – Pyrimido[4,5-*c*]quinolin-1(2*H*)-ones as a novel class of antimitotic agents: Synthesis and *in vitro* cytotoxic activity, 344
- Antimycobacterial** – Clubbed triazoles: A novel approach to antitubercular drugs, 807
- Antioxidant activity** – Syntheses of new tetrasubstituted thiophenes as novel anti-inflammatory agents, 1049
- Antioxidant** – A theoretical study of phenolic compounds with antioxidant properties, 440
- Antiparasitic agents** – Synthesis and antiparasitic evaluation of bis-2,5-[4-guandinophenyl]thiophenes, 552
- Antiparasitic** – Synthesis and biological activity of imidazopyridine anticoccidial agents: Part I, 1334
- Antiplatelet aggregation activity** – Novel synthetic approach to *N*-aryl-4-(3-pyridyl)thiazol-2-amine and analogues using HMCM-41 as catalyst, and their biological evaluation as human platelet aggregation inhibitors, 1144
- Antiplatelet** – Synthesis, identification and antiplatelet evaluation of 2-morpholino substituted benzoxazines, 1200
- Antiproliferative activity** – 1-Aryl-4,6-dihydropyrazolo[4,3-*d*][1]benzazepin-5(1*H*)-ones: A new class of antiproliferative agents with selectivity for human leukemia and breast cancer cell lines, 1317
- Antiproliferative effect** – Synthesis and *in vitro* antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20
- Antiprotozoal** – Synthesis and biological activity of imidazopyridine anticoccidial agents: Part I, 1334
- Antitubercular agents** – Effect of substituents on diarylmethanes for antitubercular activity, 410
- Antituberculosis agents** – Design, synthesis, biochemical evaluation and antimycobacterial action of phosphonate inhibitors of antigen 85C, a crucial enzyme involved in biosynthesis of the mycobacterial cell wall, 54
- Antitumor activities** – Synthesis and cytotoxic evaluation of a series of resveratrol derivatives modified in C2 position, 263
- Antitumor activity** – Synthesis and anticancer activity of a novel class of flavonoids: 2,4-Diarylchromane[4,3-*d*]- $\delta^{1,9b}$ -1,2,3-thiadiazolines, 226 – New bis-*N*9-(methylphenylmethyl)purine derivatives: Synthesis and antitumor activity, 327
- Antitumor effect** – Synthesis of novel 3-amino-2-(4-chloro-2-mercaptobenzenesulfonyl)-guanidine derivatives as potential antitumor agents, 1218
- Antiviral activity** – Conversion of some 2(3*H*)-furanones bearing a pyrazolyl group into other heterocyclic systems with a study of their antiviral activity, 934
- Antiviral agent** – Synthesis and antiviral activity of *C*-fluoro-branched cyclopropyl nucleosides, 487
- Antiviral** – A review of anti-infective and anti-inflammatory chalcones, 125
- Apoptosis induction** – Novel and versatile methodology for synthesis of cyclic imides and evaluation of their cytotoxic, DNA binding, apoptotic inducing activities and molecular modeling study, 614
- Apoptosis** – Design, synthesis and cytotoxic properties of novel 1-[4-(2-alkylaminoethoxy)phenylcarbonyl]-3,5-bis(arylidene)-4-piperidones and related compounds, 71 – Synthesis and biological evaluation of 4-methylideneisoxazolidin-5-ones – A new class of highly cytotoxic α -methylidene- γ -lactones, 248 – Synthetic 2',5'-dimethoxychalcones as G_2/M arrest-mediated apoptosis-inducing agents and inhibitors of nitric oxide production in rat macrophages, 660 – Cytotoxic Mannich bases of 6-(3-aryl-2-propenoyl)-2(3*H*)-benzoxazolones, 1382
- Arabinosidation** – *N*- and *S*- α -l-Arabinopyranosyl[1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazoles. First synthesis and biological evaluation, 1193
- Arginine derivatives** – Synthesis and evaluation of a small library of graftable thrombin inhibitors derived from (l)-arginine, 37
- Argus lab** – Synthesis, stereochemistry and antimicrobial evaluation of *t*(3)-benzyl-*r*(2),*c*(6)-diaryl piperidin-4-one and its derivatives, 593
- Aromatic amines** – Biopartitioning micellar chromatography to predict mutagenicity of aromatic amines, 1396
- Artificial neural networks** – Application of genetic algorithm-kernel partial least square as a novel nonlinear feature selection method: Activity of carbonic anhydrase II inhibitors, 649
- Arylcarbonyl** – Structure-antibacterial activity of arylcarbonyl- and arylsulfonyl-piperazine 5-triazolylmethyl oxazolidinones, 214
- Arylidene-thiazolidinediones** – Synthesis, biological evaluation and molecular modeling studies of arylidene-thiazolidinediones with potential hypoglycemic and hypolipidemic activities, 1263
- Arylidenehydrazide** – Synthesis and primary cytotoxicity evaluation of new imidazo[2,1-*b*]thiazole derivatives, 320
- Arylpropionic acids** – Non-carboxylic analogues of arylpropionic acids: Synthesis, anti-inflammatory activity and ulcerogenic potential, 152
- Arylsulfonyl** – Structure-antibacterial activity of arylcarbonyl- and arylsulfonyl-piperazine 5-triazolylmethyl oxazolidinones, 214
- Asymmetric synthesis** – Asymmetric synthesis of chiral piperazinylpropylisoxazoline ligands for dopamine receptors, 1044

Atom counting – An atom counting strategy towards analyzing the biological activity of sex hormones, 1365

Azabenz[*a*]fluorene-5,6-diones – Synthesis and cytotoxicity evaluation of substituted pyridazino[4,5-*b*]phenazine-5,12-diones and tri/tetra-azabenzofluorene-5,6-diones, 168

Azithromycin-sulfonamide conjugates – Azithromycin-sulfonamide conjugates as inhibitors of resistant *Streptococcus pyogenes* strains, 138

B

Barton decarboxylation – Synthesis and biological evaluation of dialkylsubstituted maleic anhydrides as novel inhibitors of Cdc25 dual specificity phosphatases, 243

Bayesian regularized neural networks – Robust fuzzy mappings for QSAR studies, 675

Baylis-Hillman adducts – High selective leishmanicidal activity of 3-hydroxy-2-methylene-3-(4-bromophenyl)propanenitrile and analogous compounds, 99

Benzenesulfonamides – Pharmacophoric 2-hydroxyalkyl benzenesulfonamide: A single-step synthesis from benzenesulfonamide via hemiaminal, 456

Benzimidazoles – Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential, 772 – Identification of 1-isopropylsulfonyl-2-amine benzimidazoles as a new class of inhibitors of hepatitis B virus, 1358

Benzisothiazoles – Pharmacophoric 2-hydroxyalkyl benzenesulfonamide: A single-step synthesis from benzenesulfonamide via hemiaminal, 456

Benzothiazole – 3D-QSAR and molecular docking studies on benzothiazole derivatives as *Candida albicans* *N*-myristoyltransferase inhibitors, 477

Bimetallic – Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of bis[μ_2 -(benzimidazol-2-yl)-2-ethanethiolato-*N,S,S*-chloro-palladium(II)] dimer, [(μ_2 -CH₂CH₂NHNCC₆H₄)PdCl]₂·C₂H₅OH complex, 1069

Bioactive – Synthesis of some bioactive 2-bromo-5-methoxy-*N'*-[4-(aryl)-1,3-thiazol-2-yl]benzohydrazide derivatives, 425 – Synthesis of some new bioactive 3-amino-2-mercapto-5,6,7,8-tetrahydro[1]benzothieno[2,3-*d*]pyrimidin-4(3*H*)-one derivatives, 719

Biological activity – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799

Biopartitioning micellar chromatography – Biopartitioning micellar chromatography to predict mutagenicity of aromatic amines, 1396

Bipiperidine series – Dragon method for finding novel tyrosinase inhibitors: *Biosilico* identification and experimental *in vitro* assays, 1370

Bis[*N*-(*p*-tolyl)imino]acenaphthene – Solvatochromism, DNA binding, antitumor activity and molecular modeling study of mixed-ligand copper(II) complexes containing the bulky ligand: Bis[*N*-(*p*-tolyl)imino]acenaphthene, 1325

Bis-9-(methylphenylmethyl)chloropurines – New bis-*N*9-(methylphenylmethyl)purine derivatives: Synthesis and antitumor activity, 327

Bisarylpyrimidines – New bis-*N*9-(methylphenylmethyl)purine derivatives: Synthesis and antitumor activity, 327

Bistriazolopyrimidines – Organoiodine(III) mediated synthesis of 3,9-diaryl- and 3,9-difuryl-bis-1,2,4-triazolo[4,3-*a*][4,3-*c*]pyrimidines as antibacterial agents, 868

Blood-compatible materials – Synthesis and evaluation of a small library of graftable thrombin inhibitors derived from (l)-arginine, 37

Blood-liver – Air to liver partition coefficients for volatile organic compounds and blood to liver partition coefficients for volatile organic compounds and drugs, 743

Breast cancer cells – Design and synthesis of new pyranoxanthenones bearing a nitro group or an aminosubstituted side chain on the pyran ring. Evaluation of their growth inhibitory activity in breast cancer cells, 307

Bridging – Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of bis[μ_2 -(benzimidazol-2-yl)-2-ethanethiolato-*N,S,S*-chloro-palladium(II)] dimer, [(μ_2 -CH₂CH₂NHNCC₆H₄)PdCl]₂·C₂H₅OH complex, 1069

Butyrylcholinesterase – Docking and quantum mechanic studies on cholinesterases and their inhibitors, 10

C

Caffeoylamino acid – Caffeoylglycolic and caffeoylamino acid derivatives, halfmers of l-chloric acid, as new HIV-1 integrase inhibitors, 1309

Caffeoylglycolic acid – Caffeoylglycolic and caffeoylamino acid derivatives, halfmers of l-chloric acid, as new HIV-1 integrase inhibitors, 1309

Cancer chemopreventive agents – Synthetic cinnamylphenol derivatives as cancer chemopreventive agents, 902

Candida albicans – Study on the substituents' effects of a series of synthetic chalcones against the yeast *Candida albicans*, 87

Carbamates – Carbamate prodrugs of *N*-alkylfuramides, 1403

Carbonic anhydrase II inhibitors – Application of genetic algorithm-kernel partial least square as a novel nonlinear feature selection method: Activity of carbonic anhydrase II inhibitors, 649

Carbonic anhydrase II – 3D-QSAR study of sulfonamide inhibitors of human carbonic anhydrase II, 365

Carnosine – Synthesis and antioxidant activity of new homocarnosine β -cyclodextrin conjugates, 910

Cashew nut shell liquid – Synthesis of isonicotinoylhydrazones from anacardic acid and their *in vitro* activity against *Mycobacterium smegmatis*, 420

Catechol – Development of integrase inhibitors for treatment of AIDS: An overview, 1159

Cdc25 – Synthesis and biological evaluation of dialkylsubstituted maleic anhydrides as novel inhibitors of Cdc25 dual specificity phosphatases, 243

CDK2 – 3D-QSAR and molecular docking study on bisarylmaleimide series as glycogen synthase kinase 3, cyclin dependent kinase 2 and cyclin dependent kinase 4 inhibitors: An insight into the criteria for selectivity, 1014

CDK4 – 3D-QSAR and molecular docking study on bisarylmaleimide series as glycogen synthase kinase 3, cyclin dependent kinase 2 and cyclin dependent kinase 4 inhibitors: An insight into the criteria for selectivity, 1014

Chalcone – Syntheses, characterization and *in vitro* antiamoebic activity of new Pd(II) complexes with 1-*N*-substituted thiocarbamoyl-3,5-diphenyl-2-pyrazoline derivatives, 544 – Cytotoxic Mannich bases of 6-(3-aryl-2-propenoyl)-2(3*H*)-benzoxazolones, 1382

Chalcones – Study on the substituents' effects of a series of synthetic chalcones against the yeast *Candida albicans*, 87 – A review of anti-infective and anti-inflammatory chalcones, 125 – Synthesis, SAR and antibacterial studies on novel chalcone oxazolidinone hybrids, 538 – Acid-catalyzed synthesis of oxathiolone fused chalcones. Comparison of their activity toward various microorganisms and human cancer cells line, 729

Chemical ligation – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114

Chemopreventive activity – Quinone reductase induction activity of methoxylated analogues of resveratrol, 841

Chiral pool synthesis – Synthesis of bridged piperazines with σ receptor affinity, 1247

Chiral sultam – Asymmetric synthesis of chiral piperazinypropylisoxazoline ligands for dopamine receptors, 1044

Chloroacetylation – Synthesis, stereochemistry and antimicrobial evaluation of some *N*-morpholinoacetyl-2,6-diarylpiperidin-4-ones, 851

Cinnamylphenols – Synthetic cinnamylphenol derivatives as cancer chemopreventive agents, 902

Claisen reaction – Synthesis of 6- and 9-alkylaminomethyl furoflavones as gastroprotective agents, 1117

Coccidiosis – Synthesis and biological activity of imidazopyridine anticoccidial agents: Part I, 1334

CoMFA – Structure-based 3D-QSAR studies on heteroarylpyperazine derivatives as 5-HT₃ receptor antagonists, 977 – 3D-QSAR and molecular docking study on bisarylmaleimide series as glycogen synthase kinase 3, cyclin dependent kinase 2 and cyclin dependent kinase 4 inhibitors: An insight into the criteria for selectivity, 1014

COMPARE – 1-Aryl-4,6-dihydropyrazolo[4,3-*d*][1]benzazepin-5(1*H*)-ones: A new class of antiproliferative agents with selectivity for human leukemia and breast cancer cell lines, 1317

CoMSIA – Structure-based 3D-QSAR studies on heteroarylpyperazine derivatives as 5-HT₃ receptor antagonists, 977

Conductivity – Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of bis[μ_2 -(benzimidazol-2-yl)-2-ethanethiolato-*N,S,S*-chloro-palladium(II)] dimer,

- $[(\mu_2\text{-CH}_2\text{CH}_2\text{NHNCC}_6\text{H}_4)\text{PdCl}]_2 \cdot \text{C}_2\text{H}_5\text{OH}$ complex, 1069
- Conformation** – Synthesis, stereochemistry and antimicrobial evaluation of some *N*-morpholinoacetyl-2,6-diaryl piperidin-4-ones, 851
- Constrained residue** – Glutamine vinyl ester proteasome inhibitors selective for trypsin-like ($\beta 2$) subunit, 586
- Coumarin** – Relationship between quantum-chemical descriptors of proton dissociation and experimental acidity constants of various hydroxylated coumarins. Identification of the biologically active species for xanthine oxidase inhibition, 1028
- COX-inhibitors** – Syntheses of new tetrasubstituted thiophenes as novel anti-inflammatory agents, 1049
- Cu(II)–curcumin complex** – Comparative study of copper(II)–curcumin complexes as superoxide dismutase mimics and free radical scavengers, 431
- Cyano** – Synthesis, characterization and *in vitro* biological studies of novel cyano derivatives of *N*-alkyl and *N*-aryl piperazine, 471
- Cyclization** – 1-Aryl-4,6-dihydropyrazolo[4,3-*d*][1]benzazepin-5(1*H*)-ones: A new class of antiproliferative agents with selectivity for human leukemia and breast cancer cell lines, 1317
- CYP51** – Synthesis of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase (CYP51), 1226
- Cytogenetic studies** – Synthesis, antimicrobial activities and cytogenetic studies of newer diazepino quinoline derivatives *via* Vilsmeier–Haack reaction, 1128
- Cytotoxicity** – Synthesis, characterization, cytotoxicity, antibacterial and antifungal evaluation of some new platinum (IV) and palladium (II) complexes of thiodiamines, 1239
- Cytotoxic activity** – 4-Methyl-1,2,3-selenadiazole-5-carboxylic acid amides: Antitumor action and cytotoxic effect correlation, 635
- Cytotoxic agents** – Pyrimido[4,5-*c*]quinolin-1(2*H*)-ones as a novel class of antimitotic agents: Synthesis and *in vitro* cytotoxic activity, 344
- Cytotoxic** – Acid-catalyzed synthesis of oxathiolone fused chalcones. Comparison of their activity toward various microorganisms and human cancer cells line, 729
- Cytotoxicity** – Synthesis, characterisation and cytotoxic properties of the *N*¹,*N*⁴-diarylidene-*S*-methyl-thiosemicarbazone chelates with Fe(III) and Ni(II), 161 – Synthesis and cytotoxicity evaluation of substituted pyridazino[4,5-*b*]phenazine-5,12-diones and tri/tetra-azabenzofluorene-5,6-diones, 168 – Synthesis and biological evaluation of 4-methylideneisoxazolidin-5-ones – A new class of highly cytotoxic α -methylidene- γ -lactones, 248 – Synthesis, cytotoxicity and DNA-binding levels of ammine/propylamine platinum(II) complexes with carboxylates, 286 – Synthesis and primary cytotoxicity evaluation of new imidazo[2,1-*b*]thiazole derivatives, 320 – Synthesis and antitumour evaluation of peptidyl-like derivatives containing the 1,3-benzodioxole system, 351 – Synthesis, characterization and *in vitro* biological studies of novel cyano derivatives of *N*-alkyl and *N*-aryl piperazine, 471 – Synthesis and cytotoxicity of some new eriocalyxin B derivatives, 494 – Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential, 772 – Synthesis and cytotoxicity properties of amiodarone analogues, 861 – Synthesis and antileishmanial activity of 6-mono-substituted and 3,6-di-substituted acridines obtained by acylation of proflavine, 1277 – Cytotoxic Mannich bases of 6-(3-aryl-2-propenoyl)-2(3*H*)-benzoxazolones, 1382
- ## D
- d-Galactose** – Synthesis of amphiphilic galactopyranosyl diamines and amino alcohols as antitubercular agents, 1076
- Density functional theory** – Comparative study of copper(II)–curcumin complexes as superoxide dismutase mimics and free radical scavengers, 431
- DFT** – A theoretical study of phenolic compounds with antioxidant properties, 440
- DHP-I stability** – Synthesis and antibacterial evaluation of 1 β -methyl-2-[5-(1-methoxyimino-2-substituted sulfonamide ethyl)pyrrolidin-3-ylthio]carbapenems and their related compounds, 358
- Diarylmethanes** – Effect of substituents on diarylmethanes for antitubercular activity, 410
- Diarylpyrimidine (DAPY)** – Synthesis of novel diarylpyrimidine analogues of TMC278 and their antiviral activity against HIV-1 wild-type and mutant strains, 567
- Diazepino[4,5-*b*]quinolines** – Synthesis, antimicrobial activities and cytogenetic studies of newer diazepino quinoline derivatives *via* Vilsmeier–Haack reaction, 1128
- Diclofenac** – Synthesis and *in vitro* antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20
- Dieckmann cyclization** – Synthesis of bridged piperazines with σ receptor affinity, 1247
- Diffunilal** – Synthesis of some novel heterocyclic compounds derived from diffunilal hydrazide as potential anti-infective and anti-inflammatory agents, 893
- Diffuoromethylation** – Synthesis and evaluation of new difluoromethyl azoles as antileishmanial agents, 1388
- Diguanidino thiophenes** – Synthesis and antiparasitic evaluation of bis-2,5-[4-guanidinophenyl]thiophenes, 552
- Dihydro triazole thiadiazoles** – Studies on synthesis and pharmacological activities of 3,6-disubstituted-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and their dihydro analogues, 823
- Diketoacids** – Development of integrase inhibitors for treatment of AIDS: An overview, 1159
- Disk diffusion** – Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of bis[μ_2 -(benzimidazol-2-yl)-2-ethanethiolato-*N,S,S*-chloro-palladium(II)] dimer, $[(\mu_2\text{-CH}_2\text{CH}_2\text{NHNCC}_6\text{H}_4)\text{PdCl}]_2 \cdot \text{C}_2\text{H}_5\text{OH}$ complex, 1069
- DNA binding** – Synthesis, cytotoxicity and DNA-binding levels of ammine/propylamine platinum(II) complexes with carboxylates, 286 – Spectroscopic studies of DNA binding modes of cation-substituted anthrapyrazoles derived from emodin, 1169 – Solvatochromism, DNA binding, antitumor activity and molecular modeling study of mixed-ligand copper(II) complexes containing the bulky ligand: Bis[*N*-(*p*-tolyl)imino]acenaphthene, 1325
- DNA intercalation** – Design, synthesis and biological evaluation of new oligopyrrole carboxamides linked with tricyclic DNA-intercalators as potential DNA ligands or topoisomerase inhibitors, 752
- DNA ligands** – Design, synthesis and biological evaluation of new oligopyrrole carboxamides linked with tricyclic DNA-intercalators as potential DNA ligands or topoisomerase inhibitors, 752
- DNA minor groove binding** – Design, synthesis and biological evaluation of new oligopyrrole carboxamides linked with tricyclic DNA-intercalators as potential DNA ligands or topoisomerase inhibitors, 752
- DNA** – Metal complexes of retinoid derivatives with antiproliferative activity: Synthesis, characterization and DNA interaction studies, 627
- DNA-binding activity** – Synthesis and antileishmanial activity of 6-mono-substituted and 3,6-di-substituted acridines obtained by acylation of proflavine, 1277
- DNA-binding** – Novel and versatile methodology for synthesis of cyclic imides and evaluation of their cytotoxic, DNA binding, apoptotic inducing activities and molecular modeling study, 614
- Docking** – Docking and quantum mechanic studies on cholinesterases and their inhibitors, 10 – The consequences of scoring docked ligand conformations using free energy correlations, 921 – Structure-based discovery of new small molecule inhibitors of low molecular weight protein tyrosine phosphatase, 1102 – Synthesis, biological evaluation and molecular modeling studies of arylidene-thiazolidinediones with potential hypoglycemic and hypolipidemic activities, 1263
- Docking score index method** – *In-silico* drug screening method based on the protein–compound affinity matrix using the factor selection technique, 966
- Docking score** – *In-silico* drug screening method based on the protein–compound affinity matrix using the factor selection technique, 966
- Dopamine receptors** – Asymmetric synthesis of chiral piperazinylpropylisoxazoline ligands for dopamine receptors, 1044
- Dragon descriptor** – Dragon method for finding novel tyrosinase inhibitors: *Biosilico* identification and experimental *in vitro* assays, 1370
- Drug carrier** – Evaluation of polyamidoamine (PAMAM) dendrimers as drug carriers of anti-bacterial drugs using sulfamethoxazole (SMZ) as a model drug, 93 – Polyamidoamine (PAMAM) dendrimers as biocompatible carriers of quinolone antimicrobials: An *in vitro* study, 1032

Drugs – Air to liver partition coefficients for volatile organic compounds and blood to liver partition coefficients for volatile organic compounds and drugs, 743

E

Electronic descriptors – Evaluation of electronic, lipophilic and membrane affinity effects on antiproliferative activity of 5-substituted-2-(2,4-dihydroxyphenyl)-1,3,4-thiadiazoles against various human cancer cells, 940

Electrophilicity – An atom counting strategy towards analyzing the biological activity of sex hormones, 1365

Emodin – Spectroscopic studies of DNA binding modes of cation-substituted anthrapyrazoles derived from emodin, 1169

Endocytic pathway – Synthesis and cytotoxicity properties of amiodarone analogues, 861

Entamoeba histolytica – Synthesis, characterization and antiamebic activity of new indole-3-carboxaldehyde thiosemicarbazones and their Pd(II) complexes, 1300

Epidermal growth factor receptor (EGFR) – QSAR analysis of tyrosine kinase inhibitor using modified ant colony optimization and multiple linear regression, 81

Epstein-Barr virus activation – Synthetic cinnamylphenol derivatives as cancer chemopreventive agents, 902

Equipotent – Synthesis, characterization and antimicrobial activity of Fe(II), Zn(II), Cd(II) and Hg(II) complexes with 2,6-bis(benzimidazol-2-yl) pyridine ligand, 205

Eriocalyxin B – Synthesis and cytotoxicity of some new eriocalyxin B derivatives, 494

Erythrocyte hemolysis – Synthesis and antitumor evaluation of peptidyl-like derivatives containing the 1,3-benzodioxole system, 351

Estrogen – An atom counting strategy towards analyzing the biological activity of sex hormones, 1365

F

Farnesyltransferase inhibition – Impact on farnesyltransferase inhibition of 4-chlorophenyl moiety replacement in the Zarnestra® series, 702

Fenoprofen – Synthesis and in vitro antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20

Formylation – Synthesis, stereochemistry and antimicrobial evaluation of *t*(3)-benzyl-*r*(2),*c*(6)-diaryl piperidin-4-one and its derivatives, 593

Free energy scoring – The consequences of scoring docked ligand conformations using free energy correlations, 921

Free radical scavenger – Studies on log*P*, retention time and QSAR of 2-substituted phenylnitronyl nitroxides as free radical scavengers, 955

Free radicals – Comparative study of copper(II)-curcumin complexes as superoxide dismutase mimics and free radical scavengers, 431

FT-Raman – Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of

bis[μ₂-(benzimidazol-2-yl)-2-ethanethiolato-*N,S,S*-chloro-palladium(II)] dimer, [(μ₂-CH₂CH₂NHNCC₆H₄)PdCl]₂·C₂H₅OH complex, 1069

Furobenzopyran-5-ones – Synthesis of 6- and 9-alkylaminomethyl furoflavones as gastroprotective agents, 1117

Furoflavones – Synthesis of 6- and 9-alkylaminomethyl furoflavones as gastroprotective agents, 1117

Fuzzy clustering – Robust fuzzy mappings for QSAR studies, 675

Fuzzy model identification – Robust fuzzy mappings for QSAR studies, 675

G

G₂/M arrest – Synthetic 2',5'-dimethoxychalcones as G₂/M arrest-mediated apoptosis-inducing agents and inhibitors of nitric oxide production in rat macrophages, 660

GABA – Design and synthesis of anticonvulsants from a combined phthalimide-GABA-anilide and hydrazone pharmacophore, 146

Gastroprotective potency – Synthesis of 6- and 9-alkylaminomethyl furoflavones as gastroprotective agents, 1117

Genetic algorithm-kernel partial least square – Application of genetic algorithm-kernel partial least square as a novel nonlinear feature selection method: Activity of carbonic anhydrase II inhibitors, 649

GETAWAY descriptors – Quantitative structure-activity relationship studies of HIV-1 integrase inhibition. 1. GETAWAY descriptors, 64

GFA – A novel range based QSAR study of human neuropeptide Y (NPY) Y5 receptor inhibitors, 463

Glutamic acid homologues – Synthesis and pharmacological evaluation of novel conformationally constrained homologues of glutamic acid, 1059

Glutathione S-transferase (GST) – Specificities of acetoxy derivatives of coumarins, biscoumarins, chromones, flavones, isoflavones and xanthenes for acetoxy drug: Protein transacetylase, 447

Graftable inhibitors – Synthesis and evaluation of a small library of graftable thrombin inhibitors derived from (l)-arginine, 37

Gram-positive organisms – Synthesis and antibacterial activity of oxazolidinones containing triazolyl group, 1137

Growth inhibitory effect – Design and synthesis of new pyranoxanthenones bearing a nitro group or an aminosubstituted side chain on the pyran ring. Evaluation of their growth inhibitory activity in breast cancer cells, 307

GSK3 – 3D-QSAR and molecular docking study on bisarylmalaimide series as glycogen synthase kinase 3, cyclin dependent kinase 2 and cyclin dependent kinase 4 inhibitors: An insight into the criteria for selectivity, 1014

H

¹H NMR – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base derived from 4-

amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394

H⁺/K⁺ ATPase – α-Amino acid derivatives as proton pump inhibitors and potent anti-ulcer agents, 386

Hartree-Fock – A theoretical study of phenolic compounds with antioxidant properties, 440

Hemiaminal-carbonyl mixture – Pharmacophoric 2-hydroxyalkyl benzene-sulfonamide: A single-step synthesis from benzenesulfonamide via hemiaminal, 456

HINT – The consequences of scoring docked ligand conformations using free energy correlations, 921

HIV-1 integrase inhibitors – Quantitative structure-activity relationship studies of HIV-1 integrase inhibition. 1. GETAWAY descriptors, 64

HIV-1 – Synthesis of novel diarylpyrimidine analogues of TMC278 and their antiviral activity against HIV-1 wild-type and mutant strains, 567 – Development of integrase inhibitors for treatment of AIDS: An overview, 1159

HMCM-41 – Novel synthetic approach to *N*-aryl-4-(3-pyridyl)thiazol-2-amine and analogues using HMCM-41 as catalyst, and their biological evaluation as human platelet aggregation inhibitors, 1144

Homocarnosine – Synthesis and antioxidant activity of new homocarnosine β-cyclodextrin conjugates, 910

HOMO-LUMO densities – Docking and quantum mechanic studies on cholinesterases and their inhibitors, 10

Human immunodeficiency virus – Caffeoylglycolic and caffeoylamino acid derivatives, halfmers of l-chicoric acid, as new HIV-1 integrase inhibitors, 1309

Human tumor cell lines – Synthesis and in vitro antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20

Hybrid molecules – Design, synthesis and biological evaluation of new oligopyrrole carboxamides linked with tricyclic DNA-intercalators as potential DNA ligands or topoisomerase inhibitors, 752

Hypodipathic analysis – The consequences of scoring docked ligand conformations using free energy correlations, 921

Hydroxy pyrazolines – Synthesis and antimicrobial studies on novel chloro-fluorine containing hydroxy pyrazolines, 30

Hypoglycemic – Synthesis, biological evaluation and molecular modeling studies of arylidene-thiazolidinediones with potential hypoglycemic and hypolipidemic activities, 1263

Hypolipidemic – Synthesis, biological evaluation and molecular modeling studies of arylidene-thiazolidinediones with potential hypoglycemic and hypolipidemic activities, 1263

I

IC₅₀ – Synthesis and in vitro antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20

Imidazo[2,1-*b*]thiazole – Synthesis and primary cytotoxicity evaluation of new imidazo[2,1-*b*]thiazole derivatives, 320

- Imidazole** – Synthesis and evaluation of new difluoromethyl azoles as antileishmanial agents, 1388
- Imidazopyridine** – Synthesis and biological activity of imidazopyridine anticoccidial agents: Part I, 1334
- Iminoethers** – Synthesis and antigenotoxic activity of some naphtho[2,1-*b*]pyrano[3,2-*e*][1,2,4]triazolo[1,5-*c*]pyrimidine derivatives, 715
- Immunosuppression** – Synthetic *N*-pyridinyl(methyl)-indol-3-ylpropanamides as new potential immunosuppressive agents, 686
- In vitro antibacterial activity** – Synthesis and antibacterial activity of levofloxacin derivatives with certain bulky residues on piperazine ring, 985
- In vitro** – Chemotherapy of leishmaniasis. Part V: Synthesis and *in vitro* bioevaluation of novel pyridinone derivatives, 669
- In vivo analgesic** – Synthesis of novel triheterocyclic thiazoles as anti-inflammatory and analgesic agents, 1272
- Indole** – Identification of novel short chain 4-substituted indoles as potent $\alpha_2\beta_3$ antagonist using structure-based drug design, 334 – Evaluation of the anti-inflammatory and anti-nociceptive activities of novel synthesized melatonin analogues, 1285
- Indole-3-carboxaldehyde** – Synthesis, characterization and antiamoebic activity of new indole-3-carboxaldehyde thiosemicarbazones and their Pd(II) complexes, 1300
- Induction of quinone reductase** – Quinone reductase induction activity of methoxylated analogues of resveratrol, 841
- Inflammatory bowel disease** – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrug of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 885
- Inhibition** – Synthesis and biological evaluation of dialkylsubstituted maleic anhydrides as novel inhibitors of Cdc25 dual specificity phosphatases, 243
- Insulinomimetic activity** – In vivo insulin-mimetic activity of [*N,N'*-1,3-propylbis(salicyladimine)]oxovanadium(IV), 817
- Integrase inhibitor** – Caffeoylglycolic and caffeoylamino acid derivatives, halfmers of l-chicoric acid, as new HIV-1 integrase inhibitors, 1309
- Integrase inhibitors** – Development of integrase inhibitors for treatment of AIDS: An overview, 1159
- Integrin** – Identification of novel short chain 4-substituted indoles as potent $\alpha_2\beta_3$ antagonist using structure-based drug design, 334
- Iodobenzene diacetate** – Organoiodine(III) mediated synthesis of 3,9-diaryl- and 3,9-difuryl-bis-1,2,4-triazolo[4,3-*a*][4,3-*c*]pyrimidines as antibacterial agents, 868
- Ionones** – Chemotherapy of leishmaniasis Part VI: Synthesis and bioevaluation of some novel terpenyl *S,N*- and *N,N*-acetals, 511
- Ionotropic glutamate receptors** – Synthesis and pharmacological evaluation of novel conformationally constrained homologues of glutamic acid, 1059
- Iron chelate** – Synthesis, characterisation and cytotoxic properties of the *N*¹,*N*⁴-diarylidene-*S*-methyl-thiosemicarbazone chelates with Fe(III) and Ni(II), 161
- Isoniazid** – Synthesis of isonicotinoylhydrazones from anacardic acid and their *in vitro* activity against *Mycobacterium smegmatis*, 420
- Isonicotinoylhydrazones** – Synthesis of isonicotinoylhydrazones from anacardic acid and their *in vitro* activity against *Mycobacterium smegmatis*, 420
- Isothiocyanate** – Synthesis, structural activity relationship and anti-tubercular activity of novel pyrazoline derivatives, 268
- Isoxazoline derivatives** – Synthesis and pharmacological evaluation of novel conformationally constrained homologues of glutamic acid, 1059
- K**
- Kinase** – 1-Aryl-4,6-dihydropyrazolo[4,3-*d*][1]benzazepin-5(1*H*)-ones: A new class of antiproliferative agents with selectivity for human leukemia and breast cancer cell lines, 1317 – Synthesis and biological activity of imidazopyridine anticoccidial agents: Part I, 1334
- L**
- l-Chicoric acid** – Caffeoylglycolic and caffeoylamino acid derivatives, halfmers of l-chicoric acid, as new HIV-1 integrase inhibitors, 1309
- l-Tyrosine** – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrug of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 885
- l/d-(pEt)Phe** – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799
- LDA-based QSAR model** – Dragon method for finding novel tyrosinase inhibitors: *Biosilico* identification and experimental *in vitro* assays, 1370
- Leishmanicide** – High selective leishmanicidal activity of 3-hydroxy-2-methylene-3-(4-bromophenyl)propanenitrile and analogous compounds, 99
- Leishmania amazonensis** – High selective leishmanicidal activity of 3-hydroxy-2-methylene-3-(4-bromophenyl)propanenitrile and analogous compounds, 99
- Levofloxacin derivatives** – Synthesis and antibacterial activity of levofloxacin derivatives with certain bulky residues on piperazine ring, 985
- Library synthesis** – Design, parallel synthesis and SAR of novel urotensin II receptor agonists, 276
- Linear discriminant analysis** – ANN-QSAR model for selection of anticancer leads from structurally heterogeneous series of compounds, 580
- Linear free energy relationship** – Air to liver partition coefficients for volatile organic compounds and blood to liver partition coefficients for volatile organic compounds and drugs, 743
- Linezolid** – Structure-antibacterial activity of arylcarbonyl- and arylsulfonyl-piperazine 5-triazolylmethyl oxazolidinones, 214 – Synthesis, SAR and antibacterial studies on novel chalcone oxazolidinone hybrids, 538 – Synthesis and antibacterial activity of oxazolidinones containing triazolyl group, 1137
- LINGO** – Structure-based discovery of new small molecule inhibitors of low molecular weight protein tyrosine phosphatase, 1102
- Lipophilicity** – Evaluation of electronic, lipophilic and membrane affinity effects on antiproliferative activity of 5-substituted-2-(2,4-dihydroxyphenyl)-1,3,4-thiadiazoles against various human cancer cells, 940 – Antileukotrienic *N*-arylethyl-2-arylacetamides in the treatment of ulcerative colitis, 1084
- Liver** – Air to liver partition coefficients for volatile organic compounds and blood to liver partition coefficients for volatile organic compounds and drugs, 743
- lmwPTP** – Structure-based discovery of new small molecule inhibitors of low molecular weight protein tyrosine phosphatase, 1102
- logK** – Studies on log*P*, retention time and QSAR of 2-substituted phenylnitronyl nitroxides as free radical scavengers, 955
- logP** – Studies on log*P*, retention time and QSAR of 2-substituted phenylnitronyl nitroxides as free radical scavengers, 955
- Low density lipoprotein** – Synthesis and antioxidant activity of new homocarnosine β -cyclodextrin conjugates, 910
- M**
- Maleic anhydride** – Synthesis and biological evaluation of dialkylsubstituted maleic anhydrides as novel inhibitors of Cdc25 dual specificity phosphatases, 243
- Mannich base** – Cytotoxic Mannich bases of 6-(3-aryl-2-propenyl)-2(3*H*)-benzoxazolones, 1382
- Mannich bases** – Convenient one pot synthesis and antimicrobial evaluation of some new Mannich bases carrying 4-methylthiobenzyl moiety, 1095 – Synthesis of 6- and 9-alkylaminomethyl furoflavones as gastro-protective agents, 1117
- Maximal electroshock seizure test** – New GABA-modulating 1,2,4-oxadiazole derivatives and their anticonvulsant activity, 873
- Melatonin** – Evaluation of the anti-inflammatory and anti-nociceptive activities of novel synthesized melatonin analogues, 1285
- Melatoninergic activity** – Design, synthesis and melatoninergic activity of new unsubstituted and β,β' -difunctionalised 2,3-dihydro-1*H*-pyrrolo[3,2,1-*ij*]quinolin-6-alkanamides, 1004
- Membrane affinity** – Evaluation of electronic, lipophilic and membrane affinity effects on antiproliferative activity of 5-substituted-2-(2,4-dihydroxyphenyl)-1,3,4-thiadiazoles against various human cancer cells, 940
- Mesoionic derivatives** – A comparative study of mesoionic compounds in *Leishmania* sp. and toxicity evaluation, 1039
- Metabolites** – Synthesis, characterization and antimicrobial activity of Fe(II), Zn(II),

- Cd(II) and Hg(II) complexes with 2,6-bis(benzimidazol-2-yl) pyridine ligand, 205
- Metal complexes** – Metal complexes of retinoid derivatives with antiproliferative activity: Synthesis, characterization and DNA interaction studies, 627
- Methoxylated stilbenes** – Quinone reductase induction activity of methoxylated analogues of resveratrol, 841
- Methylideneisoxazolidinones** – Synthesis and biological evaluation of 4-methylideneisoxazolidin-5-ones – A new class of highly cytotoxic α -methylidene- γ -lactones, 248
- Micronuclei modulation** – Specificities of acetoxy derivatives of coumarins, biscoumarins, chromones, flavones, isoflavones and xanthenes for acetoxy drug: Protein transacetylase, 447
- Microwave** – Rapid synthesis of sulfone derivatives as potential anti-infectious agents, 880
- Microwave synthesis** – Studies on synthesis and pharmacological activities of 3,6-disubstituted-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and their dihydro analogues, 823
- Modeling** – Identification of novel short chain 4-substituted indoles as potent $\alpha_3\beta_3$ antagonist using structure-based drug design, 334
- Molecular descriptors** – Studies on log*P*, retention time and QSAR of 2-substituted phenylnitronyl nitroxides as free radical scavengers, 955
- Molecular docking** – 3D-QSAR and molecular docking studies on benzothiazole derivatives as *Candida albicans* *N*-myristoyltransferase inhibitors, 477
- Molecular modeling** – Synthesis and evaluation of *N*-acetyl-L-tyrosine based compounds as PPAR α selective activators, 503 – Novel and versatile methodology for synthesis of cyclic imides and evaluation of their cytotoxic, DNA binding, apoptotic inducing activities and molecular modeling study, 614 – Synthesis, biological evaluation and molecular modeling studies of arylidene-thiazolidinediones with potential hypoglycemic and hypolipidemic activities, 1263 – Solvatochromism, DNA binding, antitumor activity and molecular modeling study of mixed-ligand copper(II) complexes containing the bulky ligand: Bis[*N*-(*p*-tolyl)imino]acenaphthene, 1325
- Mono- and multivariable regression analyses** – Evaluation of electronic, lipophilic and membrane affinity effects on antiproliferative activity of 5-substituted-2-(2,4-dihydroxyphenyl)-1,3,4-thiadiazoles against various human cancer cells, 940
- Morpholine** – Synthesis, stereochemistry and antimicrobial evaluation of some *N*-morpholinoacetyl-2,6-diarylpiperidin-4-ones, 851
- Morphology** – 4-Methyl-1,2,3-selenadiazole-5-carboxylic acid amides: Antitumor action and cytotoxic effect correlation, 635
- MTB** – Design, synthesis, biochemical evaluation and antimycobacterial action of phosphonate inhibitors of antigen 85C, a crucial enzyme involved in biosynthesis of the mycobacterial cell wall, 54
- MTT assay** – Cytotoxic Mannich bases of 6-(3-aryl-2-propenyl)-2(3*H*)-benzoxazolones, 1382
- Multidrug resistance** – Synthesis and biological evaluation of 4-methylideneisoxazolidin-5-ones – A new class of highly cytotoxic α -methylidene- γ -lactones, 248
- Multilamellar vesicles** – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114
- Mutagenicity** – Biopartitioning micellar chromatography to predict mutagenicity of aromatic amines, 1396
- Mutual azo prodrug** – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrug of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 885
- Mycobacterium smegmatis mc²155** – Synthesis of isonicotinoylhydrazones from anacardic acid and their in vitro activity against *Mycobacterium smegmatis*, 420
- Mycobacterium tuberculosis H₃₇Rv** – Synthesis of isonicotinoylhydrazones from anacardic acid and their in vitro activity against *Mycobacterium smegmatis*, 420
- Mycobacterium tuberculosis** – Synthesis, structural activity relationship and antitubercular activity of novel pyrazoline derivatives, 268
- N**
- N,N'*-1,3-Propyl-bis(salicyladimine)** – In vivo insulin-mimetic activity of [*N,N'*-1,3-propyl-bis(salicyladimine)]oxovanadium (IV), 817
- N*-Acyl-4-piperidones** – Design, synthesis and cytotoxic properties of novel 1-[4-(2-alkylaminoethoxy)phenylcarbonyl]-3,5-bis(arylidene)-4-piperidones and related compounds, 71
- N*-Alkyl-diamine** – Synthesis of amphiphilic galactopyranosyl diamines and amino alcohols as antitubercular agents, 1076
- N*-Alkyl-ethanolamine** – Synthesis of amphiphilic galactopyranosyl diamines and amino alcohols as antitubercular agents, 1076
- N*-Alkylfuramides** – Carbamate prodrugs of *N*-alkylfuramides, 1403
- N*-aryl derivatives** – Docking and quantum mechanic studies on cholinesterases and their inhibitors, 10
- N*-Aryl-4-(3-pyridyl)thiazol-2-amine and analogues** – Novel synthetic approach to *N*-aryl-4-(3-pyridyl)thiazol-2-amine and analogues using HMCM-41 as catalyst, and their biological evaluation as human platelet aggregation inhibitors, 1144
- N*-Myristoyltransferase inhibitors** – 3D-QSAR and molecular docking studies on benzothiazole derivatives as *Candida albicans* *N*-myristoyltransferase inhibitors, 477
- N*-Phenethyl-2-arylacetamides** – Antileukotrienic *N*-arylethyl-2-arylacetamides in the treatment of ulcerative colitis, 1084
- N*-Pyridinyl(methyl)-indol-3-ylpropanamides** – Synthetic *N*-pyridinyl(methyl)-indol-3-ylpropanamides as new potential immunosuppressive agents, 686
- N*-Substituted imides** – Novel and versatile methodology for synthesis of cyclic imides and evaluation of their cytotoxic, DNA binding, apoptotic inducing activities and molecular modeling study, 614
- N*1-C7 annulated indoles** – Design, synthesis and melatonergic activity of new unsubstituted and β,β' -difunctionalised 2,3-dihydro-1*H*-pyrrolo[3,2,1-*ij*]quinolin-6-alkanamides, 1004
- Nadifloxacin** – Polyamidoamine (PAMAM) dendrimers as biocompatible carriers of quinolone antimicrobials: An in vitro study, 1032
- NADPH cytochrome *c* reductase** – Specificities of acetoxy derivatives of coumarins, biscoumarins, chromones, flavones, isoflavones and xanthenes for acetoxy drug: Protein transacetylase, 447
- Nasopharyngeal** – Synthesis and cytotoxic evaluation of a series of resveratrol derivatives modified in C2 position, 263
- Neuropeptide Y** – A novel range based QSAR study of human neuropeptide Y (NPY) Y5 receptor inhibitors, 463
- Nickel chelate** – Synthesis, characterisation and cytotoxic properties of the *N*¹,*N*⁴-diarylidene-*S*-methyl-thiosemicarbazone chelates with Fe(III) and Ni(II), 161
- Nitronyl nitroxide derivatives** – Studies on log*P*, retention time and QSAR of 2-substituted phenylnitronyl nitroxides as free radical scavengers, 955
- NMDA** – Synthesis and pharmacological evaluation of novel conformationally constrained homologues of glutamic acid, 1059
- NMDA receptor** – New polyamine-sensitive inhibitors of the NMDA receptor: Syntheses and pharmacological evaluation, 175
- NNRTI** – Synthesis of novel diarylpyrimidine analogues of TMC278 and their antiviral activity against HIV-1 wild-type and mutant strains, 567
- NO** – Synthetic 2',5'-dimethoxychalcones as G₂/M arrest-mediated apoptosis-inducing agents and inhibitors of nitric oxide production in rat macrophages, 660
- Non-catechol** – Development of integrase inhibitors for treatment of AIDS: An overview, 1159
- Non-nucleoside HIV-1 reverse transcriptase inhibitors** – Synthesis and anti-HIV activity evaluation of 1-[(alkenyl or alkynyl or alkoxy)methyl]-5-alkyl-6-(1-naphthyl)-2,4-pyrimidinediones as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 198
- Novel synthesis** – Novel and versatile methodology for synthesis of cyclic imides and evaluation of their cytotoxic, DNA binding, apoptotic inducing activities and molecular modeling study, 614
- Nucleoside** – Synthesis and antiviral activity of *C*-fluoro-branched cyclopropyl nucleosides, 487
- O**
- [Mpa¹]OT** – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799
- Obesity** – A novel range based QSAR study of human neuropeptide Y (NPY) Y5 receptor inhibitors, 463

Oligopyrrole carboxamides – Design, synthesis and biological evaluation of new oligopyrrole carboxamides linked with tricyclic DNA-intercalators as potential DNA ligands or topoisomerase inhibitors, 752

Optimal descriptor – Optimisation of correlation weights of SMILES invariants for modelling oral quail toxicity, 606

Oxathiolone – Acid-catalyzed synthesis of oxathiolone fused chalcones. Comparison of their activity toward various microorganisms and human cancer cells line, 729

Oxazolidinone – Synthesis and antibacterial activity of oxazolidinones containing triazolyl group, 1137

Oxazolidinones – Synthesis, SAR and antibacterial studies on novel chalcone oxazolidinone hybrids, 538

Oxazolyl thiosemicarbazone analogs – Rationalization of physicochemical characters of oxazolyl thiosemicarbazone analogs towards multi-drug resistant tuberculosis: A QSAR approach, 1109

Oximation – Synthesis, stereochemistry and antimicrobial evaluation of *t*(3)-benzyl-*r*(2),*c*(6)-diarylpiperidin-4-one and its derivatives, 593

Oxoketene *S,N*- and *N,N*-acetals – Chemotherapy of leishmaniasis Part VI: Synthesis and bioevaluation of some novel terpenyl *S,N*- and *N,N*-acetals, 511

Oxovanadium – In vivo insulin-mimetic activity of [*N,N'*-1,3-propyl-bis(salicyladimine)]oxovanadium(IV), 817

Oxytocin analogues – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799

P

***p*-Aminobenzoic acid** – Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential, 772

pK_a – Relationship between quantum-chemical descriptors of proton dissociation and experimental acidity constants of various hydroxylated coumarins. Identification of the biologically active species for xanthine oxidase inhibition, 1028

Palladium(II) complexes – Syntheses, characterization and in vitro antiamoebic activity of new Pd(II) complexes with 1-*N*-substituted thiocarbamoyl-3,5-diphenyl-2-pyrazoline derivatives, 544 – Synthesis, characterization and antiamoebic activity of new indole-3-carboxaldehyde thiosemicarbazones and their Pd(II) complexes, 1300

PAMAM – Evaluation of polyamidoamine (PAMAM) dendrimers as drug carriers of anti-bacterial drugs using sulfamethoxazole (SMZ) as a model drug, 93 – Polyamidoamine (PAMAM) dendrimers as biocompatible carriers of quinolone antimicrobials: An in vitro study, 1032

Parallel synthesis – Synthesis and biological evaluation of 4-alkylamino-6-(2-hydroxyethyl)-2-methylthiopyrimidines as new rubella virus inhibitors, 256

Partition coefficients – Air to liver partition coefficients for volatile organic compounds

and blood to liver partition coefficients for volatile organic compounds and drugs, 743

Pathogenic strain – Synthesis, characterization and *in vitro* biological studies of novel cyano derivatives of *N*-alkyl and *N*-aryl piperazine, 471

Pbf – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114

Pentylene-tetrazole – Design and synthesis of anticonvulsants from a combined phthalimide–GABA–anilide and hydrazone pharmacophore, 146

Pentylene-tetrazole test – New GABA-modulating 1,2,4-oxadiazole derivatives and their anticonvulsant activity, 873

Peptide sequence Lys-Hyp-Gly-Glu-Hyp-Gly-Pro-Lys – Type III collagen mimetic peptides designed with anti- or pro-aggregant activities on human platelets, 694

Peptides – Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential, 772

Peptidyl-like derivatives – Synthesis and antitumor evaluation of peptidyl-like derivatives containing the 1,3-benzodioxole system, 351

Pesticide – Optimisation of correlation weights of SMILES invariants for modelling oral quail toxicity, 606

PH-027 – Structure–antibacterial activity of arylcarbonyl- and arylsulfonyl-piperazine 5-triazolylmethyl oxazolidinones, 214

PHEA – Synthesis and in vitro antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20

Phenanthrenes – Effect of substituents on diarylmethanes for antitubercular activity, 410

Phenols – A theoretical study of phenolic compounds with antioxidant properties, 440

Phosphatase inhibitors – Structure-based discovery of new small molecule inhibitors of low molecular weight protein tyrosine phosphatase, 1102

Phosphonate inhibitors – Design, synthesis, biochemical evaluation and antimycobacterial action of phosphonate inhibitors of antigen 85C, a crucial enzyme involved in biosynthesis of the mycobacterial cell wall, 54

Phosphorous oxychloride – Studies on synthesis and pharmacological activities of 3,6-disubstituted-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and their dihydro analogues, 823

Phthalimides – Design and synthesis of anticonvulsants from a combined phthalimide–GABA–anilide and hydrazone pharmacophore, 146

Picrotoxin – Design and synthesis of anticonvulsants from a combined phthalimide–GABA–anilide and hydrazone pharmacophore, 146

Pipecolic acid – Synthesis and biological activity of oxytocin analogues containing conformationally-restricted residues in position 7, 799

Piperazine – Synthesis and antiproliferative properties of *N*_{3/8}-disubstituted 3,8-diazabicyclo[3.2.1]octane analogues of 3,8-bis[2-

(3,4,5-trimethoxyphenyl)pyridin-4-yl] methyl-piperazine, 293 – Synthesis, characterization and *in vitro* biological studies of novel cyano derivatives of *N*-alkyl and *N*-aryl piperazine, 471

Piperazinylalkylisoxazolines – Asymmetric synthesis of chiral piperazinylpropylisoxazoline ligands for dopamine receptors, 1044

Piperidin-4-one – Synthesis, stereochemistry and antimicrobial evaluation of some *N*-morpholinoacetyl-2,6-diarylpiperidin-4-ones, 851

Piperidin-4-ones – Synthesis, stereochemistry and antimicrobial evaluation of *t*(3)-benzyl-*r*(2),*c*(6)-diarylpiperidin-4-one and its derivatives, 593

Plasma-liver – Air to liver partition coefficients for volatile organic compounds and blood to liver partition coefficients for volatile organic compounds and drugs, 743

Plasmodium berghei – Synthesis and evaluation of sulfonyleurea derivatives as novel antimalarials, 735

Plasmodium falciparum – Synthesis and evaluation of sulfonyleurea derivatives as novel antimalarials, 735

Pneumocystis carinii – Carbamate prodrugs of *N*-alkylfuramides, 1403

PM3 – A theoretical study of phenolic compounds with antioxidant properties, 440

Polyamidoamine dendrimers – Evaluation of polyamidoamine (PAMAM) dendrimers as drug carriers of anti-bacterial drugs using sulfamethoxazole (SMZ) as a model drug, 93 – Polyamidoamine (PAMAM) dendrimers as biocompatible carriers of quinolone antimicrobials: An in vitro study, 1032

Polyamine inverse agonist – New polyamine-sensitive inhibitors of the NMDA receptor: Syntheses and pharmacological evaluation, 175

Polyaspartamide – Synthesis and in vitro antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20

Polymer–drug conjugate – Synthesis and in vitro antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20

Polyphenolic acetates – Specificities of acetoxy derivatives of coumarins, biscoumarins, chromones, flavones, isoflavones and xanthenes for acetoxy drug: Protein transacetylase, 447

PPAR- α – Synthesis and evaluation of *N*-acetyl-*l*-tyrosine based compounds as PPAR α selective activators, 503

Primary amine – Synthesis and antimicrobial activities of Schiff bases derived from 5-chloro-salicylaldehyde, 558

Principal component analysis – In-silico drug screening method based on the protein–compound affinity matrix using the factor selection technique, 966

Prodrugs – Carbamate prodrugs of *N*-alkylfuramides, 1403

Promastigote – Chemotherapy of leishmaniasis. Part V: Synthesis and *in vitro* bioevaluation of novel pyridinone derivatives, 669

Proteasome inhibitors – Glutamine vinyl ester proteasome inhibitors selective for trypsin-like (β 2) subunit, 586

Protein transacetylase (TAase) – Specificities of acetoxy derivatives of coumarins, biscoumarins, chromones, flavones, isoflavones and xanthenes for acetoxy drug: Protein transacetylase, 447

Protein–compound interaction matrix – In-silico drug screening method based on the protein–compound affinity matrix using the factor selection technique, 966

Prulifloxacin – Polyamidoamine (PAMAM) dendrimers as biocompatible carriers of quinolone antimicrobials: An in vitro study, 1032

Pulse radiolysis – Synthesis and antioxidant activity of new homocarnosine β -cyclodextrin conjugates, 910

Pylorus ligation – α -Amino acid derivatives as proton pump inhibitors and potent anti-ulcer agents, 386

Pyrazoline – Synthesis, structural activity relationship and anti-tubercular activity of novel pyrazoline derivatives, 268

Pyrazolines – Synthesis and studies on antidepressant and anticonvulsant activities of some 3-(2-furyl)-pyrazoline derivatives, 373 – Syntheses, characterization and in vitro antiamoebic activity of new Pd(II) complexes with 1-*N*-substituted thiocarbamoyl-3,5-diphenyl-2-pyrazoline derivatives, 544

Pyridazino[4,5-*b*]phenazine-5,12-diones – Synthesis and cytotoxicity evaluation of substituted pyridazino[4,5-*b*]phenazine-5,12-diones and tri/tetra-azabenzofluorene-5,6-diones, 168

Pyridine – Evaluation of the anti-inflammatory and anti-nociceptive activities of novel synthesized melatonin analogues, 1285

Pyridinone – Chemotherapy of leishmaniasis. Part V: Synthesis and *in vitro* bioevaluation of novel pyridinone derivatives, 669

Pyrimido[4,5-*c*]quinolin-1(2*H*)-ones – Pyrimido[4,5-*c*]quinolin-1(2*H*)-ones as a novel class of antimitotic agents: Synthesis and in vitro cytotoxic activity, 344

Pyrrole – Evaluation of the anti-inflammatory and anti-nociceptive activities of novel synthesized melatonin analogues, 1285

Q

QSAR – Quantitative structure–activity relationship studies of HIV-1 integrase inhibition. 1. GETAWAY descriptors, 64 – QSAR analysis of tyrosine kinase inhibitor using modified ant colony optimization and multiple linear regression, 81 – A theoretical study of phenolic compounds with antioxidant properties, 440 – A novel range based QSAR study of human neuropeptide Y (NPY) Y5 receptor inhibitors, 463 – ANN-QSAR model for selection of anticancer leads from structurally heterogeneous series of compounds, 580 – Optimisation of correlation weights of SMILES invariants for modelling oral quail toxicity, 606 – Application of genetic algorithm-kernel partial least square as a novel nonlinear feature selection method: Activity of carbonic anhydrase II inhibitors, 649 – Robust fuzzy mappings for QSAR studies, 675 – Evaluation of electronic, lipophilic and membrane affinity effects on antiproliferative activity of 5-substituted-

2-(2,4-dihydroxyphenyl)-1,3,4-thiadiazoles against various human cancer cells, 940 – Studies on $\log P$, retention time and QSAR of 2-substituted phenylnitronyl nitroxides as free radical scavengers, 955 – 3D-QSAR and molecular docking study on bisaryl-maleimide series as glycogen synthase kinase 3, cyclin dependent kinase 2 and cyclin dependent kinase 4 inhibitors: An insight into the criteria for selectivity, 1014 – Antileukotrienic *N*-arylethyl-2-arylac-etamides in the treatment of ulcerative colitis, 1084 – Rationalization of physicochemical characters of oxazolyl thiosemicarbazone analogs towards multi-drug resistant tuberculosis: A QSAR approach, 1109 – An atom counting strategy towards analyzing the biological activity of sex hormones, 1365

Quail oral toxicity – Optimisation of correlation weights of SMILES invariants for modelling oral quail toxicity, 606

Quantitative retention–activity relationships – Biopartitioning micellar chromatography to predict mutagenicity of aromatic amines, 1396

Quantum-chemical descriptors – Relationship between quantum-chemical descriptors of proton dissociation and experimental acidity constants of various hydroxylated coumarins. Identification of the biologically active species for xanthine oxidase inhibition, 1028

Quinoline – Development of integrase inhibitors for treatment of AIDS: An overview, 1159

Quinolones – Synthesis and antibacterial activity of levofloxacin derivatives with certain bulky residues on piperazine ring, 985 – Polyamidoamine (PAMAM) dendrimers as biocompatible carriers of quinolone antimicrobials: An in vitro study, 1032

R

R115777 – Impact on farnesyltransferase inhibition of 4-chlorophenyl moiety replacement in the Zarnestra® series, 702

Regression analysis – Antileukotrienic *N*-arylethyl-2-arylac-etamides in the treatment of ulcerative colitis, 1084

Resveratrol derivatives – Synthesis and cytotoxic evaluation of a series of resveratrol derivatives modified in C2 position, 263

Resveratrol – Quinone reductase induction activity of methoxylated analogues of resveratrol, 841

Retinoids – Metal complexes of retinoid derivatives with antiproliferative activity: Synthesis, characterization and DNA interaction studies, 627

Review – A review of anti-infective and anti-inflammatory chalcones, 125

Rubella virus – Synthesis and biological evaluation of 4-alkylamino-6-(2-hydroxyethyl)-2-methylthiopyrimidines as new rubella virus inhibitors, 256

S

S. aureus – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base derived from 4-amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394

S. epidermidis – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base derived from 4-amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394

S. typhi – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base derived from 4-amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394

***S*-Methyl-thiosemicarbazone** – Synthesis, characterisation and cytotoxic properties of the *N*¹,*N*⁴-diarylidene-*S*-methyl-thiosemicarbazone chelates with Fe(III) and Ni(II), 161

SAR – Study on the substituents' effects of a series of synthetic chalcones against the yeast *Candida albicans*, 87 – Synthesis and cytotoxicity of some new ericalyxin B derivatives, 494

Schiff base – Synthesis and antimicrobial activities of Schiff bases derived from 5-chloro-salicylaldehyde, 558

Sea urchin embryos – Synthesis and antitumour evaluation of peptidyl-like derivatives containing the 1,3-benzodioxole system, 351

Selenium – 4-Methyl-1,2,3-selenadiazole-5-carboxylic acid amides: Antitumor action and cytotoxic effect correlation, 635

Simmons-Smith cyclopropanation – Synthesis and antiviral activity of C-fluoro-branched cyclopropyl nucleosides, 487

SMILES – Optimisation of correlation weights of SMILES invariants for modelling oral quail toxicity, 606 Solid supported reagents – Design, parallel synthesis and SAR of novel urotensin II receptor agonists, 276

Solid-supported scavengers – Synthesis and biological evaluation of 4-alkylamino-6-(2-hydroxyethyl)-2-methylthiopyrimidines as new rubella virus inhibitors, 256

Solvatochromism – Solvatochromism, DNA binding, antitumor activity and molecular modeling study of mixed-ligand copper(II) complexes containing the bulky ligand: Bis[*N*-(*p*-tolyl)imino]acenaphthene, 1325

SOS chromotest – Synthesis and antigenotoxic activity of some naphtho[2,1-*b*]pyrano[3,2-*e*][1,2,4]triazolo[1,5-*c*]pyrimidine derivatives, 715

Spectral – Synthesis, characterization, cytotoxicity, antibacterial and antifungal evaluation of some new platinum (IV) and palladium (II) complexes of thiodiamines, 1239

Spectroscopic analysis – Spectroscopic studies of DNA binding modes of cation-substituted anthrapyrazoles derived from emodin, 1169

Spectroscopic – Synthesis and biological properties of 4-(3*H*)-quinazolone derivatives, 1234

Spermine – New polyamine-sensitive inhibitors of the NMDA receptor: Syntheses and pharmacological evaluation, 175

Spirocyclic compounds – Synthesis and pharmacological evaluation of novel conformationally constrained homologues of glutamic acid, 1059

SPS – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114

Square planar – Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of bis[μ_2 -(benzimidazol-2-yl)-2-ethanethiolato-*N,S,S*-chloro-palladium(II)] dimer, [(μ_2 -CH₂CH₂NHNCC₆H₄)PdCl]₂·C₂H₅OH complex, 1069

Stereochemistry – Synthesis, stereochemistry and antimicrobial evaluation of *r*(3)-benzyl-*r*(2),*c*(6)-diarylpyperidin-4-one and its derivatives, 593

Structural elucidation – Azithromycin-sulfonamide conjugates as inhibitors of resistant *Streptococcus pyogenes* strains, 138

Structure-based 3D-QSAR – Structure-based 3D-QSAR studies on heteroarylpyperazine derivatives as 5-HT₃ receptor antagonists, 977

Structure/affinity relationships – Synthesis of bridged piperazines with σ receptor affinity, 1247

Structure/properties relationships – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114

Structure-activity relationship – Synthesis and antimicrobial activities of Schiff bases derived from 5-chloro-salicylaldehyde, 558

Structure-activity relationships – Synthesis and cytotoxic evaluation of a series of resveratrol derivatives modified in C2 position, 263 – Design, parallel synthesis and SAR of novel urotensin II receptor agonists, 276

Structure-cytotoxicity relationships – Design, synthesis and cytotoxic properties of novel 1-[4-(2-alkylaminoethoxy)phenyl-carbonyl]-3,5-bis(arylidene)-4-piperidones and related compounds, 71

Strychnine – Design and synthesis of anticonvulsants from a combined phthalimide-GABA-anilide and hydrazone pharmacophore, 146

Substituent effects – Novel 1 β -methylcarbapenems having cyclic sulfonamide moieties: Synthesis and evaluation of *in vitro* antibacterial activity, 1176

Sulfamethoxazole – Evaluation of polyamidoamine (PAMAM) dendrimers as drug carriers of anti-bacterial drugs using sulfamethoxazole (SMZ) as a model drug, 93

Sulfonamide – 3D-QSAR study of sulfonamide inhibitors of human carbonic anhydrase II, 365

Sulfones – Rapid synthesis of sulfone derivatives as potential anti-infectious agents, 880

Sulfonylurea – Synthesis and evaluation of sulfonylurea derivatives as novel antimalarials, 735

Superoxide radicals – Comparative study of copper(II)-curcumin complexes as superoxide dismutase mimics and free radical scavengers, 431

Surfactant – Synthesis of amphiphilic galactopyranosyl diamines and amino alcohols as antitubercular agents, 1076

Synthesis – Synthesis and anti-HIV activity evaluation of 1-[(alkenyl or alkynyl or alkoxy)methyl]-5-alkyl-6-(1-naphthyl)-2,4-pyrimidinediones as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 198 – Synthesis and anticancer activity of a novel class of flavonoids: 2,4-

Diarylchromane[4,3-*d*]- $\delta^{1,9b}$ -1,2,3-thiadiazolines, 226 – Synthesis, cytotoxicity and DNA-binding levels of ammine/propylamine platinum(II) complexes with carboxylates, 286 – Synthesis of some bioactive 2-bromo-5-methoxy-*N'*-[4-(aryl)-1,3-thiazol-2-yl]benzohydrazide derivatives, 425 – Synthesis and cytotoxicity of some new eriocalyxin B derivatives, 494 – Synthesis and evaluation of *N*-acetyl-L-tyrosine based compounds as PPAR α selective activators, 503 – Synthesis, *in vitro* antibacterial and antifungal evaluations of 2-amino-4-(1-naphthyl)-6-arylpyrimidines, 517 – Synthesis of some new bioactive 3-amino-2-mercapto-5,6,7,8-tetrahydro[1]benzothieno[2,3-*d*]pyrimidin-4(3*H*)-one derivatives, 719 – New GABA-modulating 1,2,4-oxadiazole derivatives and their anticonvulsant activity, 873 – Design, synthesis and melatonergic activity of new unsubstituted and β , β' -difunctionalised 2,3-dihydro-1*H*-pyrrolo[3,2,1-*ij*]quinolin-6-alkanamides, 1004 – Synthesis and evaluation of novel 1-(1*H*-1,2,4-triazol-1-yl)-2-(2,4-difluorophenyl)-3-[(4-substitutedphenyl)-piperazin-1-yl]-propan-2-ols as antifungal agents, 1151 – *N*- and *S*- α -l-Arabinopyranosyl [1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazoles. First synthesis and biological evaluation, 1193 – Synthesis of novel 3-amino-2-(4-chloro-2-mercaptobenzenesulfonyl)-guanidine derivatives as potential antitumor agents, 1218 – Synthesis of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase (CYP51), 1226 – Synthesis, characterization, cytotoxicity, antibacterial and antifungal evaluation of some new platinum (IV) and palladium (II) complexes of thiodiamines, 1239 – Identification of 1-isopropylsulfonyl-2-amine benzimidazoles as a new class of inhibitors of hepatitis B virus, 1358

T

T lymphocytes – Synthetic *N*-pyridinyl(methyl)-indol-3-ylpropanamides as new potential immunosuppressive agents, 686

Targeting colloids – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114

Tegafur analogues – ANN-QSAR model for selection of anticancer leads from structurally heterogeneous series of compounds, 580

Terpenyl pyrimidines – Chemotherapy of leishmaniasis. Part VII: Synthesis and bioevaluation of substituted terpenyl pyrimidines, 1211

Testosterone – An atom counting strategy towards analyzing the biological activity of sex hormones, 1365

Tetrahydro[1]benzothieno[2,3-*d*]pyrimidin-4(3*H*)-one – Synthesis of some new bioactive 3-amino-2-mercapto-5,6,7,8-tetrahydro[1]benzothieno[2,3-*d*]pyrimidin-4(3*H*)-one derivatives, 719

Tetrasubstituted thiophenes – Syntheses of new tetrasubstituted thiophenes as novel anti-inflammatory agents, 1049

Theoretical calculation studies – Synthesis, stereochemistry and antimicrobial evaluation of *r*(3)-benzyl-*r*(2),*c*(6)-diarylpyperidin-4-one and its derivatives, 593

Thiazole – Synthesis and antimicrobial activity of 1-(4-aryl-2-thiazolyl)-3-(2-thienyl)-5-aryl-2-pyrazoline derivatives, 403 – Clubbed triazoles: A novel approach to antitubercular drugs, 807

Thiazoles – Synthesis and antimicrobial evaluation of some new thiazole, thiazolidinone and thiazoline derivatives starting from 1-chloro-3,4-dihydronaphthalene-2-carboxaldehyde, 948

Thiazolidin-4-ones – Synthesis and anti-HIV studies of 2-adamantyl-substituted thiazolidin-4-ones, 993

Thiazolidinones – Synthesis and antimicrobial evaluation of some new thiazole, thiazolidinone and thiazoline derivatives starting from 1-chloro-3,4-dihydronaphthalene-2-carboxaldehyde, 948

Thiazolines – Synthesis and antimicrobial evaluation of some new thiazole, thiazolidinone and thiazoline derivatives starting from 1-chloro-3,4-dihydronaphthalene-2-carboxaldehyde, 948

Thiazolo quinoxalines – Synthesis, characterization and *in vitro* antibacterial activity of new steroidal thiazolo quinoxalines, 103

Thiazolo[2,3-*b*]dihydropyrimidinones – Convenient one pot synthesis of some novel derivatives of thiazolo[2,3-*b*]dihydropyrimidinone possessing 4-methylthiophenyl moiety and evaluation of their antibacterial and antifungal activities, 380

Thiazolo[3,2-*b*][1,2,4]triazol-6-ones – New 5-substituted thiazolo[3,2-*b*][1,2,4]triazol-6-ones: Synthesis and anticancer evaluation, 641

Thiazolylbenzohydrazide – Synthesis of some bioactive 2-bromo-5-methoxy-*N'*-[4-(aryl)-1,3-thiazol-2-yl]benzohydrazide derivatives, 425

Thiocarbamoyl compounds – Synthesis and studies on antidepressant and anticonvulsant activities of some 3-(2-furyl)-pyrazoline derivatives, 373

Thiocarbamoyl – Syntheses, characterization and *in vitro* antiamoebic activity of new Pd(II) complexes with 1-*N*-substituted thiocarbamoyl-3,5-diphenyl-2-pyrazoline derivatives, 544

Thiomer – Synthesis and *in vitro* antitumor effect of diclofenac and fenoprofen thiolated and nonthiolated polyaspartamide-drug conjugates, 20

Thiophene – New polyamine-sensitive inhibitors of the NMDA receptor: Syntheses and pharmacological evaluation, 175

Thiosemicarbazone – Synthesis, characterization and *in vitro* antibacterial activity of new steroidal thiazolo quinoxalines, 103 – Synthesis and antimicrobial evaluation of some new thiazole, thiazolidinone and thiazoline derivatives starting from 1-chloro-3,4-dihydronaphthalene-2-carboxaldehyde, 948

Thiosemicarbazones – Metal complexes of retinoid derivatives with antiproliferative activity: Synthesis, characterization and DNA interaction studies, 627 – Synthesis,

characterization and antiamoebic activity of new indole-3-carboxaldehyde thiosemicarbazones and their Pd(II) complexes, 1300

Thrombin inhibitors – Synthesis and evaluation of a small library of graftable thrombin inhibitors derived from (l)-arginine, 37

THICBP – Type III collagen mimetic peptides designed with anti- or pro-aggregant activities on human platelets, 694

Tipifarnib – Impact on farnesyltransferase inhibition of 4-chlorophenyl moiety replacement in the Zarnestra® series, 702

Toxicity – A comparative study of mesoionic compounds in *Leishmania* sp. and toxicity evaluation, 1039

Transition metal complexes – Synthesis and characterization of cobalt(II), nickel(II), copper(II) and zinc(II) complexes with Schiff base derived from 4-amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, 394

Treatment of ulcerative colitis – Antileukotrienic *N*-arylethyl-2-arylacetamides in the treatment of ulcerative colitis, 1084

Triazole – Clubbed triazoles: A novel approach to antitubercular drugs, 807 – Synthesis and evaluation of novel 1-(1*H*-1,2,4-triazol-1-yl)-2-(2,4-difluorophenyl)-3-[(4-substitutedphenyl)-piperazin-1-yl]-propan-2-ols as antifungal agents, 1151 – Synthesis of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase (CYP51), 1226

Triazolo thiadiazoles – Studies on synthesis and pharmacological activities of 3,6-disubstituted-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and their dihydro analogues, 823

Triazolopyrimidines – Synthesis and antigenotoxic activity of some naphtho[2,1-*b*]pyrano[3,2-*e*][1,2,4]triazolo[1,5-*c*]pyrimidine derivatives, 715

Tridentate – Synthesis, characterization and antimicrobial activity of Fe(II), Zn(II), Cd(II) and Hg(II) complexes with 2,6-bis(benzimidazol-2-yl) pyridine ligand, 205

Trigonal bipyramidal – Synthesis, characterization and antimicrobial activity of Fe(II), Zn(II), Cd(II) and Hg(II) complexes with 2,6-bis(benzimidazol-2-yl) pyridine ligand, 205

Triheterocyclic thiazoles – Synthesis of novel triheterocyclic thiazoles as anti-inflammatory and analgesic agents, 1272

Tuberculosis – Design, synthesis, biochemical evaluation and antimycobacterial action of phosphonate inhibitors of antigen 85C, a crucial enzyme involved in biosynthesis of the mycobacterial cell wall, 54 – Synthesis of amphiphilic galactopyranosyl diamines and amino alcohols as antitubercular agents, 1076 – Rationalization of physicochemical characters of oxazolyl thiosemicarbazone analogs towards multi-drug resistant tuberculosis: A QSAR approach, 1109

Tuberculostatic – Acid-catalyzed synthesis of oxathiolone fused chalcones. Comparison of their activity toward various microorganisms and human cancer cells line, 729

Two-stage mouse skin carcinogenesis – Synthetic cinnamylphenol derivatives as cancer chemopreventive agents, 902

Type III collagen analogues – Type III collagen mimetic peptides designed with anti- or pro-aggregant activities on human platelets, 694

Tyrosinase inhibitor – Dragon method for finding novel tyrosinase inhibitors: *Biosilico* identification and experimental *in vitro* assays, 1370

Tyrosine kinase – QSAR analysis of tyrosine kinase inhibitor using modified ant colony optimization and multiple linear regression, 81

U

U937 – Metal complexes of retinoid derivatives with antiproliferative activity: Synthesis, characterization and DNA interaction studies, 627

Ulcerogenic – Synthesis of novel triheterocyclic thiazoles as anti-inflammatory and analgesic agents, 1272

Ulcerogenicity – Non-carboxylic analogues of arylpropionic acids: Synthesis, anti-inflammatory activity and ulcerogenic potential, 152

Urotensin II – Design, parallel synthesis and SAR of novel urotensin II receptor agonists, 276

V

Vectorisation – Synthesis of versatile chemical tools toward a structure/properties relationships study onto targeting colloids, 114

Vilsmeier–Haack reagent – Synthesis, antimicrobial activities and cytogenetic studies of newer diazepino quinoline derivatives *via* Vilsmeier–Haack reaction, 1128

Vinyl ester tripeptides – Glutamine vinyl ester proteasome inhibitors selective for trypsin-like (β 2) subunit, 586

Virtual screening – Structure-based discovery of new small molecule inhibitors of low molecular weight protein tyrosine phosphatase, 1102 – Dragon method for finding novel tyrosinase inhibitors: *Biosilico* identification and experimental *in vitro* assays, 1370

Viruses: HAV and HSV-1 – Conversion of some 2(3*H*)-furanones bearing a pyrazolyl group into other heterocyclic systems with a study of their antiviral activity, 934

Volatile organic compounds – Air to liver partition coefficients for volatile organic compounds and blood to liver partition coefficients for volatile organic compounds and drugs, 743

X

X-ray study – New 5-substituted thiazolo[3,2-*b*][1,2,4]triazol-6-ones: Synthesis and anticancer evaluation, 641

Xanthine oxidase inhibitors – Relationship between quantum-chemical descriptors of proton dissociation and experimental acidity constants of various hydroxylated coumarins. Identification of the biologically active species for xanthine oxidase inhibition, 1028

Z

Zarnestra – Impact on farnesyltransferase inhibition of 4-chlorophenyl moiety replacement in the Zarnestra® series, 702