

Keyword index

B

(E)-N'-[(E)-2-Butenoyl]-2-butenoylhydrazide – Anti-genotoxic hydrazide from *Crinum defixum*, 2754

(Phenylsulfonyl)phenyl moiety – Synthesis, characterization and antibacterial activity of some triazole Mannich bases carrying diphenylsulfone moieties, 3083 – Synthesis, characterization and evaluation of antibacterial activity of some thiazolo[3,2-*b*] [1,2,4]triazole incorporating diphenylsulfone moieties, 4752

(S)-1,10-Bi-2-naphthol [(S)-BINOL] – Synthesis of novel carbazole based macrocyclic amides as potential antimicrobial agents, 3040

1,10-Phenanthroline – Antitumour activity of novel 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives, 2720 – Cytotoxicity and effects of 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives on some immunocompetent cells, 5099

1,2,3,4-Tetrahydroisoquinoline – Facile synthesis and in vitro properties of 1-alkyl- and 1-alkyl-*N*-propargyl-1,2,3,4-tetrahydroisoquinoline derivatives on PC12 cells, 4034

1,2,3-Triazole derivatives – Antiviral evaluation of *N*-amino-1,2,3-triazoles against Cantagalo virus replication in cell culture, 3777

1,2,3-Triazole – Synthesis, HIV-RT inhibitory activity and SAR of 1-benzyl-1*H*-1,2,3-triazole derivatives of carbohydrates, 373

1,2,3-Triazoles – Synthesis and cytotoxic profile of glycosyl-triazole linked to 1,2,4-oxadiazole moiety at C-5 through a straight-chain carbon and oxygen atoms, 3571

1,2,4-Oxadiazoles – Synthesis, analgesic and anti-inflammatory activities of novel 3-(4-acetamido-benzyl)-5-substituted-1,2,4-oxadiazoles, 794 – Synthesis and cytotoxic profile of glycosyl-triazole linked to 1,2,4-oxadiazole moiety at C-5 through a straight-chain carbon and oxygen atoms, 3571

1,2,4-Thiadiazole – Synthesis and anticonvulsant activity of some substituted 1,2,4-thiadiazoles, 1100

1,2,4-Triazine – Synthesis of some novel pyrazolo[3,4-*b*]pyridine and pyrazolo[3,4-*d*]pyrimidine derivatives bearing 5,6-diphenyl-1,2,4-triazine moiety as potential antimicrobial agents, 4385

1,2,4-Triazino[4,3-*a*]quinolin-1-one – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265

1,2,4-Triazinone – Synthesis and antibacterial activity of some new thiadiaz/triazaphospholes, thiadiaz/triazaphosphinines and thiadiaz/tetrazaphosphinines containing 1,2,4-triazinone moiety, 4539

1,2,4-Triazole – Design, synthesis and molecular modeling study of acylated 1,2,4-triazole-3-acetates with potential anti-inflammatory activity, 117 – Synthesis of some new 1,2,4-triazoles, their Mannich and Schiff bases and evaluation of their antimicrobial activities, 1057 – Synthesis of some new 1,3,4-thiadiazol-2-ylmethyl-1,2,4-triazole derivatives and investigation of their antimicrobial activities, 2896 – Synthesis, structure elucidation and antitumour activity of *N*-substituted amides of 3-(3-ethylthio-1,2,4-triazol-5-yl)propenoic acid, 3788 – Synthesis of some new 1,2,4-triazoles starting from isonicotinic acid hydrazide and evaluation of their antimicrobial activities, 4362 – Synthesis and antimicrobial activities of novel quinoline derivatives carrying 1,2,4-triazole moiety, 4637 – Synthesis and antibacterial activity of some novel bis-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and bis-4-thiazolidinone derivatives from terephthalic dihydrazide, 5112

1,2,4-Triazoles – Synthesis, cytotoxicity and effects of some 1,2,4-triazole and 1,3,4-thiadiazole derivatives on immunocompetent cells, 63 – Synthesis, antimicrobial and cytotoxic activities of 1,3,4-oxadiazoles, 1,3,4-thiadiazoles and 1,2,4-triazoles, 2106 – Regioselective reaction: Synthesis, characterization and pharmacological studies of some new Mannich bases derived from 1,2,4-triazoles, 3784 – Synthesis and antitumor activity studies of some new fused 1,2,4-triazole derivatives carrying 2,4-dichloro-5-fluorophenyl moiety, 5066

1,2,4-Triazol-3-thiones – Synthesis of substituted-phenyl-1,2,4-triazol-3-thione analogues with modified d-glucopyranosyl residues and their antiproliferative activities, 4716

1,2,4-Triazolo – Synthesis of some new 4-styryltetrazolo[1,5-*a*]quinoxaline and 1-substituted-4-styryl[1,2,4]triazolo[4,3-*a*]quinoxaline derivatives as potent anticonvulsants, 1135

1,2,4-Triazolo[4,3-*a*]quinoline – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954

1,2,8,9-Tetraazadispiro[4.1.4.2]trideca-2,9-dien-6-ones – Regioselective synthetic approaches towards 1,2,8,9-

tetraazadispiro[4.1.4.2]trideca-2,9-dien-6-ones of potential antimicrobial properties, 2447

1,2-Benzothiazine-3-carbohydrazide 1,1-dioxides – A facile synthesis of novel biologically active 4-hydroxy-*N'*-(benzylidene)-2*H*-benzo[e][1,2]thiazine-3-carbohydrazide 1,1-dioxides, 1311

1,2-Oxazines – Synthesis of new series of 5,6-dihydro-4*H*-1,2-oxazines via hetero Diels-Alder reaction and evaluation of antimicrobial activity, 280

1,3,4-Oxadiazin-5(6*H*)-ones – Novel 4*H*-1,3,4-oxadiazin-5(6*H*)-ones with hydrophobic and long alkyl chains: Design, synthesis, and bioactive diversity on inhibition of monoamine oxidase, chitin biosynthesis and tumor cell, 2113

1,3,4-Oxadiazole – Synthesis of some new 1,2,4-triazoles, their Mannich and Schiff bases and evaluation of their antimicrobial activities, 1057 – A new type of five-membered heterocyclic inhibitors of basic metalocarboxypeptidases, 3266 – Fenbufen based 3-[5-(substituted aryl)-1,3,4-oxadiazol-2-yl]-1-(biphenyl-4-yl)propan-1-one as safer antiinflammatory and analgesic agents, 3798 – Synthesis and pharmacological evaluation of 1,3,4-oxadiazole bearing bis(heterocycle) derivatives as anti-inflammatory and analgesic agents, 3898 – Synthesis, physicochemical properties and antimicrobial activity of some new benzimidazole derivatives, 4028 – Synthesis of some new 1,2,4-triazoles starting from isonicotinic acid hydrazide and evaluation of their antimicrobial activities, 4362

1,3,4-Oxadiazole/thiadiazoles – Synthesis and antibacterial activity of some novel bis-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and bis-4-thiazolidinone derivatives from terephthalic dihydrazide, 5112

1,3,4-Oxadiazoles – Synthesis, antimicrobial and cytotoxic activities of 1,3,4-oxadiazoles, 1,3,4-thiadiazoles and 1,2,4-triazoles, 2106 – Synthesis and bioassay of a new class of heterocycles pyrrolyl oxadiazoles/thiadiazoles/triazoles, 2313 – Aroylpropionic acid based 2,5-disubstituted-1,3,4-oxadiazoles: Synthesis and their anti-inflammatory and analgesic activities, 2372

1,3,4-thiadiazines – Synthesis and antitumor activity studies of some new fused 1,2,4-triazole derivatives carrying 2,4-dichloro-5-fluorophenyl moiety, 5066

1,3,4-Thiadiazole – Synthesis of some new 1,2,4-triazoles, their Mannich and Schiff bases and evaluation of their antimicrobial

- activities, 1057 – Synthesis and antibacterial activity of nitroaryl thiazazole-gatifloxacin hybrids, 1205 – Nitroimidazolyl-1,3,4-thiadiazole-based anti-leishmanial agents: Synthesis and *in vitro* biological evaluation, 1758 – Synthesis, antifungal activities and 3D-QSAR study of *N*-(5-substituted-1,3,4-thiadiazol-2-yl)cyclopropanecarboxamides, 2782 – Synthesis of some new 1,3,4-thiadiazol-2-ylmethyl-1,2,4-triazole derivatives and investigation of their antimicrobial activities, 2896
- 1,3,4-Thiadiazoles** – Synthesis, cytotoxicity and effects of some 1,2,4-triazole and 1,3,4-thiadiazole derivatives on immuno-competent cells, 63 – Synthesis, antimicrobial and cytotoxic activities of 1,3,4-oxadiazoles, 1,3,4-thiadiazoles and 1,2,4-triazoles, 2106 – Synthesis and bioassay of a new class of heterocycles pyrrolyl oxadiazoles/thiadiazoles/triazoles, 2313 – Synthesis of new chiral 2,5-disubstituted 1,3,4-thiadiazoles possessing γ -butenolide moiety and preliminary evaluation of *in vitro* anticancer activity, 3340
- 1,3,5-Triazine** – Synthesis and antileishmanial activity of novel 2,4,6-trisubstituted pyrimidines and 1,3,5-triazines, 2473
- 1,3-Dibenzyl urea** – Rare dipeptide and urea derivatives from roots of *Moringa oleifera* as potential anti-inflammatory and antinociceptive agents, 432
- 1,3-Dipolar cycloaddition** – Synthesis and *in vivo* antidiabetic activity of novel dispiropyrrolidines through [3+2] cycloaddition reactions with thiazolidinedione and rhodanine derivatives, 3272 – A facile synthesis and antimycobacterial evaluation of novel spiro-pyrido-pyrrolizines and pyrrolidines, 3821
- 1,3-Dipolar cycloaddition reactions** – Regioselective synthetic approaches towards 1,2,8,9-tetraazadispiro[4.1.4.2]trideca-2,9-dien-6-ones of potential antimicrobial properties, 2447
- 1,3-Disubstituted β -carboline derivatives – Synthesis and antiviral activity of β -carboline derivatives bearing a substituted carbonylhydrazide at C-3 against poliovirus and herpes simplex virus (HSV-1), 4695**
- 1,4,7,10-Tetraazacyclododecane (cyclen)** – Hydrolytic cleavage of DNA by urea-bridged macrocyclic polyamines, 5090
- 1,4-Diazepanes** – 1,4-Diazepanes derived from (*S*)-serine – Homopiperazines with improved σ_1 (sigma) receptor affinity and selectivity, 519
- 1,4-Dihydropyridine-3,5-dicarboxamide derivatives** – Synthesis and antitubercular activity of novel 4-substituted imidazolyl-2,6-dimethyl-*N*³,*N*⁵-bisaryl-1,4-dihydropyridine-3,5-dicarboxamides, 3253
- 1,4-Naphthoquinone derivatives** – 2,3-Disubstituted-1,4-naphthoquinones, 12*H*-benzo[*b*]phenothiazine-6,11-diones and related compounds: Synthesis and Biological evaluation as potential antiproliferative and antifungal agents, 1086
- 1,5-Benzothiazepine** – Synthesis and biological evaluation of a novel series of 1,5-benzothiazepine derivatives as potential antimicrobial agents, 2815
- 1,5-Diarylpyrazolin-3-one** – Design, synthesis and pharmacological screening of novel nitric oxide donors containing 1,5-diarylpyrazolin-3-one as nontoxic NSAIDs, 4622
- 1,5-Diarylpyrroles** – 1,5-Diaryl-2-ethyl pyrrole derivatives as antimycobacterial agents: Design, synthesis, and microbiological evaluation, 4734
- 1,8-Naphthyridine** – 1,8-Naphthyridine-3-carboxamide derivatives with anticancer and anti-inflammatory activity, 3356
- 11 β -HSD1** – Structure-based virtual screening for identification of novel 11 β -HSD1 inhibitors, 1167
- 11 β -HSD2** – Structure-based virtual screening for identification of novel 11 β -HSD1 inhibitors, 1167
- ¹³C CP/MAS NMR** – Novel 3,3'-diindolylmethane derivatives: Synthesis and cytotoxicity, structural characterization in solid state, 4136
- ¹³C NMR** – The structure of Rimnabant in the solid state and in solution: An experimental and theoretical study, 1864
- 13-*cis*-Retinoic acid** – Synthesis, characterization and *in vitro* antiproliferative activities of new 13-*cis*-retinoyl ferrocene derivatives, 2572
- 14 α -Demethylase** – Design, synthesis, and antifungal activity of triazole and benzotriazole derivatives, 3064
- ¹⁵N NMR** – The structure of Rimnabant in the solid state and in solution: An experimental and theoretical study, 1864
- 15-Membered macrolide analogs** – Synthesis and antibacterial activity of novel 15-membered macrolide derivatives: 4"-Carbamate, 11,12-cyclic carbonate-4"-carbamate and 11,4"-di-*O*-arylcarbamoyl analogs of azithromycin, 4010
- 17 α -Hydroxylase-17,20-lyase (CYP17) inhibitors** – Novel CYP17 inhibitors: Synthesis, biological evaluation, structure-activity relationships and modelling of methoxy- and hydroxy-substituted methyleneimidazolyl biphenyls, 2765
- ¹H NMR** – The structure of Rimnabant in the solid state and in solution: An experimental and theoretical study, 1864
- 1*H*-Benzimidazole derivatives** – Synthesis and biological activity evaluation of 1*H*-benzimidazoles via mammalian DNA topoisomerase I and cytostaticity assays, 2280
- 1*H*-Indazole-1-carboxamides** – Synthesis and antiproliferative activity of 3-amino-*N*-phenyl-1*H*-indazole-1-carboxamides, 165
- 1-[2-Thiazol-5-yl-(2-aminoethyl)]-4-*n*-propylpiperazine derivatives** – Non-imidazole histamine H₃ ligands, Part IV: SAR of 1-[2-thiazol-5-yl-(2-aminoethyl)]-4-*n*-propylpiperazine derivatives, 1674
- 1-Benzhydrylpiperazine derivatives** – Synthesis and *in vitro* antiproliferative activity of novel 1-benzhydrylpiperazine derivatives against human cancer cell lines, 1223
- 1-Halogenated benzyl-7-chloro-6-hydroxy-tetrahydroisoquinolines** – Structure-activity relationship of dopaminergic halogenated 1-benzyl-tetrahydroisoquinoline derivatives, 4616
- 1-Hydroxy-6-(2-(1-piperidinyl)ethoxy)xanthone** – Synthesis and characterization of the Zn(II) and Cu(II) piperidinyl isoeuxanthone complexes: DNA-binding and cytotoxic activity, 4509
- 2(3*H*)-Benzothiazolones** – Synthesis and antioxidant potential of novel synthetic benzophenone analogues, 2724
- 2,3-Dichloro-1,4-naphthoquinone** – Design, synthesis and biological evaluation of novel nitrogen and sulfur containing hetero-1,4-naphthoquinones as potent antifungal and antibacterial agents, 3130
- 2,3-Dimethoxy-3-hydroxy-2-(1-phenyl-3-aryl-4-pyrazolyl)chromanones** – Synthesis and antibacterial activity of some new 2,3-dimethoxy-3-hydroxy-2-(1-phenyl-3-aryl-4-pyrazolyl)chromanones, 1763
- 2,4-dichloro-5-fluorophenyl** – Synthesis and antitumor activity studies of some new fused 1,2,4-triazole derivatives carrying 2,4-dichloro-5-fluorophenyl moiety, 5066
- 2,4-Imidazolidinediones** – Synthesis and *in vitro* anticancer activity of 2,4-azolidinedione-acetic acids derivatives, 3627
- 2,4-Thiazolidinediones** – Synthesis and *in vitro* anticancer activity of 2,4-azolidinedione-acetic acids derivatives, 3627
- 2,5-Bis(arylmethylidene)cyclopentanones** – Regioselective synthetic approaches towards 1,2,8,9-tetraazadispiro[4.1.4.2]trideca-2,9-dien-6-ones of potential antimicrobial properties, 2447
- 2,6-Diarylpyridin-4-one** – Synthesis, spectral and biological evaluation of some new thiazolidinones and thiazoles based on *t*-3-alkyl-*r*-2,*c*-6-diarylpyridin-4-ones, 4199
- ²⁵Mg²⁺-magnetic isotope effect** – The porphyrin-fullerene nanoparticles to promote the ATP overproduction in myocardium: ²⁵Mg²⁺-magnetic isotope effect, 1554
- 2D ¹H ¹³C NMR spectra of ingenol esters** – Bio-active compounds from *Euphorbia cornigera* Boiss, 3188
- 2D molecular descriptors** – Classification models for CYP450 3A4 inhibitors and non-inhibitors, 2354
- 2D NMR** – Synthesis, characterization and antimicrobial activity of Co(II), Zn(II) and Cd(II) complexes with *N*-benzyloxycarbonyl-*S*-phenylalanine, 1537
- 2D nuclear Overhauser enhancement spectroscopy** – Studies on self-aggregation of anthracycline drugs by restrained molecular dynamics approach using nuclear magnetic resonance spectroscopy supported by absorption, fluorescence, diffusion ordered spectroscopy and mass spectrometry, 1437
- 2D-QSAR** – Synthesis, biological evaluation and 2D-QSAR analysis of benzoxazoles as antimicrobial agents, 501 – QSAR studies for diarylpyrimidines against HIV-1 reverse transcriptase wild-type and mutant strains, 625 – Novel 4-(morpholin-4-yl)-*N*'-(arylidene)benzohydrazides: Synthesis, antimycobacterial activity and QSAR investigations, 3954

- 2H-Benzimidazole 1,3-dioxide** – Second generation of 2H-benzimidazole 1,3-dioxide derivatives as anti-trypanosomatid agents: Synthesis, biological evaluation, and mode of action studies, 4426
- 2-(Arylmethylene)-2,3-dihydro-1H-inden-1-ones** – Regioselective synthesis of dispiro[1H-indene-2,3'-pyrrolidine-2',3"]-[3H]indole-1,2"(1'H)-diones of potential anti-tumor properties, 91
- 2-[(Substituted amino)thiocarbonyl]cyanoacetohydrazides** – Synthesis of [1,2,4]triazolo[1,5-a]pyridines of potential PGE₂ inhibitory properties, 1972
- 2-[1-(5-Chloro-2-methoxy-phenyl)-5-methyl-1H-pyrazol-4-yl]-5-(substituted-phenyl)-[1,3,4]oxadiazoles** – Synthesis, characterization and antibacterial activity of 2-[1-(5-chloro-2-methoxy-phenyl)-5-methyl-1H-pyrazol-4-yl]-5-(substituted-phenyl)-[1,3,4]oxadiazoles, 4522
- 2-Acetyl-2-ethoxycarbonyl-1-[4(4'-aryla-zo)-phenyl]-N,N-dimethylaminophenyl aziridines** – Synthesis and QSAR modeling of 2-acetyl-2-ethoxycarbonyl-1-[4(4'-aryla-zo)-phenyl]-N,N-dimethylaminophenyl aziridines as potential antibacterial agents, 251
- 2-Acetylnaphthalene** – Synthesis and anti-tumor activities of some new pyridines and pyrazolo[1,5-a]pyrimidines, 3519
- 2-Acylhydrazino-5-arylpyrroles** – 2-Acylhydrazino-5-arylpyrrole derivatives: Synthesis and antifungal activity evaluation, 1288
- 2-Aminobenzothiazoles** – Synthesis and anti-tumor activity of optically active thiourea and their 2-aminobenzothiazole derivatives: A novel class of anticancer agents, 2923
- 2-Amino-1,3,4-thiadiazole** – Synthesis and antimicrobial studies of novel methylene bridged benzisoxazolyl imidazo[2,1-b][1,3,4]thiadiazole derivatives, 2828
- 2-Amino-4H-pyrans** – A facile one-pot green synthesis and antibacterial activity of 2-amino-4H-pyrans and 2-amino-5-oxo-5,6,7,8-tetrahydro-4H-chromenes, 3805
- 2-Amino-benzo[d]isothiazol-3-one derivatives** – Hybrid molecules between benzene-sulfonamides and active antimicrobial benzo[d]isothiazol-3-ones, 2741
- 2-Aminophenol** – Biological activity studies on metal complexes of novel tridentate Schiff base ligand. Spectroscopic and thermal characterization, 4801
- 2-Arachidonoylglycerol** – The synthesis and biological evaluation of *para*-substituted phenolic *N*-alkyl carbamates as endocannabinoid hydrolyzing enzyme inhibitors, 2994
- 2-Aryl-naphtho[1,2-d]oxazole** – Novel 2-aryl-naphtho[1,2-d]oxazole derivatives as potential PTP-1B inhibitors showing antihyperglycemic activities, 109
- 2-Azaspiro[4.5]decane-1,3-dione** – The influence of an ethylene spacer on the 5-HT_{1A} and 5-HT_{2A} receptor affinity of arylpiperazine derivatives of amides with *N*-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones, 800
- 2-Azetidinone derivatives** – 2-Azetidinone derivatives: Design, synthesis and evaluation of cholesterol absorption inhibitors, 1638
- 2-Azetidinone** – 2-Azetidinone derivatives: Design, synthesis, *in vitro* anti-microbial, cytotoxic activities and DNA cleavage study, 5123
- 2-Benzimidazoles** – Synthesis and evaluation of some new benzimidazole derivatives as potential antimicrobial agents, 2294
- 2-Benzylsulfanyl derivatives** – Preparation and *in vitro* evaluation of benzylsulfanyl benzoxazole derivatives as potential antituberculosis agents, 2286
- 2-Chloro-5-methylpyridine-3-olefin derivatives** – Synthesis, photochemical *E* (*trans*) \leftrightarrow *Z* (*cis*) isomerization and antimicrobial activity of 2-chloro-5-methylpyridine-3-olefin derivatives, 4661
- 2-Chloro-N⁶-substituted-4'-thioadenosine-5'-uronamide derivatives as human A₃ receptor ligands** – Topological descriptors in modeling the agonistic activity of human A₃ adenosine receptor ligands: The derivatives of 2-chloro-N⁶-substituted-4'-thioadenosine-5'-uronamide, 1377
- 2-Cyanopyrrolidine** – Synthesis and evaluation of structurally constrained imidazolidin derivatives as potent dipeptidyl peptidase IV inhibitors, 3318
- 2-Deacetoxytaxinine J (2-DAT-J)** – *In vitro* and *in vivo* anticancer activity of 2-deacetoxytaxinine J and synthesis of novel taxoids and their *in vitro* anticancer activity, 3947
- 2-Methylbenzimidazole** – New transition metal ion complexes with benzimidazole-5-carboxylic acid hydrazides with antitumor activity, 1500
- 2-Oxo-quinoline-3-carbaldehyde Schiff-bases** – Synthesis, crystal structure, DNA interaction and antioxidant activities of two novel water-soluble Cu(2+) complexes derived from 2-oxo-quinoline-3-carbaldehyde Schiff-bases, 4477
- 2-PAM** – *In-vitro* regeneration of sarin inhibited electric eel acetylcholinesterase by bis-pyridinium oximes bearing xylene linker, 1326 – Synthesis and evaluation of novel bis-pyridinium oximes as reactivators of DFP-inhibited acetylcholinesterase, 1335
- 2-Phenylindole derivative** – CoMFA and docking studies of 2-phenylindole derivatives with anticancer activity, 2822
- 2-Pyrazoline** – Synthesis and investigation of anti-inflammatory activity and gastric ulcerogenicity of novel nitric oxide-donating pyrazoline derivatives, 3068
- 2-Styrylchromone** – Synthesis of 2-styrylchromones as a novel class of antiproliferative agents targeting carcinoma cells, 2552
- 2-Substituted benzimidazoles** – Convenient one-pot synthesis of novel 2-substituted benzimidazoles, tetrahydrobenzimidazoles and imidazoles and evaluation of their *in vitro* antibacterial and antifungal activities, 1751
- 2-Thieno-4(3H)-quinazolinones** – Substituted quinazolines, part 3. Synthesis, *in vitro* antitumor activity and molecular modeling study of certain 2-thieno-4(3H)-quinazolinone analogs, 2379
- 2-Thioxo-quinazoline** – S- and C-nucleosidoquinazoline as new nucleoside analogs with potential analgesic and anti-inflammatory activity, 4249
- 2-Thioxopyrimido[4,5-b]quinoline** – New acyclic nucleosides analogues as potential analgesic, anti-inflammatory, anti-oxidant and anti-microbial derived from pyrimido[4,5-b]quinolines, 1427
- 2'-C-Methylcytidine** – Cyclic phosphoramidates as prodrugs of 2'-C-methylcytidine, 3765
- 3,1-Benzoxazine** – Convenient synthesis and antimicrobial evaluation of some novel 2-substituted-3-methylbenzofuran derivatives, 3637
- 3,3-Diphenylalanine enantiomers** – Arginine vasopressin and its analogues – The influence of position 2 modification with 3,3-diphenylalanine enantiomers. Highly potent V₂ agonists, 2862
- 3,3-Diphenylpyrrolidin-2-one derivatives** – Design, synthesis and pharmacological evaluation of new 1-[3-(4-aryl)piperazin-1-yl]-2-hydroxy-propyl]-3,3-diphenylpyrrolidin-2-one derivatives with antiarrhythmic, antihypertensive, and α -adrenolytic activity, 3994
- 3,3'-Dindolylmethane derivatives** – Novel 3,3'-diindolylmethane derivatives: Synthesis and cytotoxicity, structural characterization in solid state, 4136
- 3,4-Dihydro-3-oxo-2H-benzo[b][1,4]oxazine** – Synthesis of 2-(4-substituted-methylpiperazin-1-yl)-N-(3,4-dihydro-3-oxo-2H-benzo[b][1,4]oxazin-7-yl)acetamides and their positive inotropic evaluation, 3027
- 3,5-Bis(arylmethylene)-1-methyl-4-piperidinones** – Regioselective synthesis and stereochemical structure of anti-tumor active dispiro[3H-indole-3,2'-pyrrolidine-3',3"]-piperidine-2(1H),4"-diones, 1257
- 3D QSAR** – Synthesis, evaluation and 3D QSAR analysis of novel estradiol-RGD octapeptide conjugates with oral anti-osteoporosis activity, 1689 – Application of 3D QSAR CoMFA/CoMSIA and *in silico* docking studies on novel renin inhibitors against cardiovascular diseases, 3703 – Novel N-(3-carboxyl-9-benzyl- β -carboline-1-yl)ethylamino acids: Synthesis, anti-tumor evaluation, intercalating determination, 3D QSAR analysis and docking investigation, 4153 – Novel Biginelli dihydropyrimidines with potential anticancer activity: A parallel synthesis and CoMSIA study, 4192 – 3D QSAR study of the toxicity of trichothecene mycotoxins, 4485 – A class of novel N-(3S-1,2,3,4-tetrahydroisoquinoline-3-carbonyl)-l-amino acid derivatives: their synthesis, anti-thrombotic activity evaluation, and 3D QSAR analysis, 4904
- 3D-QSAR CoMFA/CoMSIA** – 3D-QSAR CoMFA/CoMSIA models based on theoretical active conformers of HOE/BAY-793

- analogs derived from HIV-1 protease inhibitor complexes, 4344
- 3D-QSAR** – Docking, 3D-QSAR studies and *in silico* ADME prediction on c-Src tyrosine kinase inhibitors, 990 – Predicting anti-HIV activity of 1,3,4-thiazolidinone derivatives: 3D-QSAR approach, 1180 – Receptor-based 3D-QSAR studies of checkpoint Wee1 kinase inhibitors, 1383 – 2D- and 3D-QSAR of Tocainide and Mexiletine analogues acting as Na_v1.4 channel blockers, 1477 – 3D-QSAR studies of boron-containing dipeptides as proteasome inhibitors with CoMFA and CoMSIA methods, 1486 – GRIND-based 3D-QSAR and CoMFA to investigate topics dominated by hydrophobic interactions: The case of hERG K⁺ channel blockers, 1926 – Thiocarbamates as non-nucleoside HIV-1 reverse transcriptase inhibitors: Docking-based CoMFA and CoMSIA analyses, 2059 – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482 – Synthesis, antifungal activities and 3D-QSAR study of *N*-(5-substituted-1,3,4-thiadiazol-2-yl)cyclopropanecarboxamides, 2782 – 3D-QSAR studies of HDACs inhibitors using pharmacophore-based alignment, 2868 – 3D-QSAR studies on the inhibitors of AP-1 and NF- κ B mediated transcriptional activation, 2888 – CoMFA, LeapFrog and blind docking studies on sulfonanilide derivatives acting as selective aromatase expression regulators, 3445 – Docking and 3D-QSAR studies of BMS-806 analogs as HIV-1 gp120 entry inhibitors, 3524 – Discovery of potential new InhA direct inhibitors based on pharmacophore and 3D-QSAR analysis followed by *in silico* screening, 3718 – Novel 4-(morpholin-4-yl)-*N'*-(arylidene)benzohydrazides: Synthesis, antimycobacterial activity and QSAR investigations, 3954 – 3D-QSAR with the aid of pharmacophore search and docking-based alignments for farnesyltransferase inhibitors, 4070 – Self organizing molecular field analysis on a series of human 5 α -reductase inhibitors: Unsaturated 3-carboxysteroid, 4920
- 3-(2,4-Dichloro-5-fluorophenyl)-4H-1,2,4-triazole-5-thiol** – Synthesis, analgesic, anti-inflammatory and antimicrobial studies of 2,4-dichloro-5-fluorophenyl containing thiazolotriazoles, 827
- 3-(2-Methylphenyl)-pyrrolidine-2,5-dione** – Synthesis and anticonvulsant activity of new *N*-[(4-arylpiperazin-1-yl)-alkyl] derivatives of 3-phenyl-pyrrolidine-2,5-dione, 2224
- 3-(2-Trifluoromethylphenyl)-pyrrolidine-2,5-dione** – Synthesis and anticonvulsant activity of new *N*-[(4-arylpiperazin-1-yl)-alkyl] derivatives of 3-phenyl-pyrrolidine-2,5-dione, 2224
- 3-Aminobenzo[d]isothiazole derivatives** – Evaluation of the local anaesthetic activity of 3-aminobenzo[d]isothiazole derivatives using the rat sciatic nerve model, 473
- 3-Amino-2-hydroxypropoxyisoflavone** – Synthesis and anti-osteoporotic evaluation of certain 3-amino-2-hydroxypropoxyisoflavone derivatives, 3621
- 3-Aminopyrazols** – Synthesis and anti-tumor activities of some new pyridines and pyrazolo[1,5-*a*]pyrimidines, 3519
- 3-Aroyl-2,3-dihydro-1,1-dioxo-1,4,2-benzodithiazines** – Synthesis and anti-HIV-1 integrase activities of 3-aryl-2,3-dihydro-1,1-dioxo-1,4,2-benzodithiazines, 190
- 3-Hydroxy-2-(1-phenyl-3-aryl-4-pyrazolyl)chromones** – Synthesis and antibacterial activity of some new 2,3-dimethoxy-3-hydroxy-2-(1-phenyl-3-aryl-4-pyrazolyl)chromanones, 1763
- 3-Hydroxypropylamides** – The novel phosphoramidate derivatives of NSAID 3-hydroxypropylamides: Synthesis, cytostatic and antiviral activity evaluations, 143
- 3-Hydroxypyran-4-ones** – Synthesis, antimicrobial evaluation and QSAR study of some 3-hydroxypyridine-4-one and 3-hydroxypyran-4-one derivatives, 2145
- 3-Hydroxypyridin-4-ones** – Synthesis, antimicrobial evaluation and QSAR study of some 3-hydroxypyridine-4-one and 3-hydroxypyran-4-one derivatives, 2145
- 3-Iminoindolin-2-ones** – Synthesis and antimicrobial activity of new 1-alkyl/cyclohexyl-3,3-diaryl-1'-methylspiro[azetidine-2,3'-indoline]-2',4-diones, 2265
- 3-Mercaptopropionic acid** – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265
- 4(3H)-Quinazolinones** – Synthesis, anticonvulsant and CNS depressant activity of some new bioactive 1-(4-substituted-phenyl)-3-(4-oxo-2-phenylethyl)-4H-quinazolin-3-yl)-urea, 4335
- 4,5-Dihydroxypyrimidine carboxamides** – Multivariate QSAR study of 4,5-dihydroxypyrimidine carboxamides as HIV-1 integrase inhibitors, 3577
- 4,5-Diphenyloxazolone** – Synthesis and biological evaluation of 4,5-diphenyloxazolone derivatives on route towards selective COX-2 inhibitors, 1830
- 4,5-Disubstituted acridine** – Synthesis and biological evaluation of novel 4,5-bis(dialkylaminoalkyl)-substituted acridines as potent telomeric G-quadruplex ligands, 3880
- 4-Amino derivatives** – Design and synthesis of azolopyrimidoquinolines, pyrimidoquinazolines as anti-oxidant, anti-inflammatory and analgesic activities, 609
- 4-Aminoantipyrene** – Biological activity studies on metal complexes of novel tridentate Schiff base ligand. Spectroscopic and thermal characterization, 4801
- 4-Aminobicyclo[2.2.2]octane derivative** – Antiplasmodial and antitrypanosomal activities of aminobicyclo[2.2.2]octyl ω -aminoalkanoates, 736
- 4-Aminosalicylic acid** – Colon-specific mutual amide prodrugs of 4-aminosalicylic acid for their mitigating effect on experimental colitis in rats, 131
- 4-Anilinoquinazoline** – Synthesis and *in vitro* antitumor activities of novel 4-anilinoquinazoline derivatives, 3046 – Synthesis and characterization of rhenium and technetium-99m tricarbonyl complexes bearing the 4-[3-bromophenyl]quinazoline moiety as a biomarker for EGFR-TK imaging, 4021
- 4-Arylpiperazine derivatives** – Synthesis and anticonvulsant activity of new *N*-[(4-arylpiperazin-1-yl)-alkyl] derivatives of 3-phenyl-pyrrolidine-2,5-dione, 2224
- 4-Hydroxycoumarins** – Investigation of the antioxidant properties of some new 4-hydroxycoumarin derivatives, 3077
- 4-Isopropylthiazole-2-carbohydrazide analogs** – Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents, 4739
- 4-MTA** – Synthesis and serotonin transporter activity of sulphur-substituted α -alkyl phenethylamines as a new class of anticancer agents, 4862
- 4-Nitroimidazoles** – Synthesis and *in vitro* trichomonocidal, giardicidal and amebicidal activity of *N*-acetamide(sulfonamide)-2-methyl-4-nitro-1H-imidazoles, 2975
- 4-Oxy/thio substituted-1H-pyrazol-5(4H)-ones** – Synthesis of some novel bioactive 4-oxy/thio substituted-1H-pyrazol-5(4H)-ones via efficient cross-Claisen condensation, 3852
- 4-Phenyl-but-3-en-2-one** – Analgesic, anticonvulsant and anti-inflammatory activities of some synthesized benzodiazepine, triazolopyrimidine and bis-imide derivatives, 4787
- 4-Piperidones** – The cytotoxic properties and preferential toxicity to tumour cells displayed by some 2,4-bis(benzylidene)-8-methyl-8-azabicyclo[3.2.1]octan-3-ones and 3,5-bis(benzylidene)-1-methyl-4-piperidones, 54
- 4-Substituted-1,2,4-triazole-3-thiones** – Synthesis, characterization and antibacterial activity of some triazole Mannich bases carrying diphenylsulfone moieties, 3083
- 4-Thiazolidinones** – Synthesis, characterization and *in vitro* antimicrobial activity of novel 2-thioxo-4-thiazolidinones and 4,4'-bis(2-thioxo-4-thiazolidinone-3-yl)diphenylsulfones, 4148
- 4-Thioxothiazolidinones** – Synthesis, antimicrobial and cytotoxic activities of some 5-arylidene-4-thioxo-thiazolidine-2-ones, 2038
- 4'-Epiadriamycin, adriamycin and daunomycin** – Studies on self-aggregation of anthracycline drugs by restrained molecular dynamics approach using nuclear magnetic resonance spectroscopy supported by absorption, fluorescence, diffusion ordered spectroscopy and mass spectrometry, 1437
- 5,7-Diamino-3-phenyl-2-benzylamino, 2-phenoxy and 2-phenylthio substituted quinoxalines** – Synthesis and *in vitro* antitumor activity of new quinoxaline derivatives, 1579

5H-Dibenzo[*c,h*][1,6]naphthyridin-6-ones – Cytotoxicity and TOP1-targeting activity of 8- and 9-amino derivatives of 5-butyl- and 5-(2-*N,N*-dimethylamino)ethyl-5H-dibenzo[*c,h*][1,6]naphthyridin-6-ones, 1471 – Novel topoiso-merase I-targeting antitumor agents synthe-sized from the *N,N,N*-trimethylammonium derivative of ARC-111, 5H-2,3-dimethoxy-8,9-methylenedioxy-5-[(2-*N,N,N*-trimethylammonium)ethyl]dibenzo[*c,h*][1,6]naphthyridin-6-one iodide, 3433

5-(4-Methyl-1,2,3-triazole)methyl oxazo-lidinone – Synthesis and antibacterial activ-ity of novel 5-(4-methyl-1H-1,2,3-tria-zole) methyl oxazolidinones, 3217

5-Amino-1,10-phenanthroline – Antitumour activity of novel 1,10-phenan-throline and 5-amino-1,10-phenanthroline derivatives, 2720

5-Amino-6,8-dicyano-1H-[1,2,4]triazolo[1,5-*a*]pyridines – Synthesis of [1,2,4]triazolo[1,5-*a*]pyridines of potential PGE₂ inhibitory properties, 1972

5-Aminosalicylic acid – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrugs of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 3922

5-Benzylidene barbiturate – Inhibitory effects of 5-benzylidene barbiturate deriva-tives on mushroom tyrosinase and their antibacterial activities, 4235

5-HT system connection – Synthesis, phar-macological and antiviral activity of 1,3-thiazepine derivatives, 4960

5-HT_{1A} receptor – Synthesis and serotonin receptor activity of the arylpiperazine alkyl/propoxy derivatives of new azatricy-cloundecanes, 152

5-HT_{1A}, 5-HT_{2A}, D₁, D₂ receptor affinities – Synthesis and preliminary pharmacological evaluation of imidazo[2,1-*f*]purine-2,4-dione derivatives, 4288

5-HT_{1A}/5-HT_{2A} receptor ligands – The influence of an ethylene spacer on the 5-HT_{1A} and 5-HT_{2A} receptor affinity of arylpiperazine derivatives of amides with *N*-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones, 800

5-HT_{1A}/5-HT-T dual activity – Novel 4-aryl-pyrido[1,2-*c*]pyrimidines with dual SSRI and 5-HT_{1A} activity, Part 1, 1710

5-HT_{2A} receptor – Synthesis and serotonin receptor activity of the arylpiperazine alkyl/propoxy derivatives of new azatricy-cloundecanes, 152

5-HT₃ receptor – Molecular properties of psychopharmacological drugs determining non-competitive inhibition of 5-HT_{3A} receptors, 2667

5-HT₄ ligands – Synthesis and preliminary screening of novel indole-3-methanamines as 5-HT₄ receptor ligands, 2952

5-HT₄ receptor model – Synthesis and prelimi-nary screening of novel indole-3-methanamines as 5-HT₄ receptor ligands, 2952

5-Lipoxygenase – New pyridone, thioxopyri-dine, pyrazolopyridine and pyridine deriva-tives that modulate inflammatory mediators in stimulated RAW 264.7 murine macrophage, 4547

5-Nitrofuranes – 5-Nitro-2-furyl derivative actives against *Trypanosoma cruzi*: Preliminary *in vivo* studies, 3909

5-Nitrofuryl containing thiosemicar-bazones – Effect of ruthenium complexa-tion on trypanocidal activity of 5-nitrofuryl containing thiosemicarbazones, 4937

5-Nitroimidazoles – Lowering of 5-nitroimi-dazole's mutagenicity: Towards optimal antiparasitic pharmacophore, 653

5-Nitroindazole – Study of 5-nitroindazoles' anti-*Trypanosoma cruzi* mode of action: Electrochemical behaviour and ESR spec-troscopic studies, 1545

5-Substituted-1,2,4-triazole-3-thiole – Synthesis, characterization and evaluation of antibacterial activity of some thiazo-lo[3,2-*b*][1,2,4]triazole incorporating diphenylsulfone moieties, 4752

6Hz test – A new class of anticonvulsants pos-sessing 6Hz activity: 3,4-Dialkylthio thiophene bishydrazones, 4376

6-Heteroaryl tricyclic analogues – Synthesis and anti-VZV activity of 6-heteroaryl deriva-tives of tricyclic acyclovir and 9-[(*cis*-1',2'-bis(hydroxymethyl)cyclo-prop-1'-yl)methyl]guanine analogues, 3313

6-Mercaptopurine – Novel derivatives of 6-mercaptopurine: Synthesis, characteriza-tion and antiproliferative activities of S-allylthio-mercaptopurines, 541 – Captopril and 6-mercaptopurine: Whose SH possesses higher antioxidant ability?, 4841

6-Pyridone – Design and synthesis of calpain inhibitory 6-pyridone 2-carboxamide derivatives, 1331

7-Methoxychromone-3-carbalde-hyde-(4'-hydroxy) benzoyl hydrazone – Synthesis, crystal structure, antioxidant activities and DNA-binding studies of the Ln(III) complexes with 7-methoxy-chromone-3-carbaldehyde-(4'-hydroxy) benzoyl hydrazone, 2425

7-Methyljuglone – Juglone derivatives as antitubercular agents: A rationale for the activity profile, 2847

8-(Trifluoromethyl)quinoline derivatives – Synthesis and antimicrobial activities of novel quinoline derivatives carrying 1,2,4-triazole moiety, 4637

8-Aminoquinolines – Primaquine revisited six decades after its discovery, 937

8-Arylxanthines – Synthesis of a series of 8-(substituted-phenyl)xanthines and a study on the effects of substitution pattern of phenyl substituents on affinity for adeno-sine A₁ and A_{2A} receptors, 2122

8-Hydroxyquinoline – Antidyslipidemic and antioxidative activities of 8-hydroxyquino-line derived novel keto-enamine Schiff's bases, 1813

9,10-Phenanthrenequinone diimine – Cytotoxic and genotoxic effects of [Ru(phen)₃]²⁺ evaluated by Ames/*Salmonella* and MTT methods, 2601

9-Anilinoacridines – Synthesis and *in vitro* cytotoxicity of 9-anilinoacridines bearing *N*-mustard residue on both anilino and acridine rings, 3056

as antimicrobial and antituberculosis agents, 2930

[1,2,4]Triazolo[3,4-*d*][1,3,4]thiadiazole – Synthesis and biological evaluation of 3, 6 - d i s u b s t i t u t e d [1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazole derivatives as a novel class of potential anti-tumor agents, 2776

[¹¹C]FEDAA1106 – Synthesis of [¹¹C]FEDAA1106 as a new PET imaging probe of peripheral benzodiazepine receptor expression, 2748

B

α,α'-(*EE*)-Bis(benzylidene)-cycloalkanones – A facile synthesis of α,α'-(*EE*)-bis(ben-zylidene)-cycloalkanones and their antitu-bercular evaluations, 1705

A

A₁ and A_{2A} adenosine receptors – Synthesis of a series of 8-(substituted-phenyl)xan-thines and a study on the effects of substitu-tion pattern of phenyl substituents on affin-ity for adenosine A₁ and A_{2A} receptors, 2122

B

α₁-, α₂- and β₁-Adrenoceptor antagonists – Synthesis and adrenolytic activity of 1-(1H-indol-4-yloxy)-3-(2-(2-methoxyphenoxy)ethylamino)propan-2-ol analogs and its enantiomers. Part 2, 5103

α₁-, α₂-, β₁-Adrenoceptor antagonist – Synthesis and adrenolytic activity of 1-(1H-indol-4-yloxy)-3-[[2-(2-methox-phenoxy)ethyl]amino]propan-2-ol and its enantiomers. Part 1, 809

α₁-Adrenoceptor blocking activity – The syn-thesis of *N*-phenoxyethyl-1-substitut-ed-1,2,3,4-tetrahydroisoquinolines and their α₁-adrenoceptor blocking activity, 1271

A

A431 and MCF-7 cell lines – Synthesis and *in vitro* antitumor activities of novel 4-anili-noquinazoline derivatives, 3046

A549 cell line – 5-Benzylidene-hydantoin: Synthesis and antiproliferative activity on A549 lung cancer cell line, 3471

Ab initio – Computational study of the elec-tronic structure characterization of a novel-anti-inflammatory tripeptide derived from monocyte locomotion inhibitoryfactor (MLIF)-pentapeptide, 3114

Ab initio – Mechanistic aspects of benzoth-iazepines: A class of antiarrhythmic drugs, 1

Ab initio reactivity – Large ring 1,3-bridged 2-azetidiones: Experimental and theoret-ical studies, 2071

Ab initio SCF, DFT – Molecular structure and stability of perindopril erbumine and perindopril l-arginine complexes, 101

ABCB1 – Identification of putative steroid-binding sites in human ABCB1 and ABCG2, 3601

ABCG2 – Identification of putative steroid-binding sites in human ABCB1 and ABCG2, 3601

- Abietic acid** – Synthesis and biological evaluation of abietic acid derivatives, 2468
- Abl** – Determination of permeability and lipophilicity of pyrazolo-pyrimidine tyrosine kinase inhibitors and correlation with biological data, 3712
- Abraham equation** – Prediction of convulsant activity of gases and vapors, 885
- Absorption model** – Evaluation of substrate and inhibitor properties of a novel MDR modulator H17 towards transmembrane efflux pumps, 3060
- Abyssinone** – Synthesis of (±)Abyssinone I and related compounds: Their anti-oxidant and cytotoxic activities, 2239
- ACE inhibitor** – Molecular structure and stability of perindopril erbumine and perindopril l-arginine complexes, 101
- Acetanilide** – Discovery of novel acetanilide derivatives as potent and selective β_3 -adrenergic receptor agonists, 2533
- Acetylation** – Preparation and antitubercular activities in vitro and in vivo of novel Schiff bases of isoniazid, 4169
- Acetylcholinesterase inhibitors** – Synthesis, biological evaluation and molecular modeling of oxoisoporphine and oxoaporphine derivatives as new dual inhibitors of acetylcholinesterase/butyrylcholinesterase, 2523
- Acetylcholinesterase** – In-vitro regeneration of sarin inhibited electric eel acetylcholinesterase by bis-pyridinium oximes bearing xylene linker, 1326 – Synthesis and evaluation of novel bis-pyridinium oximes as reactivators of DFP-inhibited acetylcholinesterase, 1335 – New potential AChE inhibitor candidates, 3754
- AChE inhibitors** – Design, synthesis, and evaluation of benzophenone derivatives as novel acetylcholinesterase inhibitors, 1341
- AChE inhibitory activity** – Design, synthesis and AChE inhibitory activity of indanone and aurone derivatives, 7
- AChE** – Active site directed docking studies: Synthesis and pharmacological evaluation of *cis*-2,6-dimethyl piperidine sulfonamides as inhibitors of acetylcholinesterase, 4057
- Acid chloride** – Synthesis of some novel bioactive 4-oxy/thio substituted-1*H*-pyrazol-5(4*H*)-ones via efficient cross-Claisen condensation, 3852
- Acidity** – Computational study of the electronic structure characterization of a novel anti-inflammatory tripeptide derived from monocyte locomotion inhibitory factor (MLIF)-pentapeptide, 3114
- Acitretin** – Preparation of spermine conjugates with acidic retinoids with potent ribonuclease P inhibitory activity, 2689
- Acridine** – Microwave-induced synthesis and anti-microbial activities of 7,10,11,12-tetrahydrobenzo[*c*]acridin-8(9*H*)-one derivatives, 976 – Unusual cellular uptake of cytotoxic 4-hydroxymethyl-3-aminoacridine, 4758
- Acridines** – Synthesis of new acridines and hydrazones derived from cyclic β -diketone for cytotoxic and antiviral evaluation, 3680 – Prediction of telomerase inhibitory activity for acridinic derivatives based on chemical structure, 4826
- Acridones** – Prediction of telomerase inhibitory activity for acridinic derivatives based on chemical structure, 4826
- Actinonin derivatives** – Design, synthesis and antibacterial activity of novel actinonin derivatives containing benzimidazole heterocycles, 2202
- Activity** – Molecular orbital differentiation of agonist and antagonist activity in the Glycine_B-iGluR-NMDA receptor, 2960
- Acute toxicity** – Synthesis, characterization and antitumor activity of new type binuclear platinum(II) complexes, 2322
- Acyclic nucleoside phosphonates** – Acyclic nucleoside bisphosphonates: Synthesis and properties of chiral 2-amino-4,6-bis[(phosphonomethoxy)alkoxy]pyrimidines, 2408
- Acyclovir** – Structure-activity relationships for dipeptide prodrugs of acyclovir: Implications for prodrug design, 2339 – Synthesis and anti-VZV activity of 6-heteroaryl derivatives of tricyclic acyclovir and 9-[[*cis*-1',2'-bis(hydroxymethyl)cycloprop-1'-yl]methyl]guanine analogues, 3313
- Acylation** – Design, synthesis and molecular modeling study of acylated 1,2,4-triazole-3-acetates with potential anti-inflammatory activity, 117
- Acylthiocarbamates** – Parallel synthesis, molecular modelling and further structure-activity relationship studies of new acylthiocarbamates as potent non-nucleoside HIV-1 reverse transcriptase inhibitors, 2190
- Acylthiosemicarbazide** – Copper(II) and uranyl(II) complexes with acylthiosemicarbazide: Synthesis, characterization, antibacterial activity and effects on the growth of promyelocytic leukemia cells HL-60, 3323
- Acylthioureas** – *N*-Acylated and *N,N'*-diacylated imidazolidine-2-thione derivatives and *N,N'*-diacylated tetrahydropyrimidine-2(1*H*)-thione analogues: Synthesis and antiproliferative activity, 1106
- Adamantane derivatives** – Synthesis and anti-HIV studies of 2- and 3-adamantyl-substituted thiazolidin-4-ones, 303
- Adamantane** – Adamantane derivatives of thiazolyl-*N*-substituted amide, as possible non-steroidal anti-inflammatory agents, 1198
- Adamantyl arotinoids** – Highly twisted adamantyl arotinoids: Synthesis, antiproliferative effects and RXR transactivation profiles, 2434
- Adaptive neuro-fuzzy interference system** – Quantitative structure-activity relationship study of serotonin (5-HT₇) receptor inhibitors using modified ant colony algorithm and adaptive neuro-fuzzy interference system (ANFIS), 1463
- Adenine** – Synthesis, characterization, antimicrobial and antitumor screening of some diorganotin(IV) complexes of 2-[(9*H*-Purin-6-ylimino)]-phenol, 3981
- Adenosine** – Synthesis of a series of N⁶-substituted adenosines with activity against trypanosomatid parasites, 3665
- Adenosine receptor antagonists** – Synthesis of a series of 8-(substituted-phenyl)xan-
- thines and a study on the effects of substitution pattern of phenyl substituents on affinity for adenosine A₁ and A_{2A} receptors, 2122
- Adina cordifolia** – Antiamoebic coumarins from the root bark of *Adina cordifolia* and their new thiosemicarbazone derivatives, 2252
- ADME** – Docking, 3D-QSAR studies and in silico ADME prediction on c-Src tyrosine kinase inhibitors, 990
- ADME properties** – Mapping the ribonucleolytic active site of bovine seminal ribonuclease. The binding of pyrimidinyl phosphonucleotide inhibitors, 4496
- Aggregation inhibitor** – Synthesis and activity of fibrillogenesis peptide inhibitors related to the 17–21 β -amyloid sequence, 179
- Agonist** – Discovery of novel acetanilide derivatives as potent and selective β_3 -adrenergic receptor agonists, 2533
- Agonists** – Molecular orbital differentiation of agonist and antagonist activity in the Glycine_B-iGluR-NMDA receptor, 2960
- AIDS** – Synthesis and anti-HIV activity evaluation of 2-(4-(naphthalen-2-yl)-1,2,3-thiadiazol-5-ylthio)-*N*-acetamides as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 4648
- Air oxidation** – SAR study of clubbed [1,2,4]-triazolyl with fluorobenzimidazoles as antimicrobial and antituberculosis agents, 2930
- AKRIC1 inhibitors** – New cyclopentane derivatives as inhibitors of steroid metabolizing enzymes AKRIC1 and AKRIC3, 2563
- AKRIC3 inhibitors** – New cyclopentane derivatives as inhibitors of steroid metabolizing enzymes AKRIC1 and AKRIC3, 2563
- Akt/protein kinase B (PKB) inhibitors** – QSAR study of Akt/protein kinase B (PKB) inhibitors using support vector machine, 4090
- Alamar blue assay** – Synthesis and evaluation of *in vitro* anti-tuberculosis activity of *N*-substituted glycolamides, 289
- Albumin** – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies in rats, 3874
- Aldehydes** – Novel pyridazine derivatives: Synthesis and antimicrobial activity evaluation, 1989
- ALK5 inhibitors** – Synthesis and biological evaluation of benzenesulfonamide-substituted 4-(6-alkylpyridin-2-yl)-5-(quinoxalin-6-yl)imidazoles as transforming growth factor- β type I receptor kinase inhibitors, 568
- Alkaloids** – Aziridine alkaloids as potential therapeutic agents, 3373
- Alkenyldiarylmethanes (ADAMs)** – Synthesis of alkenyldiarylmethanes (ADAMs) containing benzo[*d*]isoxazole and oxazolidin-2-one rings, a new series of potent non-nucleoside HIV-1 reverse transcriptase inhibitors, 1210
- Alkylating agents** – Sulphonamide-based bombesin prodrug analogues for glutathione

- transferase, useful in targeted cancer chemotherapy, 2009
- Alkylation** – Acyclic nucleoside bisphosphonates: Synthesis and properties of chiral 2-amino-4,6-bis[(phosphonomethoxy)alkoxy]pyrimidines, 2408 – Synthesis and biological evaluation of 3,6-disubstituted [1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazole derivatives as a novel class of potential anti-tumor agents, 2776 – SAR study of clubbed [1,2,4]-triazolyl with fluorobenzimidazoles as antimicrobial and antituberculosis agents, 2930 – Synthesis, characterization and evaluation of antibacterial activity of some thiazolo[3,2-*b*][1,2,4]triazole incorporating diphenylsulfone moieties, 4752
- Alkylene aminoguanidine derivatives** – Synthesis and bioactivity of substituted indan-1-ylideneaminoguanidine derivatives, 3771
- Alkylidenethiosemicarbazide compounds** – A class of potent tyrosinase inhibitors: Alkylidenethiosemicarbazide compounds, 1773
- Alkylphosphocholines** – Dialkylamino and nitrogen heterocyclic analogues of hexacyclphosphocholine and cetyltrimethylammonium bromide: Effect of phosphate group and environment of the ammonium cation on their biological activity, 4970
- Alkynes** – Diamine-based human histamine H₃ receptor antagonists: (4-Aminobutyn-1-yl)benzylamines, 4098
- Allicin** – Novel derivatives of 6-mercaptopyruvate: Synthesis, characterization and antiproliferative activities of *S*-allylthio-mercaptopyruvates, 541
- All-*trans*-retinoic acid** – Preparation of spermine conjugates with acidic retinoids with potent ribonuclease P inhibitory activity, 2689
- ALMOND** – GRIND-based 3D-QSAR and CoMFA to investigate topics dominated by hydrophobic interactions: The case of hERG K⁺ channel blockers, 1926
- Alzheimer disease** – Perspectives in designing anti aggregation agents as Alzheimer disease drugs, 3866
- Alzheimer's disease** – Synthesis and activity of fibrillogenesis peptide inhibitors related to the 17–21 β -amyloid sequence, 179 – Design, synthesis, and evaluation of benzophenone derivatives as novel acetylcholinesterase inhibitors, 1341 – ¹¹C-labelled PIB analogues as potential tracer agents for in vivo imaging of amyloid β in Alzheimer's disease, 1415 – Synthesis and pharmacological evaluation of novel *N*-alkyl/aryl substituted thiazolidinone arecoline analogues as muscarinic receptor 1 agonist in Alzheimer's dementia models, 4848
- Alzheimer's diseases** – Active site directed docking studies: Synthesis and pharmacological evaluation of *cis*-2,6-dimethyl piperidine sulfonamides as inhibitors of acetylcholinesterase, 4057
- Amantadine** – Polycyclic cage structures as carrier molecules for neuroprotective non-steroidal anti-inflammatory drugs, 2577
- Amaryllidaceae** – Anti-genotoxic hydrazide from *Crinum defixum*, 2754
- Amastigote** – Synthesis, biological evaluation and SAR of sulfonamide 4-methoxychalcone derivatives with potential antileishmanial activity, 755
- AMD 3100 analogs** – Bis-14-membered ring diketal diamines: Synthesis and evaluation of their anti-HIV and anti-tumoral activities, 3138
- Amide group** – 2-Azetidinone derivatives: Design, synthesis and evaluation of cholesterol absorption inhibitors, 1638
- Amide** – Synthesis of amidine and amide derivatives and their evaluation for anti-inflammatory and analgesic activities, 1010
- Amide-based ligands** – Synthesis, structure and biological activity of copper(II) complexes of 4-(2-pyridylmethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione and 4-(2-pyridylethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione, 1607
- Amidine** – Synthesis of amidine and amide derivatives and their evaluation for anti-inflammatory and analgesic activities, 1010
- Amidrazones** – Stereoselective synthesis and antimicrobial activity of benzofuran-based (1*E*)-1-(piperidin-1-yl)-*N*²-arylamidrazones, 4985
- Amination** – Synthesis and biological evaluation of 3,6-disubstituted [1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazole derivatives as a novel class of potential anti-tumor agents, 2776
- Amines** – Amines and oximes derived from deoxybenzoins as *Helicobacter pylori* urease inhibitors, 2246
- Amino acid conjugates** – Synthesis, anti-tuberculosis activity and 3D-QSAR study of amino acid conjugates of 4-(adamantan-1-yl) group containing quinolines, 2017
- Amino acid** – Discovering novel quercetin-3-*O*-amino acid-esters as a new class of Src tyrosine kinase inhibitors, 1982 – Effect of conjugates of *all-trans*-retinoic acid and shorter polyene chain analogues with amino acids on prostate cancer cell growth, 3175
- Amino acids** – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrugs of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 3922
- Amino imidazoles** – Development of CoMFA and CoMSIA models of cytotoxicity data of anti-HIV-1-phenylamino-1*H*-imidazole derivatives, 2400
- Aminoacyl** – Towards an efficient prodrug of the alkylating metabolite monomethyltriazene: Synthesis and stability of *N*-acylamino acid derivatives of triazenes, 1049
- Aminoacyl-tRNA synthetase** – 2-[2-Substituted-3-(3,4-dichlorobenzylamino)propylamino]-1*H*-quinolin-4-ones as *Staphylococcus aureus* methionyl-tRNA synthetase inhibitors, 239
- Aminoiminoisoxazoles** – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557
- Aminomercaptotriazoles** – Synthesis of 3,6-disubstituted 7*H*-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines as novel analgesic/anti-inflammatory compounds, 4528
- Aminonitroimidazole** – Synthesis of some *N*-substituted nitroimidazole derivatives as potential antioxidant and antifungal agents, 645
- Amino-pyrimidine** – A novel and efficient one step synthesis of 2-amino-5-cyano-6-hydroxy-4-aryl pyrimidines and their anti-bacterial activity, 2651
- Aminopeptidase N** – Novel cyclic-imide peptidomimetics as aminopeptidase N inhibitors. Design, chemistry and activity evaluation. Part I, 4819
- Aminophosphonates** – Design, cytotoxic and fluorescent properties of novel *N*-phosphorylalkyl substituted *E,E*-3,5-bis(arylidene)piperid-4-ones, 2135
- Aminophosphonic acids** – Synthesis, NMR characterization and in vitro antitumor evaluation of new aminophosphonic acid diesters, 3363
- Aminophylline** – A novel spectrophotometric method for the determination of aminophylline with boric acid in pharmaceutical and mixed serum samples, 1452
- Aminoquinoline hybrid molecules** – Recent developments in the design and synthesis of hybrid molecules based on aminoquinoline ring and their antiparasmodal evaluation, 3091
- Ammine/ethylamine platinum(II) complexes** – Synthesis, characterization and cytotoxicity of ammine/ethylamine platinum(II) complexes with carboxylates, 2758
- Amodiaquine analogues** – A new series of amodiaquine analogues modified in the basic side chain with in vitro antileishmanial and antiparasmodal activity, 5071
- Amoxicillin** – Synthesis and biological evaluation of some thiazolidinone derivatives of steroid as antibacterial agents, 2597
- Amyloid beta** – Perspectives in designing anti aggregation agents as Alzheimer disease drugs, 3866
- Amyloid** – ¹¹C-labelled PIB analogues as potential tracer agents for in vivo imaging of amyloid β in Alzheimer's disease, 1415
- Amyrin ester derivatives** – Synthesis of α -amyrin derivatives and their *in vivo* antihyperglycemic activity, 1215
- A-5021** – Synthesis and anti-VZV activity of 6-heteroaryl derivatives of tricyclic acyclovir and 9-[[*cis*-1',2'-bis(hydroxymethyl)cycloprop-1'-yl]methyl]guanine analogues, 3313
- Anabolic activity** – Synthesis and anabolic/androgenic evaluation of novel 9 α -fluorosteroids, 4567
- Anacardic acid** – Synthesis of benzamide derivatives of anacardic acid and their cytotoxic activity, 2711

B

α -Adrenoceptors blocking activity – Design, synthesis and pharmacological evaluation

tion of new 1-[3-(4-arylpiperazin-1-yl)-2-hydroxy-propyl]-3,3-diphenylpyrrolidin-2-one derivatives with antiarrhythmic, antihypertensive, and α -adrenolytic activity, 3994

A

Analgesic activities – Design and synthesis of azolopyrimidoquinolines, pyrimidoquinazolines as anti-oxidant, anti-inflammatory and analgesic activities, 609

Analgesic activity – Rare dipeptide and urea derivatives from roots of *Moringa oleifera* as potential anti-inflammatory and antinociceptive agents, 432 – Synthesis, analgesic and anti-inflammatory activities of novel 3-(4-acetamido-benzyl)-5-substituted-1,2,4-oxadiazoles, 794 – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645

Analgesic agents – Regioselective reaction: Synthesis and pharmacological study of Mannich bases containing ibuprofen moiety, 3697

Analgesic – Conformationally constrained analogues of *N'*-(4-*tert*-butylbenzyl)-*N*-(4-methylsulfonylaminobenzyl)thiourea as TRPV1 antagonists, 322 – Synthesis and spectral characterization of a new class of *N*-(*N*-methylpiperazinoacetyl)-2,6-diarylpi-peridin-4-ones: Antimicrobial, analgesic and antipyretic studies, 577 – Synthesis of amidine and amide derivatives and their evaluation for anti-inflammatory and analgesic activities, 1010 – New acyclic nucleosides analogues as potential analgesic, anti-inflammatory, anti-oxidant and anti-microbial derived from pyrimido[4,5-*b*]quinolines, 1427 – Synthesis and pharmacological evaluation of a novel series of 5-(substituted)aryl-3-(3-coumarinyl)-1-phenyl-2-pyrazolines as novel anti-inflammatory and analgesic agents, 1682 – Synthesis, pharmacological screening, quantum chemical and *in vitro* permeability studies of *N*-Mannich bases of benzimidazoles through bovine cornea, 2307 – Synthesis and pharmacological evaluation of 2(3*H*)-furanones and 2(3*H*)-pyrrolones, combining analgesic and anti-inflammatory properties with reduced gastrointestinal toxicity and lipid peroxidation, 2636 – Synthesis and pharmacological evaluation of *N*-phenyl-acetamide sulfonamides designed as novel non-hepatotoxic analgesic candidates, 3612 – Synthesis and analgesic and anti-inflammatory activities 6-substituted-3(2*H*)-pyridazinone-2-acetyl-2-(*p*-substituted/nonsubstituted benzal)hydrazone derivatives, 3760 – Fenbufen based 3-[5-(substituted aryl)-1,3,4-oxadiazol-2-yl]-1-(biphenyl-4-yl)propan-1-ones as safer antiinflammatory and analgesic agents, 3798 – Synthesis and pharmacological evaluation of 1,3,4-oxadiazole bearing bis(heterocycle) derivatives as anti-inflammatory and analgesic agents, 3898 – *S*- and *C*-nucleosidoquinazoline as new nucleoside analogs with potential analgesic and anti-inflammatory activity, 4249 –

Design, synthesis and pharmacological screening of novel nitric oxide donors containing 1,5-diarylpyrazolin-3-one as nontoxic NSAIDs, 4622 – Synthesis of 6-aminomethyl derivatives of benzopyran-4-one with dual biological properties: Anti-inflammatory–analgesic and antimicrobial, 4896

Analgesic/anti-inflammatory activity – Synthesis of 3,6-disubstituted 7*H*-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines as novel analgesic/anti-inflammatory compounds, 4528

B

α -Alkylphenethylamine – Synthesis and serotonin transporter activity of sulphur-substituted α -alkyl phenethylamines as a new class of anticancer agents, 4862

A

Analogs of triclosan – Design and *in silico* screening of combinatorial library of antimicrobial analogs of triclosan inhibiting *Plasmodium falciparum* enoyl-acyl carrier protein reductase, 3009

B

α -Aminophosphonates – Design and one-pot synthesis of α -aminophosphonates and bis(α -aminophosphonates) by iron(III) chloride and cytotoxic activity, 4266

α -Amyrin acetate – Synthesis of α -amyrin derivatives and their *in vivo* antihyperglycemic activity, 1215

A

Anandamide – Synthesis and pharmacological evaluation of sulfamide-based analogues of anandamide, 4889

Androgen – Steroidal lactones as inhibitors of 17 β -hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632

Androgenic activity – Synthesis and anabolic/androgenic evaluation of novel 9 α -fluorosteroids, 4567

Androgens – Novel CYP17 inhibitors: Synthesis, biological evaluation, structure–activity relationships and modeling of methoxy- and hydroxy-substituted methyleneimidazolyl biphenyls, 2765

Andrographolide – Synthesis and evaluation of antibacterial activities of andrographolide analogues, 2936

Androstane derivatives – Synthesis and anabolic/androgenic evaluation of novel 9 α -fluorosteroids, 4567

Angiogenesis – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394

B

α -Halo compound – Synthesis and antibacterial activity of some new thiazole and thiophene derivatives, 4434

A

Anhydrides – Synthesis and antitumor activity of some new xanthotoxin derivatives, 2967

ANN – Comparative chemometric modeling of cytochrome 3A4 inhibitory activity of structurally diverse compounds using stepwise MLR, FA-MLR, PLS, GFA, G/PLS and ANN techniques, 2913

B

α -Phthalimide ketones – The preparation and *in vitro* antiproliferative activity of phthalimide based ketones on MDAMB-231 and SKHep-1 human carcinoma cell lines, 2736

α -Santonin derivatives – Synthesis and cytotoxic activity of α -santonin derivatives, 3739

A

A-*seco* triterpene – Synthesis and evaluation of A-*seco* type triterpenoids for anti-HIV-1protease activity, 4112

Antagonist – Molecular orbital differentiation of agonist and antagonist activity in the Glycine_B-iGluR-NMDA receptor, 2960

Anthracenyl phenylalanines – Synthesis of novel *N*-protected hydrophobic phenylalanines and their application in potential antibacterials, 1001

Anthrax – Modeling the activity of furin inhibitors using artificial neural network, 1664

Anti aggregation agents – Perspectives in designing anti aggregation agents as Alzheimer disease drugs, 3866

Antiamoebic activity – Bis-pyrazolines: Synthesis, characterization and antiamoebic activity as inhibitors of growth of *Entamoeba histolytica*, 426 – New derivatives of 3,5-substituted-1,4,2-dioxazoles: Synthesis and activity against *Entamoeba histolytica*, 926

Antiarrhythmic – Synthesis, antiarrhythmic and anticoagulant activities of novel thiazolo derivatives from methyl 2-(thiazol-2-ylcarbamoyl)acetate, 725 – Design, synthesis and pharmacological evaluation of new 1-[3-(4-arylpiperazin-1-yl)-2-hydroxy-propyl]-3,3-diphenylpyrrolidin-2-one derivatives with antiarrhythmic, antihypertensive, and α -adrenolytic activity, 3994

Antiarrhythmic, hypotensive and spasmolytic activities – Synthesis and adrenolytic activity of 1-(1*H*-indol-4-yloxy)-3-[[2-(2-methoxyphenoxy)ethyl]amino]propan-2-ol and its enantiomers. Part 1, 809

Antibacterial activity – Tetrahydronaphthyl azole oxime ethers: The conformationally rigid analogues of oxiconazole as antibacterials, 437 – Synthesis, biological evaluation and 2D-QSAR analysis of benzoxazoles as antimicrobial agents, 501 – Hansch analysis of veratric acid derivatives as antimicrobial agents, 689 – Synthesis and antibacterial activity of nitroaryl thiadiazole-gatifloxacin hybrids, 1205 – A facile synthesis of novel

biologically active 4-hydroxy-*N*-(benzylidene)-2*H*-benzo[*e*][1,2]thiazine-3-carbohydrazide 1,1-dioxides, 1311 – Synthesis of new 2-substituted pyrido[2,3-*d*]pyrimidin-4(1*H*)-ones and their antibacterial activity, 1369 – Synthesis, structure and biological activity of copper(II) complexes of 4-(2-pyridylmethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione and 4-(2-pyridylethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione, 1607 – Synthesis and spectroscopic studies of biologically active compounds derived from oxalylhydrazide and benzil, and their Cr(III), Fe(III) and Mn(III) complexes, 1731 – Synthesis and antibacterial evaluation of novel 4-alkyl substituted phenyl β -aldehyde ketone derivatives, 1737 – Convenient one-pot synthesis of novel 2-substituted benzimidazoles, tetrahydrobenzimidazoles and imidazoles and evaluation of their *in vitro* antibacterial and antifungal activities, 1751 – Synthesis and antibacterial activity of some new 2,3-dimethoxy-3-hydroxy-2-(1-phenyl-3-aryl-4-pyrazolyl)chromanones, 1763 – Hansch analysis of substituted benzoic acid benzylidene/furan-2-yl-methylene hydrazides as antimicrobial agents, 1853 – DNA binding and antimicrobial studies of polymer-copper(II) complexes containing 1,10-phenanthroline and l-phenylalanine ligands, 1878 – Design, synthesis and antibacterial activity of novel actinonin derivatives containing benzimidazole heterocycles, 2202 – Examination of growth inhibitory properties of synthetic chalcones for which antibacterial activity was predicted, 2211 – Organoiodine (III)-mediated synthesis of 3-aryl/heteroaryl-5,7-dimethyl-1,2,4-triazolo[4,3-*c*]pyrimidines as antibacterial agents, 2260 – Synthesis, spectral studies and *in vitro* antibacterial activity of steroidal thiosemicarbazone and their palladium (Pd (II)) complexes, 2270 – Synthesis and evaluation of some new benzimidazole derivatives as potential antimicrobial agents, 2294 – Synthesis, antimicrobial and antiviral evaluation of substituted imidazole derivatives, 2347 – Synthesis and biological evaluation of some thiazolidinone derivatives of steroid as antibacterial agents, 2597 – Synthesis and antimicrobial studies of novel methylene bridged benzisoxazolyl imidazo[2,1-*b*][1,3,4]thiadiazole derivatives, 2828 – SAR study of clubbed [1,2,4]-triazolyl with fluorobenzimidazoles as antimicrobial and antituberculosis agents, 2930 – Synthesis of novel carbazole based macrocyclic amides as potential antimicrobial agents, 3040 – Synthesis, characterization and antibacterial activity of some triazole Mannich bases carrying diphenylsulfone moieties, 3083 – Mechanism of unusual formation of 3-(5-phenyl-3*H*-[1,2,4]dithiazol-3-yl)chromen-4-ones and 4-oxo-4*H*-chromene-3-carbothioic acid *N*-phenylamides and their antimicrobial evaluation, 3209 – Copper(II) and uranyl(II)

complexes with acylthiosemicarbazide: Synthesis, characterization, antibacterial activity and effects on the growth of promyelocytic leukemia cells HL-60, 3323 – Mono and bis-6-arylbenzimidazo[1,2-*c*]quinazolines: A new class of antimicrobial agents, 3330 – Novel ureas and thioureas of 15-membered azalides with antibacterial activity against key respiratory pathogens, 3459 – Regioselective reaction: Synthesis, characterization and pharmacological studies of some new Mannich bases derived from 1,2,4-triazoles, 3784 – A facile one-pot green synthesis and antibacterial activity of 2-amino-4*H*-pyrans and 2-amino-5-oxo-5,6,7,8-tetrahydro-4*H*-chromenes, 3805 – Synthesis, structure and structure-activity relationship analysis of 3-*tert*-butoxycarbonyl-2-arylthiazolidine-4-carboxylic acid derivatives as potential antibacterial agents, 3903 – Synthesis and antibacterial activity of novel 15-membered macrolide derivatives: 4"-Carbamate, 11,12-cyclic carbonate-4"-carbamate and 11,4"-di-*O*-arylcarmoyl analogs of azithromycin, 4010 – Synthesis and *in vitro* antibacterial activity of 7-(4-alkoxyimino-3-amino-3-methylpiperidin-1-yl)fluoroquinolone derivatives, 4063 – Inhibitory effects of 5-benzylidene barbiturate derivatives on mushroom tyrosinase and their antibacterial activities, 4235 – Synthesis, crystal structures and antibacterial activity studies of aza-derivatives of phytoalexin from cotton plant – gossypol, 4393 – Synthesis and antibacterial activity of some new thiazole and thiophene derivatives, 4434 – Synthesis, spectroscopic characterization and antibacterial activity of new cobalt(II) complexes of unsymmetrical tetradentate (OSN₂) Schiff base ligands, 4490 – Synthesis, characterization and antibacterial activity of 2-[1-(5-chloro-2-methoxy-phenyl)-5-methyl-1*H*-pyrazol-4-yl]-5-(substituted-phenyl)-[1,3,4]oxadiazoles, 4522 – Synthesis and antimicrobial activities of novel quinoline derivatives carrying 1,2,4-triazole moiety, 4637 – Synthesis, photochemical *E* (*trans*) \leftrightarrow *Z* (*cis*) isomerization and antimicrobial activity of 2-chloro-5-methylpyridine-3-olefin derivatives, 4661 – Design, synthesis and *in vitro* antibacterial/antifungal evaluation of novel 1-ethyl-6-fluoro-1,4-dihydro-4-oxo-7(1-piperazinyl)quinoline-3-carboxylic acid derivatives, 4726 – Synthesis, characterization and evaluation of antibacterial activity of some thiazolo[3,2-*b*][1,2,4]triazole incorporating diphenylsulfone moieties, 4752 – Synthesis and antibacterial activity of some novel bis-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and bis-4-thiazolidinone derivatives from terephthalic dihydrazide, 5112 – **Antibacterial agents** – Synthesis and biological evaluation of novel luteolin derivatives as antibacterial agents, 908 – Synthesis and antibacterial activity of some new thiadiazazatriazaphosphines, thiadiazatriaza/tetrazaphosphines and

thiadiazatriazaphosphines containing 1,2,4-triazinone moiety, 4539 – **Antibacterial and antifungal activities** – Some *O,O',O'',O'''*-di/tetra aryldithioimidophosphate transition metal complexes derived from catechol and bisphenol-A as antibacterial and antifungal agents, 785 – **Antibacterial drugs** – Multi-target spectral moments for QSAR and Complex Networks study of antibacterial drugs, 4516 – **Antibacterial** – Synthesis and QSAR modeling of 2-acetyl-2-ethoxycarbonyl-1-[4(4'-aryloxy)-phenyl]-*N,N*-dimethylaminophenyl aziridines as potential antibacterial agents, 251 – Synthesis, optimization and structure-activity relationships of 3,5-disubstituted isoxazolines as new anti-tuberculosis agents, 460 – Synthesis and antimicrobial activities of some new triazolothiadiazoles bearing 4-methylthiobenzyl moiety, 551 – Synthesis of novel benzo[*h*]quinolines: Wound healing, antibacterial, DNA binding and *in vitro* antioxidant activity, 981 – Synthesis and *in vitro* antimicrobial activity of some novel substituted benzimidazole derivatives having potent activity against MRSA, 1024 – Synthesis, characterization and antimicrobial activity of water soluble dendritic macromolecules, 1093 – Antimicrobial studies of some novel quinoxalinones fused with [1,2,4]-triazole, [1,2,4]-triazine and [1,2,4,5]-tetrazine rings, 1188 – Synthesis, characterization and structure-activity relationship analysis of novel peptides as potential antibacterials, 1779 – Fullerene derivatized *s*-triazine analogues as antimicrobial agents, 2178 – Design, synthesis and biological evaluation of novel nitrogen and sulfur containing hetero-1,4-naphthoquinones as potent antifungal and antibacterial agents, 3130 – Synthesis and antibacterial activity of novel 5-(4-methyl-1*H*-1,2,3-triazole) methyl oxazolidinones, 3217 – Aziridine alkaloids as potential therapeutic agents, 3373 – Antioxidant and antibacterial studies of arylazopyrazoles and arylhydrazonopyrazolones containing coumarin moiety, 4690 – Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents, 4739 – **Antibacterial screening** – Phase transfer catalyzed synthesis of bis-quinolines: Antileishmanial activity in experimental visceral leishmaniasis and *in vitro* antibacterial evaluation, 845 – **Antibacterials** – Synthesis of novel *N*-protected hydrophobic phenylalanines and their application in potential antibacterials, 1001 – **Antibiotic** – 2-[2-Substituted-3-(3,4-dichlorobenzylamino)propylamino]-1*H*-quinolin-4-ones as *Staphylococcus aureus* methionyl-tRNA synthetase inhibitors, 239 – **Antibody** – Potential of mean force for Syrian hamster prion epitope protein – Monoclonal fab 3f4 antibody interaction studies, 3504

- Anticancer activity** – Possible anticancer agents: QSAR analogs of glutamamide: Synthesis and pharmacological activity of 1,5-*N,N'*-disubstituted-2-(substituted benzenesulphonyl) glutamamides, 70 – Synthesis of novel thiazolone-based compounds containing pyrazoline moiety and evaluation of their anticancer activity, 1396 – Synthesis, structure and biological activity of copper(II) complexes of 4-(2-pyridylmethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione and 4-(2-pyridylethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione, 1607 – CoMFA and docking studies of 2-phenylindole derivatives with anticancer activity, 2822 – Total synthesis and anticancer activity of highly potent novel glycolipid derivatives, 3120 – Synthesis, antiviral and anticancer activity of some novel thioureas derived from *N*-(4-nitro-2-phenoxyphenyl)-methanesulfonamide, 3591 – Synthesis and *in vitro* anticancer activity of 2,4-azolidinedione-acetic acids derivatives, 3627 – Synthesis, structure elucidation and antitumour activity of *N*-substituted amides of 3-(3-ethylthio-1,2,4-triazol-5-yl)propenoic acid, 3788 – *In vitro* and *in vivo* anticancer activity of 2-deacetoxytaxinine J and synthesis of novel taxoids and their *in vitro* anticancer activity, 3947 – Novel Biginelli dihydropyrimidines with potential anticancer activity: A parallel synthesis and CoMSIA study, 4192 – Synthesis and anticancer activity of *N*-bis(trifluoromethyl)alkyl-*N'*-thiazolyl and *N*-bis(trifluoromethyl)alkyl-*N'*-benzothiazolyl ureas, 4944 – Synthesis and antitumor activity studies of some new fused 1,2,4-triazole derivatives carrying 2,4-dichloro-5-fluorophenyl moiety, 5066
- Anticancer agents** – New cyclopentane derivatives as inhibitors of steroid metabolizing enzymes AKR1C1 and AKR1C3, 2563 – Design, synthesis and preliminary biological evaluation of *N*-hydroxy-4-(3-phenylpropanamido)benzamide (HPPB) derivatives as novel histone deacetylase inhibitors, 4470
- Anticancer drugs** – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Anticancer** – Synthesis and biological evaluation of novel symmetry bis-enediynes, 35 – Aziridine alkaloids as potential therapeutic agents, 3373 – Design, synthesis and anticancer evaluation of novel tetrahydroquinoline derivatives containing sulfonamide moiety, 4211
- Anticancer therapy** – Metals in anticancer therapy: Copper(II) complexes as inhibitors of the 20S proteasome, 4353
- Antichagasic *in vivo* activity** – 5-Nitro-2-furyl derivative actives against *Trypanosoma cruzi*: Preliminary *in vivo* studies, 3909
- Anticoagulant activities** – Synthesis, antiarrhythmic and anticoagulant activities of novel thiazolo derivatives from methyl 2-(thiazol-2-ylcarbamoyl)acetate, 725
- Anticoagulant** – Design of novel aminopyrrolidine factor Xa inhibitors from a screening hit, 2787
- Anticoagulants** – On designing non-saccharide, allosteric activators of antithrombin, 2626
- Anticoccidial drug** – Predicting the activity of drugs for a group of imidazopyridine anticoccidial compounds, 4044
- Anticonvulsant activity** – Synthesis of some novel *N*-(naphtha[1,2-*d*]thiazol-2-yl)semicarbazides as potential anticonvulsants, 203 – Synthesis and potential anticonvulsant activity of new *N*-3-substituted 5,5-cyclopropanespirohydantoins, 296 – Synthesis and anticonvulsant activity of some substituted 1,2,4-thiadiazoles, 1100 – Synthesis of some new 4-styryltetrazolo[1,5-*a*]quinoxaline and 1-substituted-4-styryl[1,2,4]triazolo[4,3-*a*]quinoxaline derivatives as potent anticonvulsants, 1135 – Synthesis and anticonvulsant activity of new *N*-[(4-arylpiperazin-1-yl)-alkyl] derivatives of 3-phenyl-pyrrolidine-2,5-dione, 2224
- Anticonvulsant** – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Synthesis, antibacterial and anticonvulsant evaluations of some cyclic enaminones, 967 – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265 – Solution-phase parallel synthesis and evaluation of anticonvulsant activity of *N*-substituted-3,4-dihydroisoquinoline-2(1*H*)-carboxamides, 1349 – Synthesis of novel pyrazole derivatives and evaluation of their antidepressant and anticonvulsant activities, 3480
- Anticonvulsants** – Synthesis and anticonvulsant activity of some new bishydrazones derived from 3,4-dipropoxythiophene, 3672 – A new class of anticonvulsants possessing 6Hz activity: 3,4-Dialkylthiophene bishydrazones, 4376
- Antidepressant activities** – Quantitative structure-activity relationship analysis of aryl alkanol piperazine derivatives with antidepressant activities, 4367
- Antidepressant activity** – Synthesis and serotonin receptor activity of the arylpiperazine alkyl/propoxy derivatives of new azatricycloundecanes, 152
- Antidepressant drugs** – Molecular properties of psychopharmacological drugs determining non-competitive inhibition of 5-HT_{3A} receptors, 2667
- Antidepressant** – Synthesis of novel pyrazole derivatives and evaluation of their antidepressant and anticonvulsant activities, 3480
- Antidepressants** – Novel 4-aryl-pyrido[1,2-*c*]pyrimidines with dual SSRI and 5-HT_{1A} activity, Part 1, 1710 – Novel 4-aryl-pyrido[1,2-*c*]pyrimidines with dual SSRI and 5-HT_{1A} activity: Part 2, 4702
- Antidiabetic activity** – Novel 2-aryl-naphtho[1,2-*d*]oxazole derivatives as potential PTP-1B inhibitors showing antihyperglycemic activities, 109
- Antidiabetic effects on pancreas** – Synthesis, characterization and antidiabetic properties of *N*-(2,4-dihydroxybenzylidene)-*N'*-2-hydroxybenzylidene-5-methyl-thiosemicarbazidato-oxovanadium(IV), 818
- Antidiabetic** – Synthesis and *in vivo* antidiabetic activity of novel dispiropyrrrolidines through [3+2] cycloaddition reactions with thiazolidinedione and rhodanine derivatives, 3272
- Antidiuretic activity** – Arginine vasopressin and its analogues – The influence of position 2 modification with 3,3-diphenylalanine enantiomers. Highly potent V₂ agonists, 2862
- Antifungal activity** – Synthesis, biological evaluation and 2D-QSAR analysis of benzoxazoles as antimicrobial agents, 501 – Synthesis of some *N*-substituted nitroimidazole derivatives as potential antioxidant and antifungal agents, 645 – Hansch analysis of veratric acid derivatives as antimicrobial agents, 689 – Antimicrobial studies of some novel quinoxalinones fused with [1,2,4]-triazole, [1,2,4]-triazine and [1,2,4,5]-tetrazine rings, 1188 – 2-Acylhydrazino-5-arylpyrrole derivatives: Synthesis and antifungal activity evaluation, 1288 – Convenient one-pot synthesis of novel 2-substituted benzimidazoles, tetrahydrobenzimidazoles and imidazoles and evaluation of their *in vitro* antibacterial and antifungal activities, 1751 – Antifungal unsaturated cyclic Mannich ketones and amino alcohols: Study of mechanism of action, 1823 – Hansch analysis of substituted benzoic acid benzylidene/furan-2-yl-methylene hydrazides as antimicrobial agents, 1853 – DNA binding and antimicrobial studies of polymer-copper(II) complexes containing 1,10-phenanthroline and 1-phenylalanine ligands, 1878 – Design, synthesis, and biological evaluation of novel triazole derivatives as inhibitors of cytochrome P450 14α-demethylase, 1913 – Synthesis and evaluation of some new benzimidazole derivatives as potential antimicrobial agents, 2294 – Synthesis, antimicrobial and antiviral evaluation of substituted imidazole derivatives, 2347 – Synthesis, antifungal activities and 3D-QSAR study of *N*-(5-substituted-1,3,4-thiadiazol-2-yl)cyclopropanecarboxamides, 2782 – Synthesis and antimicrobial studies of novel methylene bridged benzisoxazolyl imidazo[2,1-*b*][1,3,4]thiadiazole derivatives, 2828 – Synthesis of novel carbazole based macrocyclic amides as potential antimicrobial agents, 3040 – Design, synthesis, and antifungal activity of triazole and benzotriazole derivatives, 3064 – Mechanism of unusual formation of 3-(5-phenyl-3*H*-[1,2,4]dithiazol-3-yl)chromen-4-ones and 4-oxo-4*H*-chromene-3-carbothioic acid *N*-phenylamides and their antimicrobial evaluation, 3209 – Mono and bis-6-aryl-

- benzimidazo[1,2-*c*]quinazolines: A new class of antimicrobial agents, 3330 – Regioselective reaction: Synthesis, characterization and pharmacological studies of some new Mannich bases derived from 1,2,4-triazoles, 3784 – Synthesis, physicochemical properties and antimicrobial activity of some new benzimidazole derivatives, 4028 – New azoles with potent antifungal activity: Design, synthesis and molecular docking, 4218 – Synthesis and antimicrobial activities of novel quinoline derivatives carrying 1,2,4-triazole moiety, 4637 – Synthesis, photochemical *E* (*trans*) \leftrightarrow *Z* (*cis*) isomerization and antimicrobial activity of 2-chloro-5-methylpyridine-3-olefin derivatives, 4661 – Design, synthesis and *in vitro* antibacterial/antifungal evaluation of novel 1-ethyl-6-fluoro-1,4-dihydro-4-oxo-7(1-piperazinyl)quinoline-3-carboxylic acid derivatives, 4726 – Dialkylamino and nitrogen heterocyclic analogues of hexadecylphosphocholine and cetyltrimethylammonium bromide: Effect of phosphate group and environment of the ammonium cation on their biological activity, 4970
- Antifungal agent** – The structure-bioavailability approach in antifungal agents, 1978
- Antifungal agents** – A facile synthesis of α,α' -(*EE*)-bis(benzylidene)-cycloalkanonones and their antitubercular evaluations, 1705 – Synthesis and antiparasitic and antifungal evaluation of 2'-arylsusbstituted-1*H*,1'*H*-[2,5']bisbenzimidazolyl-5-carboxamides, 2002
- Antifungal compounds** – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Antifungal drugs** – Multi-target spectral moment: QSAR for antifungal drugs vs. different fungi species, 4051
- Antifungal** – Synthesis and antimicrobial activities of some new triazolothiadiazoles bearing 4-methylthiobenzyl moiety, 551 – Synthesis and *in vitro* antimicrobial activity of some novel substituted benzimidazole derivatives having potent activity against MRSA, 1024 – 2,3-Disubstituted-1,4-naphthoquinones, 12*H*-benzo[*b*]phenothiazine-6,11-diones and related compounds: Synthesis and Biological evaluation as potential antiproliferative and antifungal agents, 1086 – Photodynamic inactivation of *Candida albicans* sensitized by tri- and tetra-cationic porphyrin derivatives, 1592 – Design, synthesis and biological evaluation of novel nitrogen and sulfur containing hetero-1,4-naphthoquinones as potent antifungal and antibacterial agents, 3130 – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminodithiones and imidazolidineiminodithiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315 – Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents, 4739
- Antihyperglycemic activity** – Synthesis of α -myrin derivatives and their *in vivo* antihyperglycemic activity, 1215
- Antihypertensive activity** – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645
- Antiinflammatory** – Fenbufen based 3-[5-(substituted aryl)-1,3,4-oxadiazol-2-yl]-1-(biphenyl-4-yl)propan-1-one as safer antiinflammatory and analgesic agents, 3798
- Antileishmanial activity** – Phase transfer catalyzed synthesis of bis-quinolines: Antileishmanial activity in experimental visceral leishmaniasis and *in vitro* antibacterial evaluation, 845
- Antileishmanial** – Synthesis and antiprotzoal activities of dicationic bis(phenoxyethyl)benzenes, bis(phenoxyethyl)naphthalenes, and bis(benzoyloxy)naphthalenes, 3543
- Antileukotrienic activity** – Antileukotrienic phenethylamido derivatives of arylalkanoic acids in the treatment of ulcerative colitis, 332
- Antimalarial activity** – Synthesis of chlorovinyl sulfones as structural analogs of chalcones and their antiparasitic activities, 1457 – Synthesis and antimalarial activity of new atovaquone derivatives, 4778
- Antimalarial chalcone combination** – Antimalarial pharmacodynamics of chalcone derivatives in combination with artemisinin against *Plasmodium falciparum* *in vitro*, 3388
- Antimalarial** – Search for new pharmacophores for antimalarial activity. Part III: Synthesis and bioevaluation of new 6-thioureido-4-anilinoquinazolines, 4404
- Antimicrobial activity** – Synthesis of new series of 5,6-dihydro-4*H*-1,2-oxazines via hetero Diels-Alder reaction and evaluation of antimicrobial activity, 280 – Synthesis of some new 1,2,4-triazoles, their Mannich and Schiff bases and evaluation of their antimicrobial activities, 1057 – Synthesis and QSAR evaluation of 2-(substituted phenyl)-1*H*-benzimidazoles and [2-(substituted phenyl)-benzimidazol-1-yl]-pyridin-3-yl-methanones, 1119 – Synthesis, characterization and antimicrobial activity of Co(II), Zn(II) and Cd(II) complexes with *N*-benzyloxycarbonyl-S-phenylalanine, 1537 – Novel pyridazine derivatives: Synthesis and antimicrobial activity evaluation, 1989 – Synthesis, antimicrobial and cytotoxic activities of some 5-arylidene-4-thioxo-thiazolidine-2-ones, 2038 – Synthesis, antimicrobial and cytotoxic activities of 1,3,4-oxadiazoles, 1,3,4-thiadiazoles and 1,2,4-triazoles, 2106 – Synthesis, antimicrobial evaluation and QSAR study of some 3-hydroxypyridine-4-one and 3-hydroxypyran-4-one derivatives, 2145 – Synthesis and antimicrobial activity of new 1-alkyl/cyclohexyl-3,3-diaryl-1'-methylspiro[azetidine-2,3'-indoline]-2',4'-diones, 2265 – Diazinium salts with dihydroxyacetophenone skeleton: Syntheses and antimicrobial activity, 2275 – Synthesis and bioassay of a new class of heterocycles pyrrolyl oxadiazoles/thiadiazoles/triazoles, 2313 – Antimicrobial and SOD activities of novel transition metal ternary complexes of iminodiacetic acid containing α -diimine as auxiliary ligand, 2517 – Physicochemical and biological characterization of novel macrocycles derived from *o*-phthalaldehyde, 2621 – Synthesis and antimicrobial evaluation of 1-(benzofuran-2-yl)-4-nitro-3-arylbutan-1-ones and 3-(benzofuran-2-yl)-4,5-dihydro-5-aryl-1-[4-(aryl)-1,3-thiazol-2-yl]-1*H*-pyrazoles, 2632 – Hybrid molecules between benzenesulfonamides and active antimicrobial benzo[*d*]isothiazol-3-ones, 2741 – Synthesis of some new 1,3,4-thiadiazol-2-ylmethyl-1,2,4-triazole derivatives and investigation of their antimicrobial activities, 2896 – Copper complexes of pyridine derivatives with superoxide scavenging and antimicrobial activities, 3259 – Antimicrobial active macrocyclic complexes of Cr(III), Mn(III) and Fe(III) with their spectroscopic approach, 3299 – Convenient synthesis and antimicrobial evaluation of some novel 2-substituted-3-methylbenzofuran derivatives, 3637 – Synthesis, physicochemical properties and antimicrobial activity of some new benzimidazole derivatives, 4028 – Synthesis, characterization and *in vitro* antimicrobial activity of novel 2-thioxo-4-thiazolidinones and 4,4'-bis(2-thioxo-4-thiazolidinone-3-yl)diphenylsulfones, 4148 – Synthesis, spectral and biological evaluation of some new thiazolidinones and thiazoles based on *t*-3-alkyl-*r*-2,*c*-6-diaryl piperidin-4-ones, 4199 – Synthesis of some new 1,2,4-triazoles starting from isonicotinic acid hydrazide and evaluation of their antimicrobial activities, 4362 – Synthesis of some novel pyrazolo[3,4-*b*]pyridine and pyrazolo[3,4-*d*]pyrimidine derivatives bearing 5,6-diphenyl-1,2,4-triazine moiety as potential antimicrobial agents, 4385 – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557 – Enaminonitrile in heterocyclic synthesis: Synthesis and antimicrobial evaluation of some new pyrazole, isoxazole and pyrimidine derivatives incorporating a benzothiazole moiety, 4813 – Stereoselective synthesis and antimicrobial activity of benzofuran-based (1*E*)-1-(piperidin-1-yl)-*N*²-arylamidrazones, 4985 – Synthesis and antimicrobial activity of some new *N*-acyl substituted phenothiazines, 5094
- Antimicrobial agent** – Synthesis and biological evaluation of a novel series of 1,5-benzothiazepine derivatives as potential antimicrobial agents, 2815
- Antimicrobial and antifungal activities** – Application of phosphonyl carbanions to

- highly regioselective synthesis of some diazaphospholes and pyrazolanyl phosphonates, 526
- Antimicrobial** – Synthesis and spectral characterization of a new class of *N*-(*N*-methylpiperazinoacetyl)-2,6-diaryl piperidin-4-ones: Antimicrobial, analgesic and antipyretic studies, 577 – Synthesis, characterization, antimicrobial and antitumor screening of some diorganotin(IV) complexes of 2-[(9*H*-Purin-6-ylimino)]-phenol, 3981 – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminothiones and imidazolidineiminodithiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315 – Synthesis of 6-aminomethyl derivatives of benzopyran-4-one with dual biological properties: Anti-inflammatory–analgesic and antimicrobial, 4896
- Antimicrobial properties** – Cationic surfactants from lysine: Synthesis, micellization and biological evaluation, 1884 – Regioselective synthetic approaches towards 1,2,8,9-tetraazadispiro[4.1.4.2]trideca-2,9-dien-6-ones of potential antimicrobial properties, 2447
- Antimicrobials** – Tetrahydronaphthyl azole oxime ethers: The conformationally rigid analogues of oxiconazole as antibacterials, 437
- Antimycobacterial activity** – Preparation and in vitro evaluation of benzylsulfanyl benzoxazole derivatives as potential antituberculosis agents, 2286 – A facile synthesis and antimycobacterial evaluation of novel spiro-pyrido-pyrrolizines and pyrrolidines, 3821 – Design, synthesis and antimycobacterial activity of some novel imidazo[1,2-*c*]pyrimidines, 3837 – Synthesis, spectral and biological evaluation of some new thiazolidinones and thiazoles based on *t*-3-alkyl-*r*-2,*c*-6-diaryl piperidin-4-ones, 4199 – Synthesis and antimycobacterial activity of *N*'-[(*E*)-(monosubstituted-benzylidene)]-2-pyrazinecarbohydrazide derivatives, 4954 – 1-Proline-catalysed facile green protocol for the synthesis and antimycobacterial evaluation of [1,4]-thiazines, 4978
- Antimycobacterial** – Synthesis and antimycobacterial activities of novel 6-nitroquinolone-3-carboxylic acids, 345 – Diversity-oriented synthesis of furo[3,2-*f*]chromanes with antimycobacterial activity, 2497 – SAR study of clubbed [1,2,4]-triazolyl with fluorobenzimidazoles as antimicrobial and antituberculosis agents, 2930 – Novel 4-(morpholin-4-yl)-*N*'-(arylidene)benzohydrazides: Synthesis, antimycobacterial activity and QSAR investigations, 3954
- Antimycotic activity** – Synthesis and biological evaluation of abietic acid derivatives, 2468
- Anti-aggregant and pro-aggregant activities** – Circular dichroism studies of type III collagen mimetic peptides with anti- or pro-aggregant activities on human platelets, 2643
- Anti-bacterial activity** – A novel and efficient one step synthesis of 2-amino-5-cyano-6-hydroxy-4-aryl pyrimidines and their anti-bacterial activity, 2651
- Anti-bacterial** – Synthesis and anti-microbial screening of some Schiff bases of 3-amino-6,8-dibromo-2-phenylquinazolin-4(3*H*)-ones, 2328
- Anti-diabetic activity** – Synthesis and evaluation of some novel isochroman carboxylic acid derivatives as potential anti-diabetic agents, 3147
- Anti-diabetic agent** – Synthesis and evaluation of structurally constrained imidazolidin derivatives as potent dipeptidyl peptidase IV inhibitors, 3318
- Antineoplastic therapy** – Sulphonamide-based bombesin prodrug analogues for glutathione transferase, useful in targeted cancer chemotherapy, 2009
- Anti-fungal** – Synthesis and anti-microbial screening of some Schiff bases of 3-amino-6,8-dibromo-2-phenylquinazolin-4(3*H*)-ones, 2328 – Anti-oxidant, anti-fungal and anti-leishmanial activities of novel 3-[4-(1*H*-imidazol-1-yl)phenyl]prop-2-en-1-ones, 4654
- Anti-genotoxicity** – Anti-genotoxic hydrazide from *Crinum defixum*, 2754
- Anti-HIV activity** – Synthesis and anti-HIV studies of 2- and 3-adamantyl-substituted thiazolidin-4-ones, 303
- Anti-HIV** – Synthesis, HIV-RT inhibitory activity and SAR of 1-benzyl-1*H*-1,2,3-triazole derivatives of carbohydrates, 373 – Predicting anti-HIV activity of 1,3,4-thiazolidinone derivatives: 3D-QSAR approach, 1180 – Synthesis of alkenyldiarylmethanes (ADAMs) containing benzo[*d*]isoxazole and oxazolidin-2-one rings, a new series of potent non-nucleoside HIV-1 reverse transcriptase inhibitors, 1210 – Development of CoMFA and CoMSIA models of cytotoxicity data of anti-HIV-1-phenylamino-1*H*-imidazole derivatives, 2400
- Anti-HIV-1 activity** – Anti-HIV evaluation of benzo[*d*]isothiazole hydrazones, 1801
- Anti-inflammation** – Synthesis, crystal structure and anti-inflammatory properties of curcumin analogues, 915
- Anti-inflammatory activities** – New acyclic nucleosides analogues as potential analgesic, anti-inflammatory, anti-oxidant and anti-microbial derived from pyrimido[4,5-*b*]quinolines, 1427
- Anti-inflammatory activity** – Synthesis and anti-inflammatory activity of newer quinazolin-4-one derivatives, 83 – Synthesis, analgesic and anti-inflammatory activities of novel 3-(4-acetamido-benzyl)-5-substituted-1,2,4-oxadiazoles, 794 – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645 – Synthesis and analgesic and anti-inflammatory activities 6-substituted-3(2*H*)-pyridazinone-2-acetyl-2-(*p*-substituted/nonsubstituted benzal)hydrazones derivatives, 3760 – Synthesis and anti-inflammatory evaluation of novel angularly or linearly fused coumarins, 5012
- Anti-inflammatory agents and transcription inhibitors** – Design, synthesis and characterization of novel 2-(2,4-disubstituted-thiazole-5-yl)-3-aryl-3*H*-quinazolin-4-one derivatives as inhibitors of NF- κ B and AP-1 mediated transcription activation and as potential anti-inflammatory agents, 2184
- Anti-inflammatory agents** – Design and synthesis of new *N*-(fluorenyl-9-methoxycarbonyl) (Fmoc)-dipeptides as anti-inflammatory agents, 1933 – Aroylpropionic acid based 2,5-disubstituted-1,3,4-oxadiazoles: Synthesis and their anti-inflammatory and analgesic activities, 2372 – Regioselective reaction: Synthesis and pharmacological study of Mannich bases containing ibuprofen moiety, 3697
- Anti-inflammatory and analgesic** – Synthesis and pharmacological evaluation of 2-substituted benzo[*b*]thiophenes as anti-inflammatory and analgesic agents, 1718 – Synthesis, analgesic and anti-inflammatory activities evaluation of some bi-, tri- and tetracyclic condensed pyrimidines, 4572
- Anti-inflammatory drugs** – Synthesis, pharmacological evaluation and docking studies of new sulindac analogues, 1959
- Anti-inflammatory** – Regioselective synthesis of dispiro[1*H*-indene-2,3'-pyrrolidine-2',3'-[3*H*]indole]-1,2"(1"*H*)-diones of potential anti-tumor properties, 91 – Design, synthesis and molecular modeling study of acylated 1,2,4-triazole-3-acetates with potential anti-inflammatory activity, 117 – Design and synthesis of azolopyrimidoquinolines, pyrimidoquinazolines as anti-oxidant, anti-inflammatory and analgesic activities, 609 – Synthesis of amidine and amide derivatives and their evaluation for anti-inflammatory and analgesic activities, 1010 – Adamantane derivatives of thiazolyl-*N*-substituted amide, as possible non-steroidal anti-inflammatory agents, 1198 – Regioselective synthesis and stereochemical structure of anti-tumor active dispiro[3*H*-indole-3,2'-pyrrolidine-3',3'-piperidine]-2(1*H*),4"-diones, 1257 – Synthesis and pharmacological evaluation of a novel series of 5-(substituted)aryl-3-(3-coumarinyl)-1-phenyl-2-pyrazolines as novel anti-inflammatory and analgesic agents, 1682 – Synthesis of [1,2,4]triazolo[1,5-*a*]pyridines of potential PGE₂ inhibitory properties, 1972 – Facile synthesis of bis(4,5-dihydro-1*H*-pyrazole-1-carboxamides) and their thio-analogues of potential PGE₂ inhibitory properties, 2172 – Synthesis, pharmacological screening, quantum chemical and *in vitro* permeability studies of *N*-Mannich bases of benzimidazoles through bovine cornea, 2307 – Synthesis and pharmacological evaluation of 2(3*H*)-furanones and 2(3*H*)-pyrrolones,

- combining analgesic and anti-inflammatory properties with reduced gastrointestinal toxicity and lipid peroxidation, 2636 – 3D-QSAR studies on the inhibitors of AP-1 and NF- κ B mediated transcriptional activation, 2888 – Synthesis and evaluation of the antioxidant and anti-inflammatory activity of novel coumarin-3-aminoamides and their alpha-lipoic acid adducts, 3020 – Synthesis and investigation of anti-inflammatory activity and gastric ulcerogenicity of novel nitric oxide-donating pyrazoline derivatives, 3068 – Synthesis and biological evaluation of curcumin-like diarylpen-tanoid analogues for anti-inflammatory, antioxidant and anti-tyrosinase activities, 3195 – 1,8-Naphthyridine-3-carboxamide derivatives with anticancer and anti-inflammatory activity, 3356 – Synthesis and pharmacological evaluation of 1,3,4-oxadiazole bearing bis(heterocycle) derivatives as anti-inflammatory and analgesic agents, 3898 – S- and C-nucleosidoquinazoline as new nucleoside analogs with potential analgesic and anti-inflammatory activity, 4249 – New pyridone, thioxopyridine, pyrazolopyridine and pyridine derivatives that modulate inflammatory mediators in stimulated RAW 264.7 murine macrophage, 4547 – Design, synthesis and pharmacological screening of novel nitric oxide donors containing 1,5-diarylpyrazolin-3-one as non-toxic NSAIDs, 4622 – Synthesis of 6-aminomethyl derivatives of benzopyran-4-one with dual biological properties: Anti-inflammatory-analgesic and antimicrobial, 4896
- Anti-inflammatory peptide** – Computational study of the electronic structure characterization of a novel anti-inflammatory tripeptide derived from monocyte locomotion inhibitory factor (MLIF)-pentapeptide, 3114
- Anti-leishmanial activity** – Nitroimidazolyl-1,3,4-thiadiazole-based anti-leishmanial agents: Synthesis and *in vitro* biological evaluation, 1758
- Anti-leishmanial** – Anti-oxidant, anti-fungal and anti-leishmanial activities of novel 3-[4-(1*H*-imidazol-1-yl)phenyl]prop-2-en-1-ones, 4654
- Anti-leukemia activity** – Berbamine derivatives: A novel class of compounds for anti-leukemia activity, 3293
- Anti-malarial** – Design, synthesis and evaluation of novel uracil acetamide derivatives as potential inhibitors of *Plasmodium falciparum* dUTP nucleotidohydrolase, 678
- Anti-microbial activity** – Microwave-induced synthesis and anti-microbial activities of 7,10,11,12-tetrahydrobenzo[*c*]acridin-8(9*H*)-one derivatives, 976 – Synthesis and evaluation of *in vitro* anti-microbial and anti-tubercular activity of 2-styryl benzimidazoles, 4244 – 2-Azetidinone derivatives: Design, synthesis, *in vitro* anti-microbial, cytotoxic activities and DNA cleavage study, 5123
- Antinociceptive action** – Antinociceptive properties of caffeic acid derivatives in mice, 4596
- Antinociceptive activity** – Synthesis and antinociceptive activity of capsinoid derivatives, 3345
- Antinociceptive** – Synthesis, pharmacological evaluation and docking studies of new sulindac analogues, 1959
- Anti-osteoporosis** – Synthesis, evaluation and 3D QSAR analysis of novel estradiol-RGD octapeptide conjugates with oral anti-osteoporosis activity, 1689
- Anti-osteoporotic activity** – Synthesis and anti-osteoporotic evaluation of certain 3-amino-2-hydroxypropoxyisoflavone derivatives, 3621
- Anti-oxidant** – Design and synthesis of azolopyrimidoquinolines, pyrimidoquinazolines as anti-oxidant, anti-inflammatory and analgesic activities, 609 – New acyclic nucleosides analogues as potential analgesic, anti-inflammatory, anti-oxidant and anti-microbial derived from pyrimido[4,5-*b*]quinolines, 1427 – Anti-oxidant, anti-fungal and anti-leishmanial activities of novel 3-[4-(1*H*-imidazol-1-yl)phenyl]prop-2-en-1-ones, 4654
- Anti-plasmodial** – Design, synthesis and evaluation of novel uracil acetamide derivatives as potential inhibitors of *Plasmodium falciparum* dUTP nucleotidohydrolase, 678
- Anti-poxvirus agents** – Antiviral evaluation of *N*-amino-1,2,3-triazoles against Cantagalo virus replication in cell culture, 3777
- Anti-*T. cruzi* agents** – Study of 5-nitroindazoles' anti-*Trypanosoma cruzi* mode of action: Electrochemical behaviour and ESR spectroscopic studies, 1545
- Anti-thrombotic** – A class of novel *N*-(3*S*-1,2,3,4-tetrahydroisoquinoline-3-carbonyl)-L-amino acid derivatives: their synthesis, anti-thrombotic activity evaluation, and 3D QSAR analysis, 4904
- Anti-*Trypanosoma cruzi* agents** – 5-Nitro-2-furyl derivative acts against *Trypanosoma cruzi*: Preliminary *in vivo* studies, 3909
- Anti-tubercular activity** – Synthesis and evaluation of *in vitro* anti-microbial and anti-tubercular activity of 2-styryl benzimidazoles, 4244
- Anti-tuberculosis agents** – Synthesis, optimization and structure-activity relationships of 3,5-disubstituted isoxazolines as new anti-tuberculosis agents, 460
- Anti-tuberculosis** – Synthesis and evaluation of *in vitro* anti-tuberculosis activity of *N*-substituted glycolamides, 289 – Synthesis, anti-tuberculosis activity and 3D-QSAR study of amino acid conjugates of 4-(adamantan-1-yl) group containing quinolines, 2017
- Anti-tumor activity** – The preparation and *in vitro* antiproliferative activity of phthalimide based ketones on MDAMB-231 and SKHep-1 human carcinoma cell lines, 2736 – 2D- and 3D-QSAR studies on 54 anti-tumor Rubiaceae-type cyclopeptides, 3425 – Novel *N*-(3-carboxyl-9-benzyl- β -carboline-1-yl) ethylamino acids: Synthesis, anti-tumor evaluation, intercalating determination, 3D QSAR analysis and docking investigation, 4153
- Anti-tumor agents** – Promising carbonylquinazolines for boron neutron capture therapy: Synthesis, characterization, and *in vitro* toxicity evaluation, 409
- Anti-tumor cytotoxicity** – Synthesis and anti-tumor activities of some new pyridines and pyrazolo[1,5-*a*]pyrimidines, 3519
- Anti-tumor** – Regioselective synthesis of dispiro[1*H*-indole-2,3'-pyrrolidine-3',3"-[3*H*]indole]-1,2"(1"*H*)-diones of potential anti-tumor properties, 91 – Regioselective synthesis and stereochemical structure of anti-tumor active dispiro[3*H*-indole-3,2'-pyrrolidine-3',3"-piperidine]-2(1*H*),4"-diones, 1257 – Design, synthesis, and anti-tumor evaluation of novel symmetrical bis-benzimidazoles, 1808 – Synthesis of [1,2,4]triazolo[1,5-*a*]pyridines of potential PGE₂ inhibitory properties, 1972 – Studies on chemical structure modification and biology of a natural product, Gambogic acid (I): Synthesis and biological evaluation of oxidized analogues of gambogic acid, 2611 – Synthesis and biological evaluation of 3,6-disubstituted [1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazole derivatives as a novel class of potential anti-tumor agents, 2776 – Synthesis, characterisation and *in vitro* cytotoxicity studies of a series of chiral platinum(II) complexes based on the 2-aminomethylpyrrolidine ligand: X-ray crystal structure of [PtCl₂(*R*-dimepyrr)] (*R*-dimepyrr=*N*-dimethyl-2(*R*)-aminomethylpyrrolidine), 2807 – 1,8-Naphthyridine-3-carboxamide derivatives with anticancer and anti-inflammatory activity, 3356 – Synthesis and evaluation of anti-tumor activities of N⁴ fatty acyl amino acid derivatives of 1- β -arabinofuranosylcytosine, 3596 – Novel modified steroid derivatives of androstanolone as chemotherapeutic anti-cancer agents, 3936 – Novel cyclic-imide peptidomimetics as aminopeptidase N inhibitors. Design, chemistry and activity evaluation. Part I, 4819
- Anti-tyrosinase** – Synthesis and biological evaluation of curcumin-like diarylpen-tanoid analogues for anti-inflammatory, antioxidant and anti-tyrosinase activities, 3195
- Anti-viral and anti-tumoral activities** – Bis-14-membered ring diketal diamines: Synthesis and evaluation of their anti-HIV and anti-tumoral activities, 3138
- Anti-VZV activity** – Synthesis and anti-VZV activity of 6-heteroaryl derivatives of tricyclic acyclovir and 9-{[*cis*-1',2'-bis(hydroxymethyl)cycloprop-1'-yl]methyl}guanine analogues, 3313
- Antioxidant activity** – QSAR study of antioxidant activity of wine polyphenols, 400 – Synthesis of some *N*-substituted nitroimidazole derivatives as potential antioxidant and antifungal agents, 645 – Cytotoxic, antioxidant activities and structure activity relationship of some newly synthesized terpenoidal oxaliplatin analogs, 901 – New insights into the antioxidant activity of hydroxycinnamic acids: Synthesis and physicochemical characterization of novel

- halogenated derivatives, 2092 – Synthesis, crystal structure, antioxidant activities and DNA-binding studies of the Ln(III) complexes with 7-methoxychromone-3-carbaldehyde-(4'-hydroxy) benzoyl hydrazone, 2425 – Polycyclic cage structures as carrier molecules for neuroprotective non-steroidal anti-inflammatory drugs, 2577 – Copper complexes of pyridine derivatives with superoxide scavenging and antimicrobial activities, 3259 – Synthesis, crystal structure, DNA interaction and antioxidant activities of two novel water-soluble Cu(2+) complexes derived from 2-oxo-quinoline-3-carbaldehyde Schiff-bases, 4477 – Synthesis of 3,6-disubstituted 7*H*-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazines as novel analgesic/anti-inflammatory compounds, 4528 – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557 – Synthesis, characterization, DNA binding properties and antioxidant activity of Ln(III) complexes with hesperetin-4-one-(benzoyl) hydrazone, 4585 – Synthesis and anti-inflammatory evaluation of novel angularly or linearly fused coumarins, 5012
- Antioxidant capacity** – Blue CrO₅ assay: A novel spectrophotometric method for the evaluation of the antioxidant and oxidant capacity of various biological substances, 4162
- Antioxidant** – A theoretical antioxidant pharmacophore for resveratrol, 1644 – Antidyslipidemic and antioxidative activities of 8-hydroxyquinoline derived novel keto-enamine Schiff's bases, 1813 – Synthesis and evaluation of the antioxidant and anti-inflammatory activity of novel coumarin-3-aminoamides and their alpha-lipoic acid adducts, 3020 – Synthesis and biological evaluation of curcumin-like diarylpentanoid analogues for anti-inflammatory, antioxidant and anti-tyrosinase activities, 3195 – Antioxidant and antibacterial studies of arylazopyrazoles and arylhydrazonopyrazolones containing coumarin moiety, 4690 – Captopril and 6-mercaptopyrurine: Whose SH possesses higher antioxidant ability?, 4841
- Antioxidants** – QSAR model for predicting radical scavenging activity of di(hetero)arylamines derivatives of benzo[*b*]thiophenes, 1952
- Antioxidation** – Crystal structures, antioxidation and DNA binding properties of Dy(III) complexes with Schiff-base ligands derived from 8-hydroxyquinoline-2-carboxaldehyde and four arylhydrazines, 5080
- Antiparasite** – Synthesis, biological evaluation and SAR of sulfonamide 4-methoxychalcone derivatives with potential antileishmanial activity, 755
- Antiparasitic activity** – Lowering of 5-nitroimidazole's mutagenicity: Towards optimal antiparasitic pharmacophore, 653
- Antiparasitic agents** – Synthesis and antiparasitic and antifungal evaluation of 2'-aryl-substituted-1*H*,1'*H*-[2,5']bisbenzimidazolyl-5-carboxamidines, 2002
- Antiparasitic drugs** – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Antiplasmodial** – Synthesis and antiprotozoal activities of dicationic bis(phenoxymethyl)benzenes, bis(phenoxymethyl)naphthalenes, and bis(benzylloxy)naphthalenes, 3543
- Antiproliferation** – Synthesis of 2-styrylchromones as a novel class of antiproliferative agents targeting carcinoma cells, 2552
- Antiproliferative activity** – *N*-Acyated and *N,N'*-diacylated imidazolidine-2-thione derivatives and *N,N'*-diacylated tetrahydropyrimidine-2(1*H*)-thione analogues: Synthesis and antiproliferative activity, 1106 – Synthesis and *in vitro* antiproliferative activity of novel 1-benzhydrylpiperazine derivatives against human cancer cell lines, 1223 – Design, synthesis, and evaluation of biphenyl-4-yl-acrylohydroxamic acid derivatives as histone deacetylase (HDAC) inhibitors, 1900 – DNA-targeting pyrroloquinoline-linked butenone and chalcones: Synthesis and biological evaluation, 2854 – 5-Benzylidene-hydantoins: Synthesis and antiproliferative activity on A549 lung cancer cell line, 3471 – Novel 2,4,5-trisubstituted oxazole derivatives: Synthesis and antiproliferative activity, 3930 – Synthesis of substituted-phenyl-1,2,4-triazol-3-thione analogues with modified d-glucopyranosyl residues and their antiproliferative activities, 4716 – Synthesis and serotonin transporter activity of sulphur-substituted α -alkyl phenethylamines as a new class of anticancer agents, 4862
- Antiproliferative effect** – Novel derivatives of 6-mercaptopyrurine: Synthesis, characterization and antiproliferative activities of *S*-allylthio-mercaptopyrurines, 541
- Antiproliferative** – Design, synthesis and structure-activity relationships of antiproliferative 1,3-disubstituted urea derivatives, 453 – 2,3-Disubstituted-1,4-naphthoquinones, 12*H*-benzo[*b*]phenothiazine-6,11-diones and related compounds: Synthesis and Biological evaluation as potential antiproliferative and antifungal agents, 1086
- Antiprotozoal activity** – Dialkylamino and nitrogen heterocyclic analogues of hexadecylphosphocholine and cetyltrimethylammonium bromide: Effect of phosphate group and environment of the ammonium cation on their biological activity, 4970
- Antiprotozoal** – Synthesis and antiprotozoal activities of dicationic bis(phenoxymethyl)benzenes, bis(phenoxymethyl)naphthalenes, and bis(benzylloxy)naphthalenes, 3543
- Antiprotozoals** – A new series of amodiaquine analogues modified in the basic side chain with *in vitro* antileishmanial and antiplasmodial activity, 5071
- Antipsychotic drugs** – Molecular properties of psychopharmacological drugs determining non-competitive inhibition of 5-HT_{3A} receptors, 2667
- Antipyretic activities** – Synthesis and spectral characterization of a new class of *N*-(*N*-methylpiperazinoacetyl)-2,6-diaryl piperidin-4-ones: Antimicrobial, analgesic and antipyretic studies, 577
- Antisense** – Oligonucleotide-polyamine conjugates: Influence of length and position of 2'-attached polyamines on duplex stability and antisense effect, 670
- Antithrombin** – On designing non-saccharide, allosteric activators of antithrombin, 2626
- Antitrypanosomal** – Synthesis and antiprotozoal activities of dicationic bis(phenoxymethyl)benzenes, bis(phenoxymethyl)naphthalenes, and bis(benzylloxy)naphthalenes, 3543
- Antitubercular activity** – Synthesis, antitubercular activity and docking study of novel cyclic azole substituted diphenyl ether derivatives, 492 – Juglone derivatives as antitubercular agents: A rationale for the activity profile, 2847 – Synthesis and antitubercular activity of novel 4-substituted imidazolyl-2,6-dimethyl-*N*³,*N*⁵-bisaryl-1,4-dihydropyridine-3,5-dicarboxamides, 3253
- Antitubercular agents** – A facile synthesis of α,α' -(*EE*)-bis(benzylidene)-cycloalkanes and their antitubercular evaluations, 1705 – 1,5-Diaryl-2-ethyl pyrrole derivatives as antimycobacterial agents: Design, synthesis, and microbiological evaluation, 4734
- Antitubercular** – Synthesis and antimycobacterial activities of novel 6-nitroquinolone-3-carboxylic acids, 345 – Synthesis and antitubercular activity of palladium and platinum complexes with fluoroquinolones, 4107 – Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents, 4739
- Antituberculotics** – QSAR analysis of salicylamide isosteres with the use of quantum chemical molecular descriptors, 869
- Antitumor activity** – 2,3-Disubstituted 8-arylamino-3*H*-imidazo[4,5-*g*]quinazolines: A novel class of antitumor agents, 448 – Synthesis and antitumor activity of 6- and 2-(1-substituted-thio-4-methylpent-3-enyl)-5,8-dimethoxynaphthalene-1,4-diones, 1410 – New transition metal ion complexes with benzimidazole-5-carboxylic acid hydrazides with antitumor activity, 1500 – Synthesis and *in vitro* antitumor activity of new quinoxaline derivatives, 1579 – Synthesis and characterization of new Pt(II) and Pd(II) complexes with 2-quinolinecarboxaldehyde selenosemicarbazone: Cytotoxic activity evaluation of Cd(II), Zn(II), Ni(II), Pt(II) and Pd(II) complexes with heteroaromatic selenosemicarbazones, 1623 – Synthesis of novel 3-(aryl)benzothieno[2,3-*c*]pyran-1-ones from Sonogashira products and intramolecular cyclization: Antitumoral activity evaluation, 1893 – Dideoxy fluoro-ketopyranosyl nucleosides

as potent antiviral agents: Synthesis and biological evaluation of 2,3- and 3,4-dideoxy-3-fluoro-4- and -2-keto- β -d-glucopyranosyl derivatives of N^4 -benzoyl cytosine, 2696 – Synthesis and antitumor activity of novel dithiocarbamate substituted chromones, 3687 – Synthesis and antitumoral activity of novel thiazolobenzotriazole, thiazolindolo[3,2-*c*]quinoline and quinolinoquinoline derivatives, 3858 – Unsaturated dideoxy fluoro-ketopyranosyl nucleosides as new cytostatic agents: A convenient synthesis of 2,6-dideoxy-3-fluoro-4-keto- β -d-glucopyranosyl analogues of uracil, 5-fluorouracil, thymine, N^4 -benzoyl cytosine and N^6 -benzoyl adenine, 4764

Antitumor agents – A three-step synthesis from rebeccamycin of an efficient checkpoint kinase 1 inhibitor, 2234 – Substituted quinazolines, part 3. Synthesis, *in vitro* antitumor activity and molecular modeling study of certain 2-thieno-4(3*H*)-quinazolinone analogs, 2379 – Unusual cellular uptake of cytotoxic 4-hydroxymethyl-3-aminoacridine, 4758

Antitumor – Synthesis and *in vitro* cytotoxic evaluation of novel 3,4,5-trimethoxyphenyl substituted β -carboline derivatives, 533 – Synthesis and antitumor activity of some new xanthotoxin derivatives, 2967 – Novel topoisomerase I-targeting antitumor agents synthesized from the N,N,N -trimethylammonium derivative of ARC-111, 5*H*-2,3-dimethoxy-8,9-methylene-dioxy-5-[(2- N,N,N -trimethylammonium)ethyl]dibenzo[*c,h*][1,6]naphthyridin-6-one iodide, 3433 – Bromoalkoxyxanthenes as promising antitumor agents: Synthesis, crystal structure and effect on human tumor cell lines, 3830 – Synthesis, characterization, antimicrobial and antitumor screening of some diorganotin(IV) complexes of 2-[(9*H*-Purin-6-ylimino)]-phenol, 3981 – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminodithiones and imidazolidineiminodithiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315 – Antitumor and antimycobacterial activities of cyclopalladated complexes: X-ray structure of [Pd(C², N-dmba)(Br)(tu)] (dmba= N,N -dimethylbenzylamine, tu=thiourea), 4611 – Novel naphthalimide derivatives as potential apoptosis-inducing agents: Design, synthesis and biological evaluation, 4674

Antitumoral activity – Novel *trans*-dichloridoplatinum(II) complexes with 3- and 4-acetylpyridine: Synthesis, characterization, DFT calculations and cytotoxicity, 1921 – Palladium(II) complexes with R₂edda-derived ligands. Part II. Synthesis, characterization and *in vitro* antitumoral studies of R₂eddp esters and palladium(II) complexes, 3452

Antitumoral – Hydroxychalcones induce apoptosis in B16-F10 melanoma cells via GSH and ATP depletion, 1630

Antitumour activity – Antitumour activity of novel 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives, 2720

Antitumour agents – Synthesis, kinase inhibitory potencies and *in vitro* antiproliferative activity of isoindigo and 7-aza-isoindigo derivatives substituted by Sonogashira cross-coupling, 2705

Antitumour drugs – Towards an efficient prodrug of the alkylating metabolite monomethyltriazenes: Synthesis and stability of *N*-acylamino acid derivatives of triazenes, 1049

Antitumour – Reactivity of isothiazolones and isothiazolone-1-oxides in the inhibition of the PCAF histone acetyltransferase, 4855

Antiviral activity – Synthesis and *in vitro* anti-HIV evaluation of a new series of 6-arylmethyl-substituted S-DABOs as potential non-nucleoside HIV-1 reverse transcriptase inhibitors, 1016 – Anti-HIV evaluation of benzo[*d*]isothiazole hydrazones, 1801 – Synthesis, antimicrobial and antiviral evaluation of substituted imidazole derivatives, 2347 – Synthesis and biological evaluation of abietic acid derivatives, 2468 – Synthesis, antiviral and anticancer activity of some novel thioureas derived from *N*-(4-nitro-2-phenoxyphenyl)-methanesulfonamide, 3591 – Synthesis of new acridines and hydrazones derived from cyclic β -diketone for cytotoxic and antiviral evaluation, 3680 – Synthesis and antiviral activity of new pyrazole and thiazole derivatives, 3746 – Synthesis and anti-HIV activity evaluation of 2-(4-(naphthalen-2-yl)-1,2,3-thiadiazol-5-ylthio)-*N*-acetamides as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 4648 – Synthesis and antiviral activity of β -carboline derivatives bearing a substituted carbonylhydrazide at C-3 against poliovirus and herpes simplex virus (HSV-1), 4695

Antiviral agent – Cyclic phosphoramidates as prodrugs of 2'-C-methylcytidine, 3765

Antiviral evaluation – Synthesis and anti-HSV-1 evaluation of some pyrazoles and fused pyrazolopyrimidines, 3285

Antiviral – Synthesis, HIV-RT inhibitory activity and SAR of 1-benzyl-1*H*-1,2,3-triazole derivatives of carbohydrates, 373 – Structure-activity relationships for dipeptide prodrugs of acyclovir: Implications for prodrug design, 2339 – Dideoxy fluoro-ketopyranosyl nucleosides as potent antiviral agents: Synthesis and biological evaluation of 2,3- and 3,4-dideoxy-3-fluoro-4- and -2-keto- β -d-glucopyranosyl derivatives of N^4 -benzoyl cytosine, 2696 – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminodithiones and imidazolidineiminodithiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315 – Unsaturated dideoxy fluoro-ketopyranosyl nucleosides as new cytostatic agents: A convenient synthesis of 2,6-dideoxy-3-fluoro-4-keto- β -d-glu-

copyranosyl analogues of uracil, 5-fluorouracil, thymine, N^4 -benzoyl cytosine and N^6 -benzoyl adenine, 4764

B

α -Tocopherol – Blue CrO₅ assay: A novel spectrophotometric method for the evaluation of the antioxidant and oxidant capacity of various biological substances, 4162

α -Triple-helix peptides – Circular dichroism studies of type III collagen mimetic peptides with anti- or pro-aggregant activities on human platelets, 2643

A

Anxiolytics/antidepressants – Synthesis and preliminary pharmacological evaluation of imidazo[2,1-*f*]purine-2,4-dione derivatives, 4288

AP-1 – 3D-QSAR studies on the inhibitors of AP-1 and NF- κ B mediated transcriptional activation, 2888

Apoptosis inducer – Studies on chemical structure modification and biology of a natural product, Gambogic acid (I): Synthesis and biological evaluation of oxidized analogues of gambogic acid, 2611

Apoptosis – Synthesis, cytotoxicity and apoptosis of naphthalimide polyamine conjugates as antitumor agents, 393 – Novel derivatives of 6-mercaptopurine: Synthesis, characterization and antiproliferative activities of S-allylthio-mercaptopurines, 541 – Discovery of a new family of bis-8-hydroxyquinoline substituted benzylamines with pro-apoptotic activity in cancer cells: Synthesis, structure-activity relationship, and action mechanism studies, 558 – Hydroxychalcones induce apoptosis in B16-F10 melanoma cells via GSH and ATP depletion, 1630 – Highly twisted adamantyl arotinoids: Synthesis, antiproliferative effects and RXR transactivation profiles, 2434 – Synthesis, NMR characterization and *in vitro* antitumor evaluation of new aminophosphonic acid diesters, 3363 – Physicochemical properties and membrane interactions of anti-apoptotic derivatives 2-(4-fluorophenyl)-3-(pyridin-4-yl)imidazo[1,2-*a*]pyridine depending on the hydroxyalkylamino side chain length and conformation: An NMR and ESR study, 3509 – Novel naphthalimide derivatives as potential apoptosis-inducing agents: Design, synthesis and biological evaluation, 4674 – Synthesis and serotonin transporter activity of sulphur-substituted α -alkyl phenethylamines as a new class of anticancer agents, 4862

Apoptotic – Synthesis, Raman, FT-IR, NMR spectroscopic characterization, antimicrobial activity, cytotoxicity and DNA binding of new mixed aza-oxo-thia macrocyclic compounds, 4681

Apoptosis – Synthesis and biological evaluation of novel symmetry bis-enediynes, 35

Arachidonic acid metabolism – Design, synthesis and evaluation of tetrahydropyran based COX-1/2 inhibitors, 1278

- Arachidonyl** – Synthesis and pharmacological evaluation of sulfamide-based analogues of anandamide, 4889
- Ara-C derivatives** – Synthesis and evaluation of anti-tumor activities of N⁴ fatty acyl amino acid derivatives of 1- β -arabinofuranosylcytosine, 3596
- Ara-C** – Synthesis and evaluation of anti-tumor activities of N⁴ fatty acyl amino acid derivatives of 1- β -arabinofuranosylcytosine, 3596
- Arborescidine** – Antiproliferative activity of arborescidine alkaloids and derivatives, 3810
- ARC-111** – Novel topoisomerase I-targeting antitumor agents synthesized from the N,N,N-trimethylammonium derivative of ARC-111, 5H-2,3-dimethoxy-8,9-methylenedioxy-5-[(2-N,N,N-trimethylammonium)ethyl]dibenzo[c,h][1,6]naphthyridin-6-one iodide, 3433
- Arcoline derivatives** – Synthesis and pharmacological evaluation of novel N-alkyl/aryl substituted thiazolidinone arecoline analogues as muscarinic receptor 1 agonist in Alzheimer's dementia models, 4848
- Arginine vasopressin (AVP) analogues** – Arginine vasopressin and its analogues – The influence of position 2 modification with 3,3-diphenylalanine enantiomers. Highly potent V₂ agonists, 2862
- Aromatase inhibitors** – An efficient steroid pharmacophore-based strategy to identify new aromatase inhibitors, 4121
- Aroylpropionic acid** – Aroylpropionic acid based 2,5-disubstituted-1,3,4-oxadiazoles: Synthesis and their anti-inflammatory and analgesic activities, 2372
- Artemia salina Leach.** – Improved synthesis of seven aromatic Baylis-Hillman adducts (BHA): Evaluation against *Artemia salina* Leach. and *Leishmania chagasi*, 1726
- Artemisinin** – Antimalarial pharmacodynamics of chalcone derivatives in combination with artemisinin against *Plasmodium falciparum* in vitro, 3388
- Artificial cleavage activity** – Synthesis and characterization of dinuclear macrocyclic cobalt(II), copper(II) and zinc(II) complexes derived from 2,2,2',2'-S,S[bis(bis-N,N-2-thiobenzimidazoloxalato-1,2-ethane)]: DNA binding and cleavage studies, 834
- Artificial neural networks** – Prediction of milk/plasma concentration ratios of drugs and environmental pollutants, 2452
- Aryl alkanol piperazine derivatives** – Quantitative structure-activity relationship analysis of aryl alkanol piperazine derivatives with antidepressant activities, 4367
- Aryl alkenyl amides/imines** – Quantitative structure-activity relationship (QSAR) of aryl alkenyl amides/imines for bacterial efflux pump inhibitors, 229
- Arylalkylpiperazines** – Synthesis and preliminary pharmacological evaluation of imidazo[2,1-f]purine-2,4-dione derivatives, 4288
- Aryl-amines** – Known drug space as a metric in exploring the boundaries of drug-like chemical space, 5006
- Aryl-nitro** – Known drug space as a metric in exploring the boundaries of drug-like chemical space, 5006
- Arylpiperazine** – Synthesis and serotonin receptor activity of the arylpiperazine alkyl/propoxy derivatives of new azatricycloundecanes, 152 – Application of desirability-based multi(bi)-objective optimization in the design of selective arylpiperazine derivatives for the 5-HT_{1A} serotonin receptor, 5045
- Arylsulfonylmethyl group** – Lowering of 5-nitroimidazole's mutagenicity: Towards optimal antiparasitic pharmacophore, 653
- Ascorbate** – Blue CrO₅ assay: A novel spectrophotometric method for the evaluation of the antioxidant and oxidant capacity of various biological substances, 4162
- Aspartyl-protease** – 3D-QSAR CoMFA/CoMSIA models based on theoretical active conformers of HOE/BAY-793 analogs derived from HIV-1 protease inhibitor complexes, 4344
- Asteraceae** – Structure-activity relationship of seco-tanaphthalides isolated from *Achillea falcata* for inhibition of HaCaT cell growth, 3794
- Asthma** – A series of 1, 2-coupled indane dimers with mast cell stabilisation and smooth muscle relaxation properties, 5018
- Atovaquone** – Synthesis and antimalarial activity of new atovaquone derivatives, 4778
- ATP** – Hydroxychalcones induce apoptosis in B16-F10 melanoma cells via GSH and ATP depletion, 1630
- ATP overproduction** – The porphyrin-fullerene nanoparticles to promote the ATP overproduction in myocardium: ²⁵Mg²⁺-magnetic isotope effect, 1554
- Aurantiamide acetate** – Rare dipeptide and urea derivatives from roots of *Moringa oleifera* as potential anti-inflammatory and antinociceptive agents, 432
- Aurantiamide derivatives** – Design and synthesis of new N-(fluorenyl-9-methoxycarbonyl) (Fmoc)-dipeptides as anti-inflammatory agents, 1933
- Aurone** – Design, synthesis and AChE inhibitory activity of indanone and aurone derivatives, 7
- Azalides** – Novel ureas and thioureas of 15-membered azalides with antibacterial activity against key respiratory pathogens, 3459
- Azatricycloundecane** – Synthesis and serotonin receptor activity of the arylpiperazine alkyl/propoxy derivatives of new azatricycloundecanes, 152
- Azetidin-2-ones** – Synthesis and evaluation of some new benzimidazole derivatives as potential antimicrobial agents, 2294
- Azetidinones** – Synthesis and anti-inflammatory activity of newer quinazolin-4-one derivatives, 83
- Aziridine** – Aziridine alkaloids as potential therapeutic agents, 3373
- Azole** – New azoles with potent antifungal activity: Design, synthesis and molecular docking, 4218
- Azomethine ylide** – A facile synthesis and antimycobacterial evaluation of novel spiro-pyrido-pyrrolizines and pyrrolidines, 3821
- Azomethine ylides** – Regioselective synthesis of dispiro[1H-indene-2,3'-pyrrolidine-2',3''-[3H]indole]-1,2''(1''H)-diones of potential anti-tumor properties, 91 – Regioselective synthesis and antimicrobial screening of novel ketocarbazolidispiropyrrolidine derivatives, 959 – Regioselective synthesis and stereochemical structure of anti-tumor active dispiro[3H-indole-3,2'-pyrrolidine-3',3''-piperidine]-2(1H),4''-diones, 1257

B

- β_2 Adrenoceptor agonist** – Synthesis, pharmacological and in silico evaluation of 1-(4-di-hydroxy-3,5-dioxo-4-borabicyclo[4.4.0]deca-7,9,11-trien-9-yl)-2-(tert-butylamino)ethanol, a compound designed to act as a β_2 adrenoceptor agonist, 2840
- β_3 -Adrenergic receptor** – Discovery of novel acetanilide derivatives as potent and selective β_3 -adrenergic receptor agonists, 2533
- Bacillus thuringiensis** – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448
- Bacteria** – Synthesis and evaluation of antibacterial activities of andrographolide analogues, 2936
- Balance of correlations** – QSPR modeling bioconcentration factor (BCF) by balance of correlations, 2544
- Baylis-Hillman adducts** – Improved synthesis of seven aromatic Baylis-Hillman adducts (BHA): Evaluation against *Artemia salina* Leach. and *Leishmania chagasi*, 1726
- bcl-2** – Oligonucleotide-polyamine conjugates: Influence of length and position of 2'-attached polyamines on duplex stability and antisense effect, 670
- BCS system** – The structure-bioavailability approach in antifungal agents, 1978
- Benzal hydrazone** – Synthesis and analgesic and anti-inflammatory activities 6-substituted-3(2H)-pyridazinone-2-acetyl-2-(p-substituted/nonsubstituted benzal)hydrazone derivatives, 3760
- Benzamides** – Synthesis of benzamide derivatives of anacardic acid and their cytotoxic activity, 2711
- Benzene-1,4-dicarboxaldehyde** – Synthesis, characterization, antiamoebic activity and toxicity of novel bisdioxazole derivatives, 4747
- Benzimidazole analogues** – Synthesis and in vitro cysticidal activity of new benzimidazole derivatives, 1794
- Benzimidazole derivatives** – Synthesis and in vitro antimicrobial activity of some novel substituted benzimidazole derivatives having potent activity against MRSA, 1024
- Benzimidazole macrocyclic complexes** – Synthesis and characterization of dinuclear macrocyclic cobalt(II), copper(II) and zinc(II) complexes derived from 2,2,2',2'-S,S[bis(bis-N,N-2-thiobenzimidazoloxalato-1,2-ethane)]: DNA binding and cleavage studies, 834

- zolyloxalato-1,2-ethane): DNA binding and cleavage studies, 834
- Benzimidazole** – Design, synthesis and antibacterial activity of novel actinonin derivatives containing benzimidazole heterocycles, 2202 – Synthesis, pharmacological screening, quantum chemical and *in vitro* permeability studies of *N*-Mannich bases of benzimidazoles through bovine cornea, 2307 – Synthesis and antinociceptive activities of some pyrazoline derivatives, 2606 – Synthesis, physicochemical properties and antimicrobial activity of some new benzimidazole derivatives, 4028
- Benzimidazole** – Synthesis and *in vitro* trichomonocidal, giardicidal and amebicidal activity of *N*-acetamide(sulfonamide)-2-methyl-4-nitro-1*H*-imidazoles, 2975
- Benzo[*b*]thiophene** – Synthesis and pharmacological evaluation of 2-substituted benzo[*b*]thiophenes as anti-inflammatory and analgesic agents, 1718
- Benzo[*b*]thiophenes** – QSAR model for predicting radical scavenging activity of di(hetero)arylamines derivatives of benzo[*b*]thiophenes, 1952 – Synthesis of novel 3-(aryl)benzothieno[2,3-*c*]pyran-1-ones from Sonogashira products and intramolecular cyclization: Antitumoral activity evaluation, 1893
- Benzo[*d*]isothiazole hydrazones** – Anti-HIV evaluation of benzo[*d*]isothiazole hydrazones, 1801
- Benzo[*d*]isothiazol-3-one benzenesulfonamides** – Hybrid molecules between benzenesulfonamides and active antimicrobial benzo[*d*]isothiazol-3-ones, 2741
- Benzo[*d*]isothiazol-3-one derivatives** – Anti-HIV evaluation of benzo[*d*]isothiazole hydrazones, 1801
- Benzo[*d*]oxazol-2(3*H*)-one derivatives** – Substituted benzo[*d*]oxazol-2(3*H*)-one derivatives with preference for the σ_1 binding site, 124
- Benzofuran** – Synthesis and antimicrobial evaluation of 1-(benzofuran-2-yl)-4-nitro-3-arylbutan-1-ones and 3-(benzofuran-2-yl)-4,5-dihydro-5-aryl-1-[4-(aryl)-1,3-thiazol-2-yl]-1*H*-pyrazoles, 2632
- Benzofuranes** – Diversity-oriented synthesis of furo[3,2-*f*]chromanes with antimycobacterial activity, 2497
- Benzofurans** – Convenient synthesis and antimicrobial evaluation of some novel 2-substituted-3-methylbenzofuran derivatives, 3637 – Stereoselective synthesis and antimicrobial activity of benzofuran-based (1*E*)-1-(piperidin-1-yl)-*N*²-arylamidrazones, 4985
- Benzofurobenzopyrone** – Tetrahydrobenzo- and benzofurobenzopyrones as a new class of potential photoreagents toward DNA, 18
- Benzoimidazo[1,2-*c*]quinazoline** – Synthesis and affinity to DNA of phenylbenzoimidazoles and benzoimidazo[1,2-*c*]quinazolines, 3305
- Benzophenone** – Design, synthesis, and evaluation of benzophenone derivatives as novel acetylcholinesterase inhibitors, 1341
- Benzophenones** – Natural polyprenylated benzophenones inhibiting cysteine and serine proteases, 1230 – Synthesis and antioxidant potential of novel synthetic benzophenone analogues, 2724
- Benzopyran derivatives** – QSAR modelling of pancreatic β -cell K_{ATP} channel openers *R/S*-3,4-dihydro-2,2-dimethyl-6-halo-4-(substituted phenylaminocarbonylamino)-2*H*-1-benzopyrans using MLR-FA techniques, 359
- Benzothiazepines** – Mechanistic aspects of benzothiazepines: A class of antiarrhythmic drugs, 1
- Benzothiazines** – Synthesis and antimalarial activity of pyrazolo and pyrimido benzothiazine dioxides derivatives, 1303
- Benzothiazoles** – Enaminonitrile in heterocyclic synthesis: Synthesis and antimicrobial evaluation of some new pyrazole, isoxazole and pyrimidine derivatives incorporating a benzothiazole moiety, 4813
- Benzothieno[2,3-*c*]pyran-1-ones** – Synthesis of novel 3-(aryl)benzothieno[2,3-*c*]pyran-1-ones from Sonogashira products and intramolecular cyclization: Antitumoral activity evaluation, 1893
- Benzotriazole** – Design, synthesis, and antifungal activity of triazole and benzotriazole derivatives, 3064
- Benzotriazoles** – Synthesis and antitumoral activity of novel thiazolobenzotriazole, thiazoloindolo[3,2-*c*]quinoline and quinolinoquinoline derivatives, 3858
- Benzoxazole** – Preparation and *in vitro* evaluation of benzylsulfanyl benzoxazole derivatives as potential antituberculosis agents, 2286 – Synthesis and antinociceptive activities of some pyrazoline derivatives, 2606
- Benzoxazoles** – Synthesis, biological evaluation and 2D-QSAR analysis of benzoxazoles as antimicrobial agents, 501
- Benzylamine** – Discovery of a new family of bis-8-hydroxyquinoline substituted benzylamines with pro-apoptotic activity in cancer cells: Synthesis, structure-activity relationship, and action mechanism studies, 558
- Benzylidene derivatives** – Synthesis, antimicrobial and cytotoxic activities of some 5-arylidene-4-thioxo-thiazolidine-2-ones, 2038
- Berbamine derivatives** – Berbamine derivatives: A novel class of compounds for anti-leukemia activity, 3293
- Beta-carboline** – Antiproliferative activity of arborescidine alkaloids and derivatives, 3810
- Biased screen** – Design of novel aminopyrrolidine factor Xa inhibitors from a screening hit, 2787
- Bicyclic β -lactam** – Large ring 1,3-bridged 2-azetidinones: Experimental and theoretical studies, 2071
- Bicyclo-octyl ester** – Antiplasmodial and antitrypanosomal activities of aminobicyclo[2.2.2]octyl ω -aminoalkanoates, 736
- Bifunctional alkylating agents** – To determine the cytotoxicity of chlorambucil and one of its nitro-derivatives, conjugated to prasterone and pregnenolone, towards eight human cancer cell-lines, 2944
- Biginelli dihydropyrimidines** – Novel Biginelli dihydropyrimidines with potential anticancer activity: A parallel synthesis and CoMSIA study, 4192
- Biginelli dihydropyrimidinones** – Novel 1-alkylated 3,4-dihydropyrimidine-2(1*H*)-ones: Convenient one-pot selective synthesis and evaluation of their calcium channel blocking activity, 1997
- Biginelli reaction** – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645
- Binding constant** – Synthesis, spectroscopic characterization, X-ray structure and evaluation of binding parameters of new triorganotin(IV) dithiocarboxylates with DNA, 3986
- Binding** – Structure-activity relationship of dopaminergic halogenated 1-benzyl-tetrahydroisoquinoline derivatives, 4616
- Binuclear platinum(II) complexes** – Synthesis, characterization and antitumor activity of new type binuclear platinum(II) complexes, 2322 – Synthesis, cytotoxicity and DNA-binding levels of new type binuclear platinum(II) complexes, 4772
- Bioactive conformation** – Studies towards the identification of putative bioactive conformation of potent vasodilator arylidene *N*-acylhydrazone derivatives, 4004
- Bioactive diversity** – Novel 4*H*-1,3,4-oxadiazin-5(6*H*)-ones with hydrophobic and long alkyl chains: Design, synthesis, and bioactive diversity on inhibition of monoamine oxidase, chitin biosynthesis and tumor cell, 2113
- Bioactivity** – Regioselective synthesis and antimicrobial screening of novel ketocarbazolodispiropyrrrolidine derivatives, 959
- Bioanalysis** – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies in rats, 3874
- Bioavailability** – The structure-bioavailability approach in antifungal agents, 1978
- Biochemical and immunohistochemical studies** – Synthesis, characterization and antidiabetic properties of *N*¹-2,4-dihydroxybenzylidene-*N*⁴-2-hydroxybenzylidene-*S*-methyl-thiosemicarbazidato-oxovanadium(IV), 818
- Biocides** – Synthesis and antimicrobial properties of polymerizable quaternary ammoniums, 3201
- Bioconcentration factor** – QSPR modeling bioconcentration factor (BCF) by balance of correlations, 2544
- Biofilm** – Synthesis and evaluation of antibacterial activities of andrographolide analogues, 2936
- Bioinorganic** – Metals in anticancer therapy: Copper(II) complexes as inhibitors of the 20S proteasome, 4353
- Biological activities** – Synthesis, analgesic, anti-inflammatory and antimicrobial studies of 2,4-dichloro-5-fluorophenyl containing thiazolotriazoles, 827
- Biological activity** – Synthesis, characterization and *in vitro* antiproliferative activities

- of new 13-*cis*-retinoyl ferrocene derivatives, 2572 – Synthesis of some novel bioactive 4-oxy/thio substituted-1*H*-pyrazol-5(4*H*)-ones via efficient cross-Claisen condensation, 3852 – Biological activity studies on metal complexes of novel tridentate Schiff base ligand. Spectroscopic and thermal characterization, 4801
- Biological evaluation** – Synthesis and biological evaluation of novel luteolin derivatives as antibacterial agents, 908 – *In vitro* and *in vivo* antitumor activity of platinum(II) complexes with thiosemicarbazones derived from 2-formyl and 2-acetyl pyridine and containing ring incorporated at N(4)-position: Synthesis, spectroscopic study and crystal structure of platinum(II) complexes with thiosemicarbazones, potential anticancer agents, 1296 – Synthesis and biological evaluation of a novel series of 1,5-benzothiazepine derivatives as potential antimicrobial agents, 2815
- Biological** – Synthesis, spectral characterization, *in-vitro* microbiological evaluation and cytotoxic activities of novel macrocyclic bis hydrazones, 3552
- Biotin** – Targeting cancer cells with biotin-dendrimer conjugates, 862
- Biotransformation** – Condensed 1,4-dihydropyridines with various esters and their calcium channel antagonist activities, 2052
- Bis(2-propen-1-ones)** – Facile synthesis of bis(4,5-dihydro-1*H*-pyrazole-1-carboxamides) and their thio-analogues of potential PGE₂ inhibitory properties, 2172
- Bis(3-aryl-4,5-dihydro-1*H*-pyrazole-1-carboxamides)** – Facile synthesis of bis(4,5-dihydro-1*H*-pyrazole-1-carboxamides) and their thio-analogues of potential PGE₂ inhibitory properties, 2172
- Bis(3-aryl-4,5-dihydro-1*H*-pyrazole-1-thiocarboxamides)** – Facile synthesis of bis(4,5-dihydro-1*H*-pyrazole-1-carboxamides) and their thio-analogues of potential PGE₂ inhibitory properties, 2172
- Bis(heterocycle)** – Synthesis and pharmacological evaluation of 1,3,4-oxadiazole bearing bis(heterocycle) derivatives as anti-inflammatory and analgesic agents, 3898
- Bisammoniums** – Enhanced activity of fluorinated quaternary ammonium surfactants against *Pseudomonas aeruginosa*, 1615
- Bisbenzimidazoles** – Synthesis and antiparasitic and antifungal evaluation of 2'-aryl-substituted-1*H*,1'*H*-[2,5']bisbenzimidazolyl-5-carboxamidines, 2002
- Bisbenzylisoquinoline alkaloid** – Berbamine derivatives: A novel class of compounds for anti-leukemia activity, 3293
- Bischalcone** – Bis-pyrazolines: Synthesis, characterization and antiamoebic activity as inhibitors of growth of *Entamoeba histolytica*, 426
- Bischier-Napieralski** – The synthesis of *N*-phenoxyethyl-1-substituted-1,2,3,4-tetrahydroisoquinolines and their α_1 -adrenoceptor blocking activity, 1271
- Bisdioxazoles** – Synthesis, characterization, antiamoebic activity and toxicity of novel bisdioxazole derivatives, 4747
- Bishydrazones** – Synthesis and anticonvulsant activity of some new bishydrazones derived from 3,4-dipropoxythiophene, 3672
- Bis-diketal diamine macrocycles** – Bis-14-membered ring diketal diamines: Synthesis and evaluation of their anti-HIV and anti-tumoral activities, 3138
- Bis-enediynes** – Synthesis and biological evaluation of novel symmetry bis-enediynes, 35
- Bis-hydroxyquinoline** – Discovery of a new family of bis-8-hydroxyquinoline substituted benzylamines with pro-apoptotic activity in cancer cells: Synthesis, structure-activity relationship, and action mechanism studies, 558
- Bis-imidazolidineiminothiones** – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminothiones and imidazolidineiminodithiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315
- Bis-imides** – Synthesis, antiarrhythmic and anticoagulant activities of novel thiazolo derivatives from methyl 2-(thiazol-2-ylcarbamoyl)acetate, 725
- Bis-Pyrazolines** – Bis-pyrazolines: Synthesis, characterization and antiamoebic activity as inhibitors of growth of *Entamoeba histolytica*, 426
- Bis-pyridinium oximes** – *In-vitro* regeneration of sarin inhibited electric eel acetylcholinesterase by bis-pyridinium oximes bearing xylene linker, 1326 – Synthesis and evaluation of novel bis-pyridinium oximes as reactivators of DFP-inhibited acetylcholinesterase, 1335
- Bis-quinolines** – Phase transfer catalyzed synthesis of bis-quinolines: Antileishmanial activity in experimental visceral leishmaniasis and *in vitro* antibacterial evaluation, 845
- Bisphosphonates** – Acyclic nucleoside bisphosphonates: Synthesis and properties of chiral 2-amino-4,6-bis[(phosphonomethoxy)alkoxy]pyrimidines, 2408
- Bisthiazolidinones** – Synthesis, characterization and *in vitro* antimicrobial activity of novel 2-thioxo-4-thiazolidinones and 4,4'-bis(2-thioxo-4-thiazolidinone-3-yl)diphenylsulfones, 4148
- BK-channels activity** – Application of genetic algorithm-support vector machine (GA-SVM) for prediction of BK-channels activity, 5023
- Blind docking** – CoMFA, LeapFrog and blind docking studies on sulfonanilide derivatives acting as selective aromatase expression regulators, 3445
- Blood glucose lowering effect** – Synthesis and blood glucose lowering effect of novel pyridazinone substituted benzenesulfonylurea derivatives, 2673
- Blood-brain barrier permeability** – Polycyclic cage structures as carrier molecules for neuroprotective non-steroidal anti-inflammatory drugs, 2577
- BM 212** – 1,5-Diaryl-2-ethyl pyrrole derivatives as antimycobacterial agents: Design, synthesis, and microbiological evaluation, 4734
- β -Amyloid – Synthesis and activity of fibrillogenesis peptide inhibitors related to the 17–21 β -amyloid sequence, 179**
- β -Carboline – Synthesis and *in vitro* cytotoxic evaluation of novel 3,4,5-trimethoxyphenyl substituted β -carboline derivatives, 533**
- BNCT** – Promising carboranylquinazolines for boron neutron capture therapy: Synthesis, characterization, and *in vitro* toxicity evaluation, 409
- β -Elimination reaction – Unsaturated dideoxy fluoro-ketopyranosyl nucleosides as new cytostatic agents: A convenient synthesis of 2,6-dideoxy-3-fluoro-4-keto- β -d-glucopyranosyl analogues of uracil, 5-fluorouracil, thymine, *N*⁴-benzoyl cytosine and *N*⁶-benzoyl adenine, 4764**
- β -Hematin – Synthesis and antimalarial activity of pyrazolo and pyrimido benzothiazine dioxide derivatives, 1303**
- β -Ketone aldehyde – Synthesis and antibacterial evaluation of novel 4-alkyl substituted phenyl β -aldehyde ketone derivatives, 1737**
- Bond-dissociation enthalpy** – Melatonin: Quantum-chemical and biochemical investigation of antioxidant activity, 2834
- Bon-naharu** – Anti-genotoxic hydrazide from *Crinum defixum*, 2754
- Boric acid** – A novel spectrophotometric method for the determination of aminophylline with boric acid in pharmaceutical and mixed serum samples, 1452
- Boron** – Synthesis, pharmacological and *in silico* evaluation of 1-(4-di-hydroxy-3,5-dioxo-4-borabicyclo[4.4.0]deca-7,9,11-trien-9-yl)-2-(tert-butylamino)ethanol, a compound designed to act as a β_2 adrenoceptor agonist, 2840
- Bovine hemoglobin** – Studies on the interaction of caffeine with bovine hemoglobin, 2100
- Bovine seminal ribonuclease** – Mapping the ribonucleolytic active site of bovine seminal ribonuclease. The binding of pyrimidinyl phosphonucleotide inhibitors, 4496
- BPH** – Self organizing molecular field analysis on a series of human 5 α -reductase inhibitors: Unsaturated 3-carboxysteroid, 4920
- Brain and tumor imaging** – Synthesis of [¹¹C]FEDAA1106 as a new PET imaging probe of peripheral benzodiazepine receptor expression, 2748
- BrdU-cell cycle** – Dideoxy fluoro-ketopyranosyl nucleosides as potent antiviral agents: Synthesis and biological evaluation of 2,3- and 3,4-dideoxy-3-fluoro-4- and -2-keto- β -d-glucopyranosyl derivatives of *N*⁴-benzoyl cytosine, 2696
- Breast cancer** – An efficient steroid pharmacophore-based strategy to identify new aromatase inhibitors, 4121
- Breast carcinoma** – The preparation and *in vitro* antiproliferative activity of phthalimide based ketones on MDAMB-231 and SKHep-1 human carcinoma cell lines, 2736

- BR-AEA** – Synthesis, pharmacological and in silico evaluation of 1-(4-di-hydroxy-3,5-dioxa-4-borabicyclo[4.4.0]deca-7,9,11-trien-9-yl)-2-(tert-butylamino)ethanol, a compound designed to act as a β_2 adrenoceptor agonist, 2840
- Broad-spectrum** – Synthesis, Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of mixed aza-oxo-thia macrocyclic compounds, 365
- Bromoalkoxyxanthone** – Bromoalkoxyxanthones as promising anti-tumor agents: Synthesis, crystal structure and effect on human tumor cell lines, 3830
- Bromohydroxycinnamic acids** – New insights into the antioxidant activity of hydroxycinnamic acids: Synthesis and physicochemical characterization of novel halogenated derivatives, 2092
- Broth dilution assay** – Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents, 4739
- Butenolide** – Synthesis of new chiral 2,5-disubstituted 1,3,4-thiadiazoles possessing γ -butenolide moiety and preliminary evaluation of *in vitro* anticancer activity, 3340
- Butyrylcholinesterase inhibitors** – Synthesis, biological evaluation and molecular modeling of oxoisoporphine and oxoporphine derivatives as new dual inhibitors of acetylcholinesterase/butyrylcholinesterase, 2523
- C**
- C log P** – Adamantane derivatives of thiazolyl-*N*-substituted amide, as possible non-steroidal anti-inflammatory agents, 1198
- C2-Symmetric diol** – 3D-QSAR CoMFA/CoMSIA models based on theoretical active conformers of HOE/BAY-793 analogs derived from HIV-1 protease inhibitor complexes, 4344
- Caffeic acid derivatives** – Antinociceptive properties of caffeic acid derivatives in mice, 4596
- Caffeine** – Studies on the interaction of caffeine with bovine hemoglobin, 2100
- Calcium antagonistic activity** – Condensed 1,4-dihydropyridines with various esters and their calcium channel antagonist activities, 2052
- Calf thymus DNA binding properties** – Crystal structures, antioxidation and DNA binding properties of Dy(III) complexes with Schiff-base ligands derived from 8-hydroxyquinoline-2-carboxaldehyde and four arylhydrazines, 5080
- Calpain inhibitor** – Design and synthesis of calpain inhibitory 6-pyridone 2-carboxamide derivatives, 1331
- Cancer chemoprevention** – New cyclopentane derivatives as inhibitors of steroid metabolizing enzymes AKR1C1 and AKR1C3, 2563
- Cancer** – Synthesis and biological evaluation of benzenesulfonamide-substituted 4-(6-alkylpyridin-2-yl)-5-(quinoxalin-6-yl)imidazoles as transforming growth factor- β type 1 receptor kinase inhibitors, 568 – Steroidal lactones as inhibitors of 17 β -hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632
- Cancer targeting** – Targeting cancer cells with biotin-dendrimer conjugates, 862
- Candida albicans** – Photodynamic inactivation of *Candida albicans* sensitized by tri- and tetra-cationic porphyrin derivatives, 1592
- Candida infections** – Penetratin and derivatives acting as antifungal agents, 212
- Candidae** – 2-Acylhydrazino-5-arylpyrrole derivatives: Synthesis and antifungal activity evaluation, 1288
- Cannabinoid** – Synthesis and pharmacological evaluation of sulfamide-based analogues of anandamide, 4889
- Cannabinoid receptor** – Analogs of JHU75528, a PET ligand for imaging of cerebral cannabinoid receptors (CB1): Development of ligands with optimized lipophilicity and binding affinity, 593
- Cannabinoid receptors** – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482
- Cantagalo virus** – Antiviral evaluation of *N*-amino-1,2,3-triazoles against Cantagalo virus replication in cell culture, 3777
- Capsaicin** – Synthesis and antinociceptive activity of capsinoid derivatives, 3345
- Capsinoid derivatives** – Synthesis and antinociceptive activity of capsinoid derivatives, 3345
- Capsinoid** – Synthesis and antinociceptive activity of capsinoid derivatives, 3345
- Captopril** – Captopril and 6-mercaptopurine: Whose SH possesses higher antioxidant ability?, 4841
- Carbamate** – Synthesis and blood glucose lowering effect of novel pyridazinone substituted benzenesulfonylurea derivatives, 2673 – Chiral 3-(4,5-dihydrooxazol-2-yl)phenyl alkyl-carbamates as novel FAAH inhibitors: Insight into FAAH enantioselectivity by molecular docking and interaction fields, 4179
- Carbamides** – Synthesis of glycosyl carbamides and evaluation of the induction of erythroid differentiation of human erythroleukemic K562 cells, 745
- Carbazolophanes** – Synthesis of novel carbazole based macrocyclic amides as potential antimicrobial agents, 3040
- Carbohydrates** – Novel pyridazine derivatives: Synthesis and antimicrobial activity evaluation, 1989
- Carbohydrazide derivatives** – Synthesis and antiviral activity of β -carboline derivatives bearing a substituted carbohydrazide at C-3 against poliovirus and herpes simplex virus (HSV-1), 4695
- Carbonic anhydrase inhibition** – A QSAR study on relationship between structure of sulfonamides and their carbonic anhydrase inhibitory activity using the eigenvalue (EVA) method, 3439
- Carbonic anhydrase** – Synthesis and biological evaluation of a new family of *anti*-benzylaminosulfonamides as CA IX inhibitors, 511 – Design, synthesis and anticancer evaluation of novel tetrahydroquinoline derivatives containing sulfonamide moiety, 4211
- Carbon-11** – Analogs of JHU75528, a PET ligand for imaging of cerebral cannabinoid receptors (CB1): Development of ligands with optimized lipophilicity and binding affinity, 593 – ^{11}C -labelled PIB analogues as potential tracer agents for *in vivo* imaging of amyloid β in Alzheimer's disease, 1415 – Simple synthesis of carbon-11 labeled styryl dyes as new potential PET RNA-specific, living cell imaging probes, 2300
- Carboranes** – Promising carboranylquinazolines for boron neutron capture therapy: Synthesis, characterization, and *in vitro* toxicity evaluation, 409
- Carboxamidine** – Synthesis and antiparasitic and antifungal evaluation of 2'-arylsubstituted-1*H*,1'*H*-[2,5']bisbenzimidazolyl-5-*c* arboxamidines, 2002
- Carboxylic acid amide** – Design, synthesis and *in vitro* antibacterial/antifungal evaluation of novel 1-ethyl-6-fluoro-1,4-dihydro-4-oxo-7(1-piperazinyl)quinoline-3-*c* arboxylic acid derivatives, 4726
- Carboxylic acid hydrazides** – Synthesis of novel pyrazole derivatives and evaluation of their antidepressant and anticonvulsant activities, 3480
- Carcinogenic potency database** – Development of QSAR models for predicting hepatocarcinogenic toxicity of chemicals, 3658
- Carcinogens** – Known drug space as a metric in exploring the boundaries of drug-like chemical space, 5006
- Carcinoma cell lines** – Synthesis and *in vitro* antiproliferative activity of novel 1-benzhydrylpiperazine derivatives against human cancer cell lines, 1223
- Carcinoma cells** – Synthesis of 2-styrylchromones as a novel class of antiproliferative agents targeting carcinoma cells, 2552
- Carcinoma** – Antiproliferative activity of arborescidine alkaloids and derivatives, 3810
- Cardiototoxicity** – Studies on self-aggregation of anthracycline drugs by restrained molecular dynamics approach using nuclear magnetic resonance spectroscopy supported by absorption, fluorescence, diffusion ordered spectroscopy and mass spectrometry, 1437
- Cardiovascular and spasmolytic activities** – Synthesis and adrenolytic activity of 1-(1*H*-indol-4-yl)-3-(2-(2-methoxyphenoxy)ethylamino)propan-2-ol analogs and its enantiomers. Part 2, 5103
- Carotid artery cannulation** – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645

- Cashew nut shell liquid** – Synthesis of benzanide derivatives of anacardic acid and their cytotoxic activity, 2711
- Catalyst** – Knowledge based identification of MAO-B selective inhibitors using pharmacophore and structure based virtual screening models, 3584 – Pharmacophore modeling and virtual screening for the discovery of new transforming growth factor- β type I receptor (ALK5) inhibitors, 4259
- Catalytic reduction** – Novel 8-deaza-5,6,7,8-tetrahydroaminopterin derivatives as dihydrofolate inhibitor: Design, synthesis and antifolate activity, 764
- Cathepsin G** – Natural polyprenylated benzophenones inhibiting cysteine and serine proteases, 1230
- Cationic cholesterol** – Histone deacetylase inhibitor prodrugs in nanoparticle vector enhanced gene expression in human cancer cells, 4603
- Cationic nanoparticle** – Histone deacetylase inhibitor prodrugs in nanoparticle vector enhanced gene expression in human cancer cells, 4603
- Cationic peptides** – Penetratin and derivatives acting as antifungal agents, 212
- Cationic peptoids** – Synthesis of novel *N*-protected hydrophobic phenylalanines and their application in potential antibacterials, 1001
- Cationic porphyrin** – Photodynamic inactivation of *Candida albicans* sensitized by tri- and tetra-cationic porphyrin derivatives, 1592
- CB1 receptor** – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482
- CB2 receptor** – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482
- CCR5** – Prediction of CCR5 receptor binding affinity of substituted 1-(3,3-diphenylpropyl)-piperidinyl amides and ureas based on the heuristic method, support vector machine and projection pursuit regression, 25
- CD studies** – Circular dichroism studies of type III collagen mimetic peptides with anti- or pro-aggregant activities on human platelets, 2643
- CDK** – Synthesis of new dipyrrolo- and furopyrrlopyrazinones related to tripenones and their biological evaluation as potential kinases (CDKs1–5, GSK–3) inhibitors, 708
- Cell cycle** – Synthesis and biological evaluation of novel symmetry bis-enediynes, 35 – 5-Benzylidene-hydantoins: Synthesis and antiproliferative activity on A549 lung cancer cell line, 3471 – Synthesis, cytotoxicity and DNA-binding levels of new type binuclear platinum(II) complexes, 4772
- Cell distribution** – Unusual cellular uptake of cytotoxic 4-hydroxymethyl-3-aminoacridine, 4758
- Cell proliferation** – Synthesis and *in vitro* antiproliferative activity of novel 1-benzhydrylpiperazine derivatives against human cancer cell lines, 1223
- Cell protective effect** – Facile synthesis and *in vitro* properties of 1-alkyl- and 1-alkyl-*N*-propargyl-1,2,3,4-tetrahydroisoquinoline derivatives on PC12 cells, 4034
- Cell viability** – Structure-activity relationship of seco-tanaphthalides isolated from *Achillea falcata* for inhibition of HaCaT cell growth, 3794
- Cell wall** – Synthesis and evaluation of *in vitro* anti-tuberculosis activity of *N*-substituted glycolamides, 289
- Cell-cycle arrest** – Design, synthesis and preliminary biological evaluation of *N*-hydroxy-4-(3-phenylpropanamido)benzamide (HPPB) derivatives as novel histone deacetylase inhibitors, 4470
- cGMP-dependent protein kinase** – Predicting the activity of drugs for a group of imidazopyridine anticoccidial compounds, 4044
- Chagas disease** – Second generation of 2*H*-benzimidazole 1,3-dioxide derivatives as anti-trypanosomatid agents: Synthesis, biological evaluation, and mode of action studies, 4426 – Effect of ruthenium complexation on trypanocidal activity of 5-nitrofuryl containing thiosemicarbazones, 4937
- Chagas' disease** – *In vitro* and *in vivo* antitypanosomatid activity of 5-nitroindazoles, 1034
- Chalcone derivatives** – Antimalarial pharmacodynamics of chalcone derivatives in combination with artemisinin against *Plasmodium falciparum* *in vitro*, 3388
- Chalcone** – Synthesis of (\pm)Abyssinone I and related compounds: Their anti-oxidant and cytotoxic activities, 2239
- Chalcones** – Synthesis of chlorovinyl sulfones as structural analogs of chalcones and their antiplasmodial activities, 1457 – Substituted quinolinyl chalcones and quinolinyl pyrimidines as a new class of anti-infective agents, 2081 – Examination of growth inhibitory properties of synthetic chalcones for which antibacterial activity was predicted, 2211 – DNA-targeting pyrroloquinoline-linked butenone and chalcones: Synthesis and biological evaluation, 2854 – Anti-oxidant, anti-fungal and anti-leishmanial activities of novel 13-[4-(1*H*-imidazol-1-yl)phenyl]prop-2-en-1-ones, 4654
- Characterization** – Synthesis, spectral characterization, *in-vitro* microbiological evaluation and cytotoxic activities of novel macrocyclic bis hydrazone, 3552
- Charge transfer reaction** – Spectrophotometric and HPLC determinations of anti-diabetic drugs, rosiglitazone maleate and metformin hydrochloride, in pure form and in pharmaceutical preparations, 4998
- Chemical induced models** – Synthesis and anticonvulsant activity of *N*-(2-hydroxyethyl) cinnamamide derivatives, 3654
- Chemical modification** – Chiral gossypol derivatives: Evaluation of their anticancer activity and molecular modeling, 3961
- Chemical nucleases** – “Self-activating” chemical nuclease: Ferrocenyl cyclen Cu(II) complexes act as efficient DNA cleavage reagents in the absence of reductant, 1768
- Chemical reactivity** – Cytotoxic activity and chemical reactivity of *cis*-platinum(II) and *trans*-palladium(II) complexes with diethyl (pyridinylmethyl)phosphates, 660
- Chemiluminescence** – Investigation of the antioxidant properties of some new 4-hydroxycoumarin derivatives, 3077
- Chemometrics** – Application of genetic algorithm-support vector machine (GA-SVM) for prediction of BK-channels activity, 5023
- Chemotaxis** – Oligomeric formylpeptide activity on human neutrophils, 4926
- Chiral gossypol** – Chiral gossypol derivatives: Evaluation of their anticancer activity and molecular modeling, 3961
- Chitin biosynthesis** – Diacylhydrazine derivatives as novel potential chitin biosynthesis inhibitors: Design, synthesis, and structure-activity relationship, 2985
- Chitin synthase** – Antifungal unsaturated cyclic Mannich ketones and amino alcohols: Study of mechanism of action, 1823
- Chk1 inhibitors** – A three-step synthesis from rebeccamycin of an efficient checkpoint kinase 1 inhibitor, 2234
- Chloramine-T** – Synthesis of new series of 5,6-dihydro-4*H*-1,2-oxazines via hetero Diels-Alder reaction and evaluation of antimicrobial activity, 280 – Synthesis and pharmacological evaluation of 1,3,4-oxadiazole bearing bis(heterocycle) derivatives as anti-inflammatory and analgesic agents, 3898
- Chloramphenicol** – Fluorescence spectroscopic investigation of the interaction between chloramphenicol and lysozyme, 4083
- Chlorovinyl sulfones** – Synthesis of chlorovinyl sulfones as structural analogs of chalcones and their antiplasmodial activities, 1457
- Cholesterol absorption inhibition** – 2-Azetidinone derivatives: Design, synthesis and evaluation of cholesterol absorption inhibitors, 1638
- Cholesterol** – Design, synthesis and hypolipidemic activity of novel 2-(*m*-tolylxy) isobutyric acid derivatives, 2679 – Design, synthesis and hypolipidemic activity of novel 2-(naphthalen-2-yloxy)propionic acid derivatives as desmethyl fibrates analogs, 3973
- Cholinesterase inhibitor** – Design, synthesis and evaluation of galanthamine derivatives as acetylcholinesterase inhibitors, 772
- Chromanes** – Diversity-oriented synthesis of furo[3,2-*f*]chromanes with antimycobacterial activity, 2497
- Chromium peroxide** – Blue CrO₃ assay: A novel spectrophotometric method for the evaluation of the antioxidant and oxidant capacity of various biological substances, 4162
- Chromone** – Synthesis and antitumor activity of novel dithiocarbamate substituted chromones, 3687
- Cinnamamide derivatives** – Synthesis and anticonvulsant activity of *N*-(2-hydroxyethyl) cinnamamide derivatives, 3654

- Circular dichroism** – Fluorescence spectroscopic investigation of the interaction between chloramphenicol and lysozyme, 4083
- Circular dichroism spectra** – Inhibitory effects of 5-benzylidene barbiturate derivatives on mushroom tyrosinase and their antibacterial activities, 4235
- Classification** – Classification models for CYP450 3A4 inhibitors and non-inhibitors, 2354
- Cleavage of DNA** – Hydrolytic cleavage of DNA by urea-bridged macrocyclic polyamines, 5090
- CIHOBt** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Click chemistry** – Synthesis and cytotoxic profile of glycosyl-triazole linked to 1,2,4-oxadiazole moiety at C-5 through a straight-chain carbon and oxygen atoms, 3571
- Clonic convulsions** – Synthesis of novel bioactive derivatives of 3-(4-chlorophenyl)-2-hydrazino-5,6,7,8-tetrahydrobenzo(b)thieno[2,3-d]pyrimidine-4(3H)-ones, 4721
- Clotrimazole** – Synthesis, Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of mixed aza-oxo-thia macrocyclic compounds, 365
- Clotting assay** – Design of novel aminopyrrolidine factor Xa inhibitors from a screening hit, 2787
- Clubbed triazole-thiazole derivatives** – Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents, 4739
- Cluster analysis** – Possible anticancer agents: QSAR analogs of glutamamide: Synthesis and pharmacological activity of 1,5-*N,N'*-disubstituted-2-(substituted benzenesulphonyl) glutamamides, 70
- C-alkylation** – Synthesis and antitubercular screening of imidazole derivatives, 3350
- C-Allyl imidazoles** – Synthesis and antitubercular screening of imidazole derivatives, 3350
- C-nucleosides** – Synthesis and anti-HSV-1 evaluation of some pyrazoles and fused pyrazolopyrimidines, 3285
- CNS activity** – Synthesis, pharmacological and antiviral activity of 1,3-thiazepine derivatives, 4960
- CNS depressants activity** – Synthesis, anticonvulsant and CNS depressant activity of some new bioactive 1-(4-substituted-phenyl)-3-(4-oxo-2-phenyl/ethyl-4H-quinazolin-3-yl)-urea, 4335
- c-Src** – Docking, 3D-QSAR studies and *in silico* ADME prediction on c-Src tyrosine kinase inhibitors, 990
- Co(II) complexes** – Synthesis, spectroscopic characterization and antibacterial activity of new cobalt(II) complexes of unsymmetrical tetradentate (OSN₂) Schiff base ligands, 4490
- Co(II), Zn(II), Cd(II) complexes** – Synthesis, characterization and antimicrobial activity of Co(II), Zn(II) and Cd(II) complexes with *N*-benzyloxycarbonyl-*S*-phenylalanine, 1537
- Combinatorial protocol in multiple linear regression (CP-MLR)** – Juglone derivatives as antitubercular agents: A rationale for the activity profile, 2847
- Combinatorial Protocol in Multiple Linear Regression (CP-MLR)** – Topological descriptors in modeling the agonistic activity of human A₃ adenosine receptor ligands: The derivatives of 2-chloro-*N*⁶-substituted-4'-thioadenosine-5'-uronamide, 1377
- Combretastatin A-4** – A diaryl sulfide, sulfoxide, and sulfone bearing structural similarities to combretastatin A-4, 2685
- Comet assay** – Synthesis and antitumor activity of optically active thiourea and their 2-aminobenzothiazole derivatives: A novel class of anticancer agents, 2923
- CoMFA affinity model** – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482
- CoMFA and CoMSIA models** – Development of CoMFA and CoMSIA models of cytotoxicity data of anti-HIV-1-phenylamino-1H-imidazole derivatives, 2400
- CoMFA** – ‘Sum of activities’ as dependent parameter: A new CoMFA-based approach for the design of pan PPAR agonists, 42 – Predicting anti-HIV activity of 1,3,4-thiazolidinone derivatives: 3D-QSAR approach, 1180 – Receptor-based 3D-QSAR studies of checkpoint Wee1 kinase inhibitors, 1383 – 3D-QSAR studies of boron-containing dipeptides as proteasome inhibitors with CoMFA and CoMSIA methods, 1486 – Synthesis, anti-tuberculosis activity and 3D-QSAR study of amino acid conjugates of 4-(adamantan-1-yl) group containing quinolines, 2017 – Thiocarbamates as non-nucleoside HIV-1 reverse transcriptase inhibitors: Docking-based CoMFA and CoMSIA analyses, 2059 – Homology modeling of MCH1 receptor and validation by docking/scoring and protein-aligned CoMFA, 2583 – CoMFA and docking studies of 2-phenylindole derivatives with anticancer activity, 2822 – 2D- and 3D-QSAR studies on 54 anti-tumor Rubiaceae-type cyclopeptides, 3425 – CoMFA, LeapFrog and blind docking studies on sulfonanilide derivatives acting as selective aromatase expression regulators, 3445 – Docking and 3D-QSAR studies of BMS-806 analogs as HIV-1 gp120 entry inhibitors, 3524 – Application of 3D QSAR CoMFA/CoMSIA and *in silico* docking studies on novel renin inhibitors against cardiovascular diseases, 3703 – 3D-QSAR with the aid of pharmacophore search and docking-based alignments for farnesyltransferase inhibitors, 4070 – Docking-based 3D-QSAR study of HIV-1 integrase inhibitors, 4276 – 3D QSAR study of the toxicity of trichothecene mycotoxins, 4485
- CoMFA selectivity model** – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482
- Comparative model** – Fragment and knowledge-based design of selective GSK-3 β inhibitors using virtual screening models, 2361
- Complex Networks** – Multi-target spectral moments for QSAR and Complex Networks study of antibacterial drugs, 4516
- Complex networks** – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Complexes** – Synthesis and characterization of new Pt(II) and Pd(II) complexes with 2-quinolinecarboxaldehyde selenosemicarbazone: Cytotoxic activity evaluation of Cd(II), Zn(II), Ni(II), Pt(II) and Pd(II) complexes with heteroaromatic selenosemicarbazones, 1623 – ‘Self-activating’ chemical nuclease: Ferrocenyl cyclen Cu(II) complexes act as efficient DNA cleavage reagents in the absence of reductant, 1768
- Compound action potential** – Evaluation of the local anaesthetic activity of 3-aminobenzo[d]isothiazole derivatives using the rat sciatic nerve model, 473
- Computer-aided design** – Design of novel aminopyrrolidine factor Xa inhibitors from a screening hit, 2787
- CoMSIA** – Predicting anti-HIV activity of 1,3,4-thiazolidinone derivatives: 3D-QSAR approach, 1180 – 3D-QSAR studies of boron-containing dipeptides as proteasome inhibitors with CoMFA and CoMSIA methods, 1486 – Thiocarbamates as non-nucleoside HIV-1 reverse transcriptase inhibitors: Docking-based CoMFA and CoMSIA analyses, 2059 – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482 – 2D- and 3D-QSAR studies on 54 anti-tumor Rubiaceae-type cyclopeptides, 3425 – Docking and 3D-QSAR studies of BMS-806 analogs as HIV-1 gp120 entry inhibitors, 3524 – Application of 3D QSAR CoMFA/CoMSIA and *in silico* docking studies on novel renin inhibitors against cardiovascular diseases, 3703 – 3D-QSAR with the aid of pharmacophore search and docking-based alignments for farnesyltransferase inhibitors, 4070 – Novel Biginelli dihydropyrimidines with potential anticancer activity: A parallel synthesis and CoMSIA study, 4192 – Docking-based 3D-QSAR study of HIV-1 integrase inhibitors, 4276 – 3D QSAR study of the toxicity of trichothecene mycotoxins, 4485
- Condensed pyrimidines** – Synthesis, analgesic and anti-inflammatory activities evaluation of some bi-, tri- and tetracyclic condensed pyrimidines, 4572
- Conformation** – Synthesis and spectral characterization of a new class of *N*-(*N*-methylpiperazinoacetyl)-2,6-diaryl piperidin-4-ones: Antimicrobial, analgesic and antipyretic studies, 577 – 3D-QSAR studies of HDACs inhibitors using pharmacophore-based alignment, 2868

- Conformational analysis** – Penetratin and derivatives acting as antifungal agents, 212
- Conformational restriction** – Design and synthesis of calpain inhibitory 6-pyridone 2-carboxamide derivatives, 1331
- Conformational study** – Large ring 1,3-bridged 2-azetidinones: Experimental and theoretical studies, 2071
- Conformationally constrained analogues** – Conformationally constrained analogues of *N'*-(4-*tert*-butylbenzyl)-*N*-(4-methylsulfonylamino benzyl)thiourea as TRPV1 antagonists, 322
- Conjugate** – Targeting cancer cells with biotin-dendrimer conjugates, 862 – Synthesis, evaluation and 3D QSAR analysis of novel estradiol-RGD octapeptide conjugates with oral anti-osteoporosis activity, 1689 – Effect of conjugates of *all-trans*-retinoic acid and shorter polyene chain analogues with amino acids on prostate cancer cell growth, 3175
- Contact-active surface** – Contact-active microbicidal gold surfaces using immobilization of quaternary ammonium thiol derivatives, 4227
- Convulsant activity** – Prediction of convulsant activity of gases and vapors, 885
- Copper complexes** – Synthesis, structure and biological activity of copper(II) complexes of 4-(2-pyridylmethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione and 4-(2-pyridylethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione, 1607
- Copper** – Copper complexes of pyridine derivatives with superoxide scavenging and antimicrobial activities, 3259
- Copper(II)** – Metals in anticancer therapy: Copper(II) complexes as inhibitors of the 20S proteasome, 4353
- Cordycepin** – Synthesis and pharmacokinetic evaluation of novel *N*-acyl-cordycepin derivatives with a normal alkyl chain, 665
- Corneal permeability** – Synthesis, pharmacological screening, quantum chemical and *in vitro* permeability studies of *N*-Mannich bases of benzimidazoles through bovine cornea, 2307
- Coumarin** – Synthesis and pharmacological evaluation of a novel series of 5-(substituted)aryl-3-(3-coumarinyl)-1-phenyl-2-pyrazolines as novel anti-inflammatory and analgesic agents, 1682 – Synthesis, characterization, DNA cleavage and *in vitro* antimicrobial studies of La(III), Th(IV) and VO(IV) complexes with Schiff bases of coumarin derivatives, 2904 – 2-Azetidinone derivatives: Design, synthesis, *in vitro* anti-microbial, cytotoxic activities and DNA cleavage study, 5123
- Coumarine** – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448
- Coumarins** – Synthesis and evaluation of the antioxidant and anti-inflammatory activity of novel coumarin-3-aminoamides and their alpha-lipoic acid adducts, 3020
- COX** – Adamantane derivatives of thiazolyl-*N*-substituted amide, as possible non-steroidal anti-inflammatory agents, 1198
- COX-1** – Synthesis and biological evaluation of 4,5-diphenyloxazolone derivatives on route towards selective COX-2 inhibitors, 1830
- COX-1/2 inhibitors** – Design, synthesis and evaluation of tetrahydropyran based COX-1/2 inhibitors, 1278
- COX-2** – Design, synthesis and molecular modeling study of acylated 1,2,4-triazole-3-acetates with potential anti-inflammatory activity, 117 – Synthesis and biological evaluation of 4,5-diphenyloxazolone derivatives on route towards selective COX-2 inhibitors, 1830
- Crinum defixum Ker-Gawl** – Anti-genotoxic hydrazide from *Crinum defixum*, 2754
- Cross-Claisen condensation** – Synthesis of some novel bioactive 4-oxy/thio substituted-1*H*-pyrazol-5(4*H*)-ones via efficient cross-Claisen condensation, 3852
- Cryptococcosis** – Penetratin and derivatives acting as antifungal agents, 212
- Crystal structure** – *In vitro* and *in vivo* antitumor activity of platinum(II) complexes with thiosemicarbazones derived from 2-formyl and 2-acetyl pyridine and containing ring incorporated at N(4)-position: Synthesis, spectroscopic study and crystal structure of platinum(II) complexes with thiosemicarbazones, potential anticancer agents, 1296 – Antimicrobial and SOD activities of novel transition metal ternary complexes of iminodiacetic acid containing α -diimine as auxiliary ligand, 2517 – Palladium(II) complexes with *R*₂edda-derived ligands. Part II. Synthesis, characterization and *in vitro* antitumor studies of *R*₂eddip esters and palladium(II) complexes, 3452 – Synthesis, crystal structure, DNA interaction and antioxidant activities of two novel water-soluble Cu(2+) complexes derived from 2-oxo-quinoline-3-carbaldehyde Schiff-bases, 4477 – Antitumor and antimycobacterial activities of cyclopalladated complexes: X-ray structure of [Pd(C², N-dmba)(Br)(tu)] (dmba=*N,N*-dimethylbenzylamine, tu=thiourea), 4611
- Crystallographic study** – Synthesis and antiproliferative activity of 3-amino-*N*-phenyl-1*H*-indazole-1-carboxamides, 165
- CT-DNA** – Synthesis and characterization of dinuclear macrocyclic cobalt(II), copper(II) and zinc(II) complexes derived from 2,2,2',2'-S,S[bis(bis-*N,N*-2-thiobenzimidazolyloxalato-1,2-ethane)]: DNA binding and cleavage studies, 834 – Synthesis, Raman, FT-IR, NMR spectroscopic characterization, antimicrobial activity, cytotoxicity and DNA binding of new mixed aza-oxo-thia macrocyclic compounds, 4681
- Cu(II) complex** – Synthesis and characterization of the Zn(II) and Cu(II) piperidinyl isoeuxanthone complexes: DNA-binding and cytotoxic activity, 4509
- Cu(II) complexes** – Copper(II) and uranyl(II) complexes with acylthiosemicarbazide: Synthesis, characterization, antibacterial activity and effects on the growth of promyelocytic leukemia cells HL-60, 3323
- Curcumin analogue** – Synthesis, crystal structure and anti-inflammatory properties of curcumin analogues, 915
- Curtius rearrangement** – Synthesis of new dipyrrolo- and furopyrrolopyrazinones related to tripentones and their biological evaluation as potential kinases (CDKs1–5, GSK-3) inhibitors, 708
- CXCR3** – A novel QSAR model for predicting the inhibition of CXCR3 receptor by 4-*N*-aryl-[1,4] diazepane ureas, 877
- CXCR4 antagonists** – Bis-14-membered ring diketal diamines: Synthesis and evaluation of their anti-HIV and anti-tumoral activities, 3138
- Cyanine** – An *in vitro* characterization study of new near infrared dyes for molecular imaging, 3496
- Cyanoacetamide** – Synthesis and anti-tumor activities of some new pyridines and pyrazolo[1,5-*a*]pyrimidines, 3519
- Cyanothioacetamide** – Synthesis and anti-tumor activities of some new pyridines and pyrazolo[1,5-*a*]pyrimidines, 3519
- Cyclen** – “Self-activating” chemical nuclease: Ferrocenyl cyclen Cu(II) complexes act as efficient DNA cleavage reagents in the absence of reductant, 1768
- Cyclic phosphoramidate** – Cyclic phosphoramidates as prodrugs of 2'-C-methylcytidine, 3765
- Cyclic voltammetry** – Comparative study of the trypanocidal activity of the methyl 1-nitrophenyl-1,2,3,4-9*H*-tetrahydro- β -carboline-3-carboxylate derivatives and benzimidazole using theoretical calculations and cyclic voltammetry, 1745 – Synthesis, characterization, DNA cleavage and *in vitro* antimicrobial studies of La(III), Th(IV) and VO(IV) complexes with Schiff bases of coumarin derivatives, 2904
- Cyclic-imide** – Novel cyclic-imide peptidomimetics as aminopeptidase N inhibitors. Design, chemistry and activity evaluation. Part I, 4819
- Cyclin-dependent kinase** – Synthesis of new dipyrrolo- and furopyrrolopyrazinones related to tripentones and their biological evaluation as potential kinases (CDKs1–5, GSK-3) inhibitors, 708
- Cyclization** – Synthesis and biological evaluation of 3,6-disubstituted [1,2,4]triazolo[3,4-*b*][1,3,4]thiadiazole derivatives as a novel class of potential anti-tumor agents, 2776
- Cycloaddition** – Regioselective synthesis and antimicrobial screening of novel ketocarbazolidispiropyrrolidine derivatives, 959 – Synthesis and antimicrobial activity of new 1-alkyl/cyclohexyl-3,3-diaryl-1'-methylspiro[azetidine-2,3'-indoline]-2',4'-diones, 2265
- Cyclodehydration** – Synthesis and structure analysis of cyclodehydration product of piroxicam: A metabolite detected in dogs and monkeys, 3368
- Cyclohexanocoumarins** – Synthesis and anti-inflammatory evaluation of novel angularly or linearly fused coumarins, 5012

- Cyclohexanone** – Synthesis, crystal structure and anti-inflammatory properties of curcumin analogues, 915
- Cyclolinopeptide A** – Synthesis and immunosuppressive activity of cyclolinopeptide A analogues containing homophenylalanine, 3731
- Cyclooxygenase inhibition** – Synthesis and biological evaluation of 4,5-diphenyloxazone derivatives on route towards selective COX-2 inhibitors, 1830
- Cyclooxygenases** – Design, synthesis and evaluation of tetrahydropyran based COX-1/-2 inhibitors, 1278
- Cyclopalladated complex** – Antitumor and antimycobacterial activities of cyclopalladated complexes: X-ray structure of $[Pd(C^2, N-dmba)(Br)(tu)]$ (dmba=*N,N*-dimethylbenzylamine, tu=thiourea), 4611
- Cyclopentane derivatives** – New cyclopentane derivatives as inhibitors of steroid metabolizing enzymes AKR1C1 and AKR1C3, 2563
- Cyclopentanocoumarins** – Synthesis and anti-inflammatory evaluation of novel angularly or linearly fused coumarins, 5012
- Cyclopeptide** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Cyclopropanecarboxamide** – Synthesis, antifungal activities and 3D-QSAR study of *N*-(5-substituted-1,3,4-thiadiazol-2-yl)cyclopropanecarboxamides, 2782
- Cyclopropanespirohydantoin** – Synthesis and potential anticonvulsant activity of new *N*-3-substituted 5,5-cyclopropanespirohydantoins, 296
- Cycloxygenase-2** – New pyridone, thioxopyridine, pyrazolopyridine and pyridine derivatives that modulate inflammatory mediators in stimulated RAW 264.7 murine macrophage, 4547
- CYP11B1** – Novel CYP17 inhibitors: Synthesis, biological evaluation, structure-activity relationships and modelling of methoxy- and hydroxy-substituted methyleneimidazolyl biphenyls, 2765
- CYP3A4** – Novel CYP17 inhibitors: Synthesis, biological evaluation, structure-activity relationships and modelling of methoxy- and hydroxy-substituted methyleneimidazolyl biphenyls, 2765
- CYP51** – Design, synthesis, and biological evaluation of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase, 1913
- Cysticidal activity** – Synthesis and *in vitro* cysticidal activity of new benzimidazole derivatives, 1794
- Cytochrome 3A4** – Comparative chemometric modeling of cytochrome 3A4 inhibitory activity of structurally diverse compounds using stepwise MLR, FA-MLR, PLS, GFA, G/PLS and ANN techniques, 2913
- Cytochrome P450 3A4** – Classification models for CYP450 3A4 inhibitors and non-inhibitors, 2354
- Cytochrome P450 enzymes** – Exploring QSAR and QAAR for inhibitors of cytochrome P450 2A6 and 2A5 enzymes using GFA and G/PLS techniques, 1941
- Cytochrome P450 protein** – The metabolism of CYP2C9 and CYP2C19 for glimepiride by homology modeling and docking study, 854
- Cytoprotection** – Synthesis and antioxidant potential of novel synthetic benzophenone analogues, 2724
- Cytostatic activity** – The novel phosphoramidate derivatives of NSAID 3-hydroxypropylamides: Synthesis, cytostatic and antiviral activity evaluations, 143
- Cytotoxic activities** – Synthesis and *in vitro* cytotoxic evaluation of novel 3,4,5-trimethoxyphenyl substituted β -carboline derivatives, 533
- Cytotoxic activity** – Cyclocondensation reaction of heterocyclic carbonyl compounds, Part XIII: Synthesis and cytotoxic activity of some 3,7-diaryl-5-(3,4,5-trimethoxyphenyl)pyrazolo[4,3-*e*][1,2,4]triazines, 891 – (\pm)-3,4-Dihydroxy-8,9-methylene-dioxypyrrocarpan and derivatives: Cytotoxic effect on human leukemia cell lines, 920 – 2-Acylhydrazino-5-arylpyrrole derivatives: Synthesis and antifungal activity evaluation, 1288 – Synthesis, antimicrobial and cytotoxic activities of some 5-arylidene-4-thioxo-thiazolidine-2-ones, 2038 – Synthesis and bioassay of a new class of heterocycles pyrrolyl oxadiazoles/thiadiazoles/triazoles, 2313 – Synthesis, characterisation and *in vitro* cytotoxicity studies of a series of chiral platinum(II) complexes based on the 2-aminomethylpyrrolidine ligand: X-ray crystal structure of $[PtCl_2(R-dimepyrr)]$ (*R*-dimepyrr=*N*-dimethyl-2(*R*)-aminomethylpyrrolidine), 2807 – Novel topoiso-merase I-targeting antitumor agents synthesized from the *N,N,N*-trimethylammonium derivative of ARC-111, 5*H*-2,3-dimethoxy-8,9-methylene-dioxy-5-[(2-*N,N,N*-trimethylammonium)ethyl]dibenzo[*c,h*][1,6]naphthyridin-6-one iodide, 3433 – Synthesis and cytotoxic profile of glycosyl-triazole linked to 1,2,4-oxadiazole moiety at C-5 through a straight-chain carbon and oxygen atoms, 3571 – Antiproliferative activity of arborescidine alkaloids and derivatives, 3810 – Synthesis and characterization of the Zn(II) and Cu(II) piperidinyl isoeuxanthone complexes: DNA-binding and cytotoxic activity, 4509 – Dialkylamino and nitrogen heterocyclic analogues of hexadecylphosphocholine and cetyltrimethylammonium bromide: Effect of phosphate group and environment of the ammonium cation on their biological activity, 4970
- Cytotoxic effect** – Cytotoxic and genotoxic effects of $[Ru(phen)_3]^{2+}$ evaluated by Ames/Salmonella and MTT methods, 2601
- Cytotoxic** – Discovery of a new family of bis-8-hydroxyquinoline substituted benzylamines with pro-apoptotic activity in cancer cells: Synthesis, structure-activity relationship, and action mechanism studies, 558 – Cytotoxic, antioxidant activities and structure activity relationship of some newly synthesized terpenoidal oxaliplatin analogs, 901 – Synthesis and *in vitro* cytotoxicity of 9-anilinoacridines bearing *N*-mustard residue on both anilino and acridine rings, 3056 – Synthesis of new acridines and hydrazones derived from cyclic β -diketone for cytotoxic and antiviral evaluation, 3680 – Synthesis, Raman, FT-IR, NMR spectroscopic characterization, antimicrobial activity, cytotoxicity and DNA binding of new mixed aza-oxo-thia macrocyclic compounds, 4681
- Cytotoxic properties** – Synthesis and biological evaluation of cytotoxic properties of stilbene-based resveratrol analogs, 701
- Cytotoxic, human cervical cancer (HeLa) cells** – 2,3-Disubstituted-1,4-naphthoquinones, 12*H*-benzo[*b*]phenothiazine-6,11-diones and related compounds: Synthesis and Biological evaluation as potential antiproliferative and antifungal agents, 1086
- Cytotoxicity assays** – Antitumor and antimycobacterial activities of cyclopalladated complexes: X-ray structure of $[Pd(C^2, N-dmba)(Br)(tu)]$ (dmba=*N,N*-dimethylbenzylamine, tu=thiourea), 4611
- Cytotoxicity data** – Development of CoMFA and CoMSIA models of cytotoxicity data of anti-HIV-1-phenylamino-1*H*-imidazole derivatives, 2400
- Cytotoxicity** – The cytotoxic properties and preferential toxicity to tumour cells displayed by some 2,4-*bis*(benzylidene)-8-methyl-8-azabicyclo[3.2.1]octan-3-ones and 3,5-*bis*(benzylidene)-1-methyl-4-piperidones, 54 – Synthesis, cytotoxicity and effects of some 1,2,4-triazole and 1,3,4-thiadiazole derivatives on immunocompetent cells, 63 – Synthesis, cytotoxicity and apoptosis of naphthalimide polyamine conjugates as antitumor agents, 393 – Design, synthesis and biological evaluation of novel fluorinated docetaxel analogues, 482 – Cytotoxic activity and chemical reactivity of *cis*-platinum(II) and *trans*-palladium(II) complexes with diethyl (pyridinylmethyl)phosphates, 660 – Synthetic, structural and biochemical studies of polynuclear platinum(II) complexes with heterocyclic ligands, 1041 – Cytotoxicity and TOP1-targeting activity of 8- and 9-amino derivatives of 5-butyl- and 5-(2-*N,N*-dimethylethyl)-5*H*-dibenzo[*c,h*][1,6]naphthyridin-6-ones, 1471 – Gallium(III) complexes of 2-pyridineformamide thiosemicarbazones: Cytotoxic activity against malignant glioblastoma, 1870 – Synthesis, antimicrobial and cytotoxic activities of 1,3,4-oxadiazoles, 1,3,4-thiadiazoles and 1,2,4-triazoles, 2106 – Synthesis, characterization and antitumor activity of new type binuclear platinum(II) complexes, 2322 – Synthesis and biological evaluation of abietic acid derivatives, 2468 – A diaryl sulfide, sulfoxide, and sulfone bearing structural similarities to combretastatin A-4, 2685 – Synthesis, characterization and cytotoxicity of ammine/ethylamine platinum(II)

- complexes with carboxylates, 2758 – To determine the cytotoxicity of chlorambucil and one of its nitro-derivatives, conjugated to prasterone and pregnenolone, towards eight human cancer cell-lines, 2944 – Synthesis and *in vitro* antitumor activities of novel 4-anilinoquinazoline derivatives, 3046 – An *in vitro* characterization study of new near infrared dyes for molecular imaging, 3496 – Synthesis and cytotoxic activity of α -santonin derivatives, 3739 – Natural tanshinone-like heterocyclic-fused *ortho*-quinones from regioselective Diels–Alder reaction: Synthesis and cytotoxicity evaluation, 3915 – Novel modified steroid derivatives of androstanolone as chemotherapeutic anti-cancer agents, 3936 – Chiral gossypol derivatives: Evaluation of their anticancer activity and molecular modeling, 3961 – Facile synthesis and *in vitro* properties of 1-alkyl- and 1-alkyl-*N*-propargyl-1,2,3,4-tetrahydroisoquinoline derivatives on PC12 cells, 4034 – Novel 3,3'-diindolylmethane derivatives: Synthesis and cytotoxicity, structural characterization in solid state, 4136 – Design and one-pot synthesis of α -aminophosphonates and bis(α -aminophosphonates) by iron(III) chloride and cytotoxic activity, 4266 – Novel naphthalimide derivatives as potential apoptosis-inducing agents: Design, synthesis and biological evaluation, 4674 – Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems – A novel class of potential antibacterial, antifungal and antitubercular agents, 4739 – Synthesis, cytotoxicity and DNA-binding levels of new type binuclear platinum(II) complexes, 4772 – Cytotoxicity and effects of 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives on some immunocompetent cells, 5099 – 2-Azetidinone derivatives: Design, synthesis, *in vitro* anti-microbial, cytotoxic activities and DNA cleavage study, 5123
- Cytotoxicity, antiviral activity Thiourea and 1,3-thiazepine derivatives of tricyclic imide** – Synthesis, pharmacological and antiviral activity of 1,3-thiazepine derivatives, 4960
- Cytotoxicity** – Synthesis of benzamide derivatives of anacardic acid and their cytotoxic activity, 2711
- Cytotoxicity** – Synthesis and immunosuppressive activity of cyclolinopeptide A analogues containing homophenylalanine, 3731
- D**
- DAPYs** – QSAR studies for diarylpyrimidines against HIV-1 reverse transcriptase wild-type and mutant strains, 625
- DBA/2 mice** – Solution-phase parallel synthesis and evaluation of anticonvulsant activity of *N*-substituted-3,4-dihydroisoquinoline-2(1*H*)-carboxamides, 1349
- DCC** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- DCM** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Dendrimer** – Targeting cancer cells with biotin-dendrimer conjugates, 862 – Generation-dependent encapsulation/electrostatic attachment of phenobarbital molecules by poly(amidoamine) dendrimers: Evidence from 2D-NOESY investigations, 2219
- Dendritic Jeffamines** – Synthesis, characterization and antimicrobial activity of water soluble dendritic macromolecules, 1093
- Density functional theory** – Computational study of the electronic structure characterization of a novel anti-inflammatory tripeptide derived from monocyte locomotion inhibitory factor (MLIF)-pentapeptide, 3114
- Deoxybenzoin derivatives** – Amines and oximes derived from deoxybenzoins as *Helicobacter pylori* urease inhibitors, 2246
- Depression** – Novel 4-aryl-pyrido[1,2-*c*]pyrimidines with dual SSRI and 5-HT_{1A} activity, Part 1, 1710
- Depside** – Synthesis, characterization and structure-activity relationship analysis of novel depsides as potential antibacterials, 1779
- Derivative reagent** – A novel spectrophotometric method for the determination of aminophylline with boric acid in pharmaceutical and mixed serum samples, 1452
- Derivative spectrophotometry** – Spectrophotometric and HPLC determinations of anti-diabetic drugs, rosiglitazone maleate and metformin hydrochloride, in pure form and in pharmaceutical preparations, 4998
- Designed multiple ligands** – 'Sum of activities' as dependent parameter: A new CoMFA-based approach for the design of pan PPAR agonists, 42
- Desirability** – Application of desirability-based multi(bi)-objective optimization in the design of selective arylpiperazine derivatives for the 5-HT_{1A} serotonin receptor, 5045
- Desmethylfibrates** – Design, synthesis and hypolipidemic activity of novel 2-(naphthalen-2-yl-oxy)propionic acid derivatives as desmethyl fibrate analogs, 3973
- Detoxification** – Sulphonamide-based bombesin prodrug analogues for glutathione transferase, useful in targeted cancer chemotherapy, 2009
- DFP** – Synthesis and evaluation of novel bis-pyridinium oximes as reactivators of DFP-inhibited acetylcholinesterase, 1335
- DFT calculations** – The structure of Rimonabant in the solid state and in solution: An experimental and theoretical study, 1864 – Palladium(II) complexes with R₂edda-derived ligands. Part II. Synthesis, characterization and *in vitro* antitumoral studies of R₂eddip esters and palladium(II) complexes, 3452
- DFT** – Molecular modeling and inhibition of phospholipase A₂ by polyhydroxy phenolic compounds, 312 – A theoretical antioxidant pharmacophore for resveratrol, 1644 – Novel *trans*-dichloridoplatinum(II) complexes with 3- and 4-acetylpyridine: Synthesis, characterization, DFT calculations and cytotoxicity, 1921 – A QSAR study on relationship between structure of sulfonamides and their carbonic anhydrase inhibitory activity using the eigenvalue (EVA) method, 3439
- Di(hetero)arylamines** – QSAR model for predicting radical scavenging activity of di(hetero)arylamines derivatives of benzo[*b*]thiophenes, 1952
- Diabetes** – Discovery of novel acetanilide derivatives as potent and selective β_3 -adrenergic receptor agonists, 2533 – Stimulatory effect of apigenin-6-C- β -1-fucopyranoside on insulin secretion and glycogen synthesis, 4668
- Diacylhydrazine** – Diacylhydrazine derivatives as novel potential chitin biosynthesis inhibitors: Design, synthesis, and structure-activity relationship, 2985
- Diagnosis** – ¹¹C-labelled PIB analogues as potential tracer agents for *in vivo* imaging of amyloid β in Alzheimer's disease, 1415
- Diamidines** – Synthesis and antiproteoal activities of dicationic bis(phenoxyethyl)benzenes, bis(phenoxyethyl)naphthalenes, and bis(benzoyloxy)naphthalenes, 3543
- Diamine H₃ antagonists** – Diamine-based human histamine H₃ receptor antagonists: (4-Aminobutyl-1-yl)benzylamines, 4098
- Diamine** – Design, synthesis, structure-activity relationship and antibacterial activity series of novel imidazo fused quinolone carbamides, 1570
- Diaminopyrazoles** – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557
- Diaminopyrimidines** – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557
- Diaminothioxopyrimidines** – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557
- Diaryl sulfide** – A diaryl sulfide, sulfoxide, and sulfone bearing structural similarities to combretastatin A-4, 2685
- Diaryl sulfone** – A diaryl sulfide, sulfoxide, and sulfone bearing structural similarities to combretastatin A-4, 2685
- Diaryl sulfoxide** – A diaryl sulfide, sulfoxide, and sulfone bearing structural similarities to combretastatin A-4, 2685
- Diarylketenes** – Synthesis and antimicrobial activity of new 1-alkyl/cyclohexyl-3,3-diaryl-1'-methylspiro[azetidine-2,3'-indoline]-2',4'-diones, 2265
- Diarylpentanoids** – Synthesis and biological evaluation of curcumin-like diarylpentanoid analogues for anti-inflammatory, antioxidant and anti-tyrosinase activities, 3195
- Diazine salts** – Diazinium salts with dihydroxyacetophenone skeleton: Syntheses and antimicrobial activity, 2275

- Diazo chemistry** – Application of phosphonyl carbanions to highly regioselective synthesis of some diazaphospholes and pyrazolonyl phosphonates, 526
- Diazo compounds** – Antiviral evaluation of *N*-amino-1,2,3-triazoles against Cantagalo virus replication in cell culture, 3777
- Dibenzobarrelene** – Synthesis and antibacterial activity of some new thiazole and thiophene derivatives, 4434
- Diclofenac sodium** – Synthesis, analgesic and anti-inflammatory activities of novel 3-(4-acetamido-benzyl)-5-substituted-1,2,4-oxadiazoles, 794
- Dideoxy fluoro ketonucleosides** – Dideoxy fluoro-ketopyranosyl nucleosides as potent antiviral agents: Synthesis and biological evaluation of 2,3- and 3,4-dideoxy-3-fluoro-4- and -2-keto- β -d-glucopyranosyl derivatives of *N*⁴-benzoyl cytosine, 2696
- Diels–Alder reaction** – Natural tanshinone-like heterocyclic-fused *ortho*-quinones from regioselective Diels–Alder reaction: Synthesis and cytotoxicity evaluation, 3915
- Diffusion ordered spectroscopy** – Studies on self-aggregation of anthracycline drugs by restrained molecular dynamics approach using nuclear magnetic resonance spectroscopy supported by absorption, fluorescence, diffusion ordered spectroscopy and mass spectrometry, 1437
- Diffuorobenzimidazole** – SAR study of clubbed [1,2,4]-triazolyl with fluorobenzimidazoles as antimicrobial and antituberculosis agents, 2930
- Dihydrazones** – Novel pyridazine derivatives: Synthesis and antimicrobial activity evaluation, 1989
- Diltiazem** – Mechanistic aspects of benzothiazepines: A class of antiarrhythmic drugs, 1
- Dimedone** – Microwave-induced synthesis and anti-microbial activities of 7,10,11,12-tetrahydrobenzo[*c*]acridin-8(9*H*)-one derivatives, 976
- Dioxazole** – New derivatives of 3,5-substituted-1,4,2-dioxazoles: Synthesis and activity against *Entamoeba histolytica*, 926
- Dioxime** – Synthesis, characterization, antiameobic activity and toxicity of novel bisdioxazole derivatives, 4747
- Dioxolocoumarins** – Synthesis and anti-inflammatory evaluation of novel angularly or linearly fused coumarins, 5012
- DIPEA** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Dipeptide boronate** – 3D-QSAR studies of boron-containing dipeptides as proteasome inhibitors with CoMFA and CoMSIA methods, 1486
- Dipeptide** – Structure–activity relationships for dipeptide prodrugs of acyclovir: Implications for prodrug design, 2339
- Dipeptidyl peptidase IV inhibitors** – Synthesis and evaluation of structurally constrained imidazolidin derivatives as potent dipeptidyl peptidase IV inhibitors, 3318
- Dipeptidyl peptidase IV** – Synthesis and use of 4-peptidylhydrazido-*N*-hexyl-1,8-naphthalimides as fluorogenic histochemical substrates for dipeptidyl peptidase IV and tripeptidyl peptidase I, 384
- Diphenylmaleimide derivate** – Discovering a new analogue of thalidomide which may be used as a potent modulator of TNF- α production, 3533
- Dipyrrolopyrazinone** – Synthesis of new dipyrrolo- and furopyrrolopyrazinones related to triptonones and their biological evaluation as potential kinases (CDKs1–5, GSK-3) inhibitors, 708
- Disk diffusion** – Synthesis, Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of mixed aza-oxo-thia macrocyclic compounds, 365
- Dispiro[1*H*-indene-2,3'-pyrrolidine-2',3']-[3*H*]indole-1,2''(1'*H*)-dione** – Regioselective synthesis of dispiro[1*H*-indene-2,3'-pyrrolidine-2',3']-[3*H*]indole-1,2''(1'*H*)-diones of potential anti-tumor properties, 91
- Dispiro[3*H*-indole-3,2'-pyrrolidine-3',3''-piperidine]-2(1*H*),4''-diones** – Regioselective synthesis and stereochemical structure of anti-tumor active dispiro[3*H*-indole-3,2'-pyrrolidine-3',3''-piperidine]-2(1*H*),4''-diones, 1257
- Dispiropyrrrolidine** – Regioselective synthesis and antimicrobial screening of novel ketocarbazolidispiropyrrrolidine derivatives, 959
- Dithiazoles** – Mechanism of unusual formation of 3-(5-phenyl-3*H*-[1,2,4]dithiazol-3-yl)chromen-4-ones and 4-oxo-4*H*-chromene-3-carbothioic acid *N*-phenylamides and their antimicrobial evaluation, 3209
- Dithiocarbamate** – Synthesis and antitumor activity of novel dithiocarbamate substituted chromones, 3687
- DNA binding** – Synthesis of novel benzo[*h*]quinolines: Wound healing, antibacterial, DNA binding and *in vitro* antioxidant activity, 981 – DNA binding and antimicrobial studies of polymer-copper(II) complexes containing 1,10-phenanthroline and 1-phenylalanine ligands, 1878 – Synthesis, crystal structure, antioxidant activities and DNA-binding studies of the Ln(III) complexes with 7-methoxy-chromone-3-carbaldehyde-(4'-hydroxy) benzoyl hydrazone, 2425 – Synthesis, crystal structure, DNA interaction and antioxidant activities of two novel water-soluble Cu(2+) complexes derived from 2-oxo-quinoline-3-carbaldehyde Schiff-bases, 4477
- DNA binding studies** – Synthesis, characterization, DNA binding properties and antioxidant activity of Ln(III) complexes with hesperetin-4-one-(benzoyl) hydrazone, 4585
- DNA cleavage** – “Self-activating” chemical nuclease: Ferrocenyl cyclen Cu(II) complexes act as efficient DNA cleavage reagents in the absence of reductant, 1768 – 2-Azetidinone derivatives: Design, synthesis, *in vitro* anti-microbial, cytotoxic activities and DNA cleavage study, 5123
- DNA damage** – Synthesis and antitumor activity of optically active thiourea and their 2-aminobenzothiazole derivatives: A novel class of anticancer agents, 2923
- DNA interaction** – Synthesis and affinity to DNA of phenylbenzimidazoles and benzimidazo[1,2-*c*]quinazolines, 3305 – Synthesis, spectroscopic characterization, X-ray structure and evaluation of binding parameters of new triorganotin(IV) dithiocarboxylates with DNA, 3986
- DNA intercalation** – Photochemical electrocyclic cyclisation of 3-vinylindoles to pyrido[2,3-*a*]-, pyrido[4,3-*a*]- and thieno[2,3-*a*]-carbazoles: Design, synthesis, DNA binding and antitumor cell cytotoxicity, 3235
- DNA ligands** – Photochemical electrocyclic cyclisation of 3-vinylindoles to pyrido[2,3-*a*]-, pyrido[4,3-*a*]- and thieno[2,3-*a*]-carbazoles: Design, synthesis, DNA binding and antitumor cell cytotoxicity, 3235
- DNA minor groove binding** – Photochemical electrocyclic cyclisation of 3-vinylindoles to pyrido[2,3-*a*]-, pyrido[4,3-*a*]- and thieno[2,3-*a*]-carbazoles: Design, synthesis, DNA binding and antitumor cell cytotoxicity, 3235
- DNA** – Synthesis and DNA-binding studies of two ruthenium(II) complexes of an intercalating ligand, 2044 – Synthesis, characterization, DNA cleavage and *in vitro* antimicrobial studies of La(III), Th(IV) and VO(IV) complexes with Schiff bases of coumarin derivatives, 2904 – Hydrolytic cleavage of DNA by urea-bridged macrocyclic polyamines, 5090
- DNA-alkylating agents** – Synthesis and *in vitro* cytotoxicity of 9-anilinoacridines bearing *N*-mustard residue on both anilino and acridine rings, 3056
- DNA-binding** – Synthesis and characterization of the Zn(II) and Cu(II) piperidinyl isoeuxanthone complexes: DNA-binding and cytotoxic activity, 4509 – Synthesis, cytotoxicity and DNA-binding levels of new type binuclear platinum(II) complexes, 4772
- DNA-drug docking** – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- d-Glucopyranosyl** – Synthesis of substituted-phenyl-1,2,4-triazol-3-thione analogues with modified d-glucopyranosyl residues and their antiproliferative activities, 4716
- d-Phenylalanine** – Colon-specific mutual amide prodrugs of 4-aminosalicylic acid for their mitigating effect on experimental colitis in rats, 131
- DOCA-salt hypertension** – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645
- Docetaxel** – Design, synthesis and biological evaluation of novel fluorinated docetaxel analogues, 482
- Docking** – ‘Sum of activities’ as dependent parameter: A new CoMFA-based approach for the design of pan PPAR agonists, 42 –

- Design, synthesis and molecular modeling study of acylated 1,2,4-triazole-3-acetates with potential anti-inflammatory activity, 117 – Synthesis, antitubercular activity and docking study of novel cyclic azole substituted diphenyl ether derivatives, 492 – Docking, 3D-QSAR studies and in silico ADME prediction on c-Src tyrosine kinase inhibitors, 990 – Structure-based virtual screening for identification of novel 11 β -HSD1 inhibitors, 1167 – Synthesis and biological evaluation of 4,5-diphenyloxazalone derivatives on route towards selective COX-2 inhibitors, 1830 – Fragment and knowledge-based design of selective GSK-3 β inhibitors using virtual screening models, 2361 – Synthesis, pharmacological and in silico evaluation of 1-(4-di-hydroxy-3,5-dioxa-4-borabicyclo[4.4.0]deca-7,9,11-trien-9-yl)-2-(tert-butylamino)ethanol, a compound designed to act as a β_2 adrenoceptor agonist, 2840 – Important pharmacophoric features of pan PPAR agonists: Common chemical feature analysis and virtual screening, 3488 – Docking and 3D-QSAR studies of BMS-806 analogs as HIV-1 gp120 entry inhibitors, 3524 – Knowledge based identification of MAO-B selective inhibitors using pharmacophore and structure based virtual screening models, 3584 – Discovery of potential new InhA direct inhibitors based on pharmacophore and 3D-QSAR analysis followed by in silico screening, 3718 – Active site directed docking studies: Synthesis and pharmacological evaluation of *cis*-2,6-dimethyl piperidine sulfonamides as inhibitors of acetylcholinesterase, 4057 – Novel *N*-(3-carboxyl-9-benzyl- β -carboline-1-yl)ethylamino acids: Synthesis, anti-tumor evaluation, intercalating determination, 3D QSAR analysis and docking investigation, 4153 – Design and one-pot synthesis of α -aminophosphonates and bis(α -aminophosphonates) by iron(III) chloride and cytotoxic activity, 4266 – Docking-based 3D-QSAR study of HIV-1 integrase inhibitors, 4276 – Design, synthesis and pharmacological screening of novel nitric oxide donors containing 1,5-diarylpyrazolin-3-one as nontoxic NSAIDs, 4622 – Discovery of potential ZAP-70 kinase inhibitors: Pharmacophore design, database screening and docking studies, 4793
- Docking study** – CoMFA and docking studies of 2-phenylindole derivatives with anticancer activity, 2822
- Docking/scoring** – Homology modeling of MCH1 receptor and validation by docking/scoring and protein-aligned CoMFA, 2583
- Dopamine receptors** – Structure-activity relationship of dopaminergic halogenated 1-benzyl-tetrahydroisoquinoline derivatives, 4616
- Dopamine uptake** – Structure-activity relationship of dopaminergic halogenated 1-benzyl-tetrahydroisoquinoline derivatives, 4616
- Double emulsion** – An investigation into the role of surfactants in controlling particle size of polymeric nanocapsules containing penicillin-G in double emulsion, 2392
- Doxorubicin** – Total synthesis and anticancer activity of highly potent novel glycolipid derivatives, 3120
- DPPH radical scavenging activity** – A facile synthesis of novel biologically active 4-hydroxy-*N'*-(benzylidene)-2*H*-benzo[e][1,2]thiazine-3-carbohydrazide 1,1-dioxides, 1311
- Drug candidates** – Synthesis and characterization of dinuclear macrocyclic cobalt(II), copper(II) and zinc(II) complexes derived from 2,2,2',2'-*S,S*[bis(bis-*N,N*-2-thiobenzimidazolyloxalato-1,2-ethane)]: DNA binding and cleavage studies, 834
- Drug chemical space** – Investigation of the incidence of “undesirable” molecular moieties for high-throughput screening compound libraries in marketed drug compounds, 1128
- Drug delivery** – Generation-dependent encapsulation/electrostatic attachment of phenobarbital molecules by poly(amidoamine) dendrimers: Evidence from 2D-NOESY investigations, 2219 – Structure-activity relationships for dipeptide prodrugs of acyclovir: Implications for prodrug design, 2339
- Drug design** – 3D-QSAR studies of boron-containing dipeptides as proteasome inhibitors with CoMFA and CoMSIA methods, 1486 – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461 – Prediction of telomerase inhibitory activity for acridinic derivatives based on chemical structure, 4826 – Application of desirability-based multi(bi)-objective optimization in the design of selective arylpiperazine derivatives for the 5-HT_{1A} serotonin receptor, 5045
- Drug design QikProp** – Mapping the ribonucleolytic active site of bovine seminal ribonuclease. The binding of pyrimidinyl phosphonucleotide inhibitors, 4496
- Drug resistance** – Sulphonamide-based bombesin prodrug analogues for glutathione transferase, useful in targeted cancer chemotherapy, 2009
- Drug- and lead-like chemical space and drug discovery** – Investigation of the incidence of “undesirable” molecular moieties for high-throughput screening compound libraries in marketed drug compounds, 1128
- Drug-like chemical space** – Known drug space as a metric in exploring the boundaries of drug-like chemical space, 5006
- Drugs** – Prediction of milk/plasma concentration ratios of drugs and environmental pollutants, 2452 – Synthesis and antimycobacterial activity of *N'*-[(*E*)-(monosubstituted-benzylidene)]-2-pyrazinecarbohydrazide derivatives, 4954
- DTZ323** – Mechanistic aspects of benzothiazepines: A class of antiarrhythmic drugs, 1
- Dual 5-HT_{1A}/SERT activity** – Novel 4-aryl-pyrido[1,2-*c*]pyrimidines with dual SSRI and 5-HT_{1A} activity: Part 2, 4702
- dUTP nucleotidohydrolase** – Design, synthesis and evaluation of novel uracil acetamide derivatives as potential inhibitors of *Plasmodium falciparum* dUTP nucleotidohydrolase, 678
- Dynamic SIMS imaging** – Unusual cellular uptake of cytotoxic 4-hydroxymethyl-3-aminoacridine, 4758
- E**
- E* (trans), *Z* (cis) isomers** – Synthesis, photochemical *E* (trans) \leftrightarrow *Z* (cis) isomerization and antimicrobial activity of 2-chloro-5-methylpyridine-3-olefin derivatives, 4661
- EAC** – Possible anticancer agents: QSAR analogs of glutamamide: Synthesis and pharmacological activity of 1,5-*N,N'*-disubstituted-2-(substituted benzenesulphonyl) glutamamides, 70
- EDDA-type ligands** – Palladium(II) complexes with R₂edda-derived ligands. Part II. Synthesis, characterization and *in vitro* antitumoral studies of R₂eddip esters and palladium(II) complexes, 3452
- Efflux pump inhibitors** – Quantitative structure-activity relationship (QSAR) of aryl alkenyl amides/imines for bacterial efflux pump inhibitors, 229 – Quantitative structure activity relationship (QSAR) of piperine analogs for bacterial NorA efflux pump inhibitors, 4128
- Efflux pump** – Evaluation of substrate and inhibitor properties of a novel MDR modulator H17 towards transmembrane efflux pumps, 3060
- EGF-R** – Design, synthesis and characterization of *N*₉/*N*₇-substituted 6-aminopurines as VEGF-R and EGF-R inhibitors, 1788
- EGFR** – Discovering novel quercetin-3-*O*-amino acid-esters as a new class of Src tyrosine kinase inhibitors, 1982 – 5-Benzylidene-hydantoins: Synthesis and antiproliferative activity on A549 lung cancer cell line, 3471
- eHITS** – CoMFA, LeapFrog and blind docking studies on sulfonanilide derivatives acting as selective aromatase expression regulators, 3445
- Ehrlich ascites carcinoma (EAC)** – Novel modified steroid derivatives of androstanolone as chemotherapeutic anti-cancer agents, 3936
- Electron spray ionization mass spectrometry** – Studies on self-aggregation of anthracycline drugs by restrained molecular dynamics approach using nuclear magnetic resonance spectroscopy supported by absorption, fluorescence, diffusion ordered spectroscopy and mass spectrometry, 1437
- Electronic structure** – Computational study of the electronic structure characterization of a novel anti-inflammatory tripeptide derived from monocyte locomotion inhibitory factor (MLIF)-pentapeptide, 3114
- Electrostatic attachment** – Generation-dependent encapsulation/electrostatic attachment of phenobarbital mole-

- cules by poly(amidoamine) dendrimers: Evidence from 2D–NOESY investigations, 2219
- Embryonic development** – Synthesis and biological evaluation of cytotoxic properties of stilbene-based resveratrol analogs, 701
- Enaminone esters** – Synthesis, antibacterial and anticonvulsant evaluations of some cyclic enaminones, 967
- Enaminonitriles** – Enaminonitrile in heterocyclic synthesis: Synthesis and antimicrobial evaluation of some new pyrazole, isoxazole and pyrimidine derivatives incorporating a benzothiazole moiety, 4813
- Enantiomeric pair** – Chiral 3-(4,5-dihydrooxazol-2-yl)phenyl alkylcarbamates as novel FAAH inhibitors: Insight into FAAH enantioselectivity by molecular docking and interaction fields, 4179
- Enantiomers** – Synthesis and adrenolytic activity of 1-(1*H*-indol-4-yloxy)-3-(2-(2-methoxyphenoxy)ethylamino)propan-2-ol analogs and its enantiomers. Part 2, 5103
- Enantioselective synthesis** – Design, synthesis and evaluation of tetrahydropyran based COX-1/2 inhibitors, 1278
- Enantioselectivity** – Synthesis, characterisation and *in vitro* cytotoxicity studies of a series of chiral platinum(II) complexes based on the 2-aminomethylpyrrolidine ligand: X-ray crystal structure of [PtCl₂(R-dimepyrr)] (R-dimepyrr = *N*-dimethyl-2(*R*)-aminomethylpyrrolidine), 2807
- Encapsulation** – Generation-dependent encapsulation/electrostatic attachment of phenobarbital molecules by poly(amidoamine) dendrimers: Evidence from 2D–NOESY investigations, 2219
- Endocannabinoid** – The synthesis and biological evaluation of *para*-substituted phenolic *N*-alkyl carbamates as endocannabinoid hydrolyzing enzyme inhibitors, 2994
- Enoyl-ACP reductase** – Synthesis, antitubercular activity and docking study of novel cyclic azole substituted diphenyl ether derivatives, 492
- Enoyl-acyl carrier protein reductase** – Design and *in silico* screening of combinatorial library of antimalarial analogs of triclosan inhibiting *Plasmodium falciparum* enoyl-acyl carrier protein reductase, 3009
- Entamoeba histolytica** – Synthesis, spectral studies and antiamebic activity of new 1-*N*-substituted thiocarbamoyl-3-phenyl-2-pyrazolines, 417 – New derivatives of 3,5-substituted-1,4,2-dioxazoles: Synthesis and activity against *Entamoeba histolytica*, 926 – Antiamoebic coumarins from the root bark of *Adina cordifolia* and their new thiosemicarbazone derivatives, 2252 – Synthesis and *in vitro* trichomonocidal, giardicidal and amebicidal activity of *N*-acetamide(sulfonamide)-2-methyl-4-nitro-1*H*-imidazoles, 2975 – Computational study of the electronic structure characterization of a novel anti-inflammatory tripeptide derived from monocyte locomotion inhibitory factor (MLIF)-pentapeptide, 3114 – Synthesis, characterization, antiamebic activity and toxicity of novel bisdioxazole derivatives, 4747
- Enzymatic kinetics** – Molecular modeling and inhibition of phospholipase A₂ by polyhydroxy phenolic compounds, 312
- Enzyme histochemistry** – Synthesis and use of 4-peptidylhydrazido-*N*-hexyl-1,8-naphthalimides as fluorogenic histochemical substrates for dipeptidyl peptidase IV and tripeptidyl peptidase I, 384
- Enzyme inhibition** – 10*H*-Phenothiazines: A new class of enzyme inhibitors for inflammatory diseases, 197 – On designing non-saccharide, allosteric activators of antithrombin, 2626 – Mapping the ribonucleolytic active site of bovine seminal ribonuclease. The binding of pyrimidinyl phosphonucleotide inhibitors, 4496
- Enzyme** – Steroidal lactones as inhibitors of 17β-hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632
- Enzyme-activated prodrug** – Sulphonamide-based bombesin prodrug analogues for glutathione transferase, useful in targeted cancer chemotherapy, 2009
- Enzymes and enzyme reactions** – Towards an efficient prodrug of the alkylating metabolite monomethyltriazenes: Synthesis and stability of *N*-acylamino acid derivatives of triazenes, 1049
- Epidermal growth factor receptor** – Synthesis and characterization of rhenium and technetium-99m tricarbonyl complexes bearing the 4-[3-bromophenyl]quinazoline moiety as a biomarker for EGFR-TK imaging, 4021
- Epigenetics** – Reactivity of isothiazolones and isothiazolone-1-oxides in the inhibition of the PCAF histone acetyltransferase, 4855
- Epilepsy** – Synthesis and anticonvulsant activity of some new bishydrazones derived from 3,4-dipropoxythiophene, 3672
- Erythroid differentiation** – Synthesis of glycosyl carbamides and evaluation of the induction of erythroid differentiation of human erythroleukemic K562 cells, 745
- ES/MS** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of α_vβ₃ integrin, 3394
- Escherichia coli** – Examination of growth inhibitory properties of synthetic chalcones for which antibacterial activity was predicted, 2211 – A novel and efficient one step synthesis of 2-amino-5-cyano-6-hydroxy-4-aryl pyrimidines and their anti-bacterial activity, 2651 – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448
- Ester prodrugs** – To determine the cytotoxicity of chlorambucil and one of its nitro-derivatives, conjugated to prasterone and pregnenolone, towards eight human cancer cell-lines, 2944
- Estradiol** – Synthesis, evaluation and 3D QSAR analysis of novel estradiol-RGD octapeptide conjugates with oral anti-osteoporosis activity, 1689
- Estrogen receptor beta** – Bibenzyl- and stilbene-core compounds with non-polar linker atom substituents as selective ligands for estrogen receptor beta, 3412 – Phenethyl pyridines with non-polar internal substituents as selective ligands for estrogen receptor beta, 3560
- Estrogen receptor** – Bibenzyl- and stilbene-core compounds with non-polar linker atom substituents as selective ligands for estrogen receptor beta, 3412 – Phenethyl pyridines with non-polar internal substituents as selective ligands for estrogen receptor beta, 3560
- Ethidium bromide** – Synthesis and DNA-binding studies of two ruthenium(II) complexes of an intercalating ligand, 2044
- Ethyl bromohydroxycinnamates** – New insights into the antioxidant activity of hydroxycinnamic acids: Synthesis and physicochemical characterization of novel halogenated derivatives, 2092
- Ethylene glycol** – Synthesis and evaluation of *in vitro* anti-microbial and anti-tubercular activity of 2-styryl benzimidazoles, 4244
- Euphorbia cornigera Boiss** – Bio-active compounds from *Euphorbia cornigera* Boiss, 3188
- Euphorbiaceae** – Bio-active compounds from *Euphorbia cornigera* Boiss, 3188
- EVA** – A QSAR study on relationship between structure of sulfonamides and their carbonic anhydrase inhibitory activity using the eigenvalue (EVA) method, 3439
- Eye drops** – Highly sensitive spectrofluorimetric determination of lomefloxacin in spiked human plasma, urine and pharmaceutical preparations, 3402
- F**
- FAAH inhibitor** – Chiral 3-(4,5-dihydrooxazol-2-yl)phenyl alkylcarbamates as novel FAAH inhibitors: Insight into FAAH enantioselectivity by molecular docking and interaction fields, 4179
- FAAH** – Synthesis and pharmacological evaluation of sulfamide-based analogues of anandamide, 4889
- Factor Xa inhibitor** – Design of novel aminopyrrolidine factor Xa inhibitors from a screening hit, 2787
- Famotidine** – PEGylated PPI dendritic architectures for sustained delivery of H₂ receptor antagonist, 1155
- FA-MLR** – Comparative chemometric modeling of cytochrome 3A4 inhibitory activity of structurally diverse compounds using stepwise MLR, FA-MLR, PLS, GFA, G/PLS and ANN techniques, 2913
- Farnesyltransferase inhibitors** – 3D-QSAR with the aid of pharmacophore search and docking-based alignments for farnesyltransferase inhibitors, 4070
- FASGAI** – A set of new amino acid descriptors applied in prediction of MHC class I binding peptides, 1144
- Fatty acid amide hydrolase** – The synthesis and biological evaluation of *para*-substituted phenolic *N*-alkyl carbamates as endocannabinoid hydrolyzing enzyme inhibitors,

- 2994 – Chiral 3-(4,5-dihydrooxazol-2-yl) phenyl alkylcarbamates as novel FAAH inhibitors: Insight into FAAH enantioselectivity by molecular docking and interaction fields, 4179
- FeCl₃** – Design and one-pot synthesis of α -aminophosphonates and bis(α -aminophosphonates) by iron(III) chloride and cytotoxic activity, 4266
- Fenbufen** – Fenbufen based 3-[5-(substituted aryl)-1,3,4-oxadiazol-2-yl]-1-(biphenyl-4-yl)propan-1-ones as safer antiinflammatory and analgesic agents, 3798
- Fibrates** – Design, synthesis and hypolipidemic activity of novel 2-(*m*-tolylxy) isobutyric acid derivatives, 2679
- Fibrillogenesis** – Synthesis and activity of fibrillogenesis peptide inhibitors related to the 17–21 β -amyloid sequence, 179
- Fibrin** – Computational modeling and surface plasmon resonance analyses in the assessment of peptide ligands interacting with fibrin γ (312–324) epitope, 2128
- Fibrosis** – Synthesis and biological evaluation of benzenesulfonamide-substituted 4-(6-alkylpyridin-2-yl)-5-(quinoxalin-6-yl)imidazoles as transforming growth factor- β type 1 receptor kinase inhibitors, 568
- First principle** – First-principle, structure-based prediction of hepatic metabolic clearance values in human, 1600
- Flavone** – Synthesis of 6-aminomethyl derivatives of benzopyran-4-one with dual biological properties: Anti-inflammatory–analgesic and antimicrobial, 4896
- Flavonoid** – Stimulatory effect of apigenin-6-C- β -l-fucopyranoside on insulin secretion and glycogen synthesis, 4668
- Flavonoids** – Synthesis and antitumor activity of novel dithiocarbamate substituted chromones, 3687
- Flexible docking** – Natural polyprenylated benzophenones inhibiting cysteine and serine proteases, 1230
- Fluorescence** – Synthesis and characterization of dinuclear macrocyclic cobalt(II), copper(II) and zinc(II) complexes derived from 2,2,2',2'-S,[bis(bis-*N,N*-2-thiobenzimidazolylloxalato-1,2-ethane)]: DNA binding and cleavage studies, 834
- Flow cytometry** – Dideoxy fluoro-ketopyranosyl nucleosides as potent antiviral agents: Synthesis and biological evaluation of 2,3- and 3,4-dideoxy-3-fluoro-4- and -2-keto- β -d-glucopyranosyl derivatives of *N*⁴-benzoyl cytosine, 2696
- Fluconazole** – Design, synthesis and biological evaluation of novel nitrogen and sulfur containing hetero-1,4-naphthoquinones as potent antifungal and antibacterial agents, 3130
- Fluorescence assay** – Synthesis and activity of fibrillogenesis peptide inhibitors related to the 17–21 β -amyloid sequence, 179
- Fluorescence property** – Synthesis, crystal structure, antioxidant activities and DNA-binding studies of the Ln(III) complexes with 7-methoxychromone-3-carbaldehyde-(4'-hydroxy) benzoyl hydrazone, 2425
- Fluorescence quantum yield** – An in vitro characterization study of new near infrared dyes for molecular imaging, 3496
- Fluorescence resonance energy transfer** – Fluorescence spectroscopic investigation of the interaction between chloramphenicol and lysozyme, 4083
- Fluorescence spectroscopy** – Studies on the interaction of caffeine with bovine hemoglobin, 2100 – Fluorescence spectroscopic investigation of the interaction between chloramphenicol and lysozyme, 4083
- Fluorimetry** – Highly sensitive spectrofluorimetric determination of lomefloxacin in spiked human plasma, urine and pharmaceutical preparations, 3402
- Fluorinated docetaxel analogues** – Design, synthesis and biological evaluation of novel fluorinated docetaxel analogues, 482
- Fluorinated surfactants** – Enhanced activity of fluorinated quaternary ammonium surfactants against *Pseudomonas aeruginosa*, 1615
- Fluorinated ureas** – Synthesis and anticancer activity of *N*-bis(trifluoromethyl)alkyl-*N'*-thiazolyl and *N*-bis(trifluoromethyl)alkyl-*N'*-benzothiazolyl ureas, 4944
- Fluorogenic substrates** – Synthesis and use of 4-peptidylhydrazido-*N*-hexyl-1,8-naphthalimides as fluorogenic histochemical substrates for dipeptidyl peptidase IV and tripeptidyl peptidase I, 384
- Fluoroquinolone** – Synthesis and *in vitro* antibacterial activity of 7-(4-alkoxyimino-3-amino-3-methylpiperidin-1-yl)fluoroquinolone derivatives, 4063 – Synthesis and antitubercular activity of palladium and platinum complexes with fluoroquinolones, 4107
- Fmoc-based dipeptides** – Design and synthesis of new *N*-(fluorenyl-9-methoxycarbonyl) (Fmoc)-dipeptides as anti-inflammatory agents, 1933
- Folate derivatives** – Novel 8-deaza-5,6,7,8-tetrahydroaminopterin derivatives as dihydrofolate inhibitor: Design, synthesis and antifolate activity, 764
- Fragrant compounds** – Microwave assisted synthesis of unsaturated jasmone heterocyclic analogues as new fragrant substances, 3032
- Free radical** – Captopril and 6-mercaptopyruvate: Whose SH possesses higher antioxidant ability?, 4841
- Free radical-scavenging effects** – Synthesis of novel *trans*-stilbene derivatives and evaluation of their potent antioxidant and neuroprotective effects, 3166
- Free radicals** – Anti-trypanosomatid benzofuroxans and deoxygenated analogues: Synthesis using polymer-supported triphenylphosphine, biological evaluation and mechanism of action studies, 5055
- FT-Raman** – Synthesis, Raman, FT-IR, NMR spectroscopic characterization, antimicrobial activity, cytotoxicity and DNA binding of new mixed aza-oxo-thia macrocyclic compounds, 4681
- Fujita-Ban analysis** – Synthesis and serotonin receptor activity of the arylpiperazine alkyl/propoxy derivatives of new azatriacycloundecanes, 152
- Fulleropyrrolidine** – Fullerene derivatized *s*-triazine analogues as antimicrobial agents, 2178
- Furanone** – Synthesis and pharmacological evaluation of 2(3*H*)-furanones and 2(3*H*)-pyrrolones, combining analgesic and anti-inflammatory properties with reduced gastrointestinal toxicity and lipid peroxidation, 2636
- Furin** – Modeling the activity of furin inhibitors using artificial neural network, 1664
- Furocoumarins** – Synthesis and anti-inflammatory evaluation of novel angularly or linearly fused coumarins, 5012
- Furopyrroropyrazinone** – Synthesis of new dipyrrolo- and furopyrroropyrazinones related to triptenones and their biological evaluation as potential kinases (CDKs1–5, GSK-3) inhibitors, 708
- Furoquinoline** – Condensed 1,4-dihydropyridines with various esters and their calcium channel antagonist activities, 2052
- Fused-ring systems** – Synthesis and antitumor activity of novel thiazolobenzotriazole, thiazoloindolo[3,2-*c*]quinoline and quinolinoquinoline derivatives, 3858

G

- G/PLS** – Exploring QSAR and QAAR for inhibitors of cytochrome P450 2A6 and 2A5 enzymes using GFA and G/PLS techniques, 1941
- G0-G1 arrest** – Synthesis and antiproliferative activity of 3-amino-*N*-phenyl-1*H*-indazole-1-carboxamides, 165
- G₂/M arrest** – Novel naphthalimide derivatives as potential apoptosis-inducing agents: Design, synthesis and biological evaluation, 4674
- Galanthamine derivative** – Design, synthesis and evaluation of galanthamine derivatives as acetylcholinesterase inhibitors, 772
- Gallium complexes** – Gallium(III) complexes of 2-pyridineformamide thiosemicarbazones: Cytotoxic activity against malignant glioblastoma, 1870
- Gambogic acid derivatives** – Studies on chemical structure modification and biology of a natural product, Gambogic acid (I): Synthesis and biological evaluation of oxidized analogues of gambogic acid, 2611
- Gametocytes** – Primaquine revisited six decades after its discovery, 937
- Gametocytocidal activity** – Primaquine dipeptide derivatives bearing an imidazolidin-4-one moiety at the *N*-terminus as potential antimalarial prodrugs, 2506
- GA-PLS** – A set of new amino acid descriptors applied in prediction of MHC class I binding peptides, 1144
- Gastric toxicity** – Synthesis and investigation of anti-inflammatory activity and gastric ulcerogenicity of novel nitric oxide-donating pyrazoline derivatives, 3068

- Gatifloxacin** – Synthesis and antibacterial activity of nitroaryl thiadiazole–gatifloxacin hybrids, 1205
- GBSA** – Computational modeling and surface plasmon resonance analyses in the assessment of peptide ligands interacting with fibrin γ (312–324) epitope, 2128
- Gem–diol** – Dideoxy fluoro–ketopyranosyl nucleosides as potent antiviral agents: Synthesis and biological evaluation of 2,3– and 3,4–dideoxy–3–fluoro–4– and –2–keto– β –d–glucopyranosyl derivatives of N^4 –benzoyl cytosine, 2696
- Gene expression** – Histone deacetylase inhibitor prodrugs in nanoparticle vector enhanced gene expression in human cancer cells, 4603
- Gene expression programming** – Predicting the activity of drugs for a group of imidazopyridine anticoccidial compounds, 4044
- Genetic algorithms** – Application of genetic algorithm–support vector machine (GA–SVM) for prediction of BK–channels activity, 5023
- Genetic function algorithm** – Quantitative structure–activity relationship (QSAR) of aryl alkenyl amides/imines for bacterial efflux pump inhibitors, 229
- Genetic function approximation (GFA)** – Quantitative structure–activity relationship analysis of aryl alkanol piperazine derivatives with antidepressant activities, 4367
- Genetic partial least squares (G/PLS)** – Quantitative structure–activity relationship analysis of aryl alkanol piperazine derivatives with antidepressant activities, 4367
- Genotoxicity** – Cytotoxic and genotoxic effects of $[\text{Ru}(\text{phen})_3]^{2+}$ evaluated by Ames/*Salmonella* and MTT methods, 2601
- GFA** – Exploring QSAR and QAAR for inhibitors of cytochrome P450 2A6 and 2A5 enzymes using GFA and G/PLS techniques, 1941 – Comparative chemometric modeling of cytochrome 3A4 inhibitory activity of structurally diverse compounds using stepwise MLR, FA–MLR, PLS, GFA, G/PLS and ANN techniques, 2913
- GI₅₀ values** – Synthesis and antitumor activity studies of some new fused 1,2,4–triazole derivatives carrying 2,4–dichloro–5–fluorophenyl moiety, 5066
- GIAO calculations** – The structure of Rimnabant in the solid state and in solution: An experimental and theoretical study, 1864
- Giardia intestinalis** – Synthesis and in vitro trichomonocidal, giardicidal and amebicidal activity of *N*–acetamide(sulfonamide)–2–methyl–4–nitro–1*H*–imidazoles, 2975
- Gliclazide** – The metabolism of CYP2C9 and CYP2C19 for gliclazide by homology modeling and docking study, 854
- Glide** – Knowledge based identification of MAO–B selective inhibitors using pharmacophore and structure based virtual screening models, 3584
- Glioblastoma** – Gallium(III) complexes of 2–pyridineformamide thiosemicarbazones: Cytotoxic activity against malignant glioblastoma, 1870
- Glutamamide** – Possible anticancer agents: QSAR analogs of glutamamide: Synthesis and pharmacological activity of 1,5–*N,N*–disubstituted–2–(substituted benzenesulphonyl) glutamamides, 70
- Glutathione transferase** – Sulphonamide–based bombesin prodrug analogues for glutathione transferase, useful in targeted cancer chemotherapy, 2009
- Glycine_B–iGluR–NMDA** – Molecular orbital differentiation of agonist and antagonist activity in the Glycine_B–iGluR–NMDA receptor, 2960
- Glycogen Synthase Kinase 3 β – Fragment and knowledge–based design of selective GSK–3 β inhibitors using virtual screening models, 2361**
- Glycogen synthesis** – Stimulatory effect of apigenin–6–C– β –1–fucopyranoside on insulin secretion and glycogen synthesis, 4668
- Glycolamide** – Synthesis and evaluation of *in vitro* anti–tuberculosis activity of *N*–substituted glycolamides, 289
- Glycolipid** – Total synthesis and anticancer activity of highly potent novel glycolipid derivatives, 3120
- Glycosidopyrimido[4,5–*b*]–quinolines** – New acyclic nucleosides analogues as potential analgesic, anti–inflammatory, anti–oxidant and anti–microbial derived from pyrimido[4,5–*b*]quinolines, 1427
- Glycosyl amino ester** – Synthesis and antitubercular screening of imidazole derivatives, 3350
- Glycosylation** – Total synthesis and anticancer activity of highly potent novel glycolipid derivatives, 3120
- G–quadruplex ligand** – Synthesis and biological evaluation of novel 4,5–bis(dialkylaminoalkyl)–substituted acridines as potent telomeric G–quadruplex ligands, 3880
- G–quartet** – Prediction of telomerase inhibitory activity for acridinic derivatives based on chemical structure, 4826
- Gold** – Contact–active microbicidal gold surfaces using immobilization of quaternary ammonium thiol derivatives, 4227
- GOLD** – Receptor–based 3D–QSAR studies of checkpoint Wee1 kinase inhibitors, 1383
- Gossypol aza–derivatives** – Synthesis, crystal structures and antibacterial activity studies of aza–derivatives of phytoalexin from cotton plant – gossypol, 4393
- gp120 inhibitors** – Docking and 3D–QSAR studies of BMS–806 analogs as HIV–1 gp120 entry inhibitors, 3524
- GPCR** – Homology modeling of MCH1 receptor and validation by docking/scoring and protein–aligned CoMFA, 2583
- Graebe–Ullmann** – Synthesis and antitumor activity of novel thiazolobenzotriazole, thiazoloindolo[3,2–*c*]quinoline and quinolinoquinoline derivatives, 3858
- Granulation** – Evaluation of *in vivo* wound–healing potential of 2–[4–(2,4–dimethoxy–benzoyl)–phenoxy]–1–[4–(3–piperidin–4–yl–propyl)–piperidin–1–yl]–ethanone derivatives, 3158
- Graph theory** – Scoring function for DNA–drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Green chemistry** – Improved synthesis of seven aromatic Baylis–Hillman adducts (BHA): Evaluation against *Artemia salina* Leach. and *Leishmania chagasi*, 1726
- GRIND** – 2D– and 3D–QSAR of Tocainide and Mexiletine analogues acting as Na_v1.4 channel blockers, 1477 – GRIND–based 3D–QSAR and CoMFA to investigate topics dominated by hydrophobic interactions: The case of hERG K⁺ channel blockers, 1926
- Growth inhibitory** – Synthesis of new chiral 2,5–disubstituted 1,3,4–thiadiazoles possessing γ –butenolide moiety and preliminary evaluation of *in vitro* anticancer activity, 3340
- GSH** – Hydroxychalcones induce apoptosis in B16–F10 melanoma cells via GSH and ATP depletion, 1630 – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- GSK–3** – Synthesis of new dipyrrolo– and furopyrrrolopyrazinones related to tripenones and their biological evaluation as potential kinases (CDKs1–5, GSK–3) inhibitors, 708
- Guttiferone A** – Natural polyprenylated benzophenones inhibiting cysteine and serine proteases, 1230
- ## H
- H. polyri urease** – Amines and oximes derived from deoxybenzoins as *Helicobacter pylori* urease inhibitors, 2246
- H₃ receptor antagonist** – Heterocyclic replacement of the central phenyl core of diamine–based histamine H₃ receptor antagonists, 4413
- H₃–Antagonists** – Non–imidazole histamine H₃ ligands, Part IV: SAR of 1–[2–thiazol–5–yl]–(2–aminoethyl)–4–*n*–propylpiperazine derivatives, 1674
- HaCaT** – Structure–activity relationship of seco–tanaphthalolides isolated from *Achillea falcata* for inhibition of HaCaT cell growth, 3794
- Haemolysis** – Cationic surfactants from lysine: Synthesis, micellization and biological evaluation, 1884
- Haemolytic activity** – Dialkylamino and nitrogen heterocyclic analogues of hexadecylphosphocholine and cetyltrimethylammonium bromide: Effect of phosphate group and environment of the ammonium cation on their biological activity, 4970
- Halogen atoms and drug development/discovery** – Known drug space as a metric in exploring the boundaries of drug–like chemical space, 5006
- Halogen–metal exchange** – Synthesis of σ receptor ligands with unsymmetrical spiro connection of the piperidine moiety, 4306
- Hartree Fock** – Mechanistic aspects of benzothiazepines: A class of antiarrhythmic drugs, 1
- HATU** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394

- HDAC inhibitor** – Novel amide derivatives as inhibitors of histone deacetylase: Design, synthesis and SAR, 1067
- HDAC** – Histone deacetylase inhibitor prodrugs in nanoparticle vector enhanced gene expression in human cancer cells, 4603
- HeLa and HCT-15 cell lines** – Synthesis of benzamide derivatives of anacardic acid and their cytotoxic activity, 2711
- Hela cells** – Synthesis of new chiral 2,5-disubstituted 1,3,4-thiadiazoles possessing γ -butenolide moiety and preliminary evaluation of in vitro anticancer activity, 3340 – Synthesis and evaluation of anti-tumor activities of N^4 fatty acyl amino acid derivatives of 1- β -arabinofuranosylcytosine, 3596
- Hemoglobin** – Synthesis and antimalarial activity of pyrazolo and pyrimido benzothiazine dioxide derivatives, 1303
- Heparin** – On designing non-saccharide, allosteric activators of antithrombin, 2626
- Hepatic metabolic clearance** – First-principle, structure-based prediction of hepatic metabolic clearance values in human, 1600
- Hepatitis C** – Cyclic phosphoramidates as prodrugs of 2'- C -methylcytidine, 3765
- Hepatocarcinogenic** – Development of QSAR models for predicting hepatocarcinogenic toxicity of chemicals, 3658
- Hepatoma (HepG₂)** – Novel modified steroid derivatives of androstanolone as chemotherapeutic anti-cancer agents, 3936
- Hepatoma** – The preparation and *in vitro* antiproliferative activity of phthalimide based ketones on MDAMB-231 and SKHep-1 human carcinoma cell lines, 2736
- Hepatotoxicity** – Synthesis and pharmacological evaluation of N -phenyl-acetamide sulfonamides designed as novel non-hepatotoxic analgesic candidates, 3612
- HEPES** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- hERG** – GRIND-based 3D-QSAR and CoMFA to investigate topics dominated by hydrophobic interactions: The case of hERG K⁺ channel blockers, 1926
- Herpes Simplex** – Structure-activity relationships for dipeptide prodrugs of acyclovir: Implications for prodrug design, 2339
- Hesperetin hydrazone** – Synthesis, characterization, DNA binding properties and antioxidant activity of Ln(III) complexes with hesperetin-4-one-(benzoyl) hydrazone, 4585
- Heteroarylacetic acids** – Design, synthesis and molecular modeling study of acylated 1,2,4-triazole-3-acetates with potential anti-inflammatory activity, 117
- Heterocycle** – Novel 4*H*-1,3,4-oxadiazin-5(6*H*)-ones with hydrophobic and long alkyl chains: Design, synthesis, and bioactive diversity on inhibition of monoamine oxidase, chitin biosynthesis and tumor cell, 2113 – Synthesis and anti-HIV activity evaluation of 2-(4-(naphthalen-2-yl)-1,2,3-thiadiazol-5-ylthio)- N -acetamides as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 4648
- Heterocycles** – Novel modified steroid derivatives of androstanolone as chemotherapeutic anti-cancer agents, 3936
- Heterocyclic analogues** – Microwave assisted synthesis of unsaturated jasmone heterocyclic analogues as new fragrant substances, 3032
- Heterocyclic compounds** – Synthesis and characterization of new Pt(II) and Pd(II) complexes with 2-quinolinecarboxaldehyde selenosemicarbazone: Cytotoxic activity evaluation of Cd(II), Zn(II), Ni(II), Pt(II) and Pd(II) complexes with heteroaromatic selenosemicarbazones, 1623
- Heterocyclic derivatives** – Synthesis and evaluation of a novel series of heterocyclic oleonic acid derivatives with anti-osteoclast formation activity, 2796
- Heterocyclic replacement** – Heterocyclic replacement of the central phenyl core of diamine-based histamine H₃ receptor antagonists, 4413
- Hexahydroquinoline** – Condensed 1,4-dihydropyridines with various esters and their calcium channel antagonist activities, 2052
- Hexestrol** – Bibenzyl- and stilbene-core compounds with non-polar linker atom substituents as selective ligands for estrogen receptor beta, 3412 – Phenethyl pyridines with non-polar internal substituents as selective ligands for estrogen receptor beta, 3560
- High-throughput screening** – A new type of five-membered heterocyclic inhibitors of basic metalloproteases, 3266
- HipHop** – Important pharmacophoric features of pan PPAR agonists: Common chemical feature analysis and virtual screening, 3488
- Histamine H₃-receptor** – Non-imidazole histamine H₃ ligands, Part IV: SAR of 1-[2-thiazol-5-yl-(2-aminoethyl)]-4- n -propylpiperazine derivatives, 1674
- Histamine** – Heterocyclic replacement of the central phenyl core of diamine-based histamine H₃ receptor antagonists, 4413
- Histone acetyltransferase** – Reactivity of isothiazolones and isothiazolone-1-oxides in the inhibition of the PCAF histone acetyltransferase, 4855
- Histone deacetylase inhibitor** – Histone deacetylase inhibitor prodrugs in nanoparticle vector enhanced gene expression in human cancer cells, 4603
- Histone deacetylase inhibitors** – Design, synthesis and preliminary biological evaluation of N -hydroxy-4-(3-phenylpropanamido)benzamide (HPPB) derivatives as novel histone deacetylase inhibitors, 4470
- Histone deacetylase** – Design, synthesis, and evaluation of biphenyl-4-yl-acrylohydroxamic acid derivatives as histone deacetylase (HDAC) inhibitors, 1900
- Histone deacetylases enzyme** – 3D-QSAR studies of HDACs inhibitors using pharmacophore-based alignment, 2868
- HIV** – Activity and molecular modeling of a new small molecule active against NNRTI-resistant HIV-1 mutants, 5117
- HIV-1 integrase inhibitors** – Synthesis and anti-HIV-1 integrase activities of 3-aroyle-2,3-dihydro-1,1-dioxo-1,4,2-benzodithiazines, 190 – Synthesis and anti-HIV-1 integrase activity of modified dinucleotides, 5029
- HIV-1 integrase** – Multivariate QSAR study of 4,5-dihydroxypyrimidine carboxamides as HIV-1 integrase inhibitors, 3577 – Docking-based 3D-QSAR study of HIV-1 integrase inhibitors, 4276
- HIV-1** – Synthesis and in vitro anti-HIV evaluation of a new series of 6-arylmethyl-substituted 5-DABOs as potential non-nucleoside HIV-1 reverse transcriptase inhibitors, 1016 – Novel modifications in the series of O -(2-phthalimidoethyl)- N -substituted thiocarbamates and their ring-opened congeners as non-nucleoside HIV-1 reverse transcriptase inhibitors, 1650 – Thiocarbamates as non-nucleoside HIV-1 reverse transcriptase inhibitors: Docking-based CoMFA and CoMSIA analyses, 2059 – Parallel synthesis, molecular modelling and further structure-activity relationship studies of new acylthiocarbamates as potent non-nucleoside HIV-1 reverse transcriptase inhibitors, 2190 – Synthesis and anti-HIV activity evaluation of 2-(4-(naphthalen-2-yl)-1,2,3-thiadiazol-5-ylthio)- N -acetamides as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 4648
- HIV-1 non-nucleoside reverse transcriptase inhibitors** – QSAR models for 2-amino-6-arylsulfonylbenzonitriles and congeners HIV-1 reverse transcriptase inhibitors based on linear and nonlinear regression methods, 2158
- HIV-1 protease inhibitor HOE/BAY-793** – 3D-QSAR CoMFA/CoMSIA models based on theoretical active conformers of HOE/BAY-793 analogs derived from HIV-1 protease inhibitor complexes, 4344
- HIV-1 protease** – Synthesis and evaluation of *A-seco* type triterpenoids for anti-HIV-1 protease activity, 4112
- HIV-1 RT** – QSAR studies for diarylpyrimidines against HIV-1 reverse transcriptase wild-type and mutant strains, 625
- HIV-1wt RT assay** – Activity and molecular modeling of a new small molecule active against NNRTI-resistant HIV-1 mutants, 5117
- HIV-2** – Synthesis and in vitro anti-HIV evaluation of a new series of 6-arylmethyl-substituted 5-DABOs as potential non-nucleoside HIV-1 reverse transcriptase inhibitors, 1016
- HIV-RT** – Synthesis, HIV-RT inhibitory activity and SAR of 1-benzyl-1*H*-1,2,3-triazole derivatives of carbohydrates, 373
- HLA-A*0201** – A set of new amino acid descriptors applied in prediction of MHC class I binding peptides, 1144
- HL-60 cells** – Copper(II) and uranyl(II) complexes with acylthiosemicarbazide: Synthesis, characterization, antibacterial activity and effects on the growth of promyelocytic leukemia cells HL-60, 3323 – Synthesis and evaluation of anti-tumor activities of N^4 fatty acyl amino acid derivatives of 1- β -arabinofuranosylcytosine, 3596

- HM** – Prediction of CCR5 receptor binding affinity of substituted 1-(3,3-diphenylpropyl)-piperidinyl amides and ureas based on the heuristic method, support vector machine and projection pursuit regression, 25
- HOMO** – Molecular orbital differentiation of agonist and antagonist activity in the Glycine_B-iGluR-NMDA receptor, 2960
- Homology model** – Identification of putative steroid-binding sites in human ABCB1 and ABCG2, 3601
- Homology modeling** – Homology modeling of MCH1 receptor and validation by docking/scoring and protein-aligned CoMFA, 2583
- Homophenylalanine** – Synthesis and immunosuppressive activity of cyclolinopeptide A analogues containing homophenylalanine, 3731
- Homopiperazines** – 1,4-Diazepanes derived from (S)-serine – Homopiperazines with improved σ_1 (sigma) receptor affinity and selectivity, 519
- Hot plate** – Synthesis and antinociceptive activities of some pyrazoline derivatives, 2606
- Houttuynin** – Synthesis and antibacterial evaluation of novel 4-alkyl substituted phenyl β -aldehyde ketone derivatives, 1737
- HPLC** – Spectrophotometric and HPLC determinations of anti-diabetic drugs, rosiglitazone maleate and metformin hydrochloride, in pure form and in pharmaceutical preparations, 4998
- HPPB** – Design, synthesis and preliminary biological evaluation of *N*-hydroxy-4-(3-phenylpropanamido)benzamide (HPPB) derivatives as novel histone deacetylase inhibitors, 4470
- HQSAR** – 2D- and 3D-QSAR studies on 54 anti-tumor Rubiaceae-type cyclopeptides, 3425
- Human carboxypeptidase B** – A new type of five-membered heterocyclic inhibitors of basic metallo-carboxypeptidases, 3266
- Human colon carcinoma** – New antimalarial and cytotoxic 4-nerolidylcatechol derivatives, 2731
- Human leukemia** – (±)-3,4-Dihydroxy-8,9-methylenedioxypiperocarpan and derivatives: Cytotoxic effect on human leukemia cell lines, 920
- Human myeloblastic leukemia** – New antimalarial and cytotoxic 4-nerolidylcatechol derivatives, 2731
- Human nervous system cancer** – New antimalarial and cytotoxic 4-nerolidylcatechol derivatives, 2731
- Human neutrophils** – Oligomeric formylpeptide activity on human neutrophils, 4926
- Human tumor cell lines** – Novel derivatives of 6-mercaptopurine: Synthesis, characterization and antiproliferative activities of 5-allylthio-mercaptopurines, 541
- Hybrid benzofuroxans** – Anti-trypansomatid benzofuroxans and deoxygenated analogues: Synthesis using polymer-supported triphenylphosphine, biological evaluation and mechanism of action studies, 5055
- Hybrid molecules** – Hybrid molecules between benzenesulfonamides and active antimicrobial benzo[d]isothiazol-3-ones, 2741
- Hydantoin** – 5-Benzylidene-hydantoins: Synthesis and antiproliferative activity on A549 lung cancer cell line, 3471
- Hydrazine derivatives** – Synthesis and vasodilatory activity of some amide derivatives of 6-(4-carboxymethoxyphenyl)-4,5-dihydro-3(2*H*)-pyridazinone, 4441
- Hydrazine hydrate** – Synthesis of some novel bioactive 4-oxy/thio substituted-1*H*-pyrazol-5(4*H*)-ones via efficient cross-Claisen condensation, 3852
- Hydrazone** – Synthesis, spectral characterization, *in-vitro* microbiological evaluation and cytotoxic activities of novel macrocyclic bis hydrazones, 3552
- Hydrazones** – Synthesis of some new 4-styryltetrazolo[1,5-*a*]quinoxaline and 1-substituted-4-styryl[1,2,4]triazolo[4,3-*a*]quinoxaline derivatives as potent anticonvulsants, 1135 – Novel pyridazine derivatives: Synthesis and antimicrobial activity evaluation, 1989 – Synthesis of new acridines and hydrazones derived from cyclic β -diketone for cytotoxic and antiviral evaluation, 3680
- Hydrogen bonding** – Prediction of convulsant activity of gases and vapors, 885
- Hydrolytic cleavage** – Hydrolytic cleavage of DNA by urea-bridged macrocyclic polyamines, 5090
- Hydrophobicity index** – QSAR studies for diarylpyrimidines against HIV-1 reverse transcriptase wild-type and mutant strains, 625
- Hydrophobicity** – Larvicidal activities of some organotin compounds on mosquito larvae: A QSAR study, 260 – A QSAR study for the cytotoxic activities of taxoids against macrophage (M Φ)-like cells, 274
- Hydroxamic acid** – Novel amide derivatives as inhibitors of histone deacetylase: Design, synthesis and SAR, 1067
- Hydroxycarbamidomethyl** – Synthesis, analgesic and anti-inflammatory activities of novel 3-(4-acetamido-benzyl)-5-substituted-1,2,4-oxadiazoles, 794
- Hydroxychalcones** – Hydroxychalcones induce apoptosis in B16-F10 melanoma cells via GSH and ATP depletion, 1630
- Hydroxyethylamine** – Synthesis, antimalarial evaluation and molecular modeling studies of hydroxyethylpiperazines, potential aspartyl protease inhibitors, Part 2, 3816
- Hydroxyethylpiperazine** – Synthesis and antimalarial activity of hydroxyethylpiperazine derivatives, 1363
- Hydroxysteroid dehydrogenase** – Steroidal lactones as inhibitors of 17 β -hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632
- Hypertension** – Synthesis and vasodilatory activity of some amide derivatives of 6-(4-carboxymethoxyphenyl)-4,5-dihydro-3(2*H*)-pyridazinone, 4441
- Hypervalent iodine** – Synthesis and antibacterial activity of some new 2,3-dimethoxy-3-hydroxy-2-(1-phenyl-3-aryl-4-pyrazolyl)chromanones, 1763
- Hypochlorous** – Investigation of the antioxidant properties of some new 4-hydroxycoumarin derivatives, 3077
- HypoGen model** – Discovery of potential ZAP-70 kinase inhibitors: Pharmacophore design, database screening and docking studies, 4793
- HypoGen** – Fragment and knowledge-based design of selective GSK-3 β inhibitors using virtual screening models, 2361
- Hypolipidemic** – Design, synthesis and hypolipidemic activity of novel 2-(*m*-tolyl) isobutyric acid derivatives, 2679 – Design, synthesis and hypolipidemic activity of novel 2-(naphthalen-2-yloxy)propionic acid derivatives as desmethyl fibrates analogs, 3973
- Hypotensive activity** – Design, synthesis and pharmacological evaluation of new 1-[3-(4-arylpiperazin-1-yl)-2-hydroxypropyl]-3,3-diphenylpyrrolidin-2-one derivatives with antiarrhythmic, antihypertensive, and α -adrenolytic activity, 3994
- ## I
- Ibuprofen** – Regioselective reaction: Synthesis and pharmacological study of Mannich bases containing ibuprofen moiety, 3697
- IBX** – Natural tanshinone-like heterocyclic-fused *ortho*-quinones from regioselective Diels-Alder reaction: Synthesis and cytotoxicity evaluation, 3915
- IL-2** – Rare dipeptide and urea derivatives from roots of *Moringa oleifera* as potential anti-inflammatory and antinociceptive agents, 432
- IL-6** – Rare dipeptide and urea derivatives from roots of *Moringa oleifera* as potential anti-inflammatory and antinociceptive agents, 432
- Imaging** – Simple synthesis of carbon-11 labeled styryl dyes as new potential PET RNA-specific, living cell imaging probes, 2300
- Imidazo fused** – Design, synthesis, structure-activity relationship and antibacterial activity series of novel imidazo fused quinolone carboxamides, 1570
- Imidazo[1,2-*a*]pyridine** – Physicochemical properties and membrane interactions of anti-apoptotic derivatives 2-(4-fluorophenyl)-3-(pyridin-4-yl)imidazo[1,2-*a*]pyridine depending on the hydroxyalkylamino side chain length and conformation: An NMR and ESR study, 3509
- Imidazo[1,2-*c*]pyrimidine** – Design, synthesis and antimycobacterial activity of some novel imidazo[1,2-*c*]pyrimidines, 3837
- Imidazo[2,1-*b*][1,3,4]thiadiazoles** – Synthesis and antimicrobial studies of novel methylene bridged benzisoxazolyl imidazo[2,1-*b*][1,3,4]thiadiazole derivatives, 2828

- Imidazo[2,1-*f*]theophyllines** – Synthesis and preliminary pharmacological evaluation of imidazo[2,1-*f*]purine–2,4-dione derivatives, 4288
- Imidazole** – Anti-oxidant, anti-fungal and anti-leishmanial activities of novel 13-[4-(1*H*-imidazol-1-yl)phenyl]prop-2-en-1-ones, 4654
- Imidazoles** – Convenient one-pot synthesis of novel 2-substituted benzimidazoles, tetrahydrobenzimidazoles and imidazoles and evaluation of their in vitro antibacterial and antifungal activities, 1751 – Synthesis and antitubercular screening of imidazole derivatives, 3350
- Imidazolidin derivatives** – Synthesis and evaluation of structurally constrained imidazolidin derivatives as potent dipeptidyl peptidase IV inhibitors, 3318
- Imidazolidineiminodithiones** – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminodithiones and imidazolidineiminodithiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315
- Imidazolidineiminodithiones** – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminodithiones and imidazolidineiminodithiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315
- Imidazolidin-4-ones** – Primaquine dipeptide derivatives bearing an imidazolidin-4-one moiety at the *N*-terminus as potential antimalarial prodrugs, 2506
- Imidazoquinazoline derivatives** – 2,3-Disubstituted 8-aryl-amino-3*H*-imidazo[4,5-*g*]quinazolines: A novel class of antitumor agents, 448
- Imidazoquinoxalines** – New imidazo[1,2-*a*]quinoxaline derivatives: Synthesis and in vitro activity against human melanoma, 3406
- Imiquimod** – New imidazo[1,2-*a*]quinoxaline derivatives: Synthesis and in vitro activity against human melanoma, 3406
- Immobilized artificial membrane chromatography** – Prediction of volume of distribution values in human using immobilized artificial membrane partitioning coefficients, the fraction of compound ionized and plasma protein binding data, 4455
- Immune suppression** – Synthesis and immunosuppressive activity of cyclolinopeptide A analogues containing homophenylalanine, 3731
- Immunosuppression** – 4-Phenoxybutoxy-substituted heterocycles – A structure-activity relationship study of blockers of the lymphocyte potassium channel Kv1.3, 1838
- IMR-32** – Possible anticancer agents: QSAR analogs of glutamamide: Synthesis and pharmacological activity of 1,5-*N,N*-disubstituted-2-(substituted benzenesulphonyl) glutamamides, 70
- In silico docking** – Application of 3D QSAR CoMFA/CoMSIA and *in silico* docking studies on novel renin inhibitors against cardiovascular diseases, 573
- In silico prediction** – First-principle, structure-based prediction of hepatic metabolic clearance values in human, 1600
- In silico screening** – Design and *in silico* screening of combinatorial library of antimalarial analogs of triclosan inhibiting *Plasmodium falciparum* enoyl-acyl carrier protein reductase, 3009
- In vitro activity** – New imidazo[1,2-*a*]quinoxaline derivatives: Synthesis and in vitro activity against human melanoma, 3406
- In vitro and in vivo antitumor activity** – *In vitro* and *in vivo* antitumor activity of platinum(II) complexes with thiosemicarbazones derived from 2-formyl and 2-acetyl pyridine and containing ring incorporated at N(4)-position: Synthesis, spectroscopic study and crystal structure of platinum(II) complexes with thiosemicarbazones, potential anticancer agents, 1296
- In vitro antioxidant activity** – Synthesis of novel benzo[*h*]quinolines: Wound healing, antibacterial, DNA binding and in vitro antioxidant activity, 981
- In vitro assay** – Antiplasmodial and antitypanosomal activities of aminobicyclo[2.2.2]octyl ω-aminoalkanoates, 736
- In vitro interaction** – Antimalarial pharmacodynamics of chalcone derivatives in combination with artemisinin against *Plasmodium falciparum* in vitro, 3388
- In vitro** – Evaluation of the local anaesthetic activity of 3-aminobenzo[*d*]isothiazole derivatives using the rat sciatic nerve model, 473 – Search for new pharmacophores for antimalarial activity. Part III: Synthesis and bioevaluation of new 6-thioureido-4-anilinoquinazolines, 4404
- In vitro** – Synthesis and in vitro anti-HIV evaluation of a new series of 6-aryl-methyl-substituted *S*-DABOs as potential non-nucleoside HIV-1 reverse transcriptase inhibitors, 1016
- In vitro/in vivo correlations (IVIVC)** – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies in rats, 3874
- In vivo fluorescence imaging** – An in vitro characterization study of new near infrared dyes for molecular imaging, 3496
- In vivo** – Search for new pharmacophores for antimalarial activity. Part III: Synthesis and bioevaluation of new 6-thioureido-4-anilinoquinazolines, 4404
- In vivo studies** – Synthesis, characterization and antidiabetic properties of *N*¹-2,4-dihydroxybenzylidene-*N*⁴-2-hydroxybenzylidene-*S*-methyl-thiosemicarbazidato-oxovanadium(IV), 818
- Indane dimers** – A series of 1, 2-coupled indane dimers with mast cell stabilisation and smooth muscle relaxation properties, 5018
- Indan-1-one derivatives** – Synthesis and bioactivity of substituted indan-1-ylideneaminoguanidine derivatives, 3771
- Indanone** – Design, synthesis and AChE inhibitory activity of indanone and aureone derivatives, 7
- Indigoids** – Synthesis, kinase inhibitory potencies and in vitro antiproliferative activity of isoindigo and 7'-azaisoindigo derivatives substituted by Sonogashira cross-coupling, 2705
- Indole analogues** – Synthesis and preliminary screening of novel indole-3-methanamines as 5-HT₄ receptor ligands, 2952
- Indole ligands** – Development of CoMFA and CoMSIA models of affinity and selectivity for indole ligands of cannabinoid CB1 and CB2 receptors, 2482
- Indolocarbazoles** – A three-step synthesis from rebeccamycin of an efficient checkpoint kinase 1 inhibitor, 2234
- Indoloquinoline** – Synthesis and antitumoral activity of novel thiazolobenzotriazole, thiazoloindolo[3,2-*c*]quinoline and quinolinoquinoline derivatives, 3858
- Inducible NOS** – Phenylpyrrole derivatives as neural and inducible nitric oxide synthase (nNOS and iNOS) inhibitors, 2655
- Inflammatory bowel disease** – Colon-specific mutual amide prodrugs of 4-aminosalicylic acid for their mitigating effect on experimental colitis in rats, 131 – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrugs of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 3922
- Inflammatory diseases** – A novel QSAR model for predicting the inhibition of CXCR3 receptor by 4-*N*-aryl-[1,4] diazepane ureas, 877
- Infrared spectra** – Synthesis and spectroscopic studies of biologically active compounds derived from oxalyldihydrazide and benzil, and their Cr(III), Fe(III) and Mn(III) complexes, 1731
- Ingenol esters** – Bio-active compounds from *Euphorbia corrigera* Boiss, 3188
- InhA** – Discovery of potential new InhA direct inhibitors based on pharmacophore- and 3D-QSAR analysis followed by in silico screening, 3718
- Inhalation anesthesia** – Prediction of convulsant activity of gases and vapors, 885
- Inhibitor** – Steroidal lactones as inhibitors of 17β-hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632 – Structure-based virtual screening for identification of novel 11β-HSD1 inhibitors, 1167 – Discovering novel quercetin-3-*O*-amino acid-esters as a new class of Src tyrosine kinase inhibitors, 1982 – Synthesis and evaluation of *A-seco* type triterpenoids for anti-HIV-1 protease activity, 4112
- Inhibitors** – Classification models for CYP450 3A4 inhibitors and non-inhibitors, 2354 – Phenylpyrrole derivatives as neural and inducible nitric oxide synthase (nNOS and iNOS) inhibitors, 2655 – Synthesis and evaluation of pyrido[1,2-*a*]pyrimidines as inhibitors of nitric oxide synthases, 2877
- Inhibitors of NF-κB and AP-1 mediated transcriptional activation** – Design, synthesis and characterization of novel 2-(2,4-disubstituted-thiazole-5-yl)-3-aryl-4-oxo-1,2,3,4-tetrahydropyrimidin-5(1*H*)-thiones, 101

- yl-3H-quinazoline-4-one derivatives as inhibitors of NF- κ B and AP-1 mediated transcription activation and as potential anti-inflammatory agents**, 2184
- Inhibitory activity** – Synthesis and evaluation of a novel series of heterocyclic oleanolic acid derivatives with anti-osteoclast formation activity, 2796
- Inhibitory** – Synthesis, Raman, FT-IR, NMR spectroscopic characterization, antimicrobial activity, cytotoxicity and DNA binding of new mixed aza-oxo-thia macrocyclic compounds, 4681
- iNOS** – Synthesis and biological evaluation of curcumin-like diarylpentanoid analogues for anti-inflammatory, antioxidant and anti-tyrosinase activities, 3195
- Insilico analysis** – Synthesis and *in vitro* anti-tumor activities of novel 4-anilinoquinazoline derivatives, 3046
- Insulin** – Stimulatory effect of apigenin-6-C- β -l-fucopyranoside on insulin secretion and glycogen synthesis, 4668
- Integrin** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Interaction energy** – Molecular structure and stability of perindopril erbumine and perindopril l-arginine complexes, 101
- Intercalation** – Novel *N*-(3-carboxyl-9-benzyl- β -carboline-1-yl)ethylamino acids: Synthesis, anti-tumor evaluation, intercalating determination, 3D QSAR analysis and docking investigation, 4153
- Intercalative mode** – Synthesis and characterization of the Zn(II) and Cu(II) piperidinyl isoeuxanthone complexes: DNA-binding and cytotoxic activity, 4509
- Intercalator-dinucleotide conjugates** – Synthesis and anti-HIV-1 integrase activity of modified dinucleotides, 5029
- Intramolecular lactonization** – Synthesis of novel 3-(aryl)benzothieno[2,3-*c*]pyran-1-ones from Sonogashira products and intramolecular cyclization: Antitumoral activity evaluation, 1893
- Inverse QSAR** – Application of desirability-based multi(bi)-objective optimization in the design of selective arylpiperazine derivatives for the 5-HT_{1A} serotonin receptor, 5045
- Invertebrates** – Aziridine alkaloids as potential therapeutic agents, 3373
- Iodobenzene diacetate** – Synthesis and antibacterial activity of some new 2,3-dimethoxy-3-hydroxy-2-(1-phenyl-3-aryl-4-pyrazolyl)chromanones, 1763 – Organoiodine (III)-mediated synthesis of 3-aryl/heteroaryl-5,7-dimethyl-1,2,4-triazolo[4,3-*c*]pyrimidines as antibacterial agents, 2260
- Ion-pair extraction** – Spectrophotometric and HPLC determinations of anti-diabetic drugs, rosiglitazone maleate and metformin hydrochloride, in pure form and in pharmaceutical preparations, 4998
- Isochroman-3-(S)-carboxylic acid** – Synthesis and evaluation of some novel isochroman carboxylic acid derivatives as potential anti-diabetic agents, 3147
- Isoflavone** – Synthesis and anti-osteoporotic evaluation of certain 3-amino-2-hydroxypropoxyisoflavone derivatives, 3621
- Isoform selectivity** – Synthesis and evaluation of pyrido[1,2-*a*]pyrimidines as inhibitors of nitric oxide synthases, 2877
- Isoidindigos** – Synthesis, kinase inhibitory potencies and *in vitro* antiproliferative activity of isoidindigo and 7'-azaisoidindigo derivatives substituted by Sonogashira cross-coupling, 2705
- Isoniazid** – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265 – Preparation and antitubercular activities *in vitro* and *in vivo* of novel Schiff bases of isoniazid, 4169
- Isonicotinic acid hydrazide** – Synthesis of some new 1,2,4-triazoles, their Mannich and Schiff bases and evaluation of their antimicrobial activities, 1057 – Synthesis of some new 1,2,4-triazoles starting from isonicotinic acid hydrazide and evaluation of their antimicrobial activities, 4362
- Isoprenyl** – Pentacyclo-undecane derived cyclic tetra-amines: Synthesis and evaluation as potent anti-tuberculosis agents, 4297
- Isoquinoline** – The synthesis of *N*-phenoxyethyl-1-substituted-1,2,3,4-tetrahydroisoquinolines and their α_1 -adrenoceptor blocking activity, 1271 – Solution-phase parallel synthesis and evaluation of anticonvulsant activity of *N*-substituted-3,4-dihydroisoquinoline-2(1*H*)-carboxamides, 1349
- Isothiazolone** – Reactivity of isothiazolones and isothiazolone-1-oxides in the inhibition of the PCAF histone acetyltransferase, 4855
- Isothiazolone-1-oxide** – Reactivity of isothiazolones and isothiazolone-1-oxides in the inhibition of the PCAF histone acetyltransferase, 4855
- Isothiocyanates** – Synthesis, characterization and *in vitro* antimicrobial activity of novel 2-thioxo-4-thiazolidinones and 4,4'-bis(2-thioxo-4-thiazolidinone-3-yl)diphenylsulfones, 4148 – Anti-nitric oxide production activity of isothiocyanates correlates with their polar surface area rather than their lipophilicity, 4931
- Isoxazolines** – Synthesis, optimization and structure-activity relationships of 3,5-disubstituted isoxazolines as new anti-tuberculosis agents, 460
- J**
- Jasmone** – Microwave assisted synthesis of unsaturated jasmone heterocyclic analogues as new fragrant substances, 3032
- JHU75528** – Analogs of JHU75528, a PET ligand for imaging of cerebral cannabinoid receptors (CB1): Development of ligands with optimized lipophilicity and binding affinity, 593
- K**
- K562 cell line** – Design, synthesis and structure-activity relationships of antiproliferative 1,3-disubstituted urea derivatives, 453
- K562 cells** – Synthesis of glucose carbamides and evaluation of the induction of erythroid differentiation of human erythroleukemic K562 cells, 745
- KB cell line** – Design, synthesis and structure-activity relationships of antiproliferative 1,3-disubstituted urea derivatives, 453
- KB3 cell line** – Discovery of a new family of bis-8-hydroxyquinoline substituted benzylamines with pro-apoptotic activity in cancer cells: Synthesis, structure-activity relationship, and action mechanism studies, 558
- Ketene N,S-acetal** – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448
- Ketene S,S-diacetal** – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448
- Keto-carbazole** – Regioselective synthesis and antimicrobial screening of novel keto-carbazolodispiropyrrrolidine derivatives, 959
- Keto-enamine Schiff bases** – Antidyslipidemic and antioxidative activities of 8-hydroxyquinoline derived novel keto-enamine Schiff bases, 1813
- Kinase inhibitor** – Pharmacophore modeling and virtual screening for the discovery of new transforming growth factor- β type I receptor (ALK5) inhibitors, 4259
- Kinase inhibitors** – Synthesis, kinase inhibitory potencies and *in vitro* antiproliferative activity of isoidindigo and 7'-azaisoidindigo derivatives substituted by Sonogashira cross-coupling, 2705
- Kinetics** – Towards an efficient prodrug of the alkylating metabolite monomethyltriazenes: Synthesis and stability of *N*-acylamino acid derivatives of triazenes, 1049
- Knoevenagel reaction** – Synthesis of novel thiazolone-based compounds containing pyrazoline moiety and evaluation of their anticancer activity, 1396
- Known drug space** – Known drug space as a metric in exploring the boundaries of drug-like chemical space, 5006
- Kv1.3** – 4-Phenoxybutoxy-substituted heterocycles – A structure-activity relationship study of blockers of the lymphocyte potassium channel Kv1.3, 1838
- L**
- L1210** – Cytotoxic activity and chemical reactivity of *cis*-platinum(II) and *trans*-palladium(II) complexes with diethyl (pyridinylmethyl)phosphates, 660
- Lactone** – Steroidal lactones as inhibitors of 17 β -hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632
- Lanthanide complex** – Synthesis, crystal structure, antioxidant activities and DNA-binding studies of the Ln(III) complexes with 7-methoxychromone-3-carbaldehyde-(4'-hydroxy) benzoyl hydrazone, 2425
- Lapachol** – A macrolactone from benz[*a*]phenazine with potent activity against *Mycobacterium tuberculosis*, 2334

- Larvae** – Larvicidal activities of some organotin compounds on mosquito larvae: A QSAR study, 260
- LASSBio-1300** – Synthesis and pharmacological evaluation of *N*-phenyl-acetamide sulfonamides designed as novel non-hepatotoxic analgesic candidates, 3612
- LC-MS** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Lead optimization** – Synthesis, optimization and structure–activity relationships of 3,5-disubstituted isoxazolines as new anti-tuberculosis agents, 460
- LeapFrog** – CoMFA, LeapFrog and blind docking studies on sulfonanilide derivatives acting as selective aromatase expression regulators, 3445
- Left-handed polyproline II conformation** – Circular dichroism studies of type III collagen mimetic peptides with anti- or pro-aggregant activities on human platelets, 2643
- Leishmania chagasi** – Improved synthesis of seven aromatic Baylis–Hillman adducts (BHA): Evaluation against *Artemia salina* Leach. and *Leishmania chagasi*, 1726
- Leishmania donovani** – Phase transfer catalyzed synthesis of bis-quinolines: Antileishmanial activity in experimental visceral leishmaniasis and *in vitro* antibacterial evaluation, 845 – A new series of amodiaquine analogues modified in the basic side chain with *in vitro* antileishmanial and antiplasmodial activity, 5071
- Leishmania major** – Nitroimidazolyl-1,3,4-thiadiazole-based anti-leishmanial agents: Synthesis and *in vitro* biological evaluation, 1758
- Leishmania** – Scoring function for DNA–drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Leishmania spp** – Anti-trypanosomatid benzofuroxans and deoxygenated analogues: Synthesis using polymer-supported triphenylphosphine, biological evaluation and mechanism of action studies, 5055
- Leishmaniasis** – Synthesis, biological evaluation and SAR of sulfonamide 4-methoxychalcone derivatives with potential antileishmanial activity, 755 – *In vitro* and *in vivo* antitrypanosomatid activity of 5-nitroindazoles, 1034 – Synthesis and antileishmanial activity of novel 2,4,6-trisubstituted pyrimidines and 1,3,5-triazines, 2473 – Second generation of 2*H*-benzimidazole 1,3-dioxide derivatives as anti-trypanosomatid agents: Synthesis, biological evaluation, and mode of action studies, 4426
- Leukemia** – Synthesis, NMR characterization and *in vitro* antitumor evaluation of new aminophosphonic acid diesters, 3363 – Synthesis and evaluation of anti-tumor activities of *N*⁴ fatty acyl amino acid derivatives of 1- β -arabinofuranosylcytosine, 3596
- LFER** – Prediction of CCR5 receptor binding affinity of substituted 1-(3,3-diphenylpropyl)-piperidinyl amides and ureas based on the heuristic method, support vector machine and projection pursuit regression, 25
- LIF** – Synthesis, cytotoxicity and effects of some 1,2,4-triazole and 1,3,4-thiadiazole derivatives on immunocompetent cells, 63 – Cytotoxicity and effects of 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives on some immunocompetent cells, 5099
- LiHMDS** – Synthesis of some novel bioactive 4-oxy/thio substituted-1*H*-pyrazol-5(4*H*)-ones via efficient cross-Claisen condensation, 3852
- Linear discriminant analysis** – Multi-target spectral moment: QSAR for antifungal drugs vs. different fungi species, 4051
- Linear free energy relationship** – Prediction of convulsant activity of gases and vapors, 885 – Prediction of milk/plasma concentration ratios of drugs and environmental pollutants, 2452
- Linezolid** – Synthesis and antibacterial activity of novel 5-(4-methyl-1*H*-1,2,3-triazole) methyl oxazolidinones, 3217
- Lipid and triglyceride lowering activity** – Novel 2-aryl-naphtho[1,2-*d*]oxazole derivatives as potential PTP-1B inhibitors showing antihyperglycemic activities, 109
- Lipid chitosan derivatives** – Mucoadjuvant properties of lipo- and glycoconjugated derivatives of oligochitosans, 2030
- Lipid lowering activity** – Antidyslipidemic and antioxidative activities of 8-hydroxyquinoline derived novel keto-enamine Schiff's bases, 1813
- Lipid peroxidation** – Synthesis and pharmacological evaluation of 2(3*H*)-furanones and 2(3*H*)-pyrrolones, combining analgesic and anti-inflammatory properties with reduced gastrointestinal toxicity and lipid peroxidation, 2636 – Fenbufen based 3-[5-(substituted aryl)-1,3,4-oxadiazol-2-yl]-1-(biphenyl-4-yl)propan-1-one as safer antiinflammatory and analgesic agents, 3798 – Synthesis of 6-aminomethyl derivatives of benzopyran-4-one with dual biological properties: Anti-inflammatory–analgesic and antimicrobial, 4896
- Lipid rafts** – Molecular properties of psychopharmacological drugs determining non-competitive inhibition of 5-HT_{3A} receptors, 2667
- Lipoic acid** – Synthesis and evaluation of the antioxidant and anti-inflammatory activity of novel coumarin-3-aminoamides and their alpha-lipoic acid adducts, 3020
- Lipophilicity** – Antileukotrienic phenethylamido derivatives of arylalkanoic acids in the treatment of ulcerative colitis, 332 – Synthesis of (\pm)Abyssinone I and related compounds: Their anti-oxidant and cytotoxic activities, 2239 – Synthesis, physicochemical properties and antimicrobial activity of some new benzimidazole derivatives, 4028
- Live cell** – Simple synthesis of carbon-11 labeled styryl dyes as new potential PET RNA-specific, living cell imaging probes, 2300
- Ln(III) complexes** – Synthesis, characterization, DNA binding properties and antioxidant activity of Ln(III) complexes with hesperetin-4-one-(benzoyl) hydrazone, 4585
- l-Proline** – l-Proline-catalysed facile green protocol for the synthesis and antimycobacterial evaluation of [1,4]-thiazines, 4978
- l-Tryptophan** – Colon-specific mutual amide prodrugs of 4-aminosalicylic acid for their mitigating effect on experimental colitis in rats, 131
- Lomefloxacin** – Highly sensitive spectrofluorimetric determination of lomefloxacin in spiked human plasma, urine and pharmaceutical preparations, 3402
- Long-chain arylpiperazines** – The influence of an ethylene spacer on the 5-HT_{1A} and 5-HT_{2A} receptor affinity of arylpiperazine derivatives of amides with *N*-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones, 800
- Low-molecular weight chitosan** – Mucoadjuvant properties of lipo- and glycoconjugated derivatives of oligochitosans, 2030
- LOX** – Adamantane derivatives of thiazolyl-*N*-substituted amide, as possible non-steroidal anti-inflammatory agents, 1198
- LPS-induced NO generation** – Synthesis of novel *trans*-stilbene derivatives and evaluation of their potent antioxidant and neuroprotective effects, 3166
- LUMO** – Molecular orbital differentiation of agonist and antagonist activity in the Glycine_B-iGluR-NMDA receptor, 2960
- Luteolin derivatives** – Synthesis and biological evaluation of novel luteolin derivatives as antibacterial agents, 908
- Lysine** – Cationic surfactants from lysine: Synthesis, micellization and biological evaluation, 1884
- Lysosomes** – Unusual cellular uptake of cytotoxic 4-hydroxymethyl-3-aminoacridine, 4758
- Lysozyme** – Fluorescence spectroscopic investigation of the interaction between chloramphenicol and lysozyme, 4083
- Lysozyme release** – Oligomeric formylpeptide activity on human neutrophils, 4926

M

- M1 receptor binding** – Synthesis and pharmacological evaluation of novel *N*-alkyl/aryl substituted thiazolidinone arecoline analogues as muscarinic receptor 1 agonist in Alzheimer's dementia models, 4848
- Macrocyclic complexes** – Synthesis and spectroscopic studies of biologically active compounds derived from oxalyldihydrazide and benzil, and their Cr(III), Fe(III) and Mn(III) complexes, 1731 – Antimicrobial active macrocyclic complexes of Cr(III), Mn(III) and Fe(III) with their spectroscopic approach, 3299
- Macrocyclic compounds** – Physicochemical and biological characterization of novel macrocycles derived from *o*-phthalaldehyde, 2621

- Macrocyclic** – Synthesis, Raman, FT–IR, NMR spectroscopic characterization, antimicrobial activity, cytotoxicity and DNA binding of new mixed aza–oxo–thia macrocyclic compounds, 4681
- Macrolactones** – A macrolactone from benzo[a]phenazine with potent activity against *Mycobacterium tuberculosis*, 2334
- Macrolide** – Synthesis and antibacterial activity of novel 15–membered macrolide derivatives: 4"–Carbamate, 11,12–cyclic carbonate–4"–carbamate and 11,4"–di–O–arylcarbamoyl analogs of azithromycin, 4010
- Macrophage (MΦ)–like cells** – A QSAR study for the cytotoxic activities of taxoids against macrophage (MΦ–like cells), 274
- Magnesium oxide** – A facile one–pot green synthesis and antibacterial activity of 2–amino–4H–pyrans and 2–amino–5–oxo–5,6,7,8–tetrahydro–4H–chromenes, 3805
- Malaria** – Primaquine revisited six decades after its discovery, 937 – Synthesis and antimalarial activity of hydroxyethylpiperazine derivatives, 1363 – Substituted quinolinyl chalcones and quinolinyl pyrimidines as a new class of anti–infective agents, 2081 – Primaquine dipeptide derivatives bearing an imidazolidin–4–one moiety at the N–terminus as potential antimalarial prodrugs, 2506 – Design and *in silico* screening of combinatorial library of antimalarial analogs of triclosan inhibiting *Plasmodium falciparum* enoyl–acyl carrier protein reductase, 3009 – Recent developments in the design and synthesis of hybrid molecules based on aminoquinoline ring and their antiplasmodial evaluation, 3091 – Synthesis, antimalarial evaluation and molecular modeling studies of hydroxyethylpiperazines, potential aspartyl protease inhibitors, Part 2, 3816
- Maleimide** – Synthesis and antimicrobial activity of some new N–acyl substituted phenothiazines, 5094
- Malononitrile** – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557
- Mammalian** – Evaluation of the local anaesthetic activity of 3–aminobenzof[d]isothiazole derivatives using the rat sciatic nerve model, 473
- Mannich base** – Synthesis, pharmacological screening, quantum chemical and *in vitro* permeability studies of N–Mannich bases of benzimidazoles through bovine cornea, 2307 – Synthesis of some new 1,3,4–thiadiazol–2–ylmethyl–1,2,4–triazole derivatives and investigation of their antimicrobial activities, 2896 – Regioselective reaction: Synthesis and pharmacological study of Mannich bases containing ibuprofen moiety, 3697
- Mannich bases** – Synthesis, spectral studies and antiamebic activity of new 1–N–substituted thiocarbamoyl–3–phenyl–2–pyrazolines, 417 – Synthesis, characterization and antibacterial activity of some triazole Mannich bases carrying diphenylsulfone moieties, 3083 – Regioselective reaction: Synthesis, characterization and pharmacological studies of some new Mannich bases derived from 1,2,4–triazoles, 3784
- Mannich ketone** – Antifungal unsaturated cyclic Mannich ketones and amino alcohols: Study of mechanism of action, 1823
- MAO–B** – Knowledge based identification of MAO–B selective inhibitors using pharmacophore and structure based virtual screening models, 3584
- Marketed drug compounds** – Known drug space as a metric in exploring the boundaries of drug–like chemical space, 5006
- Markov model** – Multi–target spectral moment: QSAR for antifungal drugs vs. different fungi species, 4051 – Multi–target spectral moments for QSAR and Complex Networks study of antibacterial drugs, 4516
- Markov models** – Scoring function for DNA–drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Mast cell stabilising activity** – A series of 1, 2–coupled indane dimers with mast cell stabilisation and smooth muscle relaxation properties, 5018
- Maximal electroshock (MES)** – Synthesis and anticonvulsant activity of N–(2–hydroxyethyl) cinnamamide derivatives, 3654
- Maximal electroshock** – Design and synthesis of 5–alkoxy–[1,2,4]triazolo[4,3–a]quinoline derivatives with anticonvulsant activity, 954
- Maximal electroshock seizure test** – Synthesis and potential anticonvulsant activity of new N–3–substituted 5,5–cyclopropanespirohydantoins, 296
- Maximal electroshock–induced seizures** – Synthesis and anticonvulsant activity of some substituted 1,2,4–thiadiazoles, 1100
- MCF–7 cell line** – Synthesis of (±)Abyssinone I and related compounds: Their anti–oxidant and cytotoxic activities, 2239
- MCF–7 cells** – Novel Biginelli dihydropyrimidines with potential anticancer activity: A parallel synthesis and CoMSIA study, 4192
- MCF–7** – Synthesis and antitumor activity of optically active thiourea and their 2–aminobenzothiazole derivatives: A novel class of anticancer agents, 2923
- MCH1R inhibitors** – Homology modeling of MCH1 receptor and validation by docking/scoring and protein–aligned CoMFA, 2583
- MDR modulator** – Evaluation of substrate and inhibitor properties of a novel MDR modulator H17 towards transmembrane efflux pumps, 3060
- MDR phenotype** – (±)–3,4–Dihydroxy–8,9–methylenedioxypterocarpan and derivatives: Cytotoxic effect on human leukemia cell lines, 920
- MED–3DMC** – MED–3DMC: A new tool to generate 3D conformation ensembles of small molecules with a Monte Carlo sampling of the conformational space, 1405
- Melanoma** – Hydroxychalcones induce apoptosis in B16–F10 melanoma cells via GSH and ATP depletion, 1630 – New antimalarial and cytotoxic 4–nerolidylcatechol derivatives, 2731 – Dopamine– and tyramine–based derivatives of triazenes: Activation by tyrosinase and implications for prodrug design, 3228 – New imidazo[1,2–a]quinoxaline derivatives: Synthesis and *in vitro* activity against human melanoma, 3406
- Melatonin** – Melatonin: Quantum–chemical and biochemical investigation of antioxidant activity, 2834
- MES** – Design, synthesis of 8–alkoxy–5,6–dihydro–[1,2,4]triazino[4,3–a]quinolin–1–ones with anticonvulsant activity, 1265 – Synthesis, anticonvulsant and CNS depressant activity of some new bioactive 1–(4–substituted–phenyl)–3–(4–oxo–2–phenylethyl)–4H–quinoxalin–3–yl)–urea, 4335
- Metalloproteinase** – A new type of five–membered heterocyclic inhibitors of basic metalloproteinases, 3266
- Metalloproteases** – Metals in anticancer therapy: Copper(II) complexes as inhibitors of the 20S proteasome, 4353
- Metformin** – Spectrophotometric and HPLC determinations of anti–diabetic drugs, rosiglitazone maleate and metformin hydrochloride, in pure form and in pharmaceutical preparations, 4998
- Methicillin–resistant *Staphylococcus aureus*** – Synthesis and *in vitro* antimicrobial activity of some novel substituted benzimidazole derivatives having potent activity against MRSA, 1024
- Methionyl–tRNA synthetase inhibitors** – 2–[2–Substituted–3–(3,4–dichlorobenzylamino)propylamino]–1H–quinolin–4–ones as *Staphylococcus aureus* methionyl–tRNA synthetase inhibitors, 239
- Methylthiobenzyl moiety** – Synthesis and antimicrobial activities of some new triazolothiadiazoles bearing 4–methylthiobenzyl moiety, 551
- Mexiletine** – 2D– and 3D–QSAR of Tocainide and Mexiletine analogues acting as Na_v1.4 channel blockers, 1477
- Michael addition** – Synthesis, characterization and antimicrobial activity of water soluble dendritic macromolecules, 1093 – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxopyrimidine derivatives, 4557
- Microbial** – Synthesis, characterization, DNA cleavage and *in vitro* antimicrobial studies of La(III), Th(IV) and VO(IV) complexes with Schiff bases of coumarin derivatives, 2904
- Micro–organisms** – Aziridine alkaloids as potential therapeutic agents, 3373
- Micronucleus assay** – Photo–inducible cytotoxic and clastogenic activities of 3,6–di–substituted acridines obtained by acylation of proflavine, 2459
- Microwave assisted synthesis** – Microwave assisted synthesis of unsaturated jasmone heterocyclic analogues as new fragrant substances, 3032
- Microwave irradiation** – Synthesis of amide and amine derivatives and their evaluation

- ation for anti-inflammatory and analgesic activities, 1010
- Microwave** – New acyclic nucleosides analogues as potential analgesic, anti-inflammatory, anti-oxidant and anti-microbial derived from pyrimido[4,5-*b*]quinolines, 1427 – Diazinium salts with dihydroxyacetophenone skeleton: Syntheses and antimicrobial activity, 2275
- Microwaves** – Microwave-induced synthesis and anti-microbial activities of 7,10,11,12-tetrahydrobenzo[*c*]acridin-8(9*H*)-one derivatives, 976 – Synthesis and antitumoral activity of novel thiazolobenzotriazole, thiazoloindolo[3,2-*c*]quinoline and quinolinoquinoline derivatives, 3858
- Milk** – Prediction of milk/plasma concentration ratios of drugs and environmental pollutants, 2452
- Milk/plasma ratios** – Prediction of milk/plasma concentration ratios of drugs and environmental pollutants, 2452
- Minimal inhibitory concentration** – Preparation and antimicrobial behaviour of quaternary ammonium thiol derivatives able to be grafted on metal surfaces, 717 – Enhanced activity of fluorinated quaternary ammonium surfactants against *Pseudomonas aeruginosa*, 1615
- Minimal lethal concentration** – Preparation and antimicrobial behaviour of quaternary ammonium thiol derivatives able to be grafted on metal surfaces, 717
- Minimum inhibitory concentration** – Synthesis and spectroscopic studies of biologically active compounds derived from oxalylidihydrazide and benzil, and their Cr(III), Fe(III) and Mn(III) complexes, 1731 – Synthesis, characterization and antibacterial activity of 2-[1-(5-chloro-2-methoxy-phenyl)-5-methyl-1*H*-pyrazol-4-yl]-5-(substituted-phenyl)-[1,3,4]oxadiazoles, 4522
- Minor groove binder** – Design, synthesis, and anti-tumor evaluation of novel symmetrical bis-benzimidazoles, 1808
- Mitochondria** – The cytotoxic properties and preferential toxicity to tumour cells displayed by some 2,4-*bis*(benzylidene)-8-methyl-8-azabicyclo[3.2.1]octan-3-ones and 3,5-*bis*(benzylidene)-1-methyl-4-piperidones, 54
- Mitochondrial dehydrogenases** – Second generation of 2*H*-benzimidazole 1,3-dioxide derivatives as anti-trypanosomatid agents: Synthesis, biological evaluation, and mode of action studies, 4426 – Anti-trypanosomatid benzofuroxans and deoxygenated analogues: Synthesis using polymer-supported triphenylphosphine, biological evaluation and mechanism of action studies, 5055
- Mitochondrial NOS** – Phenylpyrrole derivatives as neural and inducible nitric oxide synthase (nNOS and iNOS) inhibitors, 2655
- Mixed-ligand ternary complexes** – Antimicrobial and SOD activities of novel transition metal ternary complexes of iminodiacetic acid containing α -diimine as auxiliary ligand, 2517
- MLR-FA** – QSAR modelling of pancreatic β -cell K_{ATP} channel openers *R/S*-3,4-dihydro-2,2-dimethyl-6-halo-4-(substituted phenylaminocarbonylamino)-2*H*-1-benzopyrans using MLR-FA techniques, 359
- Mode of action** – Study of 5-nitroindazoles' anti-*Trypanosoma cruzi* mode of action: Electrochemical behaviour and ESR spectroscopic studies, 1545
- MODEL (MOlecular DEscriptor Lab) descriptors** – Juglone derivatives as antitubercular agents: A rationale for the activity profile, 2847
- Modification** – A class of novel *N*-(3*S*-1,2,3,4-tetrahydroisoquinoline-3-carbonyl)-1-amino acid derivatives: their synthesis, anti-thrombotic activity evaluation, and 3D QSAR analysis, 4904
- Modified ant colony** – Quantitative structure-activity relationship study of serotonin (5-HT₂) receptor inhibitors using modified ant colony algorithm and adaptive neuro-fuzzy interference system (ANFIS), 1463
- Modified dinucleotides** – Synthesis and anti-HIV-1 integrase activity of modified dinucleotides, 5029
- Molar refractivity** – Synthesis and QSAR modeling of 2-acetyl-2-ethoxycarbonyl-1-[4(4'-aryloxy)-phenyl]-*N,N*-dimethylaminophenyl aziridines as potential antibacterial agents, 251 – Larvicidal activities of some organotin compounds on mosquito larvae: A QSAR study, 260 – A QSAR study for the cytotoxic activities of taxoids against macrophage (MΦ)-like cells, 274
- Molecular descriptor** – Multi-target spectral moments for QSAR and Complex Networks study of antibacterial drugs, 4516
- Molecular descriptors** – QSAR analysis of salicylamide isosteres with the use of quantum chemical molecular descriptors, 869
- Molecular docking** – The metabolism of CYP2C9 and CYP2C19 for glioclazide by homology modeling and docking study, 854 – Virtual screening for Raf-1 kinase inhibitors based on pharmacophore model of substituted ureas, 1240 – Receptor-based 3D-QSAR studies of checkpoint Wee1 kinase inhibitors, 1383 – Novel modifications in the series of *O*-(2-phthalimidoethyl)-*N*-substituted thiocarbamates and their ring-opened congeners as non-nucleoside HIV-1 reverse transcriptase inhibitors, 1650 – Design, synthesis, and biological evaluation of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase, 1913 – Synthesis, pharmacological evaluation and docking studies of new sulindac analogues, 1959 – A new type of five-membered heterocyclic inhibitors of basic metalloproteinases, 3266 – New azoles with potent antifungal activity: Design, synthesis and molecular docking, 4218
- Molecular dynamics** – Penetratin and derivatives acting as antifungal agents, 212 – Potential of mean force for Syrian hamster prion epitope protein – Monoclonal fab 3f4 antibody interaction studies, 3504 – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Molecular field analysis (MFA)** – Quantitative structure-activity relationship analysis of aryl alkanol piperazine derivatives with antidepressant activities, 4367
- Molecular modeling** – The cytotoxic properties and preferential toxicity to tumour cells displayed by some 2,4-*bis*(benzylidene)-8-methyl-8-azabicyclo[3.2.1]octan-3-ones and 3,5-*bis*(benzylidene)-1-methyl-4-piperidones, 54 – Molecular modeling and inhibition of phospholipase A₂ by polyhydroxy phenolic compounds, 312 – Synthesis and biological evaluation of a new family of *anti*-benzyl-anilinosulfonamides as CA IX inhibitors, 511 – Analogs of JHU75528, a PET ligand for imaging of cerebral cannabinoid receptors (CB1): Development of ligands with optimized lipophilicity and binding affinity, 593 – Novel 8-deaza-5,6,7,8-tetrahydroaminopterin derivatives as dihydrofolate inhibitor: Design, synthesis and antifolate activity, 764 – A novel QSAR model for predicting the inhibition of CXCR3 receptor by 4-*N*-aryl-[1,4] diazepane ureas, 877 – Design, synthesis, and anti-tumor evaluation of novel symmetrical bis-benzimidazoles, 1808 – Substituted quinazolines, part 3. Synthesis, *in vitro* antitumor activity and molecular modeling study of certain 2-thieno-4(3*H*)-quinazolinone analogs, 2379 – Design, synthesis and antimycobacterial activity of some novel imidazo[1,2-*c*]pyrimidines, 3837 – 3D-QSAR CoMFA/CoMSIA models based on theoretical active conformers of HOE/BAY-793 analogs derived from HIV-1 protease inhibitor complexes, 4344 – Activity and molecular modeling of a new small molecule active against NNRTI-resistant HIV-1 mutants, 5117
- Molecular modelling** – Synthesis and *in vitro* cysticidal activity of new benzimidazole derivatives, 1794 – GRIND-based 3D-QSAR and CoMFA to investigate topics dominated by hydrophobic interactions: The case of hERG K⁺ channel blockers, 1926
- Molecular structure** – Antiviral evaluation of *N*-amino-1,2,3-triazoles against Cantagalo virus replication in cell culture, 3777
- Molluscicidal activity** – Synthesis and molluscicidal activity of some new thiophene, thiazole and pyrazole derivatives, 1250 – Bio-active compounds from *Euphorbia cornigera* Boiss, 3188
- Mono, bis-6-arylbenzimidazo[1,2-*c*]quinazolines** – Mono and bis-6-arylbenzimidazo[1,2-*c*]quinazolines: A new class of antimicrobial agents, 3330
- Monoamine oxidase** – Synthesis and antibacterial activity of novel 5-(4-methyl-1*H*-1,2,3-triazole) methyl oxazolidinones, 3217
- Monoglyceride lipase** – The synthesis and biological evaluation of *para*-substituted phenolic *N*-alkyl carbamates as endocannabinoid hydrolyzing enzyme inhibitors, 2994

- Monomers** – Synthesis and antimicrobial properties of polymerizable quaternary ammoniums, 3201
- Monophosphate prodrug** – Cyclic phosphoramidates as prodrugs of 2'-C-methylcytidine, 3765
- Monosaccharides** – Synthesis of glycosyl carbamides and evaluation of the induction of erythroid differentiation of human erythroleukemic K562 cells, 745
- Monte Carlo method** – Scoring function for DNA–drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461
- Morpholine** – Novel 4-(morpholin-4-yl)-N'-(arylidene)benzohydrazides: Synthesis, antimycobacterial activity and QSAR investigations, 3954
- Morpholine ring** – Design, synthesis and structure–activity relationships of antiproliferative 1,3-disubstituted urea derivatives, 453
- Mosquito** – Larvicidal activities of some organotin compounds on mosquito larvae: A QSAR study, 260
- MTT assay** – New derivatives of 3,5-substituted-1,4,2-dioxazoles: Synthesis and activity against *Entamoeba histolytica*, 926 – Synthesis and *in vitro* antiproliferative activity of novel 1-benzhydrylpiperazine derivatives against human cancer cell lines, 1223 – Synthesis, structure and biological activity of copper(II) complexes of 4-(2-pyridylmethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione and 4-(2-pyridylethyl)-1,7-dimethyl-1,4,7-triazonane-2,6-dione, 1607 – Antiamoebic coumarins from the root bark of *Adina cordifolia* and their new thiosemicarbazone derivatives, 2252 – Synthesis and biological activity evaluation of 1H-benzimidazoles via mammalian DNA topoisomerase I and cytostaticity assays, 2280 – Synthesis and antitumor activity of optically active thiourea and their 2-aminobenzothiazole derivatives: A novel class of anticancer agents, 2923 – To determine the cytotoxicity of chlorambucil and one of its nitro-derivatives, conjugated to prasterone and pregnenolone, towards eight human cancer cell-lines, 2944 – Synthesis, characterization, antiamoebic activity and toxicity of novel bisdioxazole derivatives, 4747
- MTT-assay** – Synthesis, NMR characterization and *in vitro* antitumor evaluation of new aminophosphonic acid diesters, 3363
- Mucoadjuvant** – Mucoadjuvant properties of lipo- and glycoconjugated derivatives of oligochitosans, 2030
- Mucosal immunization** – Mucoadjuvant properties of lipo- and glycoconjugated derivatives of oligochitosans, 2030
- Multiconformational ensemble** – MED-3DMC: A new tool to generate 3D conformation ensembles of small molecules with a Monte Carlo sampling of the conformational space, 1405
- Multidrug resistance** – Cytotoxicity and TOP1-targeting activity of 8- and 9-amino derivatives of 5-butyl- and 5-(2-N,N-dimethylamino)ethyl-5H-dibenzo[c,h][1,6]naphthyridin-6-ones, 1471 – Novel topoisomerase I-targeting antitumor agents synthesized from the N,N,N-trimethylammonium derivative of ARC-111, 5H-2,3-dimethoxy-8,9-methylenedioxy-5-[(2-N,N,N-trimethylammonium)ethyl]dibenzo[c,h][1,6]naphthyridin-6-one iodide, 3433
- Multidrug-resistant *M. tuberculosis*** – Preparation and *in vitro* evaluation of benzylsulfanyl benzoxazole derivatives as potential antituberculosis agents, 2286
- Multilamellar vesicles** – Physicochemical properties and membrane interactions of anti-apoptotic derivatives 2-(4-fluorophenyl)-3-(pyridin-4-yl)imidazo[1,2-a]pyridine depending on the hydroxyalkylamino side chain length and conformation: An NMR and ESR study, 3509
- Multi-component reaction** – Microwave-induced synthesis and anti-microbial activities of 7,10,11,12-tetrahydrobenzo[c]acridin-8(9H)-one derivatives, 976 – A facile one-pot green synthesis and antibacterial activity of 2-amino-4H-pyrans and 2-amino-5-oxo-5,6,7,8-tetrahydro-4H-chromenes, 3805
- Multi-drug resistant tuberculosis** – 1-Proline-catalysed facile green protocol for the synthesis and antimycobacterial evaluation of [1,4]-thiazines, 4978
- Multi-target QSAR** – Multi-target spectral moment: QSAR for antifungal drugs vs. different fungi species, 4051
- Multiobjective optimization** – Application of desirability-based multi(bi)-objective optimization in the design of selective arylpiperazine derivatives for the 5-HT_{1A} serotonin receptor, 5045
- Mutagenicity** – Lowering of 5-nitroimidazole's mutagenicity: Towards optimal antiparasitic pharmacophore, 653 – Cytotoxic and genotoxic effects of [Ru(phen)₃]³⁺ evaluated by Ames/*Salmonella* and MTT methods, 2601
- Mutual amide prodrug** – Colon-specific mutual amide prodrugs of 4-aminosalicylic acid for their mitigating effect on experimental colitis in rats, 131
- Mutual azo prodrug** – Synthesis, kinetic studies and pharmacological evaluation of mutual azo prodrugs of 5-aminosalicylic acid for colon-specific drug delivery in inflammatory bowel disease, 3922
- Mycobacterium smegmatis** – 1-Proline-catalysed facile green protocol for the synthesis and antimycobacterial evaluation of [1,4]-thiazines, 4978
- Mycobacterium tuberculosis** – A facile synthesis of α,α' -(*EE*)-bis(benzylidene)-cycloalkanes and their antitubercular evaluations, 1705 – Preparation and *in vitro* evaluation of benzylsulfanyl benzoxazole derivatives as potential antituberculosis agents, 2286 – Synthesis and antitubercular activity of novel 4-substituted imidazolyl-2,6-dimethyl-N³,N⁵-bis-aryl-1,4-dihydropyridine-3,5-dicarboxamides, 3253 – Antitumor and antimycobacterial activities of cyclopalladated complexes: X-ray structure of [Pd(C², N-dmba)(Br)(tu)] (dmba=N,N-dimethylbenzylamine, tu=thiourea), 4611 – 1,5-Diaryl-2-ethyl pyrrole derivatives as antimycobacterial agents: Design, synthesis, and microbiological evaluation, 4734 – 1-Proline-catalysed facile green protocol for the synthesis and antimycobacterial evaluation of [1,4]-thiazines, 4978
- Myocardium hypoxia** – The porphyrin-fullerene nanoparticles to promote the ATP overproduction in myocardium: ²⁵Mg²⁺-magnetic isotope effect, 1554
- N**
- N,N'-Dimethyldiiminopyrimidines** – Synthesis, antimicrobial and antioxidant activities of substituted pyrazoles, isoxazoles, pyrimidine and thioxypyrimidine derivatives, 4557
- N₇/N₉-Substituted 6-aminopurines** – Design, synthesis and characterization of N₉/N₇-substituted 6-aminopurines as VEGF-R and EGF-R inhibitors, 1788
- Nanocapsules** – An investigation into the role of surfactants in controlling particle size of polymeric nanocapsules containing penicillin-G in double emulsion, 2392
- Nano-carrier** – Targeting cancer cells with biotin-dendrimer conjugates, 862
- Naphtha[1,2-d]thiazol-2-amine** – Synthesis of some novel N⁴-(naphtha[1,2-d]thiazol-2-yl)semicarbazides as potential anticonvulsants, 203
- Naphthalene derivatives** – Synthesis and antiprotozoal activities of dicationic bis(phenoxymethyl)benzenes, bis(phenoxymethyl)naphthalenes, and bis(benzoyloxy)naphthalenes, 3543
- Naphthalimide derivatives** – Synthesis and use of 4-peptidylhydrazido-N-hexyl-1,8-naphthalimides as fluorogenic histochemical substrates for dipeptidyl peptidase IV and tripeptidyl peptidase I, 384
- Naphthalimide** – Synthesis, cytotoxicity and apoptosis of naphthalimide polyamine conjugates as antitumor agents, 393 – Novel naphthalimide derivatives as potential apoptosis-inducing agents: Design, synthesis and biological evaluation, 4674
- Naphthofuranoquinone** – Natural tanshinone-like heterocyclic-fused ortho-quinones from regioselective Diels–Alder reaction: Synthesis and cytotoxicity evaluation, 3915
- Neoglycoconjugates** – Synthesis and cytotoxic profile of glycosyl-triazole linked to 1,2,4-oxadiazole moiety at C-5 through a straight-chain carbon and oxygen atoms, 3571
- Nerve agents** – Synthesis and evaluation of novel bis-pyridinium oximes as reactivators of DFP-inhibited acetylcholinesterase, 1335
- Neural network** – Modeling the activity of furin inhibitors using artificial neural network, 1664

- Neural NOS** – Phenylpyrrole derivatives as neural and inducible nitric oxide synthase (nNOS and iNOS) inhibitors, 2655
- Neuroprotection** – Synthesis of some novel N^4 -(naphtha[1,2-*d*]thiazol-2-yl)semicarbazides as potential anticonvulsants, 203 – Synthesis of some urea and thiourea derivatives of 3-phenyl/ethyl-2-thioxo-2,3-dihydrothiazolo[4,5-*d*]pyrimidine and their antagonistic effects on haloperidol-induced catalepsy and oxidative stress in mice, 3889
- Neuroprotective activity** – Synthesis of novel *trans*-stilbene derivatives and evaluation of their potent antioxidant and neuroprotective effects, 3166
- Neurotoxicity** – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Synthesis and anticonvulsant activity of some substituted 1,2,4-thiadiazoles, 1100 – Synthesis and anticonvulsant activity of *N*-(2-hydroxyethyl) cinnamide derivatives, 3654 – A new class of anticonvulsants possessing 6Hz activity: 3,4-Dialkylthiophene bishydrazones, 4376
- NF- κ B** – 3D-QSAR studies on the inhibitors of AP-1 and NF- κ B mediated transcriptional activation, 2888
- NHE1 inhibitors** – Synthesis and bioactivity of substituted indan-1-ylideneaminoguanidine derivatives, 3771
- Nicotinic acid** – Copper complexes of pyridine derivatives with superoxide scavenging and antimicrobial activities, 3259
- Nimesulide** – Synthesis, antiviral and anticancer activity of some novel thioureas derived from *N*-(4-nitro-2-phenoxyphenyl)-methanesulfonamide, 3591
- NIR fluorophore** – An *in vitro* characterization study of new near infrared dyes for molecular imaging, 3496
- Nitrenium ions** – Known drug space as a metric in exploring the boundaries of drug-like chemical space, 5006
- Nitric oxide** – Synthesis and investigation of anti-inflammatory activity and gastric ulcerogenicity of novel nitric oxide-donating pyrazoline derivatives, 3068 – Design, synthesis and pharmacological screening of novel nitric oxide donors containing 1,5-diarylpyrazolin-3-one as nontoxic NSAIDs, 4622 – Anti-nitric oxide production activity of isothiocyanates correlates with their polar surface area rather than their lipophilicity, 4931
- Nitric oxide synthase** – Synthesis and evaluation of pyrido[1,2-*a*]pyrimidines as inhibitors of nitric oxide synthases, 2877
- Nitrile oxide** – A facile synthesis and antimycobacterial evaluation of novel spiro-pyrido-pyrrolizines and pyrrolidines, 3821
- Nitrimilines** – Regioselective synthetic approaches towards 1,2,8,9-tetraazadispiro [4.1.4.2]trideca-2,9-dien-6-ones of potential antimicrobial properties, 2447
- Nitro group substitution** – Synthesis of some *N*-substituted nitroimidazole derivatives as potential antioxidant and antifungal agents, 645
- Nitrobenzene** – Synthesis of new 2-substituted pyrido[2,3-*d*]pyrimidin-4(1*H*)-ones and their antibacterial activity, 1369
- Nitrofuran** – Synthesis and antibacterial activity of nitroaryl thiazazole-gatifloxacin hybrids, 1205
- Nitrofurans** – Synthesis, optimization and structure-activity relationships of 3,5-disubstituted isoxazolines as new anti-tuberculosis agents, 460
- Nitrogen mustards** – Synthesis and *in vitro* cytotoxicity of 9-anilinoacridines bearing *N*-mustard residue on both anilino and acridine rings, 3056
- Nitroimidazole** – Synthesis of some *N*-substituted nitroimidazole derivatives as potential antioxidant and antifungal agents, 645 – Synthesis and antibacterial activity of nitroaryl thiazazole-gatifloxacin hybrids, 1205 – Nitroimidazolyl-1,3,4-thiadiazole-based anti-leishmanial agents: Synthesis and *in vitro* biological evaluation, 1758
- Nitroindazoles** – *In vitro* and *in vivo* antiparasomatid activity of 5-nitroindazoles, 1034
- Nitromethane** – Synthesis and antimicrobial evaluation of 1-(benzofuran-2-yl)-4-nitro-3-arylbutan-1-ones and 3-(benzofuran-2-yl)-4,5-dihydro-5-aryl-1-[4-(aryl)-1,3-thiazol-2-yl]-1*H*-pyrazoles, 2632
- Nitroquinolones** – Synthesis and antimycobacterial activities of novel 6-nitroquinolone-3-carboxylic acids, 345
- Nitrothiophene** – Synthesis and antibacterial activity of nitroaryl thiazazole-gatifloxacin hybrids, 1205
- NMR** – Synthesis, NMR characterization and *in vitro* antitumor evaluation of new aminophosphonic acid diesters, 3363 – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- NMR spectroscopy** – Promising carbonylquinazolines for boron neutron capture therapy: Synthesis, characterization, and *in vitro* toxicity evaluation, 409 – Synthesis and characterization of new Pt(II) and Pd(II) complexes with 2-quinolinecarboxaldehyde selenosemicarbazone: Cytotoxic activity evaluation of Cd(II), Zn(II), Ni(II), Pt(II) and Pd(II) complexes with heteroaromatic selenosemicarbazones, 1623
- N*-(3-Carboxyl-9-benzyl- β -carboline-1-yl)ethylamino acid** – Novel *N*-(3-carboxyl-9-benzyl- β -carboline-1-yl)ethylamino acids: Synthesis, anti-tumor evaluation, intercalating determination, 3D QSAR analysis and docking investigation, 4153
- N*-acyl modification** – Synthesis and pharmacokinetic evaluation of novel *N*-acyl-cordycepin derivatives with a normal alkyl chain, 665
- N*-Acyldiazone** – Studies towards the identification of putative bioactive conformation of potent vasodilator arylidene *N*-acyldiazone derivatives, 4004
- N*-Acyldiazones** – Synthesis and antimycobacterial activity of *N*-[(*E*)-(monosubstituted-benzylidene)]-2-pyrazinecarbohydrazide derivatives, 4954
- N*-Alkylation** – *N*1-Alkylated 3,4-dihydropyrimidine-2(1*H*)-ones: Convenient one-pot selective synthesis and evaluation of their calcium channel blocking activity, 1997
- N*-Arachidonoyl ethanolamine** – The synthesis and biological evaluation of *para*-substituted phenolic *N*-alkyl carbamates as endocannabinoid hydrolyzing enzyme inhibitors, 2994
- N*-Arylcyanothioformanilides** – Synthesis, characterization and derivatization of some novel types of mono- and bis-imidazolidineiminothiones and imidazolidineiminothiones with antitumor, antiviral, antibacterial and antifungal activities – part I, 4315
- N*-Benzyloxycarbonyl-S-phenylalanine** – Synthesis, characterization and antimicrobial activity of Co(II), Zn(II) and Cd(II) complexes with *N*-benzyloxycarbonyl-S-phenylalanine, 1537
- N*-carboxymethyl imides** – Synthesis and antimicrobial activity of some new *N*-acyl substituted phenothiazines, 5094
- N*-formylmethionyl peptides** – Oligomeric formylpeptide activity on human neutrophils, 4926
- N*-Glycolyl muramic acid** – Synthesis and evaluation of *in vitro* anti-tuberculosis activity of *N*-substituted glycolamides, 289
- N*-Hydroxybenzamide** – Design, synthesis and preliminary biological evaluation of *N*-hydroxy-4-(3-phenylpropanamido)benzamide (HPPB) derivatives as novel histone deacetylase inhibitors, 4470
- N*-Methylpiperazine** – Synthesis and spectral characterization of a new class of *N*-(*N*-methylpiperazinoacetyl)-2,6-diaryl piperidin-4-ones: Antimicrobial, analgesic and antipyretic studies, 577
- N*-Phenethyl-2-arylacetamides** – Antileukotrienic phenethylamido derivatives of arylalkanoic acids in the treatment of ulcerative colitis, 332
- N*-Phenyl-acetamide sulfonamides** – Synthesis and pharmacological evaluation of *N*-phenyl-acetamide sulfonamides designed as novel non-hepatotoxic analgesic candidates, 3612
- N*-Phenylthioamide** – Mechanism of unusual formation of 3-(5-phenyl-3*H*-[1,2,4]dithiazol-3-yl)chromen-4-ones and 4-oxo-4*H*-chromene-3-carbothioic acid *N*-phenylamides and their antimicrobial evaluation, 3209
- N*-phosphorylalkylene-3,5-bis(arylidene)piperid-4-ones** – Design, cytotoxic and fluorescent properties of novel *N*-phosphorylalkyl substituted *E,E*-3,5-bis(arylidene)piperid-4-ones, 2135
- N*-phosphorylalkylene-piperid-4-ones** – Design, cytotoxic and fluorescent properties of novel *N*-phosphorylalkyl substituted *E,E*-3,5-bis(arylidene)piperid-4-ones, 2135
- NNRTI** – QSAR models for 2-amino-6-aryl-sulfonylbenzonitriles and congeners HIV-1

- reverse transcriptase inhibitors based on linear and nonlinear regression methods, 2158
- NNRTI resistant mutants** – Activity and molecular modeling of a new small molecule active against NNRTI-resistant HIV-1 mutants, 5117
- NNRTIs** – Synthesis and anti-HIV studies of 2- and 3-adamantyl-substituted thiazolidin-4-ones, 303 – QSAR studies for diarylpyrimidines against HIV-1 reverse transcriptase wild-type and mutant strains, 625 – Synthesis and in vitro anti-HIV evaluation of a new series of 6-arylmethyl-substituted *S*-DABOs as potential non-nucleoside HIV-1 reverse transcriptase inhibitors, 1016 – Synthesis and anti-HIV activity evaluation of 2-(4-(naphthalen-2-yl)-1,2,3-thiadiazol-5-ylthio)-*N*-acetamides as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 4648
- N*-Substituted amides** – Synthesis, structure elucidation and antitumor activity of *N*-substituted amides of 3-(3-ethylthio-1,2,4-triazol-5-yl)propenoic acid, 3788
- NOESY** – Generation-dependent encapsulation/electrostatic attachment of phenobarbital molecules by poly(amidoamine) dendrimers: Evidence from 2D-NOESY investigations, 2219
- Non-invasive tail-cuff method** – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645
- Non-nucleoside reverse transcriptase inhibitors (NNRTIs)** – Synthesis of alkenyldiarylmethanes (ADAMs) containing benzo[*d*]isoxazole and oxazolidin-2-one rings, a new series of potent non-nucleoside HIV-1 reverse transcriptase inhibitors, 1210
- Non-nucleoside reverse transcriptase inhibitors** – Novel modifications in the series of *O*-(2-phthalimidoethyl)-*N*-substituted thiocarbamates and their ring-opened congeners as non-nucleoside HIV-1 reverse transcriptase inhibitors, 1650 – Parallel synthesis, molecular modelling and further structure-activity relationship studies of new acylthiocarbamates as potent non-nucleoside HIV-1 reverse transcriptase inhibitors, 2190
- Non-steroidal anti-inflammatory drugs (NSAIDs)** – Polycyclic cage structures as carrier molecules for neuroprotective non-steroidal anti-inflammatory drugs, 2577
- Non-tuberculous mycobacteria** – Preparation and in vitro evaluation of benzylsulfanyl benzoxazole derivatives as potential antituberculosis agents, 2286
- Non-ulcerogenic** – Design, synthesis and pharmacological screening of novel nitric oxide donors containing 1,5-diarylpyrazolin-3-one as nontoxic NSAIDs, 4622
- Non-viral vector** – Histone deacetylase inhibitor prodrugs in nanoparticle vector enhanced gene expression in human cancer cells, 4603
- Nonpungency** – Synthesis and antinociceptive activity of capsinoid derivatives, 3345
- Nonsteroidal anti-inflammatory drugs (NSAID)** – The novel phosphoramidate derivatives of NSAID 3-hydroxypropylamides: Synthesis, cytostatic and antiviral activity evaluations, 143
- NorA** – Quantitative structure activity relationship (QSAR) of piperine analogs for bacterial NorA efflux pump inhibitors, 4128
- Norfloxacin** – Design, synthesis and *in vitro* antibacterial/antifungal evaluation of novel 1-ethyl-6-fluoro-1,4-dihydro-4-oxo-7(1-piperazinyl)quinoline-3-carboxylic acid derivatives, 4726
- Noyori catalyst** – Antiproliferative activity of arborescine alkaloids and derivatives, 3810
- NPP** – Identification of hydrolytically stable and selective P2Y₁ receptor agonists, 1525
- NSAIDs** – Synthesis and pharmacological evaluation of a novel series of 5-(substituted)aryl-3-(3-coumarinyl)-1-phenyl-2-pyrazolines as novel anti-inflammatory and analgesic agents, 1682 – Synthesis, pharmacological evaluation and docking studies of new sulindac analogues, 1959
- NTPDase** – Identification of hydrolytically stable and selective P2Y₁ receptor agonists, 1525
- Nuclear Magnetic Resonance** – Physicochemical properties and membrane interactions of anti-apoptotic derivatives 2-(4-fluorophenyl)-3-(pyridin-4-yl)imidazo[1,2-*a*]pyridine depending on the hydroxyalkylamino side chain length and conformation: An NMR and ESR study, 3509
- Nucleoside transporter** – Synthesis of a series of N⁶-substituted adenosines with activity against trypanosomatid parasites, 3665
- Nucleosides** – Synthesis, antiviral activity, and stability of nucleoside analogs containing tricyclic bases, 3845
- Nucleotide-binding domain** – Identification of putative steroid-binding sites in human ABCB1 and ABCG2, 3601
- Nucleotides** – Identification of hydrolytically stable and selective P2Y₁ receptor agonists, 1525
- Nystatin** – Synthesis, Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of mixed aza-oxo-thia macrocyclic compounds, 365 – Synthesis, characterization and antimicrobial activity of water soluble dendritic macromolecules, 1093
- O**
- Odor evaluation** – Microwave assisted synthesis of unsaturated jasmone heterocyclic analogues as new fragrant substances, 3032
- Oleanolic acid** – Synthesis and evaluation of a novel series of heterocyclic oleanolic acid derivatives with anti-osteoclast formation activity, 2796
- Oligonucleotide conjugation** – Oligonucleotide-polyamine conjugates: Influence of length and position of 2'-attached polyamines on duplex stability and antisense effect, 670
- O*-(2-Phthalimidoethyl)-*N*-arylthiocarbamates** – Novel modifications in the series of *O*-(2-phthalimidoethyl)-*N*-substituted thiocarbamates and their ring-opened congeners as non-nucleoside HIV-1 reverse transcriptase inhibitors, 1650
- Onion root tip assay** – Anti-genotoxic hydrazide from *Crinum defixum*, 2754
- o*-Phthalaldehyde** – Physicochemical and biological characterization of novel macrocycles derived from *o*-phthalaldehyde, 2621
- OPS** – Multivariate QSAR study of 4,5-dihydroxypyrimidine carboxamides as HIV-1 integrase inhibitors, 3577
- Optimal descriptor** – QSPR modeling bioconcentration factor (BCF) by balance of correlations, 2544
- Oral bioavailability** – Design of novel aminopyrrolidine factor Xa inhibitors from a screening hit, 2787
- Organophosphorus nerve agents** – In-vitro regeneration of sarin inhibited electric eel acetylcholinesterase by bis-pyridinium oximes bearing xylene linker, 1326
- Organophosphorus pesticides** – Synthesis and evaluation of novel bis-pyridinium oximes as reactivators of DFP-inhibited acetylcholinesterase, 1335
- Organotin** – Synthesis, characterization, antimicrobial and antitumor screening of some diorganotin(IV) complexes of 2-[(9*H*-Purin-6-ylimino)]-phenol, 3981
- Organotins** – Larvicidal activities of some organotin compounds on mosquito larvae: A QSAR study, 260
- Osteoclast formation** – Synthesis and evaluation of a novel series of heterocyclic oleanolic acid derivatives with anti-osteoclast formation activity, 2796
- Oxadiazole derivatives** – Synthesis of novel pyrazole derivatives and evaluation of their antidepressant and anticonvulsant activities, 3480
- Oxadiazoles** – Synthesis and anti-inflammatory activity of newer quinazolin-4-one derivatives, 83
- Oxaliplatin derivatives** – Cytotoxic, antioxidant activities and structure activity relationship of some newly synthesized terpenoidal oxaliplatin analogs, 901
- Oxa-Heck reaction** – (±)-3,4-Dihydroxy-8,9-methylene-dioxypterocarpan and derivatives: Cytotoxic effect on human leukemia cell lines, 920
- Oxazole** – Novel 2,4,5-trisubstituted oxazole derivatives: Synthesis and antiproliferative activity, 3930
- Oxazolidinone** – Synthesis and antibacterial activity of novel 5-(4-methyl-1*H*-1,2,3-triazole) methyl oxazolidinones, 3217
- Oxazolidinones** – Synthesis, antibacterial and anticonvulsant evaluations of some cyclic enaminones, 967
- Oxiconazole** – Tetrahydronaphthyl azole oxime ethers: The conformationally rigid analogues of oxiconazole as antibacterials, 437
- Oxidation** – Synthesis of new 2-substituted pyrido[2,3-*d*]pyrimidin-4(1*H*)-ones and their antibacterial activity, 1369

Oxidative stress – Synthesis and antioxidant potential of novel synthetic benzophenone analogues, 2724 – Melatonin: Quantum-chemical and biochemical investigation of antioxidant activity, 2834 – Blue CrO_5 assay: A novel spectrophotometric method for the evaluation of the antioxidant and oxidant capacity of various biological substances, 4162

Oximes – Amines and oximes derived from deoxybenzoin as *Helicobacter pylori* urease inhibitors, 2246

Oxoaporphine derivatives – Synthesis, biological evaluation and molecular modeling of oxoisoaporphine and oxoaporphine derivatives as new dual inhibitors of acetylcholinesterase/butyrylcholinesterase, 2523

Oxoisoaporphine derivatives – Synthesis, biological evaluation and molecular modeling of oxoisoaporphine and oxoaporphine derivatives as new dual inhibitors of acetylcholinesterase/butyrylcholinesterase, 2523

Oxygen heterocycle – Bromoalkoxyxanthenes as promising antitumor agents: Synthesis, crystal structure and effect on human tumor cell lines, 3830

P

P. aeruginosa – Synthesis, structure and structure-activity relationship analysis of 3-*tert*-butoxycarbonyl-2-arylthiazolidine-4-carboxylic acid derivatives as potential antibacterial agents, 3903

P2Y_{1/2/4/6} receptor – Identification of hydrolytically stable and selective P2Y₁ receptor agonists, 1525

Palladium complex – Synthesis and antitubercular activity of palladium and platinum complexes with fluoroquinolones, 4107

Palladium(II) complexes – Antitumor activity of novel 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives, 2720

Palladium(II) complexes – Cytotoxic activity and chemical reactivity of *cis*-platinum(II) and *trans*-palladium(II) complexes with diethyl (pyridinylmethyl)phosphates, 660

Palladium(II) complexes – Cytotoxicity and effects of 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives on some immunocompetent cells, 5099

Palladium(II) complexes – Palladium(II) complexes with R₂edda-derived ligands. Part II. Synthesis, characterization and *in vitro* antitumoral studies of R₂eddi esters and palladium(II) complexes, 3452

Palladium(II) – Synthesis, spectral studies and *in vitro* antibacterial activity of steroidal thiosemicarbazone and their palladium (Pd (II)) complexes, 2270

PAMAM – Synthesis, characterization and antimicrobial activity of water soluble dendritic macromolecules, 1093 – Generation-dependent encapsulation/electrostatic attachment of phenobarbital molecules by poly(amidoamine) dendrimers: Evidence from 2D-NOESY investigations, 2219

PAMPA – Determination of permeability and lipophilicity of pyrazolo-pyrimidine tyrosine kinase inhibitors and correlation with biological data, 3712

Pan agonists – ‘Sum of activities’ as dependent parameter: A new CoMFA-based approach for the design of pan PPAR agonists, 42

Pan PPAR agonists – Important pharmacophoric features of pan PPAR agonists: Common chemical feature analysis and virtual screening, 3488

PAP-1 – 4-Phenoxybutoxy-substituted heterocycles – A structure-activity relationship study of blockers of the lymphocyte potassium channel Kv1.3, 1838

Paracetamol – Synthesis and pharmacological evaluation of *N*-phenyl-acetamide sulfonamides designed as novel non-hepatotoxic analgesic candidates, 3612

Parallel synthesis – *N*-Acylated and *N,N'*-diacylated imidazolidine-2-thione derivatives and *N,N'*-diacylated tetrahydropyrimidine-2(1*H*)-thione analogues: Synthesis and antiproliferative activity, 1106 – Novel modifications in the series of *O*-(2-phthalimidoethyl)-*N*-substituted thiocarbamates and their ring-opened congeners as non-nucleoside HIV-1 reverse transcriptase inhibitors, 1650 – Parallel synthesis, molecular modelling and further structure-activity relationship studies of new acylthiocarbamates as potent non-nucleoside HIV-1 reverse transcriptase inhibitors, 2190

Parkinson's disease – Synthesis of some urea and thiourea derivatives of 3-phenyl/ethyl-2-thioxo-2,3-dihydrothiazolo[4,5-*d*]pyrimidine and their antagonistic effects on haloperidol-induced catalepsy and oxidative stress in mice, 3889 – Facile synthesis and *in vitro* properties of 1-alkyl- and 1-alkyl-*N*-propargyl-1,2,3,4-tetrahydroisoquinoline derivatives on PC12 cells, 4034

PBS – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394

PCAF – Reactivity of isothiazolones and isothiazolone-1-oxides in the inhibition of the PCAF histone acetyltransferase, 4855

PEGylation – PEGylated PPI dendritic architectures for sustained delivery of H₂ receptor antagonist, 1155

Penetratin – Penetratin and derivatives acting as antifungal agents, 212

Penicillin-G – An investigation into the role of surfactants in controlling particle size of polymeric nanocapsules containing penicillin-G in double emulsion, 2392

Pentacycloundecane – Pentacyclo-undecane derived cyclic tetra-amines: Synthesis and evaluation as potent anti-tuberculosis agents, 4297

Pentylentetrazole – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265 – Synthesis of novel bioactive derivatives of 3-(4-chlorophenyl)-2-hydrazino-5,6,7,8-tetrahydrobenzo(*b*)thieno[2,3-*d*]pyrimidine-4(3*H*)-ones, 4721

Pentylentetrazole test – Synthesis and potential anticonvulsant activity of new

N-3-substituted 5,5-cyclopropanespirohydantoin, 296

Peptide sequence

Lys-Hyp-Gly-Glu-Hyp-Ala-Pro-Lys – Circular dichroism studies of type III collagen mimetic peptides with anti- or pro-aggregant activities on human platelets, 2643

Peptidomimetic – 3D-QSAR CoMFA/CoMSIA models based on theoretical active conformers of HOE/BAY-793 analogs derived from HIV-1 protease inhibitor complexes, 4344

Peptidomimetics – Novel cyclic-imide peptidomimetics as aminopeptidase N inhibitors. Design, chemistry and activity evaluation. Part I, 4819

Peracetic acid oxidation – A macrolactone from benzo[*a*]phenazine with potent activity against *Mycobacterium tuberculosis*, 2334

Perindopril complexes – Molecular structure and stability of perindopril erbumine and perindopril l-arginine complexes, 101

Peripheral benzodiazepine receptor – Synthesis of [¹¹C]FEDAA1106 as a new PET imaging probe of peripheral benzodiazepine receptor expression, 2748

PET – ¹¹C-labelled PIB analogues as potential tracer agents for *in vivo* imaging of amyloid β in Alzheimer's disease, 1415

PFC – Synthesis, cytotoxicity and effects of some 1,2,4-triazole and 1,3,4-thiadiazole derivatives on immunocompetent cells, 63 – Cytotoxicity and effects of 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives on some immunocompetent cells, 5099

PGE₂ – Synthesis of [1,2,4]triazolo[1,5-*a*]pyridines of potential PGE₂ inhibitory properties, 1972 – Facile synthesis of bis(4,5-dihydro-1*H*-pyrazole-1-carboxamides) and their thio-analogues of potential PGE₂ inhibitory properties, 2172

Pharmacodynamic – PEGylated PPI dendritic architectures for sustained delivery of H₂ receptor antagonist, 1155

Pharmacokinetic – PEGylated PPI dendritic architectures for sustained delivery of H₂ receptor antagonist, 1155

Pharmacokinetics – Synthesis and pharmacokinetic evaluation of novel *N*-acyl-cordycepin derivatives with a normal alkyl chain, 665 – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies *in rats*, 3874

Pharmacological activity – Aziridine alkaloids as potential therapeutic agents, 3373

Pharmacological screening – Analgesic, anticonvulsant and anti-inflammatory activities of some synthesized benzodiazepine, triazolopyrimidine and bis-imide derivatives, 4787

Pharmacophore modeling – Homology modeling of MCH1 receptor and validation by docking/scoring and protein-aligned CoMFA, 2583 – An efficient steroid pharmacophore-based strategy to identify new aromatase inhibitors, 4121 – Pharmacophore modeling and virtual screening for the discovery of new transforming growth factor- β type I receptor (ALK5) inhibitors, 4259

Pharmacophore – Structure-based virtual screening for identification of novel 11 β -HSD1 inhibitors, 1167 – Virtual screening for Raf-1 kinase inhibitors based on pharmacophore model of substituted ureas, 1240 – A theoretical antioxidant pharmacophore for resveratrol, 1644 – Fragment and knowledge-based design of selective GSK-3 β inhibitors using virtual screening models, 2361 – 3D-QSAR studies of HDACs inhibitors using pharmacophore-based alignment, 2868 – Important pharmacophoric features of pan PPAR agonists: Common chemical feature analysis and virtual screening, 3488 – Knowledge based identification of MAO-B selective inhibitors using pharmacophore and structure based virtual screening models, 3584 – Discovery of potential new InhA direct inhibitors based on pharmacophore and 3D-QSAR analysis followed by in silico screening, 3718 – Discovery of potential ZAP-70 kinase inhibitors: Pharmacophore design, database screening and docking studies, 4793

Pharmacophoric model – 1,5-Diaryl-2-ethyl pyrrole derivatives as antimycobacterial agents: Design, synthesis, and microbiological evaluation, 4734

Phase transfer catalysis – *N*1-Alkylated 3,4-dihydropyrimidine-2(1*H*)-ones: Convenient one-pot selective synthesis and evaluation of their calcium channel blocking activity, 1997

Phenanthrenyl phenylalanines – Synthesis of novel *N*-protected hydrophobic phenylalanines and their application in potential antibacterials, 1001

Phenazines – A macrolactone from benzo[*a*]phenazine with potent activity against *Mycobacterium tuberculosis*, 2334

Phenolic compounds – Molecular modeling and inhibition of phospholipase A₂ by polyhydroxy phenolic compounds, 312

Phenothiazine – 10*H*-Phenothiazines: A new class of enzyme inhibitors for inflammatory diseases, 197

Phenothiazines – Synthesis and antimicrobial activity of some new *N*-acyl substituted phenothiazines, 5094

Phenylbenzoimidazole – Synthesis and affinity to DNA of phenylbenzoimidazoles and benzoimidazo[1,2-*c*]quinazolines, 3305

Phenylbenzothiazole – ¹¹C-labelled PIB analogues as potential tracer agents for in vivo imaging of amyloid β in Alzheimer's disease, 1415

Phenylpyrrole derivatives – Phenylpyrrole derivatives as neural and inducible nitric oxide synthase (nNOS and iNOS) inhibitors, 2655

B

PH-027 – Synthesis and antibacterial activity of novel 5-(4-methyl-1*H*-1,2,3-triazole) methyl oxazolidinones, 3217

P

Phonate metal complexes – Some *O,O',O'',O'''*-di/tetra arylthioimidophosphate transition metal complexes

derived from catechol and bisphenol-A as antibacterial and antifungal agents, 785

Phosphole- and phosphonate derivatives – Application of phosphonyl carbanions to highly regioselective synthesis of some diazaphospholes and pyrazolanyl phosphonates, 526

Phosphoramidates – The novel phosphoramidate derivatives of NSAID 3-hydroxypropylamides: Synthesis, cytostatic and antiviral activity evaluations, 143

Phosphorus heterocycles – Synthesis and antibacterial activity of some new thiadiazatriazaphospholes, thiadiazatriaza/tetrazaphosphinines and thiadiazatetrazaphosphines containing 1,2,4-triazinone moiety, 4539

Photobiological activity – Tetrahydrobenzo- and benzofurobenzopyrones as a new class of potential photoreagents toward DNA, 18

Photochemistry – Synthesis and cytotoxic activity of α -santonin derivatives, 3739

Photochemotherapeutic agents – Tetrahydrobenzo- and benzofurobenzopyrones as a new class of potential photoreagents toward DNA, 18

Photocleavage – Synthesis and DNA-binding studies of two ruthenium(II) complexes of an intercalating ligand, 2044

Photodynamic inactivation – Photodynamic inactivation of *Candida albicans* sensitized by tri- and tetra-cationic porphyrin derivatives, 1592

Photogenotoxicity – Photo-inducible cytotoxic and clastogenic activities of 3,6-di-substituted acridines obtained by acylation of proflavine, 2459

Photoisomerization – Synthesis, photochemical *E* (*trans*) \leftrightarrow *Z* (*cis*) isomerization and antimicrobial activity of 2-chloro-5-methylpyridine-3-olefin derivatives, 4661

Photosensitizers – Photodynamic inactivation of *Candida albicans* sensitized by tri- and tetra-cationic porphyrin derivatives, 1592

Phototoxicity – Photo-inducible cytotoxic and clastogenic activities of 3,6-di-substituted acridines obtained by acylation of proflavine, 2459

Phthalazine – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448

Phthalimide – Synthesis and antimicrobial activity of some new *N*-acyl substituted phenothiazines, 5094

Physicochemical – Physicochemical and biological characterization of novel macrocycles derived from *o*-phthalaldehyde, 2621

Physico-chemical property – Determination of permeability and lipophilicity of pyrazolo-pyrimidine tyrosine kinase inhibitors and correlation with biological data, 3712

PIB – ¹¹C-labelled PIB analogues as potential tracer agents for in vivo imaging of amyloid β in Alzheimer's disease, 1415

Pictet-Spengler cyclization – Design, synthesis and biological evaluation of novel nitrogen and sulfur containing hetero-1,4-naphthoquinones as potent antifungal and antibacterial agents, 3130

Pictet-Spengler reaction – Facile synthesis and in vitro properties of 1-alkyl- and

1-alkyl-*N*-propargyl-1,2,3,4-tetrahydroisoquinoline derivatives on PC12 cells, 4034

Piperazine – Synthesis and antimalarial activity of hydroxyethylpiperazine derivatives, 1363

Piperidine – Evaluation of in vivo wound-healing potential of 2-[4-(2,4-dimethoxy-benzoyl)-phenoxy]-1-[4-(3-piperidin-4-yl-propyl)-piperidin-1-yl]-ethanone derivatives, 3158

Piperidin-4-one – Synthesis and spectral characterization of a new class of *N*-(*N*-methylpiperazinoacetyl)-2,6-diaryl piperidin-4-ones: Antimicrobial, analgesic and antipyretic studies, 577

Piperine analogs – Quantitative structure activity relationship (QSAR) of piperine analogs for bacterial NorA efflux pump inhibitors, 4128

Piroxicam – Synthesis and structure analysis of cyclodehydration product of piroxicam: A metabolite detected in dogs and monkeys, 3368

PLA₂ – Molecular modeling and inhibition of phospholipase A₂ by polyhydroxy phenolic compounds, 312

Plants – Aziridine alkaloids as potential therapeutic agents, 3373

Plasma – Highly sensitive spectrofluorimetric determination of lomefloxacin in spiked human plasma, urine and pharmaceutical preparations, 3402

Plasma protein binding – Prediction of volume of distribution values in human using immobilized artificial membrane partitioning coefficients, the fraction of compound ionized and plasma protein binding data, 4455

Plasmid DNA – Synthesis and characterization of dinuclear macrocyclic cobalt(II), copper(II) and zinc(II) complexes derived from 2,2,2',2'-S,S[bis(bis-*N,N*-2-thiobenzimidazolyloxalato-1,2-ethane)]: DNA binding and cleavage studies, 834

Plasmid Supercil relaxation assays – Synthesis and biological activity evaluation of 1*H*-benzimidazoles via mammalian DNA topoisomerase I and cytotoxicity assays, 2280

Plasmodium berghei – Synthesis and antimalarial activity of pyrazolo and pyrimido benzothiazine dioxide derivatives, 1303

Plasmodium falciparum – Antiplasmodial and antitrypanosomal activities of aminobicyclo[2.2.2]octyl ω -aminoalkanoates, 736 – New antimalarial and cytotoxic 4-nerolidylcatechol derivatives, 2731 – Design and *in silico* screening of combinatorial library of antimalarial analogs of triclosan inhibiting *Plasmodium falciparum* enoyl-acyl carrier protein reductase, 3009 – Search for new pharmacophores for antimalarial activity. Part III: Synthesis and bioevaluation of new 6-thioureido-4-anilinoquinazolines, 4404 – Synthesis and antimalarial activity of new atovaquone derivatives, 4778 – A new series of amodiaquine analogues modified in the basic side chain with in vitro antileishmanial and antiplasmodial activity, 5071

- Plasmodium** – Primaquine revisited six decades after its discovery, 937
- Platinum complex** – Synthesis and antitubercular activity of palladium and platinum complexes with fluorquinolones, 4107
- Platinum** – Synthesis, characterisation and *in vitro* cytotoxicity studies of a series of chiral platinum(II) complexes based on the 2-aminomethylpyrrolidine ligand: X-ray crystal structure of [PtCl₂(R-dimepyrr)] (R-dimepyrr = N-dimethyl-2(R)-aminomethylpyrrolidine), 2807
- Platinum(II) complexes** – Cytotoxic activity and chemical reactivity of *cis*-platinum(II) and *trans*-palladium(II) complexes with diethyl (pyridinylmethyl)phosphates, 660
- Platinum(II) complexes** – *In vitro* and *in vivo* antitumor activity of platinum(II) complexes with thiosemicarbazones derived from 2-formyl and 2-acetyl pyridine and containing ring incorporated at N(4)-position: Synthesis, spectroscopic study and crystal structure of platinum(II) complexes with thiosemicarbazones, potential anticancer agents, 1296
- Platinum(II)** – Novel *trans*-dichloridoplatinum(II) complexes with 3- and 4-acetylpyridine: Synthesis, characterization, DFT calculations and cytotoxicity, 1921
- PLS** – A set of new amino acid descriptors applied in prediction of MHC class I binding peptides, 1144 – QSAR model for predicting radical scavenging activity of di(hetero)arylamines derivatives of benzo[b]thiophenes, 1952 – Juglone derivatives as antitubercular agents: A rationale for the activity profile, 2847 – Comparative chemometric modeling of cytochrome 3A4 inhibitory activity of structurally diverse compounds using stepwise MLR, FA-MLR, PLS, GFA, G/PLS and ANN techniques, 2913 – Multivariate QSAR study of 4,5-dihydroxypyrimidine carboxamides as HIV-1 integrase inhibitors, 3577
- Polar surface area** – Anti-nitric oxide production activity of isothiocyanates correlates with their polar surface area rather than their lipophilicity, 4931
- Pollutants** – Prediction of milk/plasma concentration ratios of drugs and environmental pollutants, 2452
- Polyamidoamine** – Generation-dependent encapsulation/electrostatic attachment of phenobarbital molecules by poly(amidoamine) dendrimers: Evidence from 2D-NOESY investigations, 2219
- Polyamine conjugate** – Synthesis, cytotoxicity and apoptosis of naphthalimide polyamine conjugates as antitumor agents, 393
- Polyamines** – Oligonucleotide-polyamine conjugates: Influence of length and position of 2'-attached polyamines on duplex stability and antisense effect, 670 – Preparation of spermine conjugates with acidic retinoids with potent ribonuclease P inhibitory activity, 2689
- Polybutyl adipate** – An investigation into the role of surfactants in controlling particle size of polymeric nanocapsules containing penicillin-G in double emulsion, 2392
- Polycyclic cage** – Polycyclic cage structures as carrier molecules for neuroprotective non-steroidal anti-inflammatory drugs, 2577
- Polydentate nitrogen ligands** – Synthetic, structural and biochemical studies of polynuclear platinum(II) complexes with heterocyclic ligands, 1041
- Polymer-bound reagents** – Synthesis of a series of N⁶-substituted adenosines with activity against trypanosomatid parasites, 3665
- Polymer-metal complex** – DNA binding and antimicrobial studies of polymer-copper(II) complexes containing 1,10-phenanthroline and l-phenylalanine ligands, 1878
- Polynuclear platinum complexes** – Synthetic, structural and biochemical studies of polynuclear platinum(II) complexes with heterocyclic ligands, 1041
- Polyphenols** – QSAR study of antioxidant activity of wine polyphenols, 400
- Polypyridyl** – Synthesis and DNA-binding studies of two ruthenium(II) complexes of an intercalating ligand, 2044
- Porphyrin-fullerenes** – The porphyrin-fullerene nanoparticles to promote the ATP overproduction in myocardium: ²⁵Mg²⁺-magnetic isotope effect, 1554
- Positive inotropic activity** – Synthesis of 2-(4-substitutedmethylpiperazin-1-yl)-N-(3,4-dihydro-3-oxo-2H-benzo[b][1,4]oxazin-7-yl)acetamides and their positive inotropic evaluation, 3027
- Positron emission tomography** – Analogs of JHU75528, a PET ligand for imaging of cerebral cannabinoid receptors (CB1): Development of ligands with optimized lipophilicity and binding affinity, 593 – Simple synthesis of carbon-11 labeled styryl dyes as new potential PET RNA-specific, living cell imaging probes, 2300 – Synthesis of [¹¹C]FEDAA1106 as a new PET imaging probe of peripheral benzodiazepine receptor expression, 2748
- Potassium channel openers** – QSAR modeling of pancreatic β-cell K_{ATP} channel openers R/S-3,4-dihydro-2,2-dimethyl-6-halo-4-(substituted phenylaminocarbonylamino)-2H-1-benzopyrans using MLR-FA techniques, 359
- Potential antitumor agents** – Novel 8-deaza-5,6,7,8-tetrahydroaminopterin derivatives as dihydrofolate inhibitor: Design, synthesis and antifolate activity, 764
- Potential inhibitors** – Diacylhydrazine derivatives as novel potential chitin biosynthesis inhibitors: Design, synthesis, and structure-activity relationship, 2985
- Potential of mean force** – Potential of mean force for Syrian hamster prion epitope protein – Monoclonal fab 3f4 antibody interaction studies, 3504
- Potentiators** – Quantitative structure-activity relationship (QSAR) of aryl alkenyl amides/imines for bacterial efflux pump inhibitors, 229 – Quantitative structure activity relationship (QSAR) of piperine analogs for bacterial NorA efflux pump inhibitors, 4128
- Poxviruses** – Synthesis and antiviral activity of new pyrazole and thiazole derivatives, 3746
- PPA cyclization** – Synthesis, analgesic, anti-inflammatory and antimicrobial studies of 2,4-dichloro-5-fluorophenyl containing thiazolotriazoles, 827
- PPAR** – 'Sum of activities' as dependent parameter: A new CoMFA-based approach for the design of pan PPAR agonists, 42
- PPI dendrimers** – PEGylated PPI dendritic architectures for sustained delivery of H₂ receptor antagonist, 1155
- PPR** – Prediction of CCR5 receptor binding affinity of substituted 1-(3,3-diphenylpropyl)-piperidinyl amides and ureas based on the heuristic method, support vector machine and projection pursuit regression, 25 – QSAR models for 2-amino-6-arylsulfonylbenzonitriles and congeners HIV-1 reverse transcriptase inhibitors based on linear and nonlinear regression methods, 2158
- Prasterone** – To determine the cytotoxicity of chlorambucil and one of its nitro-derivatives, conjugated to prasterone and pregnenolone, towards eight human cancer cell-lines, 2944
- Prato reaction** – Fullerene derivatized s-triazine analogues as antimicrobial agents, 2178
- pRb** – Synthesis and antiproliferative activity of 3-amino-N-phenyl-1H-indazole-1-carboxamides, 165
- Pregnenolone** – To determine the cytotoxicity of chlorambucil and one of its nitro-derivatives, conjugated to prasterone and pregnenolone, towards eight human cancer cell-lines, 2944
- Prenyl** – Synthesis of (±)Abyssinone I and related compounds: Their anti-oxidant and cytotoxic activities, 2239
- Preservatives** – Preparation and antimicrobial behaviour of quaternary ammonium thiol derivatives able to be grafted on metal surfaces, 717 – Enhanced activity of fluorinated quaternary ammonium surfactants against *Pseudomonas aeruginosa*, 1615 – Synthesis and antimicrobial properties of polymerizable quaternary ammoniums, 3201 – Contact-active microbicidal gold surfaces using immobilization of quaternary ammonium thiol derivatives, 4227
- Primaquine** – Primaquine revisited six decades after its discovery, 937 – Primaquine dipeptide derivatives bearing an imidazolidin-4-one moiety at the N-terminus as potential antimalarial prodrugs, 2506
- Principal component analysis** – New potential AChE inhibitor candidates, 3754
- Prion** – Potential of mean force for Syrian hamster prion epitope protein – Monoclonal fab 3f4 antibody interaction studies, 3504
- Prodrug** – Novel derivatives of 6-mercaptopurine: Synthesis, characterization and antiproliferative activities of S-allylthio-mercaptopurines, 541 – Towards an efficient prodrug of the alkylating metabolite monomethyltriazenes: Synthesis and stability of N-acylamino acid derivatives of triazenes, 1049 – Structure-activity relationships for dipep-

- tide prodrugs of acyclovir: Implications for prodrug design, 2339
- Prodrugs** – Primaquine dipeptide derivatives bearing an imidazolidin-4-one moiety at the *N*-terminus as potential antimalarial prodrugs, 2506 – Polycyclic cage structures as carrier molecules for neuroprotective non-steroidal anti-inflammatory drugs, 2577 – Dopamine- and tyramine-based derivatives of triazenes: Activation by tyrosinase and implications for prodrug design, 3228 – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies in rats, 3874
- Proflavine derivatives** – Photo-inducible cytotoxic and clastogenic activities of 3,6-di-substituted acridines obtained by acylation of proflavine, 2459
- Prolinamides** – The influence of an ethylene spacer on the 5-HT_{1A} and 5-HT_{2A} receptor affinity of arylpiperazine derivatives of amides with *N*-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones, 800
- Promastigote** – Synthesis, biological evaluation and SAR of sulfonamide 4-methoxy-chalcone derivatives with potential antileishmanial activity, 755
- Pro-cognitive agents** – Diamine-based human histamine H₃ receptor antagonists: (4-Aminobutyn-1-yl)benzylamines, 4098
- Propanehydrazonoyl chlorides** – Stereoselective synthesis and antimicrobial activity of benzofuran-based (1*E*)-1-(piperidin-1-yl)-*N*²-arylamidrazones, 4985
- Propargyl group** – Facile synthesis and in vitro properties of 1-alkyl- and 1-alkyl-*N*-propargyl-1,2,3,4-tetrahydroquinoline derivatives on PC12 cells, 4034
- Prostaglandin synthetase** – 10*H*-Phenothiazines: A new class of enzyme inhibitors for inflammatory diseases, 197
- Prostate cancer cells** – Effect of conjugates of *all-trans*-retinoic acid and shorter polyene chain analogues with amino acids on prostate cancer cell growth, 3175
- Prostate cancer** – Novel CYP17 inhibitors: Synthesis, biological evaluation, structure-activity relationships and modelling of methoxy- and hydroxy-substituted methyleneimidazolyl biphenyls, 2765
- Protease inhibitor** – Synthesis, antimalarial evaluation and molecular modeling studies of hydroxyethylpiperazines, potential aspartyl protease inhibitors, Part 2, 3816
- Protease M14 family** – A new type of five-membered heterocyclic inhibitors of basic metalloproteinases, 3266
- Proteases** – Natural polyprenylated benzophenones inhibiting cysteine and serine proteases, 1230
- Proteasome inhibition** – Metals in anticancer therapy: Copper(II) complexes as inhibitors of the 20S proteasome, 4353
- Proteasome inhibitors** – 3D-QSAR studies of boron-containing dipeptides as proteasome inhibitors with CoMFA and CoMSIA methods, 1486
- Protein binding** – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies in rats, 3874
- Protein kinase inhibitors** – Design, synthesis and characterization of *N*₆/*N*₇-substituted 6-aminopurines as VEGF-R and EGF-R inhibitors, 1788
- Protein synthesis** – Antifungal unsaturated cyclic Mannich ketones and amino alcohols: Study of mechanism of action, 1823
- Protein tyrosine phosphatase-1B inhibitors** – Novel 2-aryl-naphtho[1,2-*d*]oxazole derivatives as potential PTP-1B inhibitors showing antihyperglycemic activities, 109
- Protein tyrosine phosphatase 1B, PTP1B** – Structure-based virtual screening approach to identify novel classes of PTP1B inhibitors, 3280
- Pseudohypha** – Antifungal unsaturated cyclic Mannich ketones and amino alcohols: Study of mechanism of action, 1823
- Pseudomonas aeruginosa** – Enhanced activity of fluorinated quaternary ammonium surfactants against *Pseudomonas aeruginosa*, 1615
- Pterocarpan** – (±)-3,4-Dihydroxy-8,9-methylene-dioxypterocarpan and derivatives: Cytotoxic effect on human leukemia cell lines, 920
- PTP1B inhibition** – Synthesis and evaluation of some novel isochroman carboxylic acid derivatives as potential anti-diabetic agents, 3147
- Pyrazine** – Synthesis and antimycobacterial activity of *N*-[(*E*)-(monosubstituted-benzylidene)]-2-pyrazinecarbohydrazide derivatives, 4954
- Pyrazol** – Synthesis and antimalarial activity of pyrazolo and pyrimido benzothiazine dioxide derivatives, 1303
- Pyrazole** – Synthesis and molluscicidal activity of some new thiophene, thiadiazole and pyrazole derivatives, 1250 – Synthesis of novel pyrazole derivatives and evaluation of their antidepressant and anticonvulsant activities, 3480 – Synthesis and antiviral activity of new pyrazole and thiazole derivatives, 3746 – Antioxidant and antibacterial studies of arylazopyrazoles and arylhydrazonopyrazolones containing coumarin moiety, 4690
- Pyrazoles** – Synthesis and anti-HSV-1 evaluation of some pyrazoles and fused pyrazolopyrimidines, 3285 – Convenient synthesis and antimicrobial evaluation of some novel 2-substituted-3-methylbenzofuran derivatives, 3637
- Pyrazoline** – Synthesis and pharmacological evaluation of a novel series of 5-(substituted)aryl-3-(3-coumarinyl)-1-phenyl-2-pyrazolines as novel anti-inflammatory and analgesic agents, 1682 – Synthesis and antinociceptive activities of some pyrazoline derivatives, 2606
- Pyrazolines** – Synthesis, spectral studies and antiamebic activity of new 1-*N*-substituted thiocarbamoyl-3-phenyl-2-pyrazolines, 417 – Synthesis of novel thiazolone-based compounds containing pyrazoline moiety and evaluation of their anticancer activity, 1396
- Pyrazolo[3,4-*b*]pyridines** – Synthesis of some novel pyrazolo[3,4-*b*]pyridine and pyrazolo[3,4-*d*]pyrimidine derivatives bearing 5,6-diphenyl-1,2,4-triazine moiety as potential antimicrobial agents, 4385
- Pyrazolo[3,4-*d*]pyrimidines** – Synthesis of some novel pyrazolo[3,4-*b*]pyridine and pyrazolo[3,4-*d*]pyrimidine derivatives bearing 5,6-diphenyl-1,2,4-triazine moiety as potential antimicrobial agents, 4385
- Pyrazolo[4,3-*e*][1,2,4]triazines** – Cyclocondensation reaction of heterocyclic carbonyl compounds, Part XIII: Synthesis and cytotoxic activity of some 3,7-diaryl-5-(3,4,5-trimethoxyphenyl)pyrazolo[4,3-*e*][1,2,4]triazines, 891
- Pyrazolopyridine** – New pyridone, thioxopyridine, pyrazolopyridine and pyridine derivatives that modulate inflammatory mediators in stimulated RAW 264.7 murine macrophage, 4547
- Pyrazolopyrimidines** – Synthesis and anti-HSV-1 evaluation of some pyrazoles and fused pyrazolopyrimidines, 3285
- Pyridazine** – Novel pyridazine derivatives: Synthesis and antimicrobial activity evaluation, 1989
- Pyridazinone** – Synthesis and blood glucose lowering effect of novel pyridazinone substituted benzenesulfonylurea derivatives, 2673 – Synthesis and analgesic and anti-inflammatory activities 6-substituted-3(2*H*)-pyridazinone-2-acetyl-2-(*p*-substituted/nonsubstituted benzal)hydrazone derivatives, 3760
- Pyridazinones** – Synthesis and vasodilatory activity of some amide derivatives of 6-(4-carboxymethoxyphenyl)-4,5-dihydro-3(2*H*)-pyridazinone, 4441
- Pyridine derivatives** – Cytotoxic activity and chemical reactivity of *cis*-platinum(II) and *trans*-palladium(II) complexes with diethyl (pyridinylmethyl)phosphates, 660
- Pyridine estrogen** – Phenethyl pyridines with non-polar internal substituents as selective ligands for estrogen receptor beta, 3560
- Pyridine** – Copper complexes of pyridine derivatives with superoxide scavenging and antimicrobial activities, 3259 – New pyridone, thioxopyridine, pyrazolopyridine and pyridine derivatives that modulate inflammatory mediators in stimulated RAW 264.7 murine macrophage, 4547
- Pyrido[1,2-*a*]pyrimidines** – Synthesis and evaluation of pyrido[1,2-*a*]pyrimidines as inhibitors of nitric oxide synthases, 2877
- Pyrido[1,2-*c*]pyrimidines** – Novel 4-aryl-pyrido[1,2-*c*]pyrimidines with dual SSRI and 5-HT_{1A} activity, Part 1, 1710
- Pyrido[1,2-*c*]pyrimidines** – Novel 4-aryl-pyrido[1,2-*c*]pyrimidines with dual SSRI and 5-HT_{1A} activity: Part 2, 4702
- Pyrido[2,3-*d*]pyrimidines** – Synthesis of new 2-substituted pyrido[2,3-*d*]pyrimidin-4(1*H*)-ones and their antibacterial activity, 1369
- Pyridocarbazoles** – Photochemical electrocyclisation of 3-vinylindoles to pyrido[2,3-*a*]-, pyrido[4,3-*a*]- and thieno[2,3-*a*]-carbazoles: Design, synthesis, DNA binding and antitumor cell cytotoxicity, 3235

Pyridone – New pyridone, thioxopyridine, pyrazolopyridine and pyridine derivatives that modulate inflammatory mediators in stimulated RAW 264.7 murine macrophage, 4547

Pyrimidine – Synthesis and antimalarial activity of pyrazolo and pyrimido benzothiazine dioxide derivatives, 1303 – Acyclic nucleoside bisphosphonates: Synthesis and properties of chiral 2-amino-4,6-bis[(phosphonomethoxy)alkoxy]pyrimidines, 2408 – Synthesis and antileishmanial activity of novel 2,4,6-trisubstituted pyrimidines and 1,3,5-triazines, 2473

Pyrimidines – Synthesis of new 2-substituted pyrido[2,3-*d*]pyrimidin-4(1*H*)-ones and their antibacterial activity, 1369 – Substituted quinolinyl chalcones and quinolinyl pyrimidines as a new class of anti-infective agents, 2081 – Enaminonitrile in heterocyclic synthesis: Synthesis and antimicrobial evaluation of some new pyrazole, isoxazole and pyrimidine derivatives incorporating a benzothiazole moiety, 4813

Pyrimido[4,5-*b*]quinolone – Design and synthesis of azolopyrimidoquinolones, pyrimidoquinazolines as anti-oxidant, anti-inflammatory and analgesic activities, 609

Pyrroles – Synthesis and bioassay of a new class of heterocycles pyrrolyl oxadiazoles/thiadiazoles/triazoles, 2313

Pyrrolidine carboxamide – Discovery of potential new InhA direct inhibitors based on pharmacophore and 3D-QSAR analysis followed by in silico screening, 3718

Pyrrolidine-2,5-dione – The influence of an ethylene spacer on the 5-HT_{1A} and 5-HT_{2A} receptor affinity of arylpiperazine derivatives of amides with *N*-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones, 800

Pyrrolidine-5-one-carboxamide – The influence of an ethylene spacer on the 5-HT_{1A} and 5-HT_{2A} receptor affinity of arylpiperazine derivatives of amides with *N*-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones, 800

Pyrrlo[1,2-*c*]pyrimidines – Synthesis, analgesic and anti-inflammatory activities evaluation of some bi-, tri- and tetracyclic condensed pyrimidines, 4572

Pyrrloquinoline – DNA-targeting pyrroloquinoline-linked butenone and chalcones: Synthesis and biological evaluation, 2854

Q

QAAR – Exploring QSAR and QAAR for inhibitors of cytochrome P450 2A6 and 2A5 enzymes using GFA and G/PLS techniques, 1941

QSAR modelling – QSAR modelling of pancreatic β -cell K_{ATP} channel openers *R/S*-3,4-dihydro-2,2-dimethyl-6-halo-4-(substituted phenylaminocarbonylamino)-2*H*-1-benzopyrans using MLR-FA techniques, 359

QSAR – Prediction of CCR5 receptor binding affinity of substituted 1-(3,3-diphenyl-

propyl)-piperidinyl amides and ureas based on the heuristic method, support vector machine and projection pursuit regression, 25 – ‘Sum of activities’ as dependent parameter: A new CoMFA-based approach for the design of pan PPAR agonists, 42 – Possible anticancer agents: QSAR analogs of glutamamide: Synthesis and pharmacological activity of 1,5-*N,N'*-disubstituted-2-(substituted benzenesulfonyl) glutamamides, 70 – Quantitative structure-activity relationship (QSAR) of aryl alkenyl amides/imines for bacterial efflux pump inhibitors, 229 – Larvicidal activities of some organotin compounds on mosquito larvae: A QSAR study, 260 – Antileukotrienic phenethylamide derivatives of arylalkanoic acids in the treatment of ulcerative colitis, 332 – QSAR study of antioxidant activity of wine polyphenols, 400 – Evaluation of the local anaesthetic activity of 3-aminobenzod[*j*]isothiazole derivatives using the rat sciatic nerve model, 473 – Hansch analysis of veratric acid derivatives as antimicrobial agents, 689 – QSAR analysis of salicylamide isosteres with the use of quantum chemical molecular descriptors, 869 – A novel QSAR model for predicting the inhibition of CXCR3 receptor by 4-*N*-aryl-[1,4] diazepane ureas, 877 – Synthesis and QSAR evaluation of 2-(substituted phenyl)-1*H*-benzimidazoles and [2-(substituted phenyl)-benzimidazol-1-yl]-pyridin-3-yl-methanones, 1119 – A set of new amino acid descriptors applied in prediction of MHC class I binding peptides, 1144 – Predictive QSAR modeling of HIV reverse transcriptase inhibitor TIBO derivatives, 1509 – Design, synthesis, structure-activity relationship and antibacterial activity series of novel imidazo fused quinolone carboxamides, 1570 – Modeling the activity of furin inhibitors using artificial neural network, 1664 – Antifungal unsaturated cyclic Mannich ketones and amino alcohols: Study of mechanism of action, 1823 – Hansch analysis of substituted benzoic acid benzylidene/furan-2-yl-methylene hydrazides as antimicrobial agents, 1853 – Exploring QSAR and QAAR for inhibitors of cytochrome P450 2A6 and 2A5 enzymes using GFA and G/PLS techniques, 1941 – QSAR model for predicting radical scavenging activity of di(hetero)arylamines derivatives of benzo[*b*]thiophenes, 1952 – Synthesis, antimicrobial evaluation and QSAR study of some 3-hydroxypyridine-4-one and 3-hydroxypyran-4-one derivatives, 2145 – QSAR models for 2-amino-6-arylsulfonylbenzonitriles and congeners HIV-1 reverse transcriptase inhibitors based on linear and nonlinear regression methods, 2158 – CoMFA and docking studies of 2-phenylindole derivatives with anticancer activity, 2822 – Comparative chemometric modeling of cytochrome 3A4 inhibitory activity of structurally diverse compounds using stepwise MLR, FA-MLR, PLS, GFA, G/PLS and ANN techniques, 2913 – Diacylhydrazine

derivatives as novel potential chitin biosynthesis inhibitors: Design, synthesis, and structure-activity relationship, 2985 – Multivariate QSAR study of 4,5-dihydroxypyrimidine carboxamides as HIV-1 integrase inhibitors, 3577 – QSAR study of Akt/protein kinase B (PKB) inhibitors using support vector machine, 4090 – Quantitative structure activity relationship (QSAR) of piperine analogs for bacterial NorA efflux pump inhibitors, 4128 – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461 – Multi-target spectral moments for QSAR and Complex Networks study of antibacterial drugs, 4516 – Prediction of telomerase inhibitory activity for acridinic derivatives based on chemical structure, 4826 – Application of genetic algorithm-support vector machine (GA-SVM) for prediction of BK-channels activity, 5023

QSAR study – Juglone derivatives as antitubercular agents: A rationale for the activity profile, 2847

QSPR – QSPR modeling bioconcentration factor (BCF) by balance of correlations, 2544

Quantitative structure-activity relationship (QSAR) – A QSAR study for the cytotoxic activities of taxoids against macrophage (MΦ)-like cells, 274

Quantitative structure-activity relationship (QSAR) – Quantitative structure-activity relationship analysis of aryl alkanol piperazine derivatives with antidepressant activities, 4367 – Synthesis and QSAR modeling of 2-acetyl-2-ethoxycarbonyl-1-[4(4'-aryloxy)-phenyl]-*N,N*-dimethylaminophenyl aziridines as potential antibacterial agents, 251 – Topological descriptors in modeling the agonistic activity of human A₃ adenosine receptor ligands: The derivatives of 2-chloro-*N*⁶-substituted-4'-thioadenosine-5'-uronamide, 1377

Quantitative structure-activity relationship – Quantitative structure-activity relationship study of serotonin (5-HT₇) receptor inhibitors using modified ant colony algorithm and adaptive neuro-fuzzy interference system (ANFIS), 1463 – Preparation and in vitro evaluation of benzylsulfanyl benzoxazole derivatives as potential antituberculosis agents, 2286 – Development of QSAR models for predicting hepatocarcinogenic toxicity of chemicals, 3658 – Predicting the activity of drugs for a group of imidazopyridine anticoccidial compounds, 4044

Quantum chemical calculations – Synthesis, pharmacological screening, quantum chemical and *in vitro* permeability studies of *N*-Mannich bases of benzimidazoles through bovine cornea, 2307

Quaternary ammonium compounds – Synthesis and antimicrobial properties of polymerizable quaternary ammoniums, 3201 – Dialkylamino and nitrogen heterocyclic analogues of hexadecylphospho-

- choline and cetyltrimethylammonium bromide: Effect of phosphate group and environment of the ammonium cation on their biological activity, 4970
- Quaternary ammonium salts** – Preparation and antimicrobial behaviour of quaternary ammonium thiol derivatives able to be grafted on metal surfaces, 717 – Enhanced activity of fluorinated quaternary ammonium surfactants against *Pseudomonas aeruginosa*, 1615 – Novel topoisomerase I-targeting antitumor agents synthesized from the *N,N,N*-trimethylammonium derivative of ARC-111, 5*H*-2,3-dimethoxy-8,9-methylenedioxy-5-[(2-*N,N,N*-trimethylammonium)ethyl]dibenzo[*c,h*][1,6]naphthyridin-6-one iodide, 3433 – Contact-active microbicidal gold surfaces using immobilization of quaternary ammonium thiol derivatives, 4227
- Quercetin** – Discovering novel quercetin-3-*O*-amino acid-esters as a new class of Src tyrosine kinase inhibitors, 1982
- Quinazoline** – Search for new pharmacophores for antimalarial activity. Part III: Synthesis and bioevaluation of new 6-thioureido-4-anilinoquinazolines, 4404
- Quinazolines** – Promising carboranylquinazolines for boron neutron capture therapy: Synthesis, characterization, and *in vitro* toxicity evaluation, 409
- Quinazolin-4(3*H*)-one** – Synthesis and anti-microbial screening of some Schiff bases of 3-amino-6,8-dibromo-2-phenylquinazolin-4(3*H*)-ones, 2328
- Quinazolin-4-ones** – Synthesis and anti-inflammatory activity of newer quinazolin-4-one derivatives, 83
- Quinazolinone** – Antimicrobial studies of some novel quinazolinones fused with [1,2,4]-triazole, [1,2,4]-triazine and [1,2,4,5]-tetrazine rings, 1188
- Quinoline** – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Design, synthesis and anticancer evaluation of novel tetrahydroquinoline derivatives containing sulfonamide moiety, 4211 – Synthesis and antimicrobial activities of novel quinoline derivatives carrying 1,2,4-triazole moiety, 4637
- Quinolines** – Design, synthesis, structure-activity relationship and antibacterial activity series of novel imidazo fused quinolone carboxamides, 1570 – Synthesis and antimycobacterial activities of novel 6-nitroquinolone-3-carboxylic acids, 345 – Synthesis and antibacterial activity of nitroaryl thiadiazole-gatifloxacin hybrids, 1205
- Quinones** – (±)-3,4-Dihydroxy-8,9-methylenedioxycarpan and derivatives: Cytotoxic effect on human leukemia cell lines, 920
- Quinoxaline** – Synthesis of some new 4-styryl-tetrazolo[1,5-*a*]quinoxaline and 1-substituted-4-styryl[1,2,4]triazolo[4,3-*a*]quinoxaline derivatives as potent anticonvulsants, 1135
- Quorum sensing** – Synthesis and evaluation of antibacterial activities of andrographolide analogues, 2936
- R**
- Radical scavenging** – Synthesis of (±)Abyssinone I and related compounds: Their anti-oxidant and cytotoxic activities, 2239
- Radioligand binding assays** – Substituted benzo[*d*]oxazol-2(3*H*)-one derivatives with preference for the σ_1 binding site, 124 – Synthesis of a series of 8-(substituted-phenyl)xanthines and a study on the effects of substitution pattern of phenyl substituents on affinity for adenosine A_1 and A_{2A} receptors, 2122
- Raf-1 kinase inhibitors** – Virtual screening for Raf-1 kinase inhibitors based on pharmacophore model of substituted ureas, 1240
- Raman** – Synthesis, Raman, FT-IR, NMR spectroscopic data and antimicrobial activity of mixed aza-oxo-thia macrocyclic compounds, 365
- Random forest** – Classification models for CYP450 3A4 inhibitors and non-inhibitors, 2354
- Rare earths** – Crystal structures, antioxidant and DNA binding properties of Dy(III) complexes with Schiff-base ligands derived from 8-hydroxyquinoline-2-carboxaldehyde and four aroylhydrazines, 5080
- Rational design** – On designing non-saccharide, allosteric activators of antithrombin, 2626 – New azoles with potent antifungal activity: Design, synthesis and molecular docking, 4218
- RCM reaction** – Large ring 1,3-bridged 2-azetidinones: Experimental and theoretical studies, 2071
- Reactivators** – In-vitro regeneration of sarin inhibited electric eel acetylcholinesterase by bis-pyridinium oximes bearing xylene linker, 1326 – Synthesis and evaluation of novel bis-pyridinium oximes as reactivators of DFP-inhibited acetylcholinesterase, 1335
- Real time fluorescence microscopy** – Unusual cellular uptake of cytotoxic 4-hydroxymethyl-3-aminoacridine, 4758
- Rebecamycin** – A three-step synthesis from rebecamycin of an efficient checkpoint kinase 1 inhibitor, 2234
- Receptor binding studies** – Synthesis of σ receptor ligands with unsymmetrical spiro connection of the piperidine moiety, 4306
- Receptor docking** – Analogs of JHU75528, a PET ligand for imaging of cerebral cannabinoid receptors (CB1): Development of ligands with optimized lipophilicity and binding affinity, 593
- Recursive partitioning** – Classification models for CYP450 3A4 inhibitors and non-inhibitors, 2354
- Reducing power** – Synthesis of (±)Abyssinone I and related compounds: Their anti-oxidant and cytotoxic activities, 2239
- Regioselective** – *N*1-Alkylated 3,4-dihydropyrimidine-2(1*H*)-ones: Convenient one-pot selective synthesis and evaluation of their calcium channel blocking activity, 1997 – Natural tanshinone-like heterocyclic-fused *ortho*-quinones from regioselective Diels-Alder reaction: Synthesis and cytotoxicity evaluation, 3915
- Regression analysis** – Antileukotrienic phenethylamido derivatives of arylalkanoic acids in the treatment of ulcerative colitis, 332
- Renin inhibitors** – Application of 3D QSAR CoMFA/CoMSIA and *in silico* docking studies on novel renin inhibitors against cardiovascular diseases, 3703
- Restrained molecular dynamics** – Studies on self-aggregation of anthracycline drugs by restrained molecular dynamics approach using nuclear magnetic resonance spectroscopy supported by absorption, fluorescence, diffusion ordered spectroscopy and mass spectrometry, 1437
- Resveratrol analogs** – Synthesis and biological evaluation of cytotoxic properties of stilbene-based resveratrol analogs, 701
- Resveratrol** – A theoretical antioxidant pharmacophore for resveratrol, 1644
- Retinoid** – Effect of conjugates of *all-trans*-retinoic acid and shorter polyene chain analogues with amino acids on prostate cancer cell growth, 3175
- Retinoid receptors** – Effect of conjugates of *all-trans*-retinoic acid and shorter polyene chain analogues with amino acids on prostate cancer cell growth, 3175
- Retinoid-related molecules (RRMs)** – Highly twisted adamantyl arotinoids: Synthesis, antiproliferative effects and RXR transactivation profiles, 2434
- Retinoids** – Preparation of spermine conjugates with acidic retinoids with potent ribonuclease P inhibitory activity, 2689
- Retinoyl ferrocene derivatives** – Synthesis, characterization and in vitro antiproliferative activities of new 13-*cis*-retinoyl ferrocene derivatives, 2572
- Reverse transcriptase inhibitor** – Predictive QSAR modeling of HIV reverse transcriptase inhibitor TIBO derivatives, 1509
- Reverse transcriptase** – Thiocarbamates as non-nucleoside HIV-1 reverse transcriptase inhibitors: Docking-based CoMFA and CoMSIA analyses, 2059
- RFC** – Cytotoxicity and effects of 1,10-phenanthroline and 5-amino-1,10-phenanthroline derivatives on some immunocompetent cells, 5099
- RGD** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394 – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- RGD octapeptide** – Synthesis, evaluation and 3D QSAR analysis of novel estradiol-RGD octapeptide conjugates with oral anti-osteoporosis activity, 1689
- Rhenium** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394 – Synthesis and characterization of rhenium and technetium-99m tricarbonyl complexes bearing the 4-[3-bromophenyl]quinazoline moiety as a biomarker for EGFR-TK imaging, 4021
- Rhodanine** – Synthesis and in vivo antidiabetic activity of novel dispiropyrrolidines through [3+2] cycloaddition reactions with

- thiazolidinedione and rhodanine derivatives, 3272
- Ribonuclease P inhibition** – Preparation of spermine conjugates with acidic retinoids with potent ribonuclease P inhibitory activity, 2689
- Rigid analogues** – Tetrahydronaphthyl azole oxime ethers: The conformationally rigid analogues of oxiconazole as antibacterials, 437
- Rimonabant** – Analogs of JHU75528, a PET ligand for imaging of cerebral cannabinoid receptors (CB1): Development of ligands with optimized lipophilicity and binding affinity, 593 – The structure of Rimonabant in the solid state and in solution: An experimental and theoretical study, 1864
- Ring-substituted quinolines** – Synthesis, anti-tuberculosis activity and 3D-QSAR study of amino acid conjugates of 4-(adamantan-1-yl) group containing quinolines, 2017
- RNA** – Simple synthesis of carbon-11 labeled styryl dyes as new potential PET RNA-specific, living cell imaging probes, 2300
- Rosiglitazone** – Spectrophotometric and HPLC determinations of anti-diabetic drugs, rosiglitazone maleate and metformin hydrochloride, in pure form and in pharmaceutical preparations, 4998
- Rota-Rod** – Synthesis and antinociceptive activities of some pyrazoline derivatives, 2606
- RP-HPLC** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Ru(II) complex** – Cytotoxic and genotoxic effects of $[\text{Ru}(\text{phen})_3]^{2+}$ evaluated by Ames/Salmonella and MTT methods, 2601
- Rubiaceae-type cyclopeptides** – 2D- and 3D-QSAR studies on 54 anti-tumor Rubiaceae-type cyclopeptides, 3425
- Ruthenium complexes** – Effect of ruthenium complexation on trypanocidal activity of 5-nitrofuryl containing thiosemicarbazones, 4937
- Ruthenium(II) complexes** – Synthesis and DNA-binding studies of two ruthenium(II) complexes of an intercalating ligand, 2044
- RXR** – Highly twisted adamantyl arotinoids: Synthesis, antiproliferative effects and RXR transactivation profiles, 2434
- B**
- σ Receptor ligands – 1,4-Diazepanes derived from (S)-serine – Homopiperazines with improved σ_1 (sigma) receptor affinity and selectivity, 519** – Synthesis of σ receptor ligands with unsymmetrical spiro connection of the piperidine moiety, 4306
- S**
- SAERs** – CoMFA, LeapFrog and blind docking studies on sulfonanilide derivatives acting as selective aromatase expression regulators, 3445
- Salicylaldehyde** – Synthesis, characterization, antimicrobial and antitumor screening of some diorganotin(IV) complexes of 2-[(9H-Purin-6-ylimino)]-phenol, 3981 – Synthesis, spectroscopic characterization and antibacterial activity of new cobalt(II) complexes of unsymmetrical tetradentate (OSN₂) Schiff base ligands, 4490
- Salicylamide isosteres** – QSAR analysis of salicylamide isosteres with the use of quantum chemical molecular descriptors, 869
- SAR** – Design, synthesis and structure-activity relationships of antiproliferative 1,3-disubstituted urea derivatives, 453 – Synthesis, biological evaluation and SAR of sulfonamide 4-methoxychalcone derivatives with potential antileishmanial activity, 755 – Synthesis and in vitro anti-HIV evaluation of a new series of 6-arylmethyl-substituted S-DABOs as potential non-nucleoside HIV-1 reverse transcriptase inhibitors, 1016 – Novel amide derivatives as inhibitors of histone deacetylase: Design, synthesis and SAR, 1067 – Natural polyphenylated benzophenones inhibiting cysteine and serine proteases, 1230 – Examination of growth inhibitory properties of synthetic chalcones for which antibacterial activity was predicted, 2211 – Synthesis and evaluation of a novel series of heterocyclic oleanolic acid derivatives with anti-osteoclast formation activity, 2796
- Sarin** – In-vitro regeneration of sarin inhibited electric eel acetylcholinesterase by bis-pyridinium oximes bearing xylene linker, 1326
- SARs** – Synthesis and *in vitro* cytotoxic evaluation of novel 3,4,5-trimethoxyphenyl substituted β -carboline derivatives, 533
- Scanning electron microscopy** – Synthesis and activity of fibrillogenesis peptide inhibitors related to the 17–21 β -amyloid sequence, 179
- Scavenging/antioxidant activity** – Melatonin: Quantum-chemical and biochemical investigation of antioxidant activity, 2834
- Schiff base** – Fullerene derivatized s-triazine analogues as antimicrobial agents, 2178 – Synthesis and anti-microbial screening of some Schiff bases of 3-amino-6,8-dibromo-2-phenylquinazolin-4(3H)-ones, 2328 – Synthesis of some new 1,3,4-thiadiazol-2-ylmethyl-1,2,4-triazole derivatives and investigation of their antimicrobial activities, 2896 – Regioselective reaction: Synthesis and pharmacological study of Mannich bases containing ibuprofen moiety, 3697 – Novel 4-(morpholin-4-yl)-N'-(arylidene)benzohydrazides: Synthesis, antimycobacterial activity and QSAR investigations, 3954 – Synthesis, characterization, antimicrobial and antitumor screening of some diorganotin(IV) complexes of 2-[(9H-Purin-6-ylimino)]-phenol, 3981 – Synthesis of substituted-phenyl-1,2,4-triazol-3-thione analogues with modified d-glucopyranosyl residues and their antiproliferative activities, 4716
- Schiff bases** – Synthesis, NMR characterization and in vitro antitumor evaluation of new aminophosphonic acid diesters, 3363 – Regioselective reaction: Synthesis, characterization and pharmacological studies of some new Mannich bases derived from 1,2,4-triazoles, 3784 – Chiral gossypol derivatives: Evaluation of their anticancer activity and molecular modeling, 3961 – Crystal structures, antioxidation and DNA binding properties of Dy(III) complexes with Schiff-base ligands derived from 8-hydroxyquinoline-2-carboxaldehyde and four arylhydrazines, 5080
- Schiff's bases** – Synthesis and antitumor activity of some new xanthotoxin derivatives, 2967
- Sciatic nerve** – Evaluation of the local anaesthetic activity of 3-aminobenzo[d]isothiazole derivatives using the rat sciatic nerve model, 473
- SD** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- Seco-tanapartholide** – Structure-activity relationship of seco-tanapartholides isolated from *Achillea falcata* for inhibition of HaCaT cell growth, 3794
- Selective ligand** – Bibenzyl- and stilbene-core compounds with non-polar linker atom substituents as selective ligands for estrogen receptor beta, 3412 – Phenethyl pyridines with non-polar internal substituents as selective ligands for estrogen receptor beta, 3560
- Selenosemicarbazone** – Synthesis and characterization of new Pt(II) and Pd(II) complexes with 2-quinolinecarboxaldehyde selenosemicarbazone: Cytotoxic activity evaluation of Cd(II), Zn(II), Ni(II), Pt(II) and Pd(II) complexes with heteroaromatic selenosemicarbazones, 1623
- Self assemblage tendency** – Perspectives in designing anti aggregation agents as Alzheimer disease drugs, 3866
- Self-assembled monolayers** – Contact-active microbicidal gold surfaces using immobilization of quaternary ammonium thiol derivatives, 4227
- Semicarbazides** – Synthesis of some novel N⁴-(naphtha[1,2-d]thiazol-2-yl)semicarbazides as potential anticonvulsants, 203
- Semi-synthetic 4-nerolidylcatechol derivatives** – New antimalarial and cytotoxic 4-nerolidylcatechol derivatives, 2731
- Serine-enzyme inhibition** – Large ring 1,3-bridged 2-azetidinones: Experimental and theoretical studies, 2071
- Serotonin receptor** – Quantitative structure-activity relationship study of serotonin (5-HT₇) receptor inhibitors using modified ant colony algorithm and adaptive neuro-fuzzy interference system (ANFIS), 1463 – Application of desirability-based multi(bi)-objective optimization in the design of selective arylpiperazine derivatives for the 5-HT_{1A} serotonin receptor, 5045
- SERT** – Synthesis and serotonin transporter activity of sulphur-substituted α -alkyl

phenethylamines as a new class of anti-cancer agents, 4862

Sesquiterpene lactone – Structure–activity relationship of seco–tanaphthalides isolated from *Achillea falcata* for inhibition of HaCaT cell growth, 3794

Sesquiterpene lactones – Synthesis and cytotoxic activity of α –santonin derivatives, 3739

Shikonin derivatives – Synthesis and antitumor activity of 6– and 2–(1–substituted–thio–4–methylpent–3–enyl)–5,8–dimethoxynaphthalene–1,4–diones, 1410

Shuffling cross–validation – Quantitative structure–activity relationship study of serotonin (5–HT₇) receptor inhibitors using modified ant colony algorithm and adaptive neuro–fuzzy interference system (ANFIS), 1463

Single crystal – Synthesis and structure analysis of cyclodehydration product of piroxicam: A metabolite detected in dogs and monkeys, 3368

Size–intensive descriptors – Molecular properties of psychopharmacological drugs determining non–competitive inhibition of 5–HT_{3A} receptors, 2667

Skeletal muscle relaxant activity – Synthesis of novel bioactive derivatives of 3–(4–chlorophenyl)–2–hydrazino–5,6,7,8–tetrahydrobenzo(*b*)thieno[2,3–*d*]pyrimidine–4(3*H*)–ones, 4721

Skimmin – Antiamoebic coumarins from the root bark of *Adina cordifolia* and their new thiosemicarbazone derivatives, 2252

Small peptides – Computational study of the electronic structure characterization of a novel anti–inflammatory tripeptide derived from monocyte locomotion inhibitory factor (MLIF)–pentapeptide, 3114

SMILES – QSPR modeling bioconcentration factor (BCF) by balance of correlations, 2544

Smooth muscle relaxation – A series of 1, 2–coupled indane dimers with mast cell stabilisation and smooth muscle relaxation properties, 5018

S– and C–nucleosidoquinazolines – S– and C–nucleosidoquinazoline as new nucleoside analogs with potential analgesic and anti–inflammatory activity, 4249

S–Allylthio–6–mercaptapurine – Novel derivatives of 6–mercaptapurine: Synthesis, characterization and antiproliferative activities of S–allylthio–mercaptapurines, 541

S–DABOs – Synthesis and in vitro anti–HIV evaluation of a new series of 6–aryl–methyl–substituted S–DABOs as potential non–nucleoside HIV–1 reverse transcriptase inhibitors, 1016

S–Methylthiosemicarbazone–oxovanadium – Synthesis, characterization and antidiabetic properties of N¹–2,4–dihydroxybenzylidene–N⁴–2–hydroxybenzylidene–S–methyl–thiosemicarbazidato–oxovanadium(IV), 818

B

σ –Receptors – Substituted benzo[*d*]oxazol–2(3*H*)–one derivatives with preference for the σ_1 binding site, 124

S

s–Triazine – Fullerene derivatized s–triazine analogues as antimicrobial agents, 2178

Sodium channel – 2D– and 3D–QSAR of Tocainide and Mexiletine analogues acting as Na_v1.4 channel blockers, 1477

Solid–phase synthesis – The influence of an ethylene spacer on the 5–HT_{1A} and 5–HT_{2A} receptor affinity of arylpiperazine derivatives of amides with N–acylated amino acids and 3–differently substituted pyrrolidine–2,5–diones, 800

Solution–phase parallel synthesis (SPPS) – Solution–phase parallel synthesis and evaluation of anticonvulsant activity of N–substituted–3,4–dihydroisquinoline–2(1*H*)–carboxamides, 1349

Solvent effect – Molecular structure and stability of perindopril erbumine and perindopril l–arginine complexes, 101

SOMFA – Self organizing molecular field analysis on a series of human 5 α –reductase inhibitors: Unsaturated 3–carboxysteroid, 4920

Sonogashira coupling – Synthesis of novel 3–(aryl)benzothieno[2,3–*c*]pyran–1–ones from Sonogashira products and intramolecular cyclization: Antitumoral activity evaluation, 1893

Spectral moments – Multi–target spectral moment: QSAR for antifungal drugs vs. different fungi species, 4051 – Scoring function for DNA–drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461

Spectral – Synthesis, characterization, DNA cleavage and *in vitro* antimicrobial studies of La(III), Th(IV) and VO(IV) complexes with Schiff bases of coumarin derivatives, 2904

Spectral studies – Biological activity studies on metal complexes of novel tridentate Schiff base ligand. Spectroscopic and thermal characterization, 4801

Spectrophotometry – A novel spectrophotometric method for the determination of aminophylline with boric acid in pharmaceutical and mixed serum samples, 1452 – Blue CrO₃ assay: A novel spectrophotometric method for the evaluation of the antioxidant and oxidant capacity of various biological substances, 4162

Spectroscopic studies – Antimicrobial active macrocyclic complexes of Cr(III), Mn(III) and Fe(III) with their spectroscopic approach, 3299

Spectroscopy – Synthesis, spectroscopic characterization, X–ray structure and evaluation of binding parameters of new triorganotin(IV) dithiocarboxylates with DNA, 3986 – Synthesis, crystal structures and antibacterial activity studies of aza–derivatives of phytoalexin from cotton plant – gossypol, 4393

Spermine conjugates – Preparation of spermine conjugates with acidic retinoids with potent ribonuclease P inhibitory activity, 2689

Sphere–exclusion – Development of QSAR models for predicting hepatocarcinogenic toxicity of chemicals, 3658

Spiroazetidinones – Synthesis and antimicrobial activity of new 1–alkyl/cyclohexyl–3,3–diaryl–1′–methylspiro[azetidine–2,3′–indoline]–2′,4–diones, 2265

Spirocyclic piperidines – Synthesis of σ receptor ligands with unsymmetrical spiro connection of the piperidine moiety, 4306

Spiro–piperidone – A facile synthesis and antimycobacterial evaluation of novel spiro–pyrido–pyrrolizines and pyrrolidines, 3821

Spirosuccinimides – The influence of an ethylene spacer on the 5–HT_{1A} and 5–HT_{2A} receptor affinity of arylpiperazine derivatives of amides with N–acylated amino acids and 3–differently substituted pyrrolidine–2,5–diones, 800

SPPS – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394

SPR (surface plasmon resonance) – Computational modeling and surface plasmon resonance analyses in the assessment of peptide ligands interacting with fibrin γ (312–324) epitope, 2128

SQ109 – Pentacyclo–undecane derived cyclic tetra–amines: Synthesis and evaluation as potent anti–tuberculosis agents, 4297

Src – Discovering novel quercetin–3–O–amino acid–esters as a new class of Src tyrosine kinase inhibitors, 1982 – Determination of permeability and lipophilicity of pyrazolo–pyrimidine tyrosine kinase inhibitors and correlation with biological data, 3712

Stability – An *in vitro* characterization study of new near infrared dyes for molecular imaging, 3496 – Synthesis, antiviral activity, and stability of nucleoside analogs containing tricyclic bases, 3845 – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies in rats, 3874

Stabilization energies – A theoretical antioxidant pharmacophore for resveratrol, 1644

Staphylococcus aureus – Examination of growth inhibitory properties of synthetic chalcones for which antibacterial activity was predicted, 2211 – A novel and efficient one step synthesis of 2–amino–5–cyano–6–hydroxy–4–aryl pyrimidines and their anti–bacterial activity, 2651 – Contact–active microbicidal gold surfaces using immobilization of quaternary ammonium thiol derivatives, 4227

Staurosporine – A three–step synthesis from rebeccamycin of an efficient checkpoint kinase 1 inhibitor, 2234

Stereoselectivity – Stereoselective synthesis and antimicrobial activity of benzofuran–based (1*E*)–1–(piperidin–1–yl)–N²–arylamidrazones, 4985

Steroid – Steroidal lactones as inhibitors of 17 β –hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632 – Identification of putative steroid–binding sites in human ABCB1 and ABCG2, 3601 – Self organizing molecular field analysis on a series of human 5 α –reductase inhibitors: Unsaturated 3–carboxysteroid, 4920

Steroidomimetics – Novel CYP17 inhibitors: Synthesis, biological evaluation, structure–activity relationships and modelling of methoxy- and hydroxy-substituted methyleneimidazolyl biphenyls, 2765

Steroids – Novel modified steroid derivatives of androstanolone as chemotherapeutic anti-cancer agents, 3936 – Synthesis and anabolic/androgenic evaluation of novel 9 α -fluorosteroids, 4567

Stilbenes – Synthesis and biological evaluation of cytotoxic properties of stilbene-based resveratrol analogs, 701

Stilbestrol – Bibenzyl- and stilbene-core compounds with non-polar linker atom substituents as selective ligands for estrogen receptor beta, 3412 – Phenethyl pyridines with non-polar internal substituents as selective ligands for estrogen receptor beta, 3560

Stroke – Design and synthesis of calpain inhibitory 6-pyridone 2-carboxamide derivatives, 1331

Stroke volume – Synthesis of 2-(4-substitutedmethylpiperazin-1-yl)-*N*-(3,4-dihydro-3-oxo-2*H*-benzo[*b*][1,4]oxazin-7-yl)acetamides and their positive inotropic evaluation, 3027

Structural characterization – Synthesis, characterization and antidiabetic properties of *N*¹-2,4-dihydroxybenzylidene-*N*⁴-2-hydroxybenzylidene-*S*-methyl-thiosemicarbazidato-oxovanadium(IV), 818

Structure activity – Synthesis, characterization and *in vitro* cytotoxicity studies of a series of chiral platinum(II) complexes based on the 2-aminomethylpyrrolidine ligand: X-ray crystal structure of [PtCl₂(R-dimepyrr)] (R-dimepyrr=*N*-dimethyl-2(R)-aminomethylpyrrolidine), 2807

Structure elucidation – Novel ureas and thioureas of 15-membered azalides with antibacterial activity against key respiratory pathogens, 3459

Structure–activity relationship (SAR) – Application of phosphonyl carbanions to highly regioselective synthesis of some diazaphospholes and pyrazolonyl phosphonates, 526 – Synthesis, structure and structure–activity relationship analysis of 3-*tert*-butoxycarbonyl-2-arylthiazolidine-4-carboxylic acid derivatives as potential antibacterial agents, 3903

Structure–activity relationship – The synthesis of *N*-phenoxyethyl-1-substituted-1,2,3,4-tetrahydroisoquinolines and their α_1 -adrenoceptor blocking activity, 1271 – Synthesis and antitumor activity of 6- and 2-(1-substituted-thio-4-methylpent-3-enyl)-5,8-dimethoxynaphthalene-1,4-diones, 1410 – Synthesis, characterization and structure–activity relationship analysis of novel depsides as potential antibacterials, 1779 – Studies on chemical structure modification and biology of a natural product, Gambogic acid (I): Synthesis and biological evaluation of oxidized analogues of gambogic acid, 2611 – Structure-based virtual screening approach to identify novel classes of PTP1B

inhibitors, 3280 – Structure–activity relationship of seco-tanaphthalolides isolated from *Achillea falcata* for inhibition of HaCaT cell growth, 3794 – Novel 2,4,5-trisubstituted oxazole derivatives: Synthesis and antiproliferative activity, 3930 – Antinociceptive properties of caffeic acid derivatives in mice, 4596 – Anti-nitric oxide production activity of isothiocyanates correlates with their polar surface area rather than their lipophilicity, 4931 – Amines and oximes derived from deoxybenzoins as *Helicobacter pylori* urease inhibitors, 2246 – Chiral gossypol derivatives: Evaluation of their anticancer activity and molecular modeling, 3961 – Facile synthesis and *in vitro* properties of 1-alkyl- and 1-alkyl-*N*-propargyl-1,2,3,4-tetrahydroisoquinoline derivatives on PC12 cells, 4034 – Structure–activity relationship of dopaminergic halogenated 1-benzyl-tetrahydroisoquinoline derivatives, 4616

Structure–affinity relationships – Synthesis of σ receptor ligands with unsymmetrical spiro connection of the piperidine moiety, 4306

Structure–cytotoxicity–fluorescence relationship – Design, cytotoxic and fluorescent properties of novel *N*-phosphorylalkyl substituted *E,E*-3,5-bis(arylidenepiperid-4-ones, 2135

Structure–property–activity relationship model – Molecular properties of psychopharmacological drugs determining non-competitive inhibition of 5-HT_{3A} receptors, 2667

Strychnine – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265

Styryl benzimidazole – Synthesis and evaluation of *in vitro* anti-microbial and anti-tubercular activity of 2-styryl benzimidazoles, 4244

Styryl dyes – Simple synthesis of carbon-11 labeled styryl dyes as new potential PET RNA-specific, living cell imaging probes, 2300

Styryl – Synthesis of some new 4-styryltetrazolo[1,5-*a*]quinoxaline and 1-substituted-4-styryl[1,2,4]triazolo[4,3-*a*]quinoxaline derivatives as potent anticonvulsants, 1135

STZ-S model – Synthesis of α -amyrin derivatives and their *in vivo* antihyperglycemic activity, 1215

Subcutaneous pentylenetetrazole induced seizure – Synthesis, anticonvulsant and CNS depressant activity of some new bioactive 1-(4-substituted-phenyl)-3-(4-oxo-2-phenylethyl)-4*H*-quinazolin-3-yl)-urea, 4335

Subcutaneous pentylenetetrazole-induced seizure – Synthesis and anticonvulsant activity of some substituted 1,2,4-thiadiazoles, 1100

Substituted benzimidazoles – Synthesis and QSAR evaluation of 2-(substituted

phenyl)-1*H*-benzimidazoles and [2-(substituted phenyl)-benzimidazol-1-yl]-pyridin-3-yl-methanones, 1119

Substituted hydrazides – Hansch analysis of substituted benzoic acid benzylidene/furan-2-yl-methylene hydrazides as antimicrobial agents, 1853

Substituted imidazoles – Synthesis, antimicrobial and antiviral evaluation of substituted imidazole derivatives, 2347

Substituted oxy/thio acetic acid ethyl esters – Synthesis of some novel bioactive 4-oxo-5-yl-thio substituted-1*H*-pyrazol-5(4*H*)-ones via efficient cross-Claisen condensation, 3852

Substrate inhibition – The metabolism of CYP2C9 and CYP2C19 for gliclazide by homology modeling and docking study, 854

Substrate properties – Evaluation of substrate and inhibitor properties of a novel MDR modulator H17 towards transmembrane efflux pumps, 3060

Succinimide – Synthesis and antimicrobial activity of some new *N*-acyl substituted phenothiazines, 5094

Succinimides – The influence of an ethylene spacer on the 5-HT_{1A} and 5-HT_{2A} receptor affinity of arylpiperazine derivatives of amides with *N*-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones, 800

Sulfamide – Synthesis and pharmacological evaluation of sulfamide-based analogues of anandamide, 4889

Sulfonamide 4-methoxychalcones – Synthesis, biological evaluation and SAR of sulfonamide 4-methoxychalcone derivatives with potential antileishmanial activity, 755

Sulfonamide – Synthesis and biological evaluation of a new family of *anti*-benzylaminosulfonamides as CA IX inhibitors, 511 – Design, synthesis and anticancer evaluation of novel tetrahydroquinoline derivatives containing sulfonamide moiety, 4211

Sulfonamides – A QSAR study on relationship between structure of sulfonamides and their carbonic anhydrase inhibitory activity using the eigenvalue (EVA) method, 3439

Sulfonanilide – CoMFA, LeapFrog and blind docking studies on sulfonanilide derivatives acting as selective aromatase expression regulators, 3445

Sulfonyl chlorides – Synthesis and *in vitro* antiproliferative activity of novel 1-benzhydrylpiperazine derivatives against human cancer cell lines, 1223

Sulfonylurea – Synthesis and blood glucose lowering effect of novel pyridazinone substituted benzenesulfonylurea derivatives, 2673

Sulfur/selenium-benzo[*h*]quinolines – Synthesis of novel benzo[*h*]quinolines: Wound healing, antibacterial, DNA binding and *in vitro* antioxidant activity, 981

Sulindac analogues – Synthesis, pharmacological evaluation and docking studies of new sulindac analogues, 1959

Sulphur atoms – Known drug space as a metric in exploring the boundaries of drug-like chemical space, 5006

- Superoxide anion generation** – Oligomeric formylpeptide activity on human neutrophils, 4926
- Superoxide dismutase activity** – Antimicrobial and SOD activities of novel transition metal ternary complexes of iminodiacetic acid containing α -diimine as auxiliary ligand, 2517
- Superoxide dismutase** – Copper complexes of pyridine derivatives with superoxide scavenging and antimicrobial activities, 3259
- Support vector classification (SVC)** – QSAR study of Akt/protein kinase B (PKB) inhibitors using support vector machine, 4090
- Support vector machine (SVM)** – QSAR study of Akt/protein kinase B (PKB) inhibitors using support vector machine, 4090
- Support vector machine** – Application of genetic algorithm–support vector machine (GA–SVM) for prediction of BK–channels activity, 5023
- Support vector regression (SVR)** – QSAR study of Akt/protein kinase B (PKB) inhibitors using support vector machine, 4090
- Supramolecular framework** – Antimicrobial and SOD activities of novel transition metal ternary complexes of iminodiacetic acid containing α -diimine as auxiliary ligand, 2517
- Surfactant** – An investigation into the role of surfactants in controlling particle size of polymeric nanocapsules containing penicillin–G in double emulsion, 2392
- Surfactants** – Preparation and antimicrobial behaviour of quaternary ammonium thiol derivatives able to be grafted on metal surfaces, 717 – Cationic surfactants from lysine: Synthesis, micellization and biological evaluation, 1884 – Synthesis and antimicrobial properties of polymerizable quaternary ammoniums, 3201
- Surfmers** – Synthesis and antimicrobial properties of polymerizable quaternary ammoniums, 3201
- Sustained drug delivery** – PEGylated PPI dendritic architectures for sustained delivery of H_2 receptor antagonist, 1155
- SVM** – Prediction of CCR5 receptor binding affinity of substituted 1-(3,3-diphenylpropyl)-piperidinyl amides and ureas based on the heuristic method, support vector machine and projection pursuit regression, 25 – QSAR models for 2-amino-6-arylsulfonylbenzonitriles and congeners HIV-1 reverse transcriptase inhibitors based on linear and nonlinear regression methods, 2158
- Symmetrical bis-benzimidazole** – Design, synthesis, and anti-tumor evaluation of novel symmetrical bis-benzimidazoles, 1808
- Synthesis** – Design, synthesis and AChE inhibitory activity of indanone and aurone derivatives, 7 – Synthesis and anti-HIV-1 integrase activities of 3-aryl-2,3-dihydro-1,1-dioxo-1,4,2-benzodithiazines, 190 – Synthesis of new series of 5,6-dihydro-4H-1,2-oxazines via hetero Diels–Alder reaction and evaluation of antimicrobial activity, 280 – Synthesis, cytotoxicity and apoptosis of naphthalimide polyamine conjugates as antitumor agents, 393 – Synthesis and *in vitro* cytotoxic evaluation of novel 3,4,5-trimethoxyphenyl substituted β -carboline derivatives, 533 – Discovery of a new family of bis-8-hydroxyquinoline substituted benzylamines with pro-apoptotic activity in cancer cells: Synthesis, structure–activity relationship, and action mechanism studies, 558 – Design, synthesis and evaluation of galanthamine derivatives as acetylcholinesterase inhibitors, 772 – Synthesis and adrenolytic activity of 1-(1H-indol-4-yloxy)-3-[[2-(2-methoxyphenoxy)ethyl]amino]propan-2-ol and its enantiomers. Part 1, 809 – Synthesis and biological evaluation of novel luteolin derivatives as antibacterial agents, 908 – Synthesis and QSAR evaluation of 2-(substituted phenyl)-1H-benzimidazoles and [2-(substituted phenyl)-benzimidazol-1-yl]-pyridin-3-yl-methanones, 1119 – Synthesis and antitumor activity of 6- and 2-(1-substituted-thio-4-methylpent-3-enyl)-5,8-dimethoxynaphthalene-1,4-diones, 1410 – Synthesis of chlorovinyl sulfones as structural analogs of chalones and their antiparasitic activities, 1457 – Synthesis and antibacterial evaluation of novel 4-alkyl substituted phenyl β -aldehyde ketone derivatives, 1737 – A class of potent tyrosinase inhibitors: Alkylidenethiosemicarbazide compounds, 1773 – Design, synthesis, and evaluation of biphenyl-4-yl-acrylohydroxamic acid derivatives as histone deacetylase (HDAC) inhibitors, 1900 – Design, synthesis, and biological evaluation of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase, 1913 – New insights into the antioxidant activity of hydroxycinnamic acids: Synthesis and physicochemical characterization of novel halogenated derivatives, 2092 – Design, cytotoxic and fluorescent properties of novel N-phosphorylalkyl substituted E,E-3,5-bis(arylidene)piperid-4-ones, 2135 – Design, synthesis and antibacterial activity of novel actinonin derivatives containing benzimidazole heterocycles, 2202 – Synthesis and biological activity evaluation of 1H-benzimidazoles via mammalian DNA topoisomerase I and cytotoxicity assays, 2280 – Synthesis, characterization and antitumor activity of new type binuclear platinum(II) complexes, 2322 – Substituted quinazolines, part 3. Synthesis, *in vitro* antitumor activity and molecular modeling study of certain 2-thieno-4(3H)-quinazolinone analogs, 2379 – Highly twisted adamantyl arotinoids: Synthesis, antiproliferative effects and RXR transactivation profiles, 2434 – Synthesis, biological evaluation and molecular modeling of oxisoaporphine and oxoaporphine derivatives as new dual inhibitors of acetylcholinesterase/butyrylcholinesterase, 2523 – Synthesis, characterization and *in vitro* antiproliferative activities of new 13-*cis*-retinoyl ferrocene derivatives, 2572 – Synthesis, characterization and cytotoxicity of ammine/ethylamine platinum(II) complexes with carboxylates, 2758 – Synthesis, antifungal activities and 3D-QSAR study of N-(5-substituted-1,3,4-thiadiazol-2-yl)cyclopropanecarboxamides, 2782 – Synthesis and biological evaluation of a novel series of 1,5-benzothiazepine derivatives as potential antimicrobial agents, 2815 – Synthesis, characterization, DNA cleavage and *in vitro* antimicrobial studies of La(III), Th(IV) and VO(IV) complexes with Schiff bases of coumarin derivatives, 2904 – Investigation of the antioxidant properties of some new 4-hydroxycoumarin derivatives, 3077 – Recent developments in the design and synthesis of hybrid molecules based on aminoquinoline ring and their antiparasitic evaluation, 3091 – Synthesis and anti-HSV-1 evaluation of some pyrazoles and fused pyrazolopyrimidines, 3285 – Synthesis and anti-VZV activity of 6-heteroaryl derivatives of tricyclic acyclovir and 9-[[*cis*-1',2'-bis(hydroxymethyl)cycloprop-1'-yl]methyl]guanine analogues, 3313 – Mono and bis-6-arylbenzimidazole[1,2-*c*]quinazolines: A new class of antimicrobial agents, 3330 – Aziridine alkaloids as potential therapeutic agents, 3373 – Synthesis, spectral characterization, *in-vitro* microbiological evaluation and cytotoxic activities of novel macrocyclic bis hydrazone, 3552 – Synthesis and antiviral activity of new pyrazole and thiazole derivatives, 3746 – Synthesis and bioactivity of substituted indan-1-ylideneaminoguanidine derivatives, 3771 – Didanosine ester prodrugs: Synthesis, albumin binding properties and pharmacokinetic studies in rats, 3874 – Novel 2,4,5-trisubstituted oxazole derivatives: Synthesis and antiproliferative activity, 3930 – Synthesis and antibacterial activity of novel 15-membered macrolide derivatives: 4"-Carbamate, 11,12-cyclic carbonate-4"-carbamate and 11,4"-di-O-arylcarbonyl analogs of azithromycin, 4010 – Synthesis and *in vitro* antibacterial activity of 7-(4-alkoxyimino-3-amino-3-methylpiperidin-1-yl)fluoroquinolone derivatives, 4063 – A new class of anticonvulsants possessing 6Hz activity: 3,4-Dialkylthiophene bishydrazones, 4376 – Synthesis and antibacterial activity of some new thiadiazolotriazaphosphines, thiadiazolotriaza/tetrazaphosphines and thiadiazolotetrazaphosphines containing 1,2,4-triazinone moiety, 4539 – Design, synthesis and *in vitro* antibacterial/antifungal evaluation of novel 1-ethyl-6-fluoro-1,4-dihydro-4-oxo-7(1-piperazinyl)quinoline-3-carboxylic acid derivatives, 4726 – Synthesis, cytotoxicity and DNA-binding levels of new type binuclear platinum(II) complexes, 4772 – Synthesis and anticancer activity of N-bis(trifluoromethyl)alkyl-N'-thiazolyl and N-bis(trifluoromethyl)alkyl-N'-ben-

zothiazolyl ureas, 4944 – Synthesis and adrenolytic activity of 1-(1*H*-indol-4-yloxy)-3-(2-(2-methoxyphenoxy)ethylamino)propan-2-ol analogs and its enantiomers. Part 2, 5103

T

Target specific – 10*H*-Phenothiazines: A new class of enzyme inhibitors for inflammatory diseases, 197

Tautomerism – Synthesis, crystal structures and antibacterial activity studies of aza-derivatives of phytoalexin from cotton plant – gossypol, 4393

Taxoids – A QSAR study for the cytotoxic activities of taxoids against macrophage (MΦ)-like cells, 274

Taxol – *In vitro* and *in vivo* anticancer activity of 2-deacetoxytaxinine J and synthesis of novel taxoids and their *in vitro* anticancer activity, 3947

Taxus wallichiana – *In vitro* and *in vivo* anticancer activity of 2-deacetoxytaxinine J and synthesis of novel taxoids and their *in vitro* anticancer activity, 3947

TEA – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394

Technetium – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394 – Synthesis and characterization of rhenium and technetium-99m tricarbonyl complexes bearing the 4-[3-bromophenyl]quinazoline moiety as a biomarker for EGFR-TK imaging, 4021

Telomerase – Prediction of telomerase inhibitory activity for acridinic derivatives based on chemical structure, 4826

Telomere – Synthesis and biological evaluation of novel 4,5-bis(dialkylaminoalkyl)-substituted acridines as potent telomeric G-quadruplex ligands, 3880

Terephthalic dihydrazide – Synthesis and antibacterial activity of some novel bis-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles and bis-4-thiazolidinone derivatives from terephthalic dihydrazide, 5112

Ternary complex – Mechanistic aspects of benzothiazepines: A class of antiarrhythmic drugs, 1

Terpenoid diol – Cytotoxic, antioxidant activities and structure activity relationship of some newly synthesized terpenoidal oxaliplatin analogs, 901

Testosterone – Steroidal lactones as inhibitors of 17β-hydroxysteroid dehydrogenase type 5: Chemical synthesis, enzyme inhibitory activity, and assessment of estrogenic and androgenic activities, 632 – Self organizing molecular field analysis on a series of human 5α-reductase inhibitors: Unsaturated 3-carboxysteroid, 4920

Tetrabutylammonium hydrogen sulfate – *N* 1 – *A* l k y l a t e d 3,4-dihydropyrimidine-2(1*H*)-ones: Convenient one-pot selective synthesis and evaluation of their calcium channel blocking activity, 1997

Tetracyclic pyrimidines – Synthesis, analgesic and anti-inflammatory activities evaluation of some bi-, tri- and tetracyclic condensed pyrimidines, 4572

Tetrahydrobenzimidazoles – Convenient one-pot synthesis of novel 2-substituted benzimidazoles, tetrahydrobenzimidazoles and imidazoles and evaluation of their *in vitro* antibacterial and antifungal activities, 1751

Tetrahydrobenzofurobenzopyrone – Tetrahydrobenzo- and benzofurobenzopyrones as a new class of potential photoreagents toward DNA, 18

Tetrahydroisoquinoline – A class of novel *N*-(3*S*-1,2,3,4-tetrahydroisoquinoline-3-carbonyl)-1-amino acid derivatives: their synthesis, anti-thrombotic activity evaluation, and 3D QSAR analysis, 4904

Tetrahydro-4*H*-chromenes – A facile one-pot green synthesis and antibacterial activity of 2-amino-4*H*-pyrans and 2-amino-5-oxo-5,6,7,8-tetrahydro-4*H*-chromenes, 3805

Tetrahydronaphthyl oxime ethers – Tetrahydronaphthyl azole oxime ethers: The conformationally rigid analogues of oxiconazole as antibacterials, 437

Tetrahydro-β-carbolines – Comparative study of the trypanocidal activity of the m e t h y l 1-nitrophenyl-1,2,3,4-9*H*-tetrahydro-β-carboline-3-carboxylate derivatives and benzimidazole using theoretical calculations and cyclic voltammetry, 1745

Tetrahydropyrans – Design, synthesis and evaluation of tetrahydropyran based COX-1/2 inhibitors, 1278

Tetrazolo – Synthesis of some new 4-styryltetrazolo[1,5-*a*]quinoxaline and 1-substituted-4-styryl[1,2,4]triazolo[4,3-*a*]quinoxaline derivatives as potent anticonvulsants, 1135

TFA – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394

Thalidomide – Discovering a new analogue of thalidomide which may be used as a potent modulator of TNF-α production, 3533

Theophylline – Synthesis and preliminary pharmacological evaluation of imidazo[2,1-*f*]purine-2,4-dione derivatives, 4288

Theoretical calculations – Comparative study of the trypanocidal activity of the methyl 1-nitrophenyl-1,2,3,4-9*H*-tetrahydro-β-carboline-3-carboxylate derivatives and benzimidazole using theoretical calculations and cyclic voltammetry, 1745

Therapy – *In vitro* and *in vivo* antitrypanosomatid activity of 5-nitroindazoles, 1034

Thermal analyses – Biological activity studies on metal complexes of novel tridentate Schiff base ligand. Spectroscopic and thermal characterization, 4801

Thermodynamic parameters – Studies on the interaction of caffeine with bovine hemoglobin, 2100

Thiadiazole – Synthesis and molluscicidal activity of some new thiophene, thiadiazole

and pyrazole derivatives, 1250 – Synthesis and evaluation of some new benzimidazole derivatives as potential antimicrobial agents, 2294

Thiadiazole thioacetanilides – Synthesis and anti-HIV activity evaluation of 2-(4-(naphthalen-2-yl)-1,2,3-thiadiazol-5-ylthio)-*N*-acetamides as novel non-nucleoside HIV-1 reverse transcriptase inhibitors, 4648

Thiadiazoles – Synthesis, antiarrhythmic and anticoagulant activities of novel thiazolo derivatives from methyl 2-(thiazol-2-ylcarbonyl)acetate, 725

Thiazine – L-Proline-catalysed facile green protocol for the synthesis and antimycobacterial evaluation of [1,4]-thiazines, 4978

Thiazole derivatives – Adamantane derivatives of thiazolyl-*N*-substituted amide, as possible non-steroidal anti-inflammatory agents, 1198

Thiazole – Design, synthesis and characterization of novel 2-(2,4-disubstituted-thiazole-5-yl)-3-aryl-3*H*-quinazoline-4-one derivatives as inhibitors of NF-κB and AP-1 mediated transcription activation and as potential anti-inflammatory agents, 2184 – Synthesis and antiviral activity of new pyrazole and thiazole derivatives, 3746 – Synthesis, spectral and biological evaluation of some new thiazolidinones and thiazoles based on *t*-3-alkyl-*r*-2,*c*-6-diaryl piperidin-4-ones, 4199 – Synthesis and antibacterial activity of some new thiazole and thiophene derivatives, 4434

Thiazoles – Synthesis, antiarrhythmic and anticoagulant activities of novel thiazolo derivatives from methyl 2-(thiazol-2-ylcarbonyl)acetate, 725

Thiazolidine – Synthesis, structure and structure-activity relationship analysis of 3-*tert*-butoxycarbonyl-2-arylthiazolidine-4-carboxylic acid derivatives as potential antibacterial agents, 3903

Thiazolidinedione – Synthesis and *in vivo* antidiabetic activity of novel dispiropyrrolidines through [3+2] cycloaddition reactions with thiazolidinedione and rhodanine derivatives, 3272

Thiazolidin-4-ones – Synthesis and anti-HIV studies of 2- and 3-adamantyl-substituted thiazolidin-4-ones, 303

Thiazolidinone – Predicting anti-HIV activity of 1,3,4-thiazolidinone derivatives: 3D-QSAR approach, 1180 – Synthesis and biological evaluation of some thiazolidinone derivatives of steroid as antibacterial agents, 2597 – Synthesis, spectral and biological evaluation of some new thiazolidinones and thiazoles based on *t*-3-alkyl-*r*-2,*c*-6-diaryl piperidin-4-ones, 4199 – Synthesis and antibacterial activity of some new thiazole and thiophene derivatives, 4434

Thiazolidinones – Synthesis and anti-inflammatory activity of newer quinazolin-4-one derivatives, 83 – Synthesis and antitumor activity of some new xanthotoxin derivatives, 2967 – Synthesis and pharmacologi-

- cal evaluation of novel *N*-alkyl/aryl substituted thiazolidinone arecoline analogues as muscarinic receptor 1 agonist in Alzheimer's dementia models, 4848
- Thiazoline** – Synthesis and antibacterial activity of some new thiazole and thiophene derivatives, 4434
- Thiazolo[3',2':1,2]– and 2,3-dihydroisoxazolo[4'',5'':5',4']thiazolo[3',2':1,2]pyrimido[4,5-*b*]quinolones** – Design and synthesis of azolopyrimidoquinolones, pyrimidoquinazolines as anti-oxidant, anti-inflammatory and analgesic activities, 609
- Thiazolones** – Synthesis of novel thiazolone-based compounds containing pyrazoline moiety and evaluation of their anticancer activity, 1396
- Thiazolopyrimidine** – Synthesis of some urea and thiourea derivatives of 3-phenyl/ethyl-2-thioxo-2,3-dihydrothiazolo[4,5-*d*]pyrimidine and their antagonistic effects on haloperidol-induced catalepsy and oxidative stress in mice, 3889
- Thiazolotriazole** – Synthesis, analgesic, anti-inflammatory and antimicrobial studies of 2,4-dichloro-5-fluorophenyl containing thiazolotriazoles, 827 – Synthesis, characterization and evaluation of antibacterial activity of some thiazolo[3,2-*b*][1,2,4]triazole incorporating diphenylsulfone moieties, 4752
- Thiazolyl-pyrazoline** – Synthesis and antimicrobial evaluation of 1-(benzofuran-2-yl)-4-nitro-3-arylbutan-1-ones and 3-(benzofuran-2-yl)-4,5-dihydro-5-aryl-1-[4-(aryl)-1,3-thiazol-2-yl]-1*H*-pyrazoles, 2632
- Thieno[3,2-*e*]pyrimidine** – Synthesis of novel bioactive derivatives of 3-(4-chlorophenyl)-2-hydrazino-5,6,7,8-tetrahydrobenzo(*b*)thieno[2,3-*d*]pyrimidine-4(3*H*)-ones, 4721
- Thiobarbiturate** – Inhibitory effects of 5-benzylidene barbiturate derivatives on mushroom tyrosinase and their antibacterial activities, 4235
- Thiocarbamates** – Thiocarbamates as non-nucleoside HIV-1 reverse transcriptase inhibitors: Docking-based CoMFA and CoMSIA analyses, 2059
- Thiocarbamoyl** – Synthesis, spectral studies and antiamoebic activity of new 1-*N*-substituted thiocarbamoyl-3-phenyl-2-pyrazolines, 417 – Bis-pyrazolines: Synthesis, characterization and antiamoebic activity as inhibitors of growth of *Entamoeba histolytica*, 426 – Synthesis and molluscicidal activity of some new thiophene, thiadiazole and pyrazole derivatives, 1250
- Thiols** – Preparation and antimicrobial behaviour of quaternary ammonium thiol derivatives able to be grafted on metal surfaces, 717
- Thiophene bishydrazones** – A new class of anticonvulsants possessing 6Hz activity: 3,4-Dialkylthiophene bishydrazones, 4376
- Thiophene** – Synthesis and molluscicidal activity of some new thiophene, thiadiazole and pyrazole derivatives, 1250 – Synthesis and anticonvulsant activity of some new bishydrazones derived from 3,4-dipropoxythiophene, 3672 – Synthesis and antibacterial activity of some new thiazole and thiophene derivatives, 4434
- Thiosemicarbazide** – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265
- Thiosemicarbazono complexes** – *In vitro* and *in vivo* antitumor activity of platinum(II) complexes with thiosemicarbazones derived from 2-formyl and 2-acetyl pyridine and containing ring incorporated at N(4)-position: Synthesis, spectroscopic study and crystal structure of platinum(II) complexes with thiosemicarbazones, potential anticancer agents, 1296
- Thiosemicarbazone** – Synthesis, spectral studies and *in vitro* antibacterial activity of steroidal thiosemicarbazone and their palladium (Pd (II)) complexes, 2270 – Synthesis and biological evaluation of some thiazolidinone derivatives of steroid as antibacterial agents, 2597
- Thiosemicarbazones** – Gallium(III) complexes of 2-pyridineformamide thiosemicarbazones: Cytotoxic activity against malignant glioblastoma, 1870 – Antiamoebic coumarins from the root bark of *Adina cordifolia* and their new thiosemicarbazone derivatives, 2252
- Thiourea** – Synthesis and antitumor activity of optically active thiourea and their 2-aminobenzothiazole derivatives: A novel class of anticancer agents, 2923 – Synthesis, antiviral and anticancer activity of some novel thioureas derived from *N*-(4-nitro-2-phenoxyphenyl)-methanesulfonamide, 3591 – Synthesis of some urea and thiourea derivatives of 3-phenyl/ethyl-2-thioxo-2,3-dihydrothiazolo[4,5-*d*]pyrimidine and their antagonistic effects on haloperidol-induced catalepsy and oxidative stress in mice, 3889 – Search for new pharmacophores for antimalarial activity. Part III: Synthesis and bioevaluation of new 6-thioureido-4-anilinoquinazolines, 4404 – Antitumor and antimycobacterial activities of cyclopalladated complexes: X-ray structure of [Pd(C², N-dmba)(Br)(tu)] (dmba = *N,N*-dimethylbenzylamine, tu = thiourea), 4611
- Thioureas** – Novel ureas and thioureas of 15-membered azalides with antibacterial activity against key respiratory pathogens, 3459
- Thioxopyridine** – New pyridone, thioxopyridine, pyrazolopyridine and pyridine derivatives that modulate inflammatory mediators in stimulated RAW 264.7 murine macrophage, 4547
- TIBO derivatives** – Predictive QSAR modeling of HIV reverse transcriptase inhibitor TIBO derivatives, 1509
- TIPS** – Synthesis and biochemical evaluation of a cyclic RGD oxorhenium complex as new ligand of $\alpha_v\beta_3$ integrin, 3394
- TNBS-induced colitis** – Colon-specific mutual amide prodrugs of 4-aminosalicylic acid for their mitigating effect on experimental colitis in rats, 131
- T-cell epitopes** – A set of new amino acid descriptors applied in prediction of MHC class I binding peptides, 1144
- TNF- α – Rare dipeptide and urea derivatives from roots of *Moringa oleifera* as potential anti-inflammatory and antinociceptive agents, 432 – Discovering a new analogue of thalidomide which may be used as a potent modulator of TNF- α production, 3533**
- Tocainide** – 2D- and 3D-QSAR of Tocainide and Mexiletine analogues acting as Na_v1.4 channel blockers, 1477
- TOP1-targeting agents** – Novel topoisomerase I-targeting antitumor agents synthesized from the *N,N,N*-trimethylammonium derivative of ARC-111, 5*H*-2,3-dimethoxy-8,9-methylene-dioxy-5-[(2-*N,N,N*-trimethylammonium)ethyl]dibenzo[*c,h*][1,6]naphthyridin-6-one iodide, 3433
- Topoisomerase II** – DNA-targeting pyrroloquinoline-linked butenone and chalcones: Synthesis and biological evaluation, 2854
- Topoisomerase I-targeting agents** – Cytotoxicity and TOP1-targeting activity of 8- and 9-amino derivatives of 5-butyl- and 5-(2-*N,N*-dimethylamino)ethyl-5*H*-dibenzo[*c,h*][1,6]naphthyridin-6-ones, 1471
- Total synthesis** – Total synthesis and anticancer activity of highly potent novel glycolipid derivatives, 3120
- Toxic and promiscuous chemical moieties** – Investigation of the incidence of “undesirable” molecular moieties for high-throughput screening compound libraries in marketed drug compounds, 1128
- Toxicity** – Synthesis, spectral characterization, *in-vitro* microbiological evaluation and cytotoxic activities of novel macrocyclic bis hydrazones, 3552 – Synthesis and anticonvulsant activity of some new bishydrazones derived from 3,4-dipropoxythiophene, 3672
- Transcriptional activation** – 3D-QSAR studies on the inhibitors of AP-1 and NF- κ B mediated transcriptional activation, 2888
- Transforming growth factor- β (TGF- β) – Synthesis and biological evaluation of benzenesulfonamide-substituted 4-(6-alkylpyridin-2-yl)-5-(quinoxalin-6-yl)imidazoles as transforming growth factor- β type I receptor kinase inhibitors, 568**
- Transforming growth factor- β type I receptor – Pharmacophore modeling and virtual screening for the discovery of new transforming growth factor- β type I receptor (ALK5) inhibitors, 4259**
- Transition metal complexes** – New transition metal ion complexes with benzimidazole-5-carboxylic acid hydrazides with antitumor activity, 1500 – Biological activity studies on metal complexes of novel tridentate Schiff base ligand. Spectroscopic and thermal characterization, 4801

- Transmetalation** – Synthesis of σ receptor ligands with unsymmetrical spiro connection of the piperidine moiety, 4306
- Transmission electron microscopy** – Phase transfer catalyzed synthesis of bis-quinolines: Antileishmanial activity in experimental visceral leishmaniasis and *in vitro* antibacterial evaluation, 845
- trans-Stilbene derivatives** – Synthesis of novel *trans*-stilbene derivatives and evaluation of their potent antioxidant and neuroprotective effects, 3166
- Transport proteins** – Synthesis of a series of N⁶-substituted adenosines with activity against trypanosomatid parasites, 3665
- Treatment of ulcerative colitis** – Antileukotrienic phenethylamido derivatives of arylalkanoic acids in the treatment of ulcerative colitis, 332
- Triazene** – Towards an efficient prodrug of the alkylating metabolite monomethyltriazene: Synthesis and stability of *N*-acylamino acid derivatives of triazenes, 1049
- Triazenes** – Dopamine- and tyramine-based derivatives of triazenes: Activation by tyrosinase and implications for prodrug design, 3228
- Triazepine** – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448
- Triazine** – Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine, 4448
- Triazole** – Design and synthesis of 5-alkoxy-[1,2,4]triazolo[4,3-*a*]quinoline derivatives with anticonvulsant activity, 954 – Design, synthesis, and biological evaluation of novel triazole derivatives as inhibitors of cytochrome P450 14 α -demethylase, 1913 – Design, synthesis, and antifungal activity of triazole and benzotriazole derivatives, 3064
- Triazolopyrimidines derivatives** – Analgesic, anticonvulsant and anti-inflammatory activities of some synthesized benzodiazepine, triazolopyrimidine and bis-imide derivatives, 4787
- Triazolopyrimidines** – Organoiodine (III)-mediated synthesis of 3-aryl/heteroaryl-5,7-dimethyl-1,2,4-triazolo[4,3-*c*]pyrimidines as antibacterial agents, 2260
- Triazolothiadiazines** – Synthesis of 3,6-disubstituted 7*H*-1,2,4-triazolo [3,4-*b*]-1,3,4-thiadiazines as novel analgesic/anti-inflammatory compounds, 4528
- Triazolothiadiazole** – Synthesis and antimicrobial activities of some new triazolothiadiazoles bearing 4-methylthiobenzyl moiety, 551
- Triazone** – Design, synthesis of 8-alkoxy-5,6-dihydro-[1,2,4]triazino[4,3-*a*]quinolin-1-ones with anticonvulsant activity, 1265
- Trichomonas vaginalis** – Synthesis and *in vitro* trichomonocidal, giardicidal and amebicidal activity of *N*-acetamide(sulfonamide)-2-methyl-4-nitro-1*H*-imidazoles, 2975
- Trichothecene mycotoxins** – 3D QSAR study of the toxicity of trichothecene mycotoxins, 4485
- Tricyclic** – Synthesis, antiviral activity, and stability of nucleoside analogs containing tricyclic bases, 3845
- Tricyclic pyrimidines** – Synthesis, analgesic and anti-inflammatory activities evaluation of some bi-, tri- and tetracyclic condensed pyrimidines, 4572
- Triglycerides** – Design, synthesis and hypolipidemic activity of novel 2-(*m*-tolylloxy) isobutyric acid derivatives, 2679 – Design, synthesis and hypolipidemic activity of novel 2-(naphthalen-2-yloxy)propionic acid derivatives as desmethyl fibrates analogs, 3973
- Triorganotin(IV) dithiocarboxylates** – Synthesis, spectroscopic characterization, X-ray structure and evaluation of binding parameters of new triorganotin(IV) dithiocarboxylates with DNA, 3986
- Tripentone** – Synthesis of new dipyrrolo- and furopyrrolopyrazinones related to tripentones and their biological evaluation as potential kinases (CDKs1–5, GSK-3) inhibitors, 708
- Tripeptidyl peptidase I** – Synthesis and use of 4-peptidylhydrazido-*N*-hexyl-1,8-naphthalimides as fluorogenic histochemical substrates for dipeptidyl peptidase IV and tripeptidyl peptidase I, 384
- Trivalent metal ions** – Antimicrobial active macrocyclic complexes of Cr(III), Mn(III) and Fe(III) with their spectroscopic approach, 3299
- Tropinones** – The cytotoxic properties and preferential toxicity to tumour cells displayed by some 2,4-bis(benzylidene)-8-methyl-8-azabicyclo[3.2.1] octan-3-ones and 3,5-bis(benzylidene)-1-methyl-4-piperidones, 54
- TRPV1 antagonists** – Conformationally constrained analogues of *N'*-(4-*tert*-butylbenzyl)-*N*-(4-methylsulfonylamino benzyl)thiourea as TRPV1 antagonists, 322
- Trypanosoma brucei rhodesiense** – Antiplasmodial and antitrypanosomal activities of aminobicyclo[2.2.2]octyl ω -aminoalkanoates, 736
- Trypanosoma cruzi** – Comparative study of the trypanocidal activity of the methyl 1-nitrophenyl-1,2,3,4-9*H*-tetrahydro- β -carboline-3-carboxylate derivatives and benzimidazole using theoretical calculations and cyclic voltammetry, 1745 – Scoring function for DNA-drug docking of anticancer and antiparasitic compounds based on spectral moments of 2D lattice graphs for molecular dynamics trajectories, 4461 – Anti-trypanosomatid benzofuroxans and deoxygenated analogues: Synthesis using polymer-supported triphenylphosphine, biological evaluation and mechanism of action studies, 5055
- Tuberculosis** – Synthesis and antimycobacterial activities of novel 6-nitroquinolone-3-carboxylic acids, 345 – Synthesis, antitubercular activity and docking study of novel cyclic azole substituted diphenyl ether derivatives, 492 – Synthesis, anti-tuberculosis activity and 3D-QSAR study of amino acid conjugates of 4-(adamantan-1-yl) group containing quinolones, 2017 – Substituted quinolinyl chalcones and quinolinyl pyrimidines as a new class of anti-infective agents, 2081 – A macrolactone from benzo[*a*]phenazine with potent activity against *Mycobacterium tuberculosis*, 2334 – Diversity-oriented synthesis of furo[3,2-*f*]chromanes with antimycobacterial activity, 2497 – Synthesis and antitubercular screening of imidazole derivatives, 3350 – Design, synthesis and antimycobacterial activity of some novel imidazo[1,2-*c*]pyrimidines, 3837 – Preparation and antitubercular activities *in vitro* and *in vivo* of novel Schiff bases of isoniazid, 4169 – L-Proline-catalysed facile green protocol for the synthesis and antimycobacterial evaluation of [1,4]-thiazines, 4978
- Tubulin polymerization** – A diaryl sulfide, sulfoxide, and sulfone bearing structural similarities to combretastatin A-4, 2685
- Tumor-associated isoform** – Synthesis and biological evaluation of a new family of *anti*-benzylanilinosulfonamides as CA IX inhibitors, 511
- Type 2 diabetes** – ‘Sum of activities’ as dependent parameter: A new CoMFA-based approach for the design of pan PPAR agonists, 42
- Type I DNA topoisomerase** – Synthesis and biological activity evaluation of 1*H*-benzimidazoles via mammalian DNA topoisomerase I and cytostaticity assays, 2280
- Tyrosinase inhibitor** – A class of potent tyrosinase inhibitors: Alkylidenethiosemicarbazide compounds, 1773 – Inhibitory effects of 5-benzylidene barbiturate derivatives on mushroom tyrosinase and their antibacterial activities, 4235
- Tyrosinase** – Dopamine- and tyramine-based derivatives of triazenes: Activation by tyrosinase and implications for prodrug design, 3228
- Tyrosine kinase inhibitor** – Determination of permeability and lipophilicity of pyrazolo-pyrimidine tyrosine kinase inhibitors and correlation with biological data, 3712
- Tyrosine kinase inhibitors** – Synthesis and characterization of rhenium and technetium-99m tricarbonyl complexes bearing the 4-[3-bromophenyl]quinazoline moiety as a biomarker for EGFR-TK imaging, 4021

U

- Ulcerogenic activities** – *S*- and *C*-nucleosidoquinazoline as new nucleoside analogs with potential analgesic and anti-inflammatory activity, 4249
- Ulcerogenic activity** – Synthesis and pharmacological investigation of 3-(substituted 1-phenylethanone)-4-(substituted phenyl)-1, 2, 3, 4-tetrahydropyrimidine-5-carboxylates, 3645
- Ulcerogenic** – Synthesis and pharmacological evaluation of 2(3*H*)-furanones and 2(3*H*)-pyrrolones, combining analgesic and anti-inflammatory properties with reduced

- gastrointestinal toxicity and lipid peroxidation, 2636 – Fenbufen based 3-[5-(substituted aryl)-1,3,4-oxadiazol-2-yl]-1-(biphenyl-4-yl)propan-1-ones as safer antiinflammatory and analgesic agents, 3798 – Synthesis of 6-aminomethyl derivatives of benzopyran-4-one with dual biological properties: Anti-inflammatory–analgesic and antimicrobial, 4896
- Ultrasonic reactions** – A facile synthesis of novel biologically active 4-hydroxy-*N'*-(benzylidene)-2*H*-benzo[*e*] [1,2]thiazine-3-carbohydrazide 1,1-dioxides, 1311
- Ultrasonounds** – Diazinium salts with dihydroxyacetophenone skeleton: Syntheses and antimicrobial activity, 2275
- Umbelliferone** – Antiamoebic coumarins from the root bark of *Adina cordifolia* and their new thiosemicarbazone derivatives, 2252
- Unilamellar vesicles** – Physicochemical properties and membrane interactions of anti-apoptotic derivatives 2-(4-fluorophenyl)-3-(pyridin-4-yl)imidazo[1,2-*a*]pyridine depending on the hydroxyalkylamino side chain length and conformation: An NMR and ESR study, 3509
- Unsaturated dideoxy fluoro ketonucleosides** – Unsaturated dideoxy fluoro-ketopyranosyl nucleosides as new cytostatic agents: A convenient synthesis of 2,6-dideoxy-3-fluoro-4-keto-β-d-glucopyranosyl analogues of uracil, 5-fluorouracil, thymine, *N*⁴-benzoyl cytosine and *N*⁶-benzoyl adenine, 4764
- UO₂(II) complexes** – Copper(II) and uranyl(II) complexes with acylthiosemicarbazide: Synthesis, characterization, antibacterial activity and effects on the growth of promyelocytic leukemia cells HL-60, 3323
- Uracil acetamide** – Design, synthesis and evaluation of novel uracil acetamide derivatives as potential inhibitors of *Plasmodium falciparum* dUTP nucleotidohydrolase, 678
- Urea derivatives** – Design, synthesis and structure–activity relationships of antiproliferative 1,3-disubstituted urea derivatives, 453
- Urea** – Synthesis of some urea and thiourea derivatives of 3-phenyl/ethyl-2-thioxo-2,3-dihydrothiazolo[4,5-*d*]pyrimidine and their antagonistic effects on haloperidol-induced catalepsy and oxidative stress in mice, 3889 – Hydrolytic cleavage of DNA by urea-bridged macrocyclic polyamines, 5090
- Ureas** – Novel ureas and thioureas of 15-membered azalides with antibacterial activity against key respiratory pathogens, 3459
- Urine** – Highly sensitive spectrofluorimetric determination of lomefloxacin in spiked human plasma, urine and pharmaceutical preparations, 3402
- UV data** – Synthesis, antibacterial and anti-convulsant evaluations of some cyclic enaminones, 967
- UV/vis absorption** – Studies on the interaction of caffeine with bovine hemoglobin, 2100
- UV–vis** – Synthesis and characterization of dinuclear macrocyclic cobalt(II), copper(II) and zinc(II) complexes derived from 2,2,2',2'-*S,S*[bis(bis-*N,N*-2-thiobenzimidazolyloxalato-1,2-ethane)]; DNA binding and cleavage studies, 834
- V**
- V₂ agonists** – Arginine vasopressin and its analogues – The influence of position 2 modification with 3,3-diphenylalanine enantiomers. Highly potent V₂ agonists, 2862
- Validation** – Predictive QSAR modeling of HIV reverse transcriptase inhibitor TIBO derivatives, 1509
- Vascular smooth muscle** – *N*1-Alkylated 3,4-dihydropyrimidine-2(1*H*)-ones: Convenient one-pot selective synthesis and evaluation of their calcium channel blocking activity, 1997
- Vasodilation** – Studies towards the identification of putative bioactive conformation of potent vasodilator arylidene *N*-acylhydrazones derivatives, 4004
- Vasodilatory activity** – Synthesis and vasodilatory activity of some amide derivatives of 6-(4-carboxymethylphenyl)-4,5-dihydro-3(2*H*)-pyridazinone, 4441
- Vasodilatory** – Design, synthesis and pharmacological screening of novel nitric oxide donors containing 1,5-diarylpyrazolin-3-one as nontoxic NSAIDs, 4622
- VEGF-R** – Design, synthesis and characterization of *N*₆/*N*₇-substituted 6-aminopurines as VEGF-R and EGF-R inhibitors, 1788
- Veratric acid** – Hansch analysis of veratric acid derivatives as antimicrobial agents, 689
- Virtual library design** – Design and *in silico* screening of combinatorial library of antimalarial analogs of triclosan inhibiting *Plasmodium falciparum* enoyl-acyl carrier protein reductase, 3009
- Virtual library screening** – Fragment and knowledge-based design of selective GSK-3β inhibitors using virtual screening models, 2361
- Virtual ligand screening** – MED-3DMC: A new tool to generate 3D conformation ensembles of small molecules with a Monte Carlo sampling of the conformational space, 1405
- Virtual screening** – Virtual screening for Raf-1 kinase inhibitors based on pharmacophore model of substituted ureas, 1240 – Structure-based virtual screening approach to identify novel classes of PTP1B inhibitors, 3280 – Important pharmacophoric features of pan PPAR agonists: Common chemical feature analysis and virtual screening, 3488 – Discovery of potential new InhA direct inhibitors based on pharmacophore and 3D-QSAR analysis followed by *in silico* screening, 3718 – An efficient steroid pharmacophore-based strategy to identify new aromatase inhibitors, 4121 – Pharmacophore modeling and virtual screening for the discovery of new transforming growth factor-β type I receptor (ALK5) inhibitors, 4259 – Discovery of potential ZAP-70 kinase inhibitors: Pharmacophore design, database screening and docking studies, 4793
- Voltage-gated potassium channel** – 4-Phenoxybutoxy-substituted heterocycles – A structure–activity relationship study of blockers of the lymphocyte potassium channel Kv1.3, 1838
- Voltammetry** – New insights into the antioxidant activity of hydroxycinnamic acids: Synthesis and physicochemical characterization of novel halogenated derivatives, 2092
- Volume of distribution** – Prediction of volume of distribution values in human using immobilized artificial membrane partitioning coefficients, the fraction of compound ionized and plasma protein binding data, 4455
- W**
- Wake promoting** – Diamine-based human histamine H₃ receptor antagonists: (4-Aminobutyn-1-yl)benzylamines, 4098
- Wang-Ford charges** – QSAR modelling of pancreatic β-cell K_{ATP} channel openers *R/S*-3,4-dihydro-2,2-dimethyl-6-halo-4-(substituted phenylaminocarbonylamino)-2*H*-1-benzopyrans using MLR-FA techniques, 359
- Wasabi** – Anti-nitric oxide production activity of isothiocyanates correlates with their polar surface area rather than their lipophilicity, 4931
- Wee1 kinase inhibitor** – Receptor-based 3D-QSAR studies of checkpoint Wee1 kinase inhibitors, 1383
- WEKA** – Development of QSAR models for predicting hepatocarcinogenic toxicity of chemicals, 3658
- Wine** – QSAR study of antioxidant activity of wine polyphenols, 400
- Wittig-Horner carbanions** – Application of phosphonyl carbanions to highly regioselective synthesis of some diazaphospholes and pyrazolinyl phosphonates, 526
- Wittig-Horner reaction** – Synthesis of novel *trans*-stilbene derivatives and evaluation of their potent antioxidant and neuroprotective effects, 3166
- Wound healing activity** – Synthesis of novel benzo[*h*]quinolines: Wound healing, antibacterial, DNA binding and *in vitro* antioxidant activity, 981
- Wound healing** – Evaluation of *in vivo* wound-healing potential of 2-[4-(2,4-dimethoxy-benzoyl)-phenoxy]-1-[4-(3-piperidin-4-yl-propyl)-piperidin-1-yl]-ethanone derivatives, 3158
- Writhing test** – Synthesis and antinociceptive activities of some pyrazoline derivatives, 2606
- X**
- Xanthones** – Bromoalkoxyxanthones as promising antitumor agents: Synthesis, crystal structure and effect on human tumor cell lines, 3830

Xanthotoxin – Synthesis and antitumor activity of some new xanthotoxin derivatives, 2967

XDR-tuberculosis (TB) – Pentacyclo-undecane derived cyclic tetra-amines: Synthesis and evaluation as potent anti-tuberculosis agents, 4297

X-ray analysis – Design of novel aminopyrrolidine factor Xa inhibitors from a screening hit, 2787

X-ray crystal structure analysis – Synthesis, structure elucidation and antitumour activity of *N*-substituted amides of 3-(3-ethylthio-1,2,4-triazol-5-yl)propenoic acid, 3788 – Synthesis, pharmacological and antiviral activity of 1,3-thiazepine derivatives, 4960

X-ray crystallography – The cytotoxic properties and preferential toxicity to tumour cells displayed by some 2,4-*bis*(benzylidene)-8-methyl-8-azabicyclo[3.2.1]octan-3-ones and 3,5-*bis*(benzylidene)-1-methyl-4-piperidones, 54 – Synthesis of new chiral 2,5-disubstituted 1,3,4-thiadiazoles possessing γ -butenolide moiety and preliminary evaluation of in vitro anticancer activity, 3340 – Antiviral evaluation of *N*-amino-1,2,3-triazoles against Cantagalo virus replication in cell culture, 3777 – Stereoselective synthesis and antimicrobial activity of benzofuran-based (1*E*)-1-(piperidin-1-yl)-*N*²-arylamidrazones, 4985 – Crystal structures, antioxidation and DNA binding properties of Dy(III) complexes with Schiff-base ligands derived from 8-hydrox-

quinoline-2-carboxaldehyde and four aroylhydrazines, 5080

X-ray diffraction – Synthesis, crystal structure and anti-inflammatory properties of curcumin analogues, 915 – Bromoalkoxyxanthenes as promising anti-tumor agents: Synthesis, crystal structure and effect on human tumor cell lines, 3830 – Synthesis, spectroscopic characterization, X-ray structure and evaluation of binding parameters of new triorganotin(IV) dithiocarboxylates with DNA, 3986 – Novel 3,3'-diindolylmethane derivatives: Synthesis and cytotoxicity, structural characterization in solid state, 4136

X-ray – Novel *trans*-dichloridoplatinum(II) complexes with 3- and 4-acetylpyridine: Synthesis, characterization, DFT calculations and cytotoxicity, 1921 – Synthesis and structure analysis of cyclodehydration product of piroxicam: A metabolite detected in dogs and monkeys, 3368 – Synthesis, crystal structures and antibacterial activity studies of aza-derivatives of phytoalexin from cotton plant – gossypol, 4393

X-ray single crystal – Convenient synthesis and antimicrobial evaluation of some novel 2-substituted-3-methylbenzofuran derivatives, 3637

X-ray structure – The structure of Rimnabant in the solid state and in solution: An experimental and theoretical study, 1864

X-ray study – Synthesis of novel thiazolone-based compounds containing pyra-

zoline moiety and evaluation of their anticancer activity, 1396

Xylene derivatives – Synthesis and antiprotzoal activities of dicationic bis(phenoxy-methyl)benzenes, bis(phenoxy-methyl)naphthalenes, and bis(benzoyloxy)naphthalenes, 3543

Xylene linkers – In-vitro regeneration of sarin inhibited electric eel acetylcholinesterase by bis-pyridinium oximes bearing xylene linker, 1326

Y

Yeast cultures – Synthesis, Raman, FT-IR, NMR spectroscopic characterization, antimicrobial activity, cytotoxicity and DNA binding of new mixed aza-oxo-thia macrocyclic compounds, 4681

Ylidenemalononitriles – Synthesis of [1,2,4]triazolo[1,5-*a*]pyridines of potential PGE₂ inhibitory properties, 1972

Z

ZAP-70 – Discovery of potential ZAP-70 kinase inhibitors: Pharmacophore design, database screening and docking studies, 4793

Zileuton – Synthesis and pharmacological evaluation of 2-substituted benzo[*b*]thiophenes as anti-inflammatory and analgesic agents, 1718

Zn(II) complex – Synthesis and characterization of the Zn(II) and Cu(II) piperidinyli-soeuxanthone complexes: DNA-binding and cytotoxic activity, 4509