

5-(Pyrrolidine-2-yl)tetrazole: Rationale for the Increased Reactivity of the Tetrazole Analogue of Proline in Organocatalyzed Aldol Reactions

Antti Hartikka^[a] and Per I. Arvidsson^{*[a]}

Keywords: Organocatalysis / Tetrazole / Aldol reactions / Asymmetric catalysis / Computational chemistry

On page 4293 of our original article,^[1] we reported a specific optical rotation of the catalyst 5-[(2*S*)-pyrrolidine-2-yl]-1*H*-tetrazole (**1**) of $[\alpha]_D^{25} = -1.1$ ($c = 1$, CH_3OH). Upon re-measuring this value on the same spectropolarimeter, but with a new lamp, we now obtained the value $[\alpha]_D^{25} = -8.8$ ($c = 1.00$, CH_3OH). We apologize to all readers for any confusion this error might have caused, and are grateful to Dr. D. Longbottom and Prof. Dr. S. V. Ley for bringing this error to our attention.

The Authors

[1] A. Hartikka, P. I. Arvidsson, *Eur. J. Org. Chem.* **2005**, 4287–4295.

Received March 27, 2006
Published Online: April 21, 2006

[a] Department of Chemistry, Organic Chemistry, Uppsala University,
5124 Uppsala, Sweden
Fax: +46-18-4713818
E-mail: Per.Arvidsson@kemi.uu.se