


Efficient Synthesis of β -Glycosphingolipids by Reaction of Stannylceramides with Glycosyl Iodides Promoted by TBAI/AW 300 Molecular Sieves

José Antonio Morales-Serna,^[a] Yolanda Díaz,^[a] M. Isabel Matheu,^[a] and Sergio Castellón*^[a]

Keywords: Glycosylation / Glycolipids / Sphingolipids / Tin / Ethers

In the original article,^[1] Scheme 3 contains several errors, and in references [18] and [19] some names are misspelled; the correct versions are given below.



[18] For a recent review about orthoesters see: (a) B. Fraser-Reid, J. C. López, *Handbook of Chemical Glycosylation*, Wiley-VCH, Weinheim, **2008**, p. 381–415; (b) F. Kong, *Carbohydr. Res.* **2006**, *342*, 345–373.

[19] (a) W. Wang, F. Kong, *Tetrahedron Lett.* **2002**, *39*, 1937–1940; (b) J. Gass, M. Strobl, A. Loibner, P. Kosma, U. Zähringer, *Carbohydr. Res.* **1993**, *244*, 69–84; (c) T. Ogawa, K. Beppu, S. Nakabayashi, *Carbohydr. Res.* **1981**, *93*, C6–C9.

The Authors

[1] J. A. Morales-Serna, Y. Díaz, M. I. Matheu, S. Castellón, *Eur. J. Org. Chem.* **2009**, 3849–3852.

Received: October 29, 2009

Published Online: November 27, 2009

[a] Departament de Química Analítica i Química Orgànica, Universitat Rovira i Virgili, C/Marcel·lí Domingo s/n, 43007 Tarragona, Spain
Fax: +34-977-558446
E-mail: sergio.castillon@urv.cat