

European Journal of Orthodontics

Volume 20 (1998) Subject entries: Abstract section

Page numbers are given first followed by the abstract number in parentheses

Aborigines

Longitudinal movements of the first molars and the anterior dentition in ... 635 (62)

Acoustic rhinometric data

Vertical dimensions in cleft lip and palate patients: ... 485 (58)

Activator

Anteroposterior forces during ... treatment 627 (42)
Effects of an ... on mandibular growth in different facial patterns 644 (87)

Masticatory movement changes in children with distal occlusion treated with an ... 636 (66)

Adhesive strength

Effects of various means of isolation and surplus removal on the ... of resin-modified glass-ionomers on enamel 625 (38)

Adolescents

'Effective' temporomandibular joint changes in ... during Herbst treatment 640 (78)
Oral *Candida* species in ... with and without fixed orthodontic appliances 618 (18)

Aesthetic component of the IOTN

... in the assessment of occlusal appearance of Finnish young adults 637 (69)

Agensis

A long-term study of 132 deciduous molars with ... of the permanent successors 477 (38)

Alignment

Apical root resorption of teeth adjacent to alveolar clefts during orthodontic ... 642 (82)

Comparison of copper NiTi and nitinol archwires in initial ... 614 (8)

Pain reported during ... using various nickel titanium wires 636 (67)

Alveolar clefts

Apical root resorption of teeth adjacent to ... during orthodontic alignment 642 (82)

Alveolar process

Ideal arch planning under consideration of the mandibular ... 619 (22)

Alveolar stumps

Three-dimensional examination of the displaced ... and the incisal points in cleft patients 628 (46)

Antagonists

Vertical position of molars without ... 627 (43)

Anterior dentition

Longitudinal movements of the ... in Aborigines 635 (62)

Anterior facial height

... in cleft lip and palate children 638 (71)

Anterior vertical facial development

... in non-orthodontically treated individuals 646 (92)

Anteroposterior forces

... during activator treatment 627 (42)

Anti-inflammatory therapy

... and temporomandibular joint function in subjects with rheumatoid arthritis 621 (26)

Apical root resorption

... of teeth adjacent to alveolar clefts during orthodontic alignment 642 (82)

Arch changes

Early ... in cleft lip and palate children treated with pre-surgical orthopaedics 639 (75)

Arch dimensions

... in an adult sample with ideal occlusion 616 (13)
... in children with cleft palate 629 (48)

Arch length discrepancy

Long-term effect of oral health promotion on ... 641 (79)

Arch planning

Ideal ... under consideration of the mandibular alveolar process 619 (22)

Arch segments

Three-dimensional force systems generated by vertical V-bends in ... of different lengths 645 (90)

Assessing treatment need and outcome

The international validation of a combined orthodontic index for ... 466 (8)

Asymptomatic temporomandibular joint

Hard and soft tissues of the ... in growing patients 626 (39)

Autogenous bone grafts

Quantitative assessment of the healing of ... 485 (56)

Axial position

Orthopantomamographic examination of the ... of cleft adjacent canines in cleft lip and palate patients after secondary osteoplastic surgery 642 (81)

Bimetric distalization arches

Magnets versus ... 467 (11)

Biomechanical

... consideration of the cause of post-natal jaw deformity 475 (31)
... evaluation of skull defects three months after implantation with osteopromotive substances 625 (37)

Bionator therapy

Changes in bite height during the Class II division 1 ... 612 (2)

Bisphosphonate

Effects of ... on bone resorption during tooth relapse 648 (97)

Bite force magnitude

A longitudinal study of ... in an Egyptian sample 634 (61)
... and craniofacial morphology 479 (42)

Bite height

Changes in ... during the Class II division 1 Bionator therapy 612 (2)

Bolton's ratio

An evaluation of ... in skeletal Class II patients 615 (12)

Bonded Herbst therapy

Treatment and post-treatment effects of ... 620 (24)

Bonding

Influence on shear bond strength of adjusting the bracket position in direct ... 615 (10)

Orthodontic ... using a sandblaster for pre-treatment of the enamel 645 (91)

Bonding agents

Comparison of clinical failure rates for two orthodontic ... 614 (7)

Bonding system

Shear-bond strength of a new self-etching fluoride-releasing ... 622 (28)

Bonding technique

Frequency and cause of bracket loss in the direct ... 614 (9)

Bone grafts

Quantitative assessment of the healing of autogenous ... 485 (56)

Bone growth

Do lateral cephalograms reveal the state of ... 617 (17)

Bone mass

... in the mandible of growing hypocalcaemic rats 627 (41)

Bone maturation

Dental anatomy and its implication on the state of ... 617 (17)

Bone resorption

Effects of bisphosphonate on ... during tooth relapse 648 (97)

Bone remodelling

Three-dimensional numerical simulation of orthodontic ... 465 (4)

Bracket bonding

... on primary teeth 624 (33)

Bracket loss

Frequency and cause of ... in the direct bonding technique 614 (9)

Bracket position

Influence on shear bond strength of adjusting the ... in direct bonding 615 (10)

Callithrix jacchus

Growth of a rib graft in the temporomandibular joints of ... 478 (39)

Calvarial bones and sutures

Molecular signalling in the developing ... 480 (44)

Candida species

Oral ... in adolescents with and without fixed orthodontic appliances 618 (18)

Canines

Orthopantomamographic examination of the axial position of cleft adjacent ... in cleft lip and palate patients after secondary osteoplastic surgery 642 (81)

Cantilever configurations

Deformation characteristics of ... 617 (15)

'Catch-up' mandibular growth

Does ... occur in patients born with Pierre Robin sequence 467 (9)

Centre of resistance

Location of the ... 647 (94)

Cephalograms

Do lateral ... reveal the state of bone growth and maturation? 617 (17)

Cephalometric analysis

... of patients with hypodontia 644 (88)

Cephalometric assessment

Principles and ... of functional magnetic correction 483 (53)

Cephalometric data

Vertical dimensions in cleft lip and palate patients: ... 485 (58)

Cephalometric evaluation

Lateral ... of nasal cavity development in cleft children 464 (1)

Ceramic brackets

Recycling effects on ... 615 (11)

Cervical headgear therapy

... as a factor in obstructive sleep apnoea 638 (70)

Clasps

Dental anatomy and its implication on the retention ability of ... 617 (16)

Class I malocclusions

Masticatory muscle activity in ... malocclusions 645 (89)

Class II correction

... in patients treated with Class II elastics and the Herbst appliance 622 (29)

Class II division 1

Changes in bite height during the ... Bionator therapy 612 (2)

Class II division 1 malocclusions

Masticatory muscle activity in ... 645 (89)

Vertical craniofacial pattern of untreated ... and growth-related changes 620 (25)

Vertical skeletofacial morphology in ... 625 (36)

Class II division 2 malocclusions

Vertical skeletofacial morphology in ... 625 (36)

Class II elastics

Class II correction in patients treated with ... and the Herbst appliance 622 (29)

Class II patients

An evaluation of Bolton's ratio in skeletal ... 615 (12)

Class III malocclusions

Dental arch characteristics and skeletal/soft tissue profile changes following treatment of ... using a Fränkel appliance 626 (40)

Psychological aspects in orthognathic patients with ... 648 (99)

Shape-coordinate analysis of mandibular growth in untreated ... 612 (3)

Cleft adjacent canines

Orthopantomamographic examination of the axial position of ... in cleft lip and palate patients after secondary osteoplastic surgery 642 (81)

Cleft children

Lateral cephalometric evaluation of nasal cavity development in ... 464 (1)

Cleft lip and palate

Anterior and posterior facial height in ... children 638 (71)

Cry analysis: a new non-invasive diagnostic tool in ... infants 622 (30)

Early arch changes in ... children treated with pre-surgical orthopaedics 639 (75)

Genetically determined disturbances of tooth development in patients with ... 635 (64)

Orthopantomographic examination of the axial position of cleft adjacent canines in ... patients after secondary osteoplastic surgery 642 (81)

Vertical dimensions in ... patients 485 (58)

Cleft palate

Dental occlusion and arch dimensions in children with ... 629 (48)

Cleft patients

Three-dimensional examination of the displaced alveolar stumps and the incisal points in ... 628 (46)

Clinical failure rates

Comparison of ... for two orthodontic bonding agents 614 (7)

Clinical orthodontics

The neuromuscular system and its significance for ... 470 (16)

- Combined orthodontic index*
The international validation of a ... for assessing treatment need and outcome 466 (8)
- Combined orthodontic-surgical treatment*
Changes of neuromuscular guidance of the mandible as a result of ... 642 (83)
- Compensated high angle malocclusions*
Orthodontic treatment of ... 471 (19)
- Composite resin*
Clinical comparison between a resin-reinforced glass ionomer and ... 466 (6)
- Computer-aided simulations*
... for the diagnosis of maxillofacial anomalies 632 (55)
- Condylar dysplasia patients*
Influence of muscle volume on temporomandibular function in ... 472 (22)
- Condylar shape*
Electrical masseter muscle stimulation alters ... in organ culture 478 (40)
- Condyle position*
... is not dependent on eminence inclination and disc position 640 (77)
- Condyle*
Characterisation of proliferative cells in the rat ... during growth 646 (93)
- Congenital palsy*
... of facial nerve 632 (56)
- Congenitally missing teeth*
... tooth anomalies and related malocclusions 613 (4)
- Copper NiTi archwires*
Comparison of ... and nitinol archwires in initial alignment 614 (8)
- Craniofacial microsomia patients*
A retrospective study of surgical protocol in the treatment of ... 618 (19)
- Craniofacial morphology*
Bite force magnitude and ... 479 (42)
- Craniofacial pattern*
... in patients with obstructive sleep apnoea 631 (54)
Vertical ... of untreated Class II division 1 malocclusions and growth-related changes 620 (25)
- Craniofacial relationships*
An analysis of ... in subjects with open bite 641 (80)
- Cry analysis*
... 622 (30)
- Cyclophosphamide*
Effect of ... on growth of the maxillary median suture in rats 620 (23)
- Debonding techniques*
Amount of residual adhesive after two different ... 621 (27)
- Deciduous molars*
A long-term study of 132 ... with agenesis of the permanent successors 477 (38)
- Deep bite analysis*
...: a new reference 467 (10)
- Deformation characteristics*
... of different cantilever configurations 617 (15)
- Dental anatomy*
... and its implications on the retention ability of clasps 617 (16)
- Dental arch characteristics*
... following treatment of Class III malocclusions using a Fränkel appliance 626 (40)
- Dental caries*
Trends in ... in children 639 (74)
- Dental occlusion*
... in children with cleft palate 629 (48)
- Dental trauma*
Overjet and ... 477 (37)
- Dentoalveolar compensatory mechanism*
... in open bite patients 639 (73)
- Dentoalveolar findings*
... before and after rapid palatal expansion 643 (85)
- Dentofacial development and growth*
Congenital palsy of facial nerve: influence on ... 632 (56)
- Dentofacial lateral cephalometric analysis*
... in mouth breathing patients 479 (43)
- Dentofacial morphology*
Relationship between the volume of masticatory muscles and ... 475 (33)
- Dentofacial orthopaedics and orthodontics*
Consideration of functional aspects in ... 481 (48)
- Dentoskeletal morphology*
A longitudinal study of ... in an Egyptian sample 634 (61)
- Diagnostic tool*
Cry analysis: a new non-invasive ... in cleft lip and palate infants 622 (30)
- Direct bonding*
Frequency and cause of bracket loss in the ... technique 614 (9)
- Influence on shear bond strength of adjusting the bracket position in ... 615 (10)
- Disc position*
Condyle position is not dependent on ... 640 (77)
- Displaced alveolar stumps*
Three-dimensional examination of the ... and the incisal points in cleft patients 628 (46)
- Distal occlusion*
Features of ... of adult females 638 (72)
Masticatory movement changes in children with ... treated with an activator 636 (66)
- Distraction of the mandible*
Orthopaedically induced ... 637 (68)
- Duration of treatment*
Treatment success and ... in consideration of the PAR Index 624 (35)
- Dystrophic mice*
FHL mRNA expression in the masseter muscle of ... 476 (34)
- Early arch changes*
... in cleft lip and palate children treated with pre-surgical orthopaedics 639 (75)
- Electrical masseter muscle stimulation*
... alters condylar shape in organ culture 478 (40)
- Embryonic fibronectin splicing variants*
The expression of ... in human masseter muscle 479 (41)
- Eminence inclination*
Condyle position is not dependent on ... 640 (77)
- Enamel*
Effects of various means of isolation and surplus removal on the adhesive strength of resin-modified glass-ionomers on ... 625 (38)
Orthodontic bonding using a sandblaster for pre-treatment of the ... 645 (91)
Penetration depth of phosphoric acid into ... during etching *in vitro* 618 (20)
- Etching*
Penetration depth of phosphoric acid into enamel during ... *in vitro* 618 (20)
- Expansion*
Changes in nasal respiration after surgically-assisted rapid maxillary ... 623 (32)

- Skeletal and dentoalveolar findings
before and after rapid palatal ...
643 (85)
- Extraction*
Mandibular growth after ... of lower
first molars 630 (50)
Vertical dimension and orthodontic
treatment after ... of the first
molars 466 (7)
- Extreme vertical dimensions*
The aetiology of ... 485 (57)
- Face*
A new method for the analysis of
the ... in three dimensions using
a system of shape analysis
476 (35)
- Face mask therapy*
Thin-plate spline analysis of
skeletal changes induced by ...
464 (3)
- Facial growth*
Three-dimensional childhood ...
measured by optical surface
scanning 636 (65)
- Facial height*
Anterior and posterior ... in cleft lip
and palate children 638 (71)
- Facial nerve*
Congenital palsy of ... 632 (56)
- Facial patterns*
Effects of an activator on mandibular
growth in different ... 644 (87)
- FHL expression*
... in primary cultures of human
masseter muscle 631 (52)
... in the masseter muscle of
dystrophic mice 476 (34)
- Finishing occlusion*
... and long-term orthodontic
stability 474 (29)
- First molars*
Longitudinal movements of the ... in
Aborigines 635 (62)
Vertical dimension and orthodontic
treatment after extraction of the ...
466 (7)
- Fixed orthodontic appliances*
Oral *Candida* species in adolescents
with and without ... 618 (18)
- Fluoride-releasing bonding system*
Shear-bond strength of a new self-
etching ... 622 (28)
- Fränkel appliance*
Dental arch characteristics and
skeletal/soft tissue profile changes
following treatment of Class III
malocclusions using a ... 626 (40)
- Function*
... of the neuromuscular system
481 (47)
- Functional appliances*
Masseter muscle thickness and
treatment efficiency of ... 472 (24)
- Functional aspects*
Consideration of ... in dentofacial
orthopaedics and orthodontics
481 (48)
- Functional magnetic correction*
Principles and cephalometric
assessment of ... 484 (53)
- Functional occlusion*
... in post-orthodontic patients 616 (14)
- Functional orthopaedic treatment*
A nuclear magnetic resonance study
of temporomandibular joint
changes following ... using the
Würzburg approach 484 (55)
- Functional strain*
... in the mandible of growing
hypocalcaemic rats 627 (41)
- Genetically determined disturbances*
... of tooth development in patients
with cleft lip and palate 635 (64)
- Glass ionomer*
Clinical comparison between a resin-
reinforced ... and composite resin
466 (6)
Effects of various means of isolation
and surplus removal on the
adhesive strength of resin-modified
... on enamel 625 (38)
- Growth*
Characterisation of proliferative cells
in the rat condyle during ... 646 (93)
Micromechanical investigation of
mandibular and phalangeal bone
quality during ... 480 (45)
The effect of cyclophosphamide on
... of the maxillary median suture
in rats 620 (23)
- Growth considerations*
... in patients with vertical facial
patterns 477 (36)
- Growth prediction logistic regression*
Potential and limits of ... 630 (51)
- Growth-related changes*
Vertical craniofacial pattern of
untreated Class II division 1
malocclusions and ... 620 (25)
- Hard tissues*
... of the asymptomatic
temporomandibular joint in
growing patients 626 (39)
- Headgear*
Muscular effects of ... 648 (98)
- Herbst appliance*
Class II correction in patients treated
with Class II elastics and the ...
622 (29)
Muscular effects of headgear—...
activated step-by-step 648 (8)
- Herbst therapy*
Treatment and post-treatment effects
of bonded ... 620 (24)
- Herbst treatment*
'Effective' temporomandibular joint
changes in young adults and
adolescents during ... 640 (78)
- High angle malocclusions*
Orthodontic treatment of
compensated and non-
compensated ... 471 (19)
- Hypocalcaemic rats*
Functional strain and bone mass in the
mandible of growing ... 627 (41)
- Hypodontia*
Cephalometric analysis of patients
with ... 644 (88)
- Incisal points*
Three-dimensional examination of
the displaced alveolar stumps and
the ... in cleft patients 628 (46)
- Index of Orthodontic Treatment Need
(IOTN)*
Aesthetic component of the ...
in the assessment of occlusal
appearance of Finnish young
adults 637 (69)
- Initial alignment*
Comparison of copper NiTi and
nitinol archwires in ... 614 (8)
- Interdisciplinary co-operation*
... in the early screening of
malocclusion 633 (58)
- Intra-oral molar distalization*
Comparison of two ... methods
467 (11)
- Isolation*
Effects of various means of ... on
the adhesive strengths of resin-
modified glass-ionomers on
enamel 625 (38)
- Jaw deformity*
Biomechanical consideration of the
cause of post-natal ... 475 (31)
- Jaw muscles*
Muscle pain and factors affecting the
pressure pain thresholds of the ...
475 (32)

Juvenile chronic arthritis

The mandible in children with ...
643 (84)

Laser welded junctions

Influence on tensile strength of ... in
wires 624 (34)

Lateral cephalograms

Do ... reveal the state of bone
growth and maturation 617 (17)

Lateral cephalometric evaluation

... of nasal cavity developments in
cleft children 464 (1)

Lip bumper

Lower lip activity and forces with
the ... 473 (26)

Long face deformity

Masseter muscle: an innocent victim
or prime suspect in ... 471 (21)

Long faces

Limitations in the treatment of ...
483 (52)

Longitudinal movements

... of the first molars and the anterior
dentition in Aborigines 635 (62)

Lower first molars

Mandibular growth after extraction
of ... 630 (50)

Lower lip activity and forces

... with the lip bumper 473 (26)

Magnetic correction

Principles and cephalometric
assessment of functional ...
483 (55)

Magnetic resonance tomography sequences

Alteration of ... by orthodontic
appliances *in vitro* 613 (6)

Magnets

... versus bimetric distalization arches
467 (11)

Malocclusions

Congenitally missing teeth, tooth
anomalies and related ... 613 (4)

Interdisciplinary co-operation in the
early screening of ... 633 (58)

Masticatory muscle activity in
Class I and Class II division 1 ...
645 (89)

Occlusal patterns of ... using the
occlusal force measuring system
628 (44)

Orthodontic treatment of compensated
and non-compensated high angle ...
471 (19)

Psychological aspects in orthognathic
patients with Class III ... 648 (99)

Shape-co-ordinate analysis of
mandibular growth in untreated
Class III ... 612 (3)

Trends in ... in children 639 (74)

Vertical craniofacial pattern of
untreated Class II division 1 ...
620 (25)

Vertical skeletofacial morphology in
Class II division 1 and Class II
division 2 ... 625 (36)

Mandible

Changes of neuromuscular guidance
of the ... as a result of combined
orthodontic-surgical treatment
642 (83)

Functional strain and bone mass in
the ... of growing hypocalcaemic
rats 627 (41)

Orthopaedically induced distraction
of the ... 637 (68)

Prediction of positional and
morphological rotation of the ...
469 (14)

The ... in children with juvenile
chronic arthritis 643 (84)

Mandibular alveolar process

Ideal arch planning under
consideration of the ... 619 (22)

Mandibular bone quality

Micromechanical non-invasive
investigation of ... during growth
480 (45)

Mandibular dysfunction

... in relation to occlusion and
orthodontic treatment 470 (18)

Mandibular growth

... after extraction of lower first
molars 630 (50)

Does 'catch-up' ... occur in patients
born with Pierre Robin sequence
467 (9)

Effects of an activator on ... in
different facial patterns 644 (87)

Effects of experimental suprahyoid
muscle myectomy on rat ... 483 (51)

Shape-co-ordinate analysis of ... in
untreated Class III malocclusions
612 (3)

Mandibular osteogenesis

... using a tooth-borne distraction
device 465 (5)

Mandibular protrusion

Responses to ... in subjects with
obstructive sleep apnoea 613 (5)

Marmoset monkeys

Growth of a rib graft in the
temporomandibular joints of ...
478 (39)

Masseter muscle

... 471 (21)

FHL and myosin expression in
primary cultures of ... 631 (52)

FHL mRNA expression in the ... of
dystrophic mice 476 (34)

Regulation of MMps/TIMPs in an
in vitro model of human ... 629 (47)

The expression of embryonic
fibronectin splicing variants in
human ... 479 (41)

The pattern of myosin heavy chain
expression in the human ...
633 (57)

Masseter muscle activation

Selective ... depending on the
morpho-functional situation in
the orofacial region 482 (49)

Masseter muscle thickness

... and treatment efficiency of
functional appliances 472 (24)

Masseter muscles

Does occlusion determine perinatal
myosin heavy chain expression
in ... 635 (63)

Mastication

Muscles of ... and occlusal
relationships 468 (12)

Masticatory movement changes

... in children with distal occlusion,
treated with an activator 636 (66)

Masticatory muscle activity

... in Class I and Class II division 1
malocclusions 645 (89)

Masticatory muscles

Relationships between the volume
of ... and dentofacial morphology
475 (33)

Maxillary expansion

Changes in nasal respiration after
surgically-assisted rapid ...
623 (32)

Evaluation of a modified surgically-
assisted ... technique 631 (53)

Maxillary median suture

The effect of cyclophosphamide on
growth of the ... in rats 620 (23)

Maxillary surgery

Significance of the vertical dimension
in ... 482 (50)

Maxillofacial anomalies

Computer-aided simulations for the
diagnosis of ... 632 (55)

Micromechanical non-invasive investigation

... of mandibular and phalangeal
bone quality during growth
480 (45)

MMps/TIMPs

- Regulation of ... in an *in vitro* model of human masseter muscle 629 (47)

Molars

- Longitudinal movements of the first ... in Aborigines 635 (62)
- Mandibular growth after extraction of lower first ... 630 (50)
- Vertical dimension and orthodontic treatment after extraction of the first ... 466 (7)
- Vertical position of ... without antagonists 627 (43)

Molecular signalling

- ... in the developing calvarial bones and sutures 480 (44)

Morpho-functional situation

- Selective masseter and temporal muscle activation depending on the ... in the orofacial region 482 (49)

Morphological elements

- The ... of obstructive sleep apnoea 647 (95)

Morphological rotation

- Prediction of ... of the mandible 469 (14)

Morphometric data

- Vertical dimensions in cleft lip and palate patients: ... 485 (58)

Mouth breathing patients

- Nasopharyngeal and dentofacial lateral cephalometric analysis in ... 479 (43)

Muscle lesions

- ... in sleep apnoea 474 (30)

Muscle pain

- ... and factors affecting the pressure pain thresholds of the jaw muscles 475 (32)

Muscle volume

- Influence of ... on temporomandibular function in condylar dysplasia patients 472 (22)

Muscles of mastication

- ... and occlusal relationships 468 (12)

Muscular effects of headgear

- ... 648 (8)

Myosin expression

- ... in primary cultures of human masseter muscle 631 (52)

Myosin heavy chain expression

- Does occlusion determine perinatal ... in masseter muscles 635 (63)
- The pattern of ... in the human masseter muscle 633 (57)

Nasal air flow resistance

- A longitudinal study of ... in an Egyptian sample 634 (61)

Nasal cavity development

- Lateral cephalometric evaluation of ... in cleft children 464 (1)

Nasal respiration

- Changes in ... after surgically assisted rapid maxillary expansion 623 (32)

Nasolabial angle

- Vertical dimension and prediction of ... 481 (46)

Nasopharyngeal lateral cephalometric analysis

- ... in mouth breathing patients 479 (43)

Need for orthodontic treatment

- The objective and subjective ... and the treatment decision 628 (45)

Neuromuscular guidance

- Changes of ... of the mandible as a result of combined orthodontic-surgical treatment 642 (83)

Neuromuscular system

- Structure and function of the ... 481 (47)
- The ... and its significance for clinical orthodontics 470 (16)
- The ... and its significance for orofacial anomalies and their treatment 464 (2)

Nickel titanium wires

- Pain reported during alignment using various ... 636 (67)

NiTi orthodontic wires

- Torsional properties of ... 619 (21)

Nitinol archwires

- Comparison of copper NiTi and ... in initial alignment 614 (8)

Non-compensated high angle malocclusions

- Orthodontic treatment of ... 471 (19)

Non-invasive investigation

- Micromechanical, ... of mandibular and pharyngeal bone quality during growth 480 (45)

Nuclear magnetic resonance study

- A ... of temporomandibular joint changes following functional orthopaedic treatment using the Würzburg approach 484 (55)

Obstructive sleep apnoea

- Cervical headgear therapy as a factor in ... 638 (70)
- Craniofacial pattern and soft tissue morphology in patients with ... 631 (54)

- Responses to mandibular protrusion in subjects with ... 613 (5)
- ...—subjective versus objective treatment results 640 (76)
- The morphological elements of ... 647 (95)

Occlusal appearance

- Aesthetic component of the IOTN in the assessment of ... of Finnish young adults 637 (69)

Occlusal conditions

- Self-perception of ... in 18-year-old subjects 634 (60)

Occlusal force measuring system

- Occlusal patterns of malocclusion using the ... 628 (44)

Occlusal patterns of malocclusion

- ... using the occlusal force measuring system 628 (44)

Occlusal relationships

- Muscles of mastication and ... 468 (12)

Occlusal traits

- ... in a group of nine-year-old French children 612 (1)

Occlusal treatment outcome

- Stability of ... 10 years post-retention 473 (26)

Occlusion

- Arch dimensions in an adult sample with ideal ... 616 (13)
- Does ... determine perinatal myosin heavy chain expression in masseter muscles 635 (63)
- Features of distal ... of adult females 638 (72)
- Finishing ... and long-term orthodontic stability 474 (29)
- Functional ... in post-orthodontic patients 616 (14)
- Mandibular dysfunction in relation to ... 470 (18)

Open bite

- An analysis of craniofacial relationships in subjects with ... 641 (80)

Open bite analysis

- ...: a new reference 467 (10)

Open bite patients

- Dentoalveolar compensatory mechanism in ... 639 (73)

Optical surface scanning

- Three-dimensional childhood facial growth, measured by ... 636 (65)

Oral Candida species

- ... in adolescents with and without fixed orthodontic appliances 618 (18)

Oral health

The ... of 720 schoolchildren in Mainz, Germany 647 (96)

Oral health promotion

Long-term effect of ... on arch length discrepancy 641 (79)

Organ culture

Electrical masseter muscle stimulation alters condylar shape in ... 478 (40)

Orofacial anomalies

The neuromuscular system and its significance for ... and their treatment 464 (2)

Orofacial functions

Training of ... and their theoretical foundations 470 (17)

Orofacial region

Selective masseter and temporal muscle activation depending on the morphofunctional situation in the ... 482 (49)

Orthodontic alignment

Apical root resorption of teeth adjacent to alveolar clefts during ... 642 (82)

Orthodontic appliances

Alteration of magnetic resonance tomography sequences by ... *in vitro* 613 (6)
Oral *Candida* species in adolescents with and without fixed ... 618 (13)

Orthodontic bonding

... using a sandblaster for pre-treatment of the enamel 645 (91)

Orthodontic bonding agents

Comparison of clinical failure rates for two ... 614 (7)

Orthodontic bone remodelling

Three-dimensional numerical simulation of ... 465 (4)

Orthodontic index

The international validation of a combined ... for assessing treatment need and outcome 466 (8)

Orthodontic stability

Finishing occlusion and long-term ... 474 (29)

Orthodontic-surgical treatment

Changes of neuromuscular guidance of the mandible as a result of combined ... 642 (83)

Orthodontic treatment

Development of overbite and vertical facial dimensions during and after ... 474 (28)

Mandibular dysfunction in relation to ... 470 (18)

... of compensated and non-compensated high angle malocclusions 471 (19)

Vertical dimension and ... after extraction of the first molars 466 (7)

Orthodontic wire

Torsional properties of NiTi ... 619 (21)

Orthodontics

Preventive dentistry and ... 633 (59)

Orthognathic patients

Psychological aspects in ... with Class III malocclusions 648 (99)

Orthopantomamographic examination

... of the axial position of cleft adjacent canines in cleft lip and palate patients after secondary osteoplastic surgery 642 (81)

Osteogenesis

Mandibular ... using a tooth-borne distraction device 465 (5)

Osteoplastic surgery

Orthopantomographic examination of the axial position of cleft adjacent canines in cleft lip and palate patients after secondary ... 642 (81)

Osteopromotive substances

Biomechanical evaluation of skull defects three months after implantation with ... 625 (37)

Outcome

The international validation of a combined orthodontic index for assessing ... 466 (8)

Overbite

Development of ... during and after orthodontic treatment 474 (28)

Overjet

... and dental trauma 477 (37)

Pain

... reported during alignment using various nickel titanium wires 636 (67)

Palatal expansion

Skeletal and dentoalveolar findings before and after rapid ... 643 (85)

PAR Index

Treatment success and duration in consideration of the ... 624 (35)

Patient co-operation

... in orthodontics 644 (86)

Penetration depth

... of phosphoric acid into enamel during etching *in vitro* 618 (20)

Perinatal myosin heavy chain expression

Does occlusion determine ... in masseter muscles? 635 (63)

Perioral electromyography

... during trumpet performance 630 (49)

Permanent dentition

Serial extractions versus premolar extractions in the ... 484 (54)

Phalangeal bone quality

Micromechanical investigation of ... during growth 480 (45)

Phosphoric acid

Penetration depth of ... into enamel during etching *in vitro* 618 (20)

Pierre Robin sequence

Does 'catch-up' mandibular growth occur in patients born with ... 467 (9)

Positional rotation

Prediction of ... of the mandible 469 (14)

Posterior facial height

... in cleft lip and palate children 638 (71)

Posterior vertical facial development

... in non-orthodontically treated individuals 646 (92)

Post-natal jaw deformity

Biomechanical consideration of the cause of ... 475 (31)

Post-orthodontic patients

Functional occlusion in ... 616 (14)

Post-treatment effects

... of bonded Herbst therapy 620 (24)

Prediction

... of nasolabial angle 481 (46)

Premolar extractions

Serial extractions versus ... in the permanent dentition 484 (54)

Pressure measurements

... during trumpet performance 630 (49)

Pressure pain thresholds

Muscle pain and factors affecting the ... of the jaw muscles 475 (32)

Pre-surgical orthopaedics

Early arch changes in cleft lip and palate children treated with ... 639 (75)

Preventive dentistry

... and orthodontics 633 (59)

Primary cultures

FHL and myosin expression in ... of human masseter muscle 631 (52)

Primary teeth

Bracket bonding on ... 624 (33)

Proliferative cells

Characterisation of ... in the rat condyle during growth 646 (93)

Psychological aspects in orthognathic patients

... with Class III malocclusions 648 (99)

Rapid palatal expansion

Changes in nasal respiration after surgically assisted ... 623 (32)
Skeletal and dentoalveolar findings before and after ... 643 (85)

Recycling effects

... on ceramic brackets 615 (11)

Residual adhesive

Amount of ... after two different debonding techniques 621 (27)

Resin-modified glass-ionomers

Effects of various means of isolation and surplus removal on the adhesive strengths of ... on enamel 625 (38)

Resin-reinforced glass ionomer

Clinical comparison between a ... and composite resin 466 (6)

Resistance

Location of the centre of ... 647 (94)

Retention ability

Dental anatomy and its implication on the ... of clasps 617 (16)

Retention regimes

... 472 (23)

Rheumatoid arthritis

Anti-inflammatory therapy and temporomandibular joint function in subjects with ... 621 (26)

Rib graft

Growth of a ... in the temporomandibular joints of marmoset monkeys *Callithrix jacchus* 478 (39)

ROC curves

Potential and limits of ... 630 (51)

Rotation

Prediction of positional and morphological ... of the mandible 469 (14)

Sandblaster

Orthodontic bonding using a ... for pre-treatment of the enamel 645 (91)

Screening

Interdisciplinary co-operation in the early ... of malocclusion 633 (58)

Secondary osteoplastic surgery

Orthopantomamographic examination of the axial position of cleft adjacent canines in cleft lip and palate patients after ... 642 (81)

Self-etching fluoride-releasing bonding system

Shear-bond strength of a new ... 622 (28)

Self-perception

... of occlusal conditions in 18-year-old subjects 634 (60)

Sella turcica

The ... in children with spina bifida 473 (25)

Serial extractions

... versus premolar extractions in the permanent dentition 484 (54)

Shape analysis

A new method for the analysis of the face in three dimensions using a system of ... 476 (35)

Shape coordinate analysis

... of mandibular growth in untreated Class III malocclusions 612 (3)

Shear bond strength

Influence on ... of adjusting the bracket position in direct bonding 615 (10)
... of a new self-etching fluoride-releasing bonding system 622 (28)

Shear bond strength analysis

Recycling effects on ceramic brackets: a ... 615 (11)

Short faces

Limitations in the treatment of ... 483 (52)

Skeletal changes

Thin-plate spline analysis of ... induced by face mask therapy 464 (3)

Skeletal Class II patients

An evaluation of Bolton's ratio in ... 615 (12)

Skeletal findings

... before and after rapid palatal expansion 643 (85)

Skeletal/soft tissue profile changes

... following treatment of Class III malocclusions using a Fränkel appliance 626 (40)

Skeletofacial morphology

Vertical ... in Class II division 1 and Class II division 2 malocclusions 625 (36)

Skull defects

Biomechanical evaluation of ... three months after implantation with osteopromotive substances 625 (37)

Sleep apnoea

Muscle lesions in ... 474 (30)

Social implication

Preventive dentistry and orthodontics: ... 633 (59)

Soft tissue morphology

... in patients with obstructive sleep apnoea 631 (54)

Soft tissue profile changes

... following treatment of Class III malocclusions using a Fränkel appliance 626 (40)

Soft tissues

... of the asymptomatic temporomandibular joint in growing patients 626 (39)

Speaking movement

Influence of tongue thrust of the variability of ... 471 (20)

Spina bifida

The sella tucica in children with ... 473 (25)

Stability

... of occlusal treatment outcome 10 years post-retention 473 (27)

Structure

... of the neuromuscular system 481 (47)

Suprahyoid muscle myectomy

Effects of experimental ... on rat mandibular growth 483 (51)

Surface roughness

... of orthodontic wires via atomic force microscopy 000 (00)

Surgical protocol

A retrospective study of ... in the treatment of craniofacial microsomia patients 618 (19)

Surgically-assisted orthodontic maxillary expansion

Evaluation of a modified ... technique 631 (53)

Surplus removal

Effects of various means of ... on the adhesive strengths of resin-modified glass-ionomers on enamel 625 (38)

Swallowing

Quantitative evaluation of ultrasound scanning of the tongue during ... 469 (15)

Temporal muscle activation

Selective ... depending on the morpho-functional situation in the orofacial region 482 (49)

Temporomandibular function

Influence of muscle volume on ...
in condylar dysplasia patients
472 (22)

Temporomandibular joint

A nuclear magnetic resonance study
of ... following functional
orthopaedic treatment using the
Würzburg approach 484 (55)
Hard and soft tissues of the
asymptomatic ... in growing
patients 626 (39)

Temporomandibular joint changes

'Effective' ... in young adults and
adolescents during Herbst
treatment 640 (78)

Temporomandibular joint function

Anti-inflammatory therapy and ... in
subjects with rheumatoid arthritis
621 (26)

Temporomandibular joints

Growth of a rib graft in the ... of
marmoset monkeys, *Callithrix*
jacchus 478 (39)

Tensile strength

Influence on ... of laser welded
junctions in wires 624 (34)

Thin-plate spline analysis

... of skeletal changes induced by
face mask therapy 464 (3)

Three-dimensional childhood facial growth

..., measured by optical surface
scanning 636 (65)

Three-dimensional examination

... of the displaced alveolar stumps
and the incisal points in cleft
patients 628 (46)

Three-dimensional force systems

... generated by vertical V-bends in
arch segments of different lengths
645 (90)

Three-dimensional numerical simulation

... of orthodontic bone remodelling
465 (4)

Tongue

Quantitative evaluation of ultrasound
scanning of the ... during
swallowing 469 (15)

Tongue thrust

Influence of ... on the variability of
speaking movement 471 (20)

Tooth anomalies

Congenitally missing teeth, ... and
related malocclusions 613 (4)

Tooth-borne distraction device

Mandibular osteogenesis using a ...
465 (5)

Tooth development

Genetically determined disturbances
of ... in patients with cleft lip and
palate 635 (64)

Tooth relapse

Effects of bisphosphonate on bone
resorption during ... 648 (97)

Tooth size discrepancy

Clinical relevance of ... 623 (31)

Torsional properties

... of NiTi orthodontic wires
619 (21)

Training

... of orofacial functions and their
theoretical foundations 470 (17)

Treatment decision

The objective and subjective need
for orthodontic treatment and
the ... 628 (45)

Treatment effects

... of bonded Herbst treatment
620 (24)

Treatment efficiency

Masseter muscle thickness and ...
of functional appliances 472 (24)

Treatment need and outcome

The international validation of a
combined orthodontic index for
assessing ... 466 (8)

Treatment success

... and duration in consideration of
the PAR Index 624 (35)

Trumpet performance

Perioral electromyography and
pressure measurements during ...
630 (49)

Ultrasound scanning

Quantitative evaluation of ... of
the tongue during swallowing
469 (15)

Vertical craniofacial pattern

... of untreated Class II division 1
malocclusions and growth-related
changes 620 (25)

Vertical dimensions

... and orthodontic treatment after
extraction of the first molars 466 (7)
... of nasolabial angle 481 (46)
Significance of ... in maxillary
surgery 482 (50)
... in cleft lip and palate patients
485 (58)
The aetiology of extreme ... 485 (57)

Vertical facial development

Anterior and posterior ... in
non-orthodontically treated
individuals 646 (92)

Vertical facial dimensions

Development of ... during and after
orthodontic treatment 474 (28)

Vertical facial patterns

Growth considerations in patients
with ... 477 (36)

Vertical measurements

Accuracy of the visual treatment
objective for ... 468 (13)

Vertical position

... of molars without antagonists
627 (43)

Vertical skeletofacial morphology

... in Class II division 1 and Class II
division 2 malocclusions 625 (36)

Vertical V-bends

Three-dimensional force systems
generated by ... in arch segments
of different lengths 645 (90)

Visual treatment objective

Accuracy of the ... for vertical
measurements 468 (13)

Wires

Influence on tensile strength of laser
welded junctions in ... 624 (34)
Pain reported during alignment using
various nickel titanium ... 636 (67)

Würzburg approach

A nuclear magnetic resonance study
of temporomandibular joint
changes following functional
orthopaedic treatment using the ...
484 (55)

Young adults

'Effective' temporomandibular joint
changes in ... during Herbst
treatment 640 (78)

Author entries: Abstract section

- Abehsera, A. and Bacon, W.*
Occlusal traits in a group of nine-year-old French children 612 (1)
- Adamidis, I. P., Spyropoulos, M. N. and Angelopoulos, G. G.*
Lateral cephalometric evaluation of nasal cavity development in cleft children 464 (1)
- Aeschelmann, A.* see Horn, H.
- Al Yami, E. A.* see Kuijpers-Jagtman, A. M.
- Alanen, P.* see Pietilä, T.
- Alexandridis, C.* see Spyropoulos, M. N.
- Almeida, M. A. A., Kessner, C. A. and Faltin, K.*
Changes in bite height during the Class II division 1 Bionator therapy 612 (2)
- Alp, C. M.* see Dibbets, J. M. H.
- Amirtahamasep, K.* see Willerhausen, B.
- Andlin-Sobocki, A.* see Rehn, P.
- Angelopoulos, G. G.* see Adamidis, I. P.
- Annunciato, N. F.*
The neuromuscular system and its significance for orofacial anomalies and their treatment 464 (2)
- Årtun, J.* see Schmidt, A.
- Athanasiou, A. E.* see Kalavritinos, R.
- Axmann-Krcmar, D.* see Horn, H.
- Baccetti, T. and Franchi, L.*
Shape-coordinate analysis of mandibular growth in untreated Class III malocclusions 612 (3)
- Baccetti, T. and Franchi, L.*
Thin-plate spline analysis of skeletal changes induced by face mask therapy 464 (3)
- Baccetti, T.* see Franchi, L.
- Bacher, M.* see Horn, H.
- Bacon, W.* see Abehsera, A.
- Balestro, G.* see Miotti, F. A.; Ravara, M.
- Barbato, E.* see Malagola, C.
- Barthlen, G.* see Rose, E.
- Barucha, A.* see Pisulska-Otremba, A.
- Basdra, E. K., Kiokpasoglou, M. N., Stellzig, A. and Komposch, G.*
Congenitally missing teeth, tooth anomalies and related malocclusions. A genetic link 613 (4)
- Battagel, J. M., Johal, A., Kotecha, B. and Croft, C. B.*
Responses to mandibular protrusion in subjects with obstructive sleep apnoea 613 (5)
- Baumann, M. A., Theissen, P., Doll, G. M. and Schmidt, M. W.*
Alteration of magnetic resonance tomography sequences by orthodontic appliances *in vitro* 613 (6)
- Beckmann, S. H.* see Kuitert, R. B.
- Benington, P. C. M., McColl, J. and Wood, C. M.*
Comparison of clinical failure rates for two orthodontic bonding agents 614 (7)
- Berg, R.* see Wagner, M.
- Berten, J. L.* see Mauck, Ch.
- Bezemer, P. D.* see Nguyen, Q. V.
- Bhatia, S. N.* see Bloom, K. L.
- Blichfeldt, S.* see Kjær, I.
- Bloom, K. L. and Bhatia, S. N.*
Comparison of copper NiTi and nitinol archwires in initial alignment 614 (8)
- Bocconi, M.* see Monaco, A.
- Bolten, W.* see Gleissner, C.
- Bonath, C. C.* see Horn, H.
- Bosch, C.* see Cacciafesta, V.; Jones, L.
- Bourauel, C., Vollmer, D., Jäger, A. and Drescher, D.*
Three-dimensional numerical simulation of orthodontic bone remodelling 465 (4)
- Bourauel, C.* see Vardimon, A. D.; Vollmer, D.
- Brachvogel, P.* see Mauck, Ch.
- Brandenbusch, M.* see Willerhausen, B.
- Brattström, V.* see Lindstrand, C.
- Braumann, B., Niederhagen, B. and Schmolke, C.*
Mandibular osteogenesis using a tooth-borne distraction device 465 (5)
- Breier, M., Graf, I., Kleiss, P. and Schwarze, C. W.*
Frequency and cause of bracket loss in the direct bonding technique 614 (9)
- Breier, M., Graf, I., Reuter, L. and Schwarze, C. W.*
Influence on shear bond strength of adjusting the bracket position in direct bonding 615 (10)
- Breier, M.* see Graf, I.
- Bresin, A.* see Katsaros, C.
- Brown, S. C.* see Morgan, M. J.
- Bumann, A.* see Roudenklis, R.
- Cacciafesta, V., Bosch, C. and Melsen, B.*
Clinical comparison between a resin-reinforced glass ionomer and composite resin 466 (6)
- Cacciafesta, V., Cantiello, P., Martina, R. and Laino, A.*
Recycling effects on ceramic brackets: a shear bond strength analysis 615 (11)
- Calvert, M. L.* see Fatemi-Ardakani, P.
- Cannoni, D.* see Chiodo, B. P.
- Cantiello, P.* see Cacciafesta, V.
- Carlsson, G. E.* see Kiliaridis, S.
- Carvalho, R. S.* see Roudenklis, R.
- Chapila, J.*
An evaluation of Bolton's ratio in skeletal Class II patients 615 (12)
- Chiodo, B. P., Cannoni, D. and Malagola, C.*
Arch dimensions in an adult sample with ideal conditions 616 (13)
- Clark, J. D.* see Kerr, W. J. S.
- Clark, J. R. and Evans, R. D.*
Functional occlusion in post-orthodontic patients 616 (14)
- Coleman, D. C.* see Dowling, P. A.
- Conrad, C.* see Lux, C. J.
- Constant, S.* see Filleul, M. P.
- Coppola, F.* see Miotti, F. A.
- Crawford, E. C.* see Lee, D. W.
- Croft, C. B.* see Battagel, J. M.
- Cudovic, B. and Hettinger, V.*
Vertical dimension and orthodontic treatment after extraction of the first molars 466 (7)
- D'Ambrosio, F.* see Malagola, C.
- Dalstra, M. and Melsen, B.*
Deformation characteristics of different cantilever configurations 617 (15)
- Dalstra, M.* see van Monsjou, F. M.
- Daniels, C. and Richmond, S.*
The international validation of a combined orthodontic index for assessing treatment need and outcome 466 (8)
- Daskalogiannakis, J., Ross, R. B. and Thompson, B. D.*
Does 'catch-up' mandibular growth occur in patients born with Pierre Robin sequence 467 (9)

- de Götzen, R.* see Miotti, F. A.
Ravara, M.
- Dermaut, L. R.* see Heusdens, M.
- Dibbets, J. M. H., Alp, C. M. and Feder, H.-A.*
Open bite and deep bite analysis: a new reference 467 (10)
- Dibbets, J. M. H.* see Verbeeck, H. P. J.
- Diedrich, P. R.* see Fuhrmann, R. A. W.
- Doğanay, A., Küçükkeleş, N., Koyutük, Ö. and Erverdi, N.*
Comparison of two intra-oral molar distalization methods: magnets versus bimetric distalization arches 467 (11)
- Doll, G. M., Glaub, C., and Sergl, H. G.*
Do lateral cephalograms reveal the state of bone growth and maturation 617 (17)
- Doll, G. M., Zwerger, W. and Sergl, H. G.*
Dental anatomy and its implications on the retention ability of clasps 617 (16)
- Doll, G. M.* see Baumann, M. A.
- Donta, I.* see Spyropoulos, M. N.
- Dowling, P. A., Lagerström, L. and Coleman, D. C.*
Oral *Candida* species in adolescents with and without fixed orthodontic appliances 618 (18)
- Drescher, D.* see Bourauel, C.; Vardimon, A. D.; Vollmer, D.
- Ernst, C.-P.* see Willerhausen, B.
- Erverdi, N.* see Doganay, A.
- Evans, R. D.* see Clark, J. R.
- Faltin, K.* see Almeida, M. A. A.
- Fanghänel, J., Miehe, B., Kubein-Meesenburg, D., Nägerl, H., Schweska-Polly, R. and Fanghänel, Ju.*
Muscles of mastication and occlusal relationships: an experimental study 468 (12)
- Fanghänel, J.* see Schweska-Polly, R.
- Fanghänel, Ju.* see Fanghänel, J.
- Farella, M.* see Martina, R.
- Fatemi-Ardakani, P., Calvert, M. L. and James, D. R.*
A retrospective study of surgical protocol in the treatment of craniofacial microsomia patients 618 (19)
- Feder, H.-A.* see Dibbets, J. M. H.
- Feilzer, A. J.* see van Wavere, Hogervorst, W. L.
- Fenger, H.* see Fischer-Brandies, H.
- Ferris, A. J.* see Madgwick, A. J. A.
- Feuser, E., Zentner, A. and Sergl, H. G.*
Penetration depth of phosphoric acid into enamel during etching *in vitro* 618 (20)
- Filleul, M. P. and Constant, S.*
Torsional properties of NiTi orthodontic wire 619 (21)
- Fischbach, R.* see Kahl-Nieke, B.
- Fischer, J.* see Nötzel, F. N.
- Fischer-Brandies, H., Fenger, H. and Orthuber, W.*
Ideal arch planning under consideration of the mandibular alveolar process 619 (22)
- Fischer-Brandies, H. and Sievers, C.*
Accuracy of the visual treatment objective for vertical measurements 468 (13)
- Forsberg, C.-M., Näsman, M. and Lindskog, S.*
The effect of cyclophosphamide on growth of the maxillary median suture in rats 620 (23)
- Franceschini, P.* see Monaco, A.
- Franchi, L. and Baccetti, T.*
Prediction of positional and morphological rotation of the mandible 469 (14)
- Franchi, L. and Baccetti, T.*
Treatment and post-treatment effects of bonded Herbst treatment 620 (24)
- Franchi, L.* see Baccetti, T.
- Fricke, J.* see Vardimon, A. D.
- Friede, H.* see Kiliaridis, S.
- Fuhrmann, R. A. W. and Diedrich, P. R.*
Quantitative evaluation of ultrasound scanning of the tongue during swallowing 469 (15)
- Geis-Gerstorfer, J.* see Horn, H.
- Gesch, D.*
Vertical craniofacial pattern of untreated Class II division 1 malocclusions and growth-related changes 620 (25)
- Gette, T.* see Kahl-Nieke, B.
- Ghosh, J.* see Klocke, A.
- Glaub, C.* see Doll, G. M.
- Gleissner, C., Willerhausen, B., Kaesser, U. and Bolten, W.*
Anti-inflammatory therapy and temporomandibular joint function in subjects with rheumatoid arthritis 621 (26)
- Goodwin, P. M.* see Moss, J. P.
- Göz, G.* see Horn, H.
- Grabner, T. M.*
The neuromuscular system and its significance for clinical orthodontics 470 (16)
- Grabner, T. M.* see Vardimon, A. D.
- Grabowski, R.* see Nötzel, F. N.
- Graf, I., Jacobi, B. E., Breier, M. and Schwarze, C. W.*
Amount of residual adhesive after two different debonding techniques 621 (27)
- Graf, I., Kahl-Nieke, B. and Schwarze, C. W.*
Shear bond strength of a new self-etching fluoride-releasing bonding system 622 (28)
- Graf, I.* see Breier, M.
- Habets, L. L. M. H.* see Nguyen, Q. V.
- Hägg, A.* see Xi, D.; Zhou, Y. H.
- Hakkala, U.* see Vuoriluoto, J.
- Halazonetis, D. J.* see Katsavrias, E.
- Hansen, K. and Nelson, B.*
Class II correction in patients with Class II elastics and the Herbst appliance—a comparative study 622 (29)
- Hartung, M.* see Nötzel, F. N.
- Harzer, W.*
Training of orofacial functions and their theoretical foundations 470 (17)
- Hasan, J.* see Vuoriluoto, J.
- Hauser, Ch., Wermke, K., Stellzig, A. and Komposch, G.*
Cry analysis: a new non-invasive diagnostic tool in cleft lip and palate infants 622 (30)
- Helenius, H.* see Vuoriluoto, J.
- Hemprich, A.* see Hierl, Th.
- Henessy, R.* see Moss, J. P.
- Henrikson, T. and Nilner, M.*
Mandibular dysfunction in relation to occlusion and orthodontic treatment 470 (18)
- Hering, K., Ruf, S. and Pancherz, H.*
Orthodontic treatment of compensated and non-compensated high angle malocclusions 471 (19)
- Hettinger, V.* see Cudovic, B.
- Heusdens, M., Dermaut, L. and Verbeeck, R.*
Clinical relevance of tooth size discrepancy 623 (31)

- Hierl, Th., Kröger, W., Walter, F. and Hemprich, A.
Changes in nasal respiration after surgically assisted rapid maxillary expansion 623 (32)
- Holm, J. see Katsaros, C.
- Holgrave, E. A. and Sarow, K.
Bracket bonding on primary teeth. An *in vitro* experiment 624 (33)
- Horn, H., Göz, G., Bacher, M., Luther, J. and Axmann-Krcmar, D.
Influence of tongue thrust on the variability of speaking movement 471 (20)
- Horn, H., Göz, G., Bonath, C. C., Polte, B., Geis-Gerstorf, J. and Lindemann, W.
Influence on tensile strength of laser welded junctions in wires 624 (34)
- Horn, H., Göz, G., Neuschler, C., Aeschelmann, D. and Axmann-Krcmar, D.
Treatment success and duration in consideration of the PAR Index 624 (35)
- Hoyer, B. and Panzer, H.
Vertical skeletofacial morphology in Class II division 2 malocclusions 625 (36)
- Huggare, J. see Pirlä-Parkkinen, K.
- Hunt, N. P., Nelson-Moon, Z., Tan, I. S., Lewis, M. and Madgwick, A. J. A.
Masseter muscle: an innocent victim or prime suspect in long face deformity 471 (21)
- Hunt, N. P. see Lewis, M. P.; May, W. J.
- Ingevall, B. see Altenburger, E.
- Inou, N. see Maki, K.
- Inou, R. see Suto, M.
- Inoue, N. see Sakashita, R.
- Işeri, H. see Vardimon, A. D.
- Ishikawa, F. see Matsushima, S.
- Isotupa, K. see Visnapuu, V.
- Ito, G. see Suto, M.
- Jacobi, B. E. see Graf, I.
- Jäger, A. see Bourauel, C.; Vollmer, D.
- James, D. R. see Fatemi-Ardakani, P.
- Johal, A. see Battagel, J. M.
- Jonas, I. see Lapatki, B.; Rose, E.
- Jones, L., Bosch, C., Mosekilde, L., Thomsen, J. and Melsen, B.
Biomechanical evaluation of skull defects three months after implantation with osteopromotive substances 625 (37)
- Jönsson, E. see Magnusson, A.
- Jost-Brinkmann, P.-G., Liebmann, S. and Miethke, R.-R.
Effects of various means of isolation and surplus removal on the adhesive strength of resin-modified glass ionomers on enamel 625 (38)
- Kaesser, U. see Gleissner, C.
- Kahl-Nieke, B., Fischbach, R. and Gette, T.
Hard and soft tissues of the asymptomatic temporomandibular joint in growing patients 626 (39)
- Kahl-Nieke, B., Liebrecht, S. and Fischbach, R.
Influence of muscular volume on temporomandibular function in condylar dysplasia patients 472 (22)
- Kahl-Nieke, B. see Graf, I.
- Kalavritinos, R., Papadopoulos, M. A., Nasiopoulos, A. and Athanasiou, A. E.
Dental arch characteristics and skeletal/soft tissue profile changes following treatment of Class III malocclusions using a Fränkel appliance 626 (40)
- Kameda, A. see Nakahara, S.
- Kamegai, T. see Matsushima, S.; Sakashita, R.
- Kanakoudi, F. see Sidiropoulou, S.
- Kann, P. see Rose, E.
- Kantomaa, T. see Pirrtinemi, P.; Visnapuu, V.
- Kappert, H. F. see Lapatki, B.
- Katsaros, C., Holm, J., Strid, K.-G., Bresin, A. and Kiliaridis, S.
Functional strain and bone mass in the mandible of growing hypocalcaemic rats 627 (41)
- Katsavrias, E. and Halazonetis, D. J.
Anteroposterior forces during activator treatment 627 (42)
- Katsavrias, E. see Spyropoulos, M. N.
- Kenn, W. see Watted, N.
- Kerr, W. J. S. and Clark, J. D.
Retention regimes: a consensus? 472 (23)
- Kessner, C. A. see Almeida, M. A. A.
- Kettunen, P. J. see Rice, D. P. C.
- Kiliaridis, S., Lyka, I., Friede, H. and Carlsson, G. E.
Vertical position of molars without antagonists 627 (43)
- Kiliaridis, S. and Mills, C. M.
Masseter muscle thickness and treatment efficiency of functional appliances 472 (24)
- Kiliaridis, S. see Katsaros, C.; Kjellberg, H.
- Kim, H.-J. see Rice, D. P. C.
- Kim, T. see Yoshida, Y.
- Kiokpasoglou, M. N. see Basdra, E. K.
- Kitafusa, Y.
Occlusal patterns of malocclusion using the occlusal force measuring system 628 (44)
- Kjær, I., Wagner, Å., Madsen, P., Blichfeldt, S., Rasmussen, K. and Russell, B.
The sella turcica in children with spina bifida 473 (25)
- Kjellberg, H., Papargyriou, G. and Kiliaridis, S.
Masticatory movement changes in children with distal occlusion, treated with an activator 636 (66)
- Kleiss, P. see Breier, M.
- Klocke, A., Nanda, R. S. and Ghosh, J.
Lower lip activity and forces with the lip bumper 473 (26)
- Koch, R. see Watted, N.
- Köklü, S. see Vardimon, A. D.
- Kolokithas, G. see Sidiropoulou, S.
- Komorowska, A.
The objective and subjective need for orthodontic treatment and the treatment decision 628 (45)
- Komposch, G. see Basdra, E. K.; Hauser, Ch.; Lux, C. J.
- Kopp, S. see Scholle, H. Ch.
- Kotecha, B. see Battagel, J. M.
- Koyutük, Ö. see Doğanay, A.
- Kratzsch, H. and Opitz, Ch.
Three-dimensional examination of the displaced alveolar stumps and the incisal points in cleft patients 628 (46)
- Kressel, D. see Storr, I.
- Kröger, W. see Hierl, Th.
- Kubein-Meesenburg, D. see Fanghänel, J.; Schwestka-Polly, R.
- Kubota, M. see Maki, K.
- Küçükkeleş, N. see Doğanay, A.
- Kuijpers-Jagtman, A. M., Al Yami, E. A. and Ophof, R.
Stability of occlusal treatment outcome 10 years post-retention 473 (27)
- Kuitert, R. B., Beckmann, S. H. and Prahl-Andersen, B.
Development of overbite and vertical facial dimensions during

- and after orthodontic treatment
474 (28)
- Kunkel, M.* see *Wriedt, S.*
- Kuroe, K.* see *Suto, M.*
- Kuroi, J.* see *Magnusson, A.*
- Lagerström, L.* see *Dowling, P. A.*
- Laino, A.* see *Cacciafesta, V.*
- Langö, L. and Paulin, G.*
Dental occlusion and archdimensions
in children with cleft palate 629 (48)
- Lapatki, B., Jonas, I. and Kappert, H. F.*
Perioral electromyography and
pressure measurements during
trumpet performance 630 (49)
- Lapter, M.* see *Rajić Meštrović, S.*
- Lee, D. W., Woods, M. G. and
Crawford, E. C.*
Finishing occlusion and long-term
orthodontic stability 474 (29)
- Lee, R. T.* see *Patel, S.*
- Lehtmäki, K.* see *Vuoriluoto, J.*
- Lennartsson, B.* see *Rehn, P.*
- Levinkind, M.* see *Patel, S.*
- Lewis, M. P., Hunt, N. P., Madgwick,
A. J. A. and Tippett, H. L.*
Regulation of MMPs/TIMPs in an
in vitro model of human masseter
muscle 629 (47)
- Lewis, M. P.* see *Hunt, N. P.; Price, N. L.*
- Liebmenn, S.* see *Jost-Brinkmann, P.-G.*
- Liebrecht, S.* see *Kahl-Nieke, B.*
- Lindemann, W.* see *Horn, H.*
- Lindman, R. and Stål, P.*
Muscle lesions in sleep apnoea—a
cause or a consequence 474 (30)
- Lindstrand, C., Brattström, V. and
Odenrick, L.*
Mandibular growth after
extraction of lower first molars.
A longitudinal study 630 (50)
- Linney, A. D.* see *Moss, J. P.*
- Lindskog, S.* see *Forsberg, C.-M.*
- Löppönen, H.* see *Pirilä-Parkkinen, K.*
- Lucchelli, R.* see *Miotti, F. A.*
- Luhr, H. G.* see *Schwestka-Polly, R.*
- Luther, J.* see *Horn, H.*
- Lux, C. J., Conradt, C., Stellzig, A.,
Richardson, A. and Komposch, G.*
Potential and limits of growth
prediction logistic regression and
ROC curves 630 (51)
- Lyka, I.* see *Kiliaridis, S.*
- Madgwick, A. J. A., Morgan, M. J.,
Ferris, A. J., Thind, B. S. and
Hunt, N. P.*
FHL and myosin expression in
primary cultures of human
masseter muscle 631 (52)
- Madgwick, A. J. A.* see *Hunt, N. P.;*
Lewis, M. P.; May W. J.; Morgan, M. J.;
Nelson-Moon, Z. L.
- Madsen, P.* see *Kjær, I.*
- Magnusson, A., Kuroi, J. and Jönsson, E.*
Evaluation of a modified surgically
assisted orthodontic maxillary
expansion technique 631 (53)
- Maki, K., Inou, N., Takeyama, U.,
Kubota, M., Nakano, H. and
Shibasaki, Y.*
Biomechanical consideration of
the cause of post-natal jaw
deformity 475 (31)
- Maki, K., Inou, N., Tanaka, N., Toki, Y.
Mikawa, M. and Shibasaki, Y.*
Computer-aided simulations for
the diagnosis of maxillofacial
anomalies 632 (55)
- Mäkinen, R.* see *Vuoriluoto, J.*
- Malagola, C., D'Ambrosio, F., Proietti, D.
and Barbato, E.*
Craniofacial pattern and soft tissue
morphology in patients with
obstructive sleep apnoea 631 (54)
- Malagola, C.* see *Chiodo, B. P.*
- Marci, M. C.* see *Monaco, A.*
- Martina, R., Michelotti, A., Farella, M.
and Tedesco, A.*
Muscle pain and factors affecting
pressure pain thresholds of the jaw
muscles 475 (32)
- Martina, R.* see *Cacciafesta, V.*
- Matsushima, S., Nakano, H.,
Matsushima, K., Seino, Y., Kamegai, T.,
Ishikawa, F., Shozushima, M. and
Sakamaki, K.*
Relationship between the volume
of masticatory muscles and
dentofacial morphology 475 (33)
- Matsushima, K.* see *Matsushima, S.*
- Mauck, Ch., Brachvogel, P., Berten, J. L.
and Trankmann, J.*
Congenital palsy of facial nerve:
influence on dentofacial
development and growth 632 (56)
- May, W. J., Hunt, N. P. and
Madgwick, A. J. A.*
The pattern of myosin heavy chain
expression in the human masseter
muscle 633 (57)
- McColl, J.* see *Benington, P. C. M.*
- Meier, B.* see *Schmechel, M.*
- Melsen, B.* see *Cacciafesta, V.; Dalstra,
M.; Jones, L.; van Monsjou, F. M.*
- Mentz, D. D.* see *Rossouw, P. E.*
- Michelotti, A.* see *Martina, R.*
- Miehe, B.* see *Fanghänel, J.*
- Miethke, R.-R.* see *Jost-Brinkmann, P.-G.*
- Mikawa, M.* see *Maki, K.*
- Mills, C. M.* see *Kiliaridis, S.*
- Miotti, F. A., Coppola, F., Ravara, M.
and Balestro, G.*
Preventive dentistry and
orthodontics: social implications
633 (59)
- Miotti, F. A., Lucchelli, R., Modenese, A.,
Ravara, M. and de Goetzen, R.*
Interdisciplinary co-operation in
the early screening of malocclusion
633 (58)
- Miotti, A. M.* see *Ravara, M.*
- Miotti, F. A.* see *Ravara, M.*
- Modenese, A.* see *Miotti, F. A.*
- Monaco, A., Marci, M. C., Boccuni, M.
and Franceschini, P.*
Self-perception of occlusal
conditions in 18-year-old subjects
634 (60)
- Morgan, M. J., Brown, S. C. and
Madgwick, A. J. A.*
FHL mRNA expression in the
masseter muscle of dystrophic
mice 476 (34)
- Morgan, M. J.* see *Madgwick, A. J. A.;*
Nelson-Moon, Z. L.
- Mosekilde, L.* see *Jones, L.*
- Moss, J. P., Henessy, R., Linney, A. D.
and Goodwin, P. M.*
A new method for the analysis of
the face in three dimensions using
a system of shape analysis 476 (35)
- Moss, J. P.* see *Nute, S. J.*
- Moussa, H. M. and Sergl, H. G.*
A longitudinal study of bite force
magnitude, nasal air flow
resistance and dentoskeletal
morphology in an Egyptian
sample 634 (61)
- Muretić, Ž.* see *Rajić Meštrović, S.*
- Nägerl, H.* see *Fanghänel, J.;*
Schwestka-Polly, R.
- Nakahara, S., Takahashi, M.,
Kameda, T., Kameda, A. and
Townsend, G. C.*
Longitudinal movements of the
first molars and the anterior
dentition in Aborigines 635 (62)
- Nakano, H.* see *Maki, K.; Matsushima, S.*
- Nanda, R. S.*
Growth considerations in patients
with vertical facial patterns
477 (36)

- Nanda, R. S.* see Klocke, A.
- Nasiopoulos, A.* see Kalavritinos, R.
- Näsman, M.* see Forsberg, C-M.
- Nelson, B.* see Hansen, K.
- Nelson-Moon, Z. L., Morgan, M. J., Hunt, N. P. and Madgwick, A. J. A.*
Does occlusion determine perinatal myosin heavy chain expression in masseter muscles 635 (63)
- Nelson-Moon, Z.* see Hunt, N. P.
- Neuschler, C.* see Horn, H.
- Nguyen, Q. V., Bezemer, P. D., Habets, L. L. M. H. and Prahl-Andersen, B.*
Overjet and dental trauma—a meta-analysis of risk 477 (37)
- Niederhagen, B.* see Braumann, B.
- Nieminen, P.* see Pirilä-Parkkinen, K.
- Nilner, M.* see Henrikson, T.
- Nötzel, F. N., Fischer, J., Hartung, M., Grabowski, R. and Wigger, K.*
Genetically determined disturbances of tooth development in patients with cleft lip and palate 635 (64)
- Nute, S. J. and Moss, J. P.*
Three-dimensional childhood facial growth, measured by optical surface scanning 636 (65)
- Odenrick, L.* see Lindstrand, C.
- Ophof, R.* see Kuijpers-Jagtman, A. M.
- Opitz, Ch.* see Kratzsch, H.; Schmechel, M.; Schmidt, A.
- Orthuber, W.* see Fischer-Brandies, H.
- Pancherz, H.* see Hering, K.; Hoyer, B.; Trexler, A.; Ruf, S.
- Papadopoulos, M. A.* see Kalavritinos, R.; Sidiropoulou, S.
- Papargyriou, G.* see Kjellberg, H.
- Patel, S., Levinkind, M. and Lee, R. T.*
Pain reported during alignment using various nickel titanium wires 636 (67)
- Paulin, G.* see Langö, L.; Rehn, P.
- Paulsen, H. U.*
A long-term study of 132 deciduous molars with agenesis of the permanent successors 477 (38)
- Paulsen, H. U.*
Orthopaedically induced distraction of the mandible 637 (68)
- Peltomäki, T., Vähätalo, K. and Rönning, O.*
Growth of a rib graft in the temporomandibular joints of marmoset monkeys, *Callithrix jacchus* 478 (39)
- Peltomäki, T.* see Visnapuu, V.
- Pietilä, I.* see Pietilä, T.
- Pietilä, K.* see Pirttiniemi, P.
- Pietilä, T., Pietilä, I., Svedström-Oristo, A. L., Varrela, J. and Alanen, P.*
Aesthetic component of the IOTN in the assessment of occlusal appearance of Finnish young adults 637 (69)
- Pirilä-Parkkinen, K., Pirttiniemi, P., Nieminen, P., Löppönen, H., Tolonen, U., Uotila, R. and Huggare, J.*
Cervical headgear therapy as a factor in obstructive sleep apnoea 638 (70)
- Pirttiniemi, P., Kantomaa, T., Poikela, A. and Pietilä, K.*
Electrical masseter muscle stimulation alters condylar shape in organ culture 478 (40)
- Pirttiniemi, P.* see Pirilä-Parkkinen, K.
- Pisulka-Otremba, A. and Barucha, A.*
Anterior and posterior facial height in cleft lip and palate children 638 (71)
- Poikela, A.* see Pirttiniemi, P.
- Polte, B.* see Horn, H.
- Prahl-Andersen, B.* see Kuitert, R. B.; Nguyen, Q. V.; Raadsheer, M. C.; van Waveren Hogervorst, W. L.
- Price, N. L., Hunt, N. P. and Lewis, M. P.*
The expression of embryonic fibronectin splicing variants in human masseter muscle 479 (41)
- Proietti, D.* see Malagola, C.
- Puranen, M.*
Features of distal occlusion of adult females 638 (72)
- Raadsheer, M. C., van Eijden, T. M. G. J., van Ginkel, F. C., and Prahl-Andersen, B.*
Bite force magnitude and craniofacial morphology 479 (42)
- Rabie, A. B. M.* see Wong, R. W. K.
- Rajić Meštrović, S., Lapter, M. and Muretić, Ž.*
Dentoalveolar compensatory mechanism in open bite patients 639 (73)
- Rasmussen, K.* see Kjær, I.
- Ravanmehr, H. and Toodehzaeim, M. H.*
Nasopharyngeal and dentofacial lateral cephalometric analysis in mouth breathing patients 479 (43)
- Ravara, M., Miotti, A. M., Balestro, G., Miotti, F. A. and de Götzen, R.*
Trends in dental caries and malocclusion in children 639 (74)
- Ravara, M.* see Miotti, F. A.
- Rehn, P., Andlin-Sobocki, A., Lennartsson, B. and Paulin, G.*
Early arch changes in cleft lip and palate children treated with pre-surgical orthopaedics 639 (75)
- Reuter, L.* see Breier, M.
- Rice, D. P. C., Kim H-J., Kettunen, P. J. and Thesleff, I.*
Molecular signalling in the developing calvarial bones and sutures 480 (44)
- Richardson, A.* see Lux, C. J.
- Richmond, S.* see Daniels, C.
- Rönning, O.* see Peltomäki, T.
- Rose, E., Barthlen, G., Schmidt, R. and Jonas, I.*
Obstructive sleep apnoea—subjective versus objective treatment results 640 (76)
- Rose, E., Kann, P. and Jonas, I.*
Micromechanical, non-invasive investigation of mandibular and phalangeal bone quality during growth 480 (45)
- Ross, R. B.* see Daskalogiannakis, J.
- Rossouw, P. E., Woodside, D. G. and Mentz, D. D.*
Vertical dimension and prediction of nasolabial angle 481 (46)
- Roudenklis, P., Bumann, A. and Carvalho, R. S.*
Condyle position is not dependent on eminence inclination and disc position 640 (77)
- Rudzki-Janson, I.* see Storr, I.
- Ruf, S. and Pancherz, H.*
'Effective' temporomandibular joint changes in young adults and adolescents during Herbst treatment 640 (78)
- Ruf, S.* see Hering, K.; Trexler, A.
- Russell, B.* see Kjær, I.
- Sakamaki, K.* see Matsushima, S.
- Sakashita, R., Inoue, N. and Kamegai, T.*
Long-term effect of oral health promotion on arch length discrepancy 641 (79)
- Sarow, K.* see Holtgrave, E. A.
- Sasaki, T.* see Yoshida, Y.
- Šašić, M.*
An analysis of craniofacial relationships in subjects with open bite 641 (80)
- Schmalbruch, H.*
Structure and function of the neuromuscular system 481 (47)

- Schmechel, M., Opitz, Ch. and Meier, B.*
Orthopantomographic examination of the axial position of cleft adjacent canines in cleft lip and palate patients after secondary osteoplastic surgery 642 (81)
- Schmidt, A., Opitz, Ch. and Årtun, J.*
Apical root resorption of teeth adjacent to alveolar clefts during orthodontic alignment 642 (82)
- Schmidt, M. W.* see Baumann, M. A.
- Schmidt, R.* see Rose, E.
- Schmolke, C.* see Braumann, B.
- Schmuth, G. P. F.*
Consideration of functional aspects in dentofacial orthopaedics and orthodontics 481 (48)
- Scholle, H. Ch., Schumann, N. P. and Kopp, S.*
Selective masseter and temporal muscle activation depending on the morpho-functional situation in the orofacial region 482 (49)
- Schumann, N. P.* see Scholle, H. Ch.
- Schwarze, C. W.* see Breier, M.; Graf, I.
- Schwestka-Polly, R., Kubein-Meesenburg, D. and Luhr, H. G.*
Significance of the vertical dimension in maxillary surgery 482 (50)
- Schwestka-Polly, R., Kubein-Meesenburg, D., Nägerl, H. and Fanghänel, J.*
Changes of neuromuscular guidance of the mandible as a result of combined orthodontic-surgical treatment 642 (83)
- Schwestka-Polly, R.* see Fanghänel, J.
- Seino, Y.* see Matsushima, S.
- Sergl, H. G.* see Doll, G. M.; Feuser, E.; Moussa, H. M.; Willerhausen, B.
- Shibasaki, Y.* see Kim, T.; Maki, K.; Yoshida, Y.
- Shozushima, M.* see Matsushima, S.
- Sidiropoulou, S., Papadopoulos, M. A., Kolokithas, G. and Kanakoudi, F.*
The mandible in children with juvenile chronic arthritis: a cephalometric study 643 (84)
- Sievers, C.* see Fischer-Brandies, H.
- So, L.* see Zhou, Y. H.
- Spack, N.* see Vardimon, A. D.
- Spörl, M.* see Storr, I.
- Spyropoulos, M. N., Tsolakis, A. I., Alexandridis, C., Katsavrias, E. and Donta, I.*
Effects of experimental suprahyoid muscle myectomy on rat mandibular growth 483 (51)
- Spyropoulos, M. N.* see Adamidis, I. P.
- Stål, P.* see Lindman, R.
- Stellzig, A.* see Basdra, E. K.; Hauser, Ch.; Lux, C. J.
- Storr, I., Kressel, D. and Rudzki-Janson, I.*
Patient co-operation in orthodontics—an analysis of the contributing factors 644 (86)
- Storr, I., Spörl, M. and Rudzki-Janson, I.*
Skeletal and dentoalveolar findings before and after rapid palatal expansion 643 (85)
- Strid, K-G.* see Katsaros, C.
- Suto, M., Kuroe, K., Inou, R. and Ito, G.*
Effects of an activator on mandibular growth in different facial patterns 644 (87)
- Svedström-Oristo, A. L.* see Pietilä, T.
- Takahashi, M.* see Nakahara, S.
- Takeyama, U.* see Maki, K.
- Tan, I. S.* see Hunt, N. P.
- Tanaka, N.* see Maki, K.
- Tedesco, A.* see Martina, R.
- Theissen, P.* see Baumann, M. A.
- Thesleff, I.* see Rice, D. P. C.
- Thind, B. S.* see Madgwick, A. J. A.
- Thomsen, J.* see Jones, L.
- Tiesko, J.* see Vuoriluoto, J.
- Tippett, H. L.* see Lewis, M. P.
- Tokarska, E.*
Cephalometric analysis of patients with hypodontia 644 (88)
- Toki, Y.* see Maki, K.
- Tolonen, U.* see Pirilä-Parkkinen, K.
- Tompson, B. D.* see Daskalogiannakis, J.
- Toodehzaeim, M. H.* see Ravanmehr, H.
- Townsend, G. C.* see Nakahara, S.
- Trankmann, J.* see Mauck, Ch.
- Trexler, A., Ruf, S. and Pancherz, H.*
Masticatory muscle activity in Class I and Class II division 1 malocclusions 645 (89)
- Tsolakis, A. I.* see Spyropoulos, M. N.
- Uotila, R.* see Pirilä-Parkkinen, K.
- Vähätalo, K.* see Peltomäki, T.
- van der Linden, F. P. G. M.*
Limitations in the treatment of long and short faces 483 (52)
- van der Weele, L. T.* see Verbeeck, H. P. J.
- van Eijden, T. M. G. J.* see Raadsheer, M. C.
- van Ginkel, F. C.* see Raadsheer, M. C.
- van Monsjou, F. M., Dalstra, M. and Melsen, B.*
Three-dimensional force systems generated by vertical V-bends in arch segments of different lengths 645 (90)
- van Waveren Hogervorst, W. L., Feilzer, A. J. and Prahl-Andersen, B.*
Orthodontic bonding using a sandblaster for pre-treatment of the enamel 645 (91)
- Vardimon, A. D., Fricke, J., Spack, N., Drescher, D., Köklü, S., Bourauel, C., Graber, T. M. and Işeri, H.*
Principles and cephalometric assessment of functional magnetic correction 483 (53)
- Varrela, J.* see Pietilä, T.
- Verbeeck, H. P. J., Dibbets, J. M. H. and van der Weele, L. T.*
Anterior and posterior vertical facial development in non-orthodontically treated individuals 646 (92)
- Verbeeck, R.* see Heusdens, M.
- Visnapuu, V., Peltomäki, T., Isotupa, K. and Kantomaa, T.*
Characterization of proliferative cells in the rat condyle during growth 646 (93)
- Vollmer, D., Bourauel, C., Jäger, A. and Drescher, D.*
The location of the centre of resistance—a finite element analysis 647 (94)
- Vollmer, D.* see Bourauel, C.
- Vuoriluoto, J., Mäkinen, R., Hasan, J., Helenius, H., Tiesko, J., Hakkala, U. and Lehtimäki, K.*
The morphological elements of obstructive sleep apnoea 647 (95)
- Wagner, A.* see Kjær, I.
- Wagner, M. and Berg, R.*
Serial extractions versus premolar extractions in the permanent dentition 484 (54)
- Walter, F.* see Hierl, Th.
- Watted, N., Witt, E., Koch, R. and Kenn, W.*
A nuclear magnetic resonance study of temporomandibular joint changes following functional orthopaedic treatment using the 'Würzburg approach' 484 (55)
- Wermke, K.* see Hauser, Ch.
- Wigger, K.* see Nötzel, F. N.
- Willerhausen, B., Brandenbusch, M., Amirtahamasep, K., Ernst, C-P. and Sergl, H-G.*
The oral health of 720 school children in Mainz, Germany 647 (96)

- Willerhausen, B.* see Gleissner, C.
Witt, E. see Watted, N.
Wong, R. W. K. and Rabie, A. B. M.
Quantitative assessment of the
healing of autogeneous bone
grafts 485 (56)
Wood, C. M. see Benington, P. C. M.
Woods, M. G. see Lee, D. W.
Woodside, D. G.
The aetiology of extreme
vertical dimensions
485 (57)
Woodside, D. G. see Rossouw, P. E.
Wriedt, S. and Kunkel, M.
Vertical dimensions in cleft lip
and palate patients:
cephalometric, accoustic
rhinometric and morphometric
data 485 (58)
Xi, D. and Hägg, U.
Muscular effects of headgear—
Herbst appliance activated
step-by-step 648 (98)
*Yoshida, Y., Kim, T., Sasaki, T. and
Shibasaki, Y.*
Effects of bisphosphonate on
bone resorption during tooth
relapse 648 (97)
Zentner, A. see Feuser, E.
Zhou, Y. H., Hägg, U. and So, L.
Psychological aspects in
orthognathic patients with
Class III malocclusions 648 (99)
Zwerger, W. see Doll, G. M.