 © 2000 European Orthodontic Society

European Journal of Orthodontics

Volume 22 (2000) Subject entries: Abstract section

Page numbers are given first followed by the abstract number in parentheses

180-degree torque
Application of … generated by rectangular nickel titanium wires 597 (90)
2 × 4 appliance
Effects of a … in the correction of anterior crossbites 582 (46)

Abnormal habits
… in the aetiopathogenesis of dentomaxillary disturbances 613 (137)
Activator treatment
Bilaminar zone reaction to … 580 (38)
Dentofacial morphology in adults who have undergone … during childhood 454 (50)
'Effective' TMJ and chin changes during … 570 (10)
Adenoidal involution patterns
… in cleft palate patients 447 (29)
Adhesive
Evaluation of a new one-phase orthodontic … 595 (83)
Laser curing of a glass ionomer orthodontic … 593 (80)
Adhesives
The use of laser curing for composite orthodontic … 586 (58)
Aesthetic component of the IOTN
The … in the assessment of occlusal appearance in young adults 603 (107)
Aesthetic fibre reinforced plastic rectangular archwire
Mechanical properties of … 587 (60)
Aetiopathogenesis
Abnormal habits in the … of dentomaxillary disturbances 613 (137)
Alternative orthodontic bonding systems
Shear bond strengths of … 582 (45)
Alveolar thickness
Relationship between …, maxillofacial morphology, and bite force 596 (85)
Anchorage loss
Evaluation of … during phase 1 of the preadjusted edgewise technique 602 (105)
Angle Class II division 1 malocclusions
The use of the ICON system to estimate the results of two treatment methods of … 589 (67)
Angle Class II division 2 malocclusions
Components of … in the mixed dentition 597 (89)
Mandibular mobility in children with … 447 (28)
Angle Class II treatment
Mandibular condyle movement in … with functional appliances 621 (165)
Angular cephalometric measurements
Reliability of … 580 (39)
Anomalies
The incidence of canine impaction to other dental … 444 (20)
Anterior crossbites
Effects of a 2 × 4 appliance and reverse headgear in the correction of … 582 (46)
Anterior open bite
Orofacial muscle adaptation after surgical correction of severe … 444 (21)
Anterior open bites
Skeletal and dentoalveolar stability of surgically corrected … 623 (170)
Anterior tooth surfaces
3D measurement of curvatures of human … 585 (54)
Apical root resorption
… in patients treated with comprehensive orthodontics 447 (27)
…in orthodontics 575 (25)
Long-term follow-up of maxillary incisors with severe … 452 (44)
Appliance breakage
… in practice and hospital orthodontic units 628 (185)
Arch dimensions
Upper … in patients with unilateral and bilateral clefts before and after palatal surgery 595 (84)
Arch morphology
… in subjects with Class II malocclusions 571 (11)
Arch perimeter
Effect of palatal expansion on maxillary … 578 (32)
Arch position
Upper and lower … in the deciduous dentition in subjects with Class II division 2 malocclusions 581 (41)
Archwire
Mechanical properties of aesthetic fibre reinforced plastic rectangular … 587 (60)
Archwires
Properties of some commercial SMA … 578 (34)
Arthritis
Mandibular condyle lesions in children with juvenile chronic … 458 (62)
Articulation of vowels
Tongue movements during … in Class III subjects 629 (190)
Asymmetric headgear
Clinical criteria to accomplish an … effect 440 (8)
Autogenous bone
Bone induction using … versus demineralised bone matrix 627 (182)
Autotransplanted premolars
Eruption patterns of … visualized by radiographic colour-coding 455 (53)
Axenfeld–Rieger syndrome
The orthodontist's role in the early diagnosis and management of … 579 (36)

Axial position
… of cleft adjacent teeth after multibracket appliance treatment 617 (150)
Axiographic evaluation
… of TMJ function after orthognathic surgery 450 (38)

Bacteraemia
Effects of chlorhexidine on … following orthodontic debanding and debonding 577 (29)
Banded appliances
A comparative study of rapid maxillary expansion using … versus bonded appliances 569 (7)
Protraction facemask response with … 600 (98)
Bending properties
… of Ni-Ti orthodontic wires 616 (148)
Bicortical screws
Critical anchorage: horizontal…, 443 (18)
Bilaminar zone reaction
… to activator treatment 580 (38)
Bilateral cleft
Upper arch dimensions in patients with … before and after palatal surgery 595 (84)
Bilateral cleft lip and palate patients
Surgical influence on dentofacial morphology in … 454 (49)
Bilateral cleft patients
Occlusion in … after differential palatal surgery 454 (48)
Biochemical study
A … of cellular response under mechanical stress 590 (70)
Biocompatible glass cloth
A … for reinforcement of polymer retainers 629 (188)
Bionator appliances
Skeletal Class II therapy—effects of … 445 (24)
Bionator treatment
Soft tissue and dentoalveolar changes during and 20 years after … 441 (12)
Bite force
Bone mineral content to … 620 (161)
Multifactorial influences on … in children and adolescents 622 (167)
Relationship between alveolar thickness, maxillofacial morphology, and … 596 (85)
Temporomandibular disorders related to … 459 (64)
Bite force magnitude
… 461 (71)
Bite-jumping
Does … damage the TMJ? 457 (58)
Bite jumping appliance treatment
Influence of … on facial growth on maxillary inclination 600 (99)
Blood volume measurement
… in the periodontal ligament using near-infrared spectroscopy 588 (62)
Body mass index
… in OSA 571 (12)
Bond failure incidence
… 585 (55)
Bonded appliances
A comparative study of rapid maxillary expansion using banded versus … 569 (7)
Protraction facemask response with … 600 (98)
Bonding systems
Failure rates of four different orthodontic … 583 (47)
Shear bond strengths of alternative orthodontic … 582 (45)
Bone grafts
A new scale to assess radiographic success of secondary … 442 (13)
Composite … for orofacial surgery 453 (46)
Neovascularization of composite demineralised intramembranous and endochondral … 574 (20)
Bone induction
… using autogenous bone versus demineralised bone matrix 627 (182)
Bone maturation
Mechanical and structural parameters of … 614 (140)
Bone mineral content
… to bite force and occlusal contact area 620 (161)
Bone remodelling
Cellular and molecular interactions during … 446 (25)
'Borderline' Class III
Stability of outcome of … orthodontic or orthodontic-surgical treatment 625 (178)
Bovine enamel surfaces
Characterization of … using electron microscopy and spectroscopy studies 577 (31)
Brackets
Enamel demineralisation around orthodontic … bonded with an ionomer resin 603 (108)
Bucally impacted canines
Periodontal status following surgical uncovering and orthodontic treatment of … 592 (74)

Calcium gluconate
The effect of … on root resorption during tooth movement in rats 619 (156)
Canine impaction
The incidence of … to other dental anomalies 444 (20)
Canine relationship
Prenormal … in prematurely born children 584 (52)
Canine size
Prediction of … with parents' teeth 568 (1)
Canines
Open surgical exposure and orthodontic alignment of palatally impacted maxillary … 607 (119)
Cantilever mechanics
Critical anchorage: …, 443 (18)
Caries model
Fluoride-releasing elastomerics assessed with the *in situ* … 576 (26)
Casts
3D evaluation of … taken from cleft palate patients 622 (168)
Cathepsin K mRNA
Expression of … during experimental tooth movement in rats 608 (122)
Cathepsins mRNA expression
… during development of the rat mandibular condyle 607 (121)
Cell kinetics
Gingival connective tissue … during orthodontic tooth movements 462 (72)
Cellular interactions
… during bone remodelling 446 (25)
Cellular response
A biochemical study of … under mechanical stress 590 (70)
Cements
Experimental scanning electron microscopic evaluation of the enamel-composite interface of five orthodontic … 572 (15)
Centric relation splint
The … 442 (14)

Cephalometric analysis
A comparison of manual tracing, digitising and computer … 604 (111)
Cephalometric data
The correlation between clinical and … in Class II division 2 malocclusions 574 (21)
Cephalometric evaluation
… of sagittal jaw relationships in Class II patients 592 (76)
Cephalometric landmark reproducibility
… utilizing conventional and two digital scanning techniques 605 (114)
Cephalometric mean values
Facial growth based on … 606 (117)
Cephalometric vertical changes
Evaluation of … during phase 1 of the preadjusted edgewise technique 605 (115)
Cerebral palsy
Lip position in children with and without … 600 (97)
Cervical spine malformations
Upper … in cleft lip and palate patients 448 (30)
Chin changes
… during activator and Herbst treatment 570 (10)
Chin-cap treatment
Evaluating the long-term effects of … 438 (1)
Chlorhexidine
Effects of … on bacteraemia following orthodontic debanding and debonding 577 (29)
Chromium
Release of … from simulated orthodontic appliances 569 (4)
Chronic arthritis
Enhanced magnetic resonance imaging of the TMJ in children with juvenile … 597 (88)
Mandibular condyle lesions in children with juvenile … 458 (62)
Chronic orofacial pain
Interdisciplinary treatment outcome in patients with … 440 (9)
Chronological age
Orthopantomographic analysis of … 624 (174)
Class I malocclusions
Masseter and temporal electromyographic and TMJ electrovibratory characteristics in … 568 (2)
Class II anomalies
Mandibular growth prediction in … 619 (158)
Class II correction
The Pendulum appliance—non-compliance therapy for … 613 (138)
Class II division 1 growing patients
Radiographic evaluation of the condylar position in retrusive … 576 (27)
Class II division 1 malocclusions
The effects of maxillary splint therapy on the treatment of … 576 (28)
Class II division 1 patients
Mandibular change and displacement with a functional appliance in … 573 (19)
Class II division 1 therapy
Outcome of … using different treatment approaches 455 (51)
Class II division 2
… subjects with deep overbite and TM disorders 443 (17)
Class II division 2 malocclusions
… 602 (103)
A comparison of electromyographic muscle activity in adults with … 619 (157)
A genetic study of … 453 (47)
… and TMD in children 459 (65)
Evaluation of growth type in patients with … 615 (146)
Heredity of … 616 (148)
… revised 438 (2)
The correlation between clinical and cephalometric data in … 574 (21)
The incisor–lip relationship in Herbst treatment of … 457 (59)
Upper and lower arch position in the deciduous dentition in subjects with … 581 (41)
Class II division 2 subjects
Perioral electromyography and lip pressure measurements in … 451 (40)
Class II division 2 therapy
Outcome of … using different treatment approaches 455 (51)
Class II division 2 treatment
Overbite correction in … 578 (33)
Class II malocclusions
Arch morphology in subjects with … 571 (11)
Masseter and temporal electromyographic and TMJ electrovibratory characteristics in … 568 (2)
Skeletal treatment effects in … 571 (13)
Treatment of adult … 450 (37)
Class II patients
Cephalometric evaluation of sagittal jaw relationships in … 592 (76)
Class III and Class III open bite cases
Evaluation of dentofacial and nasopharyngeal structures in … 609 (126)
Class III malocclusion treatment
Condylar position in … with an orthopaedic facemask 613 (139)
Class III malocclusions
Craniofacial harmony in … 630 (193)
Morphological parameters as predictors of successful correction of … 630 (192)
Class III subjects
Tongue movements during articulation of vowels in … 629 (190)
Cleft adjacent teeth
Axial position of … after multibracket appliance treatment 617 (150)
Cleft lip and palate
Craniofacial development in children with unilateral … 603 (109)
Craniofacial growth in patients with unilateral …? 445 (22)
European Union Biomed Programme on … 1995–2000 458 (60)
Genetically determined disturbances of tooth development in patients with … 606 (116)
Is infant orthopaedics effective in unilateral … 451 (39)
Prevalence of congenital absence of permanent teeth in children affected with … 458 (61)
3D analysis of the maxilla in infants with unilateral … 440 (7)
Cleft lip and palate patients
Changes in overbite of … 612 (134)
Sagittal movement of maxillary structures in … during craniofacial growth 453 (45)
Surgical influence on dentofacial morphology in bilateral … 454 (49)
Upper cervical spine malformations in … 448 (30)

Cleft lip and palate subjects
Dento-craniofacial morphology of … requiring orthodontic-surgical treatment 624 (173)
Cleft lip
Isolated soft tissue … 446 (26)
Cleft palate patient
Early orthodontic treatment of the … 457 (57)
Cleft palate patients
Adenoidal involution patterns and velopharyngeal competence in … 447 (29)
Comprehensive orthodontic treatment of … 9–15 years 461 (69)
3D evaluation of casts taken from … 622 (168)
Cleft palate treatment
… for improved maxillary growth 598 (93)
Cleft patients
Favourable maxillary growth after delayed hard palate repair in …, 444 (19)
Influence of a collapsed palate on craniofacial growth in … 606 (118)
Occlusion in bilateral … after differential palatal surgery 454 (48)
Simultaneous lip-velar closure in unilateral … 449 (35)
Clefts
Mesiodistal width of the upper anterior teeth in patients with … 615 (145)
Upper arch dimensions in patients with unilateral and bilateral … before and after palatal surgery 595 (84)
Clinical criteria
… to accomplish an asymmetric headgear effect 440 (8)
Clinical data
The correlation between … and cephalometric data in Class II division 2 malocclusions 574 (21)
Clinical performance
The … of removable prostheses in the deciduous dentition 617 (151)
CO-CR discrepancy
… of the condyle in Japanese orthodontic patients 568 (3)
COL2A1genes
DNA analysis in mandibular morphology in … 629 (189)
Collapsed palate
Influence of a … on craniofacial growth in cleft patients 606 (118)
Commercial SMA arch wires
Properties of some … 578 (34)
Composite bone grafts
… for orofacial surgery 453 (46)
Composite demineralised intramembraneous and endochondral bone grafts
Neovascularization of … 574 (20)
Composite orthodontic adhesives
The use of laser curing for … 586 (58)
Comprehensive orthodontic treatment
… of cleft palate patients 9–15 years 461 (69)
Comprehensive orthodontics
Apical root resorption in patients treated with … 447 (27)
Computer cephalometric analysis
A comparison of manual tracing, digitising and … 604 (111)
Computer generated digitising
Reliability of … 625 (175)
Condylar cartilage
Natural asymmetry in proteoglycan content between the right and left mandibular … 612 (136)
Condylar movement
… and craniofacial morphology 615 (144)
Condylar position
… in Class III malocclusion treatment with an orthopaedic facemask 613 (139)
Radiographic evaluation of the … in retrusive Class II division 1 growing patients 576 (27)
3D changes of … during pre-orthodontic splint therapy 450 (36)
Condylar response
… to forward mandibular positioning 456 (55)
Condyle
CO-CR discrepancy of the … in Japanese orthodontic patients 568 (3)
Condyle-disc movement
… in TMJ derangements on magnetic resonance imaging 581 (43)
Condyle lesions
Mandibular … in children with juvenile chronic arthritis 458 (62)
Condylectomized mandibles
Effects of electric current on healing of partially … in growing rabbits 451 (41)
Congenital absence of permanent teeth
Prevalence of … in children affected with cleft lip and palate 458 (61)
Connective tissue cell kinetics
Gingival … during orthodontic tooth movements 462 (72)
Contact points tightness
… in extraction versus non-extraction treatment 461 (70)
Conventional radiographs
Cephalometric landmark reproducibility utilizing … 605 (114)
Conventional-based premolar brackets
Bond failure incidence: … 585 (55)
Corrosion susceptibility
… of lingual wire extensions in removable orthodontic appliances 589 (66)
Cover-bite
Significance of tooth sizes in the aetiology of the … 442 (15)
Crania
The squamo-tympanic fissure in human … 621 (163)
Craniocervical dysfunction
Frequency of … in patients with orthodontic treatment need 626 (180)
Cranio-cervical posture
… 459 (63)
Craniofacial biology
Patterns and patterning of … 441 (10)
Craniofacial changes
Mandibular advancement device—…439 (6)
Craniofacial development
… in children with unilateral cleft lip and palate 603 (109)
Craniofacial dimensions
Temporomandibular disorders related to … 459 (64)
Craniofacial growth
… in patients with unilateral cleft lip and palate 445 (22)
Influence of a collapsed palate on … in cleft patients 606 (118)
Sagittal movement of maxillary structures in cleft lip and palate patients during … 453 (45)
Craniofacial harmony
… in Class II malocclusions 630 (193)
Craniofacial morphology
… 461 (71)
… and physiotherapeutic data 599 (94)
… in children with Silver Russell syndrome 593 (79)
… in patients with a median maxillary central incisor 448 (32)

… in short stature children 449 (33)
Condylar movement and … 615 (144)
Craniofacial skeletal morphology
… in Icelandic adults 589 (65)
Craniomandibular dysfunction
Frequency of … in patients with orthodontic treatment need 626 (180)
Critical anchorage
… 443 (18)
Crossbite
… in the mixed dentition 614 (141)
Crossbites
Effects of a 2 × 4 appliance and reverse headgear in the correction of anterior … 582 (46)
Curing source
Utilization of a plasma-based … with resin-reinforced glass ionomer 594 (81)
Curvatures
3D measurement of … of human anterior tooth surfaces 585 (54)
Curve of Spee
Development of the … during and after orthodontic treatment 596 (87)
The … in relation to morphology 601 (102)
Cyclic movements
Dynamic intramuscular activation processes during … 618 (154)
Cytokines
The role of … in orthodontic tooth movement 598 (92)

Damping capacity
… of super-elastic Ti-Ni alloy orthodontic wire 602 (104)
Debanding
Effects of chlorhexidine on bacteraemia following orthodontic … 577 (29)
Debonding
Effects of chlorhexidine on bacteraemia following orthodontic … 577 (29)
Deciduous dentition
The clinical performance of removable prostheses in the … 617 (151)
Upper and lower arch position in the … in subjects with Class II division 2 malocclusions 581 (41)
Deep overbite
Functional chaos in … 570 (8)
Medium term stability in … correction 598 (91)
Treatment of Class II division 2 subjects with … 443 (17)
Delayed hard palate repair
Favourable maxillary growth after … in cleft patients 444 (19)
Demineralisation
… assessed by photographs and quantitative light-induced fluorescence 611 (132)
Demineralised bone matrix
Bone induction using autogenous bone versus … 627 (182)
Demineralised intramembraneous and endochondral bone grafts
Neovascularization of composite … 574 (20)
Dental age
… in children with Silver Russell syndrome 593 (79)
Orthopantomographic analysis of … 624 (174)
Dental anomalies
… in children irradiated *in utero* 610 (128)
The incidence of canine impaction to other … 444 (20)
Dental arch forms
3D characteristics of … expressed by FA points 579 (35)
Dental arch width
… changes before and after surgical-orthodontic treatment 604 (112)
Dental casts
Development of a high accuracy 3D optical measurement system for … 605 (113)
Dental maturity
… in short stature children 449 (33)
Dentition
Methods to determine the dimensions of the … depending on the size of the lower incisors 621 (164)
Dentoalveolar changes
… during and 20 years after Bionator treatment 441 (12)
Mandibular advancement device—…439 (6)
Dentoalveolar stability
… of surgically corrected anterior open bites 623 (170)
Dento-craniofacial morphology
… of cleft lip and palate subjects requiring orthodontic-surgical treatment 624 (173)
Dentofacial morphology
… in adults who have undergone activator treatment during childhood 454 (50)
Surgical influence on … in bilateral cleft lip and palate patients 454 (49)
Dentofacial structures
Cranio-cervical posture: a factor in the development and function of … 459 (63)
Evaluation of … in Class III and Class III open bite cases 609 (126)
Dentomaxillary disturbances
Abnormal habits in the aetiopathogenesis of … 613 (137)
Dento-skeletal pathologies
An epidemiological investigation of … in primary school children 572 (14)
Diagnosis
The orthodontist's role in the early … of Axenfeld–Rieger syndrome 579 (36)
Diagnostic appliance
The centric relation splint—a … for TM problems 442 (14)
Diagnostic problems
Occlusal rehabilitation in orthodontic patients with TMJ disease—… 599 (96)
Diagnostic significance
The … of the indicator line 593 (77)
Differential expression
… of myosin heavy chain mRNA mastication during functional advancement of the mandible 445 (23)
Differential palatal surgery
Occlusion in bilateral cleft patients after … 454 (48)
Digital scanning techniques
Cephalometric landmark reproducibility utilizing … 605 (114)
Digitising analysis
A comparison of manual tracing, … and computer cephalometric analysis 604 (111)
Dimensions
Methods to determine the … of the dentition depending on the size of the lower incisors 621 (164)
Dimensions of square wires
Do the actual … agree with the manufacturers' data? 581 (42)

Displacement
Mandibular change and … with a functional appliance in Class II division 1 patients 573 (19)
Distal bodily movement
A new appliance for … of maxillary molars 573 (17)
Distalization
A new approach in maxillary molar … 591 (72)
Intra-oral maxillary unilateral molar … with sliding mechanics 448 (31)
Simultaneous intra-oral … of maxillary first and second molars 455 (52)
DNA analysis
… in mandibular morphology in COL2A1 and IL-1β genes 629 (189)
Duration
The … of surgical-orthodontic treatment 580 (40)
Dynamic intramuscular activation processes
… during cyclic movements 618 (154)
Dysfunction-index
A new method to evaluate orthopantomographic findings including the … 626 (181)

Early diagnosis
The orthodontist's role in the … of Axenfeld–Rieger syndrome 579 (36)
Early surgery
Orthognathic treatment: … reduces orthodontic treatment time 452 (43)
Eating habits
Do multibracket appliances change … ? 624 (172)
Edgewise technique
Evaluation of anchorage loss during phase 1 of the preadjusted … 602 (105)
Evaluation of cephalometric vertical changes during phase 1 of the preadjusted … 605 (115)
'Effective' temporomandibular joint
Changes during activator and Herbst treatment 570 (10)
Elastomeric chains
In vitro testing of … 599 (95)
Elastomerics
Fluoride-releasing … assessed with the *in situ* caries model 576 (26)
Electric current
Effects of … on healing of partially condylectomized mandibles in growing rabbits 451 (41)
Electromagnetic field
Effect of a pulsed … on the mandibular condyles of guinea pigs 609 (125)
Electromyographic muscle activity
A comparison of … in adults with normal occlusion and Class II division 2 malocclusions 619 (157)
Electron microscopy
Characterization of bovine enamel studies using … 577 (31)
Eminence steepness
… in TMJ derangements on magnetic resonance imaging 581 (43)
Enamel demineralisation
… around orthodontic brackets bonded with an ionomer resin 603 (108)
Enamel surfaces
Characterization of bovine … using electron microscopy and spectroscopy studies 577 (31)
Enamel-composite interface
Experimental scanning electron microscopic evaluation of the … of five orthodontic cements 572 (15)
Endochondral bone grafts
Neovascularization of composite demineralised … 574 (20)
Enhanced magnetic resonance imaging
… of the TMJ in children with juvenile chronic arthritis 597 (88)
Epidemiological study
An … of orthodontic patients in Korea 587 (59)
Eruption
Tooth … in newly generated bone induced by rhBMP-2 593 (78)
Eruption patterns
… of autotransplanted premolars visualized by radiographic colour-coding 455 (53)
European Union Biomed Programme on Cleft lip and Palate
… 1995–2000 458 (60)
Experimental scanning electron microscopic evaluation
… of the enamel-composite interface of five orthodontic cements 572 (15)
Experimental tooth movement
Expression of cathepsin K mRNA during … in rats 608 (122)
Extraction
Contact points tightness in … versus non-extraction treatment 461 (70)
Influence of … on 3D tooth movement 586 (56)
Three-dimensional effects of … treatment on the face 588 (63)
Extraction sites
Gingival clefts following orthodontic closure of premolar … 611 (133)

FA points
3D characteristics of dental arch forms expressed by … 579 (35)
Face
Three-dimensional effects of extraction/non-extraction treatment on the … 588 (63)
Facemask
Condylar position in Class III malocclusion treatment with an orthopaedic … 613 (139)
Facial aesthetics
The significance of the soft tissue profile on … 460 (66)
Facial anomalies
… 572 (16)
Facial growth
… based on cephalometric mean values 606 (117)
Influence of bite jumping appliance treatment on … on maxillary inclination 600 (99)
Facial height
The visual judgment of human … 623 (171)
Facial muscles
The functional condition of the … in patients with mesial malocclusion 610 (129)
Failure rates
… of four different orthodontic bonding systems 583 (47)
Fibre reinforced plastic rectangular archwire
Mechanical properties of aesthetic … 587 (60)
First molars
Simultaneous intra-oral distalization of maxillary … 455 (52)
Fixed orthodontic retainers
Periodontal conditions and tooth mobility with … 618 (153)
Fixed retainers
Periodontal tissue response following … in young adult dogs 588 (63)

Fluoride-releasing elastomerics
… assessed with the *in situ* caries model 576 (26)
Force systems
Comparison of two different … on maxillary orthopaedic protraction 573 (18)
Forces
… and moments of palatal root torquing mechanics 574 (22)
Frequency
Class II division 2 malocclusions: … 602 (103)
Functional advancement
Differential expression of myosin heavy chain mRNA during … of the mandible 445 (23)
Functional appliance
Mandibular change and displacement with a … in Class II division 1 patients 573 (19)
Functional appliances
Mandibular condyle movement in Angle Class II treatment with … 621 (165)
Functional chaos
… in deep-overbite 570 (8)
Functional condition
The … of the facial muscles in patients with mesial malocclusion 610 (129)
Functional orthognathic therapy
Evaluation of … effects on TMJ with scintigraphy 570 (9)
Functional outcomes
Long-term status of … of orthognathic surgery 452 (42)
Fuzzy modelling
… for selecting headgear types 569 (6)

Genetic analysis
… of van der Woude syndrome in Finnish families 627 (183)
Genetic study
A … of Class II division 2 malocclusions 453 (47)
Genetically determined disturbances
… of tooth development in patients with cleft lip and palate 606 (116)
Gingival clefts
… following orthodontic closure of premolar extraction sites 611 (133)
Gingival connective tissue cell kinetics
… during orthodontic tooth movements 462 (72)
Glass cloth
A biocompatible … for reinforcement of polymer retainers 629 (188)
Glass ionomer
Utilization of a plasma-based curing source with resin-reinforced … 594 (81)
Glass ionomer orthodontic adhesive
Laser curing of a … 593 (80)
Glenoid fossa
Osteogenesis in the … in response to mandibular advancement 583 (48)
Growth
A radiographic study of … of the zygomatic arch 588 (61)
Growth pattern
Relationship of … with jaw base effective length, tongue posture and lower arch space 607 (120)
Growth type
Evaluation of … in patients with Class II division 2 malocclusions 615 (146)

Hard palate repair
Favourable maxillary growth after delayed … in cleft patients 444 (19)
Head posture
Natural … 439 (5)
Temporomandibular disorders related to … 459 (64)
Headgear effect
Clinical criteria to accomplish an asymmetric … 440 (8)
Headgear Herbst
Maxillary changes: Herbst versus … 628 (187)
Headgear types
Fuzzy modelling for selecting … 569 (6)
Herbst
Maxillary changes: … versus headgear … 628 (187)
Treatment of adult Class II malocclusions: … versus orthognathic surgery 450 (37)
Herbst appliance treatment
The effect of … on TMJ soft tissue 615 (143)
Herbst treatment
Comparison of the effect of retention devices after … 628 (186)
Effective TMJ and chin changes during … 570 (10)
The incisor–lip relationship in … of Class II division 2 malocclusions 457 (59)
Heredity
… of Class II division 2 malocclusions 616 (149)
Histological changes
… in the TMJ and muscles in response to sagittal advancement of the mandible 579 (37)
Horizontal bicortical screws
Critical anchorage: … 443 (18)
Hospital orthodontic units
Appliance breakage in … 628 (185)

ICON system
The use of the … to estimate the results of two treatment methods of Angle Class II division 1 malocclusions 589 (67)
IL-1 receptor antagonist
The role of … in orthodontic tooth movement 598 (92)
IL-1β genes
DNA analysis in mandibular morphology in … 629 (189)
Impacted canines
Periodontal status following surgical uncovering and orthodontic treatment of bucally … 592 (74)
Impacted maxillary canines
Open surgical exposure and orthodontic alignment of palatally … 607 (119)
Improved maxillary growth
Cleft palate treatment for … 598 (93)
Incisor
Craniofacial morphology in patients with a median maxillary central … 448 (32)
Incisor–lip relationship
The … in Herbst treatment of Class II division 2 malocclusions 457 (59)
Incisors
Long-term follow-up of maxillary … with severe apical root resorption 452 (44)
Methods to determine the dimensions of the dentition depending on the size of the lower … 621 (164)
Index of Orthodontic Treatment
… assessment among treated and untreated adolescents 612 (135)
The … as a tool for treatment planning and quality control 586 (57)

The aesthetic component of the … in the assessment of occlusal appearance in young adults 603 (107)
Indicator line
The diagnostic significance of the … 593 (77)
Infant orthopaedics
Is … effective in unilateral cleft lip and palate? 451 (39)
Insulin-like growth factor-I receptor expression
… in different regions of the TMJ 626 (179)
Intercanine distance
Stability of lower … following orthodontic treatment 582 (44)
Interdisciplinary treatment outcome
… in patients with chronic orofacial pain 440 (9)
Inter-examiner reliability
… of a clinical test for evaluation of leg-length inequality 611 (131)
Intramembraneous bone grafts
Neovascularization of composite demineralised … 574 (20)
Intramuscular activation processes
Dynamic … during cyclic movements 618 (154)
Intramuscular strategies
… of motor control 617 (152)
Intra-oral bodily molar distalizer
A new approach in maxillary molar distalization: the … 591 (72)
Intra-oral distalization
Simultaneous … of maxillary first and second molars 455 (52)
Intra-oral maxillary unilateral molar distalization
… with sliding mechanics 448 (31)
Intra-oral vascular anomalies
… 572 (16)
Ionomer resin
Enamel demineralisation around orthodontic brackets bonded with an … 603 (108)
Isolated soft tissue cleft lip
… 446 (26)

Jaw base effective length
Relationship of growth pattern and … 607 (120)
Jaw deviation
… in Skeletal Class III patients 584 (51)
Jaw relationships
Cephalometric evaluation of sagittal … in Class II patients 592 (76)
Juvenile chronic arthritis
Enhanced magnetic resonance imaging of the TMJ in children with … 597 (88)
Mandibular condyle lesions in children with … 458 (62)
Juvenile temporomandibular joint dysfunction
… in the northern district of Japan 590 (68)

Laser curing
… of a glass ionomer orthodontic adhesive 593 (80)
The use of … for composite orthodontic adhesives 586 (58)
Leg-length inequality
Inter-examiner reliability of a clinical test for evaluation of … 611 (131)
Linear measurements
Reliability of … 580 (39)
Lingual wire extensions
Corrosion susceptibility of … in removable orthodontic appliances 589 (66)
Lip position
… in children with and without cerebral palsy 600 (97)
Lip pressure measurements
… in Class II division 2 subjects 451 (40)
Lip-velar closure
Simultaneous … in unilateral cleft patients 449 (35)
Long-term stability
… of the maxilla advanced by osteogenic distraction 583 (49)
Lower arch position
… in the deciduous dentition in subjects with Class II division 2 malocclusions 581 (41)
Lower arch space
Relationship of growth pattern and … 607 (120)
Lower incisor position
Effect of a passive lingual arch on … 627 (184)
Lower incisors
Methods to determine the dimensions of the dentition depending on the size of the … 621 (164)
Lower intercanine distance
Stability of … following orthodontic treatment 582 (44)
Magnetic resonance imaging
Eminence steepness and condyle-disc movement in TMJ derangements on … 581 (43)
Enhanced … of the TMJ in children with juvenile chronic arthritis 597 (88)
Malformations
Pathogenesis of … of the maxillary anterior teeth 608 (124)
Malocclusions
Prevalence and characteristics of … in a Belgian orthodontic populations 575 (24)
The TMJs—mandibular asymmetries: … 460 (68)
Management
… of the orthodontic patient 460 (67)
The orthodontist's role in the … of Axenfeld–Rieger syndrome 579 (36)
Mandible
Differential expression of myosin heavy chain mRNA during functional advancement of the … 445 (23)
Histological changes in the TMJ and muscles in response to sagittal advancement of the … 579 (37)
Mandibular advancement
Osteogenesis in the glenoid fossa in response to … 583 (48)
Mandibular advancement device
… 439 (6)
Mandibular advancement splint
A randomised, placebo-controlled trial of a … in OSA 601 (101)
Mandibular advancement splints
The effectiveness of … in subjects who snore 622 (166)
Mandibular arch
The side-effects of slow maxillary expansion on the width of the … 569 (5)
Mandibular asymmetries
The TMJ— … 460 (68)
Mandibular change
… with a functional appliance in Class II division 1 patients 573 (19)
Mandibular condylar cartilage
Natural asymmetry in proteoglycan content between the right and left … 612 (136)
Mandibular condyle
Cathepsins mRNA expression during development of the rat … 607 (121)

Effect of a pulsed electromagnetic field on the … of guinea pigs 609 (125)
Mandibular condyle lesions
… in children with juvenile chronic arthritis 458 (62)
Mandibular condyle movement
… in Angle Class II treatment with functional appliances 621 (165)
Mandibular growth prediction
… in Class II anomalies 619 (158)
Mandibular mobility
… in children with Angle Class II division 2 malocclusions 447 (28)
Mandibular morphology
DNA analysis in … in COL2A1 and IL-1β genes 629 (189)
Mandibular positioning
Condylar response to forward … 456 (55)
Mandibular shift correction
Crossbite in the mixed dentition: … 614 (141)
Manual tracing
A comparison of …, digitising and computer cephalometric analysis 604 (111)
Manufacturers' data
Do the actual dimensions of the square wires agree with the …? 581 (42)
Masseter electromyographic
… characteristics in Class I and II malocclusions 568 (2)
Masseter muscle thickness
… 461 (71)
Mastication
Differential expression of myosin heavy chain mRNA … during functional advancement of the mandible 445 (23)
Maxilla
Long-term stability of the … advanced by osteogenic distraction 583 (49)
3D analysis of the … in infants with unilateral cleft lip and palate 440 (7)
Maxillary anterior teeth
Pathogenesis of malformations of the … 608 (124)
Maxillary arch perimeter
Effect of palatal expansion on … 578 (32)
Maxillary canines
Open surgical exposure and orthodontic alignment of palatally impacted … 607 (119)
Maxillary central incisor
Craniofacial morphology in patients with a median … 448 (32)
Maxillary expansion
A comparative study of rapid … using banded versus bonded appliances 569 (7)
Effect of rapid … on nocturnal enuresis 625 (176)
Non-surgical rapid … in adults 584 (50)
The side-effects of slow … on the width of the mandibular arch 569 (5)
Maxillary first and second molars
Simultaneous intra-oral distalization of … 455 (52)
Maxillary growth
Cleft palate treatment for improved … 598 (93)
Favourable … after delayed hard palate repair in cleft patients 444 (19)
Maxillary incisors
Long-term follow-up of … with severe apical root resorption 452 (44)
Maxillary inclination
Influence of bite jumping appliance treatment on facial growth on … 600 (99)
Maxillary molar distalization
A new approach in … 591 (72)
Maxillary molars
A new appliance for distal bodily movement of … 573 (17)
Maxillary morphology
Simultaneous lip-velar closure in unilateral cleft patients—… 449 (35)
Maxillary orthopaedic protraction
Comparison of two different force systems on … 573 (18)
Maxillary protraction
Effect of treatment timing on … 592 (75)
Maxillary splint therapy
The effects of … on the treatment of Class II division 1 malocclusions 576 (28)
Maxillary structures
Sagittal movement of … in cleft lip and palate patients during craniofacial growth 453 (45)
Maxillary unilateral molar distalization
Intra-oral … with sliding mechanics 448 (31)
Maxillofacial morphology
… in open bite subjects with a history of TMD 590 (69)
Relationship between alveolar thickness, …, and bite force 596 (85)
Maximum pubertal growth height
Evaluation of … in Iranian patients 585 (53)
Mechanical parameters
… of bone maturation 614 (140)
Mechanical properties
… of aesthetic fibre reinforced plastic rectangular archwire 587 (60)
… of scar tissue from rat palatal mucosa 620 (160)
Mechanical stress
A biochemical study of cellular response under … 590 (70)
Median maxillary central incisor
Craniofacial morphology in patients with a … 448 (32)
Medium term stability
… in deep overbite correction 598 (91)
Mesial malocclusion
The functional condition of the facial muscles in patients with … 610 (129)
Mesiodistal width
… of the upper anterior teeth in patients with clefts 615 (145)
Metallic orthodontic brackets
Recycling of … 610 (130)
Mixed dentition
Components of Angle Class II division 2 malocclusions in the … 597 (89)
Crossbite in the … 614 (141)
Modified supercable
Additional space gaining with a … 596 (86)
Molar distalization
Intra-oral maxillary unilateral … in sliding mechanics 448 (31)
Molar distalizer
A new approach in maxillary molar distalization: the intra-oral bodily … 591 (72)
Molar slider
Intra-oral maxillary unilateral molar distalization in sliding mechanics: the … 448 (31)
Molars
Simultaneous intra-oral distalization of maxillary first and second … 455 (52)

Molecular interactions
… during bone remodelling 446 (25)
Moments
… of palatal root torquing mechanics 574 (22)
Morphological characteristics
Recycling of metallic orthodontic brackets: effects on … 610 (130)
Morphological parameters
… as predictors of successful correction of Class III malocclusions 630 (192)
Morphology
The curve of Spee in relation to … 601 (102)
Motivation
… of the orthodontic patient 460 (67)
Motor control
Intramuscular strategies of … 617 (152)
mRNA
Differential expression of myosin heavy chain … mastication during functional advancement of the mandible 445 (23)
Multibracket appliance treatment
Axial position of cleft adjacent teeth after … 617 (150)
Multibracket appliances
Do … change eating habits? 624 (172)
Multifactorial influences
… on bite force in children and adolescents 622 (167)
Multiple regression analysis
The curve of Spee in relation to morphology—a stepwise … 601 (102)
Muscles
Histological changes in the … in response to sagittal advancement of the mandible 579 (37)
Myosin heavy chain mRNA mastication
Differential expression of … during functional advancement of the mandible 445 (23)

Nasal cavity
Isolated soft tissue cleft lip: the influence on the … 446 (26)
Nasopharyngeal structures
Evaluation of … in Class III and Class III open bite cases 609 (126)
Natural asymmetry
… in proteoglycan content between the right and left mandibular condylar cartilage 612 (136)
Natural head posture
… 439 (5)
Near-infrared spectroscopy
Blood volume measurement in the periodontal ligament using … 588 (62)
Neovascularization
… of composite demineralised intramembraneous and endochondral bone grafts 574 (20)
Newly generated bone
Tooth eruption in … induced by rhBMP-2 593 (78)
Nickel
Release of … from simulated orthodontic appliances 569 (4)
Nickel-titanium orthodontic wires
Bending properties of … 616 (148)
Nickel titanium wires
Application of 180-degree torque generated by rectangular … 597 (90)
NiTi archwires
Surface characterization of retrieved … 443 (16)
Nocturnal enuresis
Effect of rapid maxillary expansion on … 625 (176)
Non-compliance therapy
The Pendulum appliance—… for Class II correction 613 (138)
Non-extraction
Contact points tightness in extraction versus … treatment 461 (70)
Three-dimensional effects of … treatment on the face 588 (63)
Non-surgical rapid maxillary expansion
… in adults 584 (50)
Normal occlusion
A comparison of electromyographic muscle activity in adults with … 619 (157)

Obstructive sleep apnoea
A randomised, placebo-controlled trial of a mandibular advancement splint in … 601 (101)
Body mass index in … 571 (12)
Oral appliances in patients with … 456 (56)
Occlusal appearance
The aesthetic component of the IOTN in the assessment of … in young adults 603 (107)
Occlusal characteristics
Association between … and symptoms of TMJ dysfunction in orthodontically treated and untreated adolescents 623 (169)
Occlusal contact area
Bone mineral content to … 620 (161)
Occlusal rehabilitation
… in orthodontic patients with TMJ disease 599 (96)
Occlusal, soft tissue profile
Long-term status of … of orthognathic surgery 452 (42)
Occlusal variation
… in children from eastern and western Finland 577 (30)
Occlusion
… in bilateral cleft patients after differential palatal surgery 454 (48)
Simultaneous lip-velar closure in unilateral cleft patients—… 449 (35)
Occupational stress factors
An evaluation of … in orthodontic practice 601 (100)
Odontogenesis
Unravelling the mystery of … 625 (177)
One-phase orthodontic adhesive
Evaluation of a new … 595 (83)
Open bite
Maxillofacial morphology in … subjects with a history of TMD 590 (69)
Orofacial muscle adaptation after surgical correction of severe anterior … 444 (21)
Skeletal and dentoalveolar stability of surgically corrected anterior … 623 (170)
Open surgical exposure
… of palatally impacted maxillary canines 607 (119)
Oral appliances
… in patients with OSA 456 (56)
Sleep apnoea and … 575 (23)
Oral environment
A new superior Ti-Ni closed coil spring minimally affected by the … 608 (123)
Oral structures
Facial and intra-oral vascular anomalies—assessment of … 572 (16)
Orofacial muscle adaptation
… after surgical correction of severe anterior open bite 444 (21)

Orofacial pain
Interdisciplinary treatment outcome in patients with chronic … 440 (9)
Orofacial surgery
Composite bone grafts for … 453 (46)
Orthodontic alignment
… of palatally impacted maxillary canines 607 (119)
Orthodontic closure
Gingival clefts following … of premolar extraction sites 611 (133)
Orthodontic concern
The TMJ—mandibular asymmetries: … 460 (68)
Orthodontic practice
An evaluation of occupational stress factors in … 601 (100)
Orthodontic treatment need
Frequency of craniomandibular and craniocervical dysfunction in patients with … 626 (180)
Orthodontic-surgical treatment
Dento-craniofacial morphology of cleft lip and palate subjects requiring … 624 (173)
Stability of outcome of 'borderline' Class II … 625 (178)
Orthodontist's role
The … in the early diagnosis and management of Axenfeld–Rieger syndrome 579 (36)
Orthognathic surgery
Axiographic evaluation of TMJ function after … 450 (38)
Long-term status of self-perceptions and occlusal soft tissue profile and functional outcomes of … 452 (42)
Skeletal changes after … 629 (191)
TMJ dysfunction before and after … 439 (4)
Treatment of adult Class II malocclusions: Herbst versus … 450 (37)
Orthognathic therapy
Evaluation of functional … effects on TMJ with scintigraphy 570 (9)
Orthognathic treatment
… 452 (43)
Orthopaedic facemask
Condylar position in Class III malocclusion treatment with an … 613 (139)
Orthopantomographic analysis
… of dental and chronological age 624 (174)
Orthopantomographic findings
A new method to evaluate … including the dysfunction-index 626 (181)
Osteogenesis
… in the glenoid fossa in response to mandibular advancement 583 (48)
TMJ changes during vertical distraction … of the ramus 456 (54)
Osteogenic distraction
Long-term stability of the maxilla advanced by … 583 (49)
Overbite
Changes in … of cleft lip and palate patients 612 (134)
Overbite correction
… in Class II division 2 treatment 578 (33)
Medium term stability in deep … 598 (91)

Paediatric bruxism
… 603 (106)
Pain assessment
… in orthodontics 438 (3)
Palatal bar
Influence of a … on 3D tooth movement 586 (56)
Palatal expansion
Effect of … on maxillary arch perimeter 578 (32)
Palatal implants
Critical anchorage: parasagittal … 443 (18)
Palatal mucosa
Mechanical properties of scar tissue from rat … 620 (160)
Palatal root torquing mechanics
Forces and moments of … 574 (22)
Palatal shape
Effect of the … of orthodontic removable appliances on speech 618 (155)
Palatal surgery
Occlusion in bilateral cleft patients after differential … 454 (48)
Upper arch dimensions in patients with unilateral and bilateral clefts before and after … 595 (84)
Palatally impacted maxillary canines
Open surgical exposure and orthodontic alignment of … 607 (119)
Parasagittal palatal implants
Critical anchorage: …, 443 (18)
Parents' teeth
Prediction of canine and premolar size with … 568 (1)
Passive lingual arch
Effect of a … on lower incisor position 627 (184)
Pathogenesis
… of malformations of the maxillary anterior teeth 608 (124)
Patterns
… and patterning of craniofacial biology 441 (10)
Pedigree analysis
Heredity of Class II division 2 malocclusions: a … 616 (149)
Pendulum appliance
The … 613 (138)
Perceived treatment need
… among treated and untreated adolescents 612 (135)
Periodontal conditions
…with fixed orthodontic retainers 618 (153)
Periodontal ligament
Blood volume measurement in the … using near-infrared spectroscopy 588 (62)
Periodontal problems
Managing orthodontic treatment in patients with … 449 (34)
Periodontal status
… following surgical uncovering and orthodontic treatment of bucally impacted canines 592 (74)
Periodontal tissue response
… following fixed retainers in young adult dogs 588 (63)
Perioral electromyography
… in Class II division 2 subjects 451 (40)
Permanent teeth
Prevalence of congenital absence of … in children affected with cleft lip and palate 458 (61)
Phase 1 preadjusted edgewise technique
Evaluation of cephalometric vertical changes during … 605 (115)
Evaluation of anchorage loss during … 602 (105)
Photogrammetric measurement system
Statistical investigations in the reproducibility of a … 594 (82)
Photographs
Demineralisation assessed by … 611 (132)
Physiotherapeutic data
Craniofacial morphology and … 599 (94)

Placebo-controlled trial
A randomised, … of a mandibular advancement splint in OSA 601 (101)
Planning results
Skeletal changes after orthognathic surgery—… 629 (191)
Plasma-based curing source
Utilization of a … with resin-reinforced glass ionomer 594 (81)
Plastic rectangular archwire
Mechanical properties of aesthetic fibre reinforced … 587 (60)
Polymer retainers
A biocompatible glass cloth for reinforcement of … 629 (188)
Polysomnographic outcome
Oral appliances in patients with OSA—… 456 (56)
Post-treatment changes
Evaluation of … in transverse dental dimensions 614 (142)
Practice
Appliance breakage in … 628 (185)
Preadjusted edgewise technique
Evaluation of anchorage loss during phase 1 of the … 602 (105)
Evaluation of cephalometric vertical changes during phase 1 of the … 605 (115)
Predictors
Morphological parameters as … of successful correction of Class III malocclusions 630 (192)
Prematurely born children
Prenormal canine relationship in … 584 (52)
Premolar brackets
Bond failure incidence: wide versus conventional based … 585 (55)
Premolar extraction sites
Gingival clefts following orthodontic closure of … 611 (133)
Premolar size
Prediction of … with parents' teeth 568 (1)
Premolars
Eruption patterns of autotransplanted … visualized by radiographic colour-coding 455 (53)
Root resorption in … after application of continuous torque 441 (11)
Prenormal canine relationship
… in prematurely born children 584 (52)
Pre-orthodontic splint therapy
3D changes of condylar position during … 450 (36)
Prepubertal patients
Effect of treatment timing on maxillary protraction—a comparison of … and pubertal patients 592 (75)
Profile preference
… in Japanese male laypersons 616 (147)
Prostaglandin E_2
The effect of … on root resorption during tooth movement in rats 619 (156)
Prostheses
The clinical performance of removable … in the deciduous dentition 617 (151)
Protoglycan content
Natural asymmetry in … between the right and left mandibular condylar cartilage 612 (136)
Protraction facemask response
… with banded and bonded appliances 600 (98)
Pubertal growth height
Evaluation of maximum … in Iranian patients 585 (53)
Pubertal patients
Effect of treatment timing on maxillary protraction—a comparison of prepubertal and … 592 (75)
Pulsed electromagnetic field
Effect of a … on the mandibular condyles of guinea pigs 609 (125)

Quality control
The IOTN as a tool for … 586 (57)
Quantitative light-induced fluorescence
Demineralisation assessed by … 611 (132)

Radiographic colour-coding
Eruption patterns of autotransplanted premolars visualized by … 455 (53)
Radiographic evaluation
… of the condylar position in retrusive Class II division 1 growing patients 576 (27)
Radiographic study
A … of growth of the zygomatic arch 588 (61)
Radiographic success
A new scale to assess … of secondary bone grafts 442 (13)
Ramus
TMJ changes during vertical distraction osteogenesis of the … 456 (54)
Rapid maxillary expansion
A comparative study of … using banded versus bonded appliances 569 (7)
Effect of … on nocturnal enuresis 625 (176)
Non-surgical … in adults 584 (50)
Rectangular archwire
Mechanical properties of aesthetic fibre reinforced plastic … 587 (60)
Rectangular nickel titanium wires
Application of 180-degree torque generated by … 597 (90)
Recycling
… of metallic orthodontic brackets 610 (130)
Reinforcement
A biocompatible glass cloth for … of polymer retainers 629 (188)
Removable appliances
Effect of the palatal shape of orthodontic … on speech 618 (155)
Removable orthodontic appliances
Corrosion susceptibility of lingual wire extensions in … 589 (66)
Removable prostheses
The clinical performance of … in the deciduous dentition 617 (151)
Resin-reinforced glass ionomer
Utilization of a plasma-based curing source with … 594 (81)
Retainers
Periodontal conditions and tooth mobility with fixed orthodontic … 618 (153)
Retention devices
Comparison of the effect of … after Herbst treatment 628 (186)
Retrusive Class II division 1 growing patients
Radiographic evaluation of the condylar position in … 576 (27)
Reverse headgear
Effects of a … in the correction of anterior crossbites 582 (46)
rhBMP-2
Tooth eruption in newly generated bone induced by … 593 (78)
Root resorption
… in premolars after application of continuous torque 441 (11)
Apical … in orthodontics 575 (25)

Apical … in patients treated with comprehensive orthodontics 447 (27)
Long-term follow-up of maxillary incisors with severe apical … 452 (44)
The effect of prostaglandin E_2 and calcium gluconate on … during tooth movement in rats 619 (156)
Root torquing auxiliaries
Efficiency of … in the Tip-Edge technique 609 (127)
Root torquing mechanics
Forces and moments of palatal … 574 (22)

Sagittal advancement
Histological changes in the TMJ and muscles in response to … of the mandible 579 (37)
Sagittal jaw relationships
Cephalometric evaluation of … in Class II patients 592 (76)
Sagittal movement
… of maxillary structures in cleft lip and palate patients during craniofacial growth 453 (45)
Scanning electron microscopic evaluation
Experimental … of the enamel-composite interface of five orthodontic cements 572 (15)
Scar tissue
Mechanical properties of … from rat palatal mucosa 620 (160)
Scintigraphy
Evaluation of functional orthognathic therapy effects on TMJ with … 570 (9)
Second molars
Simultaneous intra-oral distalization of maxillary … 455 (52)
Secondary bone grafts
A new scale to assess radiographic success of … 442 (13)
Self-perceptions
Long-term status of … of orthognathic surgery 452 (42)
Sequencing
… of surgical-orthodontic treatment 580 (40)
Severe anterior open bite
Orofacial muscle adaptation after surgical correction of … 444 (21)
Severe apical root resorption
Long-term follow-up of maxillary incisors with … 452 (44)
Shear bond strengths
… of alternative orthodontic bonding systems 582 (45)
Short stature children
Craniofacial morphology and dental maturity in … 449 (33)
Sickle cell anaemia
A cephalometric study of patients with … in Greece 591 (71)
Silensor appliance
A prospective study of the … 604 (110)
Silver Russell syndrome
Craniofacial morphology and dental age in children with … 593 (79)
Simulated orthodontic appliances
Release of nickel and chromium from … 569 (4)
Simultaneous intra-oral distalization
… of maxillary first and second molars 455 (52)
Simultaneous lip-velar closure
… in unilateral cleft patients 449 (35)
Skeletal changes
… after orthognathic surgery 629 (191)
Skeletal Class II therapy
… 445 (24)
Skeletal Class III patients
Jaw deviation in … 584 (51)
Skeletal maturation
Evaluation of … in Iranian patients 585 (53)
Skeletal stability
… of surgically corrected anterior open bites 623 (170)
Skeletal treatment
… effects in Class II malocclusions 571 (13)
Sleep apnoea
… and oral appliances 575 (23)
Sliding mechanics
Intra-oral maxillary unilateral molar distalization in … 448 (31)
Slow maxillary expansion
The side-effects of … on the width of the mandibular arch 569 (5)
SMA arch wires
Properties of some commercial … 578 (34)
Soft tissue changes
… during and 20 years after Bionator treatment 441 (12)
Soft tissue cleft lip
Isolated … 446 (26)
Soft tissue morphology
… in Icelandic adults 589 (65)
Soft tissue profile
Long-term status of occlusal, … of orthognathic surgery 452 (42)
The significance of the … on facial aesthetics 460 (66)
Soft tissues
The effect of Herbst appliance treatment on TMJ … 615 (143)
Space gaining
Additional … with a modified supercable 596 (86)
Spectroscopy studies
Characterization of bovine enamel studies using … 577 (31)
Speech
Effect of the palatal shape of orthodontic removable appliances on … 618 (155)
Spine malformations
Upper cervical … in cleft lip and palate patients 448 (30)
Splint
The centric relation … 442 (14)
Splint therapy
3D changes of condylar position during pre-orthodontic … 450 (36)
Squamo-tympanic fissure
The … in human crania 621 (163)
Square wires
Do the actual dimensions of the … agree with the manufacturers' data? 581 (42)
Stability
… of lower intercanine distance following orthodontic treatment 582 (44)
Structural parameters
… of bone maturation 614 (140)
Supercable
Additional space gaining with a modified … 596 (86)
Super-elastic Ti-Ni alloy orthodontic wire
Damping capacity of … 602 (104)
Supernumerary laterals
Isolated soft tissue cleft lip: the influence on the … 446 (26)
Surface characterization
… of retrieved NiTi archwires 443 (16)
Surgery
TMJ dysfunction before and after orthognathic … 439 (4)
Surgical correction
Orofacial muscle adaptation after … of severe anterior open bite 444 (21)

Surgical influence
… on dentofacial morphology in bilateral cleft lip and palate patients 454 (49)
Surgical results
Skeletal changes after orthognathic surgery—… 629 (191)
Surgical uncovering
Periodontal status following … of bucally impacted canines 592 (74)
Surgical-orthodontic treatment
Dental arch width changes before and after … 604 (112)
The duration and sequencing of … 580 (40)
Surgically corrected anterior open bites
Skeletal and dentoalveolar stability of … 623 (170)

Temporal electromyographic
… characteristics in Class I and II malocclusions 568 (2)
Temporomandibular disorders
… related to craniofacial dimensions, head posture and bite force 459 (64)
The prevalence of … in Greek patients referred for orthodontic treatment 620 (162)
Treatment of Class II division 2 subjects with … 443 (17)
Temporomandibular dysfunction
Class II division 2 malocclusions and … in children 459 (65)
Maxillofacial morphology in open bite subjects with a history of … 590 (69)
Temporomandibular joint
… and chin changes during vertical distraction osteogenesis of the ramus 456 (54)
Does bite-jumping damage the … 457 (58)
'Effective' … during activator and Herbst treatment 570 (10)
Enhanced magnetic resonance imaging of the … in children with juvenile chronic arthritis 597 (88)
Evaluation of functional orthognathic therapy effects on … with scintigraphy 570 (9)
Histological changes in the … in response to sagittal advancement of the mandible 579 (37)
Insulin-like growth factor-I receptor expression in different regions of the … 626 (179)
The … 460 (68)
Temporomandibular joint derangements
Eminence steepness and condyle-disc movement in … on magnetic resonance images 581 (43)
Temporomandibular joint disease
Occlusal rehabilitation in orthodontic patients with … 599 (96)
Temporomandibular joint dysfunction
Association between occlusal characteristics and symptoms of … in orthodontically treated and untreated adolescents 623 (169)
… before and after orthognathic surgery 438 (4)
Juvenile … in the northern district of Japan 590 (68)
Temporomandibular joint electro-vibratography
… characteristics in Class I and II malocclusions 568 (2)
Temporomandibular joint function
Axiographic evaluation of … after orthognathic surgery 450 (38)
Temporomandibular joint soft tissues
The effect of Herbst appliance treatment on … 615 (143)
Temporomandibular joint symptoms
… in orthodontically treated and untreated young Finnish adults 591 (73)
Temporomandibular problems
The centric relation splint—a diagnostic and therapeutic appliance for … 442 (14)
Teuscher appliances
Skeletal Class II therapy—effects of … 445 (24)
Therapeutic appliance
The centric relation splint—a … for TM problems 442 (14)
Therapeutic problems
Occlusal rehabilitation in orthodontic patients with TMJ disease—… 599 (96)
Three-dimensional analysis
… of the maxilla in infants with unilateral cleft lip and palate 440 (7)
Three-dimensional changes
… of condylar position during pre-orthodontic splint therapy 450 (36)
Three-dimensional characteristics
… of dental arch forms expressed by FA points 579 (35)
Three-dimensional effects
… of extraction/non-extraction treatment on the face 588 (63)
Three-dimensional evaluation
… of casts taken from cleft palate patients 622 (168)
Three-dimensional measurement
… of curvatures of human anterior tooth surfaces 585 (54)
Three-dimensional optical measurement system
Development of a high accuracy … for dental casts 605 (113)
Three-dimensional tooth movement
Influence of extraction and a palatal bar on … 586 (56)
Ti-Ni alloy orthodontic wire
Damping capacity of super-elastic … 602 (104)
Ti-Ni closed coil spring
A new superior … minimally affected by the oral environment 608 (123)
Tip-Edge technique
Efficiency of root torquing auxiliaries in the … 609 (127)
Tongue movements
… during articulation of vowels in Class III subjects 629 (190)
Tongue posture
Relationship of growth pattern and … 607 (120)
Tooth development
Genetically determined disturbances of … in patients with cleft lip and palate 606 (116)
Tooth eruption
… in newly generated bone induced by rhBMP-2 593 (78)
Tooth mobility
…with fixed orthodontic retainers 618 (153)
Tooth movement
Expression of cathepsin K mRNA during … in rats experimental 608 (122)
Gingival connective tissue cell kinetics during orthodontic … 462 (72)
Influence of extraction and a palatal bar on 3D … 586 (56)
The effect of prostaglandin E_2 and calcium gluconate on root resorption during … in rats 619 (156)
The role of cytokines and IL-1 receptor antagonist in orthodontic … 598 (92)
Tooth sizes
Significance of … in the aetiology of the cover-bite 442 (15)

Tooth surfaces
3D measurement of curvatures of human anterior … 585 (54)
Tooth transposition
… 620 (159)
Torque
Application of 180-degree … generated by rectangular nickel titanium wires 597 (90)
Root resorption in premolars after application of continuous … 441 (11)
Torquing mechanics
Forces and moments of palatal root … 574 (22)
Transverse dental dimensions
Evaluation of post-treatment changes in … 614 (142)
Treatment options and outcomes
Tooth transposition: … 620 (159)
Treatment planning
The IOTN as a tool for … 586 (57)
Treatment time
Orthognathic treatment: early surgery reduces orthodontic … 452 (43)
Treatment timing
Effect of … on maxillary protraction 592 (75)
Twin Block appliance
A prospective study of the … 604 (110)

Unilateral cleft
Upper arch dimensions in patients with … before and after palatal surgery 595 (84)
Unilateral cleft lip and palate
Craniofacial development in children with … 603 (109)
Craniofacial growth in patients with … 445 (22)
Is infant orthopaedics effective in … 451 (39)
3D analysis of the maxilla in infants with … 440 (7)
Unilateral cleft patients
Simultaneous lip-velar closure in … 449 (35)
Unilateral molar distalization
Intra-oral maxillary … in sliding mechanics 448 (31)
Upper anterior teeth
Mesiodistal width of the … in patients with clefts 615 (145)
Upper arch dimensions
… in patients with unilateral and bilateral clefts before and after palatal surgery 595 (84)
Upper arch position
… in the deciduous dentition in subjects with Class II division 2 malocclusions 581 (41)
Upper cervical spine malformations
… in cleft lip and palate patients 448 (30)
Upper incisor aspects
Class II division 2 malocclusions: … 602 (103)

van der Woude syndrome
Genetic analysis of … in Finnish families 627 (183)
Velopharyngeal competence
… in cleft palate patients 447 (29)
Vertical distraction osteogenesis
TMJ changes during … of the ramus 456 (54)
Visual judgement
The … of human facial height 623 (171)

Wide-based premolar brackets
Bond failure incidence: … 585 (55)

Zygomatic arch
A radiographic study of growth of the … 588 (61)

Author entries: Abstract section

Page numbers are given first followed by the abstract number in parentheses

Abe, K., Mishima, K. and Suzuki, A.
Prediction of canine and premolar size with parents' teeth 568 (1)
Abrão, J. and Vigorito, J. W.
Masseter and temporal electromyographic and temporomandibular joint electro-vibratography characteristics in Class I and II malocclusions 568 (2)
Acar, A. see Erverdi, N.
Adachi, S., Hidaka, O., Miki, T. and Takada, K.
CO-CR discrepancy of the condyle in Japanese orthodontic patients 568 (3)
Aeschelmann, D. see Horn, H.
Ağaoğlu, G., Arun, T., Izgü, B. and Yarat, A.
Release of nickel and chromium from simulated orthodontic appliances 569 (4)
Ahmad Akhoundi, M. S.
The side-effects of slow maxillary expansion on the width of the mandibular arch 569 (5)
Akçam, M. O. and Takada, K.
Fuzzy modelling for selecting headgear types 569 (6)
Akçam, M. O. see Arat, M.; Özdiler, E.
Aktan, G. see Pönitz, H-J.
Alanen, P. see Pietilä, T.; Svedström-Oristo, A-L.
Albertsson-Wikland, K. see Kjellberg, H.
Almeida, G. A. and Ursi, W. J. S.
A comparative study of rapid maxillary expansion using banded versus bonded appliances 569 (7)
Almeida, M. A. A. see Faltin, Jr, K.
Almers, E. see Brattström, V.
Altiok, T. and Koklu, A.
Functional chaos in deep-overbite: a vertical or sagittal issue? 570 (8)
Altunay, S. see Rübendüz, M.
Alvesalo, L. see Harila-Kaera, V.
Anagnostopoulou, S. see Skoumpourdis, N. M.
Anders, C. see Harzer, W.
Andersson, G. see Ödman, Bresin, C.
Angeloni, S. see Lucci, M.
Arat, M., Akçam, M. O., Gökalp, H. and Türkkahraman, H.
Evaluation the long-term effects of chin-cap treatment 438 (1)
Arat, M., Gökçora, N., Gökalp, H., Erdem, D. and Atasever, T.
Evaluation of functional orthognathic therapy effects on temporomandibular joints with scintigraphy 570 (9)

Arena-Chavez, V. E. see Casa, M. A.
Arun, T. see Ağaoğlu, G.
Atasever, T. see Arat, M.
Athanasiou, A. E. see Eliades, T.; Lazaridou-Terzoudi, T. ; Papadopoulos, M. A.
Axmann-Krcmar, D. see Horn, H.
Ayvzian, A. A. see Pankratova, N. V.

Baba, Y. see Kitamura, A.
Baek, C. W. see Kim, K. H.
Baethge, C. see Berten, J. L.
Bakke, M. see Sonnesen, L.
Baltromejus, S., Ruf, S. and Pancherz, H.
'Effective' temporomandibular joint and chin changes during activator and Herbst treatment 570 (10)
Bantleon, H-P. see Crismani, A. G.
Barbato, E., Proietti, D. and Fratto, G.
Arch morphology in subjects with Class II malocclusions 571 (11)
Barbato, E. see Proietti, D.
Bartels, A. see Schmechel, M.
Başçiftçi, F. A. see Üsümez, S.
Basdra, E. K., Stellzig, A., Kiokpasoglou, M. N. and Komposch, G.
Class II division 2 malocclusion revised: a Class of its own! 438 (2)
Başpinar, E. see Özdiler, E.
Battagel, J. M., Johal, A., Kotecha, B. and Croft, C. B.
Body mass index in obstructive sleep apnoea: a cephalometric evaluation 571 (12)
Battagel, J. M. see Muniandy, S. D.; Naini, F. B.; Smith, A. M.
Bauer, R. see Gedrange, T.
Bearn, D. R. see Morris, D. O.
Becktor, K. B. see Kjær, I.
BeGole, E. A. see Handelman, C. S.
Behrents, R. G. see Laspos, C. P.
Beiring, M. see Kjellberg, H.
Bendeus, M., Nelson, B., Hansen, K., Rabie, A. B. M. and Hägg, U.
Skeletal treatment effects in Class II malocclusions 571 (13)
Bendeus, M. see Gu, Y.; Xi, D.
Bensch, E. see Lapatki, B.
Benson, P. E. see Doherty, U.; Pender, N.
Benvenuto, E. R., Laganà, G., Chiaretti, R. and Chimenti, C.
An epidemiological investigation of dento-skeletal pathologies in primary school children 572 (14)
Berggren, U. see Bergius, M.
Bergius, M., Kiliaridis, S., Berggren, U. and Broberg, A.
Pain assessment in orthodontics 438 (3)
Bergman, A. see Kjellberg, H.
Bernhart, T. see Freudenthaler, J. W.
Bertelè, G. P., Urbani, A., Stella, F. and Mercanti, M.
Experimental scanning electron microscopic evaluation of the enamel-composite interface of five orthodontic cements 572 (15)
Berten, J. L., Baethge, C., Brachvogel, P., Mauck, C. and Fokas, C.
Facial and intra-oral vascular anomalies—assessment of oral structures 572 (16)
Berten, J. L., Bode, K., Brachvogel, P. and Tränkmann, J.
Temporomandibular joint dysfunction before and after orthognathic surgery 439 (4)
Berten, J. L. see Mauck, C.
Biedermann, F. see Scholle, H. Ch.; Schumann, N. P.
Biria, G. see Eslami Amirabadi, G.
Bister, D., Edler, R. J., Tom, B. D. M. and Prevost, A. T.
Natural head posture—considerations of reproducibility 439 (5)
Bjerregaard, J. see Pedersen, T. K.
Boccuni, M. see Monaco, A.
Bock, O. see Fischer-Brandies, H.
Bode, K. see Berten, J. L.
Boisson, M. see Xi, D.
Bondemark, L.
A new appliance for distal bodily movement of maxillary molars 572 (17)
Bourauel, C. see Braumann, B.
Bou Saba, S. see David, M.
Brachvogel, P. see Berten, J. L.
Brattström, V. and Almers, E.
Mandibular advancement device—craniofacial and dentoalveolar changes 439 (6)
Brattström, V. see Semb, G.
Braumann, B., Keilig, L., Bourauel, C. and Jäger, A.
Three-dimensional analysis of the maxilla in infants with unilateral cleft lip and palate 440 (7)
Bringhurst, F. R. see Grimanis, G. A.
Broberg, A. see Bergius, M.
Brosh, T., Vardimon, A. D. and Portal, S.
Clinical criteria to accomplish an asymmetric headgear effect 440 (8)
Brosh, T. see Vardimon, A. D.
Brusati, R. see Garattini, G.
Bültmann, C. see Rose, E.
Bumann, A., Storm, J., Plato, G. and Mah, J.
Interdisciplinary treatment outcome in patients with chronic orofacial pain 440 (9)
Burckhardt, R. see Kopp, S.
Burdi, A. R.
Patterns and patterning of craniofacial biology 441 (10)
Bzeizi, N. see Gökalp, H.

Capelozza Filho, L. see Normando, A. D. C.
Carels, C. see De Bruyne, I.; Swinnen, K.
Carr, R. see Cox, S. A.
Casa, M. A., Faltin, R. M., Faltin, K., Sander, F. G. and Arena-Chavez, V. E.
Root resorption in premolars after application of continuous torque 441 (11)
Celli, D. see Lupini, D.
Cetinkaya Tokmak, E., Keles, A. and Erverdi, N.
Comparison of two different force systems on maxillary orthopaedic protraction 573 (18)
Chalipa, J. and Hashemi, M.
Mandibular change and displacement with a functional appliance in Class II division 1 patients 573 (19)
Chasapopoulou, E. see Kavadia, S.
Chay, S. S., Chow, M. C. and Rabie, A. B. M.
Neovascularization of composite demineralised intramembranous and endochondral bone grafts 574 (20)
Chiaretti, R. see Benvenuto, E. R.
Chimenti, C. see Benvenuto, E. R.; Laganà, G.
Chirakis, G. see Zetu, I. N.
Chow, M. C. see Chay, S. S.
Christakis, I. see Kavadia, S.
Chu, M. see Lai, Y.
Ciamella, N. M. see Monaco, A.
Cistulli, P. A. see Mehta, A.
Cocarla, E.
The correlation between clinical and cephalometric data in Class II

division 2 malocclusions 574 (21)
Coler, R., Ortel, S., Noachtar, R., Reiter, I. and Rudzki-Janson, I.
Soft tissue and dentoalveolar changes during and 20 years after Bionator treatment 441 (12)
Collins, M. see Moopen, S.
Cox, S. A., Witherow, H., Jones, E., Carr, R. and Waterhouse, N.
A new scale to assess radiographic success of secondary bone grafts 442 (13)
Cozza, P. see Laganà, G.; Rosignoli, L.
Crismani, A. G., Freudenthaler, J. W. and Bantleon, H-P.
Forces and moments of palatal root torquing mechanics 574 (22)
Crismani, A. G. see Freudenthaler, J. W.
Croft, C. B. see Battagel, J. M.
Cuevas, E. see Pellegrino, G.

Darendeliler, M. A. see Mehta, A.
David, M., Bou Saba, S., Liistro, G., Rodenstein, D. and De Clerck, H.
Sleep apnoea and oral appliances: a cephalometric and polysomnographic study 575 (23)
De Bruyne, I., Willems, G., Carels, C. and Fieuws, S.
Prevalence and characteristics of malocclusions in a Belgian orthodontic population 575 (24)
De Clerck, H. see David, M.
de Josselin de Jong, E. see Pender, N.
Del Monaco, L., Ravara, M., Masotto, G. and Miotti, F. A.
Apical root resorption in orthodontics: a risk to be considered? 575 (25)
Del Prete, A. see Pellegrino, G.
Di Giuseppe, M. G. see Lucci, M.
Doherty, U., Benson, P. E. and Higham, S. M.
Fluoride-releasing elastomerics assessed with the *in situ* caries model 576 (26)
Doll, G. M. see Zentner, A.
Dominguez-Rodriguez, C., Morea, C., Hirschheimer, C. and Vigorito, J. W.
Radiographic evaluation of the condylar position in retrusive Class II division 1 growing patients 576 (27)
Dorobat, V. see Zetu, I. N.
Doukoudakis, A.
The centric relation splint—a diagnostic and therapeutic appliance for temporomandibular problems 442 (14)
Dowling, P. see McSherry, P.

Ebata, Y. see Nakahara, R.
Eble, O. S., Kaiser, M. and Jonas, I. E.
Significance of tooth sizes in the aetiology of the cover-bite 442 (15)
Eckhardt, L. see Harzer, W.
Edler, R. J. see Bister, D.
Ehmer, U. see Lippold, C.; Niegel, T.
Eliades, G. see Eliades, T.
Eliades, T., Eliades, G. and Athanasiou, A. E.
Surface characterization of retrieved NiTi archwires 443 (16)
Eliades, T. see Papadopoulos, M. A.
Enemark, H. see Friede, H.
Erbay, E.
The effects of maxillary splint therapy on the treatment of Class II division 1 malocclusions 576 (28)
Erdem, D. see Arat, M.
Ermert, M. see Fischer-Brandies, H.
Erverdi, N., Acar, A., İşgüden, B. and Kadir, T.
Effects of chlorhexidine on bacteraemia following orthodontic debanding and debonding 577 (29)
Erverdi, N. see Cetinkaya Tokmak, E.
Eskeli, R., Laine-Alava, M. T. and Pahkala, R. H.
Occlusal variation in children from eastern and western Finland 577 (30)
Eslami Amirabadi, G., Biria, M. and Vahid Golpayegani, M.
Effect of palatal expansion on maxillary arch perimeter 578 (32)
Es-Souni, M. and Fischer-Brandies, H.
Characterization of bovine enamel surfaces using electron microscopy and spectroscopy studies 577 (31)
Es-Souni, M. see Fischer-Brandies, H.

Faltin, K., Jr, Almeida, M. A. A., Quaglia, P. Q. and Faltin, R. M.
Overbite correction in Class II division treatment: is it possible? How? 578 (33)
Faltin, K. see Casa, M. A.
Faltin, R. M. see Casa, M. A.; Faltin, K., Jr
Faniran, A. see Mehta, A.
Farella, M. see Michelotti, A.; Pellegrino, G.
Fenske, C. see Sadat Khonsari, M. R.
Fernlund, A-K. see Forsberg, C-M.
Fieuws, S. see De Bruyne, I.; Swinnen, K.
Fiorelli, G. see Laino, A.
Fischer-Brandies, H., Es-Souni, M., Kock, N., Bock, O., Ermert, M. and Raetzke, K.
Properties of some commercial SMA arch wires 578 (34)
Fischer-Brandies, H. see Es-Souni, M.; Godt, A.
Fitjer, L. C. see Jonas, I. E.
Fokas, C. see Berten, J. L.
Folkesson, U. see Persson, M.
Forsberg, C-M., Fernlund, A-K. and Sheikholeslam, A.
Treatment of Class II division 2 subjects with deep overbite and temporomandibular disorders 443 (17)
Forsberg, C-M. see Ömblus, J.
Franceschini, P. see Monaco, A.
Fratto, G. see Barbato, E.
Freudenthaler, J. W., Crismani, A. G., Bernhart, T. and Haas, R.
Critical anchorage: parasagittal palatal implants, horizontal bicortical screws and cantilever mechanics 443 (18)
Freudenthaler, J. W. see Crismani, A. G.
Friede, H. and Enemark, H.
Favourable maxillary growth after delayed hard palate repair in cleft patients 444 (19)
Friede, H. see Kontos, K.; Melissaratou, A.
Frucht, S., Jonas, I. E., Leifert, S. and Rose, E.
The incidence of canine impaction to other dental anomalies 444 (20)
Frucht, S. see Rose, E.
Fujii, G. see Yamamoto, T.
Fujita, K.
Three-dimensional characteristics of dental arch forms expressed by FA points 579 (35)
Fujita, K. see Hisaki, H.
Fukai, M. see Garagiola, U.
Fulcoli, P. see Laino, A.
Furuya, T. see Yamamoto, T.

Garagiola, U., Ghiglione, V., Maspero, C. and Fukai, M.
Orofacial muscle adaptation after surgical correction of severe anterior open bite 444 (21)

Garagiola, U., Ghiglione, V., Maspero, C. and Nishiyama, K.
The orthodontist's role in the early diagnosis and management of Axenfeld–Rieger syndrome 579 (36)
Garagiola, U. see Ghiglione, V.; Maspero, C.
Garattini, G., Semb, G., Meazzini, M. C., Levrini, L., Brusati, R. and Shaw, W. C.
Craniofacial growth in patients with unilateral cleft lip and palate: an inter-centre study 445 (22)
Gazit-Rappaport, T. see Vardimon, A. D.
Gedrange, T.
Differential expression of myosin heavy chain mRNA mastication during functional advancement of the mandible 445 (23)
Gedrange, T., Tetzlaff, I., Walter, B., Harzer, W., Bauer, R. and Schubert, H.
Histological changes in the temporomandibular joint and muscles in response to sagittal advancement of the mandible 579 (37)
Geers, B., Ruf, S. and Pancherz, H.
Bilaminar zone reaction to activator treatment 580 (38)
Gelinek, J. see Küseler, A.
Genderski, B., Heymer, A., Hirschfelder, U. and Radspiel-Tröger, M.
Reliability of linear and angular cephalometric measurements 580 (39)
Gerard, D. A. see Laspos, C. P.
Ghiglione, U. see Garagiola, U.
Ghiglione, V., Maspero, C. and Garagiola, U.
Skeletal Class II therapy—effects of Bionator and Teuscher appliances 445 (24)
Ghiglione, V. see Garagiola, U.; Maspero, C.
Giaretta, M. see Vardimon, A. D.
Giles, S. A. and Lee, R. T.
The duration and sequencing of surgical-orthodontic treatment 580 (40)
Giles, S. A. see Lee, R. T.
Glišić, B., Jakšić, N. and Šćepan, I.
Upper and lower dental arch position in the deciduous dentition in subjects with Class II division 2 malocclusions 581 (41)
Glišić, B. see *Šćepan,* I.
Glockmann, G. see Graf, H.
Glucan, A. see Podariu, A.
Godt, A., Fischer-Brandies, H. and Orthuber, W.
Do the actual dimensions of square wires agree with the manufacturers' data? 581 (42)
Gökalp, H., Türkkahraman, H. and Bzeizi, N.
Eminence steepness and condyle-disc movement in temporomandibular joint derangements on magnetic resonance images 581 (43)
Gökalp, H. see Arat, M.
Gökçora, N. see Arat, M.
Goodveld, M. see Moopen, S.
Gormsen, C. see Kjær, I.
Gotoh, N. see Nakahara, R.
Göttle, R. see Horn, H.
Göz, G. see Horn, H.
Grabowski, R. see Nötzel, F.
Graf, H., Kopp, S. and Glockmann, G.
Stability of lower intercanine distance following orthodontic treatment 582 (44)
Graf, I., Jacobi, B. E. and Schwarze, C. W.
Shear bond strengths of alternative orthodontic bonding systems 582 (45)
Graßme, R. see Scholle, H. Ch.
Grimanis, G. A. and Bringhurst, F. R.
Cellular and molecular interactions during bone remodelling 446 (25)
Grinblat, D. see Vardimon, A. D.
Grön, M. see Harila-Kaera, V.
Gross, M. see Vardimon, A. D.
Gu, Y., Rabie, A. B. M., Hägg, U., Bendeus, M. and Wong, T. C.
Effects of a 2 × 4 appliance and reverse headgear in the correction of anterior crossbites 582 (46)
Gustafsson, M. and Lindman, R.
Failure rates of four different orthodontic bonding systems 583 (47)

Haas, R. see Freudenthaler, J. W.
Hagenmüller, M. see Rose, E.
Hägg, U., Zhao, Z. H. and Rabie, A. B. M.
Osteogenesis in the glenoid fossa in response to mandibular advancement 583 (48)
Hägg, U. see Bendeus, M.; Gu, Y.; Rabie, A. B. M.; Xi, D.
Hahn, M. see Küffers, S.; Schröder, W.
Hahn, W. see Küffers, S.; Schröder, W.
Halazonetis, D. see Spyropoulos, M. N.
Hammond, J. and Lello, G.
Long-term stability of the maxilla advanced by osteogenic distraction 583 (49)
Han, J. Y. see Kim, K. H.
Handelman, C. S. and BeGole, E. A.
Non-surgical rapid maxillary expansion in adults 584 (50)
Hansen, K. and Mehdinia, M.
Isolated soft tissue cleft lip: the influence on the nasal cavity and supernumerary laterals 446 (26)
Hansen, K. see Bendeus, M.; Kruse, J.; Ödman, Bresin, C.
Haraguchi, S. and Takada, K.
Jaw deviation in skeletal Class III patients 584 (51)
Harila-Kaera, V., Grön, M., Heikkinen, T., Alvesalo, L. and Osborne, R.
Prenormal canine relationship in prematurely born children 584 (52)
Harris, E. F.
Apical root resorption in patients treated with comprehensive orthodontics 447 (27)
Harris, E. F. see Laspos, C. P.
Hartung, M. see Nötzel, F.
Harzer, W., Anders, C. and Eckhardt, L.
Mandibular mobility in children with Angle Class II division 2 malocclusions 447 (28)
Harzer, W. see Gedrange, T.
Hashemi, M. see Chalipa, J.
Hauser, Ch., Stellzig, A. and Komposch, G.
Adenoidal involution patterns and velopharyngeal competence in cleft palate patients 447 (29)
Heaney, T. G. see Zentner, A.
Hedayati, Z.
Evaluation of skeletal maturation and maximum pubertal growth height in Iranian patients 585 (53)
Heikkinen, T. see Harila-Kaera, V.
Hennessey, R. see Ishmail, S. F. H.
Herlin, T. see Küseler, A.
Heymer, A. see Genderski, B.
Hidaka, O. see Adachi, S.
Higham, S. M. see Doherty, U.; Pender, N.
Hirschfelder, H. see Hirschfelder, U.
Hirschfelder, U. and Hirschfelder, H.
Upper cervical spine malformations in cleft lip and palate patients 448 (30)

Hirschfelder, U. see Genderski, B.; Schoch, M.; Stephan, M.; Wuttig, M.
Hirscheimer, C. see Dominguez-Rodriguez, C.
Hisaki, H., Fujita, K. and Takada, K.
Three-dimensional measurement of curvatures of human anterior tooth surfaces 585 (54)
Hodge, T. M.
Bond failure incidence: wide versus conventional based premolar brackets 585 (55)
Hokari, S. see Inoue, H.
Horn, H., Göz, G., Göttle, R., Kretschmer-Schneider, I. and Axmann-Krcmar, D.
Influence of extraction and a palatal bar on three-dimensional tooth movement 586 (56)
Horn, H., Göz, G., Waßermann, M., Neuscheler, C., Aeschelmann, D. and Axmann-Krcmar, D.
The Index of Orthodontic Treatment Need as a tool for treatment planning and quality control 586 (57)
Huck, L., Korbmacher, H., Klocke, A. and Kahl-Nieke, B.
The use of laser curing for composite orthodontic adhesive 586 (58)
Huck, L. see Klocke, A.; Korbmacher, H.
Huggare, J. see Paulsen, H. U.
Hwang, M., Yoon, Y. and Kim, K.
An epidemiological study of orthodontic patients in Korea 587 (59)

Ifert, F. see Kopp, S.; Wangemann, D.
Iida, J. see Imai, T.; Kaneko, T.; Sato, Y.; Yamagata, S.; Yamamoto, T.
Imai, T., Toyoizumi, H., Yamagata, S., Nagayama, K., Yamamoto, T., Iida, J., Nakamura, S., Watari, F. and Kobayashi, M.
Mechanical properties of aesthetic fibre reinforced plastic rectangular archwire 587 (60)
Imai, T. see Kaneko, T.; Sato, Y.; Yamagata, S.; Yamamoto, T.
Inoue, H., Inoue, N., Hokari, S., Takahashi, N. and Okumura, Y.
A radiographic study of growth of the zygomatic arch 588 (61)
Inoue, N. see Inoue, H.
İşeri, H. see Öztürk, Y.; Türkkahraman, H.; Üsümez, S.
İsgüden, B. see Erverdi, N.
Ishigame, M. see Satoh, K.
Ishikawa, H. and Matsuyama, I.
Blood volume measurement in the periodontal ligament using near-infrared spectroscopy 588 (62)
Ishikawa, H. see Komori, A.
Ishmail, S. F. H., Moss, J. P. and Hennessey, R.
Three-dimensional effects of extraction/non-extraction treatment on the face 588 (63)
Izgü, B. see Ağaoğlu, G.
Izumisawa, M. see Shozushima, M.

Jacobi, B. E. see Graf, I.
Jäger, A. see Braumann, B.
Jahanshahi, P. see Seifi, M.
Jakšić, N. see Glišić, B.
Jensen, J. see Pedersen, T. K.
Jin, T. see Satoh, K.
Jo, M., Yoon, Y. J. and Kim, K. W.
Periodontal tissue response following fixed retainers in young adult dogs 588 (64)
Johal, A. see Battagel, J. M.
Johannsdottir, B., Thordarson, A. and Magnusson, T. E.
Craniofacial skeletal and soft tissue morphology in Icelandic adults 589 (65)
Jonas, I. E., Fitjer, L. C. and Kappert, H. F.
Corrosion susceptibility of lingual wire extensions in removable orthodontic appliances 589 (66)
Jonas, I. E. see Eble, O. S.; Frucht, S.; Lapatki, B.; Rose, E.
Jones, E. see Cox, S. A.
Jost-Brinkmann, P-G. see Talesnik, S.
Jumanca, D. see Podariu, A.
Jureyda, O. see Lala, A.

Kadir, T. see Erverdi, N.
Kahl-Nieke, B. see Huck, L.; Klocke, A.; Korbmacher, H.; Sadat Khonsari, M. R.
Kaiser, M. see Eble, O. S.
Kalavritinos, M.
The use of the ICON system to estimate the results of two treatment methods of Angle Class II division 1 malocclusions 589 (67)
Kamegai, T., Tatsuki, T., Mitsuhashi, H., Nagano, H. and Matsushima, S.
Juvenile temporomandibular joint dysfunction in the northern district of Japan 590 (68)
Kanakoudi, F. see Sidiropoulou, S.
Kaneko, T., Imai, T., Okamoto, T., Kusakabe, T. and Iida, J.
Maxillofacial morphology in open bite subjects with a history of temporomandibular dysfunction 590 (69)
Kanno, Z., Ohya, K. and Soma, K.
A biochemical study of cellular response under mechanical stress 590 (70)
Kantomaa, T. see Pietilä, K.
Kappert, H. F. see Jonas, I. E.
Karamouzos, A. see Papadopoulos, M. A.; Sidiropoulou, S.
Katsura, H. see Satoh, K.
Kavadia, S., Marcovitsi, E., Kolokithas, G., Sidiropoulou, S., Kolokitha, O., Nasiopoulos, A., Chasapopoulou, E. and Christakis, I.
A cephalometric study of patients with sickle cell anaemia in Greece 591 (71)
Kavvadia, S. see Sidiropoulos, S.
Kawamoto, T. see Kitamura, A.
Keilig, L. see Braumann, B.
Keles, A.
Intra-oral maxillary unilateral molar distalization with sliding mechanics—the molar slider 448 (31)
Keles, A. and Sayinsu, K.
A new approach in maxillary molar distalization: the intra-oral bodily molar distalizer 591 (72)
Keles, A. see Cetinkaya Tokmak, E.
Kerosuo, E. N. J. see Kerosuo, H. M.
Kerosuo, H. M. and Kerosuo, E. N. J.
Temporomandibular joint symptoms in orthodontically treated and untreated young Finnish adults 591 (73)
Kiliaridis, S. see Bergius, M.
Kim, K. H., Baek, C. W. and Han, J. Y.
Periodontal status following surgical uncovering and orthodontic treatment of bucally impacted canines 592 (74)
Kim, K. H., Lee, J. H. and Kim, S. U.
Effect of treatment timing on maxillary protraction—a comparison of prepubertal and pubertal patients 592 (75)
Kim, K. see Hwang, M.; Jo, M.; Kim, K. H.
Kim, S. U. see Kim, K.
Kiokpasoglou, M. N. see Basdra, E. K.
Kirsch, I. see Sadat Khonsari, M. R.

Kišić-Merlo, S., Lapter, M., Šlaj, M. and Rajić-Meštrović, S.
Cephalometric evaluation of sagittal jaw relationships in Class II patients 592 (76)
Kitafusa, Y.
The diagnostic significance of the indicator line 593 (77)
Kitai, N. see Takada, Ka
Kitamura, A., Motohashi, N., Kawamoto, T., Ogawa, M., Baba, Y., Suzuki, S. and Kuroda, T.
Tooth eruption in newly generated bone induced by rhBMP-2 593 (78)
Kiyak, H. A. see Lazaridou-Terzoudi, T.
Kjær, I., Becktor, K. B., Gormsen, C., Lisson, J. and Russell, B. G.
Craniofacial morphology in patients with a median maxillary central incisor 448 (32)
Kjellberg, H., Beiring, M. and Albertsson-Wikland, K.
Craniofacial morphology and dental maturity in short stature children 449 (33)
Kjellberg, H., Bergman, A. and Albrektson-Wikland, K.
Craniofacial morphology and dental age in children with Silver Russell syndrome 593 (79)
Kleemola-Kujala, E. see Ntountoulas, N.
Kleine, B. U. see Scholle, H. Ch.; Schumann, N. P.
Klocke, A., Huck, L., Korbmacher, H. and Kahl-Nieke, B.
Laser curing of a glass ionomer orthodontic adhesive 593 (80)
Klocke, A. see Huck, L.; Korbmacher, H.
Kobayashi, M. see Imai, T.; Yamagata, S.
Kobayashi, S. see Nakahara, R.
Kock, N. see Fischer-Brandies, H.
Kockich, V.
Managing orthodontic treatment in patients with periodontal problems 449 (34)
Kofod, T. see Pedersen, T. K.
Kojima, I. see Komori, A.
Koklu, A. see Altiok, T.
Koldas, T. see Kucukkeles, N.
Kolokith, O. see Kavadia, S.
Kolokithas, G. see Kavadia, S.; Sidiropoulos, S.
Komatosubara, R. see Nakano, H.
Komori, A., Kojima, I. and Ishikawa, H.
Utilization of a plasma-based curing source with resin-reinforced glass ionomer 594 (81)
Komposch, G. see Basdra, E. K.; Hauser, Ch.
Kontos, K., Lilia, J. and Friede, H.
Simultaneous lip velar closure in unilateral cleft patients—maxillary morphology and occlusion 449 (35)
Kopp, S., Burckhardt, R., Seitz, O., Schumann, N. P., Wangemann, D. and Richter, S.
Three-dimensional changes of condylar position during pre-orthodontic splint therapy 450 (36)
Kopp, S., Ifert, F., Schumann, N. P., Wangemann, D. and Richter, S.
Statistical investigations in the reproducibility of a photogrammetric measurement system 594 (82)
Kopp, S. see Graf, H.; Scholle, H. Ch.; Schumann, N. P.; Wangemann, D.; Zenk, W.
Korbmacher, H., Klocke, A., Huck, L. and Kahl-Nieke, B.
Evaluation of a new one-phase orthodontic adhesive 595 (83)
Korbmacher, H. see Huck, L.; Klocke, A.
Kotecha, B. see Battagel, J. M.
Krämer, N. see Schoch, M.
Kratzsch, H. and Opitz, Ch.
Upper arch dimensions in patients with unilateral and bilateral clefts before and after palatal surgery 595 (84)
Kressel, D. see Storr, I.
Kretschmer-Schneider, I. see Horn, H.
Kruse, J., Ruf, S., Pancherz, H. and Hansen, K.
Treatment of adult Class II malocclusions: Herbst versus orthognathic surgery 450 (37)
Kubota, K. see Kubota, M.
Kubota, M., Nakano, H., Ogasawara, K., Satoh, K., Kubota, K. and Miura, H.
Relationship between alveolar thickness, maxillofacial morphology, and bite force 596 (85)
Kucukkeles, N., Ünlü, B. and Koldas, T.
Axiographic evaluation of temporomandibular joint function after orthognathic surgery 450 (38)
Kuettner, C. see Pfalzgraf, D.
Küffers, S., Hahn, M. and Hahn, W.
Additional space gaining with a modified supercable 596 (86)
Kuftinec, M. M. see Shapira, Y.
Kuijpers-Jagtman, A-M., Prahl-Andersen, B. and Prahl, C.
Is infant orthopaedics effective in unilateral cleft lip and palate? 451 (39)
Kuitert, R. B. and Prahl-Andersen, B.
Development of the curve of Spee during and after orthodontic treatment 596 (87)
Kukushkin, V. A. see Pankratova, N. V.
Kuroda, T. see Kitamura, A.; Nunota, A.
Kusakabe, T. see Kaneko, T.
Küseler, A., Pedersen, T. K., Gelinek, J. and Herlin, T.
Enhanced magnetic resonance imaging of the temporomandibular joint in children with juvenile chronic arthritis 597 (88)

Lacey, M. S. see Latham, R. A.
Laganà, G., Cozza, P. and Chimenti, C.
Components of Angle Class II division 2 malocclusions in the mixed dentition 597 (89)
Laganà, G. see Benvenuto, E. R.
Lai, Y., Chu, M. and Vijayaraghavan, T. V.
Application of 180-degree torque generated by rectangular nickel titanium wires 597 (90)
Laine-Alava, M. T. see Eskeli, R.
Laino, A., Pizzoni, D., Fiorelli, G. and Fulcoli, P.
Medium term stability in deep overbite correction 598 (91)
Lala, A., Jureyda, O. and Preston, C. B.
The role of cytokines and IL-1 receptor antagonist in orthodontic tooth movement 598 (92)
Lapatki, B., Mager, A., Bensch, E. and Jonas, I. E.
Perioral electromyography and lip pressure measurements in Class II division 2 subjects 451 (40)
Lapter, M. see Kišić-Merlo, S.
Laspos, C. P., Gerard, D. A., Behrents, R. G. and Harris, E. F.
Effects of electric current on healing of partially condylectomized mandibles in growing rabbits 451 (41)
Latham, E. M. see Latham, R. A.

Latham, R. A., Lacey, M. S. and Latham, E. M.
Cleft palate treatment for improved maxillary growth: early results 598 (93)
Lazaridou-Terzoudi, T., Kiyak, H. A., Moore, R., Athanasiou, A. E. and Melsen, B.
Long-term status of self-perceptions and occlusal, soft tissue profile and functional outcomes of orthognathic surgery 452 (42)
Lee, J. H. see Kim, K. H.
Lee, R. T. and Giles, S. A.
Orthognathic treatment: early surgery reduces orthodontic treatment time 452 (43)
Lee, R. T. see Giles, S. A.
Leifert, S. see Frucht, S.
Lello, G. see Hammond, J.
Leung, D. see Xi, D.
Levander, E. and Malmgren, O.
Long-term follow-up of maxillary incisors with severe apical root resorption 452 (44)
Levrini, L. see see Garattini, G.
Liistro, G. see David, M.
Lilia, J. see Kontos, K.
Lindman, R. see Gustafsson, M.
Lippold, C. and Ehmer, U.
Craniofacial morphology and physiotherapeutic data 599 (94)
Lisson, J. A. and Tränkmann, J.
Sagittal movement of maxillary structures in cleft lip and palate patients during craniofacial growth 453 (45)
Lisson, J. see Kjær, I.; Pfalzgraf, D.
Löffler, A. see Pancherz, H.
Lubit, E. see Shapira, Y.
Lucci, M., Angeloni, S. and Di Giuseppe, M. G.
In vitro testing of elastomeric chains 599 (95)
Lucci, M. see Rosignoli, L.
Lupini, D. and Celli, D.
Occlusal rehabilitation in orthodontic patients with temporomandibular joint disease—diagnostic and therapeutic problems 599 (96)
Luther, F. and Zamzam N.
Lip position in children with and without cerebral palsy 600 (97)
Lynch, E. see Moopen, S.

Mager, A. see Lapatki, B.
Magnusson, T. E. see Johannsdottir, B.
Mah, J. see Bumann, A.
Maki, K. see Yamaguchi, T.
Malagola, C. see Proietti, D.
Malmgren, O. see Levander, E.
Maltha, J. C. and Merkx, M. A. W.
Composite bone grafts for orofacial surgery—a study in goats 453 (46)
Manzo, P. see Pellegrino, G.
Marci, M. C. see Monaco, A.
Marcovitsi, E. see Kavadia, S.
Markovic, M.
A genetic study of Class II division 2 malocclusions 453 (47)
Martina, R. see Michelotti, A.
Masotto, G. see Del Monaco, L.
Maspero, C., Garagiola, U. and Ghiglione, V.
Protraction facemask response with banded and bonded appliances 600 (98)
Maspero, C. see Garagiola, U.; Ghiglione, V.
Matsushima, S. see Kamegai, T.
Matsuyama, I. see Ishikawa, H.
Mauck, C., Berten, J. L., Tränkmann, J., Sieverding, G. and Polzin, C. A.
Influence of bite jumping appliance treatment on facial growth on maxillary inclination 600 (99)
Mauck, C. see Berten, J. L.
Mavropoulos, A. see Papadopoulos, M. A.
Mayes, S. see Niegel, T.
McSherry, P. and Dowling, P.
An evaluation of occupational stress factors in orthodontic practice 601 (100)
Meazzini, M. C. see Garattini, G.
Mehdinia, M. see Hansen, M.
Mehl, A. see Storr, I.
Mehta, A., Faniran, A., Qian, J., Darendeliler, M. A. and Cistulli, P. A.
A randomised placebo-controlled trial of a mandibular advancement splint in obstructive sleep apnoea 601 (101)
Melissaratou, A. and Friede, H.
Occlusion in bilateral cleft patients after different palatal surgery 454 (48)
Melsen, B. see Lazaridou-Terzoudi, T.
Mercanti, M. see Bertelè, G. P.
Mering, L. see Rose, E.
Merkx, M. A. W. see Maltha, J. C.
Michelotti, A., Farella, M., Venuti, P. and Martina, R.
The curve of Spee in relation to morphology—a stepwise multiple regression analysis 601 (102)
Michelotti, A. see Pellegrino, G.
Michl, C. see Storr, I.
Mierut, L. L.
Class II division 2 malocclusions: frequency and upper incisor aspects 602 (103)
Miki, T. see Adachi, S.
Mikolajczyk, M. see Smiech-Slomkowska, G. S.
Milosevic, S. see Sasic, M.
Miotti, F. A. see Del Monaco, L.
Mishima, K. see Abe, K.
Mitsuhashi, H. see Kamegai, T.
Miura, H., Otsubo, K. and Soma, K.
Damping capacity of super-elastic Ti-Ni alloy orthodontic wire 602 (104)
Miura, H. see Kubota, M.; Nakano, H.; Satoh, K.; Shozushima, M.
Mohajer, A.
Evaluation of anchorage loss during phase 1 of the preadjusted edgewise technique 602 (105)
Mølsted, K. see Semb, G.
Monaco, A., Ciamella, N. M., Marci, M. C. and Pucci, E.
Paediatric bruxism: what are the causes? 603 (106)
Monaco, A., Marci, M. C., Boccuni, M., Mosca, G. and Franceschini, P.
The Aesthetic Component of the Index of Orthodontic Treatment Need in the assessment of occlusal appearance in young adults 603 (107)
Moopen, S.,Collins, M., Lynch, E. and Goodveld, M.
Enamel demineralisation around orthodontic brackets bonded with an ionomer resin 603 (108)
Moore, R. see Lazaridou-Terzoudi, T.
Morea, C. see Dominguez-Rodriguez, C.
Morfaki, O. see Papadopoulos, M. A.
Moriguchi, H. see Shozushima, M.
Moriyama, K. see Ohba, T.; Ohba, Y.; Tateishi, C.
Morris, D. O., Semb, G., Roberts-Harry, D. P., Bearn, D. R. and Price, N. L.
Craniofacial development in children with unilateral cleft lip and palate 603 (109)
Mosca, G. see Monaco, A.
Moss, J. P. see Ishmail, S. F. H.; Muniandy, S. D.
Motohashi, N. see Kitamura, A.; Nunota, A.

Muniandy, S. D., Battagel, J. M. and Moss, J. P.
A prospective study of the Twin Block and Silensor appliances 604 (110)

Nagano, H. see Kamegai, T.
Nagayama, K. see Imai, T.
Naini, F. B., Otasevic, M., Vasir, N. S. and Battagel, J.
A comparison of manual tracing, digitising and computer cephalometric analysis 604 (111)
Nakahara, R., Kobayashi, S., Ebata, Y. and Gotoh, N.
Dental arch width changes before and after surgical-orthodontic treatment 604 (112)
Nakamura, S. see Imai, T.; Yamamoto, T.
Nakano, H., Yagi, M., Seino, Y., Suzuki, N., Miura, H., Shozushima, M., Sakamaki, K., Otsuka, K. and Komatosubara, R.
Development of a high accuracy three-dimensional optical measurement system for dental casts 605 (113)
Nakano, H. see Kubota, M.; Satoh, K.; Shozushima, M.
Nedbai, A. A. see Pankratova, N. V.
Nedeljkovic, N. L. see Tolpalovic, S. S.
Nelson, B. see Bendeus, M.; Ödman Bresin, C.
Nelson, P. see Semb, G.
Neuscheler, C. see Horn, H.
Niegel, T., Mayes, S. and Ehmer, U.
Cephalometric landmark reproducibility utilizing conventional and two digital scanning techniques 605 (114)
Nikolic, P. V. see Tolpalovic, S. S.
Nishiyama, K. see Garagiola, U.
Noachtar, R. see Coler, R.
Noerholt, S. E. see Pedersen, T. K.
Noori, M.
Evaluation of cephalometric vertical changes during phase 1 of the preadjusted edgewise technique 605 (115)
Normando, A. D. C. and Capelozza Filho, L.
Surgical influence on dentofacial morphology in bilateral cleft lip and palate patients 454 (49)
Nötzel, F., Grabowski, R. and Hartung, M.
Genetically determined disturbances of tooth development in patients with cleft lip and palate 606 (116)
Ntountoulas, N. and Kleemola-Kujala, E.
Facial growth based on cephalometric mean values 606 (117)
Nunota, A., Motohashi, N. and Kuroda, T.
Influence of a collapsed palate on craniofacial growth in cleft paients 606 (118)

Obijou, C. see Pancherz, H.
Ödman Bresin, C., Hansen, K., Andersson, G. and Nelson, B.
Open surgical exposure and orthodontic alignment of palatally impacted maxillary canines 607 (119)
Ogasawara, K. see Kubota, M.
Ogawa, M. see Kitamura, A.
Ohba, T., Ohba, Y. and Moriyama, K.
Cathepsins mRNA expression during development of the rat mandibular condyle 607 (121)
Ohba, T. see Ohba, Y.
Ohba, Y., Ohba, T., Terai, K. and Moriyama, K.
Expression of cathepsin K mRNA during experimental tooth movement in rats 608 (122)
Ohba, Y. see Ohba, T.
Ohya, K. see Kanno, Z.
Okamoto, T. see Kaneko, T.
Okumura, Y. see Inoue, H.
Ömblus, J. and Forsberg, C-M.
Dentofacial morphology in adults who have undergone activator treatment during childhood 454 (50)
Opitz, Ch. see Kratzsch, H.; Otto, H-D.; Schmechel, M.
Ordobazari, M.
Relationship of growth pattern with jaw base effective length, tongue posture and lower arch space 607 (120)
Orhan, M. see Üsümez, S.
Ortel, S. see Coler, R.
Orthuber, W. see Godt, A.
Osbourne, R. see Harila-Kaera, V.
Otasevic, M. see Naini, F. B.
Otsubo, K., Tobiume, Y. and Soma, K.
A new superior Ti-Ni closed coil spring minimally affected by the oral environment 608 (123)
Otsubo, K. see Miura, H.
Otsuka, K. see Nakano, H.
Otto, H-D. and Opitz, Ch.
Pathogenesis of malformations of the maxillary anterior teeth 608 (124)
Özel, B. see Özdiler, E.
Özdiler, E., Akçam, M. O., Özel, B., Türkkahraman, H. and Başpinar, E.
Effect of a pulsed electromagnetic field on the mandibular condyles of guinea pigs 609 (125)
Öztürk, Y. and İşeri, H.
Evaluation of dentofacial and nasopharyngeal structures in Class III and Class III open bite cases 609 (126)

Pacurar, M. see Zetu, I. N.
Pahkala, R. H. see Eskeli, R.
Pancherz, H. and von Bremen, J.
Outcome of Class II division 2 and Class II division 1 therapy using different treatment approaches 455 (51)
Pancherz, H., Löffler, A. and Obijou, C.
Efficiency of root torquing auxiliaries in the tip-edge technique 609 (127)
Pancherz, H. see Baltromejus, S.; Geers, B.; Kruse, J.; Ruf, S.; Schweitzer, M.
Pankratova, N. V., Persin, L. S., Kukushkin, V. A., Nedbai, A. A. and Ayvazian, A. A.
The functional condition of the facial muscles in patients with mesial malocclusion 610 (129)
Pankratova, N. V., Persin, L. S., Sevbitov, A. V. and Skatova, E. A.
Dental anomalies in children irradiated *in utero* 610 (128)
Pankratova, N. see Slabkovskaia, A.
Papadopoulos, M. A., Eliades, T., Morfaki, O. and Athanasiou, A. E.
Recycling of metallic orthodontic brackets: effects on morphological characteristics 610 (130)
Papadopoulos, M. A., Mavropoulos, A., Karamouzos, A. and Athanasiou, A. E.
Simultaneous intra-oral distalization of maxillary first and second molars 455 (52)
Papadopoulos, M. A. see Sidiropoulou, S.
Paulsen, H. U., Shi, X-Q., Welander, U., Huggare, J. and Scheutz, F.
Eruption patterns of autotransplanted premolars

visualized by radiographic colour-coding 455 (53)
Pedersen, T. K., Noerholt, S. E., Bjerregaard, J., Kofod, T. and Jensen, J. Temporomandibular joint changes during vertical distraction osteogenesis of the ramus 456 (54)
Pedersen, T. K. see Küseler, A.
Pellegrino, G., Michelotti, A., Manzo, P., Farella, M., Del Prete, A. and Cuevas, E. Inter-examiner reliability of a clinical test for evaluation of leg-length inequality 611 (131)
Peltomaki, T. see Viitanen, V. E.; Visnapuu, V.
Pender, N., Benson, P. E., de Josselin de Jong, E. and Higham, S. M. Demineralisation assessed by photographs and quantitative light-induced fluorescence 611 (132)
Persin, L. S. see Pankratova, N. V.
Persson, M. and Folkesson, U. Gingival clefts following orthodontic closure of premolar extraction sites 611 (133)
Peylo, S. see Zentner, A.
Pfalzgraf, D., Scherer, S., Lisson, J. A., Tränkmann, J. and Kuettner, C. Changes in overbite of cleft lip and palate patients 612 (134)
Pietilä, I. see Pietilä, T.; Svedström-Oristo, A-L.
Pietilä, K., Pirttiniemi, P., Kantomaa, T. and Poikela, A. Natural asymmetry in proteoglycan content between the right and left mandibular condylar cartridge 612 (136)
Pietilä, T., Pietilä, I., Svedström-Oristo, A-L., Alanen, P. and Varrela, J. Perceived treatment need and index of orthodontic treatment assessment among treated and untreated adolescents 612 (135)
Pietilä, T. see Svedström-Oristo, A-L.
Pirttiniemi, P. see Pietilä, K.; Viitanen, V. E.
Pizzoni, D. see Laino, A.
Plato, G. see Bumann, A.
Podariu, A., Jumanca, D. and Glucan, A. Abnormal habits in the aetiopathogenesis of dentomaxillary disturbances 613 (137)
Poikela, A. see Pietilä, K.
Politis, C. see Swinnen, K.
Polzin, C. A. see Mauck, C.
Pönitz, H-J., Reiß-Pönitz, U. and Aktan, G. The pendulum appliance—a non-compliance therapy for Class II correction 613 (138)
Portal, S. see Brosh, T.
Power, S. see Wong, M.
Prahl, C. see Kuijpers-Jagtman, A-M.
Prahl-Andersen, B. see Kuijpers-Jagtman, A-M.; Kuitert, R. B.; Semb, G.
Preston, C. B. see Lala, A.
Prevost, A. T. see Bister, D.
Price, N. L. see Morris, D. O.
Proietti, D., Barbato, E. and Malagola, C. Condylar position in Class III malocclusion treatment with an orthopaedic facemask 613 (139)
Proietti, D. see Barbato, E.
Pucci, E. see Monaco, A.

Qian, J. see Mehta, A.
Quaglia, P. Q. see Faltin, Jr, K.

Rabie, A. B. M., Hägg, U. and Shen, G. Condylar response to forward mandibular positioning 456 (55)
Rabie, A. B. M. see Bendeus, M.; Chay, S. S.; Gu, Y.; Hägg, U.; Wong, A. M. K.; Xi, D.
Radspiel-Tröger, M. see Genderski, B.
Raetzke, K. see Fischer-Brandies, H.
Rahn, B. A. see Rose, E.
Rajić-Meštrović, S. see Kišić-Merlo, S.
Raomanec, C. see Zetu, I. N.
Ravara, M. see Del Monaco, L.
Reiß-Pönitz, U. see Pönitz, H-J.
Reiter, I. see Coler, R.
Richter, S. see Kopp, S.
Roberts-Harry, D. P. see Morris, D. O.
Rodenstein, D. see David, M.
Rönning, O. see Visnapuu, V.
Rose, E., Bültmann, C., Hagenmüller, M., Rahn, B. A. and Jonas, I. E. Mechanical and structural parameters of bone maturation 614 (140)
Rose, E., Mering, L., Frucht, S., Virchow, C. and Jonas, I. E. Oral appliances in patients with obstructive sleep apnoea—polysomnographic outcome 456 (56)
Rose, E. see Frucht, S.
Rosignoli, L., Lucci, M. and Cozza, P. Crossbite in the mixed dentition: mandibular shift correction 614 (141)
Rübendüz, M. and Altunay, S. Evaluation of post-treatment changes in transverse dental dimensions 614 (142)
Rudzki-Jansen, I. Early orthodontic treatment of the cleft palate patient—variations and consequences 457 (57)
Rudzki-Janson, I. see Coler, R.; Storr, I.
Ruf, S. and Pancherz, H. Does bite-jumping damage the temporomandibular joint? 457 (58)
Ruf, S. and Pancherz, H. The effect of Herbst appliance treatment of temporomandibular joint soft tissues 615 (143)
Ruf, S. see Baltromejus, S.; Geers, B.; Kruse, J.
Rügheimer, S. see Schoch, M.
Russell, B. G. see Kjær, I.

Sadat Khonsari, M. R., Kahl-Nieke, B., Fenske, C. and Kirsch, I. Condylar movement and craniofacial morphology 615 (144)
Sakamaki, K. see Nakano, H.; Shozushima, M.
Sander, F. G. see Casa, M. A.
Sasic, M. and Milosevic, S. Evaluation of growth type in patients with Class II division 2 malocclusions 615 (146)
Sasic, M. and Stamenkovic, Z. Mesiodistal width of the upper anterior teeth in patients with clefts 615 (145)
Sato, Y., Imai, T., Yamamoto, T. and Iida, J. Profile preference in Japanese male laypersons 616 (147)
Satoh, K., Nakano, H., Ishigame, M., Jin, T., Miura, H. and Katsura, H. Bending properties of nickel-titanium orthodontic wires 616 (148)
Satoh, K. see Kubota, M.
Sayinsu, K. see Keles, A.
Šćepan, I., Glišić, B. and Vukosavljević, L. Heredity of Class II division 2 malocclusions: a pedigree analysis 616 (149)
Šćepan, I. see Glišić, B.
Scharfenberger, M. see Schuster, G.
Scherer, S. see Pfalzgraf, D.

Scheutz, F. see Paulsen, H. U.
Schmechel, M., Opitz, Ch. and Bartels, A.
Axial position of cleft adjacent teeth after multibracket appliance treatment 617 (150)
Schneller, T. see Talesnik, S.
Schoch, M., Hirschfelder, U., Wuttig, M., Rügheimer, S. and Krämer, N.
The clinical performance of removable prostheses in the deciduous dentition 617 (151)
Schoch, M. see Stephan, M.; Wuttig, M.
Scholle, H. Ch., Schumann, N. P., Biedermann, F., Graßme, R., Kleine, B. U., Stegeman, D. F. and Kopp, S.
Intramuscular strategies of motor control 617 (152)
Scholle, H. Ch. see Schumann, N. P.
Schröder, W., Hahn, W. and Hahn, M.
Periodontal conditions and tooth mobility with fixed orthodontic retainers 618 (153)
Schubert, H. see Gedrange, T.
Schumann, N. P., Biedermann, F., Kleine, B. U., Kopp, S. and Scholle, H. Ch.
Dynamic intramuscular activation processes during cyclic movements 618 (154)
Schumann, N. P. see Kopp, S.; Scholle, H. Ch.
Schuster, G. and Scharfenberger, M.
Effect of the palatal shape of orthodontic removable appliances on speech 618 (155)
Schwarze, C. W. see Graf, I.
Schweitzer, M. and Pancherz, H.
The incisor-lip relationship in Herbst treatment of Class II division 2 malocclusions 457 (59)
Segawa, K. see Shibusawa, T.
Seifi, M. and Jahanshahi, P.
A comparison of electromyographic muscle activity in adults with normal occlusion and Class II division 2 malocclusions 619 (157)
Seifi, M. and Ziaie Matin, E.
The effect of prostaglandin E_2 and calcium gluconate on root resorption during tooth movement in rats 619 (156)
Seino, Y. see Nakano, H.
Seitz, O. see Kopp, S.
Semb, G., Shaw, W., Brattström, V., Mølsted, K., Prahl-Andersen, B. and Nelson, P.
European Union Biomed programme on cleft lip and palate 1995–2000 458 (60)
Semb, G. see Garattini, G.; Morris, D. O.
Serbanescu, A.
Mandibular growth prediction in Class II anomalies 619 (158)
Sergl, H. G. see Zentner, A.
Sevbitov, A. V. see Pankratova, N. V.
Shapira, Y. and Kuftinec, M. M.
Tooth transposition: treatment options and outcomes 620 (159)
Shapira, Y., Kuftinec, M. M. and Lubit, E.
Prevalence of congenital absence of permanent teeth in children affected with cleft lip and palate 458 (61)
Shaw, W. C. see Garattini, G.; Semb, G.
Sheikoleslam, A. see Forsberg, C-M.
Shen, G. see Rabie, A. B. M.
Shi, X-Q. see Paulsen, H. U.
Shibasaski, Y. see Yamaguchi, T.; Shibusawa, T.
Shibusawa, T., Shinohara, C., Shibasaski, Y., Segawa, K. and Taskiguchi, R.
Mechanical properties of scar tissue from rat palatal mucosa 620 (160)
Shinohara, C. see Shibushawa, T.
Shozushima, M. see Nakano, H.
Shozushima, M., Nakano, H., Miura, H., Izumisawa, M., Moriguchi, H. and Sakamaki, K.
Bone mineral content to bite force and occlusal contact area 620 (161)
Sidiropoulou, S., Kavvadia, S., Papadopoulos, M. A., Karamouzos, A. and Kolokithas, G.
The prevalence of temporomandibular disorders in Greek patients referred for orthodontic treatment 620 (162)
Sidiropoulou, S., Papadopoulos, M. A., Kanakoudi, F. and Kolokithas, G.
Mandibular condyle lesions in children with juvenile chronic arthritis 458 (62)
Sidiropoulou, S. see Kavadia, S.
Sieverding, G. see Mauck, C.
Skatova, E. A. see Pankratova, N. V.
Skoumpourdis, N. M., Anagnostopoulou, S. and Spyropoulos, N. D.
The squamo-tympanic fissue in human crania 621 (163)
Slabkovskaia, A. and Pankratova, N.
Methods to determine the dimensions of the dentition depending on the size of the lower incisors 621 (164)
Šlaj, M. see Kišić-Merlo, S.
Smiech-Slomkowska, G. S. and Mikolajczyk, M.
Mandibular condyle movement in Angle Class II treatment with functional appliances 621 (165)
Smith, A. M. and Battagel, J. M.
The effectiveness of mandibular advancement splints in subjects who snore 622 (166)
Solow, B.
Cranio-cervical posture: a factor in the development and function of dentofacial structures 459 (63)
Solow, B. see Sonnesen, L.
Soma, K. see Kanno, Z.; Miura, H.; Otsubo, K.
Sonnesen, L., Bakke, M. and Solow, B.
Temporomandibular disorders related to craniofacial dimensions, head posture and bite force 459 (64)
Spyropoulos, M. N.
Class II division 2 malocclusions and temporomandibular dysfunction in children 459 (65)
Spyropoulos, M. N. and Halazonetis, D.
The significance of the soft tissue profile on facial aesthetics 460 (66)
Spyropoulos, N. D. see Skoumpourdis, N. M.
Stamenkovic, Z. see Sasic, M.
Stegemann, D. F. see Scholle, H. Ch.
Stella, F. see Bertelè, G. P.
Stellzig, A. see Basdra, E. K.; Hauser, Ch.
Stephan, M., Wuttig, M., Schoch, M. and Hirschfelder, U.
Multifactorial influences on bite force in children and adolescents 622 (167)
Stephan, M. see Wuttig, M.
Stephens, C. D. see Wong, M.
Storm, J. see Bumann, A.
Storr, I., Kressel, D. and Rudzki-Janson, I.
Motivation and management of the orthodontic patient 460 (67)

Storr, I., Michl, C., Mehl, A. and Rudzki-Janson, I.
Three-dimensional evaluation of casts taken from cleft palate patients 622 (168)
Subtelny, J. D.
The temporomandibular joints—mandibular asymmetries: malocclusions and orthodontic concern 460 (68)
Suzuki, A. see Abe, K.
Suzuki, N. see Nakano, H.
Suzuki, S. see Kitamura, A.
Svedström-Oristo, A-L., Pietilä, T., Pietiliä, I., Alanen, P. and Varrela, J.
Association between occlusal characteristics and symptoms of temporomandibular joint dysfunction in orthodontically treated and untreated adolescents 623 (169)
Svedström-Oristo, A-L. see Pietilä, T.
Swinnen, K., Politis, C., Willems, G., Carels, C. and Fieuws, S.
Skeletal and dentoalveolar stability of surgically corrected anterior open bites 623 (170)

Takada, K. see Adachi, S.; Akçam, M. O.; Haraguchi, S.; Hisaki, H.
Takada, Ka, Takada, Ke and Kitai, N.
The visual judgement of human facial height 623 (171)
Takada, Ke see Takada, Ka
Takahashi, N. see Inoue, H.
Takano-Yamamoto, T. see Tateishi, C.
Takeda, M. see Yamaguchi, T.
Talesnik, S., Jost-Brinkmann, P-G. and Schneller, T.
Do multibracket appliances change eating habits? 624 (172)
Taskiguchi, R. see Shibusawa, T.
Tateishi, C., Moriyama, K. and Takano-Yamamoto, T.
Dento-craniofacial morphology of cleft lip and palate subjects requiring orthodontic-surgical treatment 624 (173)
Tatsuki, T. see Kamegai, T.
Terai, K. see Ohba, Y.
Tetzlaff, I. see Gedrange, T.
Thordarson, A. see Johannsdottir, B.
Tindlund, R. S.
Comprehensive orthodontic treatment of cleft palate patients 9–15 years 461 (69)
Tobiume, Y. see Otsubo, K.
Tolpalovic, S. S., Nedeljkovic, N. L. and Nikolic, P. V.
Orthopantomographic analysis of dental and chronological age 624 (174)
Tom, B. D. M. see Bister, D.
Toyoizumi, H. see Imai, T.
Tränkmann, J. see Berten, J. L.; Lisson, J. A.; Mauck, C.; Pfalzgraf, D.
Türkkahraman, H. and Iseri, H.
Reliability of computer generated digitising 625 (175)
Türkkahraman, H. see Arat, M.; Gökalp, H.; Özdiler, E.

Umeda, K. see Yamamoto, T.
Ünlü, B. see Kucukkeles, N.
Urbani, A. see Bertelè, G. P.
Ursi, W. J. S. see Almeida, G. A.
Üsümez, S., İşeri, H., Orhan, M. and Başçiftçi, F. A.
Effect of rapid maxillary expansion on nocturnal enuresis 625 (176)

Vahid Golpayegani, M. see Eslami Amirabadi, G.
Vardimon, A. D., Brosh, T., Gazit-Rappoport, T., Giaretta, M., Gross, M. and Grinblat, D.
Contact points tightness in extraction versus non-extraction treatment 461 (70)
Vardimon, A. D. see Brosh, T.
Varrela, J. see Pietilä, T.; Svedström-Oristo, A-L.
Vasir, N. S. see Naini, F. B.
Vastardis, H.
Unravelling the mystery of odontogenesis 625 (177)
Venuti, P. see Michelotti, A.
Vigorito, J. W. see Abrão, J.; Dominguez-Rodriguez, C.
Viitanen, V. E., Pirttiniemi, P. and Peltomaki, T.
Stability of outcome in 'borderline' Class III orthodontic or orthodontic-surgical treatment 625 (178)
Vijayaraghavan, T. V. see Lai, Y.
Virchow, C. see Rose, E.
Visnapuu, V., Peltomaki, P. and Rönning, O.
Insulin-like growth factor-I receptor expression in different regions of the temporomandibular joint 626 (179)
Von Bremen, J. see Pancherz, H.
Vukosavljevic, L. see Scepan, I.

Walter, B. see Gedrange, T.
Wangemann, D., Ifert, F. and Kopp, S.
Frequency of craniomandibular and craniocervical dysfunction in patients with orthodontic treatment need 626 (180)
Wangemann, D., Kopp, S. and Ifert, F.
A new method to evaluate orthopantomographic findings including the dysfunction-index 626 (181)
Wangemann, D. see Kopp, S.
Waßermann, M. see Horn, H.
Watari, F. see Imai, T.
Waterhouse, N. see Cox, S. A.
Welander, U. see Paulsen, H. U.
Willems, G. see De Bruyne, I.; Swinnen, K.
Witherow, H. see Cox, S.A.
Wong, A. M. K. and Rabie, A. B. M.
Bone induction using autogenous bone versus demineralized bone matrix 627 (182)
Wong, F. K.
Genetic analysis of van der Woude syndrome in Finnish families 627 (183)
Wong, M. and Power, S.
Appliance breakage in practice and hospital orthodontic units 628 (185)
Wong, M. and Stephens, C. D.
Effect of a passive lingual arch on lower incisor position 627 (184)
Wong, T. C. see Gu, Y.
Wuttig, M., Stephan, M., Schoch, M. and Hirschfelder, U.
Bite force magnitude, masseter muscle thickness, and craniofacial morphology 461 (71)
Wuttig, M. see Schoch, M.; Stephan, M.

Xi, D., Hägg, U., Leung, D., Rabie, A. B. M., Bendeus, M. and Boisson, M.
Maxillary changes: Herbst versus headgear Herbst 628 (187)
Xi, D., Hägg, U., Rabie, A. B. M., Bendeus, M. and Leung, D.
Comparison of the effect of retention devices after Herbst treatment 628 (186)

Yagi, M. see Nakano, H.
Yamagata, S., Imai, T., Iida, J. and Kobayashi, M.
A biocompatible glass cloth for reinforcement of polymer retainers 629 (188)
Yamagata, S. see Imai, T.
Yamaguchi, T., Maki, K., Takeda, M. and Shibasaki, Y.
DNA analysis in mandibular morphology in COL2A1 and IL-1β genes 629 (189)
Yamamoto, T., Imai, T., Umeda, K., Yamazaki, T., Fujii, G., Furuya, T., Nakamura, S. and Iida, J.
Tongue movements during articulation of vowels in Class III subjects 629 (190)
Yamamoto, T. see Imai, T.; Sato, Y.
Yamazaki, T. see Yamamoto, T.
Yarat, A. see Ağaoğlu, G.
Yoon, Y. see Hwang, M.; Jo, M.

Zamzam, N. see Luther, F.
Zenk, W. and Kopp, S.
Skeletal changes after orthognathic surgery—planning and surgical results 629 (191)
Zentner, A., Doll, G. M., Peylo, S. and Sergl, H. G.
Morphological parameters as predictors of successful correction of Class III malocclusions 630 (192)
Zentner, A., Heaney, T. G. and Sergl, H. G.
Gingival connective tissue cell kinetics during orthodontic tooth movement 462 (72)
Zetu, I. N., Dorobat, V., Pacurar, M., Raomanec, C. and Chirakis, G.
Craniofacial harmony in Class II malocclusions 630 (193)
Zhao, Z. H. see Hägg, U.
Ziaie Matin, E. see Seifi, M.