

Contents–Volumes 57–58 (2004)

Vol. 57 No. 1 (January 2004)

Special Issue: Chitosan

Editorial

v

Review articles

Chitosan-DNA nanoparticles as non-viral vectors in gene therapy: strategies to improve transfection efficacy

S. Mansouri, P. Lavigne, K. Corsi, M. Benderdour, E. Beaumont, J.C. Fernandes (Canada)

1

Thiolated chitosans

A. Bernkop-Schnürch, M. Hornof, D. Guggi (Austria)

9

Structure and interactions in covalently and ionically crosslinked chitosan hydrogels for biomedical applications

J. Berger, M. Reist, J.M. Mayer, O. Felt, N.A. Peppas, R. Gurny (Switzerland, USA)

19

Structure and interactions in chitosan hydrogels formed by complexation or aggregation for biomedical applications

J. Berger, M. Reist, J.M. Mayer, O. Felt, R. Gurny (Switzerland)

35

Research papers

A thermosensitive chitosan-based hydrogel for the local delivery of paclitaxel

E. Ruel-Gariépy, M. Shive, A. Bichara, M. Berrada, D. Le Garrec, A. Chenite, J.-C. Leroux (Canada)

53

Comparative studies on polyelectrolyte complexes and mixtures of chitosan–alginate and chitosan–carrageenan as prolonged diltiazem chloride release systems

C. Tapia, Z. Escobar, E. Costa, J. Sapag-Hagar, F. Valenzuela, C. Basualto, M.N. Gai, M. Yazdani-Pedram (Chile)

65

Influence of methylation process on the degree of quaternization of *N*-trimethyl chitosan chloride

A. Polnok, G. Borchard, J.C. Verhoef, N. Sarisuta, H.E. Junginger (The Netherlands, Thailand)

77

N-Trimethyl chitosan chloride as absorption enhancer in oral peptide drug delivery. Development and characterization of minitab and granule formulations

S.M. van der Merwe, J.C. Verhoef, A.F. Kotzé, H.E. Junginger (South Africa, The Netherlands)

85

Comparison of the effect of chitosan and polyvinylpyrrolidone on dissolution properties and analgesic effect of naproxen

N. Zerrouk, N. Mennini, F. Maestrelli, C. Chemtob, P. Mura (France, Italy)

93

A method for direct preparation of chitosan with low molecular weight from fungi

A. Niederhofer, B.W. Müller (Germany)

101

Production of chitosan pellets by extrusion/spheronization

H. Steckel, F. Mindermann-Nogly (Germany)

107

Mucoadhesive thiolated chitosans as platforms for oral controlled drug delivery: synthesis and in vitro evaluation

M. Roldo, M. Hornof, P. Caliceti, A. Bernkop-Schnürch (Austria, Italy)

115

Low molecular weight chitosan nanoparticles as new carriers for nasal vaccine delivery in mice

A. Vila, A. Sánchez, K. Janes, I. Behrens, T. Kissel, J.L. Vila Jato, M.J. Alonso (Spain, Germany)

123

Gamma scintigraphic evaluation of the fate of microcrystalline chitosan granules in human stomach

M. Säkkinen, J. Marvola, H. Kanerva, K. Lindevall, M. Lipponen, T. Kekki, A. Ahonen, M. Marvola (Finland)

133

Note

Scintigraphic verification of adherence of a chitosan formulation to the human oesophagus

M. Säkkinen, J. Marvola, H. Kanerva, K. Lindevall, A. Ahonen, M. Marvola (Finland)

145

Book review

149

Recently published doctoral theses

151

APV diary

S1

Calendar of events

S5

Research papers

Effect of cationic lipid and matrix lipid composition on solid lipid nanoparticle-mediated gene transfer K. Tabatt, M. Sameti, C. Olbrich, R.H. Müller, C.-M. Lehr (Germany)	155
Development of acrylic-based copolymers for oral insulin delivery A.C. Foss, T. Goto, M. Morishita, N.A. Peppas (USA, Japan)	163
Evidence for restrictive parameters in formulation of insulin-loaded nanocapsules F. Cournaire, M. Chéron, M. Besnard, C. Vauthier (France)	171
Thiomers: development and in vitro evaluation of a peroral microparticulate peptide delivery system A.H. Krauland, A. Bernkop-Schnürch (Austria)	181
Development of novel 5-FU-loaded poly(methylidene malonate 2.1.2)-based microspheres for the treatment of brain cancers E. Fournier, C. Passirani, N. Colin, P. Breton, S. Sagodira, J.-P. Benoit (France)	189
Association complexes between ovalbumin and cyclodextrins have no effect on the immunological properties of ovalbumin A.O. Kamphorst, I. Mendes de Sá, A.M.C. Faria, R.D. Sinisterra (Brazil)	199
PLGA microspheres for the ocular delivery of a peptide drug, vancomycin using emulsification/spray-drying as the preparation method: in vitro/in vivo studies E. Gavini, P. Chetoni, M. Cossu, M.G. Alvarez, M.F. Saettone, P. Giunchedi (Italy, Spain)	207
Preparation and in vitro characterization of amifostine biodegradable microcapsules S. Pamujula, R.A. Graves, V. Kishore, T.K. Mandal (USA)	213
Preparation and characterisation of thiolated poly(methacrylic acid)–starch compositions A. Bernkop-Schnürch, V. König, V.M. Leitner, A.H. Krauland, I. Brodnik (Austria)	219
Cytarabine release from comatrices of albumin microspheres in a poly(lactide–co-glycolide) film: in vitro and in vivo studies C. Gómez, M.D. Blanco, M.V. Bernardo, R. Olmo, E. Muñoz, J.M. Teijón (Spain)	225
In vitro evaluation of floating and drug releasing behaviors of hollow microspheres (microballoons) prepared by the emulsion solvent diffusion method Y. Sato, Y. Kawashima, H. Takeuchi, H. Yamamoto (Japan)	235
Polycomplexes of poly(acrylic acid) with streptomycin sulfate and their antibacterial activity Z.S. Nurkeeva, V.V. Khutoryanskiy, G.A. Mun, M.V. Sherbakova, A.T. Ivaschenko, N.A. Aitkhozhina (Kazakstan)	245
Preparation and evaluation of drug-loaded gelatin nanoparticles for topical ophthalmic use J. Vandervoort, A. Ludwig (Belgium)	251
Solubility enhancement of celecoxib using β -cyclodextrin inclusion complexes S. Rawat, S.K. Jain (India)	263
The ophthalmic lyophilisate carrier system (OLCS): development of a novel dosage form, freeze-drying technique, and in vitro quality control tests R. Süverkrüp, S. Grunthal, O. Krasichkova, S. Maier, A. Weichselbaum, B. Neff, M. Diestelhorst, S. Dinslage, A. Lux (Germany)	269
Tableting and stability evaluation of enteric-coated omeprazole pellets M. Türkoğlu, H. Varol, M. Çelikok (Turkey)	279
Iron(II) sulfate release from drop-formed lipophilic matrices developed by special hot-melt technology E. Pallagi, K. Vass, K. Pintye-Hódi, P. Kása Jr., G. Falkay, I. Erős, P. Szabó-Révész (Hungary)	287
Feasibility of a bioadhesive drug delivery system targeted to oesophageal tissue H.K. Batchelor, M. Tang, P.W. Dettmar, F.C. Hampson, I.G. Jolliffe, D.Q.M. Craig (UK)	295
A simple, high throughput method for the quantification of sodium alginates on oesophageal mucosa J.C. Richardson, P.W. Dettmar, F.C. Hampson, C.D. Melia (UK)	299
Influence of phloretin on the skin permeation of lidocaine from semisolid preparations B.G. Auner, C. Valenta (Austria)	307
Enhanced paclitaxel bioavailability after oral administration of paclitaxel or prodrug to rats pretreated with quercetin J.-S. Choi, B.-W. Jo, Y.-C. Kim (South Korea)	313
Characterization of Caco-2 cell monolayer drug transport properties by cassette dosing using UV/fluorescence HPLC J.J. Palmgrén, J. Mönkkönen, E. Jukkola, S. Niva, S. Auriola (Finland)	319
Phloretin and 6-ketocholestanol: membrane interactions studied by a phospholipid/polydiacetylene colorimetric assay and differential scanning calorimetry C. Valenta, A. Steininger, B.G. Auner (Austria)	329
Functional characterization of sodium- and chloride-dependent taurine transport in human keratinocytes F. Grafe, W. Wohlrab, R.H. Neubert, M. Brandsch (Germany)	337
Chemical and enzymatic stability evaluation of lipoamino acid esters of idebenone A. Puleo, R. Niemi, T. Järvinen, G. Puglisi, R. Pignatello (Italy, Finland)	343
Usage of radiopharmaceuticals in the development of pharmaceutical drug delivery systems: validation of [^{99m}Tc]DTPA and [^{99m}Tc]ECD M. Terán, E. Savio, A. Paolino, M. Frier (Uruguay, UK)	347

Extension of in-use stability of preservative-free nasal	
S. Bagel, B. Wiedemann (Germany)	353
Kinetic spectrophotometric method for the determination of norfloxacin in pharmaceutical formulations	
N. Rahman, Y. Ahmad, S.N.H. Azmi (India)	359
Comparison of scanning electron microscopy, dynamic light scattering and analytical ultracentrifugation for the sizing of poly(butyl cyanoacrylate) nanoparticles	
A. Bootz, V. Vogel, D. Schubert, J. Kreuter (Germany)	369
Evaluation of ophthalmic suspensions using surface tension	
S.-i. Yasueda, K. Inada, K. Matsuhisa, H. Terayama, A. Ohtori (Japan)	377
Determination of the physical state of norethindrone acetate containing transdermal drug delivery systems by isothermal microcalorimetry, X-ray diffraction, and optical microscopy	
S. Latsch, T. Selzer, L. Fink, J. Kreuter (Germany)	383
Use of isothermal heat conduction microcalorimetry, X-ray diffraction, and optical microscopy for characterisation of crystals grown in steroid combination-containing transdermal drug delivery systems	
S. Latsch, T. Selzer, L. Fink, M. Horstmann, J. Kreuter (Germany)	397
Thermodynamics of solutions III: comparison of the solvation of (+)-naproxen with other NSAIDs	
G.L. Perlovich, S.V. Kurkov, A.N. Kinchin, A. Bauer-Brandl (Norway, Russian Federation)	411
Book reviews	421
Recently published doctoral theses	425
APV diary	S1
Calendar of events	S5

Vol. 57 No. 3 (May 2004)

Research papers

Pharmaceutical Biotechnology

Efficiency of polyethylenimines and polyethylenimine-graft-poly (ethylene glycol) block copolymers to protect oligonucleotides against enzymatic degradation	
C. Brus, H. Petersen, A. Aigner, F. Czubyko, T. Kissel (Germany)	427
The assessment of the relaxation behaviour of frozen aqueous solutions of human serum albumin and polyvinylpyrrolidone	
S.A. Barker (UK)	431
Biodegradable PLGA microparticles for sustained release of a new GnRH antagonist: part II. In vivo performance	
G. Schwach, N. Oudry, J.-P. Giliberto, P. Broqua, M. Lück, H. Lindner, R. Gurny (France, Switzerland, Denmark)	441
Investigation of the cytotoxicity and insulin transport of acrylic-based copolymer protein delivery systems in contact with caco-2 cultures	
A.C. Foss, N.A. Peppas (USA)	447

Pharmaceutics and Biopharmaceutics

Effect of ethanol or/and captopril on the secondary structure of human serum albumin before and after protein binding	
S.-Y. Lin, Y.-S. Wei, M.-J. Li, S.-L. Wang (Taiwan, ROC)	457
Carrageenan–gelatin mucoadhesive systems for ion-exchange based ophthalmic delivery: in vitro and preliminary in vivo studies	
M.C. Bonferoni, P. Chetoni, P. Giunchedi, S. Rossi, F. Ferrari, S. Burgalassi, C. Caramella (Italy)	465
Effect of <i>N</i> -methyl-2-pyrrolidone on skin permeation of estradiol	
A. Koizumi, M. Fujii, M. Kondoh, Y. Watanabe (Japan)	473
Skin compatibility of cyclodextrins and their derivatives: a comparative assessment using a corneoxenometry bioassay	
G. Piel, S. Moutard, E. Uhoda, F. Pilard, G.E. Piérard, B. Perly, L. Delattre, B. Evrard (Belgium, France)	479
The influence of absorption enhancers on nasal absorption of acyclovir	
M.D. Chavanpatil, P.R. Vavia (India)	483
Antimicrobial safety of a preservative-free nasal multiple-dose drug administration system	
N. Klöcker, A. Kramer, T. Verse, C. Sikora, P. Rudolph, G. Daeschlein (Germany)	489
Functionality testing of inhalation grade lactose	
H. Steckel, P. Markefka, H. teWierik, R. Kammelar (Germany, The Netherlands)	495
Influence of process parameters in the ASES process on particle properties of budesonide for pulmonary delivery	
H. Steckel, L. Pichert, B.W. Müller (Germany)	507
Development and evaluation of osmotically controlled oral drug delivery system of glipizide	
R.K. Verma, S. Garg (India)	513
Artificially induced polymer particle erosion of oral hydrocolloid systems by the addition of insoluble cellulose fibres to fibre-free methylhydroxy ethylcellulose (MHEC)	
O.L. Freichel, B.C. Lippold (Germany)	527

Inclusion of ibuprofen in mesoporous templated silica: drug loading and release property C. Charnay, S. Bégu, C. Tourné-Péteilh, L. Nicole, D.A. Lerner, J.M. Devoisselle (France)	533
The effect of wet granulation on the erosion behaviour of an HPMC–lactose tablet, used as a rate-controlling component in a pulsatile drug delivery capsule formulation J.T. McConville, A.C. Ross, A.R. Chambers, G. Smith, A.J. Florence, H.N.E. Stevens (UK)	541
Book reviews	551
Recently published doctoral theses	555
APV Diary	S1
Calendar of events	S5

Vol. 58 No. 1 (July 2004)

Editorial

R. Gurny	v
----------	---

Research papers

Pharmaceutical Biotechnology

PLGA–PEI nanoparticles for gene delivery to pulmonary epithelium M. Bivas-Benita, S. Romeijn, H.E. Junginger, G. Borchard (The Netherlands)	1
Pulmonary delivery of therapeutic peptides via dry powder inhalation: effects of micronisation and manufacturing M. Irngartinger, V. Camuglia, M. Damm, J. Goede, H.W. Frijlink (Germany, The Netherlands)	7
Investigation of the stabilisation of freeze-dried lysozyme and the physical properties of the formulations Y.-H. Liao, M.B. Brown, G.P. Martin (UK)	15
Physicochemical characterisation of cationic polybutylcyanoacrylat-nanoparticles by fluorescence correlation spectroscopy J. Weyermann, D. Lochmann, C. Georgens, I. Rais, J. Kreuter, M. Karas, M. Wolkenhauer, A. Zimmer (Germany, Austria)	25
Design of pH-sensitive microspheres for the colonic delivery of the immunosuppressive drug tacrolimus A. Lamprecht, H. Yamamoto, H. Takeuchi, Y. Kawashima (Japan)	37

Pharmaceutics and Biopharmaceutics

pH-independent release of a basic drug from pellets coated with the extended release polymer dispersion Kollicoat® SR 30 D and the enteric polymer dispersion Kollicoat® MAE 30 DP A. Dashevsky, K. Kolter, R. Bodmeier (Germany)	45
Influence of cellulose ether polymers on ketoprofen release from hydrophilic matrix tablets M.L. Vueba, L.A.E.B. de Carvalho, F. Veiga, J.J. Sousa, M.E. Pina (Portugal)	51
Dual coated erodible microcapsules for modified release of diclofenac sodium S.S. Biju, S. Saisivam, N.S.M.G. Rajan, P.R. Mishra (India)	61
Physical stability and moisture sorption of aqueous chitosan–amylose starch films plasticized with polyols M.F. Cervera, M. Karjalainen, S. Airaksinen, J. Rantanen, K. Krogars, J. Heinämäki, A.I. Colarte, J. Yliruusi (Cuba, Finland)	69
Single-step granulation/tabletting of different grades of lactose: a comparison with high shear granulation and compression E.I. Keleb, A. Vermeire, C. Vervaet, J.P. Remon (Belgium)	77
Evaluation of the physical stability of SLN and NLC before and after incorporation into hydrogel formulations E.B. Souto, S.A. Wissing, C.M. Barbosa, R.H. Müller (Germany, Portugal)	83
Degradation of raw or film-incorporated β -cyclodextrin by enzymes and colonic bacteria A. Fetzner, S. Böhm, S. Schreder, R. Schubert (Germany)	91
Utility of 96 well Caco-2 cell system for increased throughput of P-gp screening in drug discovery P.V. Balimane, K. Patel, A. Marino, S. Chong (USA)	99
In vivo investigation, in mice and in man, into the irritation potential of novel amphiphilic gels being studied as transdermal drug carriers N. Jibry, S. Murdan (UK)	107
Effects of various vehicles on the penetration of flufenamic acid into human skin H. Wagner, K.-H. Kostka, W. Adelhardt, U.F. Schaefer (Germany)	121
Uptake of estradiol or progesterone into the CSF following intranasal and intravenous delivery in rats M.P. van den Berg, J.C. Verhoef, S.G. Romeijn, F.W.H.M. Merkus (The Netherlands)	131
In vitro permeation studies comparing bovine nasal mucosa, porcine cornea and artificial membrane: androstenedione in microemulsions and their components T. Richter, S. Keipert (Germany)	137
Biopharmaceutical characterization of sotalol-containing oral immediate release drug products A. Alt, H. Potthast, J. Moessinger, B. Sickmüller, H. Oeser (Germany)	145

Synthesis, physico-chemical and biological characterization of a paclitaxel macromolecular prodrug G. Cavallaro, M. Licciardi, P. Caliceti, S. Salmaso, G. Giammona (Italy)	151
Effects of different application parameters on penetration characteristics and arterial vessel wall integrity after local nanoparticle delivery using a porous balloon catheter U. Westedt, L. Barbu-Tudoran, A.K. Schaper, M. Kalinowski, H. Alfke, T. Kissel (Germany)	161
New surface-active polymers for ophthalmic formulations: evaluation of ocular tolerance L. Baydoun, P. Furrer, R. Gurny, C.C. Müller-Goymann (Germany, Switzerland)	169

Note

Mathematical evaluation of in vitro release profiles of hydroxypropylmethylcellulose matrix tablets containing carbamazepine associated to β -cyclodextrin L.S. Koester, G.G. Ortega, P. Mayorga, V.L. Bassani (Brazil)	177
--	-----

Recently published doctoral theses

181

APV Diary

S1

Calendar of events

S5

*Vol. 58 No. 2 (September 2004)***Special Issue: 50th Anniversary of APV**

Editorial	iii
-----------	-----

Review articles*Pharmaceutical Biotechnology*

Second-generation biopharmaceuticals G. Walsh (Ireland)	185
Localized delivery of growth factors for bone repair V. Luginbuehl, L. Meinel, H.P. Merkle, B. Gander (Switzerland)	197
Chances and pitfalls of cell penetrating peptides for cellular drug delivery R. Tréhin, H.P. Merkle (USA, Switzerland)	209
Trimethylated chitosan as polymeric absorption enhancer for improved peroral delivery of peptide drugs S.M. van der Merwe, J.C. Verhoef, J.H.M. Verheijden, A.F. Kotzé, H.E. Junginger (South Africa, The Netherlands)	225
Drug delivery of oligonucleotides by peptides D. Lochmann, E. Jauk, A. Zimmer (Germany, Austria)	237
Thiomers: potential excipients for non-invasive peptide delivery systems A. Bernkop-Schnürch, A.H. Krauland, V.M. Leitner, T. Palmberger (Austria)	253

Pharmaceutics and Biopharmaceutics

Classification of orally administered drugs on the World Health Organization Model list of Essential Medicines according to the biopharmaceutics classification system M. Lindenberg, S. Kopp, J.B. Dressman (Germany, Switzerland)	265
The use of polymers for dermal and transdermal delivery C. Valenta, B.G. Auner (Austria)	279
Skin deep J. Hadgraft (UK)	291
Visualization of skin penetration using confocal laser scanning microscopy R. Alvarez-Román, A. Naik, Y.N. Kalia, H. Fessi, R.H. Guy (France, Switzerland)	301
Roll compaction/dry granulation: pharmaceutical applications P. Kleinebudde (Germany)	317
Polysaccharide-decorated nanoparticles C. Lemarchand, R. Gref, P. Couvreur (France)	327
Physicochemical characterization of colloidal drug delivery systems such as reverse micelles, vesicles, liquid crystals and nanoparticles for topical administration C.C. Müller-Goymann (Germany)	343
The potential of lipid emulsion for ocular delivery of lipophilic drugs S. Tamilvanan, S. Benita (India, Israel)	357
The use of asymmetrical flow field-flow fractionation in pharmaceuticals and biopharmaceutics W. Fraunhofer, G. Winter (Germany)	369

Biomimetic polymers in pharmaceutical and biomedical sciences	
S. Drotleff, U. Lungwitz, M. Breunig, A. Dennis, T. Blunk, J. Tessmar, A. Göpferich (Germany, USA)	385
In situ-forming hydrogels—review of temperature-sensitive systems	
E. Ruel-Gariépy, J.-C. Leroux (Canada)	409
Benefits of die-wall instrumentation for research and development in tableting	
E. Doelker, D. Massuelle (Switzerland)	427
In situ forming parenteral drug delivery systems: an overview	
C.B. Packhaeuser, J. Schnieders, C.G. Oster, T. Kissel (Germany)	445
Recently published doctoral theses	457
APV diary	S1
Calendar of events	S5

Vol. 58 No. 3 (November 2004)

Research papers

Pharmaceutical Biotechnology

Hetero-stereocomplexes of D-poly(lactic acid) and the LHRH analogue leuprolide. Application in controlled release	
J. Slager, A.J. Domb (Israel)	461
In vitro study of the immune stimulating activity of an atrophic rhinitis vaccine associated to chitosan microspheres	
H.-L. Jiang, I.-K. Park, N.-R. Shin, S.-G. Kang, H.-S. Yoo, S.-I. Kim, S.-B. Suh, T. Akaike, C.-S. Cho (South Korea, Japan)	471
Insulin-loaded W/O/W multiple emulsions: comparison of the performances of systems prepared with medium-chain-triglycerides and fish oil	
F. Cournarie, M.-P. Savelli, V. Rosilio, F. Bretez, C. Vauthier, J.-L. Grossiord, M. Seiller (France)	477
Poly(lactic acid) nanoparticles labeled with biologically active Neutravidin™ for active targeting	
L. Nobs, F. Buchegger, R. Gurny, E. Allémann (Switzerland)	483
Transfection of a mouse dendritic cell line by plasmid DNA-loaded PLGA microparticles in vitro	
S. Jilek, H. Zurkaulen, J. Pavlovic, H.P. Merkle, E. Walter (Switzerland)	491
Plasmid-DNA loaded chitosan microspheres for in vitro IL-2 expression	
J. Akbuğa, S. Özbaş-Turan, N. Erdoğan (Turkey)	501
The effect of cholate on solubilisation and permeability of simple and protein-loaded phosphatidylcholine/sodium cholate mixed aggregates designed to mediate transdermal delivery of macromolecules	
S.I. Simões, C.M. Marques, M.E.M. Cruz, G. Cevc, M.B.F. Martins (Portugal, Deutschland)	509

Pharmaceutics and Biopharmaceutics

Engineered microcrystals for direct surface modification with layer-by-layer technique for optimized dissolution	
D.B. Shenoy, G.B. Sukhorukov (Germany)	521
Spray freezing into liquid nitrogen for highly stable protein nanostructured microparticles	
Z. Yu, A.S. Garcia, K.P. Johnston, R.O. Williams III (USA)	529
The influence of the use of viscosifying agents as dispersion media on the drug release properties from PLGA nanoparticles	
K. Dillen, W. Weyenberg, J. Vandervoort, A. Ludwig (Belgium)	539
Qualitative proof of liquid dispersion and penetration-involved granule formation in a high shear mixer	
K. van den Dries, H. Vromans (The Netherlands)	551
Liquid and semisolid SLN™ dispersions for topical application: rheological characterization	
A. Lippacher, R.H. Müller, K. Mäder (Germany)	561
Compaction of crystallographic forms of pharmaceutical granular lactoses. I. Compressibility	
V. Busignies, P. Tchoreloff, B. Leclerc, M. Besnard, G. Couarraze (France)	569
Compaction of crystallographic forms of pharmaceutical granular lactoses. II. Compacts mechanical properties	
V. Busignies, P. Tchoreloff, B. Leclerc, C. Hersen, G. Keller, G. Couarraze (France)	577
Characteristics of a novel phospholipid-based depot injectable technology for poorly water-soluble drugs	
H. Tiemessen, P. van Hoogevest, M.L.S. Leigh (Switzerland)	587
Aerosolisation of beclomethasone dipropionate using spray dried lactose/polyethylene glycol carriers	
K. Gilani, A.R. Najafabadi, M. Barghi, M. Rafiee-Tehrani (Iran)	595
Once-daily propranolol extended-release tablet dosage form: formulation design and in vitro/in vivo investigation	
Y.-B. Huang, Y.-H. Tsai, W.-C. Yang, J.-S. Chang, P.-C. Wu, K. Takayama (Taiwan, ROC, Japan)	607
Development of an intravenously injectable chemically stable aqueous omeprazole formulation using nanosuspension technology	
J. Möschwitzer, G. Achleitner, H. Pomper, R.H. Müller (Germany, Austria)	615
W/O/W multiple emulsions with diclofenac sodium	
K. Lindenstruth, B.W. Müller (Germany)	621

The solubilization of the poorly water soluble drug nifedipine by water soluble 4-sulphonic calix[<i>n</i>]arenes W. Yang, M.M. de Villiers (USA)	735
Characterisation of nimesulide–β-cyclodextrins systems prepared by supercritical fluid impregnation M. Moneghini, I. Kikic, B. Perissutti, E. Franceschinis, A. Cortesi (Italy)	629
Comparison of skin transport and metabolism of ethyl nicotinate in various species T. Ngawhirunpat, P. Opanasopit, S. Prakongpan (Thailand)	637
Improvement of lipophilicity and membrane transport of cefuroxime using in vitro models Y. Mrestani, C. Mrestani-Klaus, B. Bretschneider, R.H.H. Neubert (Germany)	645
A possibility to predict the absorbability of poorly water-soluble drugs in humans based on rat intestinal permeability assessed by an in vitro chamber method E. Watanabe, M. Takahashi, M. Hayashi (Japan)	653
Evaluation of the bioavailability of flurbiprofen and its β-cyclodextrin inclusion complex in four different doses upon oral administration to rats A. Muraoka, T. Tokumura, Y. Machida (Japan)	659
Cytotoxicity of anticancer drugs incorporated in solid lipid nanoparticles on HT-29 colorectal cancer cell line L. Serpe, M.G. Catalano, R. Cavalli, E. Ugazio, O. Bosco, R. Canaparo, E. Muntoni, R. Frairia, M.R. Gasco, M. Eandi, G.P. Zara (Italy)	667
Delivery of <i>all trans</i> -retinoic acid (RA) to hepatocyte cell line from RA/galactosyl α-cyclodextrin inclusion complex S.J. Seo, S.H. Kim, T. Sasagawa, Y.J. Choi, T. Akaike, C.S. Cho (South Korea, Japan)	673
Influence of food on the oral bioavailability of deramciclane from film-coated tablet in healthy male volunteers S. Drabant, K.B. Nemes, V. Horváth, A. Tolokán, G. Grézal, M. Anttila, B. Gachályi, H. Kanerva, S. Al-Behaisi, G. Horvai, I. Klebovich (Hungary, Finland)	681
Pharmacokinetic evaluation of guar gum-based three-layer matrix tablets for oral controlled delivery of highly soluble metoprolol tartrate as a model drug S.M. Al-Saidan, Y.S.R. Krishnaiah, V. Satyanarayana, P. Bhaskar, R.S. Karthikeyan (Kuwait, India)	689
Absorption characteristics of compounds with different molecular weights after application to the unilateral kidney surface in rats K. Nishida, N. Tomiyama, T. Mukai, M. Nakashima, H. Sasaki, J. Nakamura (Japan)	697
Recently published doctoral theses	705
Author Index for Volumes 57 and 58	713
Subject Index for Volumes 57 and 58	715
Contents for Volumes 57 and 58	723
APV diary	729
Calendar of events	S1
	S5