

Contents–Volumes 65–67 (2007)

Vol. 65 No. 1 (January 2007)

Editorial

M. Möller, G. Borchard, R. Gurny (Switzerland)

v

Research papers

Pharmaceutical Biotechnology

Conformational analysis of protein secondary structure during spray-drying of antibody/mannitol formulations

S. Schüle, W. Frieß, K. Bechtold-Peters, P. Garidel (Germany)

1

Probing insulin's secondary structure after entrapment into alginate/chitosan nanoparticles

B. Sarmiento, D.C. Ferreira, L. Jorgensen, M. van de Weert (Portugal, Denmark)

10

Pharmaceutics and Biopharmaceutics

Trehalose and hyaluronic acid coordinately stabilized freeze-dried pancreatic kininogenase

Y. Zhang, B. Ji, P. Ling, T. Zhang (China)

18

Studies on dissolution enhancement and mathematical modeling of drug release of a poorly water-soluble drug using water-soluble carriers

N. Ahuja, O.P. Katare, B. Singh (India)

26

Release characteristics of salmon calcitonin from dextran hydrogels for colon-specific delivery

H. Basan, M. Gümüşderelioğlu, M. Tevfik Orbey (Turkey)

39

Solid lipid microparticles as a sustained release system for pulmonary drug delivery

S. Jaspert, P. Bertholet, G. Piel, J.-M. Dogné, L. Delattre, B. Evrard (Belgium)

47

Novel ultra-rapid freezing particle engineering process for enhancement of dissolution rates of poorly water-soluble drugs

K.A. Overhoff, J.D. Engstrom, B. Chen, B.D. Scherzer, T.E. Milner, K.P. Johnston, R.O. Williams III (USA)

57

Nanoparticles based on *N*-trimethylchitosan: Evaluation of absorption properties using in vitro (Caco-2 cells) and ex vivo (excised rat jejunum) models

G. Sandri, M.C. Bonferoni, S. Rossi, F. Ferrari, S. Gibin, Y. Zambito, G. Di Colo, C. Caramella (Italy)

68

pH-independent drug release of an extremely poorly soluble weakly acidic drug from multiparticulate extended release formulations

T. Riis, A. Bauer-Brandl, T. Wagner, H. Kranz (Germany, Norway)

78

Development of hollow/porous calcium pectinate beads for floating-pulsatile drug delivery

S.S. Badve, P. Sher, A. Korde, A.P. Pawar (India)

85

Controlled drug release from pellets containing water-insoluble drugs dissolved in a self-emulsifying system

M. Serratoni, M. Newton, S. Booth, A. Clarke (UK)

94

Improved absorption of meloxicam via salt formation with ethanolamines

H.-K. Han, H.-K. Choi (Republic of Korea)

99

Pharmaceutical and analytical characterisation of (2*R*)-(3-amino-2-fluoropropyl)sulphinic acid, a GABA_B receptor agonist

K. Sigfridsson, T. Andersson, L. Nilsson, V. Schönbacher, Y. Wang (Sweden)

104

Development and characterization of film forming polymeric solutions for skin drug delivery

I. Zurdo Schroeder, P. Franke, U.F. Schaefer, C.-M. Lehr (Germany)

111

Note

In vitro erythral UV-A protection factors of inorganic sunscreens distributed in aqueous media using carnauba wax–decyl oleate nanoparticles

J.R. Villalobos-Hernández, C.C. Müller-Goymann (Germany)

122

Acknowledgements to Reviewers	126
On-line extra	
Recently published doctoral theses	e1
doi:10.1016/j.ejpb.2006.11.004	
APV diary	S1
Calendar of events	S4

*Vol. 65 No. 2 (February 2007)***Review article**

High throughput screening of protein formulation stability: Practical considerations M.A.H. Capelle, R. Gurny, T. Arvinte (Switzerland)	131
--	-----

Research papers

Morphology of protein particles produced by spray freezing of concentrated solutions J.D. Engstrom, D.T. Simpson, E.S. Lai, R.O. Williams III, K.P. Johnston (USA)	149
Stable high surface area lactate dehydrogenase particles produced by spray freezing into liquid nitrogen J.D. Engstrom, D.T. Simpson, C. Cloonan, E.S. Lai, R.O. Williams III, G. Barrie Kitto, K.P. Johnston (USA)	163
Development of a spray congealing process for the preparation of insulin-loaded lipid microparticles and characterization thereof A. Maschke, C. Becker, D. Eyrich, J. Kiermaier, T. Blunk, A. Göpferich (Germany)	175
Effect of surfactant on dissolution of spherical particles in micellar systems H. Allaboun, K.A. Alkhamis, N.D. Al Jbour (Jordan)	188
Effect of poloxamers on nifedipine microparticles prepared by Hot Air Coating technique F. Pattarino, L. Giovannelli, S. Bellomi (Italy)	198
Release characteristics of diclofenac sodium from poly(vinyl alcohol)/sodium alginate and poly(vinyl alcohol)-grafted-poly(acrylamide)/sodium alginate blend beads O. Şanlı, N. Ay, N. Işıklan (Turkey)	204
Reversed chitosan–alginate polyelectrolyte complex for stability improvement of alpha-amylase: Optimization and physicochemical characterization M.G. Sankalia, R.C. Mashru, J.M. Sankalia, V.B. Sutariya (India)	215
Application of sucrose fatty acid esters in transdermal therapeutic systems G. Csóka, S. Marton, R. Zelko, N. Otomo, I. Antal (Hungary, Japan)	233
Diffusion of naltrexone across reconstituted human oral epithelium and histomorphological features L.I. Giannola, V. De Caro, G. Giandalia, M.G. Siragusa, G. Campisi, A.M. Florena, T. Ciach (Italy, Poland)	238
Intranasal absorption of Δ^9 -tetrahydrocannabinol and WIN55,212-2 mesylate in rats S. Valiveti, R.U. Agu, D.C. Hammell, K.S. Paudel, D.C. Earles, D.P. Wermeling, A.L. Stinchcomb (USA)	247

Note

The effect of suction during die fill on a rotary tablet press S. Jackson, I.C. Sinka, A.C.F. Cocks (UK)	253
---	-----

Book review

257

APV diary

S1

Calendar of events

S3

Recently published doctoral theses

e1

*Vol. 65 No. 3 (March 2007)***Editorial**

Drug delivery: A Canadian perspective. 25 years of innovative drug delivery research H. Burt, J.-C. Leroux, B. Amsden, H. Uludag (Canada)	iii
--	-----

Review articles

A review of the formation and classification of amphiphilic block copolymer nanoparticulate structures: micelles, nanospheres, nanocapsules and polymersomes K. Letchford, H. Burt (Canada)	259
Fate of micelles and quantum dots in cells D. Maysinger, J. Lovrić, A. Eisenberg, R. Savić (Canada, Croatia)	270

Research papers

Fibrin glue system for adjuvant brachytherapy of brain tumors with ^{188}Re and ^{186}Re -labeled microspheres U.O. Häfeli, G.J. Pauer, J. Unnithan, R.A. Prayson (Canada, USA)	282
--	-----

<i>In vitro</i> and <i>in vivo</i> characterization of a combination chemotherapy formulation consisting of vinorelbine and phosphatidylserine M.S. Webb, S. Johnstone, T.J. Morris, A. Kennedy, R. Gallagher, N. Harasym, T. Harasym, C.R. Shew, P. Tardi, W.H. Dragowska, L.D. Mayer, M.B. Bally (Canada)	289
<i>In vivo</i> evaluation of a new polymer-lipid hybrid nanoparticle (PLN) formulation of doxorubicin in a murine solid tumor model H.L. Wong, A.M. Rauth, R. Bendayan, X.Y. Wu (Canada)	300
<i>In vivo</i> fate of unimers and micelles of a poly(ethylene glycol)-block-poly(caprolactone) copolymer in mice following intravenous administration J. Liu, F. Zeng, C. Allen (Canada)	309
Solid molecular dispersions of poorly water-soluble drugs in poly(2-hydroxyethyl methacrylate) hydrogels P. Zahedi, P.I. Lee (Canada)	320
Extended release of high pI proteins from alginate microspheres via a novel encapsulation technique L.A. Wells, H. Sheardown (Canada)	329
<i>In vitro</i> release of a water-soluble agent from low viscosity biodegradable, injectable oligomers S. Sharifpoor, B. Amsden (Canada)	336
Effervescent dry powder for respiratory drug delivery L. Ely, W. Roa, W.H. Finlay, R. Löbenberg (Canada)	346
Effect of preparation conditions on the nutrient release properties of alginate–whey protein granular microspheres L. Chen, M. Subirade (Canada)	354
<i>In vitro</i> evaluation of the mucoadhesive properties of polysaccharide-based nanoparticulate oral drug delivery systems S. Chayed, F.M. Winnik (Canada)	363
High-amylose carboxymethyl starch matrices for oral sustained drug-release: <i>In vitro</i> and <i>in vivo</i> evaluation T. Nabais, F. Brouillet, S. Kyriacos, M. Mroueh, P. Amores da Silva, B. Bataille, C. Chebli, L. Cartilier (Canada, France, Lebanon, Portugal)	371
pH-responsive polymeric micelles of poly(ethylene glycol)- <i>b</i> -poly(alkyl(meth)acrylate- <i>co</i> -methacrylic acid): Influence of the copolymer composition on self-assembling properties and release of candesartan cilexetil P. Satturwar, M.N. Eddine, F. Ravenelle, J.-C. Leroux (Canada)	379
A comparison of the effectiveness of cationic polymers poly-L-lysine (PLL) and polyethylenimine (PEI) for non-viral delivery of plasmid DNA to bone marrow stromal cells (BMSC) L.-L. Farrell, J. Pepin, C. Kucharski, X. Lin, Z. Xu, H. Uludag (Canada)	388
Design of a bifunctional fusion protein for ovarian cancer drug delivery: Single-chain anti-CA125 core-streptavidin fusion protein W.W.-S. Wang, D. Das, S.A. McQuarrie, M.R. Suresh (Canada)	398
Solubilization of an amphiphilic drug by poly(ethylene oxide)- <i>block</i> -poly(ester) micelles S. Elhassi, R. Astaneh, A. Lavasanifar (Canada)	406
Topical non-invasive gene delivery using gemini nanoparticles in interferon- γ -deficient mice I. Badea, S. Wettig, R. Verrall, M. Foldvari (Canada)	414
APV diary	S1
Calendar of events	S4
Recently published doctoral theses	e1

Vol. 66 No. 1 (April 2007)

Review article

An integrated early formulation strategy – From hit evaluation to preclinical candidate profiling J. Maas, W. Kamm, G. Hauck (Germany)	1
---	---

Research papers

Cellulose acetate butyrate–pH/thermosensitive polymer microcapsules containing aminated poly(vinyl alcohol) microspheres for oral administration of DNA G. Fundeanu, M. Constantin, F. Bortolotti, R. Cortesi, P. Ascenzi, E. Menegatti (Italy, Romania)	11
Maintenance of vascular endothelial growth factor and potentially other therapeutic proteins bioactivity during a photo-initiated free radical cross-linking reaction forming biodegradable elastomers F. Gu, R. Neufeld, B. Amsden (Canada)	21
Nuclear targeting of non-viral gene carriers using psoralen-nuclear localization signal (NLS) conjugates H.S. Yoo, S.Y. Jeong (Republic of Korea)	28
Encapsulation of 9-nitrocamptothecin, a novel anticancer drug, in biodegradable nanoparticles: Factorial design, characterization and release kinetics K. Derakhshandeh, M. Erfan, S. Dadashzadeh (Iran)	34
Preparation of superoxide dismutase loaded chitosan microspheres: Characterization and release studies Ö. Çelik, J. Akbuğa (Turkey)	42
Encapsulation of ketoprofen for controlled drug release A.I. Arida, M.M. Al-Tabakha (Jordan, United Arab Emirates)	48

Estradiol sustained release from high affinity cyclodextrin hydrogels	
C. Rodriguez-Tenreiro, C. Alvarez-Lorenzo, A. Rodriguez-Perez, A. Concheiro, J.J. Torres-Labandeira (Spain)	55
Influence of moisture content on the mechanical properties of methyl methacrylate–starch copolymers	
I. Bravo-Osuna, C. Ferrero, M.R. Jiménez-Castellanos (Spain)	63
Release modulating hydrophilic matrix systems of losartan potassium: Optimization of formulation using statistical experimental design	
S. Chopra, G.V. Patil, S.K. Motwani (India)	73
Development of starch-based pellets via extrusion/spheronisation	
A. Dukić, R. Mens, P. Adriaenssens, P. Foreman, J. Gelan, J.P. Remon, C. Vervaet (Belgium, USA)	83
Characterization of hot-melt extruded drug delivery systems for onychomycosis	
P.K. Mididoddi, M.A. Repka (USA)	95
The influence of povidone K17 on the storage stability of solid dispersions of nimodipine and polyethylene glycol	
M.M. Smikalla, N.A. Urbanetz (Germany)	106
Mechanistic analysis of drug release from tablets with membrane controlled drug delivery	
S. Strübing, H. Metz, K. Mäder (Germany)	113
Effect of selected fluorinated drugs in a “ringing” gel on rheological behaviour and skin permeation	
S. Höller, C. Valenta (Austria)	120
Permeability of the reconstructed human epidermis model Episkin® in comparison to various human skin preparations	
F. Netzlaff, M. Kaca, U. Bock, E. Haltner-Ukomadu, P. Meiers, C.-M. Lehr, U.F. Schaefer (Germany)	127
Anthranoid laxatives influence the absorption of poorly permeable drugs in human intestinal cell culture model (Caco-2)	
L. Laitinen, E. Takala, H. Vuorela, P. Vuorela, A.M. Kaukonen, M. Marvola (Finland)	135
Absorption of poorly water soluble drugs subject to apical efflux using phospholipids as solubilizers in the Caco-2 cell model	
S.B. Kapitza, B.R. Michel, P. van Hoogevest, M.L.S. Leigh, G. Imanidis (Switzerland)	146
Recently published doctoral theses	e1
APV diary	S1
Calendar of events	S4

Vol. 66 No. 2 (May 2007)

Nanoparticles – An efficient carrier for drug delivery into the hair follicles	
J. Lademann, H. Richter, A. Teichmann, N. Otberg, U. Blume-Peytavi, J. Luengo, B. Weiß, U.F. Schaefer, C.-M. Lehr, R. Wepf, W. Sterry (Germany, Chile)	159
Nanosized insulin-complexes based on biodegradable amine-modified graft polyesters poly[vinyl-3-(diethylamino)-propylcarbamate-co-(vinyl acetate)-co-(vinyl alcohol)]-graft-poly(L-lactic acid): Protection against enzymatic degradation, interaction with Caco-2 cell monolayers, peptide transport and cytotoxicity	
M. Simon, I. Behrens, L.A. Dailey, M. Wittmar, T. Kissel (Germany)	165
Correlation between digestion of the lipid phase of smedds and release of the anti-HIV drug UC 781 and the anti-mycotic drug enilconazole from smedds	
C. Goddeeris, J. Coacci, G. Van den Mooter (Belgium)	173
Synthesis, characterization and in vitro cytotoxicity studies of a macromolecular conjugate of paclitaxel bearing oxytocin as targeting moiety	
G. Cavallaro, L. Maniscalco, M. Campisi, D. Schillaci, G. Giammona (Italy)	182
Development of spherical iron(II) sulfate heptahydrate-containing solid particles with sustained drug release	
P. Szabó-Révész, B. Farkas, T. Gregor, K. Nagy, E. Pallagi (Hungary)	193
Two galactomannans and scleroglucan as matrices for drug delivery: Preparation and release studies	
T. Coviello, F. Alhaique, A. Dorigo, P. Matricardi, M. Grassi (Italy)	200
Synchronized and sustained release of multiple components in silymarin from erodible glyceryl monostearate matrix system	
C. Lu, Y. Lu, J. Chen, W. Zhang, W. Wu (PR China)	210
Preparation and characterization of a self-emulsifying pellet formulation	
A. Abdalla, K. Mäder (Germany)	220
Development and bioavailability assessment of ramipril nanoemulsion formulation	
S. Shafiq, F. Shakeel, S. Talegaonkar, F.J. Ahmad, R.K. Khar, M. Ali (India)	227
Tetronic micellization, gelation and drug solubilization: Influence of pH and ionic strength	
C. Alvarez-Lorenzo, J. Gonzalez-Lopez, M. Fernandez-Tarrio, I. Sandez-Macho, A. Concheiro (Spain)	244
Use of calcined Mg–Al–hydrotalcite to enhance the stability of celecoxib in the amorphous form	
V. Ambrogli, L. Perioli, F. Marmottini, C. Rossi (Italy)	253
Synthesis and properties of <i>N</i> -nicotinoyl-2-(5-fluorouracil-1-yl)-D,L-glycine ester as a prodrug of 5-fluorouracil for rectal administration	
Y.W. Yang, J.S. Lee, I. Kim, Y.J. Jung, Y.M. Kim (Republic of Korea, USA)	260
Effect of poly(ethylene glycol)-block-poly(lactide) nanoparticles on hepatic cells of mouse: Low cytotoxicity, but efflux of the nanoparticles by ATP-binding cassette transporters	
Y. Zhang, Z. Hu, M. Ye, Y. Pan, J. Chen, Y. Luo, Y. Zhang, L. He, J. Wang (China)	268

Fluorescein transport properties across artificial lipid membranes, Caco-2 cell monolayers and rat jejunum	
K. Berginc, S. Žakelj, L. Levstik, D. Uršič, A. Kristl (Slovenia)	281
Permeability assessment for solid oral drug formulations based on Caco-2 monolayer in combination with a flow through dissolution cell	
S.A. Motz, U.F. Schaefer, S. Balbach, T. Eichinger, C.-M. Lehr (Germany)	286
<i>In vitro</i> and <i>in vivo</i> evaluation of the transdermal iontophoretic delivery of sumatriptan succinate	
S.R. Patel, H. Zhong, A. Sharma, Y.N. Kalia (USA, Switzerland, France)	296
Book review	302
Recently published doctoral theses	e1
EAPB: New Executive Committee	S1
APV Diary	S3
Calendar of events	S6

Vol. 66 No. 3 (June 2007)

Review article

Poly(ethylene oxide)–poly(propylene oxide) block copolymer micelles as drug delivery agents: Improved hydrosolubility, stability and bioavailability of drugs	
D.A. Chiappetta, A. Sosnik (Argentina)	303

Research papers

Chitosan microspheres enhance the immunogenicity of an Ag85B-based fusion protein containing multiple T-cell epitopes of <i>Mycobacterium tuberculosis</i>	
B. Zhu, Y. Qie, J. Wang, Y. Zhang, Q. Wang, Y. Xu, H. Wang (PR China, USA)	318
An efficient vector for gene delivery: γ -poly (3-dimethylaminopropyl-D,L-aspartamide)	
W. Xue, H. Diao, X. Chen, C. Wang, J. Chen, J. Zhang (China)	327
Investigation of the release mechanism of a sparingly water-soluble drug from solid dispersions in hydrophilic carriers based on physical state of drug, particle size distribution and drug–polymer interactions	
E. Karavas, E. Georgarakis, M.P. Sigalas, K. Avgoustakis, D. Bikiaris (Greece)	334
Enhanced <i>in vitro</i> permeation of furosemide loaded into thermally carbonized mesoporous silicon (TCPSi) microparticles	
A.M. Kaukonen, L. Laitinen, J. Salonen, J. Tuura, T. Heikkilä, T. Linnell, J. Hirvonen, V.-P. Lehto (Finland)	348
Loading and delivery of sertraline using inorganic micro and mesoporous materials	
C.D. Nunes, P.D. Vaz, A.C. Fernandes, P. Ferreira, C.C. Romão, M.J. Calhorda (Portugal)	357
Preliminary studies of the physical stability of a glucagon-like peptide-1 derivate in the presence of metal ions	
S. Christensen, E.H. Moeller, C. Bonde, A.-M. Lilleoere (Denmark)	366
Monolayers of porcine alveolar epithelial cells in primary culture as an <i>in vitro</i> model for drug absorption studies	
A. Steimer, H. Franke, E. Haltner-Ukomado, M. Laue, C. Ehrhardt, C.-M. Lehr (Germany, Ireland)	372
Injectable in situ forming drug delivery system for cancer chemotherapy using a novel tissue adhesive: Characterization and <i>in vitro</i> evaluation	
S. Kakinoki, T. Taguchi, H. Saito, J. Tanaka, T. Tateishi (Japan)	383
Paclitaxel/ β -cyclodextrin complexes for hyperthermic peritoneal perfusion – Formulation and stability	
W. Bouquet, W. Ceelen, B. Fritzing, P. Pattyn, M. Peeters, J.P. Remon, C. Vervaet (Belgium)	391
Chitosan/starch fibers and their properties for drug controlled release	
Q. Wang, N. Zhang, X. Hu, J. Yang, Y. Du (PR China)	398
Thiolated polymers: Evaluation of the influence of the amount of covalently attached L-cysteine to poly(acrylic acid)	
T.F. Palmberger, K. Albrecht, B. Loretz, A. Bernkop-Schnürch (Austria)	405
Preparation and characterization of simvastatin/hydroxypropyl- β -cyclodextrin inclusion complex using supercritical antisolvent (SAS) process	
S.W. Jun, M.-S. Kim, J.-S. Kim, H.J. Park, S. Lee, J.-S. Woo, S.-J. Hwang (Republic of Korea)	413
Single-layer transdermal film containing lidocaine: Modulation of drug release	
C. Padula, S. Nicoli, P. Colombo, P. Santi (Italy)	422
Poly(2-hydroxy-3-phenoxypropylacrylate, 4-hydroxybutyl acrylate, dibutyl maleate) membrane controlled clonidine zero-order release	
X. Zhan, S. Chen, G. Tang, Z. Mao (China)	429
Swelling, erosion and release behavior of alginate-based matrix tablets	
P. Sriamornsak, N. Thirawong, K. Korkerd (Thailand)	435
Assessment of physical and antioxidant activity stability, <i>in vitro</i> release and <i>in vivo</i> efficacy of formulations added with superoxide dismutase alone or in association with α -tocopherol	
V.M. Di Mambro, M.J.V. Fonseca (Brazil)	451
Quinine sulphate pellets for flexible pediatric drug dosing: Formulation development and evaluation of taste-masking efficiency using the electronic tongue	
P.C. Kayumba, N. Huyghebaert, C. Cordella, J.D. Ntawukulirayo, C. Vervaet, J.P. Remon (Rwanda, Belgium, France)	460

Influence of sample characteristics on quantification of carbamazepine hydrate formation by X-ray powder diffraction and Raman spectroscopy	
F. Tian, F. Zhang, N. Sandler, K.C. Gordon, C.M. McGoverin, C.J. Strachan, D.J. Saville, T. Rades (New Zealand, Finland)	466
Method transfer for fast liquid chromatography in pharmaceutical analysis: Application to short columns packed with small particle. Part I: Isocratic separation	
D. Guilleme, D.T.-T. Nguyen, S. Rudaz, J.-L. Veuthey (Switzerland)	475
Notes	
Solid lipid microparticles containing the sunscreen agent, octyl-dimethylaminobenzoate: Effect of the vehicle	
R. Tursilli, G. Piel, L. Delattre, S. Scalia (Italy, Belgium)	483
Comparative study of doxorubicin-loaded poly(lactide-co-glycolide) nanoparticles prepared by single and double emulsion methods	
F. Tewes, E. Munnier, B. Antoon, L. Ngaboni Okassa, S. Cohen-Jonathan, H. Marchais, L. Douziech-Eyrolles, M. Soucé, P. Dubois, I. Chourpa (France)	488
Book review	493
Recently published doctoral theses	e1
APV Diary	S1
Calendar of events	S3

Vol. 67 No. 1 (August 2007)

Research papers

Anticancer activity of cisplatin-loaded PLGA-mPEG nanoparticles on LNCaP prostate cancer cells	
E.C. Gryparis, M. Hatziaepostolou, E. Papadimitriou, K. Avgoustakis (Greece)	1
Preparation and antitumor characteristics of PLA/(PEG-PPG-PEG) nanoparticles loaded with camptothecin	
R. Kunii, H. Onishi, Y. Machida (Japan)	9
Dexamethasone-loaded nanoparticle-coated microparticles: Correlation between <i>in vitro</i> drug release and drug transport across Caco-2 cell monolayers	
R.C.R. Beck, A.R. Pohlmann, C. Hoffmeister, M.R. Gallas, E. Collnot, U.F. Schaefer, S.S. Guterres, C.M. Lehr (Brazil, Germany)	18
Optimization of iron oxide nanoparticles encapsulation within poly(D,L-lactide-co-glycolide) sub-micron particles	
L.N. Okassa, H. Marchais, L. Douziech-Eyrolles, K. Hervé, S. Cohen-Jonathan, E. Munnier, M. Soucé, C. Linassier, P. Dubois, I. Chourpa (France)	31
Nanoparticle layers controlling drug release from emulsions	
S. Simovic, C.A. Prestidge (Australia)	39
Solid lipid nanodispersions containing mixed lipid core and a polar heterolipid: Characterization	
A.A. Attama, B.C. Schicke, T. Paepenmüller, C.C. Müller-Goymann (Germany, Nigeria)	48
Serum-resistant lipopolyplexes for gene delivery to liver tumour cells	
L. García, M. Buñuales, N. Düzgüneş, C. Tros de Ilarduya (Spain, USA)	58
A study of the formulation design of acoustically active lipospheres as carriers for drug delivery	
J.-Y. Fang, C.-F. Hung, M.-H. Liao, C.-C. Chien (Taiwan)	67
Reduced hepatic toxicity, enhanced cellular uptake and altered pharmacokinetics of stavudine loaded galactosylated liposomes	
M. Garg, T. Dutta, N.K. Jain (India)	76
Development, characterization and <i>in vivo</i> evaluation of benzocaine-loaded liposomes	
P. Mura, F. Maestrelli, M.L. González-Rodríguez, I. Michelacci, C. Ghelardini, A.M. Rabasco (Italy, Spain)	86
The effect of different lipid based formulations on the oral absorption of lipophilic drugs: The ability of <i>in vitro</i> lipolysis and consecutive <i>ex vivo</i> intestinal permeability data to predict <i>in vivo</i> bioavailability in rats	
A. Dahan, A. Hoffman (Israel)	96
Determination of ibuprofen solubility in wax: A comparison of microscopic, thermal and release rate techniques	
G.S. Oladiran, H.K. Batchelor (United Kingdom)	106
Performance comparison of a co-crystal of carbamazepine with marketed product	
M.B. Hickey, M.L. Peterson, L.A. Scoppettuolo, S.L. Morrisette, A. Vetter, H. Guzmán, J.F. Remenar, Z. Zhang, M.D. Tawa, S. Haley, M.J. Zaworotko, Ö. Almarsson (USA)	112
Optimisation of polyherbal gels for vaginal drug delivery by Box-Behnken statistical design	
S. Chopra, S.K. Motwani, Z. Iqbal, S. Talegaonkar, F.J. Ahmad, R.K. Khar (India)	120
Mucoadhesive properties of various pectins on gastrointestinal mucosa: An <i>in vitro</i> evaluation using texture analyzer	
N. Thirawong, J. Nunthanid, S. Puttipatkhachorn, P. Sriamornsak (Thailand)	132
Cetyl palmitate-based NLC for topical delivery of Coenzyme Q ₁₀ – Development, physicochemical characterization and <i>in vitro</i> release studies	
V. Teeranachaideekul, E.B. Souto, V.B. Junyaprasert, R.H. Müller (Thailand, Germany)	141
Reversible effects of permeation enhancers on human skin	
L. Kang, A.L. Poh, S.K. Fan, P.C. Ho, Y.W. Chan, S.Y. Chan (Singapore)	149

Probing the skin permeation of eicosapentaenoic acid and ketoprofen 2. Comparative depth profiling and metabolism of eicosapentaenoic acid	
C.P. Thomas, C.M. Heard (UK)	156
Effect of HLB of additives on the properties and drug release from the glyceryl monooleate matrices	
M.H. Shah, A. Paradkar (India)	166
Preparation and characterization of free mixed-film of pectin/chitosan/Eudragit® RS intended for sigmoidal drug delivery	
A. Ghaffari, K. Navaee, M. Oskoui, K. Bayati, M. Rafiee-Tehrani (Iran)	175
Modulating drug release and matrix erosion of alginate matrix capsules by microenvironmental interaction with calcium ion	
T. Pongjanyakul, S. Puttipatkhachorn (Thailand)	187
Formulation and development of hydrodynamically balanced system for metformin: <i>In vitro</i> and <i>in vivo</i> evaluation	
J. Ali, S. Arora, A. Ahuja, A.K. Babbar, R.K. Sharma, R.K. Khar, S. Baboota (India)	196
Colonic delivery of compression coated nisin tablets using pectin/HPMC polymer mixture	
T. Ugurlu, M. Turkoglu, U.S. Gurer, B.G. Akarsu (Turkey)	202
Swelling and erosion of pectin matrix tablets and their impact on drug release behavior	
P. Sriamornsak, N. Thirawong, Y. Weerapol, J. Nunthanid, S. Sungthongjeen (Thailand)	211
Development of directly compressible powders via co-spray drying	
Y. Gonnissen, J.P. Remon, C. Vervaet (Belgium)	220
Alginate-based pellets prepared by extrusion/spheronization: A preliminary study on the effect of additive in granulating liquid	
P. Sriamornsak, J. Nunthanid, M. Luangtana-anan, S. Puttipatkhachorn (Thailand)	227
Microstructural and drug release properties of oven-dried and of slowly or fast frozen freeze-dried MCC-Carbopol® pellets	
A. Gómez-Carracedo, C. Souto, R. Martínez-Pacheco, A. Concheiro, J.L. Gómez-Amoza (Spain)	236
Phase transformations of erythromycin A dihydrate during pelletisation and drying	
M. Römer, J. Heinämäki, I. Miroshnyk, N. Sandler, J. Rantanen, J. Yliruusi (Finland, Denmark)	246
Formulation and evaluation of dried yeast tablets using different techniques	
A.M. Al-Mohizea, M.O. Ahmed, F.I. Al-jenoobi, G.M. Mahrous, A.A. Abdel-Rahman (Saudi Arabia)	253
Thermal treating as a tool to produce plastic pellets based on Eudragit RS PO and RL PO aimed for tableting	
M.R. Abbaspour, F. Sadeghi, H. Afrasiabi Garekani (Iran)	260
The determination of the mechanical strength of tablets of different shapes	
P.N. Davies, H.E.C. Worthington, F. Podczek, J.M. Newton (UK)	268
Mechanical characterization of pharmaceutical solids: A comparison between rheological tests performed under static and dynamic porosity conditions	
G. Bonacucina, M. Cespi, M. Misici-Falzi, G.F. Palmieri (Italy)	277
Functional characterization of cell lines for high-throughput screening of human neuromedin U receptor subtype 2 specific agonists using a luciferase reporter gene assay	
X. Li, F. Shen, Y. Zhang, J. Zhu, L. Huang, Q. Shi (China)	284
Handling of computational in vitro/in vivo correlation problems by Microsoft Excel: V. Predictive absorbability models	
F. Langenbucher (Switzerland)	293
Erratum	
Erratum to 'Preparation and characterization of polymeric micelles for solubilization of poorly soluble anticancer drugs' [Eur. J. Pharm. Biopharm. 64 (2006) 261–268]	
Z. Sezgin, N. Yüksel, T. Baykara (Turkey)	300
Recently published doctoral theses	e1
APV Diary	S1
Calendar of events	S4

Vol. 67 No. 2 (September 2007)

Research papers

Preparation and characterization of a potent, long-lasting recombinant human serum albumin-interferon- $\alpha 2b$ fusion protein expressed in <i>Pichia pastoris</i>	
Y.-S. Huang, Z. Chen, Z.-Y. Yang, T.-Y. Wang, L. Zhou, J.-B. Wu, L.-F. Zhou (China)	301
Solution formulation and lyophilisation of a recombinant fibronectin fragment	
P. Pereira, S.M. Kelly, A. Cooper, H.J. Mardon, P.R. Gellert, C.F. van der Walle (UK)	309
Re-dispersible cationic solid lipid nanoparticles (SLNs) freeze-dried without cryoprotectors: Characterization and ability to bind the pEGFP-plasmid	
E. Vighi, B. Ruozzi, M. Montanari, R. Battini, E. Leo (Italy)	320
Long-circulating poly(ethylene glycol)-coated emulsions to target solid tumors	
J. Rossi, S. Giasson, M.N. Khalid, P. Delmas, C. Allen, J.-C. Leroux (Canada)	329
Cross-linking of chitosan and chitosan/poly(ethylene oxide) beads: A theoretical treatment	
L. Martinez, F. Agnely, B. Leclerc, J. Siepmann, M. Cotte, S. Geiger, G. Couarraze (France)	339

A model describing the effect of enzymatic degradation on drug release from collagen minirods	
I. Metzmacher, F. Radu, M. Bause, P. Knabner, W. Friess (Germany)	349
Development of potent oral nanoparticulate formulation of coenzyme Q10 for treatment of hypertension: Can the simple nutritional supplements be used as first line therapeutic agents for prophylaxis/therapy?	
D.D. Ankola, B. Viswanad, V. Bhardwaj, P. Ramarao, M.N.V.R. Kumar (India)	361
Development and characterisation of interactive mixtures with a fine-particulate mucoadhesive carrier for nasal drug delivery	
N. Fransén, E. Björk, C. Nyström (Sweden)	370
Preparation of a novel freeze thawed poly(vinyl alcohol) composite hydrogel for drug delivery applications	
M.J.D. Nugent, C.L. Higginbotham (Ireland)	377
Vitamin-loaded electrospun cellulose acetate nanofiber mats as transdermal and dermal therapeutic agents of vitamin A acid and vitamin E	
P. Taepaiboon, U. Rungsardthong, P. Supaphol (Thailand)	387
Melatonin loaded ethanolic liposomes: Physicochemical characterization and enhanced transdermal delivery	
V. Dubey, D. Mishra, N.K. Jain (India)	398
Effects of ethanol/L-menthol on the dynamics and partitioning of spin-labeled lipids in the stratum corneum	
J.L.V. dos Anjos, D.S. Neto, A. Alonso (Brazil)	406
Effects of cinnamene enhancers on transdermal delivery of ligustrazine hydrochloride	
C. Zhang, Z. Yang, J. Luo, Q. Zhu, H. Zhao (China)	413
Skin permeation of ketotifen applied from stick-type formulation	
C. Kimura, T. Nakanishi, K. Tojo (Japan)	420
Release of naltrexone on buccal mucosa: Permeation studies, histological aspects and matrix system design	
L.I. Giannola, V. De Caro, G. Giandalia, M.G. Siragusa, C. Tripodo, A.M. Florena, G. Campisi (Italy)	425
Evidence that drug flux across synthetic membranes is described by normally distributed permeability coefficients	
Y. Frum, G.M. Eccleston, V.M. Meidan (UK)	434
Solid lipid extrusion of sustained release dosage forms	
C. Reitz, P. Kleinebudde (Germany)	440
Characterization of the film formation of the dry coating process	
C.D. Kablitz, N.A. Urbanetz (Germany)	449
Abrasion of tablets during scale-up: The influence of different crushing forces in laboratory and production perforated pan coaters	
R. Mueller, P. Kleinebudde (Germany)	458
Influence of processing parameters and formulation factors on the drug release from tablets powder-coated with Eudragit® L 100-55	
D. Sauer, W. Zheng, L.B. Coots, J.W. McGinity (USA)	464
Stress relaxation test for the characterization of the viscoelasticity of pellets	
M. Cespi, G. Bonacucina, M. Misici-Falzi, R. Golzi, L. Boltri, G.F. Palmieri (Italy)	476
Correlation between the permeability of metoprolol tartrate through plasticized isolated ethylcellulose/hydroxypropyl methylcellulose films and drug release from reservoir pellets	
Z. Ye, P. Rombout, J.P. Remon, C. Vervaet, G. Van den Mooter (Belgium)	485
Evaluation of alginate based mesalazine tablets for intestinal drug delivery	
F. Tuğcu-Demiröz, F. Acartürk, S. Takka, Ö. Konuş-Boyunağa (Turkey)	491
Porous hydroxyapatite tablets as carriers for low-dosed drugs	
A. Cosijns, C. Vervaet, J. Luyten, S. Mullens, F. Siepmann, L. Van Hoorebeke, B. Masschaele, V. Cnudde, J.P. Remon (Belgium, France)	498
Application of percolation model to the tensile strength and the reduced modulus of elasticity of three compacted pharmaceutical excipients	
V. Busignies, B. Leclerc, P. Porion, P. Evesque, G. Couarraze, P. Tchoreloff (France)	507
In-vitro/in-vivo correlation of pulsatile drug release from press-coated tablet formulations: A pharmacoscintigraphic study in the beagle dog	
M. Ghimire, F.J. McInnes, D.G. Watson, A.B. Mullen, H.N.E. Stevens (UK)	515
Dissolution test for citalopram in tablets and comparison of <i>in vitro</i> dissolution profiles	
J. Menegola, M. Steppe, E.E.S. Schapoval (Brazil)	524
Solid-state characterization and dissolution profiles of the inclusion complexes of omeprazole with native and chemically modified β -cyclodextrin	
A. Figueiras, R.A. Carvalho, L. Ribeiro, J.J. Torres-Labandeira, F.J.B. Veiga (Portugal, Spain)	531
A formulation comparison, using a solution and different nanosuspensions of a poorly soluble compound	
K. Sigfridsson, S. Forssén, P. Holländer, U. Skantze, J. de Verdier (Sweden)	540
Effect of cell differentiation and passage number on the expression of efflux proteins in wild type and vinblastine-induced Caco-2 cell lines	
S. Siissalo, L. Laitinen, M. Koljonen, K.-S. Vellonen, H. Kortejärvi, A. Urtti, J. Hirvonen, A.M. Kaukonen (Finland)	548
Biological conversion of a water-soluble prodrug of cyclosporine A	
F. Lallemand, E. Varesio, O. Felt-Baeyens, L. Bossy, G. Hopfgartner, R. Gurny (Switzerland)	555

Isolation of drugs from biological fluids by using pH sensitive poly(acrylic acid) grafted poly(vinylidene fluoride) polymer membrane <i>in vitro</i>	
J. Karppi, S. Åkerman, K. Åkerman, A. Sundell, K. Nyssönen, I. Penttilä (Finland)	562
Investigation into the subambient behavior of aqueous mannitol solutions using temperature-controlled Raman microscopy	
J.R. Beattie, L.J. Barrett, J.F. Malone, J.J. McGarvey, M. Nieuwenhuyzen, V.L. Kett (UK)	569
Adhesion forces in interactive mixtures for dry powder inhalers – Evaluation of a new measuring method	
M. Lohrmann, M. Kappl, H.-J. Butt, N.A. Urbanetz, B.C. Lippold (Germany)	579
Book review	
Environmental monitoring for cleanrooms and controlled environments	
I. Zimmermann (Germany)	587
APV Diary	S1
Calendar of events	S4
Recently published doctoral theses	e1

Vol. 67 No. 3 (November 2007)

Research papers

Effect of excipients on the encapsulation efficiency and release of human growth hormone from dextran microspheres	
K.D.F. Vlught-Wensink, Y.J. Meijer, M.J. van Steenberg, R. Verrijck, W. Jiskoot, D.J.A. Crommelin, W.E. Hennink (The Netherlands)	589
Preparation and characterization of radioactive dirhenium decacarbonyl-loaded PLLA nanoparticles for radionuclide intra-tumoral therapy	
M. Hamoudeh, H. Salim, D. Barbos, C. Paunoiu, H. Fessi (France, Romania)	597
Influence of preparation conditions and heat treatment on the properties of supercooled smectic cholesteryl myristate nanoparticles	
J. Kuntsche, H. Bunjes (Germany)	612
Nanoparticles based on the complex of chitosan and polyaspartic acid sodium salt: Preparation, characterization and the use for 5-fluorouracil delivery	
Y. Zheng, W. Yang, C. Wang, J. Hu, S. Fu, L. Dong, L. Wu, X. Shen (China)	621
Oral low molecular weight heparin delivery by microparticles from complex coacervation	
A. Lamprecht, N. Ubrich, P. Maincent (France)	632
Targeted transfollicular delivery of artocarpin extract from <i>Artocarpus incisus</i> by means of microparticles	
T. Pitaksuteepong, A. Somsiri, N. Waranuch (Thailand)	639
MMPs-specific PEGylated peptide–DOX conjugate micelles that can contain free doxorubicin	
G.Y. Lee, K. Park, S.Y. Kim, Y. Byun (Republic of Korea)	646
Liposomes for drug delivery to the lungs by nebulization	
M. Zaru, S. Mourtas, P. Klepetsanis, A.M. Fadda, S.G. Antimisiaris (Greece, Italy)	655
Dry powder inhalation of hemin to induce heme oxygenase expression in the lung	
G.S. Zijlstra, C.A. Brandsma, M.F.H. Harpe, G.M. Van Dam, D.J. Slebos, H.A.M. Kerstjens, A.H. De Boer, H.W. Frijlink (The Netherlands)	667
Antitumor effect of an injectable in-situ forming drug delivery system composed of a novel tissue adhesive containing doxorubicin hydrochloride	
S. Kakinoki, T. Taguchi (Japan)	676
Physical gels of a carboxymethyl derivative of scleroglucan: Synthesis and characterization	
M.A. Casadei, P. Matricardi, G. Fabrizi, M. Feeney, P. Paolicelli (Italy)	682
Enhanced enteric properties and stability of shellac films through composite salts formation	
S. Limmatvapirat, C. Limmatvapirat, S. Puttipatkhachorn, J. Nuntanid, M. Luangtana-anan (Thailand)	690
Comparison of stratum corneum penetration and localization of a lipophilic model drug applied in an o/w microemulsion and an amphiphilic cream	
A. Teichmann, S. Heuschkel, U. Jacobi, G. Presse, R.H.H. Neubert, W. Sterry, J. Lademann (Germany)	699
Biphasic release of indomethacin from HPMC/pectin/calcium matrix tablet: I. Characterization and mechanistic study	
B. Wu, Z. Chen, X. Wei, N. Sun, Y. Lu, W. Wu (PR China)	707
Immediate release of poorly soluble drugs from starch-based pellets prepared via extrusion/spheronisation	
A. Dukić-Ott, J.P. Remon, P. Foreman, C. Vervaet (Belgium, USA)	715
Effect of formulation parameters on the release characteristics of propranolol from asymmetric membrane coated tablets	
A. Garg, M. Gupta, H.N. Bhargava (USA)	725
Enhancement of the dissolution of indomethacin in interactive mixtures using added fine lactose	
A. Allahham, P.J. Stewart (Australia)	732
Thermochemical analysis of the dissolution process of Griseofulvin	
J. Knoblauch, I. Zimmermann (Germany)	743

Proline prodrug of melphalan, prophalan-L, demonstrates high therapeutic index in a murine melanoma model	
S. Mittal, Y. Tsume, C.P. Landowski, K.-D. Lee, J.M. Hilfinger, G.L. Amidon (USA)	752
The role of the lymphatic system in subcutaneous absorption of macromolecules in the rat model	
L. Kagan, P. Gershkovich, A. Mendelman, S. Amsili, N. Ezov, A. Hoffman (Israel)	759
Microscopic image analysis techniques for the morphological characterization of pharmaceutical particles: Influence of the software, and the factor algorithms used in the shape factor estimation	
S. Almeida-Prieto, J. Blanco-Méndez, F.J. Otero-Espinar (Spain)	766
Book reviews	
Good Manufacturing Practices for Pharmaceuticals	
I. Zimmermann (Germany)	777
Pharmaceutical Photostability and Stabilization Technology	
R. Daniels (Germany)	779
Endotoxins – Pyrogens, LAL Testing and Depyrogenation	
G. Fricker (Germany)	779
Recently published doctoral theses	e1
Author index for Volumes 65 to 67	780
Subject index for Volumes 65 to 67	788
Contents for Volumes 65 to 67	794
APV Diary	S1
Calendar of Events	S4