



Contents lists available at ScienceDirect

European Journal of Pharmaceutics and Biopharmaceutics

journal homepage: www.elsevier.com/locate/ejpb

Contents–Volumes 68–70 (2008)

Vol. 68 No. 1 (January 2008)

Editorial

Interactive polymers for pharmaceutical and biomedical applications	
A. Göpferich	1
pH-sensitive film coatings: Towards a better understanding and facilitated optimization	
F. Siepmann, C. Wahle (France), B. Leclercq (Belgium), B. Carlin (USA), J. Siepmann (France)	2
Oral pulsatile delivery systems based on swellable hydrophilic polymers	
A. Gazzaniga, L. Palugan, A. Foppoli, M.E. Sangalli (Italy)	11
A novel thermoresponsive hydrogel based on chitosan	
Y.B. Schuetz, R. Gurny, O. Jordan (Switzerland)	19
Characterization of thermosensitive chitosan-based hydrogels by rheology and electron paramagnetic resonance spectroscopy	
S. Kempe, H. Metz, M. Bastrop, A. Hvilsom, R.V. Contri, K. Mäder (Germany)	26
Thermoresponsive hydrogels in biomedical applications	
L. Klouda, A.G. Mikos (USA)	34
Selective enzymatic degradation of poly(ϵ -caprolactone) containing multiblock copolymers	
A. Kulkarni, J. Reiche, J. Hartmann, K. Kratz, A. Lendlein (Germany)	46
Polymers in the prevention of peritoneal adhesions	
Y. Yeo, D.S. Kohane (USA)	57
Synthesis and characterization of cyclic acetal based degradable hydrogels	
S. Kaihara, S. Matsumura (Japan), J.P. Fisher (USA)	67
Physicochemical and cell adhesion properties of chitosan films prepared from sugar and phosphate-containing solutions	
R. Bettini, A.A. Romani, M.M. Morganti, A.F. Borghetti (Italy)	74
Controlling protein release from scaffolds using polymer blends and composites	
P.J. Ginty, J.J.A. Barry, L.J. White, S.M. Howdle, K.M. Shakesheff (UK)	82
Non-viral gene transfection technologies for genetic engineering of stem cells	
J. Jo, Y. Tabata (Japan)	90
Direct plasmid DNA encapsulation within PLGA nanospheres by single oil-in-water emulsion method	
H. Mok, T.G. Park (Republic of Korea)	105
Polymers and nanoparticles: Intelligent tools for intracellular targeting?	
M. Breunig, S. Bauer, A. Goepferich (Germany)	112
Effect of cell media on polymer coated superparamagnetic iron oxide nanoparticles (SPIONs): Colloidal stability, cytotoxicity, and cellular uptake studies	
A. Petri-Fink, B. Steitz, A. Finka, J. Salaklang, H. Hofmann (Switzerland)	129
Polymer coating of quantum dots – A powerful tool toward diagnostics and sensorics	
A.F.E. Hezinger, J. Teßmar, A. Göpferich (Germany)	138

Recently published doctoral thesis

e1

APV Diary

S1

Calendar of Events

S4

Vol. 68 No. 2 (February 2008)

Review Article

Quantum dots – Nano-sized probes for the exploration of cellular and intracellular targeting	
W.A. Hild, M. Breunig, A. Goepferich (Germany)	153

Research Papers

Development of HSA-free formulations for a hydrophobic cytokine with improved stability	
A. Hawe, W. Friess (Germany)	169
Stabilization of IgG by supercritical fluid drying: Optimization of formulation and process parameters	
N. Jovanović, A. Bouchard, G.W. Hofland, G.-J. Witkamp, D.J.A. Crommelin, W. Jiskoot (The Netherlands)	183

Preparation and physicochemical characterization of supercritically dried insulin-loaded microparticles for pulmonary delivery M. Amidi, H.C. Pellikaan, A.H. de Boer, D.J.A. Crommelin, W.E. Hennink, W. Jiskoot (The Netherlands)	191
The addition of calcium ions to starch/Carbopol® mixtures enhances the nasal bioavailability of insulin E. Pringels, C. Vervae, R. Verbeeck, P. Foreman, J.P. Remon (Belgium, USA)	201
Lipid nanoparticles for alkyl lysophospholipid edelfosine encapsulation: Development and <i>in vitro</i> characterization A. Estella-Hermoso de Mendoza, M. Rayo, F. Mollinedo, M.J. Blanco-Prieto (Spain)	207
Effects of process and formulation parameters on characteristics and internal morphology of poly(D,L-lactide-co-glycolide) microspheres formed by the solvent evaporation method S. Mao, Y. Shi, L. Li, J. Xu, A. Schaper, T. Kissel (Germany, China, USA)	214
Chitosan-based spray-dried respirable powders for sustained delivery of terbutaline sulfate T.P. Learoyd, J.L. Burrows, E. French, P.C. Seville (UK)	224
Chitosan microspheres for intrapulmonary administration of moxifloxacin: Interaction with biomembrane models and <i>in vitro</i> permeation studies C.A. Ventura, S. Tommasini, E. Crupi, I. Giannone, V. Cardile, T. Musumeci, G. Puglisi (Italy)	235
Spray-dried microspheres based on methylpyrrolidinone chitosan as new carrier for nasal administration of metoclopramide E. Gavini, G. Rasso, C. Muzzarelli, M. Cossu, P. Giunchedi (Italy)	245
Development of time-, pH-, and enzyme-controlled colonic drug delivery using spray-dried chitosan acetate and hydroxypropyl methylcellulose J. Nunthanid, K. Huanbutta, M. Luangtana-anan, P. Sriamornsak, S. Limmatvapirat, S. Puttipatkhachorn (Thailand)	253
Novel preparation of enteric-coated chitosan-prednisolone conjugate microspheres and <i>in vitro</i> evaluation of their potential as a colonic delivery system T. Oosegi, H. Onishi, Y. Machida (Japan)	260
Inulin-iron complexes: A potential treatment of iron deficiency anaemia G. Pitarresi, G. Tripodo, G. Cavallaro, F.S. Palumbo, G. Giammona (Italy)	267
Effect of maltodextrin and superdisintegrant in directly compressible powder mixtures prepared via co-spray drying Y. Gonnissen, J.P. Remon, C. Vervae (Belgium)	277
Dissolution enhancement of fenofibrate by micronization, cogrinding and spray-drying: Comparison with commercial preparations M. Vogt, K. Kunath, J.B. Dressman (Germany)	283
Swellable elementary osmotic pump (SEOP): An effective device for delivery of poorly water-soluble drugs J. Shokri, P. Ahmadi, P. Rashidi, M. Shahsavari, A. Rajabi-Siahboomi (USA), A. Nokhodchi (Iran, USA, UK)	289
Solubility-modulated monolithic osmotic pump tablet for atenolol delivery L. Liu, X. Wang (PR China)	298
Sustained-release matrix tablets of metformin hydrochloride in combination with triacetyl- β -cyclodextrin G. Corti, M. Cirri, F. Maestrelli, N. Mennini, P. Mura (Italy)	303
New levodopa sustained-release floating minitabets coated with insoluble acrylic polymer J. Goole, Ph. Deleuze, F. Vanderbist, K. Amighi (Belgium)	310
A sugar cane native dextran as an innovative functional excipient for the development of pharmaceutical tablets E.C. Gil, A.I. Colarte, A. El Ghzaoui, D. Durand, J.L. Delarbre, B. Bataille (Cuba, France)	319
Dissolution improvement of four poorly water soluble drugs by cogrinding with commonly used excipients M. Vogt, K. Kunath, J.B. Dressman (Germany)	330
Cogrinding enhances the oral bioavailability of EMD 57033, a poorly water soluble drug, in dogs M. Vogt, M. Vertzoni, K. Kunath, C. Reppas, J.B. Dressman (Germany, Greece)	338
Formation of physically stable amorphous phase of ibuprofen by solid state milling with kaolin S. Mallick, S. Pattnaik, K. Swain, P.K. De, A. Saha, G. Ghoshal, A. Mondal (India)	346
In-silico model of skin penetration based on experimentally determined input parameters. Part I: Experimental determination of partition and diffusion coefficients S. Hansen, A. Henning, A. Naegel, M. Heisig, G. Wittum, D. Neumann, K.-H. Kostka, J. Zbytovska, C.-M. Lehr, U.F. Schaefer (Germany, Czech Republic)	352
In-silico model of skin penetration based on experimentally determined input parameters. Part II: Mathematical modelling of in-vitro diffusion experiments. Identification of critical input parameters A. Naegel, S. Hansen, D. Neumann, C.-M. Lehr, U.F. Schaefer, G. Wittum, M. Heisig (Germany)	368
In vitro skin absorption and drug release – A comparison of six commercial prednicarbate preparations for topical use S. Lombardi Borgia, P. Schlupp, W. Mehnert, M. Schäfer-Korting (Germany)	380
Establishment and validation of an <i>ex vivo</i> human cervical tissue model for local delivery studies C. Hiller, U. Bock, S. Balser, E. Haltner-Ukomadu, M. Dahm (Germany)	390
Distribution coefficient of rifabutin in liposome/water system as measured by different methods V.V. Vostrikov, A.A. Selishcheva, G.M. Sorokoumova, Y.N. Shakina, V.I. Shvets, O.Y. Savel'ev, V.I. Polshakov (Russia)	400
Preparation and pre-vivo evaluation of no-carrier-added, carrier-added and cross-complexed [⁶⁸ Ga]-EDTMP formulations S. Toegel, W. Wadsak, L.K. Mien, H. Viernstein, R. Kluger, H. Eidherr, D. Haeusler, K. Kletter, R. Dudczak, M. Mitterhauser (Austria)	406
Pharmacoscintigraphic and pharmacokinetic evaluation of tobramycin DPI formulations in cystic fibrosis patients G. Pilcer, J. Goole, B. Van Gansbeke, D. Blocklet, C. Knoop, F. Vanderbist, K. Amighi (Belgium)	413
In vivo evaluation of risperidone-SAIB in situ system as a sustained release delivery system in rats Y. Lu, X. Tang, Y. Cui, Y. Zhang, F. Qin, X. Lu (PR China)	422
Method transfer for fast liquid chromatography in pharmaceutical analysis: Application to short columns packed with small particle. Part II: Gradient experiments D. Guillearme, D.T.T. Nguyen, S. Rudaz, J.-L. Veuthey (Switzerland)	430
Notes	
Enhanced skin penetration of P20 phosphopeptide using protein transduction domains L.B. Lopes, E. Furnish, P. Komalavilas, B.L. Seal, A. Panitch, M. V.L.B. Bentley, C.M. Brophy (USA, Brazil)	441
Percutaneous release of caffeine from microemulsion, emulsion and gel dosage forms M.-A. Bolzinger, S. Briançon, J. Pelletier, H. Fessi, Y. Chevalier (France)	446
APV Diary	S1
Calendar of Events	S4
Recently published doctoral thesis	e1

Vol. 68 No. 3 (March 2008)

Review articles

- Bioavailability and bioequivalence of topical glucocorticoids
S. Wiedersberg (UK), C.S. Leopold (Germany), R.H. Guy (UK) 453
- Use of cyclodextrins in topical formulations: Practical aspects
K. Cal, K. Centkowska (Poland) 467
- Biocompatible poly(methylidene malonate)-made materials for pharmaceutical and biomedical applications
P. Breton, V. Larras, D. Roy, S. Sagodira, D. Limal, D. Bonnafous, N. Colin, N. Bru, E. Fattal, P. Couvreur (France) 479

Research papers

- Approval of new biopharmaceuticals 1999–2006: Comparison of the US, EU and Japan situations
K. Tsuji, K. Tsutani (Japan) 496
- Characterization of cisplatin cytotoxicity delivered from PLGA-systems
D. Moreno, C.T. de Ilarduya, E. Bandrés, M. Buñuales, M. Azcona, J. García-Foncillas, M.J. Garrido (Spain) 503
- Chitosan–sodium alginate nanoparticles as submicroscopic reservoirs for ocular delivery: Formulation, optimisation and *in vitro* characterisation
S.K. Motwani, S. Chopra, S. Talegaonkar, K. Kohli, F.J. Ahmad, R.K. Khar (India) 513
- Nasal absorption enhancement of insulin using PEG-grafted chitosan nanoparticles
X. Zhang, H. Zhang, Z. Wu, Z. Wang, H. Niu, C. Li (China) 526
- Cyclosporine-loaded solid lipid nanoparticles (SLN®): Drug–lipid physicochemical interactions and characterization of drug incorporation
R.H. Müller, S.A. Runge (Germany), V. Ravelli (Italy), A.F. Thünemann, W. Mehnert (Germany), E.B. Souto (Germany, Portugal) 535
- Novel cationic solid lipid nanoparticles enhanced p53 gene transfer to lung cancer cells
S.H. Choi, S.-E. Jin, M.-K. Lee, S.-J. Lim, J.-S. Park (Republic of Korea), B.-G. Kim (USA), W.S. Ahn, C.-K. Kim (Republic of Korea) 545
- Grafting of abciximab to a microbubble-based ultrasound contrast agent for targeting to platelets expressing GP IIb/IIIa – Characterization and *in vitro* testing
A. Della Martina, E. Allémann, T. Bettinger, P. Bussat, A. Lassus, S. Pochon, M. Schneider (Switzerland) 555
- Chitosan coated Ca–alginate microparticles loaded with budesonide for delivery to the inflamed colonic mucosa
M. Simonoska Crcarevska, M. Glavas Dodov, K. Goracinova (Macedonia) 565
- Characterization and physical stability of fast-dissolving microparticles containing nifedipine
F. Cilurzo, F. Selmin, P. Minghetti, C.G.M. Gennari, F. Demartin, L. Montanari (Italy) 579
- Controlled release of PEI/DNA complexes from PLGA microspheres as a potent delivery system to enhance immune response to HIV vaccine DNA prime/MVA boost regime
X. Zhou, B. Liu, X. Yu, X. Zha, X. Zhang, X. Wang, Y. Jin, Y. Wu, Y. Chen, Y. Shan, Y. Chen, J. Liu, W. Kong, J. Shen (PR China) 589
- The effect of core composition in biodegradable oligomeric micelles as taxane formulations
M.G. Carstens, P.H.J.L.F. de Jong, C.F. van Nostrum, J. Kemmink, R. Verrijck, L.G.J. de Leede, D.J.A. Crommelin, W.E. Hennink (The Netherlands) 596
- A novel liposomal irinotecan formulation with significant anti-tumour activity: Use of the divalent cation ionophore A23187 and copper-containing liposomes to improve drug retention
E. Ramsay (Canada, Australia), J. Alnajim, M. Anantha, J. Zastre, H. Yan, M. Webb, D. Waterhouse, M. Bally (Canada) 607
- Folate-tethered emulsion for the target delivery of retinoids to cancer cells
S.-H. Kim, J.-K. Kim, S.-J. Lim, J.-S. Park, M.-K. Lee, C.-K. Kim (Republic of Korea) 618
- Temperature-sensitive hydrogels composed of chitosan and hyaluronic acid as injectable carriers for drug delivery
J.-Y. Fang, J.-P. Chen, Y.-L. Leu, J.-W. Hu (Taiwan) 626
- Dexamethasone-loaded poly(ϵ -caprolactone) intravitreal implants: A pilot study
S.L. Fialho (Brazil, France), F. Behar-Cohen (France), A. Silva-Cunha (France, Brazil) 637
- Guanidinium-grafted polyethylenimine: An efficient transfecting agent for mammalian cells
S. Nimesh, R. Chandra (India) 647
- Supramolecular association of recombinant human growth hormone with hydrophobized polyhydroxyethylaspartamides
S. Salmaso, R. Schrepfer, G. Cavallaro, S. Bersani, F. Caboi, G. Giammona, G. Tonon, P. Caliceti (Italy) 656
- Improved peroral delivery of glucagon-like peptide-1 by site-specific biotin modification: Design, preparation, and biological evaluation
Y.S. Youn, S.Y. Chae, S. Lee, M.J. Kwon, H.J. Shin, K.C. Lee (Republic of Korea) 667
- Cell line-dependent internalization pathways and intracellular trafficking determine transfection efficiency of nanoparticle vectors
K.L. Douglas, C.A. Piccirillo, M. Tabrizian (Canada) 676
- Liver targeting and anti-HBV activity of reconstituted HDL–acylclovir palmitate complex
M. Feng, Q. Cai, H. Huang, P. Zhou (China) 688
- Evaluation of brain-targeting for the nasal delivery of ergoloid mesylate by the microdialysis method in rats
J. Chen, X. Wang, J. Wang, G. Liu, X. Tang (China) 694
- Solubilization of indomethacin using hydrotropes for aqueous injection
A.K. Jain (India) 701
- A novel approach for the control of drug release rate through hydrogel membrane: I. Effect of drug immobilization on drug release rate by copolymerization method
L. Shang, S. Zhang, H. Du, S.S. Venkatraman (Singapore) 715
- Effect of abrasion induced by a rotating brush on the skin permeation of solutes with varying physicochemical properties
F.K. Akomeah, G.P. Martin, A.G. Muddle, M.B. Brown (United Kingdom) 724
- Synergistically enhanced transdermal permeation and topical analgesia of tetracaine gel containing menthol and ethanol in experimental and clinical studies
C. Fang, Y. Liu, X. Ye, Z.-x. Rong, X.-m. Feng, C.-b. Jiang, H.-z. Chen (PR China) 735
- Formulation of an intermediate product from human serum albumin for the production of a solid dosage form
K. Kristó, J. Bajdik, I. Erős, I. Dékány, Z. Pallai, K. Pintye-Hódi (Hungary) 741
- Design and study of ibuprofen disintegrating sustained-release tablets comprising coated pellets
M.R. Abbaspour, F. Sadeghi, H. Afrasiabi Garekani (Iran) 747
- Process design applied to optimise a directly compressible powder produced via a continuous manufacturing process
Y. Gonnissen, S.I.V. Gonçalves, B.G. De Geest, J.P. Remon, C. Vervaet (Belgium) 760
- Formation and physical stability of the amorphous phase of ranitidine hydrochloride polymorphs prepared by cryo-milling
N. Chieng, T. Rades, D. Saville (New Zealand) 771

Supercritical fluid drying of carbohydrates: Selection of suitable excipients and process conditions A. Bouchard, N. Jovanović, G.W. Hofland, W. Jiskoot, E. Mendes, D.J.A. Crommelin, G.-J. Witkamp (The Netherlands)	781
The role of solution calorimetry in investigating controlled-release processes from polymeric drug delivery systems S. Conti (UK, Italy), S. Gaisford, G. Buckton (UK), L. Maggi, U. Conte (Italy)	795
Compaction of lactose drug mixtures: Quantification of the extent of incompatibility by FT-Raman spectroscopy A. Flemming, K.M. Picker-Freyer (Germany)	802
Use of dye as tracer of drug release from medicated chewing gums E. Ochoa, L. Maggi, S. Conti, U. Conte (Italy), G. Vergnault, P. Grenier (Switzerland)	811
Standardization, evaluation and early-phase method validation of an analytical scheme for batch-consistency N-glycosylation analysis of recombinant produced glycoproteins S. Zietze, R.H. Müller, R. Brecht (Germany)	818
Monitoring galenical process development by near infrared chemical imaging: One case study C. Gendrin (Switzerland, France), Y. Roggo, C. Spiegel (Switzerland), C. Collet (France)	828
Notes	
Commentary to the article “Human skin penetration of the major components of Australian tea tree oil applied in its pure form and as a 20% solution <i>in vitro</i> ” K. Cal (Poland)	838
A novel method for preparing immune stimulating complexes (ISCOMs) by hydration of freeze-dried lipid matrix M. Liang, I. Toth, N.M. Davies (Australia)	840
Errata	
Erratum to “In-silico model of skin penetration based on experimentally determined input parameters. Part II: Mathematical modelling of in-vitro diffusion experiments. Identification of critical input parameters” [Eur. J. Pharm. Biopharm. 68 (2008) 368–379] A. Naegel, S. Hansen, D. Neumann, C.-M. Lehr, U.F. Schaefer, G. Wittum, M. Heisig (Germany)	846
Erratum to “Isolation of drugs from biological fluids by using pH sensitive poly(acrylic acid) grafted poly(vinylidene fluoride) polymer membrane <i>in vitro</i> ”. [Eur. J. Pharm. Biopharm. 67 (2007) 562–568] J. Karppi, S. Åkerman, K. Åkerman, A. Sundell, K. Nyssönen, I. Penttilä (Finland)	847
Acknowledgement to reviewers 2007	851
APV Diary	S1
Calendar of Events	S3
Recently published doctoral thesis	e1

Vol. 69 No. 1 (May 2008)

Review articles

Nanoparticles for drug delivery: The need for precision in reporting particle size parameters M. Gaumet, A. Vargas, R. Gurny, F. Delie (Switzerland)	1
Recent applications of Chemical Imaging to pharmaceutical process monitoring and quality control A.A. Gowen, C.P. O'Donnell, P.J. Cullen, S.E.J. Bell (Ireland)	10

Research papers

A novel gene delivery system for stable transfection of thiopurine-S-methyltransferase gene in versatile cell types R. Egle (Germany, Slovenia), M. Milek, I. Mlinarič-Raščan (Slovenia), A. Fahr (Germany), J. Kristl (Slovenia)	23
Charged nanoparticles as protein delivery systems: A feasibility study using lysozyme as model protein C. Cai (Germany, China), U. Bakowsky, E. Rytting, A.K. Schaper, T. Kissel (Germany)	31
<i>In vivo</i> photodynamic activity of photosensitizer-loaded nanoparticles: Formulation properties, administration parameters and biological issues involved in PDT outcome A. Vargas (Switzerland), M. Eid (Germany), M. Fanchaouy, R. Gurny, F. Delie (Switzerland)	43
Magnetite/poly(alkylcyanoacrylate) (core/shell) nanoparticles as 5-Fluorouracil delivery systems for active targeting J.L. Arias, V. Gallardo, M.A. Ruiz, Á.V. Delgado (Spain)	54
Incorporation in polymeric nanocapsules improves the antioxidant effect of melatonin against lipid peroxidation in mice brain and liver S.R. Schaffazick, I.R. Siqueira, A.S. Badejo, D.S. Jornada, A.R. Pohlmann, C.A. Netto, S.S. Guterres (Brazil)	64
Developing an environmentally benign process for the production of microparticles: Amphiphilic crystallization D. Murnane, C. Marriott, G.P. Martin (United Kingdom)	72
Microspheres containing lipid/chitosan nanoparticles complexes for pulmonary delivery of therapeutic proteins A. Grenha, C. Remuñán-López, E.L.S. Carvalho, B. Seijo (Spain)	83
Comparison of salmeterol xinafoate microparticle production by conventional and novel antisolvent crystallization D. Murnane, C. Marriott, G.P. Martin (United Kingdom)	94
Release pattern and structural integrity of lysozyme encapsulated in core-sheath structured poly(DL-lactide) ultrafine fibers prepared by emulsion electrospinning Y. Yang, X. Li, M. Qi, S. Zhou, J. Weng (PR China)	106
Cellular uptake and cytotoxicity of shell crosslinked stearic acid-grafted chitosan oligosaccharide micelles encapsulating doxorubicin F.-Q. Hu, X.-I. Wu, Y.-Z. Du, J. You, H. Yuan (PR China)	117
Myotoxicity studies of O/W-in situ forming microparticle systems W. Rungseevijitprapa (Thailand), G.A. Brazeau, J.W. Simkins (USA), R. Bodmeier (Germany)	126
Methoxy poly(ethylene glycol) – Low molecular weight linear polyethylenimine-derived copolymers enable polyplex shielding U. Lungwitz (Germany, Denmark), M. Breunig, R. Liebl, T. Blunk, A. Goepferich (Germany)	134
Drug Release Mechanism of Paclitaxel from a Chitosan-Lipid Implant System: Effect of Swelling, Degradation and Morphology P. Lim Soo, J. Cho, J. Grant, E. Ho, M. Piquette-Miller, C. Allen (Canada)	149
Formulation and characterization of ternary solid dispersions made up of Itraconazole and two excipients, TPGS 1000 and PVPVA 64, that were selected based on a supersaturation screening study S. Janssens, S. Nagels, H.N.d. Armas, W. D'Autry, A. Van Schepdael, G. Van den Mooter (Belgium)	158

<i>In vitro</i> and <i>in vivo</i> characteristics of a thermogelling and bioadhesive delivery system intended for rectal administration of quinine in children. A.A. Koffi (Cote d'Ivoire, France), F. Agnely, M. Besnard (France), J. Kablan Brou (Cote d'Ivoire), J.L. Grossiord, G. Ponchel (France)	167
Drug release property of chitosan–pectinate beads and its changes under the influence of microwave T.W. Wong, S. Nurjaya (Malaysia)	176
The use of fucosphere in the treatment of dermal burns in rabbits A.D. Sezer, E. Cevher, F. Hatipoğlu, Z. Oğurtan, A.L. Baş, J. Akbuğa (Turkey)	189
Transdermal delivery of penetrants with differing lipophilicities using <i>O</i> -acylmenthol derivatives as penetration enhancers L. Zhao, L. Fang, Y. Xu, S. Liu, Z. He, Y. Zhao (China)	199
Human skin penetration of the major components of Australian tea tree oil applied in its pure form and as a 20% solution <i>in vitro</i> S.E. Cross, M. Russell, I. Southwell, M.S. Roberts (Australia)	214
Increasing the oral bioavailability of the poorly water soluble drug itraconazole with ordered mesoporous silica R. Mellaerts, R. Mols, J.A.G. Jammaer, C.A. Aerts, P. Annaert, J. Van Humbeeck, G. Van den Mooter, P. Augustijns, J.A. Martens (Belgium)	223
Enhanced nasal absorption of hydrophilic markers after dosing with AT1002, a tight junction modulator K.-H. Song, A. Fasano, N.D. Eddington (USA)	231
Selection of drug candidates for gastroretentive dosage forms: Pharmacokinetics following continuous intragastric mode of administration in a rat model L. Kagan, A. Hoffman (Israel)	238
<i>In vitro</i> and <i>in vivo</i> evaluation of tegaserod maleate pH-dependent tablets S.-Q. Zhang (China, USA), S. Thumma (USA), G.-H. Chen (China), W.-B. Deng, M.A. Repka (USA), S.-M. Li (China)	247
Design and evaluation of floating multi-layer coated tablets based on gas formation S. Sungthongjeen, P. Sriamornsak, S. Puttipatkhachorn (Thailand)	255
The manufacture and characterisation of hot-melt extruded enteric tablets G.P. Andrews, D.S. Jones, O.A. Diak, C.P. McCoy (UK), A.B. Watts, J.W. McGinity (USA)	264
Alginate-based pellets prepared by extrusion/spheronization: Effect of the amount and type of sodium alginate and calcium salts P. Sriamornsak, J. Nunthanid, M. Luangtana-anan, Y. Weerapol, S. Puttipatkhachorn (Thailand)	274
Drug release behaviour from methyl methacrylate–starch matrix tablets: Effect of polymer moisture content I. Bravo-Osuna, C. Ferrero, M.R. Jiménez-Castellanos (Spain)	285
Biphasic release of indomethacin from HPMC/pectin/calcium matrix tablet: II. Influencing variables, stability and pharmacokinetics in dogs B. Wu, D. Deng, Y. Lu, W. Wu (PR China)	294
Subcoating with Kollidon VA 64 as water barrier in a new combined native dextran/HPMC–cetyl alcohol controlled release tablet E. Castellanos Gil (Cuba, France), A. Iraizoz Colarte, J.L. Lara Sampedro (Cuba), B. Bataille (France)	303
Influence of formulation and process parameters on the release characteristics of ethylcellulose sustained-release mini-matrices produced by hot-melt extrusion E. Verhoeven, T.R.M. De Beer, G. Van den Mooter, J.P. Remon, C. Vervaet (Belgium)	312
Coprocessing via spray drying as a formulation platform to improve the compactability of various drugs Y. Gonnissen, E. Verhoeven, E. Peeters, J.P. Remon, C. Vervaet (Belgium)	320
Fast dispersible/slow releasing ibuprofen tablets A. Fini, V. Bergamante, G.C. Ceschel, C. Ronchi (Italy), C.A.F. de Moraes (Brazil)	335
Improvement of dissolution properties of Carbamazepine through application of the liquisolid tablet technique S.A. Tayel, I.I. Soliman, D. Louis (Egypt)	342
New spray congealing atomizer for the microencapsulation of highly concentrated solid and liquid substances B. Albertini, N. Passerini, F. Pattarino, L. Rodriguez (Italy)	348
Cryo-irradiation as a terminal method for the sterilization of drug aqueous solutions A. Maquille, J.-L. Habib Jiwan, B. Tilquin (Belgium)	358
An investigation into the effects of thermal history on the crystallisation behaviour of amorphous paracetamol S. Qi, P. Avalle, R. Saklatvala, D.Q.M. Craig (UK)	364
Influence of compression forces on tablets disintegration by AC Biosusceptometry L.A. Corá, P.R. Fonseca, M.F. Américo, R.B. Oliveira, O. Baffa, J.R.A. Miranda (Brazil)	372
In-line monitoring of granule moisture in fluidized-bed dryers using microwave resonance technology C. Buschmüller, W. Wiedey, C. Döscher, J. Dressler, J. Breitzkreutz (Germany)	380
Characterization of drug–chitosan interaction by ¹ H NMR, FTIR and isothermal titration calorimetry Y. Boonsongrit (Thailand, Germany), B.W. Mueller (Germany), A. Mitrevaj (Thailand)	388
Compound profiling for ABCC2 (MRP2) using a fluorescent microplate assay system F. Förster, A. Volz, G. Fricker (Germany)	396
APV Diary	S1
Calendar of Events	S3
Recently published doctoral thesis	e1

Vol. 69 No. 2 (June 2008)

Research papers

Immune response by nasal delivery of hepatitis B surface antigen and codelivery of a CpG ODN in alginate coated chitosan nanoparticles O. Borges, A. Cordeiro-da-Silva, J. Tavares, N. Santarém, A. de Sousa (Portugal), G. Borchard (Switzerland), H.E. Junginger (Thailand)	405
Self-assembled polyelectrolyte nanocomplexes between chitosan derivatives and enoxaparin W. Sun, S. Mao, D. Mei (China), T. Kissel (Germany)	417
Effective insulin delivery using starch nanoparticles as a potential trans-nasal mucoadhesive carrier A.K. Jain, R.K. Khar, F.J. Ahmed, P.V. Diwan (India)	426
Specific permeability modulation of intestinal paracellular pathway by chitosan-poly(isobutylcyanoacrylate) core-shell nanoparticles I. Bravo-Osuna, C. Vauthier, H. Chacun, G. Ponchel (France)	436
Dual agents loaded PLGA nanoparticles: Systematic study of particle size and drug entrapment efficiency X. Song, Y. Zhao, S. Hou, F. Xu, R. Zhao, J. He, Z. Cai, Y. Li, Q. Chen (PR China)	445
Preparation, characterization and <i>in vivo</i> evaluation of amorphous atorvastatin calcium nanoparticles using supercritical antisolvent (SAS) process M.-S. Kim, S.-J. Jin, J.-S. Kim, H.J. Park, H.-S. Song (Republic of Korea), R.H.H. Neubert (Germany), S.-J. Hwang (Republic of Korea)	454

How to concentrate nanoparticles and avoid aggregation? C. Vauthier, B. Cabane, D. Labarre (France)	466
Preparation and evaluation of microparticles from thiolated polymers via air jet milling H. Hoyer, W. Schlocker, K. Krum, A. Bernkop-Schnürch (Austria)	476
Preparation and characterisation of controlled release co-spray dried drug–polymer microparticles for inhalation 1: Influence of polymer concentration on physical and <i>in vitro</i> characteristics R. Salama, S. Hoe, H.-K. Chan, D. Traini, P.M. Young (Australia)	486
An investigation into the relationship between carrier-based dry powder inhalation performance and formulation cohesive–adhesive force balances M.D. Jones, H. Harris, J.C. Hooton, J. Shur, G.S. King, C.A. Mathoulin, K. Nichol, T.L. Smith, M.L. Dawson, A.R. Ferrie, R. Price (UK)	496
Development of enteric-coated calcium pectinate microspheres intended for colonic drug delivery F. Maestrelli, M. Cirri, G. Corti, N. Mennini, P. Mura (Italy)	508
γ -Irradiation effects on biopharmaceutical properties of PLGA microspheres loaded with SPf66 synthetic vaccine M. Igartua, R.M. Hernández (Spain), J.E. Rosas, M.E. Patarroyo (Colombia), J.L. Pedraz (Spain)	519
The antitumor effect of novel docetaxel-loaded thermosensitive micelles B. Liu, M. Yang, R. Li, Y. Ding, X. Qian, L. Yu, X. Jiang (PR China)	527
Triclosan-loaded poloxamine micelles for enhanced topical antibacterial activity against biofilm D.A. Chiappetta, J. Degrossi, S. Teves, M. D'Aquino, C. Bregni, A. Sosnik (Argentina)	535
The pH-controlled dual-drug release from mesoporous bioactive glass/polypeptide graft copolymer nanomicelle composites W. Xia, J. Chang, J. Lin, J. Zhu (People's Republic of China)	546
Bioavailability of probucol from lipid and surfactant based formulations in minipigs: Influence of droplet size and dietary state F.S. Nielsen, K.B. Petersen, A. Müllertz (Denmark)	553
Controlled nerve growth factor release from multi-ply alginate/chitosan-based nerve conduits L.A. Pfister, E. Alther, M. Papaloizos, Hans. P. Merkle, B. Gander (Switzerland)	563
Konjac glucomannan/xanthan gum enzyme sensitive binary mixtures for colonic drug delivery F. Alvarez-Manceño, M. Landin, R. Martínez-Pacheco (Spain)	573
Cation exchange resins as pharmaceutical carriers for methylene blue: Binding and release F. Gut (Germany), W. Schiek (Austria), W.E. Haefeli, I. Walter-Sack, J. Burhenne (Germany)	582
Nortriptyline hydrochloride skin absorption: Development of a transdermal patch A. Melero (Spain, Germany), T.M. Garrigues, P. Almudever, A.M. Villodre (Spain), C.M. Lehr, U. Schäfer (Germany)	588
Transdermal and dermal delivery of adefovir: Effects of pH and permeation enhancers K. Vávrová, K. Lorencová, J. Klimentová, J. Novotný, A. Holý, A. Hrabálek (Czech Republic)	597
Influence of hydroxypropyl- β -cyclodextrin on transdermal penetration and photostability of avobenzone J. Yang, C.J. Wiley, D.A. Godwin, L.A. Felton (USA)	605
Association of nicotinamide with parabens: Effect on solubility, partition and transdermal permeation S. Nicoli, F. Zani, S. Bilzi, R. Bettini, P. Santi (Italy)	613
Performance of an <i>in vitro</i> mucoadhesion testing method for vaginal semisolids: Influence of different testing conditions and instrumental parameters J. das Neves, M.H. Amaral, M.F. Bahia (Portugal)	622
Improved stomach selectivity of gene expression following microinstillation of plasmid DNA onto the gastric serosal surface in mice J. Nishi, S. Fumoto, H. Ishii, Y. Kodama, M. Nakashima, H. Sasaki, J. Nakamura, K. Nishida (Japan)	633
Rationale for ibuprofen co-administration with antacids: Potential interaction mechanisms affecting drug absorption J. Parojčić (Serbia), O.I. Corrigan (Ireland)	640
Using biorelevant dissolution to obtain IVIVC of solid dosage forms containing a poorly-soluble model compound B.-M. Lue, F.S. Nielsen, T. Magnussen, H.M. Schou, K. Kristensen, L.O. Jacobsen, A. Müllertz (Denmark)	648
Asymmetric membrane in membrane capsules: A means for achieving delayed and osmotic flow of cefadroxil A.K. Philip, K. Pathak, P. Shakya (India)	658
Development of a novel osmotically driven drug delivery system for weakly basic drugs C. Guthmann (Germany), R. Lipp (USA), T. Wagner, H. Kranz (Germany)	667
Incidence of drying on microstructure and drug release profiles from tablets of MCC–lactose–Carbopol® and MCC–dicalcium phosphate–Carbopol® pellets A. Gómez-Carracedo, C. Souto, R. Martínez-Pacheco, A. Concheiro, J.L. Gómez-Amoza (Spain)	675
Bi-layered self-emulsifying pellets prepared by co-extrusion and spheronization: Influence of formulation variables and preliminary study on the <i>in vivo</i> absorption T. Iosio, D. Voinovich, M. Grassi (Italy), J.F. Pinto (Portugal), B. Perissutti, M. Zacchigna, U. Quintavalle, F. Serdoz (Italy)	686
Effect of calcium ions on the gelling and drug release characteristics of xanthan matrix tablets S. Baumgartner, M. Pavli, J. Kristl (Slovenia)	698
New insights on poly(vinyl acetate)-based coated floating tablets: Characterisation of hydration and CO ₂ generation by benchtop MRI and its relation to drug release and floating strength S. Strübing, T. Abboud, R.V. Contri, H. Metz, K. Mäder (Germany)	708
A study on maize proteins as a potential new tablet excipient D.M.R. Georget, S.A. Barker, P.S. Belton (UK)	718
Effect of powder processing on performance of fenofibrate formulations R.A. Jain, L. Brito, J.A. Straub, T. Tessier, H. Bernstein (USA)	727
Sustained-release of buspirone HCl by co spray-drying with aqueous polymeric dispersions N. Al-Zoubi, H.S. Alkhatib, Y. Bustanji, K. Aiedeh (Jordan), S. Malamataris (Greece)	735
Compaction behavior of roller compacted ibuprofen S. Patel, A.M. Kaushal, A.K. Bansal (India)	743
The effects of cryoprotectants on the freeze-drying of ibuprofen-loaded solid lipid microparticles (SLM) L. Zhang, L. Liu, Y. Qian, Y. Chen (PR China)	750
Parameters influencing polymer particle layering of the dry coating process C.D. Kablitz, M. Kappl, N.A. Urbanetz (Germany)	760
Dissolution test for site-specific release isoniazid pellets in USP apparatus 3 (reciprocating cylinder): Optimization using response surface methodology A. Joshi, S. Pund, M. Nivsarkar, K. Vasu, C. Shishoo (India)	769
Designing biorelevant dissolution tests for lipid formulations: Case example – Lipid suspension of RZ-50 E. Jantravid, N. Janssen (Germany), H. Chokshi, K. Tang (USA), J.B. Dressman (Germany)	776
Developing a tool for the preparation of GMP audit of pharmaceutical contract manufacturer A. Linna, M. Korhonen, J.-P. Mannermaa, M. Airaksinen, A.M. Juppo (Finland)	786

APV Diary	S1
Calendar of Events	S3

Vol. 69 No. 3 (August 2008)

Research Papers

Stabilization of IgG1 in spray-dried powders for inhalation S. Schüle, T. Schulz-Fademrecht, P. Garidel, K. Bechtold-Peters, W. Frieß (Germany)	793
Characterization of protein factor(s) in rat bronchoalveolar lavage fluid that enhance insulin transport via transcytosis across primary rat alveolar epithelial cell monolayers R. Bahhady, K.-J. Kim, Z. Borok, E.D. Crandall, W.-C. Shen (USA)	808
Cationic lipid/DNA complexes induce TNF- α secretion in splenic macrophages C. Lonz, M. Vandenbranden, A. Elouahabi, J.-M. Ruyschaert (Belgium)	817
Role of trehalose in moisture-induced aggregation of bovine serum albumin N.K. Jain, I. Roy (India)	824
Interactions between poly(ethylene glycol) and protein in dichloromethane/water emulsions: A study of interfacial properties A. Malzert-Fréon, J.-P. Benoît, F. Boury (France)	835
Sustained release of bioactive glycosylated glial cell-line derived neurotrophic factor from biodegradable polymeric microspheres E. Garbayo, E. Ansorena, J.L. Lanciego, M.S. Aymerich, M.J. Blanco-Prieto (Spain)	844
Transport and structural analysis of molecular imprinted hydrogels for controlled drug delivery S. Venkatesh, J. Saha, S. Pass, M.E. Byrne (USA)	852
The determination of stratum corneum thickness An alternative approach L.M. Russell, S. Wiedersberg, M. Begoña Delgado-Charro (UK)	861
Dissolution rate enhancement of the novel antitumoral β -lapachone by solvent change precipitation of microparticles M.S.S. Cunha-Filho, R. Martínez-Pacheco, M. Landín (Spain)	871
Bioprocess of uniform-sized crosslinked chitosan microspheres in rats following oral administration W. Wei, L.-Y. Wang, L. Yuan, X.-D. Yang, Z.-G. Su, G.-H. Ma (PR China)	878
In vitro–in vivo correlations of self-emulsifying drug delivery systems combining the dynamic lipolysis model and neuro-fuzzy networks D.G. Fatouros, F.S. Nielsen (Denmark), D. Douroumis (UK), L.J. Hadjileontiadis (Greece), A. Mullertz (Denmark)	887
Self-microemulsifying drug delivery system (SMEDDS) improves anticancer effect of oral 9-nitrocamptothecin on human cancer xenografts in nude mice J.-L. Lu, J.-C. Wang, S.-X. Zhao, X.-Y. Liu, H. Zhao, X. Zhang (PR China), S.-F. Zhou (Australia), Q. Zhang (PR China)	899
Pre-formulation of liposomes against <i>Helicobacter pylori</i> : Characterization and interaction with the bacteria P.-L. Bardonnet, V. Faivre, P. Boullanger (France), J.-C. Piffaretti (Switzerland), F. Falson (France)	908
Development of novel polymeric micellar drug conjugates and nano-containers with hydrolyzable core structure for doxorubicin delivery A. Mahmud, X.-B. Xiong, A. Lavasanifar (Canada)	923
Hydrophilic silica aerogels as dermal drug delivery systems – Dithranol as a model drug U. Guenther, I. Smirnova, R.H.H. Neubert (Germany)	935
Cutaneous concentration of lycopene correlates significantly with the roughness of the skin M. Darvin, A. Patzelt, S. Gehse, S. Schanzer, C. Benderoth, W. Sterry, J. Lademann (Germany)	943
Quercetin in w/o microemulsion: <i>In vitro</i> and <i>in vivo</i> skin penetration and efficacy against UVB-induced skin damages evaluated <i>in vivo</i> F.T.M.C. Vicentini, T.R.M. Simi, J.O. Del Ciampo, N.O. Wolga, D.L. Pitol, M.M. Iyomasa, M. V.L.B. Bentley, M.J.V. Fonseca (Brazil)	948
Passive and iontophoretic permeation of glipizide A. Jain, B. Ghosh, N. Rajgor, B.G. Desai (India)	958
Direct compression properties of chitin and chitosan V.G. Mir (Cuba), J. Heinämäki, O. Antikainen (Finland), O.B. Revoredo, A.I. Colarte, O.M. Nieto (Cuba), J. Yliruusi (Finland)	964
Optimisation of an enteric coated, layered multi-particulate formulation for ileal delivery of viable recombinant <i>Lactococcus lactis</i> N. Poelvoorde, N. Huyghebaert, C. Vervae, J.-P. Remon (Belgium)	969
Leaky enteric coating on ranitidine hydrochloride beads: Dissolution and prediction of plasma data E.R. Bendas (USA, Egypt), J.W. Ayres (USA)	977
Effect of the type of lubricant on the characteristics of orally disintegrating tablets manufactured using the phase transition of sugar alcohol Y. Kuno, M. Kojima, H. Nakagami, E. Yonemochi, K. Terada (Japan)	986
Enhancement of famotidine dissolution rate through liquisolid tablets formulation: <i>In vitro</i> and <i>in vivo</i> evaluation R.H. Fahmy, M.A. Kassem (Egypt)	993
Modulation of drug release kinetics of shellac-based matrix tablets by <i>in-situ</i> polymerization through annealing process S. Limmatvapirat, C. Limmatvapirat, S. Puttipatkhachorn, J. Nunthanid, M. Luangtana-anan, P. Sriamornsak (Thailand)	1004
Increasing sodium pantoprazole photostability by microencapsulation: Effect of the polymer and the preparation technique R.P. Raffin, L.M. Colomé, E.E.S. Schapoval, A.R. Pohlmann, S.S. Guterres (Brazil)	1014
Design and <i>in vitro/in vivo</i> evaluation of novel nicorandil extended release matrix tablets based on hydrophilic interpolymer complexes and a hydrophobic waxy polymer G.A. Abdelbary, M.I. Tadros (Egypt)	1019
Application of the SeDeM Diagram and a new mathematical equation in the design of direct compression tablet formulation J.M. Suñé-Negre, P. Pérez-Lozano, M. Miñarro, M. Roig, R. Fuster, C. Hernández, R. Ruhí, E. García-Montoya, J.R. Ticó (Spain)	1029
Influence of the delivery systems using a microneedle array on the permeation of a hydrophilic molecule, calcein J.-H. Oh, H.-H. Park, K.-Y. Do, M. Han, D.-H. Hyun, C.-G. Kim, C.-H. Kim, S.S. Lee, S.-J. Hwang, S.-C. Shin, C.-W. Cho (South Korea)	1040
Physicochemical characterization of five glyburide powders: A BCS based approach to predict oral absorption H. Wei (China), C. Dalton, M. Di Maso (Canada), I. Kanfer (South Africa), R. Löbenberg (Canada)	1046
Nebulization of nanoparticulate amorphous or crystalline tacrolimus – Single-dose pharmacokinetics study in mice P. Sinswat, K.A. Overhoff, J.T. McConville, K.P. Johnston, R.O. Williams III (USA)	1057
Thermodynamic behavior of glassy state of structurally related compounds A.M. Kaushal, A.K. Bansal (India)	1067
Non-invasive diagnosis and monitoring of chronic kidney disease by reverse iontophoresis of urea <i>in vivo</i> V. Wascotte, E. Rozet, A. Salvaterra, P. Hubert, M. Jadoul (Belgium), R.H. Guy (United Kingdom), V. Pr��at (Belgium)	1077

Improved formulation of photosensitizer chlorin e6 polyvinylpyrrolidone for fluorescence diagnostic imaging and photodynamic therapy of human cancer W.W.L. Chin, P.W.S. Heng, P.S.P. Thong, R. Bhuvaneswari (Singapore), W. Hirt, S. Kuenzel (Germany), K.C. Soo, M. Olivo (Singapore)	1083
Macromolecule release and smoothness of semi-interpenetrating PVP–pHEMA networks for comfortable soft contact lenses F. Yañez, A. Concheiro, C. Alvarez-Lorenzo (Spain)	1094
Physicochemical stability of phospholipid-dispersed suspensions of crystalline itraconazole J. Werling, S. Graham, H. Owen, L. Nair, T. Gonyon, P.W. Carter (USA)	1104
Characterization of ternary solid dispersions of Itraconazole in polyethylene glycol 6000/polyvidone-vinylacetate 64 blends S. Janssens, H.N. de Armas, W. D'Autry, A. Van Schepdael, G. Van den Mooter (Belgium)	1114
Development of microporous drug-releasing films cast from artificial nanosized latexes of poly(styrene-co-methyl methacrylate) or poly(styrene-co-ethyl methacrylate) D.P. Otto (USA, South Africa), H.C.M. Vosloo, W. Liebenberg (South Africa), M.M. de Villiers (USA)	1121
Modulation of gel formation and drug-release characteristics of lidocaine-loaded poly(vinyl alcohol)-tetraborate hydrogel systems using scavenger polyol sugars R.G. Loughlin, M.M. Tunney, R.F. Donnelly, D.J. Murphy, M. Jenkins, P.A. McCarron (UK)	1135
Characterisation and controlled drug release from novel drug-loaded hydrogels L.M. Geever, C.C. Cooney, J.G. Lyons, J.E. Kennedy, M.J.D. Nugent, S. Devery, C.L. Higginbotham (Ireland)	1147
Application of PGSTE-NMR technique to characterize the porous structure of pharmaceutical tablets V. Busignies, P. Porion, B. Leclerc, P. Evesque, P. Tchoreloff (France)	1160
Notes	
In vivo infrared spectroscopy studies of alkanol effects on human skin M. Dias (UK), A. Naik (Switzerland), R.H. Guy (Switzerland, UK), J. Hadgraft, M.E. Lane (UK)	1171
Formation mechanism and release behavior of poly(ϵ -caprolactone) microspheres containing disodium norcantharidate S. Wang, S. Guo (China)	1176
Characterisation of excipient-free nanoporous microparticles (NPMs) of bendroflumethiazide A.M. Healy, B.F. McDonald, L. Tajber, O.I. Corrigan (Ireland)	1182
Validation of reference genes for qPCR studies on Caco-2 cell differentiation C. Piana, M. Wirth (Austria), S. Gerbes (Germany), H. Viernstein, F. Gabor, S. Toegel (Austria)	1187
Book Reviews	
Handbook of Bioequivalence U.F. Schaefer (Germany)	1193
Pharmaceutical Biotechnology: Fundamentals and Applications W. Kreis (Germany)	1194
Recension of the Book: Dermal Absorption and Toxicity Assessment M. Schneider (Germany)	1195
APV Diary	S1
Calendar of Events	S3
Recently published doctoral thesis	e1

Vol. 70 No. 1 (September 2008)

Research Papers

Evaluation of promoter strength in mouse and rat primary hepatocytes using adenovirus vectors E. Arita, M. Kondoh, K. Isoda, H. Nishimori, T. Yoshida, H. Mizuguchi, K. Yagi (Japan)	1
Novel cationic liposome formulation for the delivery of an oligonucleotide decoy to NF- κ B into activated macrophages G. De Rosa, D.D. Stefano, V. Laguardia, S. Arpicco, V. Simeon, R. Carnuccio (Italy), E. Fattal (France)	7
Reversible pegylation of insulin facilitates its prolonged action <i>in vivo</i> Y. Shechter, M. Mironchik, S. Rubinstein, H. Tsubery, K. Sasson, Y. Marcus, M. Fridkin (Israel)	19
Polyethylenimine PEI F25-LMW allows the long-term storage of frozen complexes as fully active reagents in siRNA-mediated gene targeting and DNA delivery S. Höbel, R. Prinz, A. Malek, B. Urban-Klein, J. Sitterberg, U. Bakowsky, F. Czubayko, A. Aigner (Germany)	29
Glycation during storage and administration of monoclonal antibody formulations S. Fischer, J. Hoernschemeyer, H.-C. Mahler (Switzerland)	42
Mixed PEG–PE/vitamin E tumor-targeted immunomicelles as carriers for poorly soluble anti-cancer drugs: Improved drug solubilization and enhanced <i>in vitro</i> cytotoxicity R.R. Sawant, R.M. Sawant, V.P. Torchilin (USA)	51
<i>Ex vivo</i> evaluation of prolidase loaded chitosan nanoparticles for the enzyme replacement therapy C. Colonna, B. Conti, P. Perugini, F. Pavanetto, T. Modena, R. Dorati, P. Iadarola, I. Genta (Italy)	58
Three-step tumor targeting of paclitaxel using biotinylated PLA-PEG nanoparticles and avidin–biotin technology: Formulation development and <i>in vitro</i> anticancer activity M. Pulkkinen, J. Pikkarainen, T. Wirth, T. Tarvainen, V. Haapa-aho, H. Korhonen, J. Seppälä, K. Järvinen (Finland)	66
Targeted delivery of tacrine into the brain with polysorbate 80-coated poly(<i>n</i> -butylcyanoacrylate) nanoparticles B. Wilson, M.K. Samanta (India), K. Santhi (Malaysia), K.P.S. Kumar, N. Paramakrishnan, B. Suresh (India)	75
Preparation, characterization and <i>in vitro</i> cytotoxicity of indomethacin-loaded PLLA/PLGA microparticles using supercritical CO ₂ technique Y. Kang, J. Wu, G. Yin, Z. Huang, Y. Yao, X. Liao, A. Chen, X. Pu, L. Liao (PR China)	85
Co-encapsulation of an antigen and CpG oligonucleotides into PLGA microparticles by TROMS technology B.S. Román, J.M. Irache, S. Gómez (Spain), N. Tsapis (France), C. Gamazo, M.S. Espuelas (Spain)	98
Preparation of amorphous cefuroxime axetil nanoparticles by sonoprecipitation for enhancement of bioavailability R.S. Dhumal, S.V. Biradar (India), S. Yamamura (Japan), A.R. Paradkar (India, UK), P. York (UK)	109
Supramolecular organization and release properties of phospholipid-hyaluronan microparticles encapsulating dexamethasone C. Gómez-Gaete (France, Chile), N. Tsapis, L. Silva, C. Bourgaux, M. Besnard, A. Bochot, E. Fattal (France)	116

Reversible protein precipitation to ensure stability during encapsulation within PLGA microspheres A. Giteau, M.-C. Venier-Julienne, S. Marchal, J.-L. Courthaudon, M. Sergent, C. Montero-Menei, J.-M. Verdier, J.-P. Benoit (France)	127
Water-free microencapsulation of proteins within PLGA microparticles by spray drying using PEG-assisted protein solubilization technique in organic solvent H. Mok, T.G. Park (South Korea)	137
Preparation and characterisation of controlled release co-spray dried drug–polymer microparticles for inhalation 2: Evaluation of <i>in vitro</i> release profiling methodologies for controlled release respiratory aerosols R.O. Salama, D. Traini, H.-K. Chan, P.M. Young (Australia)	145
Liposomal vasoactive intestinal peptide for lung application: Protection from proteolytic degradation B. Stark, F. Andreae, W. Mosgoeller, M. Edetsberger, E. Gaubitzer, G. Koehler, R. Prassl (Austria)	153
The release behavior of doxorubicin hydrochloride from medicated fibers prepared by emulsion-electrospinning X. Xu, X. Chen, P. Ma, X. Wang, X. Jing (China)	165
Basic butylated methacrylate copolymer/kappa-carrageenan interpolyelectrolyte complex: Preparation, characterization and drug release behaviour H.J. Prado, M.C. Matulewicz, P. Bonelli, A.L. Cukierman (Argentina)	171
A novel design of one-side coated biodegradable intrascleral implant for the sustained release of triamcinolone acetonide Y.-M. Kim, J.-O. Lim, H.-K. Kim, S.-Y. Kim, J.-P. Shin (Republic of Korea)	179
Effect of formulation parameters on 2-methoxyestradiol release from injectable cylindrical poly(DL-lactide-co-glycolide) implants K.G.H. Desai, S.R. Mallery, S.P. Schwendeman (USA)	187
A novel poloxamers/hyaluronic acid <i>in situ</i> forming hydrogel for drug delivery: Rheological, mucoadhesive and <i>in vitro</i> release properties L. Mayol, F. Quaglia, A. Borzacchiello, L. Ambrosio, M.I.L. Rotonda (Italy)	199
Methylated N-(4-N,N-dimethylaminobenzyl) chitosan for novel effective gene carriers T. Rojanarata, M. Petchsangsa, P. Opanasopit, T. Ngawhirunpat, U. Ruktanonchai, W. Sajomsang, S. Tantayanon (Thailand)	207
Comparative evaluation of interpolyelectrolyte complexes of chitosan with Eudragit® L100 and Eudragit® L100-55 as potential carriers for oral controlled drug delivery R.I. Moustafine, E.B. Margulis, L.F. Sibgatullina, V.A. Kemenova (Russian Federation), G.V.d. Mooter (Belgium)	215
Specific interactions between diphenhydramine and α -helical poly(glutamic acid) – A new ion-pairing complex for taste masking and pH-controlled diphenhydramine release C. Agresti, Z. Tu, C. Ng, Y. Yang, J.F. Liang (USA)	226
Differential stripping demonstrates a significant reduction of the hair follicle reservoir <i>in vitro</i> compared to <i>in vivo</i> A. Patzelt, H. Richter, R. Buetttemeyer, H.J.R. Huber, U. Blume-Peytavi, W. Sterry, J. Lademann (Germany)	234
Modulation of Dihydroavenanthramide D release and skin penetration by 1,2-alkanediols S. Heuschkel, J. Wohlrab, G. Schmaus, R.H.H. Neubert (Germany)	239
The influence of cationic lipid type on <i>in-vitro</i> release kinetic profiles of antisense oligonucleotide from cationic nanoemulsions T. Hagigit, T. Nassar (Israel), F. Behar-Cohen, G. Lambert (France), S. Benita (Israel)	248
Formulation and <i>in vitro</i> evaluation of cysteamine hydrochloride viscous solutions for the treatment of corneal cystinosis S. Bozdağ, K. Gümüş, Ö. Gümüş, N. Ünlü (Turkey)	260
Permeation enhancer effect of chitosan and chitosan derivatives: Comparison of formulations as soluble polymers and nanoparticulate systems on insulin absorption in Caco-2 cells A.M.M. Sadeghi (The Netherlands, Iran), F.A. Dorkoosh, M.R. Avadi (Iran), M. Weinhold (Germany), A. Bayat (Iran), F. Delie, R. Gurny (Switzerland), B. Larijani, M. Rafiee-Tehrani (Iran), H.E. Junginger (The Netherlands, Thailand)	270
Pharmaceutical excipients inhibit cytochrome P450 activity in cell free systems and after systemic administration X. Ren (PR China), X. Mao (Canada), L. Si, L. Cao, H. Xiong, J. Qiu (PR China), A.D. Schimmer (Canada), G. Li (PR China)	279
Release characteristics and <i>in vitro</i> – <i>in vivo</i> correlation of pulsatile pattern for a pulsatile drug delivery system activated by membrane rupture via osmotic pressure and swelling H.-L. Lin, S.-Y. Lin, Y.-K. Lin, H.-O. Ho, Y.-W. Lo, M.-T. Sheu (Taiwan)	289
<i>In-vitro</i> and <i>in-vivo</i> evaluation of enteric-coated starch-based pellets prepared via extrusion/spheronisation A. Dukić-Ott, T. De Beer, J.P. Remon, W. Baeyens (Belgium), P. Foreman (USA), C. Vervaet (Belgium)	302
Mechanistic understanding of time-dependent oral absorption based on gastric motor activity in humans K. Higaki, S.Y. Choe, R. Löbenberg, L.S. Welage, G.L. Amidon (USA)	313
The interplay between yam (<i>Dioscorea</i> sp.) starch botanical source, micromeritics and functionality in paracetamol granules for reconstitution C.K. Riley, S.A. Adebayo, A.O. Wheatley, H.N. Asemota (Jamaica)	326
Formation of shellac succinate having improved enteric film properties through dry media reaction S. Limmatvapirat, D. Panchapornpon, C. Limmatvapirat, J. Nunthanid, M. Luangtana-Anan, S. Puttipatkhachorn (Thailand)	335
Influence of crystal hydration on the mechanical properties of sodium naproxen E. Joiris (France), P.D. Martino, L. Malaj, R. Censi (Italy), C. Barthélémy, P. Odou (France)	345
Material and tablet properties of pregelatinized (thermally modified) <i>Dioscorea</i> starches O.A. Odeku (Germany, Nigeria), W. Schmid, K.M. Picker-Freyer (Germany)	357
Studies on the reduction of tensile strength of tablets after roll compaction/dry granulation M.G. Herting, P. Kleinebudde (Germany)	372
Comparison of physical and inhalation properties of spray-dried and micronized terbutaline sulphate T.H.H. Thi, F. Danède, M. Descamps, M.-P. Flament (France)	380
Effect of the spraying conditions and nozzle design on the shape and size distribution of particles obtained with supercritical fluid drying A. Bouchard, N. Jovanović, A.H. de Boer (The Netherlands), Á. Martín (Spain), W. Jiskoot, D.J.A. Crommelin, G.W. Hofland, G.-J. Witkamp (The Netherlands)	389
The consequences of granulate heterogeneity towards breakage and attrition upon fluid-bed drying F. Nieuwmeyer, K. van der Voort Maarschalk, H. Vromans (The Netherlands)	402
Raman and thermal analysis of indomethacin/PVP solid dispersion enteric microparticles A. Fini, C. Cavallari, F. Ospitali (Italy)	409
APV Diary	51
Calendar of Events	53

Vol. 70 No. 2 (October 2008)

Research papers

- Irregular absorption profiles observed from diclofenac extended release tablets can be predicted using a dissolution test apparatus that mimics *in vivo* physical stresses
G. Garbacz, R.-S. Wedemeyer, S. Nagel, T. Giessmann, H. Mönnikes (Germany), C.G. Wilson (UK), W. Siegmund, W. Weitschies (Germany) 421
- GMP production of pDERMATT for vaccination against melanoma in a phase I clinical trial
S.G.L. Quaak, J.H. van den Berg, M. Toebes, T.N.M. Schumacher, J.B.A.G. Haanen, J.H. Beijnen, B. Nuijen (The Netherlands) 429
- A new solid self-microemulsifying formulation prepared by spray-drying to improve the oral bioavailability of poorly water soluble drugs
T. Yi, J. Wan, H. Xu, X. Yang (China) 439
- Electrospun fibers of acid-labile biodegradable polymers containing ortho ester groups for controlled release of paracetamol
M. Qi, X. Li, Y. Yang, S. Zhou (PR China) 445
- Poly(*N*-vinylacetamide) chains enhance lectin-induced biorecognition through the reduction of nonspecific interactions with nontargets
K. Hiwatari, S. Sakuma, K. Iwata, Y. Masaoka, M. Kataoka, H. Tachikawa, Y. Shoji, S. Yamashita (Japan) 453
- Predicting blood–brain barrier penetration from molecular weight and number of polar atoms
X.-C. Fu, G.-P. Wang, H.-L. Shan, W.-Q. Liang, J.-Q. Gao (PR China) 462
- Polypropylene grafted with smart polymers (PNIPAAm/PAAc) for loading and controlled release of vancomycin
J.-C. Ruiz (Mexico), C. Alvarez-Lorenzo, P. Taboada (Spain), G. Burillo, E. Bucio (Mexico), K. De Pijck, H.J. Nelis, T. Coenye (Belgium), A. Concheiro (Spain) 467
- Surface composition and contact angle relationships for differently prepared solid dispersions
C. Dahlberg, A. Millqvist-Fureby (Sweden), M. Schulte (Switzerland) 478
- Transport of valproate at intestinal epithelial (Caco-2) and brain endothelial (RBE4) cells: Mechanism and substrate specificity
W. Fischer, K. Praetor, L. Metzner, R.H.H. Neubert, M. Brandsch (Germany) 486
- Effect of polymer type on the dissolution profile of amorphous solid dispersions containing felodipine
H. Konno, T. Handa (Japan), D.E. Alonzo, L.S. Taylor (USA) 493
- Evaluation of the formulation of solid dispersions by co-spray drying itraconazole with Inutec SP1, a polymeric surfactant, in combination with PVPVA 64
S. Janssens, J.V. Humbeek, G. Van den Mooter (Belgium) 500
- Pluronic decorated-nanogels with temperature-responsive volume transitions, cytotoxicities, and transfection efficiencies
J.I. Lee, H.S. Yoo (Republic of Korea) 506
- Formulation development of freeze-dried oligonucleotide-loaded gelatin nanoparticles
J.C. Zillies, K. Zwirok, F. Hoffmann, A. Vollmar (Germany), T.J. Anchordoquy (USA), G. Winter, C. Coester (Germany) 514
- Effect of particle size and charge on the network properties of microsphere-based hydrogels
S.R. Van Tomme, C.F. van Nostrum, M. Dijkstra (The Netherlands), S.C. De Smedt (Belgium), W.E. Hennink (The Netherlands) 522
- Transport evaluation of salicylic acid and structurally related compounds across Caco-2 cell monolayers and artificial PAMPA membranes
M. Koljonen, K. Rousu, J. Cierny, A.M. Kaukonen, J. Hirvonen (Finland) 531
- Pore shape in the sodium chloride matrix of tablets after the addition of starch as a second component
Y.S. Wu, H.W. Frijlink, L.J. van Vliet, K. van der Voort Maarschalk (The Netherlands) 539
- Development and *in vitro* evaluation of a controlled release formulation to produce wide dose interval morphine tablets
M.A. Holgado, A. Iruin, J. Alvarez-Fuentes, M. Fernández-Arévalo (Spain) 544
- Sucrose ester nanodispersions: Microviscosity and viscoelastic properties
S. Ullrich, H. Metz, K. Mäder (Germany) 550
- Extended release of a large amount of highly water-soluble diltiazem hydrochloride by utilizing counter polymer in polyethylene oxides (PEO)/polyethylene glycol (PEG) matrix tablets
H. Kojima, K. Yoshihara, T. Sawada, H. Kondo, K. Sako (Japan) 556
- Physicochemical properties and biocompatibility of *N*-trimethyl chitosan: Effect of quaternization and dimethylation
A. Jintapattanakit (Thailand, Germany), S. Mao (Germany, China), T. Kissel (Germany), V.B. Junyaprasert (Thailand) 563
- Targeted drug delivery: Binding and uptake of plant lectins using human 5637 bladder cancer cells
V.E. Plattner, M. Wagner, G. Ratzinger, F. Gabor, M. Wirth (Austria) 572
- Non-specific translocation of peptide-displaying bacteriophage particles across the gastrointestinal barrier
M. Hamzeh-Mivehroud, A. Mahmoudpour, H. Rezazadeh, S. Dastmalchi (Iran) 577
- Carboxymethyl high amylose starch: Chitosan self-stabilized matrix for probiotic colon delivery
C. Calinescu, M.A. Mateescu (Canada) 582
- Microcrystalline cellulose, a useful alternative for sucrose as a matrix former during freeze-drying of drug nanosuspensions – A case study with itraconazole
B. Van Eerdenbrugh, S. Vercruysse, J.A. Martens, J. Vermant, L. Foryen, J. Van Humbeek, G. Van den Mooter, P. Augustijns (Belgium) 590
- Understanding the adsorption mechanism of chitosan onto poly(lactide-co-glycolide) particles
C. Guo, R.A. Gemeinhart (USA) 597
- Influence of plasticizers on the stability and release of a prodrug of Δ^9 -tetrahydrocannabinol incorporated in poly(ethylene oxide) matrices
S. Thumma, M.A. ElSohly, S.-Q. Zhang, W. Gul, M.A. Repka (USA) 605
- Reversible lipidization of somatostatin analogues for the liver targeting
L. Yuan, J. Wang, W.-C. Shen (USA) 615
- PEGylated conjugated linoleic acid stimulation of apoptosis via a p53-mediated signaling pathway in MCF-7 breast cancer cells
J.-H. Seo (South Korea), H.-S. Moon (South Korea, USA), I.-Y. Kim, D.-D. Guo, H.-G. Lee, Y.-J. Choi, C.-S. Cho (South Korea) 621
- Delivery of nanoparticles to the brain detected by fluorescence microscopy
I. Reimold, D. Domke, J. Bender, C.A. Seyfried, H.-E. Radunz, G. Fricker (Germany) 627
- Lipid nanoparticles as vehicles for topical psoralen delivery: Solid lipid nanoparticles (SLN) versus nanostructured lipid carriers (NLC)
J.-Y. Fang, C.-L. Fang, C.-H. Liu, Y.-H. Su (Taiwan) 633
- Bioavailability of amoxicillin and clavulanic acid from extended release tablets depends on intragastric tablet deposition and gastric emptying
W. Weitschies, C. Friedrich, R.S. Wedemeyer, M. Schmidtman, O. Kosch, M. Kinzig, L. Trahms, F. Sörgel, W. Siegmund (Germany), S. Horkovics-Kovats, F. Schwarz, J. Raneburger (Austria), H. Mönnikes (Germany) 641
- Comparison of nanosuspensions and hydroxypropyl- β -cyclodextrin complex of melarsoprol: Pharmacokinetics and tissue distribution in mice
S. Ben Zitar, A. Astier, M. Muchow, S. Gibaud (France) 649
- Encapsulation of mitoxantrone into pegylated SUVs enhances its antineoplastic efficacy
C. Li, J. Cui, C. Wang, Y. Li, H. Zhang, J. Wang, Y. Li, L. Zhang, L. Zhang, W. Guo, Y. Wang (PR China) 657

In vitro/in vivo characterization of melt-molded gabapentin-loaded poly(epsilon-caprolactone) implants for sustained release in animal studies Á.M. Carcaboso, D.A. Chiappetta, C. Höcht, M.G. Blake, M.M. Boccia, C.M. Baratti, A. Sosnik (Argentina)	666
Preparation and, <i>in vitro</i> , preclinical and clinical studies of aceclofenac spherical agglomerates A.N. Usha (India), S. Mutalik (India, Australia), M.S. Reddy, A.K. Ranjith, P. Kushtagi, N. Udupa (India)	674
A few aspects of transonychia water loss (TOWL): Inter-individual, and intra-individual inter-finger, inter-hand and inter-day variabilities, and the influence of nail plate hydration, filing and varnish S. Murdan, D. Hinsu, M. Guimier (UK)	684
Note	
Correlation of <i>in vivo</i> and <i>in vitro</i> release data for rh- $\text{INF}\alpha$ lipid implants M. Schwab, B. Kessler, E. Wolf, G. Jordan, S. Mohl, G. Winter (Germany)	690
Book Review	
Protein Formulation and Delivery S. Rudolf, W. Frieß (Germany)	695
APV Diary	S1
Calendar of Events	S3S
Recently published doctoral thesis	e1
 <i>Vol. 70 No. 3 (November 2008)</i>	
Review article	
Exploring the use of novel drug delivery systems for antiretroviral drugs E. Ojewole, I. Mackraj, P. Naidoo, T. Govender (South Africa)	697
Research papers	
Allergen immunotherapy with nanoparticles containing lipopolysaccharide from <i>Brucella ovis</i> S. Gómez, C. Gamazo, B. San Roman, M. Ferrer, M.L. Sanz, S. Espuelas, J.M. Irache (Spain)	711
Folate-linked lipid-based nanoparticles for synthetic siRNA delivery in KB tumor xenografts T. Yoshizawa, Y. Hattori, M. Hakoshima, K. Koga, Y. Maitani (Japan)	718
Superior antitumor efficiency of cisplatin-loaded nanoparticles by intratumoral delivery with decreased tumor metabolism rate X. Li, R. Li, X. Qian, Y. Ding, Y. Tu, R. Guo, Y. Hu, X. Jiang, W. Guo, B. Liu (PR China)	726
Preparation of estradiol chitosan nanoparticles for improving nasal absorption and brain targeting X. Wang, N. Chi, X. Tang (China)	735
Anti-tumour and immuno-modulation effects of triptolide-loaded polymeric micelles L. Xu, H. Chen, H. Xu, X. Yang (China)	741
PEGylated chitosan-based polymer micelle as an intracellular delivery carrier for anti-tumor targeting therapy F.-Q. Hu, P. Meng, Y.-Q. Dai, Y.-Z. Du, J. You, X.-H. Wei, H. Yuan (PR China)	749
Comparative permeability and diffusion kinetics of cyclosporine A liposomes and propylene glycol solution from human lung tissue into human blood <i>ex vivo</i> B. Trammer, A. Amann, E. Haltner-Ukomadu, S. Tillmanns, M. Keller, P. Högger (Germany)	758
Reduction in burst release of PLGA microparticles by incorporation into cubic phase-forming systems A.R. Ahmed, A. Dashevsky, R. Bodmeier (Germany)	765
<i>In vitro</i> cytotoxicity, <i>in vivo</i> biodistribution and antitumor activity of HPMA copolymer–5-fluorouracil conjugates F. Yuan, X. Qin, D. Zhou, Q.-Y. Xiang, M.-T. Wang, Z.-R. Zhang, Y. Huang (PR China)	770
Preparation and evaluation of mucinated sodium alginate microparticles for oral delivery of insulin P.F. Builders, O.O. Kunle (Nigeria), L.C. Okpaku (United Kingdom), M.I. Builders, A.A. Attama, M.U. Adikwu (Nigeria)	777
Prostaglandin E_2 -loaded microspheres as strategy to inhibit phagocytosis and modulate inflammatory mediators release R. Nicolette, K.M. Lima, J.M.R. Júnior (Brazil), P.J. Jose, M.-J. Sanz (Spain), L.H. Faccioli (Brazil)	784
Evaluation of the binding effect of human serum albumin on the properties of granules K. Kristó, J. Bajdik, I. Erős, K. Pintye-Hódi (Hungary)	791
Modeling of drug release from biodegradable polymer blends L.L. Lao, S.S. Venkatraman (Singapore), N.A. Peppas (USA)	796
Modulation of bupirone HCl release from hypromellose matrices using chitosan succinate: Implications for pH-independent release H.S. AlKhatib, K.M. Aiedeh, Y. Bustanji, S. Hamed, M.K. Mohammad, B. AlKhalidi, S. Najjar (Jordan)	804
Bioactivity of bone resorptive factor loaded on osteoconductive matrices: Stability post-dehydration D. Le Nihouannen, S.V. Komarova (Canada), U. Gbureck (Germany), J.E. Barralet (Canada)	813
Inclusion complexes of tadalafil with natural and chemically modified β -cyclodextrins. I: Preparation and <i>in-vitro</i> evaluation S.M. Badr-Eldin, S.A. Elkheshen, M.M. Ghorab (Egypt)	819
Quality by design – Spray drying of insulin intended for inhalation M.J. Maltesen, S. Bjerregaard, L. Hovgaard, S. Havelund, M. van de Weert (Denmark)	828
Optimization of the aerosolization properties of an inhalation dry powder based on selection of excipients A. Minne, H. Boireau, M.J. Horta, R. Vanbever (Belgium)	839
Pulmonary delivery of scutellarin solution and mucoadhesive particles in rats X.-B. Liu, J.-X. Ye, L.-H. Quan, C.-Y. Liu, X.-L. Deng, M. Yang, Y.-H. Liao (PR China)	845
Powder for reconstitution of the anti-HIV-1 drug TMC278 – Formulation development, stability and animal studies E. Van Gyseghem, M. Pendela, L. Baert, J. Rosier, G. Van 't Klooster, H. De Man, M.-P. Bouche, L. Schueller, P. Van Remoortere, P. Wigerinck, E. Adams, J. Hoogmartens, G. Van den Mooter (Belgium)	853
Dissolution enhancement of the anti-HIV drug UC 781 by formulation in a ternary solid dispersion with TPGS 1000 and Eudragit E100 C. Goddeeris, T. Willems, K. Houthoofd, J.A. Martens, G. Van den Mooter (Belgium)	861
Evaluation of galantamine transbuccal absorption by reconstituted human oral epithelium and porcine tissue as buccal mucosa models: Part I V. De Caro, G. Giandalia, M.G. Siragusa, C. Paderni, G. Campisi, L.I. Giannola (Italy)	869

Effect of chitosan structure properties and molecular weight on the intranasal absorption of tetramethylpyrazine phosphate in rats D. Mei, S. Mao, W. Sun, Y. Wang (China), T. Kissel (Germany)	874
<i>In vitro</i> release of propofol and binding capacity with regard to plasma constituents M. Schicher, M. Polsinger, A. Hermetter, R. Prassl, A. Zimmer (Austria)	882
Pharmacokinetics of meloxicam administered as regular and fast dissolving formulations to the rat: Influence of gastrointestinal dysfunction on the relative bioavailability of two formulations A. Aghazadeh-Habashi, F. Jamali (Canada)	889
Fast dissolving films made of maltodextrins F. Cilurzo, I.E. Cupone, P. Minghetti, F. Selmin, L. Montanari (Italy)	895
Permeation enhancer dodecyl 6-(dimethylamino)hexanoate increases transdermal and topical delivery of adefovir: Influence of pH, ion-pairing and skin species K. Vávrová, K. Lorencová, J. Novotný, A. Holý, A. Hrabálek (Czech Republic)	901
Extraction of amino acids by reverse iontophoresis: Simulation of therapeutic monitoring <i>in vitro</i> A. Sieg (Belgium), F. Jeanneret, M. Fathi, D. Hochstrasser, S. Rudaz, J.-L. Veuthey (Switzerland), R.H. Guy, M. B. Delgado-Charro (UK)	908
NIR transmission spectroscopy for rapid determination of lipid and lyoprotector content in liposomal vaccine adjuvant system CAF01 D. Christensen, M. Allesø, I. Rosenkrands, J. Rantanen, C. Foged, E.M. Agger, P. Andersen, H.M. Nielsen (Denmark)	914
Contamination of semi-solid dosage forms by leachables from aluminium tubes J.B. Haverkamp, U. Lipke, T. Zapf, R. Galensa, C. Lipperheide (Germany)	921
Book review	
Oral Lipid-Based Formulations R. Daniels (Germany)	929
Author Index for Volumes 68–70	930
Subject Index for Volumes 68–70	946
Contents of volumes 68–70	956
APV Diary	S1
Calendar of Events	S3