



Contents lists available at ScienceDirect

European Journal of Pharmaceutics and Biopharmaceutics

journal homepage: www.elsevier.com/locate/ejpb

Contents–Volumes 71–73 (2009)

Vol. 71 No. 1 (January 2009)

Editorial

Theme issue “Solid state and solid dosage forms”

P. Kleinebudde (Germany)

1

Review articles*In-vitro* tomography and non-destructive imaging at depth of pharmaceutical solid dosage forms

J.A. Zeitler, L.F. Gladden (UK)

2

Solid form screening – A review

J. Aaltonen (New Zealand), M. Allesø (Denmark), S. Mirza (Finland), V. Koradia (Denmark), K.C. Gordon (New Zealand), J. Rantanen (Denmark)

23

Production of pellets via extrusion–spheronisation without the incorporation of microcrystalline cellulose: A critical review

A. Dukić-Ott (Belgium), M. Thommes (Germany), J.P. Remon (Belgium), P. Kleinebudde (Germany), C. Vervaet (Belgium)

38

Research papers

Physical characterization and stability of amorphous indomethacin and ranitidine hydrochloride binary systems prepared by mechanical activation

N. Chieng, J. Aaltonen, D. Saville, T. Rades (New Zealand)

47

Rheology and molecular mobility of amorphous blends of citric acid and paracetamol

P. Hoppu, S. Hietala (Finland), S. Schantz (Sweden), A.M. Juppo (Finland)

55

Influence of particle size and preparation methods on the physical and chemical stability of amorphous simvastatin

F. Zhang, J. Aaltonen (New Zealand), F. Tian (Denmark), D.J. Saville, T. Rades (New Zealand)

64

Better understanding of dissolution behaviour of amorphous drugs by *in situ* solid-state analysis using Raman spectroscopy

M. Savolainen, K. Kogermann (Finland), A. Heinz (New Zealand), J. Aaltonen, L. Peltonen, C. Strachan, J. Yliruusi (Finland)

71

Understanding the solid-state behaviour of triglyceride solid lipid extrudates and its influence on dissolution

M. Windbergs (Germany, Finland), C.J. Strachan (Finland), P. Kleinebudde (Germany)

80

The study of different solid forms of Emodepside

J. Baronsky, S. Bongaerts, M. Traebel, H.-C. Weiss, N. Urbanetz (Germany)

88

Understanding the solid-state forms of fenofibrate – A spectroscopic and computational study

A. Heinz (New Zealand, Finland), K.C. Gordon, C.M. McGovern, T. Rades (New Zealand), C.J. Strachan (Finland)

100

Adsorption of pharmaceutical excipients onto microcrystals of siramesine hydrochloride: Effects on physicochemical properties

A. Zimmermann (Denmark), A. Millqvist-Fureby (Sweden), M.R. Elema, T. Hansen, A. Müllertz, L. Hovgaard (Denmark)

109

Terahertz pulsed imaging as an analytical tool for sustained-release tablet film coating

L. Ho (New Zealand, UK), R. Müller (Germany), K.C. Gordon (New Zealand), P. Kleinebudde (Germany), M. Pepper (UK), T. Rades (New Zealand), Y. Shen,

P.F. Taday, J.A. Zeitler (UK)

117

The role of capillary force promoters in dry coating procedures – Evaluation of acetylated monoglyceride, isopropyl myristate and palmitate

F. Klar, N.A. Urbanetz (Germany)

124

Microscale granulation in a fluid bed powder processor using electrostatic atomisation

N. Kivikero, M. Murtomaa, B. Ingelbeen, O. Antikainen, E. Räsänen, J.-P. Mannermaa, A.M. Juppo (Finland)

130

Immediate release pellets with lipid binders obtained by solvent-free cold extrusion

J. Krause, M. Thommes, J. Breitzkreutz (Germany)

138

Evaluation of injection moulding as a pharmaceutical technology to produce matrix tablets

T. Quinten, T.D. Beer, C. Vervaet, J.P. Remon (Belgium)

145

Comparison of two twin-screw extruders for continuous granulation

D. Djuric (Germany), B. Van Melkebeke (Belgium), P. Kleinebudde (Germany), J.P. Remon, C. Vervaet (Belgium)

155

Recently published doctoral thesis

e1

APV Diary

S1

Calendar of events

S3

Announcement

I

Vol. 71 No. 2 (February 2009)

Review articles

- Lipid nanoparticles for parenteral delivery of actives
M.D. Joshi, R.H. Müller (Germany) 161
- Follicular transport route – Research progress and future perspectives
F. Knorr, J. Lademann, A. Patzelt, W. Sterry, U. Blume-Peytavi, A. Vogt (Germany) 173

Research papers

- Short- and long-term stability study of lyophilized solid lipid nanoparticles for gene therapy
A. del Pozo-Rodríguez, M.A. Solinís, A.R. Gascón, J.L. Pedraz (Spain) 181
- In vivo investigation of tolerance and antitumor activity of cisplatin-loaded PLGA-mPEG nanoparticles
G. Mattheolabakis, E. Taoufik, S. Haralambous, M.L. Roberts, K. Avgoustakis (Greece) 190
- In vitro* human plasma distribution of nanoparticulate paclitaxel is dependent on the physicochemical properties of poly(ethylene glycol)-block-poly(caprolactone) nanoparticles
K. Letchford, R. Liggins, K.M. Wasan, H. Burt (Canada) 196
- Benefits of nanoencapsulation for the hypericin-mediated photodetection of ovarian micrometastases
M. Zeisser-Labouébe, F. Delie, R. Gurny, N. Lange (Switzerland) 207
- Nanoparticle-mediated combination chemotherapy and photodynamic therapy overcomes tumor drug resistance *in vitro*
A. Khadair, H. Handa, G. Mao, J. Panyam (USA) 214
- Physicochemical aspects of doxorubicin-loaded pH-sensitive polymeric micelle formulations from a mixture of poly(L-histidine)-*b*-poly(L-lactide)-*b*-poly(ethylene glycol)
H. Yin, Y.H. Bae (USA) 223
- An ion pairing approach to increase the loading of hydrophilic and lipophilic drugs into PEGylated PLGA nanoparticles
G. Dalwadi, B. Sunderland (Australia) 231
- Nanoparticles for skin penetration enhancement – A comparison of a dendritic core-multishell-nanotransporter and solid lipid nanoparticles
S. Küchler, M.R. Radowski, T. Blaschke, M. Dathe, J. Plendl, R. Haag, M. Schäfer-Korting, K.D. Kramer (Germany) 243
- Transferrin- and transferrin-receptor-antibody-modified nanoparticles enable drug delivery across the blood–brain barrier (BBB)
K. Ulbrich, T. Hekmatara, E. Herbert, J. Kreuter (Germany) 251
- Chitosan/cyclodextrin nanoparticles can efficiently transfect the airway epithelium *in vitro*
D. Teijeiro-Osorio, C. Remuñán-López, M.J. Alonso (Spain) 257
- Preparation of preformed porous PLGA microparticles and antisense oligonucleotides loading
A.R. Ahmed, R. Bodmeier (Germany) 264
- Intraorally fast-dissolving particles of a poorly soluble drug: Preparation and *in vitro* characterization
R. Laitinen, E. Suihko, K. Toukola, M. Björkqvist, J. Riikonen, V.P. Lehto, K. Järvinen, J. Ketolainen (Finland) 271
- Nano-salbutamol dry powder inhalation: A new approach for treating broncho-constrictive conditions
Bhavna, F.J. Ahmad, G. Mittal, G.K. Jain, G. Malhotra, R.K. Khar, A. Bhatnagar (India) 282
- Trifluralin liposomal formulations active against *Leishmania donovani* infections
M. Carvalheiro, J. Jorge, C. Eleutério, A.F. Pinhal, A.C. Sousa, J.G. Morais, M.E.M. Cruz (Portugal) 292
- Gelation of microemulsions and release behavior of sodium salicylate from gelled microemulsions
G. Feng, Y. Xiong, H. Wang, Y. Yang (China) 297
- Evaluation of proinflammatory cytokine production and liver injury induced by plasmid DNA/cationic liposome complexes with various mixing ratios in mice
Y. Ito, S. Kawakami, P. Charoensit, Y. Higuchi, M. Hashida (Japan) 303
- Oral microemulsions of paclitaxel: *In situ* and pharmacokinetic studies
A.O. Nornoo, H. Zheng, L.B. Lopes, B. Johnson-Restrepo, K. Kannan, R. Reed (USA) 310
- The permeability of large molecular weight solutes following particle delivery to air-interfaced cells that model the respiratory mucosa
C.I. Grainger, L.L. Greenwell, G.P. Martin, B. Forbes (UK) 318
- Mucoadhesion and drug permeability of free mixed films of pectin and chitosan: An *in vitro* and *ex vivo* study
E. Hagesaether, M. Hiorth, S.A. Sande (Norway) 325
- A Caco-2 cell based screening method for compounds interacting with MRP2 efflux protein
S. Siissalo, J. Hannukainen, J. Kolehmainen, J. Hirvonen, A.M. Kaukonen (Finland) 332
- In vitro* evaluation of natural and methylated cyclodextrins as buccal permeation enhancing system for omeprazole delivery
A. Figueiras (Portugal), J. Hombach (Austria), F. Veiga (Portugal), A. Bernkop-Schnürch (Austria) 339
- Solubilisation of dipalmitoylphosphatidylcholine bilayers by sodium taurocholate: A model to study the stability of liposomes in the gastrointestinal tract and their mechanism of interaction with a model bile salt
K. Andrieux, L. Forte, S. Lesieur, M. Paternostre, M. Ollivon, C. Grabielle-Madelmont (France) 346
- Use of spray-dried chitosan acetate and ethylcellulose as compression coats for colonic drug delivery: Effect of swelling on triggering *in vitro* drug release
J. Nunthanid, M. Luangtana-anan, P. Sriamornsak, S. Limmatvapirat, K. Huanbutta, S. Puttipatkhachorn (Thailand) 356
- Dermatopharmacokinetics of betamethasone 17-valerate: Influence of formulation viscosity and skin surface cleaning procedure
S. Wiedersberg (UK), C.S. Leopold (Germany), R.H. Guy (UK) 362
- Role of benzyl alcohol in the prevention of heat-induced aggregation and inactivation of hen egg white lysozyme
M.K. Goyal, I. Roy, U.C. Banerjee (India), V.K. Sharma (USA), A.K. Bansal (India) 367
- The influence of the preparation methods on the inclusion of model drugs in a β -cyclodextrin cavity
P.J. Salústio, G. Feio, J.L. Figueirinhas, J.F. Pinto, H.M. Cabral Marques (Portugal) 377
- Mechanism of drug release from polymethacrylate-based extrudates and milled strands prepared by hot-melt extrusion
J. Albers, R. Alles, K. Matthée, K. Knop, J.S. Nahrup, P. Kleinebudde (Germany) 387
- On the physical interpretation of the initial bending of a Shapiro–Konopicky–Heckel compression profile
I. Klevan (Norway), J. Nordström (Sweden), A. Bauer-Brandl (Norway), G. Alderborn (Sweden) 395

Book Review

- Pharmaceutical Stress Testing, Predicting Drug Degradation, Drugs and the Pharmaceutical Sciences, vol. 153, Taylor & Francis, Boca Raton (2005)
R. Süverkrüp (Germany) 402
- Reading, Thermal Analysis of Pharmaceuticals, Marcel Dekker (2007). 416 pp., \$ 139.95. ISBN: 978-0-8247-5814-1
K.M. Picker-Freyer (Germany) 402

Aqueous Polymeric Coatings for Pharmaceutical Dosage forms, third ed., Taylor and Francis, London, 2008, 488 pp. 145 €. ISBN: 0-8493-8789-2 K.M. Picker-Freyer (Germany)	403
Preformulation in Solid Dosage Form Development, Taylor and Francis, London, 2008, 596 pp., 130 €. ISBN: 978-0-8247-5809-7 K.M. Picker-Freyer (Germany)	404
Drug–Drug interactions, A. David Rodrigues, Second Edition, Informa Healthcare USA, Inc., (2008). 768 pp., 178, €, ISBN: 978-0-8493-7593-4 H. Glaeser (Germany)	404
APV Diary	S1
Calendar of events	S3

Vol. 71 No. 3 (March 2009)

Editorial

Engineered polymers and polymeric systems in controlled drug delivery and targeting K. Avgoustakis (Greece)	407
--	-----

Review articles

Polymeric drugs for efficient tumor-targeted drug delivery based on EPR-effect H. Maeda, G.Y. Bharate (Japan), J. Daruwalla (Australia)	409
Engineered polymers for advanced drug delivery S. Kim, J.-H. Kim, O. Jeon (USA), I.C. Kwon (Republic of Korea), K. Park (USA)	420
Multifunctional and stimuli-sensitive pharmaceutical nanocarriers V. Torchilin (USA)	431
Dendrimers as versatile platform in drug delivery applications S. Svenson (USA)	445
Polymersome carriers: From self-assembly to siRNA and protein therapeutics D.A. Christian, S. Cai, D.M. Bowen, Y. Kim, J.D. Pajeroski, D.E. Discher (USA)	463
Recent development of nonviral gene delivery systems with virus-like structures and mechanisms K. Itaka, K. Kataoka (Japan)	475
Current prospects for mRNA gene delivery A. Yamamoto, M. Kormann, J. Rosenecker, C. Rudolph (Germany)	484
Polymer nanocarriers for the delivery of small fragments of nucleic acids: Oligonucleotides and siRNA H. de Martimpres, C. Vauthier, C. Malvy, P. Couvreur (France)	490
Mucoadhesive polymeric platforms for controlled drug delivery G.P. Andrews, T.P. Lavery, D.S. Jones (Ireland)	505
Engineering design and molecular dynamics of mucoadhesive drug delivery systems as targeting agents L. Serra (USA, Spain), J. Doménech (Spain), N.A. Peppas (USA)	519

APV Diary	S1
Calendar of events	S3
Recently published doctoral thesis	e1

Vol. 72 No. 1 (May 2009)

Research papers

pH-Sensitive nanospheres for colon-specific drug delivery in experimentally induced colitis rat model A. Makhlof, Y. Tozuka, H. Takeuchi (Japan)	1
Development of new lipid-based paclitaxel nanoparticles using sequential simplex optimization X. Dong, C.A. Mattingly, M. Tseng, M. Cho, V.R. Adams, R.J. Mumper (USA)	9
Ultrafine PEG–PLA fibers loaded with both paclitaxel and doxorubicin hydrochloride and their in vitro cytotoxicity X. Xu, X. Chen, Z. Wang, X. Jing (China)	18
A freeze-dried formulation of bacteriophage encapsulated in biodegradable microspheres U. Puapernpoonsiri, J. Spencer, C.F. van der Walle (UK)	26
Preparation and characterization of mucinated cellulose microparticles for therapeutic and drug delivery purposes P.F. Builders, N. Ibekwe (Niger), L.C. Okpako (United Kingdom), A.A. Attama, O.O. Kunle (Nigeria)	34
Alginate–poloxamer microparticles for controlled drug delivery to mucosal tissue K. Moebus (Germany), J. Siepmann (France), R. Bodmeier (Germany)	42
Epidural, intrathecal and plasma pharmacokinetic study of epidural ropivacaine in PLGA-microspheres in sheep model M. Ratajczak-Ensime, J.-P. Estebe, G. Dollo, F. Chevanne, D. Bec, J.-M. Malinovsky, C. Ecoffey, P. Le Corre (France)	54
Dye diffusion from microcapsules with different shell thickness into mammalian skin H.N. Yow, X. Wu, A.F. Routh, R.H. Guy (UK)	62
Simultaneous absorption of vitamins C and E from topical microemulsions using reconstructed human epidermis as a skin model B. Rozman (France, Slovenia), M. Gasperlin (Slovenia), E. Tinois-Tessoneaud, F. Piro, F. Falson (France)	69
Modulation of release rate and barrier transport of Diclofenac incorporated in hydrophilic matrices: Role of cyclodextrins and implications in oral drug delivery A. Miro, A. Rondinone, A. Nappi, F. Ungaro, F. Quaglia, M.I. La Rotonda (Italy)	76
Dissolution-modulating mechanism of alkalizers and polymers in a nanoemulsifying solid dispersion containing ionizable and poorly water-soluble drug T.T.-D. Tran, P.H.-L. Tran, B.-J. Lee (Republic of Korea)	83
Computer simulations using GastroPlus™ to justify a biowaiver for etoricoxib solid oral drug products A. Okumu, M. DiMaso, R. Löbenberg (Canada)	91

An improved method to validate the relative humidity generation in sorption balances L. Wadsö, A. Anderberg, I. Åslund, O. Söderman (Sweden)	99
A comparative pH-dissolution profile study of selected commercial levothyroxine products using inductively coupled plasma mass spectrometry D. Pabla, F. Akhlaghi, H. Zia (USA)	105
Modulating pH-independent release from coated pellets: Effect of coating composition on solubilization processes and drug release S. Ensslin (Switzerland, Germany), K.P. Moll (Switzerland), H. Metz (Germany), M. Oetz (Switzerland), K. Mäder (Germany)	111
The role of formulation excipients in the development of lyophilised fast-disintegrating tablets R. Chandrasekhar, Z. Hassan, F. AlHusban, A.M. Smith, A.R. Mohammed (UK)	119
Drug release mechanisms from ethylcellulose: PVA-PEG graft copolymer-coated pellets S. Muschert, F. Siepmann (France), B. Leclercq (Belgium), B. Carlin (USA), J. Siepmann (France)	130
Graft copolymers of ethyl methacrylate on waxy maize starch derivatives as novel excipients for matrix tablets: Physicochemical and technological characterisation J.A. Marinich, C. Ferrero, M.R. Jiménez-Castellanos (Spain)	138
Application of multivariate methods to compression behavior evaluation of directly compressible materials R.V. Haware, I. Tho, A. Bauer-Brandl (Norway)	148
Drug agglomeration and dissolution – What is the influence of powder mixing? K. Kale, K. Hapgood, P. Stewart (Australia)	156
Tableting and tablet properties of alginates: Characterisation and potential for Soft Tableting W. Schmid, K.M. Picker-Freyer (Germany)	165
Characterisation of density distributions in roller-compacted ribbons using micro-indentation and X-ray micro-computed tomography A.M. Miguélez-Morán (UK, Germany), C.-Y. Wu, H. Dong, J.P.K. Seville (UK)	173
New processing technique for viscous amorphous materials and characterisation of their stickiness and deformability P. Hoppu, A. Grönroos (Finland), S. Schantz (Sweden), A.M. Juppo (Finland)	183
Near InfraRed Spectroscopy homogeneity evaluation of complex powder blends in a small-scale pharmaceutical preformulation process, a real-life application I. Storme-Paris, I. Clarot, S. Esposito, J.C. Chaumeil, A. Nicolas, F. Brion, A. Rieutord, P. Chaminade (France)	189
Characterization and pharmacokinetic analysis of aerosolized aqueous voriconazole solution J.A. Tolman, N.A. Nelson, Y.J. Son, S. Bosselmann, N.P. Wiederhold, J.I. Peters, J.T. McConville, R.O. Williams III (USA)	199
Physical characteristics and aerosol performance of naringin dry powders for pulmonary delivery prepared by spray-drying F. Sansone, R.P. Aquino, P.D. Gaudio, P. Colombo, P. Russo (Italy)	206
Characterization and in vitro evaluation of the formoterol/cyclodextrin complex for pulmonary administration by nebulization T.H.H. Thi, N. Azaroual, M.-P. Flament (France)	214
The cell-penetrating peptide octa-arginine is a potent inhibitor of proteasome activities A. Klotz, P. Henklein, D. Siele, M. Schmolke (Germany), S. Apcher (France), L. Kuehn (Germany), P.W. Sheppard (UK), B. Dahlmann (Germany)	219
Extraction of amino acids by reverse iontophoresis <i>in vivo</i> A. Sieg (Belgium), F. Jeanneret, M. Fathi, D. Hochstrasser, S. Rudaz, J.-L. Veuthey (Switzerland), R.H. Guy, M. Begoña Delgado-Charro (UK)	226
A novel dextran hydrogel linking <i>trans</i> -ferulic acid for the stabilization and transdermal delivery of vitamin E R. Cassano, S. Trombino, R. Muzzalupo, L. Tavano, N. Picci (Italy)	232
Novel transdermal delivery of Timolol maleate using sugar esters: Preclinical and clinical studies H.M. El-Laithy (Egypt)	239
Feasibility, stability and release performance of a time-dependent insulin delivery system intended for oral colon release A. Maroni, M.D.D. Curto, M. Serraton, L. Zema, A. Foppoli, A. Gazzaniga, M.E. Sangalli (Italy)	246
Sodium hyaluronate as a mucoadhesive component in nasal formulation enhances delivery of molecules to brain tissue S. Horvát, A. Fehér (Hungary), H. Wolburg (Germany), P. Sipos, S. Veszelka, A. Tóth, L. Kis, A. Kurunczi, G. Balogh, L. Kürti, I. Erős, P. Szabó-Révész, M.A. Deli (Hungary)	252
Formulation of thermoresponsive and bioadhesive gel for treatment of oesophageal pain and inflammation Á. Makó, G. Csóka, E. Pásztor, S. Marton, G. Horvai, I. Klebovich (Hungary)	260
An investigation into the characteristics of chitosan/Kollocoat SR30D free films for colonic drug delivery H. Wei, F. Li-Fang, X. Bai, L. Chun-Lei, D. Qing, C. Yong-Zhen, C. De-Ying (PR China)	266
Analytical, biopharmaceutical and regulatory evaluation of topical testosterone preparations B. Baert, S. Annavarapu, C. Burvenich, B. De Spiegeleer (Belgium)	275
Notes	
High frequency controlled capsules with integrated gas producing cells R. Groening, H. Bensmann (Germany)	282
Book Review	
G. Fricker (Germany)	285
APV Diary	S1
Calendar of events	S2
Announcement	I

Vol. 72 No. 2 (June 2009)

Editorial

Biological barriers and nanomedicine – Timely challenges in advanced drug delivery research C.-M. Lehr (Germany)	287
---	-----

Skin Barrier

Tight junctions and tight junction proteins in mammalian epidermis J.M. Brandner (Germany)	289
Non-invasive <i>in vivo</i> methods for investigation of the skin barrier physical properties R. Darlenski (Bulgaria), S. Sassning (Germany), N. Tsankov (Bulgaria), J.W. Fluhr (Germany)	295

Controlled non-invasive transdermal iontophoretic delivery of zolmitriptan hydrochloride <i>in vitro</i> and <i>in vivo</i> S.R. Patel, H. Zhong, A. Sharma (USA), Y.N. Kalia (Switzerland)	304
Characterisation of epidermal lipid composition and skin morphology of animal skin <i>ex vivo</i> J. Stahl, F. Niedorf, M. Kietzmann (Germany)	310
The tape stripping procedure – evaluation of some critical parameters J. Lademann, U. Jacobi (Germany), C. Surber (Switzerland), H.-J. Weigmann, J.W. Fluhr (Germany)	317
Potential pitfalls in skin permeation experiments: Influence of experimental factors and subsequent data evaluation A. Henning, U.F. Schaefer, D. Neumann (Germany)	324
A comparison of two- and three-dimensional models for the simulation of the permeability of human stratum corneum A. Naegel, M. Heisig, G. Wittum (Germany)	332
Air-Blood Barriers (Lung)	
Barrier functions and paracellular integrity in human cell culture models of the proximal respiratory unit C. Pohl, M.I. Hermanns, C. Uboldi, M. Bock, S. Fuchs, J. Dei-Anang, E. Mayer, K. Kehe, W. Kummer, C.J. Kirkpatrick (Germany)	339
A novel cell compatible impingement system to study <i>in vitro</i> drug absorption from dry powder aerosol formulations M. Bur (Germany), B. Rothen-Rutishauser (Switzerland), H. Huwer, C.-M. Lehr (Germany)	350
The influence of chitosan content in cationic chitosan/PLGA nanoparticles on the delivery efficiency of antisense 2'-O-methyl-RNA directed against telomerase in lung cancer cells S. Taetz, N. Nafee, J. Beisner, K. Piotrowska, C. Baldes, T.E. Mürdter, H. Huwer, M. Schneider, U.F. Schaefer, U. Klotz, C.-M. Lehr (Germany)	358
Current <i>in vitro</i> methods in nanoparticle risk assessment: Limitations and challenges A. Kroll, M.H. Pillukat, D. Hahn, J. Schnekenburger (Germany)	370
Other Barriers and Nanotechnologies	
Hydrosoluble polymers for muscular gene delivery C. Roques, Y. Fromes, E. Fattal (France)	378
Fluorescence <i>in situ</i> hybridization to monitor the intracellular location and accessibility of plasmid DNA delivered by cationic polymer-based gene carriers K.J. Wilschut (The Netherlands), M.A.E.M. van der Aa (United States), R.S. Oosting, W.E. Hennink, G.A. Koning, D.J.A. Crommelin, E. Mastrobattista (The Netherlands)	391
A high relaxivity Gd(III)DOTA-DSPE-based liposomal contrast agent for magnetic resonance imaging S. Hak, H.M.H.F. Sanders, P. Agrawal, S. Langereis, H. Grüll, H.M. Keizer (The Netherlands), F. Arena, E. Terreno (Italy), G.J. Strijkers, K. Nicolay (The Netherlands)	397
Research papers	
Elimination of the free sulfhydryl group in the human serum albumin (HSA) moiety of human interferon- α 2b and HSA fusion protein increases its stability against mechanical and thermal stresses H.L. Zhao, C. Xue, Y. Wang, B. Sun, X.Q. Yao, Z.M. Liu (People's Republic of China)	405
Preparation and PEGylation of exendin-4 peptide secreted from yeast <i>Pichia pastoris</i> J. Zhou, Z.-H. Cai, L. Li, C. Kou, Y.-F. Gao (PR China)	412
Functionalized nanospheres loaded with anti-angiogenic drugs: Cellular uptake and angiostatic efficacy T. Hammady, J.-M. Rabanel, R.S. Dhanikula, G. Leclair, P. Hildgen (Canada)	418
Physico-chemical characterisation of PLGA nanoparticles after freeze-drying and storage M. Holzer, V. Vogel, W. Mäntele, D. Schwartz, W. Haase, K. Langer (Germany)	428
Poly(vinyl alcohol) nanoparticle stability in biological media and uptake in respiratory epithelial cell layers <i>in vitro</i> M. Madlova, S.A. Jones, I. Zwierschke, Y. Ma, R.C. Hider, B. Forbes (UK)	438
Formulation of ascorbic acid microemulsions with alkyl polyglycosides N. Pakpayat, F. Nielloud, R. Fortuné, C. Tourne-Petel (France), A. Villarreal (Venezuela), I. Grillo, B. Bataille (France)	444
Glucomannan, a promising polysaccharide for biopharmaceutical purposes M. Alonso-Sande, D. Teijeiro-Osorio, C. Remuñán-López, M.J. Alonso (Spain)	453
Influence of polyethylene glycol/polyethylene oxide on the release characteristics of sustained-release ethylcellulose mini-matrices produced by hot-melt extrusion: <i>in vitro</i> and <i>in vivo</i> evaluations E. Verhoeven, T.R.M. De Beer, E. Schacht, G. Van den Mooter, J.P. Remon, C. Vervaet (Belgium)	463
Evaluation of the transport, <i>in vitro</i> metabolism and pharmacokinetics of Salvinorin A, a potent hallucinogen Z.S. Teksin (USA, Turkey), I.J. Lee, N.N. Nemieboka, A.A. Othman, V.V. Upreti, H.E. Hassan, S.S. Syed, T.E. Prisinzano, N.D. Eddington (USA)	471
APV Diary	S1
Calendar of events	S2
Announcement	I

Vol. 72 No. 3 (August 2009)

Review article

Biosimilars – Science, status, and strategic perspective G.-B. Kresse (Germany)	479
--	-----

Research papers

Bioadhesive sulfacetamide sodium microspheres: Evaluation of their effectiveness in the treatment of bacterial keratitis caused by <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> in a rabbit model D. Sensoy, E. Cevher, A. Sarıcı, M. Yılmaz, A. Özdamar, N. Bergişadi (Turkey)	487
Silica nanoparticles as hepatotoxicants H. Nishimori, M. Kondoh, K. Isoda, S. Tsunoda, Y. Tsutsumi, K. Yagi (Japan)	496
Development of a long-acting injectable formulation with nanoparticles of rilpivirine (TMC278) for HIV treatment L. Baert, G. van 't Klooster, W. Dries, M. François, A. Wouters, E. Basstanie, K. Iterbeke, F. Stappers, P. Stevens, L. Schueller, P. Van Remoortere, G. Kraus, P. Wigerinck, J. Rosier (Belgium)	502
The use of Eudragit® RS 100/cyclodextrin nanoparticles for the transmucosal administration of glutathione A. Lopedota, A. Trapani, A. Cutrignelli, L. Chiarantini, E. Pantucci, R. Curci, E. Manuali, G. Trapani (Italy)	509

A dynamic topical hydrofluoroalkane foam to induce nanoparticle modification and drug release <i>in situ</i> Y. Zhao, M. Moddarese, S.A. Jones, M.B. Brown (UK)	521
Dexamethasone-containing biodegradable superparamagnetic microparticles for intra-articular administration: Physicochemical and magnetic properties, <i>in vitro</i> and <i>in vivo</i> drug release N. Butoescu, O. Jordan, P. Burdet, P. Stadelmann, A. Petri-Fink, H. Hofmann, E. Doelker (Switzerland)	529
Enhanced oral bioavailability of dexibuprofen by a novel solid Self-emulsifying drug delivery system (SEDDS) P. Balakrishnan, B.-J. Lee, D.H. Oh, J.O. Kim, M.J. Hong, J.-P. Jee, J.A. Kim, B.K. Yoo, J.S. Woo, C.S. Yong, H.-G. Choi (South Korea)	539
Subconjunctivally injected, liposome-encapsulated streptokinase enhances the absorption rate of subconjunctival hemorrhages in rabbits S.-H. Baek, S.J. Park, S.-E. Jin, J.-K. Kim, C.-K. Kim, J.-M. Hwang (Republic of Korea)	546
Dermal and transdermal targeting of dihydroavenanthramide D using enhancer molecules and novel microemulsions S. Heuschkel, J. Wohlrab, R.H.H. Neubert (Germany)	552
<i>In vivo</i> evaluation of thiolated poly(acrylic acid) as a drug absorption modulator for MRP2 efflux pump substrates M. Greindl, F. Föger, J. Hombach, A. Bernkop-Schnürch (Austria)	561
Influence of polymer adjuvants on the ultrasound-mediated transfection of cells in culture S. Mehier-Humbert, T. Bettinger, F. Yan (Switzerland), R. Guy (Switzerland, UK)	567
Starch-based coatings for colon-specific drug delivery. Part I: The influence of heat treatment on the physico-chemical properties of high amylose maize starches A. Cristina Freire (UK, Portugal), C.C. Fertig, F. Podczek (UK), F. Veiga, J. Sousa (Portugal)	574
Starch-based coatings for colon-specific delivery. Part II: Physicochemical properties and <i>in vitro</i> drug release from high amylose maize starch films C. Freire, F. Podczek (UK), F. Veiga, J. Sousa (Portugal)	587
Electroosmotic flow as a result of buccal iontophoresis – Buccal mucosa properties A. Moscicka-Studzinska, E. Kijeńska, T. Ciach (Poland)	595
Comparison of two <i>in vitro</i> models for the analysis of follicular penetration and its prevention by barrier emulsions J. Lademann, A. Patzelt, H. Richter, S. Schanzer, W. Sterry, A. Filbry, K. Bohnsack, F. Rippke, M. Meinke (Germany)	600
A fluorescence-based <i>in vitro</i> assay for drug interactions with breast cancer resistance protein (BCRP, ABCG2) A. Mahringer, J. Delzer, G. Fricker (Germany)	605
Improved bioavailability of darunavir by use of κ -carrageenan versus microcrystalline cellulose as pelletisation aid M. Thommes (Germany), L. Baert, G. van 't Klooster, M. Geldof, L. Schueller, J. Rosier (Belgium), P. Kleinebudde (Germany)	614
Compaction properties of isomalt G.K. Bolhuis, J.J.P. Engelhart, A.C. Eissens (The Netherlands)	621
Notes	
Histological analysis of 70-nm silica particles-induced chronic toxicity in mice H. Nishimori, M. Kondoh, K. Isoda, S. Tsunoda, Y. Tsutsumi, K. Yagi (Japan)	626
The enhancement of interstitial transport of a doxorubicin–lactosaminated albumin conjugate by imatinib: In rat hepatocellular carcinoma it is not preferentially higher than that in liver and bone marrow L. Fiume, M. Baglioni, C. Busi, M. Manerba, G. Di Stefano (Italy)	630
Other	
Comment on “Gelation of microemulsions and release behaviour of sodium salicylate from gelled microemulsions” [Eur. J. Pharm. Biopharm. 71 (2009) 297] C. Stubenrauch (Ireland), T. Sottmann, R. Strey (Germany), I. Lynch (Ireland)	632
Response to comments on “Gelation of microemulsions and release behavior of sodium salicylate from gelled microemulsions”, [Eur. J. Pharm. Biopharm. 2009, 71, 297] Y. Yang (China)	633
Erratum to “Physicochemical aspects of doxorubicin-loaded pH-sensitive polymeric micelle formulations from a mixture of poly(L-histidine)-b-poly(ethylene glycol)/poly(L-lactide)-b-poly(ethylene glycol)” [Eur. J. Pharm. Biopharm. 71 (2009) 223–230] H. Yin, Y.H. Bae (USA)	634
APV Diary	S1
Calendar of events	S2

Vol. 73 No. 1 (September 2009)

Review article

Lipid – An emerging platform for oral delivery of drugs with poor bioavailability S. Chakraborty, D. Shukla, B. Mishra, S. Singh (India)	1
---	---

Research papers

Targeting nanoparticles to M cells with non-peptidic ligands for oral vaccination Y. Fievez, L. Plapied, A. des Rieux, V. Pourcelle, H. Freichels, V. Wascotte, M.-L. Vanderhaeghen, C. Jérôme, A. Vanderplasschen, J. Marchand-Brynaert, Y.-J. Schneider, V. Pr��at (Belgium)	16
Design for optimization of nanoparticles integrating biomaterials for orally dosed insulin C.B. Woitiski, F. Veiga, A. Ribeiro (Portugal), R. Neufeld (Canada)	25
Influences of opioids and nanoparticles on <i>in vitro</i> wound healing models N.B. Wolf, S. K��chler, M.R. Radowski, T. Blaschke, K.D. Kramer, G. Weindl, B. Kleuser, R. Haag, M. Sch��fer-Korting (Germany)	34
Polyethylenimine nanoparticles as an efficient <i>in vitro</i> siRNA delivery system S. Nimesh, R. Chandra (India)	43
VEGF-controlled release within a bone defect from alginate/chitosan/PLA-H scaffolds B. De la Riva (Spain), C. Nowak (Germany), E. S��nchez, A. Hern��ndez (Spain), M. Schulz-Siegmund (Germany), M.K. Pec, A. Delgado, C. ��vora (Spain)	50
<i>In vivo</i> and <i>in vitro</i> anti-cancer activity of thermo-sensitive and photo-crosslinkable doxorubicin hydrogels composed of chitosan–doxorubicin conjugates Y.I. Cho, S. Park, S.Y. Jeong, H.S. Yoo (Republic of Korea)	59
Interactions between poly(ethylene glycol) and protein in dichloromethane/water emulsions. 2. Conditions required to obtain spontaneous emulsification allowing the formation of bioresorbable poly(D,L lactic acid) microparticles A. Malzert-Fr��on, K. Sch��nhammer, J.-P. Beno��t, F. Boury (France)	66

Colon targeting with bacteria-sensitive films adapted to the disease state Y. Karrout, C. Neut, D. Wils, F. Siepmann, L. Deremaux, L. Dubreuil, P. Desreumaux, J. Siepmann (France)	74
Comparative evaluation of polymeric and amphiphilic cyclodextrin nanoparticles for effective camptothecin delivery Y. Çirpanli, E. Bilensoy, A. Lale Doğan, S. Çaliş (Turkey)	82
Assessment of the percutaneous penetration of cisplatin: The effect of monoolein and the drug skin penetration pathway L.D.D. Simonetti, G.M. Gelfuso, J.C.R. Barbosa, R.F.V. Lopez (Brazil)	90
Physicochemical and pharmacological characterization of novel vasoactive intestinal peptide derivatives with improved stability S. Onoue, S. Misaka, Y. Ohmori, H. Sato, T. Mizumoto, M. Hirose, S. Iwasa, T. Yajima, S. Yamada (Japan)	95
Biopharmaceutical classification of drugs using intrinsic dissolution rate (IDR) and rat intestinal permeability P. Zakeri-Milani, M. Barzegar-Jalali, M. Azimi, H. Valizadeh (Iran)	102
Prediction of food effects on the absorption of celecoxib based on biorelevant dissolution testing coupled with physiologically based pharmacokinetic modeling Y. Shono (Germany, Japan), E. Jantratid, N. Janssen (Germany), F. Kesisoglou, Y. Mao (USA), M. Vertzoni, C. Reppas (Greece), J.B. Dressman (Germany)	107
A comparative study of different release apparatus in generating <i>in vitro</i> – <i>in vivo</i> correlations for extended release formulations N. Fotaki, A. Aivaliotis (Greece), J. Butler (UK), J. Dressman, M. Fischbach (Germany), J. Hempenstall (UK), S. Klein (Germany), C. Reppas (Greece)	115
Optimisation of spray-drying process variables for dry powder inhalation (DPI) formulations of corticosteroid/cyclodextrin inclusion complexes H. Cabral-Marques, R. Almeida (Portugal)	121
Characterization and superficial transformations on mini-matrices made of interpolymer complexes of chitosan and carboxymethylcellulose during <i>in vitro</i> clarithromycin release M. Gómez-Burgaz, G. Torrado, S. Torrado (Spain)	130
Development and characterization of extended release Kollidon® SR mini-matrices prepared by hot-melt extrusion I. Özgüney (Germany, Turkey), D. Shuwisitkul, R. Bodmeier (Germany)	140
Importance of glassy-to-rubbery state transitions in moisture-protective polymer coatings O. Bley (Germany), J. Siepmann (Germany, France), R. Bodmeier (Germany)	146
Strongly enhanced dissolution rate of fenofibrate solid dispersion tablets by incorporation of superdisintegrants P. Srinarong, J.H. Faber, M.R. Visser, W.L.J. Hinrichs, H.W. Frijlink (The Netherlands)	154
<i>In vitro</i> and <i>in vivo</i> evaluation of nimesulide lyophilized orally disintegrating tablets R.A. Shoukri (Egypt), I.S. Ahmed (United Arab Emirates), R.N. Shamma (Egypt)	162
Minimisation of the capping tendency by tableting process optimisation with the application of artificial neural networks and fuzzy models A. Belič, I. Škrjanc, D.Z. Božič, R. Karba, F. Vrečer (Slovenia)	172
Quantification of microparticle coating quality by confocal laser scanning microscopy (CLSM) F. Depypere, P. Van Oostveldt, J.G. Pieters, K. Dewettinck (Belgium)	179
Cutaneous lycopene and β -carotene levels measured by resonance Raman spectroscopy: High reliability and sensitivity to oral lactolycopene deprivation and supplementation U. Blume-Peytavi (Germany), A. Rolland (France), M.E. Darvin (Germany), A. Constable (Switzerland), I. Pineau (France), C. Voit, K. Zappel, G. Schäfer-Hesterberg, M. Meinke (Germany), R.L. Clavez (France), W. Sterry, J. Lademann (Germany)	187
Novel analytical methods for the characterization of oral wafers V. Garsuch, J. Breikreutz (Germany)	195
Note	
Improvement of oral bioavailability of flurbiprofen from flurbiprofen/ β -cyclodextrin inclusion complex by action of cinnarizine T. Tokumura, A. Muraoka, Y. Machida (Japan)	202
APV Diary	S1
Calendar of events	S2
Recently published doctoral thesis	e1
Announcement	I
Vol. 73 No. 2 (October 2009)	
Review articles	
Intra-articular drug delivery systems for the treatment of rheumatic diseases: A review of the factors influencing their performance N. Butoescu, O. Jordan, E. Doelker (Switzerland)	205
Systematical approach of formulation and process development using roller compaction Y. Teng, Z. Qiu, H. Wen (USA)	219
Research papers	
Novel self-assembling PEG-p-(CL-co-TMC) polymeric micelles as safe and effective delivery system for Paclitaxel F. Danhier, N. Magotteaux, B. Ucakar, N. Lecouturier, M. Brewster, V. Préat (Belgium)	230
Lipid nanocapsules: Ready-to-use nanovectors for the aerosol delivery of paclitaxel J. Hureauux, F. Lagarce, F. Gagnadoux, L. Vecellio, A. Clavreul, E. Roger, M. Kempf, J.-L. Racineux, P. Diot, J.-P. Benoit, T. Urban (France)	239
Improvement of cyclosporine A bioavailability by incorporating ethyl docosahexaenoate in the microemulsion as an oil excipient V. Hirunpanich, H. Sato (Japan)	247
Improvements of cellular stress response on resveratrol in liposomes J. Kristl, K. Teskač (Slovenia), C. Caddeo (Italy), Z. Abramović, M. Šentjurc (Slovenia)	253
Relating solubility data of parabens in liquid PEG 400 to the behaviour of PEG 4000-parabens solid dispersions J. Unga, F. Tajarobi, O. Norder, G. Frenning, A. Larsson (Sweden)	260
Formulation and characterization of an oily-based system for oral delivery of insulin A. Elsayed (Sudan), M.A. Remawi, N. Qinna (Jordan), A. Farouk (Sudan), A. Badwan (Jordan)	269
<i>In vivo</i> evaluation of the vaginal distribution and retention of a multi-particulate pellet formulation N. Poelvoorde, H. Verstraelen, R. Verhelst, B. Saerens, E. De Backer, G.L. dos Santos Santiago, C. Vervaet, M. Vaneechoutte, F. De Boeck, L. Van Bortel, M. Temmerman, J.-P. Remon (Belgium)	280

Effect of gliclazide immobilization into layered double hydroxide on drug release V. Ambroggi, L. Perioli, V. Ciarnelli, M. Nocchetti, C. Rossi (Italy)	285
Modeling drug release from hot-melt extruded mini-matrices with constant and non-constant diffusivities E. Verhoeven (Belgium), F. Siepmann (France), T.R.M. De Beer, D. Van Loo, G. Van den Mooter, J.P. Remon (Belgium), J. Siepmann (France), C. Vervaet (Belgium)	292
Drug release from MCC- and carrageenan-based pellets: Experiment and theory H. Kranz, K. Jürgens, M. Pinier (Germany), J. Siepmann (France)	302
APV Diary	S1
Calendar of events	S2
 <i>Vol. 73 No. 3 (November 2009)</i>	
Review article	
Oral osmotically driven systems: 30 years of development and clinical use V. Malaterre, J. Ogorka, N. Loggia, R. Gurny (Switzerland)	311
Research papers	
Alteration of the glycosylation pattern of monocytic THP-1 cells upon differentiation and its impact on lectin-mediated drug delivery V.E. Plattner, G. Ratzinger, E.T. Engleder, S. Gallauner, F. Gabor, M. Wirth (Austria)	324
Sculptured drug-eluting stent for the on-site delivery of tacrolimus P. Minghetti, F. Cilurzo, F. Selmin, A. Casiraghi, A. Grignani, L. Montanari (Italy)	331
Composite microparticles with <i>in vivo</i> reduction of the burst release effect A. Sheikh Hassan, A. Sapin, A. Lamprecht, E. Emond, F. El Ghazouani, P. Maincent (France)	337
New amphiphilic and pH-sensitive hydrogel for controlled release of a model poorly water-soluble drug I. Colinet, V. Dulong (France), G. Mocanu (Romania), L. Picton, D. Le Cerf (France)	345
Influence of degree of substitution of HES–HEMA on the release of incorporated drug models from corresponding hydrogels A.D.A. Schwoerer, S. Harling, K. Scheibe, H. Menzel, R. Daniels (Germany)	351
Host–guest interactions of 5-fluorouracil in supramolecular organogels H. Wang, J. Zhang, W. Zhang, Y. Yang (China)	357
Preparation of a fast dissolving oral thin film containing dexamethasone: A possible application to antiemesis during cancer chemotherapy H. Shimoda, K. Taniguchi, M. Nishimura, K. Matsuura, T. Tsukioka, H. Yamashita, N. Inagaki, K. Hirano, M. Yamamoto, Y. Kinoshita, Y. Itoh (Japan)	361
Characterisation of quaternary polymethacrylate films containing tartaric acid, metoprolol free base or metoprolol tartrate B. Glaessl (New Zealand), F. Siepmann (France), I. Tucker (New Zealand), J. Siepmann (France), T. Rades (New Zealand)	366
Effects of liquisolid formulations on dissolution of naproxen N. Tiong, A.A. Elkordy (United Kingdom)	373
Effects of penetration enhancers on Shuangwu traumatic formula: <i>In vitro</i> percutaneous absorption and <i>in vivo</i> pharmacodynamic evaluation of an herb medicine S. Gu, J. Gao, X. Hou, B. Ding, W. Zhang, S. Gao, X. Ding (PR China)	385
Topical delivery of 5-aminolevulinic acid-encapsulated ethosomes in a hyperproliferative skin animal model using the CLSM technique to evaluate the penetration behavior Y.-P. Fang, Y.-B. Huang, P.-C. Wu, Y.-H. Tsai (Taiwan)	391
A pilot study evaluating the safety of vaginal administration of a multi-particulate pellet formulation G.L.S. Santiago, H. Verstraelen, N. Poelvoorde, S.D. Corte, G. Claeys, M. Trog, E.D. Backer, B. Saerens, C. Vervaet, F.D. Boeck, L.V. Bortel, J.-P. Remon, M. Temmerman, M. Vanechoutte, R. Verhelst (Belgium)	399
Compatibility studies of acyclovir and lactose in physical mixtures and commercial tablets F. Monajjemzadeh, D. Hassanzadeh, H. Valizadeh, M.R. Siahi-Shadbad, J.S. Mojarad (Iran), T.A. Robertson, M.S. Roberts (Australia)	404
The use of the SeDeM Diagram expert system to determine the suitability of diluents–disintegrants for direct compression and their use in formulation of ODT J.E. Aguilar-Díaz, E. García-Montoya, P. Pérez-Lozano, J.M. Suñe-Negre, M. Miñarro, J.R. Ticó (Spain)	414
Multivariate analysis of relationships between material properties, process parameters and tablet tensile strength for α -lactose monohydrates R.V. Haware, I. Tho, A. Bauer-Brandl (Norway)	424
Author Index for volumes 71–73	432
Subject Index for volumes 71–73	442
Contents of volumes 71–73	449
APV Diary	S1
Calendar of events	S2