

Author index

- Abdul-Ghaffar, T., see Canfield, P. (273) 1
- Abe, Y., see He, H. (273) 209
- Agabio, R., see Colombo, G. (273) 235
- Akarasereenont, P., Mitchell, J.A., Bakhle, Y.S., Thiemermann, C. and Vane, J.R.
Comparison of the induction of cyclooxygenase and nitric oxide synthase by endotoxin in endothelial cells and macrophages (273) 121
- Aki, Y., see He, H. (273) 209
- Amobi, N. and Smith, I.C.H.
The human vas deferens: correlation of response pattern to noradrenaline and histological structure (273) 25
- Aoto, N., see Sakitama, K. (273) 47
- Bakhle, Y.S., see Akarasereenont, P. (273) 121
- Ballati, L., see Perretti, F. (273) 129
- Baran, H., Gramer, M. and Löscher, W.
Alterations in plasma and brain amino acids after administration of the glycine/NMDA receptor partial agonist, D-cycloserine, to mice and rats (273) 197
- Bäumner, D. and Nawrath, H.
Effects of inhibitors of cGMP-dependent protein kinase in atrial heart and aortic smooth muscle from rats (273) 295
- Beani, L., see Tanganelli, S. (273) 63
- Bengen, J., see Galle, J. (273) 311
- Bessho, H., see He, H. (273) 209
- Black, P.N., see Young, P.G. (273) 137
- Blommaert, A., see Noble, F. (273) 145
- Boeckstaens, G.E., see Michielsen, P.P. (273) 167
- Bordi, F. and Ugolini, A.
Antagonists of the metabotropic glutamate receptor do not prevent induction of long-term potentiation in the dentate gyrus of rats (273) 291
- Bowery, B.J., see Seabrook, G.R. (273) 113
- Braida, D., see Sala, M. (273) 35
- Bruhwyler, J., see Liégeois, J.-F. (273) R1
- Brzozowski, T., see Konturek, S.J. (273) 57
- Cai, S.X., see Lutfy, K. (273) 187
- Canfield, P., Abdul-Ghaffar, T. and English, S.
Stimulation of bicarbonate secretion by α - and β -adrenoceptor agonists in rat caecum in vitro (273) 1
- Cannizzaro, C., Cannizzaro, E., Gagliano, M., Mineo, A., Sabatino, M. and Cannizzaro, G.
Effects of desipramine and alprazolam on forced swimming behaviour of adult rats exposed to prenatal diazepam (273) 239
- Cannizzaro, E., see Cannizzaro, C. (273) 239
- Cannizzaro, G., see Cannizzaro, C. (273) 239
- Carlsson, A., see Kujacic, M. (273) 247
- Chang, L.-C., see Wang, J.-P. (273) 73
- Chapman, A.G., see Smith, S.E. (273) 259
- Cohen, M.L., see Killam, A.L. (273) 7
- Colombo, G., Agabio, R., Lobina, C., Reali, R., Fadda, F. and Gessa, G.L.
Cross-tolerance to ethanol and γ -hydroxybutyric acid (273) 235
- Connor, J.R., Manning, P.T., Settle, S.L., Moore, W.M., Jerome, G.M., Webber, R.K., Tjoeng, F.S. and Currie, M.G.
Suppression of adjuvant-induced arthritis by selective inhibition of inducible nitric oxide synthase (273) 15
- Coy, D.H., see Lach, E. (273) 313
- Currie, M.G., see Connor, J.R. (273) 15
- Damas, J., see Liégeois, J.-F. (273) R1
- Da Prada, M., see Napolitano, A. (273) 215
- Delarge, J., see Liégeois, J.-F. (273) R1
- Drozdowicz, D., see Konturek, S.J. (273) 57
- Dumont, P., see Lach, E. (273) 313
- Dvorkin, B., see Makman, M.H. (273) R5
- Ebenezer, I.S.
Intraperitoneal administration of baclofen increases consumption of both solid and liquid diets in rats (273) 183
- English, S., see Canfield, P. (273) 1
- Erdő, S.L., see Molnár, P. (273) 303
- Evangelista, S., see Perretti, F. (273) 129
- Fadayel, G.M., see Schmidt, C.J. (273) 273
- Fadda, F., see Colombo, G. (273) 235
- Ferraro, L., see Tanganelli, S. (273) 63
- Fournié-Zaluski, M.-C., see Noble, F. (273) 145
- Fujii, E., Irie, K., Uchida, Y., Ohba, K. and Muraki, T.
Role of eicosanoids but not nitric oxide in the platelet-activating factor-induced increase in vascular permeability in mouse skin (273) 267
- Fujisawa, Y., see He, H. (273) 209
- Furuhama, K., see Tabuchi, Y. (273) 281
- Furuse, M., see Mabayo, R.T. (273) 161
- Fuxe, K., see Tanganelli, S. (273) 63
- Gagliano, M., see Cannizzaro, C. (273) 239
- Galle, J., Bengen, J., Schollmeyer, P. and Wanner, C.
Erratum to 'Oxidized lipoprotein(a) inhibits endothelium-dependent dilation: prevention by high density lipoprotein' [Eur. J. Pharmacol. 265 (1994) 111–115] (273) 311
- Geczy, J., see Liégeois, J.-F. (273) R1
- Gessa, G.L., see Colombo, G. (273) 235
- Ghazi-Khansari, M., see Zarrindast, M.-R. (273) 203
- Gies, J.-P., see Lach, E. (273) 313
- Gori, E., see Sala, M. (273) 35
- Gramer, M., see Baran, H. (273) 197
- Hansson, L.O., see Kujacic, M. (273) 247
- Hashimoto, K. and London, E.D.
Interactions of *erythro*-ifenprodil, *threo*-ifenprodil, *erythro*-iodifenprodil, and eliprodil with subtypes of σ receptors (273) 307
- He, H., Bessho, H., Fujisawa, Y., Horiuchi, K., Tomohiro, A., Kita, T., Aki, Y., Kimura, S., Tamaki, T. and Abe, Y.
Effects of a synthetic rat adrenomedullin on regional hemodynamics in rats (273) 209

- Herman, A.G., see Michielsen, P.P. (273) 167
 Hill, R.G., see Seabrook, G.R. (273) 113
 Horiuchi, K., see He, H. (273) 209
 Hsu, M.-F., see Wang, J.-P. (273) 73
 Huupponen, R., see Rouru, J. (273) 99
- Inoue, M., see Ohkubo, T. (273) 83
 Irie, K., see Fujii, E. (273) 267
 Ishikawa, M., see Sakitama, K. (273) 47
 Izumi, H., Takahashi, H. and Karita, K.
 Pentylentetrazole-induced parasympathetic blood flow increase in the lower lip of the cat (273) 299
- Jerome, G.M., see Connor, J.R. (273) 15
 Jhanwar-Uniyal, M., see Rouru, J. (273) 99
- Kamei, H., Kameyama, T. and Nabeshima, T.
 Activation of both dopamine D₁ and D₂ receptors necessary for amelioration of conditioned fear stress (273) 229
 Kameyama, T., see Kamei, H. (273) 229
 Karita, K., see Izumi, H. (273) 299
 Kataoka, Y., Koizumi, S., Kohzuma, M., Shibaguchi, H., Shigematsu, K., Niwa, M. and Taniyama, K.
 NMDA receptor involvement in endothelin neurotoxicity in rat striatal slices (273) 285
 Kaya, H., see Ohkubo, T. (273) 83
 Keana, J.F.W., see Lutfy, K. (273) 187
 Killam, A.L., Watts, S.W. and Cohen, M.L.
 Role of α_1 -adrenoceptors and 5-HT₂ receptors in serotonin-induced contraction of rat prostate: autoradiographical and functional studies (273) 7
 Kimura, S., see He, H. (273) 209
 Kita, T., see He, H. (273) 209
 Koch, T., see Sebens, J.B. (273) 175
 Kohzuma, M., see Kataoka, Y. (273) 285
 Koizumi, S., see Kataoka, Y. (273) 285
 Konturek, S.J., Brzozowski, T., Pytko-Polonczyk, J. and Drozdowicz, D.
 Exogenous and endogenous cholecystokinin protects gastric mucosa against the damage caused by ethanol in rats (273) 57
 Korf, J., see Sebens, J.B. (273) 175
 Koulu, M., see Rouru, J. (273) 99
 Kujacic, M., Hansson, L.O. and Carlsson, A.
 Acute dopaminergic influence on plasma adrenaline levels in the rat (273) 247
 Kuo, J.-S., see Wang, J.-P. (273) 73
 Kuo, S.-C., see Wang, J.-P. (273) 73
 Kwon, I.-S., see Lutfy, K. (273) 187
- Lach, E., Coy, D.H., Dumont, P., Landry, Y. and Gies, J.-P.
 Erratum to 'Gastrin releasing peptide-preferring bombesin binding sites in human lung' [Eur. J. Pharmacol. 265 (1994) 117–120] (273) 313
 Lampugnani, P., see Sala, M. (273) 35
 Landry, Y., see Lach, E. (273) 313
 Leone, M.P., see Sala, M. (273) 35
 Levine, J.D., see Ouseph, A.K. (273) 107
 Liégeois, J.-F., Bruhwyler, J., Damas, J., Rogister, F., Masereel, B., Geczy, J. and Delarge, J.
 Modulation of the clozapine structure increases its selectivity for the dopamine D₄ receptor (273) R1
 Lobina, C., see Colombo, G. (273) 235
 London, E.D., see Hashimoto, K. (273) 307
 Löscher, W., see Baran, H. (273) 197
 Lutfy, K., Shen, K.-Z., Kwon, I.-S., Cai, S.X., Woodward, R.M., Keana, J.F.W. and Weber, E.
 Blockade of morphine tolerance by ACEA-1328, a novel NMDA receptor/glycine site antagonist (273) 187
- Mabayo, R.T., Furuse, M. and Okumura, J.-i.
 Inhibition of food passage by omeprazole in the chicken (273) 161
 Maggi, C.A., see Perretti, F. (273) 129
 Makman, M.H., Dvorkin, B. and Stefano, G.B.
 Murine macrophage cell lines contain μ_3 -opiate receptors (273) R5
 Manning, P.T., see Connor, J.R. (273) 15
 Manzini, S., see Perretti, F. (273) 129
 Masereel, B., see Liégeois, J.-F. (273) R1
 Meldrum, B.S., see Smith, S.E. (273) 259
 Méndez-Franco, J., see Tanganelli, S. (273) 63
 Michielsen, P.P., Boeckxstaens, G.E., Sys, S.U., Herman, A.G. and Pelckmans, P.A.
 Role of nitric oxide in hyporeactivity to noradrenaline of isolated aortic rings in portal hypertensive rats (273) 167
 Mineo, A., see Cannizzaro, C. (273) 239
 Mitchell, J.A., see Akarasereenont, P. (273) 121
 Molnár, P. and Erdő, S.L.
 Vinpocetine is as potent as phenytoin to block voltage-gated Na⁺ channels in rat cortical neurons (273) 303
 Moore, W.M., see Connor, J.R. (273) 15
 Muraki, T., see Fujii, E. (273) 267
- Nabeshima, T., see Kamei, H. (273) 229
 Nakamura, K., see Sakitama, K. (273) 47
 Napolitano, A., Zürcher, G. and Da Prada, M.
 Effects of tolcapone, a novel catechol-O-methyltransferase inhibitor, on striatal metabolism of L-DOPA and dopamine in rats (273) 215
 Nawrath, H., see Bäumner, D. (273) 295
 Niwa, M., see Kataoka, Y. (273) 285
 Noble, F., Blommaert, A., Fournié-Zaluski, M.-C. and Roques, B.P.
 A selective CCK_B receptor antagonist potentiates μ -, but not δ -opioid receptor-mediated antinociception in the formalin test (273) 145
- Ohba, K., see Fujii, E. (273) 267
 Ohkubo, T., Shibata, M., Inoue, M., Kaya, H. and Takahashi, H.
 Regulation of substance P release mediated via prejunctional histamine H₃ receptors (273) 83
 Okumura, J.-i., see Mabayo, R.T. (273) 161
 Ossowska, K. and Wolfarth, S.
 Stimulation of glutamate receptors in the intermediate/caudal striatum induces contralateral turning (273) 89
 Ouseph, A.K. and Levine, J.D.
 α_1 -Adrenoceptor-mediated sympathetically dependent mechanical hyperalgesia in the rat (273) 107
 Ozawa, Y., see Sakitama, K. (273) 47
- Parvez, N.S., see Smith, S.E. (273) 259
 Pelckmans, P.A., see Michielsen, P.P. (273) 167
 Pérez de la Mora, M., see Tanganelli, S. (273) 63
 Perretti, F., Ballati, L., Manzini, S., Maggi, C.A. and Evangelista, S.
 Antibronchospastic activity of MEN10,627, a novel tachykinin NK₂ receptor antagonist, in guinea-pig airways (273) 129
 Pesonen, U., see Rouru, J. (273) 99
 Pytko-Polonczyk, J., see Konturek, S.J. (273) 57
- Rambert, F.A., see Tanganelli, S. (273) 63
 Reali, R., see Colombo, G. (273) 235
 Rezayat, M., see Zarrindast, M.-R. (273) 203
 Rogister, F., see Liégeois, J.-F. (273) R1
 Roques, B.P., see Noble, F. (273) 145

- Rouru, J., Pesonen, U., Koulou, M., Huupponen, R., Santti, E., Virtanen, K., Rouvari, T. and Jhanwar-Uniyal, M.
Anorectic effect of metformin in obese Zucker rats: lack of evidence for the involvement of neuropeptide Y (273) 99
- Rouvari, T., see Rouru, J. (273) 99
- Sabatino, M., see Cannizzaro, C. (273) 239
- Sajedian, M., see Zarrindast, M.-R. (273) 203
- Sakitama, K., Ozawa, Y., Aoto, N., Nakamura, K. and Ishikawa, M.
Pharmacological properties of NK433, a new centrally acting muscle relaxant (273) 47
- Sala, M., Leone, M.P., Lampugnani, P., Braidà, D. and Gori, E.
Different kinetics of tolerance to behavioral and electroencephalographic effects of chlordiazepoxide in the rat (273) 35
- Santti, E., see Rouru, J. (273) 99
- Satake, N., see Zhou, Q. (273) 153
- Schmidt, C.J. and Fadaye, G.M.
The selective 5-HT_{2A} receptor antagonist, MDL 100,907, increases dopamine efflux in the prefrontal cortex of the rat (273) 273
- Schollmeyer, P., see Galle, J. (273) 311
- Seabrook, G.R., Bowery, B.J. and Hill, R.G.
Pharmacology of tachykinin receptors on neurones in the ventral tegmental area of rat brain slices (273) 113
- Sebens, J.B., Koch, T., Ter Horst, G.J. and Korf, J.
Differential Fos-protein induction in rat forebrain regions after acute and long-term haloperidol and clozapine treatment (273) 175
- Settle, S.L., see Connor, J.R. (273) 15
- Shen, K.-Z., see Lutfy, K. (273) 187
- Shibaguchi, H., see Kataoka, Y. (273) 285
- Shibata, M., see Ohkubo, T. (273) 83
- Shibata, S., Tominaga, K. and Watanabe, S.
Glutathione protects against hypoxic/hypoglycemic decreases in 2-deoxyglucose uptake and presynaptic spikes in hippocampal slices (273) 191
- Shibata, S., Yamamoto, Y., Tanaka, T. and Watanabe, S.
N^G-Nitro-L-arginine protects against hypoxia/hypoglycemia-induced decrease in CA1 presynaptic spikes in rat hippocampal slices (273) 223
- Shibata, S., see Zhou, Q. (273) 153
- Shigematsu, K., see Kataoka, Y. (273) 285
- Skinner, S.J.M., see Young, P.G. (273) 137
- Smith, I.C.H., see Amobi, N. (273) 25
- Smith, S.E., Parvez, N.S., Chapman, A.G. and Meldrum, B.S.
The γ -aminobutyric acid uptake inhibitor, tiagabine, is anticonvulsant in two animal models of reflex epilepsy (273) 259
- Stanton, P.K.
Phospholipase A₂ activation is not required for long-term synaptic depression (273) R7
- Stefano, G.B., see Makman, M.H. (273) R5
- Sys, S.U., see Michielsen, P.P. (273) 167
- Tabuchi, Y. and Furuhashi, K.
Protective effect of DS-4574, a peptidoleukotriene receptor antagonist, against endotoxin-induced intestinal injury in rats (273) 281
- Takahashi, H., see Izumi, H. (273) 299
- Takahashi, H., see Ohkubo, T. (273) 83
- Tamaki, T., see He, H. (273) 209
- Tanaka, T., see Shibata, S. (273) 223
- Tanganelli, S., Pérez de la Mora, M., Ferraro, L., Méndez-Franco, J., Beani, L., Rambert, F.A. and Fuxe, K.
Modafinil and cortical γ -aminobutyric acid outflow. Modulation by 5-hydroxytryptamine neurotoxins (273) 63
- Taniyama, K., see Kataoka, Y. (273) 285
- Ter Horst, G.J., see Sebens, J.B. (273) 175
- Thiemermann, C., see Akarasereenont, P. (273) 121
- Tjoeng, F.S., see Connor, J.R. (273) 15
- Tominaga, K., see Shibata, S. (273) 191
- Tomohiro, A., see He, H. (273) 209
- Uchida, Y., see Fujii, E. (273) 267
- Ugolini, A., see Bordi, F. (273) 291
- Vane, J.R., see Akarasereenont, P. (273) 121
- Virtanen, K., see Rouru, J. (273) 99
- Wang, J.-P., Hsu, M.-F., Chang, L.-C., Kuo, J.-S. and Kuo, S.-C.
Inhibition of plasma extravasation by abruquinone A, a natural isoflavanquinone isolated from *Abrus precatorius* (273) 73
- Wanner, C., see Galle, J. (273) 311
- Watanabe, S., see Shibata, S. (273) 191
- Watanabe, S., see Shibata, S. (273) 223
- Watts, S.W., see Killam, A.L. (273) 7
- Webber, R.K., see Connor, J.R. (273) 15
- Weber, E., see Lutfy, K. (273) 187
- Wolfarth, S., see Ossowska, K. (273) 89
- Woodward, R.M., see Lutfy, K. (273) 187
- Yamamoto, Y., see Shibata, S. (273) 223
- Young, P.G., Skinner, S.J.M. and Black, P.N.
Effects of glucocorticoids and β -adrenoceptor agonists on the proliferation of airway smooth muscle (273) 137
- Zarrindast, M.-R., Sajedian, M., Rezayat, M. and Ghazi-Khansari, M.
Effects of 5-HT receptor antagonists on morphine-induced tolerance in mice (273) 203
- Zhou, Q., Satake, N. and Shibata, S.
The inhibitory mechanisms of nicorandil in isolated rat urinary bladder and femoral artery (273) 153
- Zürcher, G., see Napolitano, A. (273) 215