

Author index

- Advenier, C., see Félétou, M. (274) 57
- Allard, M., see Garay, R.P. (274) 175
- Allen, M.J. and Coleman, R.A.
 β_2 -Adrenoceptors mediate a reduction in endothelial permeability in vitro (274) 7
- Bagrov, A.Y., Roukoyatkina, N.I., Pinaev, A.G., Dmitrieva, R.I. and Fedorova, O.V.
 Effects of two endogenous Na^+ , K^+ -ATPase inhibitors, marinobufagenin and ouabain, on isolated rat aorta (274) 151
- Balboni, G., see Damgé, C. (274) 133
- Balster, R.L., see Mansbach, R.S. (274) 167
- Baron, B.M., see Chapman, A.G. (274) 83
- Bentham, L., see Coppes, R.P. (274) 33
- Borg, J., see Damgé, C. (274) 133
- Buciński, A., see Nasal, A. (274) 125
- Caddick, S.J., Stanford, I.M. and Chad, J.E.
 2-Hydroxy-saclofen causes a phaclofen-reversible reduction in population spike amplitude in the rat hippocampal slice (274) 41
- Cai, G., see Gurdal, H. (274) 117
- Caine, S.B., see De Fonseca, F.R. (274) 47
- Canet, E., see Félétou, M. (274) 57
- Chad, J.E., see Caddick, S.J. (274) 41
- Chapal, J., see Damgé, C. (274) 133
- Chapman, A.G., Dürmüller, N., Harrison, B.L., Baron, B.M., Parvez, N. and Meldrum, B.S.
 Anticonvulsant activity of a novel NMDA/glycine site antagonist, MDL 104,653, against kindled and sound-induced seizures (274) 83
- Coleman, R.A., see Allen, M.J. (274) 7
- Cools, A.R., see Saigusa, T. (274) 213
- Coppes, R.P., Smit, J., Bentham, L., Van der Leest, J. and Zaagsma, J.
 Co-released adrenaline markedly facilitates noradrenaline overflow through prejunctional β_2 -adrenoceptors during swimming exercise (274) 33
- Damas, J., see Souza Pinto, J.C. (274) 101
- Damgé, C., Hillaire-Buys, D., Koenig, M., Gross, R., Hoeltzel, A., Chapal, J., Balboni, G., Borg, J. and Ribes, G.
 Effect of *n*-hexacosanol on insulin secretion in the rat (274) 133
- De Fonseca, F.R., Rubio, P., Martín-Calderón, J.L., Caine, S.B., Koob, G.F. and Navarro, M.
 The dopamine receptor agonist 7-OH-DPAT modulates the acquisition and expression of morphine-induced place preference (274) 47
- De Reuck, J., see Sprumont, P. (274) 95
- Diener, M., see Strabel, D. (274) 181
- Dmitrieva, R.I., see Bagrov, A.Y. (274) 151
- Dürmüller, N., see Chapman, A.G. (274) 83
- Fanous, K., see Garay, R.P. (274) 175
- Fauchère, J.-L., see Félétou, M. (274) 57
- Fedorova, O.V., see Bagrov, A.Y. (274) 151
- Félétou, M., Martin, C.A.E., Molimard, M., Naline, E., Germain, M., Thurieau, C., Fauchère, J.-L., Canet, E. and Advenier, C.
 In vitro effects of HOE 140 in human bronchial and vascular tissue (274) 57
- Frackowiak, T., see Nasal, A. (274) 125
- Fujishima, K., see Nagura, J. (274) 201
- Fujitsuka, T., see Kinoshita, K. (274) 65
- Fukami, T., see Ihara, M. (274) 1
- Garay, R.P., Rosati, C., Fanous, K., Allard, M., Morin, E., Lamiabie, D. and Vistelle, R.
 Evidence for (+)-cicletanine sulfate as an active natriuretic metabolite of cicletanine in the rat (274) 175
- Gerecke, U., see Rundfeldt, C. (274) 73
- Germain, M., see Félétou, M. (274) 57
- Grignaschi, G., Sironi, F. and Samanin, R.
 The 5-HT_{1B} receptor mediates the effect of *d*-fenfluramine on eating caused by intra-hypothalamic injection of neuropeptide Y (274) 221
- Gross, R., see Damgé, C. (274) 133
- Guaza, C., see Sandi, C. (274) 17
- Gurdal, H., Cai, G. and Johnson, M.D.
 α_1 -Adrenoceptor responsiveness in the aging aorta (274) 117
- Gustafson, M., see Levy, A.D. (274) 141
- Hachisu, M., see Nagura, J. (274) 201
- Harrison, B.L., see Chapman, A.G. (274) 83
- Hartikainen, T., see Ylinen, A. (274) 159
- Hatake, K., Wakabayashi, I. and Hishida, S.
 Endothelium-dependent relaxation resistant to *N*^G-nitro-L-arginine in rat aorta (274) 25
- Hillaire-Buys, D., see Damgé, C. (274) 133
- Hishida, S., see Hatake, K. (274) 25
- Hoeltzel, A., see Damgé, C. (274) 133
- Hui, C., see Nagura, J. (274) 201
- Hussain, S.N.A., see Kosmas, E.N. (274) 193
- Ihara, M., Yamanaka, R., Ohwaki, K., Ozaki, S., Fukami, T., Ishikawa, K., Towers, P. and Yano, M.
 [³H]BQ-123, a highly specific and reversible radioligand for the endothelin ET_A receptor subtype (274) 1
- Ishikawa, K., see Ihara, M. (274) 1
- Johnson, M.D., see Gurdal, H. (274) 117
- Jortani, S.A., see Mansbach, R.S. (274) 167
- Kaelin-Lang, A., see Sprumont, P. (274) 95
- Kaliszan, R., see Nasal, A. (274) 125
- Kameyama, T., see Ukai, M. (274) 89
- Katano, K., see Nagura, J. (274) 201
- Kawano, K.-i., see Nagura, J. (274) 201
- Kinoshita, K., Fujitsuka, T., Yamamura, M. and Matsuoka, Y.
 Effects of TA-0910, a novel orally active thyrotropin-releasing hormone analog, on the gait of ataxic animals (274) 65

- Kitamura, M., see Saigusa, T. (274) 213
 Kobayashi, M., see Saigusa, T. (274) 213
 Kobayashi, T., see Ukai, M. (274) 89
 Koch, R., see Rundfeldt, C. (274) 73
 Koenig, M., see Damgé, C. (274) 133
 Koivisto, E., see Ylinen, A. (274) 159
 Konno, F., see Nagura, J. (274) 201
 Koob, G.F., see De Fonseca, F.R. (274) 47
 Koshikawa, N., see Saigusa, T. (274) 213
 Kosmas, E.N., Levy, R.D. and Hussain, S.N.A.
 Acute effects of glyburide on the regulation of peripheral blood flow in normal humans (274) 193
 Kvist, S., see Videbæk, L.M. (274) 109
- Lamiabie, D., see Garay, R.P. (274) 175
 Lang, A., see Männistö, P.T. (274) 229
 Levy, A.D., Li, Q., Gustafson, M. and Van de Kar, L.D.
 Neuroendocrine profile of the potential anxiolytic drug S-20499 (274) 141
 Levy, R.D., see Kosmas, E.N. (274) 193
 Li, Q., see Levy, A.D. (274) 141
 Löscher, W., see Rundfeldt, C. (274) 73
- Maenhaut, W., see Sprumont, P. (274) 95
 Männistö, P.T., Lang, A., Rauhala, P. and Vasar, E.
 Beneficial effects of co-administration of catechol-*O*-methyltransferase inhibitors and L-dihydroxyphenylalanine in rat models of depression (274) 229
 Mansbach, R.S., Jortani, S.A. and Balster, R.L.
 Discriminative stimulus effects of esteratic local anesthetics in squirrel monkeys (274) 167
 Martin, C.A.E., see Félétou, M. (274) 57
 Martín-Calderón, J.L., see De Fonseca, F.R. (274) 47
 Matsuoka, Y., see Kinoshita, K. (274) 65
 Meldrum, B.S., see Chapman, A.G. (274) 83
 Mevissen, M., see Rundfeldt, C. (274) 73
 Mizutani, K., see Saigusa, T. (274) 213
 Molimard, M., see Félétou, M. (274) 57
 Morin, E., see Garay, R.P. (274) 175
 Mulvany, M.J., see Videbæk, L.M. (274) 109
- Nagura, J., Yasuda, S., Fujishima, K., Yamamoto, M., Hui, C., Kawano, K.-i., Katano, K., Ogino, H., Hachisu, M. and Konno, F.
 Pharmacological profile of ME3221, a novel angiotensin II receptor antagonist (274) 201
 Naline, E., see Félétou, M. (274) 57
 Nasal, A., Frackowiak, T., Petruszewicz, J., Bucinski, A. and Kaliszan, R.
 Mydriasis elicited by imidazol(in)e α_2 -adrenomimetics in comparison with other adrenoceptor-mediated effects and hydrophobicity (274) 125
 Navarro, M., see De Fonseca, F.R. (274) 47
- Ogino, H., see Nagura, J. (274) 201
 Oh-ishi, S., see Tokumasu, T. (274) 225
 Ohwaki, K., see Ihara, M. (274) 1
 Ozaki, S., see Ihara, M. (274) 1
- Parvez, N., see Chapman, A.G. (274) 83
 Petruszewicz, J., see Nasal, A. (274) 125
 Pinaev, A.G., see Bagrov, A.Y. (274) 151
 Pitkänen, M., see Ylinen, A. (274) 159
- Rauhala, P., see Männistö, P.T. (274) 229
 Remacle-Volon, G., see Souza Pinto, J.C. (274) 101
 Ribes, G., see Damgé, C. (274) 133
- Richter, A., see Rundfeldt, C. (274) 73
 Riekkinen, Sr., P.J., see Ylinen, A. (274) 159
 Rosati, C., see Garay, R.P. (274) 175
 Roukoyatkina, N.I., see Bagrov, A.Y. (274) 151
 Rubio, P., see De Fonseca, F.R. (274) 47
 Rundfeldt, C., Koch, R., Richter, A., Mevissen, M., Gerecke, U. and Löscher, W.
 Dose-dependent anticonvulsant and proconvulsant effects of nitric oxide synthase inhibitors on seizure threshold in a cortical stimulation model in rats (274) 73
- Saigusa, T., Koshikawa, N., Kitamura, M., Mizutani, K., Kobayashi, M. and Cools, A.R.
 Dissimilarities between cholinergic and dopaminergic turning elicited by nucleus accumbens stimulation in freely moving rats (274) 213
 Samanin, R., see Grignaschi, G. (274) 221
 Sampaio, C.A.M., see Souza Pinto, J.C. (274) 101
 Sandi, C. and Guaza, C.
 Evidence for a role of nitric oxide in the corticotropin-releasing factor release induced by interleukin- 1β (274) 17
 Shan-Wu, X., see Ukai, M. (274) 89
 Shinkai, N., see Ukai, M. (274) 89
 Sironi, F., see Grignaschi, G. (274) 221
 Sirviö, J., see Ylinen, A. (274) 159
 Sivenius, J., see Ylinen, A. (274) 159
 Smit, J., see Coppes, R.P. (274) 33
 Souza Pinto, J.C., Remacle-Volon, G., Sampaio, C.A.M. and Damas, J.
 Collagenase-induced oedema in the rat paw and the kinin system (274) 101
 Sprumont, P., Kaelin-Lang, A., Van Lierde, S., Maenhaut, W. and De Reuck, J.
 Effect of neurotrophin on cerebral edema, calcium and other elements in mice subarachnoidally injected with carrageenan (274) 95
 Stanford, I.M., see Caddick, S.J. (274) 41
 Strabel, D. and Diener, M.
 Evidence against direct activation of chloride secretion by carbachol in the rat distal colon (274) 181
- Thurieu, C., see Félétou, M. (274) 57
 Tokumasu, T., Ueno, A. and Oh-ishi, S.
 A hypotensive response induced by des-Arg⁹-bradykinin in young Brown/Norway rats pretreated with endotoxin (274) 225
 Towers, P., see Ihara, M. (274) 1
- Ueno, A., see Tokumasu, T. (274) 225
 Ukai, M., Kobayashi, T., Shinkai, N., Shan-Wu, X. and Kameyama, T.
 Dynorphin A-(1–13) potently improves scopolamine-induced impairment of passive avoidance response in mice (274) 89
- Van de Kar, L.D., see Levy, A.D. (274) 141
 Van der Leest, J., see Coppes, R.P. (274) 33
 Van Lierde, S., see Sprumont, P. (274) 95
 Vasar, E., see Männistö, P.T. (274) 229
 Videbæk, L.M., Kvist, S. and Mulvany, M.J.
 Time course of action of amlodipine and felodipine in the rat is most rapid in small arteries (274) 109
 Vistelle, R., see Garay, R.P. (274) 175
- Wakabayashi, I., see Hatake, K. (274) 25
- Yamamoto, M., see Nagura, J. (274) 201
 Yamamura, M., see Kinoshita, K. (274) 65

Yamanaka, R., see Ihara, M. (274) 1

Yano, M., see Ihara, M. (274) 1

Yasuda, S., see Nagura, J. (274) 201

Ylinen, A., Pitkänen, M., Sirviö, J., Hartikainen, T., Sivenius, J.,
Koivisto, E. and Riekkinen, Sr., P.J.

The effects of NMDA receptor antagonists at anticonvulsive
doses on the performance of rats in the water maze task (274) 159

Zaagsma, J., see Coppes, R.P. (274) 33