

Keyword index

Action potential

Antiarrhythmic; Ca^{2+} current; K^{+} current; Oxime; Cardiac myocyte (Karhu, S. (279) 7)

Adenosine A_1 receptor agonist

Myocardial ischemia; Reperfusion injury; Infarct (Lee, Y.-M. (279) 251)

Adenosine receptor

FK453; Atrium; Aorta; Binding assay (Terai, T. (279) 217)

α -Adrenoceptor

Gastric acid secretion; Interleukin- 1β ; Indomethacin; Sympatho-adrenomedullary system (Yokotani, K. (279) 233)

α -Adrenoceptor antagonist

α_1 -Adrenoceptor subtype; *N*-Methyl-actinodaphnine; (*Illigera luzonensis*) (Guh, J.-H. (279) 33)

β -Adrenoceptor, atypical

Taenia caecum, guinea-pig; Muscle relaxation; Noradrenaline (Koike, K. (279) 159)

α_1 -Adrenoceptor subtype

α -Adrenoceptor antagonist; *N*-Methyl-actinodaphnine; (*Illigera luzonensis*) (Guh, J.-H. (279) 33)

Airway

Vapreotide; Somatostatin analog; Substance P; Tachykinin NK_1 receptor; Tachykinin NK_2 receptor; Binding (Bétoin, F. (279) 241)

Alzheimer's disease

Tetrahydroaminoacridine; Nicotine; Nucleus basalis lesion; *p*-Chlorophenylalanine treatment (Riekkinen Jr., P. (279) 65)

Aminoalkylindole

Basal ganglia; Cannabinoid; Substantia nigra; Cannabinoid receptor; Motor system; Marijuana; Tetrahydrocannabinol; WIN 55,212-2 (Miller, A.S. (279) 179)

Amiodarone

SR 33589; Antiarrhythmic (class III); Anti-adrenoceptor activity (Hodeige, D. (279) 25)

AMPA receptor antagonist

LY326325; NBQX (6-nitro-7-sulfamoylbenzo(*f*)quinoxaline-2,3-(1*H*,4*H*)dione); Anxiety; Plus maze; Locomotor activity; (Mouse) (Karcz-Kubicha, M. (279) 171)

d-Amphetamine

Isolation rearing; Place preference; (Rat) (Wongwitdech, N. (279) 99)

Analgesia

Red nucleus; L-Arginine; Nitric oxide (NO); cGMP (Kumar, A. (279) 1)

Angiotensin II

Losartan; DuP 532; PD 123319; CGP 42112A; Smooth muscle, portal vein (Pelet, C. (279) 15)

Anti-adrenoceptor activity

Amiodarone; SR 33589; Antiarrhythmic (class III) (Hodeige, D. (279) 25)

Antiarrhythmic

Action potential; Ca^{2+} current; K^{+} current; Oxime; Cardiac myocyte (Karhu, S. (279) 7)

Antiarrhythmic (class III)

Amiodarone; SR 33589; Anti-adrenoceptor activity (Hodeige, D. (279) 25)

Antibody

Desenkephalin- γ -endorphin; Endorphin receptor, γ -type; Apomorphine; Nucleus accumbens; Neuroleptic-like action; Anti-idiotypic antibody; Behavioral effect (Van Ree, J.M. (279) 187)

Anti-idiotypic antibody

Desenkephalin- γ -endorphin; Endorphin receptor, γ -type; Apomorphine; Nucleus accumbens; Neuroleptic-like action; Antibody; Behavioral effect (Van Ree, J.M. (279) 187)

Anti-inflammatory drug

Phospholipase A_2 ; Thielocin $\text{A1}\beta$; Paw edema (Tanaka, K. (279) 143)

Antinociception

Histamine H_2 receptor; Restraint; Hot plate test (Wong, C.-L. (279) 109)

μ -Opioid receptor; Dorsal root ganglion; Primary afferent neuron; Ribonuclease protection assay; β -Funaltrexamine (Schäfer, M. (279) 165)

Anxiety

LY326325; NBQX (6-nitro-7-sulfamoylbenzo(*f*)quinoxaline-2,3-(1*H*,4*H*)dione); AMPA receptor antagonist; Plus maze; Locomotor activity; (Mouse) (Karcz-Kubicha, M. (279) 171)

Aorta

Adenosine receptor; FK453; Atrium; Binding assay (Terai, T. (279) 217)

Aorta, rat

Diabetes mellitus; Phorbol ester; Protein kinase C; Ca^{2+} , extracellular; Ca^{2+} channel (Hattori, Y. (279) 51)

Apomorphine

Desenkephalin- γ -endorphin; Endorphin receptor, γ -type; Nucleus accumbens; Neuroleptic-like action; Antibody; Anti-idiotypic antibody; Behavioral effect (Van Ree, J.M. (279) 187)

L-Arginine

Red nucleus; Analgesia; Nitric oxide (NO); cGMP (Kumar, A. (279) 1)

Atrium

Adenosine receptor; FK453; Aorta; Binding assay (Terai, T. (279) 217)

Basal ganglia

Cannabinoid; Substantia nigra; Cannabinoid receptor; Motor system; Marijuana; Tetrahydrocannabinol; WIN 55,212-2; Aminoalkylindole (Miller, A.S. (279) 179)

Behavioral effect

Desenkephalin- γ -endorphin; Endorphin receptor, γ -type; Apomorphine; Nucleus accumbens; Neuroleptic-like action; Antibody; Anti-idiotypic antibody (Van Ree, J.M. (279) 187)

Behavioral sensitization

Methamphetamine; Scopolamine; Cholinergic system; Drug conditioning; Low-frequency tone (Yui, K. (279) 135)

Binding

Vapreotide; Somatostatin analog; Substance P; Tachykinin NK₁ receptor; Tachykinin NK₂ receptor; Airway (Bétoin, F. (279) 241)

Binding assay

Adenosine receptor; FK453; Atrium; Aorta (Terai, T. (279) 217)

Bleeding time

Humanized antibody; GPIIb/IIIa; Thrombosis, photochemically induced; Microcirculation; (Squirrel monkey) (Kaku, S. (279) 115)

Bradykinin

Bradykinin analog; Bradykinin receptor antagonist; HOE 140; Mononuclear cell; Cytokine; Interleukine (Paegelow, I. (279) 211)

Bradykinin analog

Bradykinin; Bradykinin receptor antagonist; HOE 140; Mononuclear cell; Cytokine; Interleukine (Paegelow, I. (279) 211)

Bradykinin receptor antagonist

Bradykinin; Bradykinin analog; HOE 140; Mononuclear cell; Cytokine; Interleukine (Paegelow, I. (279) 211)

Butorphanol

Opioid dependence; Central nervous system; Ca²⁺ channel; Diltiazem; Protein kinase C; Morphine (Tokuyama, S. (279) 93)

Ca²⁺ channel

Diabetes mellitus; Phorbol ester; Protein kinase C; Ca²⁺, extracellular; Aorta, rat (Hattori, Y. (279) 51)

Opioid dependence; Central nervous system; Diltiazem; Protein kinase C; Morphine; Butorphanol (Tokuyama, S. (279) 93)

Ca²⁺ current

Antiarrhythmic; Action potential; K⁺ current; Oxime; Cardiac myocyte (Karhu, S. (279) 7)

Ca²⁺, extracellular

Diabetes mellitus; Phorbol ester; Protein kinase C; Ca²⁺ channel; Aorta, rat (Hattori, Y. (279) 51)

Cannabinoid

Basal ganglia; Substantia nigra; Cannabinoid receptor; Motor system; Marijuana; Tetrahydrocannabinol; WIN 55,212-2; Aminoalkylindole (Miller, A.S. (279) 179)

Cannabinoid receptor

Basal ganglia; Cannabinoid; Substantia nigra; Motor system; Marijuana; Tetrahydrocannabinol; WIN 55,212-2; Aminoalkylindole (Miller, A.S. (279) 179)

Capsaicin

Vasodilator nerve; Nitric oxide (NO); Mesenteric artery, guinea pig; CGRP (calcitonin gene-related peptide); Nitro-L-arginine; Zinc protoporphyrin IX (Gyoda, Y. (279) 83)

Cardiac myocyte

Antiarrhythmic; Action potential; Ca²⁺ current; K⁺ current; Oxime (Karhu, S. (279) 7)

CD11b

Sialidase; Fucoidin; β_2 -Integrin; Interleukin-8; Interleukin-1 (Harris, J.G. (279) 149)

Central nervous system

Opioid dependence; Ca²⁺ channel; Diltiazem; Protein kinase C; Morphine; Butorphanol (Tokuyama, S. (279) 93)

CGP 42112A

Angiotensin II; Losartan; DuP 532; PD 123319; Smooth muscle, portal vein (Pelet, C. (279) 15)

CGRP (calcitonin gene-related peptide)

Vasodilator nerve; Nitric oxide (NO); Mesenteric artery, guinea pig; Capsaicin; Nitro-L-arginine; Zinc protoporphyrin IX (Gyoda, Y. (279) 83)

Histamine; Paw edema; Neurogenic inflammation (Amann, R. (279) 227)

p-Chlorophenylalanine treatment

Tetrahydroaminoacridine; Nicotine; Nucleus basalis lesion; Alzheimer's disease (Riekkinen Jr., P. (279) 65)

Cholinergic system

Methamphetamine; Scopolamine; Behavioral sensitization; Drug conditioning; Low-frequency tone (Yui, K. (279) 135)

CI977

κ -Opioid receptor; Excitatory amino acid; Epilepsy; Na⁺ channel (Milan, M.H. (279) 75)

Colon

Epithelium; Ion transport; Histamine; Secretion; (Human) (Keely, S.J. (279) 203)

Colon, guinea pig

5-HT receptor; Gastrointestinal motility; Enteric nerve; Relaxation (Briejer, M.R. (279) 123)

Conditioned place preference

Genetic selection; Locomotor activity; Nicotine; (Mouse) (Schechter, M.D. (279) 59)

Cytokine

Bradykinin; Bradykinin analog; Bradykinin receptor antagonist; HOE 140; Mononuclear cell; Interleukine (Paegelow, I. (279) 211)

2-Deoxyglucose

Morphine; Ischemia; κ -Opioid receptor; Hippocampal slice; Tolerance (Shibata, S. (279) 197)

Desenkephalin- γ -endorphin

Endorphin receptor, γ -type; Apomorphine; Nucleus accumbens; Neuroleptic-like action; Antibody; Anti-idiotypic antibody; Behavioral effect (Van Ree, J.M. (279) 187)

Diabetes mellitus

Phorbol ester; Protein kinase C; Ca²⁺, extracellular; Ca²⁺ channel; Aorta, rat (Hattori, Y. (279) 51)

Diltiazem

Opioid dependence; Central nervous system; Ca^{2+} channel; Protein kinase C; Morphine; Butorphanol (Tokuyama, S. (279) 93)

Dorsal root ganglion

Antinociception; μ -Opioid receptor; Primary afferent neuron; Ribonuclease protection assay; β -Funaltrexamine (Schäfer, M. (279) 165)

Drug conditioning

Methamphetamine; Scopolamine; Cholinergic system; Behavioral sensitization; Low-frequency tone (Yui, K. (279) 135)

DuP 532

Angiotensin II; Losartan; PD 123319; CGP 42112A; Smooth muscle, portal vein (Pelet, C. (279) 15)

Endorphin receptor, γ -type

Desenkephalin- γ -endorphin; Apomorphine; Nucleus accumbens; Neuroleptic-like action; Antibody; Anti-idiotypic antibody; Behavioral effect (Van Ree, J.M. (279) 187)

Endothelin

Heart; Ischemia; Receptor displacement (Franco-Cereceda, A. (279) 105)

Enteric nerve

5-HT receptor; Colon, guinea pig; Gastrointestinal motility; Relaxation (Briejer, M.R. (279) 123)

Epilepsy

κ -Opioid receptor; CI977; Excitatory amino acid; Na^+ channel (Millan, M.H. (279) 75)

Epithelium

Colon; Ion transport; Histamine; Secretion; (Human) (Keely, S.J. (279) 203)

Excitatory amino acid

κ -Opioid receptor; CI977; Epilepsy; Na^+ channel (Millan, M.H. (279) 75)

FK453

Adenosine receptor; Atrium; Aorta; Binding assay (Terai, T. (279) 217)

Fucoidin

Sialidase; β_2 -Integrin; CD11b; Interleukin-8; Interleukin-1 (Harris, J.G. (279) 149)

 β -Funaltrexamine

Antinociception; μ -Opioid receptor; Dorsal root ganglion; Primary afferent neuron; Ribonuclease protection assay (Schäfer, M. (279) 165)

GABA_A receptor

Gastric acid secretion; Muscimol (Lin, W.-C. (279) 43)

Gastric acid secretion

Muscimol; GABA_A receptor (Lin, W.-C. (279) 43)

α -Adrenoceptor; Interleukin-1 β ; Indomethacin; Sympatho-adrenomedullary system (Yokotani, K. (279) 233)

Gastrointestinal motility

5-HT receptor; Colon, guinea pig; Enteric nerve; Relaxation (Briejer, M.R. (279) 123)

Genetic selection

Conditioned place preference; Locomotor activity; Nicotine; (Mouse) (Schechter, M.D. (279) 59)

cGMP

Red nucleus; L-Arginine; Analgesia; Nitric oxide (NO) (Kumar, A. (279) 1)

GPIIb/IIIa

Humanized antibody; Thrombosis, photochemically induced; Microcirculation; Bleeding time; (Squirrel monkey) (Kaku, S. (279) 115)

Heart

Endothelin; Ischemia; Receptor displacement (Franco-Cereceda, A. (279) 105)

Hippocampal slice

Morphine; Ischemia; κ -Opioid receptor; 2-Deoxyglucose; Tolerance (Shibata, S. (279) 197)

Histamine

Colon; Epithelium; Ion transport; Secretion; (Human) (Keely, S.J. (279) 203)

Paw edema; Neurogenic inflammation; CGRP (calcitonin gene-related peptide) (Amann, R. (279) 227)

Histamine H₂ receptor

Antinociception; Restraint; Hot plate test (Wong, C.-L. (279) 109)

HOE 140

Bradykinin; Bradykinin analog; Bradykinin receptor antagonist; Mononuclear cell; Cytokine; Interleukine (Paegelow, I. (279) 211)

Hot plate test

Antinociception; Histamine H₂ receptor; Restraint (Wong, C.-L. (279) 109)

5-HT receptor

Colon, guinea pig; Gastrointestinal motility; Enteric nerve; Relaxation (Briejer, M.R. (279) 123)

Humanized antibody

GPIIb/IIIa; Thrombosis, photochemically induced; Microcirculation; Bleeding time; (Squirrel monkey) (Kaku, S. (279) 115)

Ibogaine

σ Receptor; (Subtype selectivity) (Bowen, W.D. (279) R1)

Indomethacin

α -Adrenoceptor; Gastric acid secretion; Interleukin-1 β ; Sympatho-adrenomedullary system (Yokotani, K. (279) 233)

Infarct

Myocardial ischemia; Reperfusion injury; Adenosine A₁ receptor agonist (Lee, Y.-M. (279) 251)

 β_2 -Integrin

Sialidase; Fucoidin; CD11b; Interleukin-8; Interleukin-1 (Harris, J.G. (279) 149)

Interleukin-1

Sialidase; Fucoidin; β_2 -Integrin; CD11b; Interleukin-8 (Harris, J.G. (279) 149)

Interleukin-1 β

α -Adrenoceptor; Gastric acid secretion; Indomethacin; Sympatho-adrenomedullary system (Yokotani, K. (279) 233)

Interleukin-8

Sialidase; Fucoidin; β_2 -Integrin; CD11b; Interleukin-1 (Harris, J.G. (279) 149)

Interleukine

Bradykinin; Bradykinin analog; Bradykinin receptor antagonist; HOE 140; Mononuclear cell; Cytokine (Paegelow, I. (279) 211)

Ion transport

Colon; Epithelium; Histamine; Secretion; (Human) (Keely, S.J. (279) 203)

Ischemia

Endothelin; Heart; Receptor displacement (Franco-Cereceda, A. (279) 105)

Morphine; κ -Opioid receptor; 2-Deoxyglucose; Hippocampal slice; Tolerance (Shibata, S. (279) 197)

Isolation rearing

Place preference; *d*-Amphetamine; (Rat) (Wongwitdech, N. (279) 99)

K⁺ current

Antiarrhythmic; Action potential; Ca²⁺ current; Oxime; Cardiac myocyte (Karhu, S. (279) 7)

Locomotor activity

Conditioned place preference; Genetic selection; Nicotine; (Mouse) (Schechter, M.D. (279) 59)

LY326325; NBQX (6-nitro-7-sulfamoylbenzo(*f*)quinoxaline-2,3-(1*H*,4*H*dione); AMPA receptor antagonist; Anxiety; Plus maze; (Mouse) (Karcz-Kubicha, M. (279) 171)

Losartan

Angiotensin II; DuP 532; PD 123319; CGP 42112A; Smooth muscle, portal vein (Pelet, C. (279) 15)

Low-frequency tone

Methamphetamine; Scopolamine; Cholinergic system; Behavioral sensitization; Drug conditioning (Yui, K. (279) 135)

LY326325

NBQX (6-nitro-7-sulfamoylbenzo(*f*)quinoxaline-2,3-(1*H*,4*H*dione); AMPA receptor antagonist; Anxiety; Plus maze; Locomotor activity; (Mouse) (Karcz-Kubicha, M. (279) 171)

Marijuana

Basal ganglia; Cannabinoid; Substantia nigra; Cannabinoid receptor; Motor system; Tetrahydrocannabinol; WIN 55,212-2; Aminoalkylindole (Miller, A.S. (279) 179)

Mesenteric artery, guinea pig

Vasodilator nerve; Nitric oxide (NO); CGRP (calcitonin gene-related peptide); Capsaicin; Nitro-L-arginine; Zinc protoporphyrin IX (Gyoda, Y. (279) 83)

Methamphetamine

Scopolamine; Cholinergic system; Behavioral sensitization; Drug conditioning; Low-frequency tone (Yui, K. (279) 135)

N-Methyl-actinodaphnine

α -Adrenoceptor antagonist; α_1 -Adrenoceptor subtype; (*Illigera luzonensis*) (Guh, J.-H. (279) 33)

Microcirculation

Humanized antibody; GPIIb/IIIa; Thrombosis, photochemically induced; Bleeding time; (Squirrel monkey) (Kaku, S. (279) 115)

Mononuclear cell

Bradykinin; Bradykinin analog; Bradykinin receptor antagonist; HOE 140; Cytokine; Interleukine (Paegelow, I. (279) 211)

Morphine

Opioid dependence; Central nervous system; Ca²⁺ channel; Diltiazem; Protein kinase C; Butorphanol (Tokuyama, S. (279) 93)

Ischemia; κ -Opioid receptor; 2-Deoxyglucose; Hippocampal slice; Tolerance (Shibata, S. (279) 197)

Motor system

Basal ganglia; Cannabinoid; Substantia nigra; Cannabinoid receptor; Marijuana; Tetrahydrocannabinol; WIN 55,212-2; Aminoalkylindole (Miller, A.S. (279) 179)

Muscimol

Gastric acid secretion; GABA_A receptor (Lin, W.-C. (279) 43)

Muscle relaxation

β -Adrenoceptor, atypical; Taenia caecum, guinea-pig; Noradrenaline (Koike, K. (279) 159)

Myocardial ischemia

Reperfusion injury; Adenosine A₁ receptor agonist; Infarct (Lee, Y.-M. (279) 251)

Na⁺ channel

κ -Opioid receptor; CI977; Excitatory amino acid; Epilepsy (Millan, M.H. (279) 75)

NBQX (6-nitro-7-sulfamoylbenzo(*f*)quinoxaline-2,3-(1*H*,4*H*dione)

LY326325; AMPA receptor antagonist; Anxiety; Plus maze; Locomotor activity; (Mouse) (Karcz-Kubicha, M. (279) 171)

Neurogenic inflammation

Histamine; Paw edema; CGRP (calcitonin gene-related peptide) (Amann, R. (279) 227)

Neuroleptic-like action

Desenkephalin- γ -endorphin; Endorphin receptor, γ -type; Apomorphine; Nucleus accumbens; Antibody; Anti-idiotypic antibody; Behavioral effect (Van Ree, J.M. (279) 187)

Nicotine

Conditioned place preference; Genetic selection; Locomotor activity; (Mouse) (Schechter, M.D. (279) 59)

Tetrahydroaminoacridine; Nucleus basalis lesion; *p*-Chlorophenylalanine treatment; Alzheimer's disease (Rickkinen Jr., P. (279) 65)

Nitric oxide (NO)

Red nucleus; L-Arginine; Analgesia; cGMP (Kumar, A. (279) 1)

Vasodilator nerve; Mesenteric artery, guinea pig; CGRP (calcitonin gene-related peptide); Capsaicin; Nitro-L-arginine; Zinc protoporphyrin IX (Gyoda, Y. (279) 83)

Nitro-L-arginine

Vasodilator nerve; Nitric oxide (NO); Mesenteric artery, guinea pig; CGRP (calcitonin gene-related peptide); Capsaicin; Zinc protoporphyrin IX (Gyoda, Y. (279) 83)

Noradrenaline

β -Adrenoceptor, atypical; Taenia caecum, guinea-pig; Muscle relaxation (Koike, K. (279) 159)

Nucleus accumbens

Desenkephalin- γ -endorphin; Endorphin receptor, γ -type; Apomorphine; Neuroleptic-like action; Antibody; Anti-idiotypic antibody; Behavioral effect (Van Ree, J.M. (279) 187)

Nucleus basalis lesion

Tetrahydroaminoacridine; Nicotine; *p*-Chlorophenylalanine treatment; Alzheimer's disease (Riekkinen Jr., P. (279) 65)

Opioid dependence

Central nervous system; Ca^{2+} channel; Diltiazem; Protein kinase C; Morphine; Butorphanol (Tokuyama, S. (279) 93)

 κ -Opioid receptor

CI977; Excitatory amino acid; Epilepsy; Na^+ channel (Millan, M.H. (279) 75)

Morphine; Ischemia; 2-Deoxyglucose; Hippocampal slice; Tolerance (Shibata, S. (279) 197)

 μ -Opioid receptor

Antinociception; Dorsal root ganglion; Primary afferent neuron; Ribonuclease protection assay; β -Funaltrexamine (Schäfer, M. (279) 165)

Oxime

Antiarrhythmic; Action potential; Ca^{2+} current; K^+ current; Cardiac myocyte (Karhu, S. (279) 7)

Paw edema

Phospholipase A_2 ; Thielocin $\text{A1}\beta$; Anti-inflammatory drug (Tanaka, K. (279) 143)

Histamine; Neurogenic inflammation; CGRP (calcitonin gene-related peptide) (Amann, R. (279) 227)

PD 123319

Angiotensin II; Losartan; DuP 532; CGP 42112A; Smooth muscle, portal vein (Pelet, C. (279) 15)

Phorbol ester

Diabetes mellitus; Protein kinase C; Ca^{2+} , extracellular; Ca^{2+} channel; Aorta, rat (Hattori, Y. (279) 51)

Phospholipase A_2

Thielocin $\text{A1}\beta$; Paw edema; Anti-inflammatory drug (Tanaka, K. (279) 143)

Place preference

Isolation rearing; *d*-Amphetamine; (Rat) (Wongwitdech, N. (279) 99)

Plus maze

LY326325; NBQX (6-nitro-7-sulfamoylbenzo(*f*)quinoxaline-2,3-(1*H*,4*H*)dione); AMPA receptor antagonist; Anxiety; Locomotor activity; (Mouse) (Karcz-Kubicha, M. (279) 171)

Primary afferent neuron

Antinociception; μ -Opioid receptor; Dorsal root ganglion; Ribonuclease protection assay; β -Funaltrexamine (Schäfer, M. (279) 165)

Protein kinase C

Diabetes mellitus; Phorbol ester; Ca^{2+} , extracellular; Ca^{2+} channel; Aorta, rat (Hattori, Y. (279) 51)

Opioid dependence; Central nervous system; Ca^{2+} channel; Diltiazem; Morphine; Butorphanol (Tokuyama, S. (279) 93)

 σ Receptor

Ibogaine; (Subtype selectivity) (Bowen, W.D. (279) R1)

Receptor displacement

Endothelin; Heart; Ischemia (Franco-Cereceda, A. (279) 105)

Red nucleus

L-Arginine; Analgesia; Nitric oxide (NO); cGMP (Kumar, A. (279) 1)

Relaxation

5-HT receptor; Colon, guinea pig; Gastrointestinal motility; Enteric nerve (Briejer, M.R. (279) 123)

Reperfusion injury

Myocardial ischemia; Adenosine A_1 receptor agonist; Infarct (Lee, Y.-M. (279) 251)

Restraint

Antinociception; Histamine H_2 receptor; Hot plate test (Wong, C.-L. (279) 109)

Ribonuclease protection assay

Antinociception; μ -Opioid receptor; Dorsal root ganglion; Primary afferent neuron; β -Funaltrexamine (Schäfer, M. (279) 165)

Scopolamine

Methamphetamine; Cholinergic system; Behavioral sensitization; Drug conditioning; Low-frequency tone (Yui, K. (279) 135)

Secretion

Colon; Epithelium; Ion transport; Histamine; (Human) (Keely, S.J. (279) 203)

Sialidase

Fucoidin; β_2 -Integrin; CD11b; Interleukin-8; Interleukin-1 (Harris, J.G. (279) 149)

Smooth muscle, portal vein

Angiotensin II; Losartan; DuP 532; PD 123319; CGP 42112A (Pelet, C. (279) 15)

Somatostatin analog

Vapreotide; Substance P; Tachykinin NK_1 receptor; Tachykinin NK_2 receptor; Airway; Binding (Bétoin, F. (279) 241)

SR 33589

Amiodarone; Antiarrhythmic (class III); Anti-adrenoceptor activity (Hodeige, D. (279) 25)

Substance P

Vapreotide; Somatostatin analog; Tachykinin NK_1 receptor; Tachykinin NK_2 receptor; Airway; Binding (Bétoin, F. (279) 241)

Substantia nigra

Basal ganglia; Cannabinoid; Cannabinoid receptor; Motor system; Marijuana; Tetrahydrocannabinol; WIN 55,212-2; Aminoalkylindole (Miller, A.S. (279) 179)

Sympatho-adrenomedullary system

α -Adrenoceptor; Gastric acid secretion; Interleukin-1 β ; Indomethacin (Yokotani, K. (279) 233)

Tachykinin NK_1 receptor

Vapreotide; Somatostatin analog; Substance P; Tachykinin NK_2 receptor; Airway; Binding (Bétoin, F. (279) 241)

Tachykinin NK_2 receptor

Vapreotide; Somatostatin analog; Substance P; Tachykinin NK_1 receptor; Airway; Binding (Bétoin, F. (279) 241)

Taenia caecum, guinea-pig

β -Adrenoceptor, atypical; Muscle relaxation; Noradrenaline (Koike, K. (279) 159)

Tetrahydroaminoacridine

Nicotine; Nucleus basalis lesion; *p*-Chlorophenylalanine treatment; Alzheimer's disease (Riekkinen Jr., P. (279) 65)

Tetrahydrocannabinol

Basal ganglia; Cannabinoid; Substantia nigra; Cannabinoid receptor; Motor system; Marijuana; WIN 55,212-2; Aminoalkylindole (Miller, A.S. (279) 179)

Thielocin A1 β

Phospholipase A₂; Paw edema; Anti-inflammatory drug (Tanaka, K. (279) 143)

Thrombosis, photochemically induced

Humanized antibody; GPIIb/IIIa; Microcirculation; Bleeding time; (Squirrel monkey) (Kaku, S. (279) 115)

Tolerance

Morphine; Ischemia; κ -Opioid receptor; 2-Deoxyglucose; Hippocampal slice (Shibata, S. (279) 197)

Vapreotide

Somatostatin analog; Substance P; Tachykinin NK₁ receptor; Tachykinin NK₂ receptor; Airway; Binding (Bétoin, F. (279) 241)

Vasodilator nerve

Nitric oxide (NO); Mesenteric artery, guinea pig; CGRP (calcitonin gene-related peptide); Capsaicin; Nitro-L-arginine; Zinc protoporphyrin IX (Gyoda, Y. (279) 83)

WIN 55,212-2

Basal ganglia; Cannabinoid; Substantia nigra; Cannabinoid receptor; Motor system; Marijuana; Tetrahydrocannabinol; Aminoalkylindole (Miller, A.S. (279) 179)

Zinc protoporphyrin IX

Vasodilator nerve; Nitric oxide (NO); Mesenteric artery, guinea pig; CGRP (calcitonin gene-related peptide); Capsaicin; Nitro-L-arginine (Gyoda, Y. (279) 83)