

Author index

- Ahrén, B., Karlsson, S., Scheurink, A.J.W. and Steffens, A.B.
Involvement of nitric oxide in neuroglycopenia-induced insulin and glucagon secretion in the mouse (280) 27
- Alemaný, R., Olmos, G., Escibá, P.V., Menargues, A., Obach, R. and García-Sevilla, J.A.
LSL 60101, a selective ligand for imidazoline I₂ receptors, on glial fibrillary acidic protein concentration (280) 205
- Anderson, D.J., see Decker, M.W. (280) 79
- Arakawa, H., see Kawikova, I. (280) 293
- Asano, S., see Matsuda, T. (280) 235
- Ashford, M.L.J., see Lee, K. (280) 215
- Audinot, V., see Millan, M.J. (280) 225
- Baba, A., see Matsuda, T. (280) 235
- Barbeito, L., see Estevez, A.G. (280) 47
- Barrachina, M^a.D., Calatayud, S., Moreno, L., Martínez-Cuesta, M^a.A., Whittle, B.J.R. and Esplugues, J.V.
Nitric oxide and sensory afferent neurones modulate the protective effects of low-dose endotoxin on rat gastric mucosal damage (280) 339
- Bervoets, K., see Maurel-Remy, S. (280) R9
- Blengio, M., see Ferretti, C. (280) 19
- Bowen, W.D., see Matsumoto, R.R. (280) 301
- Brioni, J.D., see Decker, M.W. (280) 79
- Brochu, M., see Roy, B. (280) 1
- Bubser, M., see Kretschmer, B.D. (280) 37
- Calatayud, S., see Barrachina, M^a.D. (280) 339
- Cáñido, A., see Torres, C. (280) 277
- Cano, J., see Santiago, M. (280) 251
- Carter, D., Champney, M., Hwang, B. and Eglen, R.M.
Characterization of a postjunctional 5-HT receptor mediating relaxation of guinea-pig isolated ileum (280) 243
- Catalioto, R.-M., Porchia, R., Renzetti, A.R., Criscuoli, M., Subissi, A. and Giachetti, A.
Angiotensin II-induced responses in vascular smooth muscle cells: inhibition by non-peptide receptor antagonists (280) 285
- Champney, M., see Carter, D. (280) 243
- Chan, B., see Yoshihara, S. (280) 113
- Chang, K.-J., see Lee, P.H.K. (280) 211
- Chatelain, P., see Dol, F. (280) 135
- Cheng, Z.-J., see Yu, S.-M. (280) 69
- Chung, N.N., see Lee, P.H.K. (280) 211
- Cirino, G., see Wallace, J.L. (280) 63
- Clark, K.L., Robertson, M.J. and Drew, G.M.
Renal pharmacology of GR138950, a novel non-peptide angiotensin AT₁ receptor antagonist (280) 195
- Colado, M.I. and Green, A.R.
The spin trap reagent α -phenyl-*N*-tert-butyl nitron prevents 'ecstasy'-induced neurodegeneration of 5-hydroxytryptamine neurones (280) 343
- Contreras, E., see Norris, B. (280) 221
- Contreras, G., see Norris, B. (280) 221
- Cooper, M.E., see Haynes, J.M. (280) 91
- Criscuoli, M., see Catalioto, R.-M. (280) 285
- DaSilva, A.M.T., see McManigle, J.E. (280) 257
- Davies, M.F., see Maguire, P.A. (280) 167
- Deacon, R.M.J. and Rawlins, J.N.P.
Effects of the competitive NMDA receptor antagonist CGP 37849 on performance of reference and working memory tasks by rats (280) 239
- Decker, M.W., Anderson, D.J., Brioni, J.D., Donnelly-Roberts, D.L., Kang, C.H., O'Neill, A.B., Piattoni-Kaplan, M., Swanson, S. and Sullivan, J.P.
Erysodine, a competitive antagonist at neuronal nicotinic acetylcholine receptors (280) 79
- De Costa, B.R., see Matsumoto, R.R. (280) 301
- Delaey, C. and Van de Voorde, J.
Prostanoid-induced contractions are blocked by sulfonylureas (280) 179
- Dol, F., Schaeffer, P., Lamarche, I., Mares, A.-M., Chatelain, P. and Herbert, J.-M.
Effect of SR 33805 on arterial smooth muscle cell proliferation and neointima formation following vascular injury (280) 135
- Donnelly-Roberts, D.L., see Decker, M.W. (280) 79
- Drew, G.M., see Clark, K.L. (280) 195
- Dyer, D.C., see Zhang, L. (280) 335
- Eglen, R.M., see Carter, D. (280) 243
- Elliott, S.N., see Wallace, J.L. (280) 63
- Escibá, P.V., see Alemany, R. (280) 205
- Esplugues, J.V., see Barrachina, M^a.D. (280) 339
- Estevez, A.G., Stutzmann, J.-M. and Barbeito, L.
Protective effect of riluzole on excitatory amino acid-mediated neurotoxicity in motoneuron-enriched cultures (280) 47
- Ferretti, C., Blengio, M., Gamalero, S.R. and Ghi, P.
Biochemical and behaviour changes induced by acute stress in a chronic variate stress model of depression: the effect of amitriptyline (280) 19
- Fiscus, R.R., see Zhang, L. (280) 335
- Fujimoto, S. and Itoh, T.
Denopamine as an α_{1H} -adrenoceptor antagonist in isolated blood vessels (280) 143
- Fujita, K., Matsumura, Y., Miyazaki, Y., Takaoka, M. and Morimoto, S.
Role of endothelin-1 in hypertension induced by long-term inhibition of nitric oxide synthase (280) 311
- Fukumura, K., see Mineo, H. (280) 149
- Fumero, B., see Mas, M. (280) 331
- Funada, M., see Suzuki, T. (280) 327
- Gamalero, S.R., see Ferretti, C. (280) 19
- García-Sevilla, J.A., see Alemany, R. (280) 205
- Geppetti, P., see Yoshihara, S. (280) 113
- Ghi, P., see Ferretti, C. (280) 19
- Giachetti, A., see Catalioto, R.-M. (280) 285
- Gillis, R.A., see McManigle, J.E. (280) 257
- Granero, L., see Santiago, M. (280) 251
- Grbović, L., see Jovanović, A. (280) 95
- Grbović, L., see Jovanović, A. (280) 101

- Green, A.R., see Colado, M.I. (280) 343
- Griffin, A.
The effect of K⁺ channel openers on submucosal gland function and epithelial transport of the ferret trachea, *in vitro* (280) 317
- Groenink, L., Van der Gugten, J., Verdouw, P.M., Maes, R.A.A. and Olivier, B.
The anxiolytic effects of flesinoxan, a 5-HT_{1A} receptor agonist, are not related to its neuroendocrine effects (280) 185
- Grujic, Z., see Zhang, L. (280) 335
- Hara, M., see Yoshihara, S. (280) 113
- Haynes, J.M. and Cooper, M.E.
Adrenomedullin and calcitonin gene-related peptide in the rat isolated kidney and in the anaesthetised rat: *in vitro* and *in vivo* effects (280) 91
- Heidbreder, C., see Shippenberg, T.S. (280) 55
- Helmeste, D.M. and Tang, S.W.
Tyrosine kinase inhibitors regulate serotonin uptake in platelets (280) R5
- Herbert, J.-M., see Dol, F. (280) 135
- Hollingsworth, M., see Piper, A.S. (280) 125
- Huang, Y.
4-Aminopyridine-induced phasic contractions in rat caudal epididymis are mediated through release of noradrenaline (280) 231
- Hwang, B., see Carter, D. (280) 243
- Ishihara, K., see Momiyama, T. (280) 119
- Ishiye, M., Umemura, K., Uematsu, T. and Nakashima, M.
Angiotensin AT₁ receptor-mediated attenuation of cardiac hypertrophy due to volume overload: involvement of endothelin (280) 11
- Itoh, T., see Fujimoto, S. (280) 143
- Jovanović, A., Grbović, L. and Jovanović, S.
K⁺ channel blockers do not modify relaxation of guinea-pig uterine artery evoked by acetylcholine (280) 95
- Jovanović, A., Grbović, L., Jovanović, S. and Žikić, I.
Effect of pregnancy on vasopressin-mediated responses in guinea-pig uterine arteries with intact and denuded endothelium (280) 101
- Jovanović, S., see Jovanović, A. (280) 95
- Jovanović, S., see Jovanović, A. (280) 101
- Kamei, J., Saitoh, A., Ohsawa, M., Suzuki, T., Misawa, M., Nagase, H. and Kasuya, Y.
Corrigendum to 'Antinociceptive effects of the selective non-peptide δ -opioid receptor agonist TAN-67 in diabetic mice' [Eur. J. Pharmacol. 276 (1995) 131–135] (280) 347
- Kang, C.H., see Decker, M.W. (280) 79
- Karlsson, S., see Åhrén, B. (280) 27
- Kasuya, Y., see Kamei, J. (280) 347
- Katayama, T., see Mineo, H. (280) 149
- Kato, S., see Mineo, H. (280) 149
- Kaur, S. and Starr, M.S.
Antiparkinsonian action of dextromethorphan in the reserpine-treated mouse (280) 159
- Kawikova, I., Arakawa, H., Petersson, M., Löfdahl, C.-G., Skoogh, B.-E. and Lötvall, J.
Bradykinin-induced release of thromboxane B₂ into bronchoalveolar lavage fluid of guinea pigs: relationship to airflow obstruction (280) 293
- Kretschmer, B.D., Bubser, M. and Schmidt, W.J.
Behavioral and neurochemical actions of the strychnine-insensitive glycine receptor antagonist, 7-chlorokynurenate, in rats (280) 37
- Kuo, S.-C., see Yu, S.-M. (280) 69
- Lamarche, I., see Dol, F. (280) 135
- Lee, K., Rowe, I.C.M. and Ashford, M.L.J.
NS 1619 activates BK_{Ca} channel activity in rat cortical neurones (280) 215
- Lee, P.H.K., Nguyen, T.M.-D., Chung, N.N., Schiller, P.W. and Chang, K.-J.
Tyrosine-iodination converts the δ -opioid peptide antagonist TIPP to an agonist (280) 211
- Lindén, A., see Yoshihara, S. (280) 113
- Loew, G.H., see Maguire, P.A. (280) 167
- Löfdahl, C.-G., see Kawikova, I. (280) 293
- Lötvall, J., see Kawikova, I. (280) 293
- Machado, A., see Santiago, M. (280) 251
- Maes, R.A.A., see Groenink, L. (280) 185
- Maguire, P.A., Davies, M.F. and Loew, G.H.
Binding of 1,4-benzodiazepines to a novel [³H]Ro15-4513 binding site in the rat spinal cord (280) 167
- Maldonado, A., see Torres, C. (280) 277
- Mares, A.-M., see Dol, F. (280) 135
- Martin, G.R., see Mills, A. (280) 175
- Martínez-Cuesta, M^a.A., see Barrachina, M^a.D. (280) 339
- Mas, M., Fumero, B. and Perez-Rodriguez, I.
Induction of mating behavior by apomorphine in sexually sated rats (280) 331
- Matsuda, T., Somboonthum, P., Suzuki, M., Asano, S. and Baba, A.
Antidepressant-like effect by postsynaptic 5-HT_{1A} receptor activation in mice (280) 235
- Matsumoto, R.R., Bowen, W.D., Tom, M.A., Vo, V.N., Truong, D.D. and De Costa, B.R.
Characterization of two novel σ receptor ligands: antidystonic effects in rats suggest σ receptor antagonism (280) 301
- Matsumura, Y., see Fujita, K. (280) 311
- Maurel-Remy, S., Bervoets, K. and Millan, M.J.
Blockade of phencyclidine-induced hyperlocomotion by clozapine and MDL 100,907 in rats reflects antagonism of 5-HT_{2A} receptors (280) R9
- McKnight, G.W., see Wallace, J.L. (280) 63
- McManigle, J.E., Panico, W.H., DaSilva, A.M.T. and Gillis, R.A.
Respiratory effects produced by microinjection of L-glutamate and an uptake inhibitor of L-glutamate into the caudal subretrofacial area of the medulla (280) 257
- Melon, C., see Millan, M.J. (280) 225
- Menargues, A., see Alemany, R. (280) 205
- Millan, M.J., Audinot, V., Melon, C. and Newman-Tancredi, A.
Evidence that dopamine D₃ receptors participate in clozapine-induced hypothermia (280) 225
- Millan, M.J., see Maurel-Remy, S. (280) R9
- Mills, A. and Martin, G.R.
Autoradiographic mapping of [³H]sumatriptan binding in cat brain stem and spinal cord (280) 175
- Mineo, H., Ohdate, T., Fukumura, K., Katayama, T., Onaga, T., Kato, S. and Yanaihara, N.
Effects of benzoic acid and its analogues on insulin and glucagon secretion in sheep (280) 149
- Misawa, M., see Kamei, J. (280) 347
- Misawa, M., see Suzuki, T. (280) 327
- Miyazaki, Y., see Fujita, K. (280) 311
- Mizoguchi, H., see Narita, M. (280) R1
- Momiyama, T., Ishihara, K., Serikawa, T., Moritake, K. and Sasa, M.
Effect of nifedipine on abnormal excitability of CA3 pyramidal cells in hippocampal slices of spontaneously epileptic rats (280) 119
- Morales, A., see Torres, C. (280) 277
- Moreno, L., see Barrachina, M^a.D. (280) 339
- Morimoto, S., see Fujita, K. (280) 311
- Moritake, K., see Momiyama, T. (280) 119
- Nadel, J.A., see Yoshihara, S. (280) 113
- Nagase, H., see Kamei, J. (280) 347
- Nakashima, M., see Ishiye, M. (280) 11

- Narita, M., Narita, M., Mizoguchi, H. and Tseng, L.F.
Inhibition of protein kinase C, but not of protein kinase A, blocks the development of acute antinociceptive tolerance to an intrathecally administered μ -opioid receptor agonist in the mouse (280) R1
- Narita, M., see Narita, M. (280) R1
- Newman-Tancredi, A., see Millan, M.J. (280) 225
- Nguyen, T.M.-D., see Lee, P.H.K. (280) 211
- Norris, B., Contreras, E., Nunez, G. and Contreras, G.
Diazepam induces tolerance in the isolated skin of *Pleurodema thaul* (280) 221
- Nunez, G., see Norris, B. (280) 221
- Obach, R., see Alemany, R. (280) 205
- Ohdate, T., see Mineo, H. (280) 149
- Ohsawa, M., see Kamei, J. (280) 347
- Olivier, B., see Groenink, L. (280) 185
- Olmos, G., see Alemany, R. (280) 205
- Onaga, T., see Mineo, H. (280) 149
- O'Neill, A.B., see Decker, M.W. (280) 79
- Panico, W.H., see McManigle, J.E. (280) 257
- Patrick, S.L., see Tsou, K. (280) R13
- Perez-Rodriguez, I., see Mas, M. (280) 331
- Petersson, M., see Kawikova, I. (280) 293
- Piattoni-Kaplan, M., see Decker, M.W. (280) 79
- Piper, A.S. and Hollingsworth, M.
The purinoceptors of the guinea-pig isolated taenia caeci (280) 125
- Porchia, R., see Catalioto, R.-M. (280) 285
- Rawlins, J.N.P., see Deacon, R.M.J. (280) 239
- Renzetti, A.R., see Catalioto, R.-M. (280) 285
- Ricciardolo, F.L.M., see Yoshihara, S. (280) 113
- Robertson, M.J., see Clark, K.L. (280) 195
- Rowe, I.C.M., see Lee, K. (280) 215
- Roy, B., Sicotte, B., Brochu, M. and St-Louis, J.
Effects of nifedipine and Bay K 8644 on myotropic responses in aortic rings of pregnant rats (280) 1
- Rutledge, A. and Trigg, D.J.
The binding interactions of Ro 40-5967 at the L-type Ca^{2+} channel in cardiac tissue (280) 155
- Saitoh, A., see Kamei, J. (280) 347
- Santiago, M., Granero, L., Machado, A. and Cano, J.
Complex I inhibitor effect on the nigral and striatal release of dopamine in the presence and absence of nomifensine (280) 251
- Sasa, M., see Momiyama, T. (280) 119
- Schaeffer, P., see Dol, F. (280) 135
- Scheurink, A.J.W., see Ahrén, B. (280) 27
- Schiller, P.W., see Lee, P.H.K. (280) 211
- Schmidt, W.J., see Kretschmer, B.D. (280) 37
- Serikawa, T., see Momiyama, T. (280) 119
- Shippenberg, T.S. and Heidbreder, C.
The δ -opioid receptor antagonist naltrindole prevents sensitization to the conditioned rewarding effects of cocaine (280) 55
- Sicotte, B., see Roy, B. (280) 1
- Skoogh, B.-E., see Kawikova, I. (280) 293
- Somboonthum, P., see Matsuda, T. (280) 235
- St-Louis, J., see Roy, B. (280) 1
- Starr, M.S., see Kaur, S. (280) 159
- Steffens, A.B., see Ahrén, B. (280) 27
- Stutzmann, J.-M., see Estevez, A.G. (280) 47
- Subissi, A., see Catalioto, R.-M. (280) 285
- Sullivan, J.P., see Decker, M.W. (280) 79
- Suzuki, M., see Matsuda, T. (280) 235
- Suzuki, T., Tsuda, M., Funada, M. and Misawa, M.
Blockade of morphine-induced place preference by diazepam in mice (280) 327
- Suzuki, T., see Kamei, J. (280) 347
- Swanson, S., see Decker, M.W. (280) 79
- Takaoka, M., see Fujita, K. (280) 311
- Tang, S.W., see Helmeste, D.M. (280) R5
- Tom, M.A., see Matsumoto, R.R. (280) 301
- Torres, C., Morales, A., Cándido, A. and Maldonado, A.
Differential effect of buspirone and diazepam on negative contrast in one-way avoidance learning (280) 277
- Trigg, D.J., see Rutledge, A. (280) 155
- Truong, D.D., see Matsumoto, R.R. (280) 301
- Tseng, L.F., see Narita, M. (280) R1
- Tsou, K., Patrick, S.L. and Walker, J.M.
Physical withdrawal in rats tolerant to Δ^9 -tetrahydrocannabinol precipitated by a cannabinoid receptor antagonist (280) R13
- Tsuda, M., see Suzuki, T. (280) 327
- Uematsu, T., see Ishiye, M. (280) 11
- Umemura, K., see Ishiye, M. (280) 11
- Van der Gugten, J., see Groenink, L. (280) 185
- Van de Voorde, J., see Delaey, C. (280) 179
- Verdouw, P.M., see Groenink, L. (280) 185
- Vo, V.N., see Matsumoto, R.R. (280) 301
- Walker, J.M., see Tsou, K. (280) R13
- Wallace, J.L., Cirino, G., McKnight, G.W. and Elliott, S.N.
Reduction of gastrointestinal injury in acute endotoxic shock by flurbiprofen nitroxybutylester (280) 63
- Wang, X., see Zhang, L. (280) 335
- Whittle, B.J.R., see Barrachina, M^a.D. (280) 339
- Yanaihara, N., see Mineo, H. (280) 149
- Yoshihara, S., Ricciardolo, F.L.M., Geppetti, P., Lindén, A., Hara, M., Chan, B. and Nadel, J.A.
Corticotropin-releasing factor inhibits antigen-induced plasma extravasation in airways (280) 113
- Yu, S.-M., Cheng, Z.-J. and Kuo, S.-C.
Endothelium-dependent relaxation of rat aorta by butein, a novel cyclic AMP-specific phosphodiesterase inhibitor (280) 69
- Zhang, L., Dyer, D.C., Fiscus, R.R., Grujic, Z. and Wang, X.
5-Hydroxytryptamine induces endothelium-independent relaxations of sheep pulmonary vein: role of cyclic nucleotide (280) 335
- Žikić, I., see Jovanović, A. (280) 101