

Author index

- Adachi, T., Hori, S., Miyazaki, K., Takahashi, E., Nakagawa, M., Udagawa, A., Hayashi, N., Aikawa, N. and Ogawa, S.
Rapid increase in plasma nitrite concentration following intravenous administration of nipradilol (286) 201
- Ærø, C.E., see Røshol, H. (286) 9
- Aikawa, N., see Adachi, T. (286) 201
- Allard, M.F., see Schönekeess, B.O. (286) 155
- Altavilla, D., Squadrito, F., Canale, P., Ioculano, M., Squadrito, G., Campo, G.M., Serranò, M., Sardella, A., Urna, G., Spignoli, G. and Caputi, A.P.
G 619, a dual thromboxane synthase inhibitor and thromboxane A₂ receptor antagonist, inhibits tumor necrosis factor- α biosynthesis (286) 31
- Balestra, B., see Messori, E. (286) 205
- Baran, H., Gramer, M., Hönnack, D. and Löscher, W.
Systemic administration of kainate induces marked increases of endogenous kynurenic acid in various brain regions and plasma of rats (286) 167
- Barg, J., see Novakova, M. (286) 19
- Belai, A., see Ralevic, V. (286) 193
- Bianchi, G., see Micheletti, R. (286) 147
- Blommaert, A.G.S., see Valverde, O. (286) 79
- Bradford, H.F., see Croucher, M.J. (286) 265
- Burnstock, G., see Ralevic, V. (286) 193
- Cai, H., Ibayashi, S., Yao, H., Sugimori, H., Sadoshima, S. and Fujishima, M.
The α_1 -adrenoceptor antagonist, doxazosin, modulates the lower limit of autoregulation of cerebral blood flow during hemorrhagic hypotension in anesthetized hypertensive rats (286) 249
- Campo, G.M., see Altavilla, D. (286) 31
- Canale, P., see Altavilla, D. (286) 31
- Candura, S.M., see Messori, E. (286) 205
- Caputi, A.P., see Altavilla, D. (286) 31
- Carter, C., see Nankai, M. (286) 61
- Chipperfield, A.R., see Harper, A.A. (286) 299
- Coccini, T., see Messori, E. (286) 205
- Coderre, T.J., see Fundytus, M.E. (286) 105
- Cools, A.R., Miwa, Y. and Koshikawa, N.
Role of dopamine D₁ and D₂ receptors in the nucleus accumbens in jaw movements of rats: a critical role of the shell (286) 41
- Cotterell, K.L., see Croucher, M.J. (286) 265
- Coy, D.H., see Varga, G. (286) 109
- Criddle, D.N., Jazbik, W. and Soares de Moura, R.
Differential vasorelaxant effects of levromakalim and P1060 in the isolated KCl- and RbCl-precontracted human saphenous vein: possible involvement of intracellular Ca²⁺ stores (286) 123
- Croucher, M.J., Cotterell, K.L. and Bradford, H.F.
Amygdaloid kindling by repeated focal *N*-methyl-D-aspartate administration: comparison with electrical kindling (286) 265
- Decrinis, M., see Stark, G. (286) 71
- Depoortere, I., Macielag, M.J., Galdes, A. and Peeters, T.L.
Antagonistic properties of [Phe³,Leu¹³]porcine motilin (286) 241
- De Vries, T.J., see Schoffeleer, A.N.M. (286) 311
- Di Rosa, M., see Sautebin, L. (286) 219
- Donato di Paola, E., see Micheletti, R. (286) 147
- Duarte, J., Pérez-Vizcaino, F., Torres, A.I., Zarzuelo, A., Jiménez, J. and Tamargo, J.
Vasodilator effects of visnagin in isolated rat vascular smooth muscle (286) 115
- Eilam, Y., see Novakova, M. (286) 19
- Ela, C., see Novakova, M. (286) 19
- Elhawary, A.M., Poon, J.S. and Pang, C.C.Y.
Receptor subtypes mediating renal actions of calcitonin gene-related peptide (286) 255
- Eto, T., see Niina, H. (286) 95
- Evans, D.Y., see Heaslip, R.J. (286) 281
- Fage, D., see Nankai, M. (286) 61
- Férézou, J., see Hajri, T. (286) 131
- Field, M.J., see Singh, L. (286) 185
- Fournié-Zaluski, M.-C., see Valverde, O. (286) 79
- Franková, D., see Zidek, Z. (286) 307
- Fujishima, M., see Cai, H. (286) 249
- Fundytus, M.E., Schiller, P.W., Shapiro, M., Weltrowska, G. and Coderre, T.J.
Attenuation of morphine tolerance and dependence with the highly selective δ -opioid receptor antagonist TIPP[ψ] (286) 105
- Furukawa, H., see Noda, Y. (286) 291
- Galdes, A., see Depoortere, I. (286) 241
- Gardier, A.M., see Malagie, I. (286) 213
- Gillard, M., see Noyer, M. (286) 137
- Gosteli, P., see Schiffer, E.R. (286) 49
- Gramer, M., see Baran, H. (286) 167
- Guan, H.-C., see Seeman, P. (286) R3
- Gudelsky, G.A.
Effects of σ receptor ligands on the extracellular concentration of dopamine in the striatum and prefrontal cortex of the rat (286) 223
- Hajri, T., Férézou, J., Laruelle, C. and Lutton, C.
Crivastatin, a new 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor, inhibits cholesterol absorption in genetically hypercholesterolemic rats (286) 131
- Hamada, N., see Nishiguchi, E. (286) 1
- Harper, A.A. and Chipperfield, A.R.
Chronotropic actions of Na⁺,K⁺,Cl⁻ cotransport inhibition in the isolated rat heart (286) 299
- Hasin, Y., see Novakova, M. (286) 19
- Hayashi, N., see Adachi, T. (286) 201
- Heaslip, R.J. and Evans, D.Y.
Emetic, central nervous system and pulmonary activities of rolipram in the dog (286) 281
- Helmeste, D.M. and Tang, S.W.
Erratum to 'Tyrosine kinase inhibitors regulate serotonin uptake in platelets' [Eur. J. Pharmacol. 280 (1995) R5–R7] (286) 113

- Hénichart, J.-P., see Noyer, M. (286) 137
- Herbert, M.K. and Hering, S.
Tumor necrosis factor- α prevents interleukin-1 β from augmenting capsaicin-induced vasodilatation in the rat skin (286) 273
- Hering, S., see Herbert, M.K. (286) 273
- Hildebrandt, C., see Pfaff, O. (286) 229
- Hill, D.R., see Singh, L. (286) 185
- Holý, A., see Zidek, Z. (286) 307
- Hönack, D., see Baran, H. (286) 167
- Hope, W., see White, P.J. (286) 315
- Hori, S., see Adachi, T. (286) 201
- Horwell, D.C., see Singh, L. (286) 185
- Hou, X., see Pfaff, O. (286) 229
- Ialenti, A., see Sautebin, L. (286) 219
- Ianaro, A., see Sautebin, L. (286) 219
- Ibayashi, S., see Cai, H. (286) 249
- Iino, T., Katsura, M. and Kuriyama, K.
Effect of vinconate on the extracellular levels of dopamine and its metabolites in the rat striatum: microdialysis studies (286) 99
- Iocolano, M., see Altavilla, D. (286) 31
- Jacquot, C., see Malagié, I. (286) 213
- Jazbik, W., see Criddle, D.N. (286) 123
- Jiménez, J., see Duarte, J. (286) 115
- Jovanović, A. and Terzić, A.
Diadenosine-hexaphosphate is an inhibitory ligand of myocardial ATP-sensitive K⁺ channels (286) R1
- Kasper, K., see Stark, G. (286) 71
- Katoh, F., see Niina, H. (286) 95
- Katsura, M., see Iino, T. (286) 99
- Kimura, S., see Nishiyama, M. (286) 209
- Kitamura, K., see Niina, H. (286) 95
- Kobayashi, H., see Niina, H. (286) 95
- Koshikawa, N., see Cools, A.R. (286) 41
- Kuriyama, K., see Iino, T. (286) 99
- Lambrecht, G., see Pfaff, O. (286) 229
- Laruelle, C., see Hajri, T. (286) 131
- Liehr, R.-M., see Varga, G. (286) 109
- Lopaschuk, G.D., see Schönekeess, B.O. (286) 155
- Löscher, W., see Baran, H. (286) 167
- Lutton, C., see Hajri, T. (286) 131
- Macielag, M.J., see Depoortere, I. (286) 241
- Malagié, I., Trillat, A.-C., Jacquot, C. and Gardier, A.M.
Effects of acute fluoxetine on extracellular serotonin levels in the raphe: an in vivo microdialysis study (286) 213
- Maldonado, R., see Valverde, O. (286) 79
- Margineanu, D.G. and Wülfert, E.
ucb L059, a novel anticonvulsant, reduces bicuculline-induced hyperexcitability in rat hippocampal CA3 in vivo (286) 321
- Masaki, T., see Nishiyama, M. (286) 209
- Matagne, A., see Noyer, M. (286) 137
- McKnight, A.T., see Singh, L. (286) 185
- Mentha, G., see Schiffer, E.R. (286) 49
- Messori, E., Candura, S.M., Coccini, T., Balestra, B. and Tonini, M.
5-HT₃ receptor involvement in descending reflex relaxation in the rabbit isolated distal colon (286) 205
- Micheletti, R., Donato di Paola, E., Schiavone, A., Rossi, R. and Bianchi, G.
Effect of propionyl-L-carnitine and enalapril on cardiac function of pressure-overloaded rats during increase in load (286) 147
- Miwa, Y., see Cools, A.R. (286) 41
- Miyawaki, N., see Stark, G. (286) 71
- Miyazaki, K., see Adachi, T. (286) 201
- Morel, D.R., see Schiffer, E.R. (286) 49
- Moroi, K., see Nishiyama, M. (286) 209
- Moser, U., see Pfaff, O. (286) 229
- Mulder, A.H., see Schoffmeier, A.N.M. (286) 311
- Mutschler, E., see Pfaff, O. (286) 229
- Nabeshima, T., see Noda, Y. (286) 291
- Nakagawa, M., see Adachi, T. (286) 201
- Nankai, M., Fage, D. and Carter, C.
Striatal NMDA receptor subtypes: the pharmacology of *N*-methyl-D-aspartate-evoked dopamine, γ -aminobutyric acid, acetylcholine and spermidine release (286) 61
- Nestby, P., see Schoffmeier, A.N.M. (286) 311
- Niina, H., Kobayashi, H., Kitamura, K., Katoh, F., Eto, T. and Wada, A.
Inhibition of catecholamine synthesis by proadrenomedullin N-terminal 20 peptide in cultured bovine adrenal medullary cells (286) 95
- Nishiguchi, E., Hamada, N. and Shindo, J.
Lidocaine action and conformational changes in cytoskeletal protein network in human red blood cells (286) 1
- Nishiyama, M., Shan, L.-h., Moroi, K., Masaki, T. and Kimura, S.
Heterogeneity of endothelin ET_A receptor-mediated contractions in the rabbit saphenous vein (286) 209
- Noda, Y., Yamada, K., Furukawa, H. and Nabeshima, T.
Involvement of nitric oxide in phencyclidine-induced hyperlocomotion in mice (286) 291
- Novakova, M., Ela, C., Barg, J., Vogel, Z., Hasin, Y. and Eilam, Y.
Inotropic action of σ receptor ligands in isolated cardiac myocytes from adult rats (286) 19
- Noyer, M., Gillard, M., Matagne, A., Hénichart, J.-P. and Wülfert, E.
The novel antiepileptic drug levetiracetam (ucb L059) appears to act via a specific binding site in CNS membranes (286) 137
- Ogawa, S., see Adachi, T. (286) 201
- Otová, B., see Zidek, Z. (286) 307
- Pang, C.C.Y., see Elhawary, A.M. (286) 255
- Peeters, T.L., see Depoortere, I. (286) 241
- Pérez-Vizcaino, F., see Duarte, J. (286) 115
- Pfaff, O., Hildebrandt, C., Waelbroeck, M., Hou, X., Moser, U., Mutschler, E. and Lambrecht, G.
The (*S*)-(+)-enantiomer of dimethindene: a novel M₂-selective muscarinic receptor antagonist (286) 229
- Poinsot, O., see Schiffer, E.R. (286) 49
- Poon, A. and Sawynok, J.
Antinociception by adenosine analogs and an adenosine kinase inhibitor: dependence on formalin concentration (286) 177
- Poon, J.S., see Elhawary, A.M. (286) 255
- Ralevic, V., Belai, A. and Burnstock, G.
Effects of streptozotocin-diabetes on sympathetic nerve, endothelial and smooth muscle function in the rat mesenteric arterial bed (286) 193
- Roberts, E., see Singh, L. (286) 185
- Roques, B.P., see Valverde, O. (286) 79
- Rose-Meyer, R.B., see White, P.J. (286) 315
- Røshol, H., Skrede, K.K., Ærø, C.E. and Wiik, P.
Dexamethasone and methylprednisolone affect rat peritoneal phagocyte chemiluminescence after administration in vivo (286) 9
- Rossi, R., see Micheletti, R. (286) 147
- Sadoshima, S., see Cai, H. (286) 249
- Sardella, A., see Altavilla, D. (286) 31
- Sautebin, L., Ialenti, A., Ianaro, A. and Di Rosa, M.
Endogenous nitric oxide increases prostaglandin biosynthesis in carrageenin rat paw oedema (286) 219
- Sawynok, J., see Poon, A. (286) 177
- Scarpignato, C., see Varga, G. (286) 109

- Schiavone, A., see Micheletti, R. (286) 147
- Schiffer, E.R., Schwieger, I.M., Gosteli, P., Poinot, O., Mentha, G. and Morel, D.R.
Systemic and splanchnic oxygen supply-demand relationship with fenoldopam, dopamine and noradrenaline in sheep (286) 49
- Schiller, P.W., see Fundytus, M.E. (286) 105
- Schoffelmeeer, A.N.M., Nestby, P., Tjon, G.H.K., Wardeh, G., De Vries, T.J., Vanderschuren, L.J.M.J. and Mulder, A.H.
Intermittent morphine treatment causes a protracted increase in cholinergic striatal neurotransmission measured ex vivo (286) 311
- Schönekeess, B.O., Allard, M.F. and Lopaschuk, G.D.
Propionyl L-carnitine improvement of hypertrophied rat heart function is associated with an increase in cardiac efficiency (286) 155
- Schwieger, I.M., see Schiffer, E.R. (286) 49
- Seeman, P., Guan, H.-C. and Van Tol, H.H.M.
Schizophrenia: elevation of dopamine D₄-like sites, using [³H]-nemonapride and [¹²⁵I]epidepride (286) R3
- Serranó, M., see Altavilla, D. (286) 31
- Shan, L.-h., see Nishiyama, M. (286) 209
- Shapiro, M., see Fundytus, M.E. (286) 105
- Shindo, J., see Nishiguchi, E. (286) 1
- Singh, L., Field, M.J., Hill, D.R., Horwell, D.C., McKnight, A.T., Roberts, E., Tang, K.W. and Woodruff, G.N.
Peptoid CCK receptor antagonists: pharmacological evaluation of CCK_A, CCK_B and mixed CCK_{A/B} receptor antagonists (286) 185
- Skrede, K.K., see Røshol, H. (286) 9
- Soares de Moura, R., see Criddle, D.N. (286) 123
- Spignoli, G., see Altavilla, D. (286) 31
- Squadrito, F., see Altavilla, D. (286) 31
- Squadrito, G., see Altavilla, D. (286) 31
- Stark, G., Kasper, K., Stark, U., Miyawaki, N., Decrinis, M. and Tritthart, H.A.
Effects of semotiadil, a novel Ca²⁺ channel antagonist, on the electrical activity of Langendorff-perfused guinea pig hearts in comparison with diltiazem, amlodipine and nifedipine (286) 71
- Stark, U., see Stark, G. (286) 71
- Sugimori, H., see Cai, H. (286) 249
- Takahashi, E., see Adachi, T. (286) 201
- Tamargo, J., see Duarte, J. (286) 115
- Tang, K.W., see Singh, L. (286) 185
- Tang, S.W., see Helmeste, D.M. (286) 113
- Terzic, A., see Jovanović, A. (286) R1
- Tjon, G.H.K., see Schoffelmeeer, A.N.M. (286) 311
- Tonini, M., see Messori, E. (286) 205
- Torres, A.I., see Duarte, J. (286) 115
- Trillat, A.-C., see Malagié, I. (286) 213
- Tritthart, H.A., see Stark, G. (286) 71
- Udagawa, A., see Adachi, T. (286) 201
- Urna, G., see Altavilla, D. (286) 31
- Valverde, O., Blommaert, A.G.S., Fournié-Zaluski, M.-C., Roques, B.P. and Maldonado, R.
Weak tolerance to the antinociceptive effect induced by the association of a peptidase inhibitor and a CCK_B receptor antagonist (286) 79
- Vanderschuren, L.J.M.J., see Schoffelmeeer, A.N.M. (286) 311
- Van Tol, H.H.M., see Seeman, P. (286) R3
- Varga, G., Liehr, R.-M., Scarpignato, C. and Coy, D.H.
Distinct receptors mediate gastrin-releasing peptide and neuromedin B-induced delay of gastric emptying of liquids in rats (286) 109
- Vogel, Z., see Novakova, M. (286) 19
- Wada, A., see Niina, H. (286) 95
- Waelbroeck, M., see Pfaff, O. (286) 229
- Wardeh, G., see Schoffelmeeer, A.N.M. (286) 311
- Weltrowska, G., see Fundytus, M.E. (286) 105
- White, P.J., Hope, W. and Rose-Meyer, R.B.
The role of adenosine in the hypotensive actions of morphine (286) 315
- Wiik, P., see Røshol, H. (286) 9
- Woodruff, G.N., see Singh, L. (286) 185
- Wülfert, E., see Margineanu, D.G. (286) 321
- Wülfert, E., see Noyer, M. (286) 137
- Yamada, K., see Noda, Y. (286) 291
- Yao, H., see Cai, H. (286) 249
- Zarzuelo, A., see Duarte, J. (286) 115
- Zídek, Z., Holý, A., Franková, D. and Otová, B.
Suppression of rat adjuvant arthritis by some acyclic nucleotide analogs (286) 307