

Author index

- Abiko, Y., see Kamigaki, M. (287) 121
- Albin, R.L., see Feeley Kearney, J.A. (287) 115
- Antunes, E., see Moreno, Jr., H. (287) 93
- Apaydin, S., see Van der Graaf, P.H. (287) 309
- Arletti, R., see Poggioli, R. (287) 207
- Arrigoni-Martelli, E., see Maresca, P. (287) 303
- Auguet, M., Delaflotte, S. and Chabrier, P.-E.
Different α_1 -adrenoceptor subtypes mediate contraction in rabbit
aorta and urethra (287) 153
- Barg, J., Fride, E., Hanus, L., Levy, R., Matus-Leibovitch, N., Held-
man, E., Bayewitch, M., Mechoulam, R. and Vogel, Z.
Cannabinomimetic behavioral effects of and adenylyl cyclase
inhibition by two new endogenous anandamides (287) 145
- Bayewitch, M., see Barg, J. (287) 145
- Beattie, D.T., see Walsh, D.M. (287) 79
- Benelli, A., see Poggioli, R. (287) 207
- Bertolini, A., see Poggioli, R. (287) 207
- Betto, P., see Popoli, P. (287) 215
- Brady, G., see Docherty, J.R. (287) 287
- Brinkmann, S., see Dimmeler, S. (287) 257
- Brodsky, M., see Chan, K. (287) 135
- Buchheit, K.-H., Hofmann, A. and Fozard, J.R.
Salbutamol-induced airway hyperreactivity in guinea pigs is not
due to a loss of its bronchodilator effect (287) 85
- Casini, G., see Tricarico, D. (287) 17
- Cavazzuti, E., see Poggioli, R. (287) 207
- Celuch, S.M.
Possible participation of histamine H_3 receptors in the modula-
tion of noradrenaline release from rat spinal cord slices (287) 127
- Chabrier, P.-E., see Auguet, M. (287) 153
- Chan, K., Brodsky, M., Davis, T., Franklin, S., Inturrisi, C.E. and
Yoburn, B.C.
The effect of the irreversible μ -opioid receptor antagonist clocin-
namox on morphine potency, receptor binding and receptor
mRNA (287) 135
- Chen, C. and Lokhandwala, M.F.
Identification of α_1 -adrenoceptor subtypes involved in the antina-
triuretic response to intrarenal infusion of phenylephrine (287) 1
- Connor, H.E., see Walsh, D.M. (287) 79
- Conte Camerino, D., see Tricarico, D. (287) 17
- Corsico, N., see Maresca, P. (287) 303
- Crucianelli, M., see Giardinà, D. (287) 13
- Davies, D.J., see Sugden, D. (287) 239
- Davies, J.A., see Hu, R.Q. (287) 251
- Davis, T., see Chan, K. (287) 135
- De Groat, W.C., see Yoshiyama, M. (287) 73
- Delaflotte, S., see Auguet, M. (287) 153
- De Neef, P., see Gourlet, P. (287) 7
- De Nucci, G., see Moreno, Jr., H. (287) 93
- De Vries, R., see Van Leeuwen, R. (287) 211
- De Witt, B.J., see Kaye, A.D. (287) 163
- Dimmeler, S., Brinkmann, S. and Neugebauer, E.
Endotoxin-induced changes of endothelial cell viability and per-
meability: protective effect of a 21-aminosteroid (287) 257
- Docherty, J.R. and Brady, G.
Prejunctional actions of K^+ channel blockers in rat vas deferens
(287) 287
- Doolette, D.J., see Kerr, D.I.B. (287) 185
- Downie, J.W., see Espey, M.J. (287) 173
- Dzolic, M.R., see Van Leeuwen, R. (287) 211
- Espey, M.J. and Downie, J.W.
Serotonergic modulation of cat bladder function before and after
spinal transection (287) 173
- Falcone, J., see Grider, J. (287) 101
- Feeley Kearney, J.A. and Albin, R.L.
Adenosine A_2 receptor-mediated modulation of contralateral
rotation induced by metabotropic glutamate receptor activation
(287) 115
- Fozard, J.R., see Buchheit, K.-H. (287) 85
- Franklin, S., see Chan, K. (287) 135
- Fride, E., see Barg, J. (287) 145
- Garratt, P.J., see Sugden, D. (287) 239
- Giardinà, D., Crucianelli, M., Melchiorre, C., Taddei, C. and Testa,
R.
Receptor binding profile of cyclazosin, a new α_{1B} -adrenoceptor
antagonist (287) 13
- Gourlet, P., Vandermeers, A., Vandermeers-Piret, M.-C., Rathé, J.,
De Neef, P. and Robberecht, P.
Fragments of pituitary adenylyl cyclase activating polypeptide
discriminate between type I and II recombinant receptors (287) 7
- Grider, J., Falcone, J., Kilpatrick, E., Ott, C. and Jackson, B.
Effect of bradykinin on NaCl transport in the medullary thick
ascending limb of the rat (287) 101
- Hagan, J.J., see Rompré, P.-P. (287) 263
- Halaka, N.N., see Lodge, N.J. (287) 279
- Hanus, L., see Barg, J. (287) 145
- Hartmann, M., Stumpe, T. and Schrader, J.
 α_1 -Adrenoceptor stimulation inhibits the isoproterenol-induced
effects on myocardial contractility and protein phosphorylation
(287) 57
- Heldman, E., see Barg, J. (287) 145
- Higgins, G.A., see Varty, G.B. (287) 201
- Hoffman, P.L., see Szabó, G. (287) 35
- Hofmann, A., see Buchheit, K.-H. (287) 85
- Horiuchi, H., Uejima, Y., Sakuma, Y., Kadota, T., Okada, N.,
Taniguchi, K., Takenouchi, K., Yamanaka, Y., Uno, H. and
Komoriya, K.
Beneficial effects of a novel anti-hypoxemic agent, TEI-7322, on
bleomycin-induced experimental hypoxemia in rats (287) 27
- Hu, R.Q. and Davies, J.A.
The effect of the desglycyl metabolite of remacemide on corti-
cal wedges prepared from DBA/2 mice (287) 251

- Hüsken, B.C.P., Vroom, M.B., Timmenga, E.-J.F., Pfaffendorf, M. and Van Zwieten, P.A.
Relaxant effect of levromakalim in isolated human small subcutaneous arteries (287) 313
- Ibrahim, I.N., see Kaye, A.D. (287) 163
- Ichihara, K., see Kamigaki, M. (287) 121
- Ichikawa, J., Kuroki, T., Kitchen, M.T. and Meltzer, H.Y.
R(+)-8-OH-DPAT, a 5-HT_{1A} receptor agonist, inhibits amphetamine-induced dopamine release in rat striatum and nucleus accumbens (287) 179
- Injoyan, R., see Rompré, P.-P. (287) 263
- Inturrisi, C.E., see Chan, K. (287) 135
- Ishii, K., see Nakahara, T. (287) 49
- Jackson, B., see Grider, J. (287) 101
- Jacobson, K.A., see Von Lubitz, D.K.J.E. (287) 295
- Jolles, J., see Terwel, D. (287) 65
- Jones, R., see Sugden, D. (287) 239
- Kadota, T., see Horiuchi, H. (287) 27
- Kadowitz, P.J., see Kaye, A.D. (287) 163
- Kameyama, T., see Ukai, M. (287) 245
- Kamigaki, M., Ichihara, K., Kohgo, Y. and Abiko, Y.
Effect of glibenclamide on ischemic canine myocardium with glucose infusion (287) 121
- Kampine, J.P., see Tseng, L.F. (287) 169
- Kaye, A.D., Nossaman, B.D., Kivlighn, S., Ibrahim, I.N., De Witt, B.J. and Kadowitz, P.J.
Responses to L-163,491, a nonpeptide angiotensin II mimic, in the pulmonary vascular bed of the cat (287) 163
- Kerr, D.I.B., Ong, J., Doolette, D.J., Schafer, K. and Prager, R.H.
The (S)-enantiomer of 2-hydroxysaclofen is the active GABA_B receptor antagonist in central and peripheral preparations (287) 185
- Kerr, D.I.B., see Ong, J. (287) 197
- Kiem, D.T., see Makara, G.B. (287) 43
- Kilpatrick, E., see Grider, J. (287) 101
- Kilpatrick, I.C., see Main, D.C.J. (287) 221
- Kimura, R., see Nozawa, Y. (287) 191
- Kitchen, M.T., see Ichikawa, J. (287) 179
- Kivlighn, S., see Kaye, A.D. (287) 163
- Kobayashi, T., see Ukai, M. (287) 245
- Kohgo, Y., see Kamigaki, M. (287) 121
- Komoriya, K., see Horiuchi, H. (287) 27
- Konno, K., see Tamaoki, J. (287) 233
- Kuroki, T., see Ichikawa, J. (287) 179
- Lemaire, S., see Maurice, T. (287) 219
- Levy, R., see Barg, J. (287) 145
- Lin, R.C.S., see Von Lubitz, D.K.J.E. (287) 295
- Lodge, N.J., Zhang, R., Halaka, N.N. and Moreland, S.
Functional role of endothelin ET_A and ET_B receptors in venous and arterial smooth muscle (287) 279
- Lokhandwala, M.F., see Chen, C. (287) 1
- Main, D.C.J., Waterman, A.E. and Kilpatrick, I.C.
Behavioural analysis of changes in nociceptive thresholds produced by remoxipride in sheep and rats (287) 221
- Makara, G.B., Kiem, D.T. and Vizi, E.S.
Hypothalamic α_{2A} -adrenoceptors stimulate growth hormone release in the rat (287) 43
- Mancinelli, R., see Maresca, P. (287) 303
- Manni, E., see Maresca, P. (287) 303
- Maresca, P., Mancinelli, R., Corsico, N., Arrigoni-Martelli, E. and Manni, E.
Positive action of propionyl-L-carnitine on mechanical performance of papillary muscle from Syrian hamsters with hereditary dilated cardiomyopathy (287) 303
- Marona-Lewicka, D., Rhee, G.-S., Sprague, J.E. and Nichols, D.E.
Psychostimulant-like effects of *p*-fluoroamphetamine in the rat (287) 105
- Matus-Leibovitch, N., see Barg, J. (287) 145
- Maurice, T., Privat, A. and Lemaire, S.
Corrigendum to 'The pentadecapeptide [Ser¹]histogranin impairs passive avoidance learning in mice' [Eur. J. Pharmacol. 283 (1995) 251–254] (287) 219
- McCullough, L.A. and Westfall, T.C.
Neuropeptide Y inhibits depolarization-stimulated catecholamine synthesis in rat pheochromocytoma cells (287) 271
- Mechoulam, R., see Barg, J. (287) 145
- Melchiorre, C., see Giardinà, D. (287) 13
- Meltzer, H.Y., see Ichikawa, J. (287) 179
- Meng, F., see Terwel, D. (287) 65
- Merriam, L.A., see Mulvaney, J.M. (287) 97
- Metze, K., see Moreno, Jr., H. (287) 93
- Miyake, H., see Nozawa, Y. (287) 191
- Moreland, S., see Lodge, N.J. (287) 279
- Moreno, Jr., H., Piovesan Nathan, L., Pereira Costa, S.K., Metze, K., Antunes, E., Zatz, R. and De Nucci, G.
Enalapril does not prevent the myocardial ischemia caused by the chronic inhibition of nitric oxide synthesis (287) 93
- Mori, K., see Ukai, M. (287) 245
- Mulvaney, J.M., Merriam, L.A. and Parsons, R.L.
Galantide distinguishes putative subtypes of galanin receptors in mudpuppy parasympathetic neurons (287) 97
- Nakahara, T., Ishii, K., Tanaka, Y. and Nakayama, K.
Involvement of neurohumoral factors in the pressor mechanism of *N*^G-nitro-L-arginine (287) 49
- Nakayama, K., see Nakahara, T. (287) 49
- Narita, M., see Tseng, L.F. (287) 169
- Nawrath, H., see Wegener, J.W. (287) 89
- Neugebauer, E., see Dimmeler, S. (287) 257
- Nichols, D.E., see Marona-Lewicka, D. (287) 105
- Nossaman, B.D., see Kaye, A.D. (287) 163
- Nozawa, Y., Miyake, H., Yamada, S., Uchida, S., Ohkura, T. and Kimura, R.
Receptor occupation and pharmacokinetics of MPC-1304, a new Ca²⁺ channel antagonist, in spontaneously hypertensive rats (287) 191
- Ohkura, T., see Nozawa, Y. (287) 191
- Okada, N., see Horiuchi, H. (287) 27
- Ong, J., see Kerr, D.I.B. (287) 185
- Ong, J. and Kerr, D.I.B.
Interactions of *N*-ethylmaleimide and aluminium fluoride with GABA_B receptor function in rat neocortical slices (287) 197
- Ott, C., see Grider, J. (287) 101
- Parsons, R.L., see Mulvaney, J.M. (287) 97
- Pereira Costa, S.K., see Moreno, Jr., H. (287) 93
- Pfaffendorf, M., see Hüsken, B.C.P. (287) 313
- Piovesan Nathan, L., see Moreno, Jr., H. (287) 93
- Poggioli, R., Benelli, A., Arletti, R., Cavazzuti, E. and Bertolini, A.
K⁺ channel openers delay intestinal transit and have antidiarrheal activity (287) 207
- Popoli, P., Betto, P., Reggio, R. and Ricciarello, G.
Adenosine A_{2A} receptor stimulation enhances striatal extracellular glutamate levels in rats (287) 215
- Prager, R.H., see Kerr, D.I.B. (287) 185
- Prickaerts, J., see Terwel, D. (287) 65
- Privat, A., see Maurice, T. (287) 219

- Rathé, J., see Gourlet, P. (287) 7
- Reggio, R., see Popoli, P. (287) 215
- Rhee, G.-S., see Marona-Lewicka, D. (287) 105
- Ricciarello, G., see Popoli, P. (287) 215
- Robberecht, P., see Gourlet, P. (287) 7
- Rompré, P.-P., Injayan, R. and Hagan, J.J.
Effects of granisetron, a 5-HT₃ receptor antagonist, on morphine-induced potentiation of brain stimulation reward (287) 263
- Roppolo, J.R., see Yoshiyama, M. (287) 73
- Sakuma, Y., see Horiuchi, H. (287) 27
- Sasaki, Y., see Ukai, M. (287) 245
- Saxena, P.R., see Van der Graaf, P.H. (287) 309
- Schafer, K., see Kerr, D.I.B. (287) 185
- Schrader, J., see Hartmann, M. (287) 57
- Shinkai, N., see Ukai, M. (287) 245
- Sprague, J.E., see Marona-Lewicka, D. (287) 105
- Stumpe, T., see Hartmann, M. (287) 57
- Sugden, D., Davies, D.J., Garratt, P.J., Jones, R. and Vonhoff, S.
Radioligand binding affinity and biological activity of the enantiomers of a chiral melatonin analogue (287) 239
- Szabó, G. and Hoffman, P.L.
Brain-derived neurotrophic factor, neurotrophin-3 and neurotrophin-4/5 maintain functional tolerance to ethanol (287) 35
- Taddei, C., see Giardinà, D. (287) 13
- Tagaya, E., see Tamaoki, J. (287) 233
- Takenouchi, K., see Horiuchi, H. (287) 27
- Tamaoki, J., Tagaya, E., Yamawaki, I. and Konno, K.
Lipoxin A₄ inhibits cholinergic neurotransmission through nitric oxide generation in the rabbit trachea (287) 233
- Tanaka, Y., see Nakahara, T. (287) 49
- Taniguchi, K., see Horiuchi, H. (287) 27
- Terwel, D., Prickaerts, J., Meng, F. and Jolles, J.
Brain enzyme activities after intracerebroventricular injection of streptozotocin in rats receiving acetyl-L-carnitine (287) 65
- Testa, R., see Giardinà, D. (287) 13
- Timmenga, E.-J.F., see Hüsken, B.C.P. (287) 313
- Tricarico, D., Casini, G. and Conte Camerino, D.
Effects of high energy phosphates and L-arginine on the electrical parameters of ischemic-reperfused rat skeletal muscle fibers (287) 17
- Tseng, L.F., Narita, M. and Kampine, J.P.
Pretreatment with β -endorphin facilitates the attenuation of δ -opioid receptor-mediated antinociception caused by δ -opioid receptor antisense oligodeoxynucleotide (287) 169
- Uchida, S., see Nozawa, Y. (287) 191
- Uejima, Y., see Horiuchi, H. (287) 27
- Ukai, M., Kobayashi, T., Mori, K., Shinkai, N., Sasaki, Y. and Kameyama, T.
Attenuation of memory with Tyr-D-Arg-Phe- β -Ala-NH₂, a novel dermorphin analog with high affinity for μ -opioid receptors (287) 245
- Uno, H., see Horiuchi, H. (287) 27
- Van der Graaf, P.H., Apaydin, S. and Saxena, P.R.
The α_1 -adrenoceptor agonist, SDZ NVI-085, behaves as a potent, competitive antagonist of 5-hydroxytryptamine-induced contraction of rat aorta (287) 309
- Vandermeers, A., see Gourlet, P. (287) 7
- Vandermeers-Piret, M.-C., see Gourlet, P. (287) 7
- Van Leeuwen, R., De Vries, R. and Dzolic, M.R.
7-Nitro indazole, an inhibitor of neuronal nitric oxide synthase, attenuates pilocarpine-induced seizures (287) 211
- Van Zwieten, P.A., see Hüsken, B.C.P. (287) 313
- Varty, G.B. and Higgins, G.A.
Reversal of a dizocilpine-induced disruption of prepulse inhibition of an acoustic startle response by the 5-HT₂ receptor antagonist ketanserin (287) 201
- Vizi, E.S., see Makara, G.B. (287) 43
- Vogel, Z., see Barg, J. (287) 145
- Vonhoff, S., see Sugden, D. (287) 239
- Von Lubitz, D.K.J.E., Lin, R.C.S. and Jacobson, K.A.
Cerebral ischemia in gerbils: effects of acute and chronic treatment with adenosine A_{2A} receptor agonist and antagonist (287) 295
- Vroom, M.B., see Hüsken, B.C.P. (287) 313
- Walsh, D.M., Beattie, D.T. and Connor, H.E.
The activity of 5-HT_{1D} receptor ligands at cloned human 5-HT_{1D α} and 5-HT_{1D β} receptors (287) 79
- Waterman, A.E., see Main, D.C.J. (287) 221
- Wegener, J.W. and Nawrath, H.
Alkalinisation does not modify the effect of verapamil on myocardial Ca²⁺ current (287) 89
- Westfall, T.C., see McCullough, L.A. (287) 271
- Yamada, S., see Nozawa, Y. (287) 191
- Yamanaka, Y., see Horiuchi, H. (287) 27
- Yamawaki, I., see Tamaoki, J. (287) 233
- Yoburn, B.C., see Chan, K. (287) 135
- Yoshiyama, M., Roppolo, J.R. and De Groat, W.C.
Interactions between NMDA and AMPA/kainate receptors in the control of micturition in the rat (287) 73
- Zatz, R., see Moreno, Jr., H. (287) 93
- Zhang, R., see Lodge, N.J. (287) 279