

Author index

- Adami, M., Bertorelli, R., Ferri, N., Foddi, M.C. and Ongini, E.
Effects of repeated administration of selective adenosine A₁ and A_{2A} receptor agonists on pentylentetrazole-induced convulsions in the rat (294) 383
- Ader, J.-L., see Pradde, F. (294) 173
- Ahlenius, S., see Wadenberg, M.-L. (294) 247
- Alescio-Lautier, B., Rao, H., Paban, V., Devigne, C. and Soumireu-Mourat, B.
Inhibition of the vasopressin-enhancing effect on memory retrieval and relearning by a vasopressin V₁ receptor antagonist in mice (294) 763
- Amalric, M., see Ouagazzal, A. (294) 137
- Amoroso, S., see Di Renzo, G. (294) 11
- Annunziato, L., see Di Renzo, G. (294) 11
- Antkiewicz-Michaluk, L., Karolewicz, B., Michaluk, J. and Vetulani, J.
Differences between haloperidol- and pimozide-induced withdrawal syndrome: a role for Ca²⁺ channels (294) 459
- Antonicek, H., see Van der Staay, F.J. (294) 361
- Anwyl, R., see Manahan-Vaughan, D. (294) 617
- Arabia, A., see Bagetta, G. (294) 341
- Arai, M., see Naito, Y. (294) 47
- Archer, S., see McLaughlin, J.P. (294) 201
- Argiolas, A., see Melis, M.R. (294) 1
- Arletti, R., see Benelli, A. (294) 505
- Asaad, M.M., see Bird, J.E. (294) 183
- Asano, M., Matsunaga, K., Miura, M., Ito, K.M., Seto, M., Sakurada, K., Nagumo, H., Sasaki, Y. and Ito, K.
Selectivity of action of staurosporine on Ca²⁺ movements and contractions in vascular smooth muscles (294) 693
- Astolfi, M., see Goso, C. (294) 239
- Auth, F., see Moor, E. (294) 155
- Avenet, P., see Biton, B. (294) 91
- Bachelet, M., see De Castro, C.M.M.B. (294) 669
- Bagetta, G., Rodinò, P., Paoletti, A.M., Arabia, A., Massoud, R. and Nisticò, G.
Systemic administration of lithium chloride and tacrine but not kainic acid augments citrulline content of rat brain (294) 341
- Balster, R.L., see Wiley, J.L. (294) 101
- Bascands, J.-L., see Pradde, F. (294) 173
- Bassi, A., see Di Renzo, G. (294) 11
- Beglan, C.L., see Bell, J.A. (294) 289
- Beglan, C.L., see Bell, J.A. (294) 297
- Bell, J.A. and Beglan, C.L.
MK-801 blocks the expression but not the development of tolerance to morphine in the isolated spinal cord of the neonatal rat (294) 289
- Bell, J.A. and Beglan, C.L.
Co-treatment with MK-801 potentiates naloxone-precipitated morphine withdrawal in the isolated spinal cord of the neonatal rat (294) 297
- Belogi, L., see Tubaro, E. (294) 555
- Bendesky, R.J., see Chang, R.S.L. (294) 429
- Benelli, A., Bertolini, A., Poggioni, R., Cavazzuti, E., Calzà, L., Giardino, L. and Arletti, R.
Nitric oxide is involved in male sexual behavior of rats (294) 505
- Beresford, I.J.M., see Hawcock, A.B. (294) 163
- Beretta, C., see Paroni, R. (294) 737
- Berlin, K.D., see Pugsley, M.K. (294) 319
- Berti, F., see Bianchi, M. (294) 71
- Bertolini, A., see Benelli, A. (294) 505
- Bertorelli, R., see Adami, M. (294) 383
- Bianchi, M., Rossoni, G., Sacerdote, P., Panerai, A.E. and Berti, F.
Carbamazepine exerts anti-inflammatory effects in the rat (294) 71
- Bidlack, J.M., see McLaughlin, J.P. (294) 201
- Bird, J.E., Webb, M.L., Giancarli, M.R., Chao, C.-c., Dorso, C.R. and Asaad, M.M.
A role for endothelin ET_A receptors in regulation of renal function in spontaneously hypertensive rats (294) 183
- Biton, B., Granger, P., Depoortere, H., Scatton, B. and Avenet, P.
Block of P-type Ca²⁺ channels by the NMDA receptor antagonist eliprodil in acutely dissociated rat Purkinje cells (294) 91
- Blandizzi, C., Colucci, R., Carignani, D., Natale, G., Lazzeri, G., Crema, F. and Del Tacca, M.
Role of peripheral GABA_B receptors in the regulation of pepsinogen secretion in anaesthetized rats (294) 191
- Bogdan, C., see Stenger, S. (294) 703
- Böhm, M., see Lenz, O. (294) 17
- Bolaños-Jiménez, F., Manhães de Castro, R., Seguin, L., Cloëz-Tayarani, I., Monneret, V., Drieu, K. and Fillion, G.
Effects of stress on the functional properties of pre- and post-synaptic 5-HT_{1B} receptors in the rat brain (294) 531
- Bordi, F., see Ugolini, A. (294) 403
- Borelli, G.P., see Tubaro, E. (294) 555
- Boric, M.P., Martínez, A., Donoso, M.V. and Huidobro-Toro, J.P.
Neuropeptide Y is a vasoconstrictor and adrenergic modulator in the hamster microcirculation by acting on neuropeptide Y₁ and Y₂ receptors (294) 391
- Briscoe, R.J., see Gauvin, D.V. (294) 281
- Brooks, D.P. and Contino, L.C.
Prevention of cyclosporine A-induced renal vasoconstriction by the endothelin receptor antagonist SB 209670 (294) 571
- Broten, T.P., see Kivlighn, S.D. (294) 439
- Bult, H., see Van Put, D.J.M. (294) 753
- Calzà, L., see Benelli, A. (294) 505
- Canet, E., see Robineau, P. (294) 677
- Cantoni, L., see Tsankova, V. (294) 601
- Cao, W., see Rupalla, K. (294) 469
- Carignani, D., see Blandizzi, C. (294) 191
- Carl, K.L., see Gauvin, D.V. (294) 281
- Cataldi, M., see Di Renzo, G. (294) 11
- Cavallo, G., see Tubaro, E. (294) 555
- Cavazzuti, E., see Benelli, A. (294) 505

- Chang, M.-C., see Sheu, J.-R. (294) 231
- Chang, R.S.L., Lotti, V.J., Chen, T.-B., O'Malley, S.S., Bendesky, R.J., Kling, P.J., Kivlighn, S.D., Siegl, P.K.S., Ondeyka, D., Greenlee, W.J. and Mantlo, N.B.
In vitro pharmacology of an angiotensin AT₁ receptor antagonist with balanced affinity for AT₂ receptors (294) 429
- Chang, R.S.L., see Kivlighn, S.D. (294) 439
- Chao, C.-c., see Bird, J.E. (294) 183
- Chapman, A.G., see De Sarro, G. (294) 411
- Chauvin, M., see Guirimand, F. (294) 651
- Chen, T.-B., see Chang, R.S.L. (294) 429
- Chien, C.-C. and Pasternak, G.W.
(-)-Pentazocine analgesia in mice: interactions with a σ receptor system (294) 303
- Chimirri, A., see De Sarro, G. (294) 411
- Chow, L., Zakrzewska, K., De Gasparo, M., Cumin, F. and Levens, N.
Gastric acid secretion after blockade of angiotensin AT₁ receptors in the Na⁺-depleted rat (294) 309
- Cloëz-Tayarani, I., see Bolaños-Jiménez, F. (294) 531
- Colao, A.M., see Di Renzo, G. (294) 11
- Collins, D.R., Smith, R.C. and Davies, S.N.
Interactions between arachidonic acid and metabotropic glutamate receptors in the induction of synaptic potentiation in the rat hippocampal slice (294) 147
- Collins, K.A., see Tseng, L.F. (294) 345
- Colucci, R., see Blandizzi, C. (294) 191
- Conti, E., see Paroni, R. (294) 737
- Contino, L.C., see Brooks, D.P. (294) 571
- Coy, D.H., see Lin, J.-T. (294) 55
- Crema, F., see Blandizzi, C. (294) 191
- Cristello, A.F., see Wiley, J.L. (294) 101
- Cua, M., see Geller, J.C. (294) 423
- Cumin, F., see Chow, L. (294) 309
- D'Alonzo, A.J., Darbenzio, R.B., Sewter, J.C., Hess, T.A., Grover, G.J., Sleph, P.G., Normandin, D.E. and Lodge, N.J.
A comparison between the effects of BMS-180448, a novel K⁺ channel opener, and cromakalim in rat and dog (294) 271
- Danilo, Jr., P., see Geller, J.C. (294) 423
- Darbenzio, R.B., see D'Alonzo, A.J. (294) 271
- Davies, S.N., see Collins, D.R. (294) 147
- DeBoer, P., see Moor, E. (294) 155
- De Castro, C.M.M.B., Nahori, M.-A., Dumarey, C.H., Vargaftig, B.B. and Bachelet, M.
Fenspiride: an anti-inflammatory drug with potential benefits in the treatment of endotoxemia (294) 669
- De Gasparo, M., see Chow, L. (294) 309
- Del Tacca, M., see Blandizzi, C. (294) 191
- De Meyer, G.R.Y., see Van Put, D.J.M. (294) 753
- Depoortere, H., see Biton, B. (294) 91
- De Sarro, A., see De Sarro, G. (294) 411
- De Sarro, G., Chimirri, A., De Sarro, A., Gitto, R., Grasso, S., Giusti, P. and Chapman, A.G.
GYKI 52466 and related 2,3-benzodiazepines as anticonvulsant agents in DBA/2 mice (294) 411
- Desmond, T., see Vander Borgh, T. (294) 577
- De Vecchi, E., see Paroni, R. (294) 737
- Devigne, C., see Alescio-Lautier, B. (294) 763
- De Wildt, D.J., see Van Bergen, P. (294) 795
- Di Bello, S., see Palmer, S. (294) 83
- Diéguez, G., see Fernández, N. (294) 483
- Di Renzo, G., Amoroso, S., Bassi, A., Fatatis, A., Cataldi, M., Colao, A.M., Lombardi, G. and Annunziato, L.
Role of the Na⁺-Ca²⁺ and Na⁺-H⁺ antiporters in prolactin release from anterior pituitary cells in primary culture (294) 11
- Dittrich, P., see Graier, W.F. (294) 221
- Dong, E., see Han, C. (294) 593
- Donoso, M.V., see Boric, M.P. (294) 391
- Dorsa, D.M., see Poulin, P. (294) 29
- Dorso, C.R., see Bird, J.E. (294) 183
- Drieu, K., see Bolaños-Jiménez, F. (294) 531
- Drukarch, B., see Nestby, P. (294) 771
- Dumarey, C.H., see De Castro, C.M.M.B. (294) 669
- Eglen, R.M., see Watson, N. (294) 779
- Emond, C., see Praddaude, F. (294) 173
- Endo, H., see Hiyoshi, Y. (294) 117
- Fallgren, B., see Malmberg, A.B. (294) 609
- Fatatis, A., see Di Renzo, G. (294) 11
- Fauchère, J.-L., see Robineau, P. (294) 677
- Fernández, N., Monge, L., García-Villalón, A.L., García, J.L., Gómez, B. and Diéguez, G.
Endothelin-1-induced in vitro cerebral venoconstriction is mediated by endothelin ET_A receptors (294) 483
- Ferri, N., see Adami, M. (294) 383
- Feuerstein, G.Z., see Yue, T.-L. (294) 585
- Fillion, G., see Bolaños-Jiménez, F. (294) 531
- Fink, C.A., see Hu, S. (294) 357
- Flesch, M., see Lenz, O. (294) 17
- Foddi, M.C., see Adami, M. (294) 383
- Freund, W.-D., see Van der Staay, F.J. (294) 361
- Frey, K., see Vander Borgh, T. (294) 577
- Fukuta, H., see Xue, L. (294) 75
- Fulcrand, P., see Oiry, C. (294) 511
- Gabel, R.A., see Kivlighn, S.D. (294) 439
- Galleyrand, J.-C., see Oiry, C. (294) 511
- Galli Kienle, M., see Paroni, R. (294) 737
- Gantner, F., Uhlig, S. and Wendel, A.
Quinine inhibits release of tumor necrosis factor, apoptosis, necrosis and mortality in a murine model of septic liver failure (294) 353
- García, J.L., see Fernández, N. (294) 483
- García-Velasco, G., Sánchez, M., Hidalgo, A. and García de Boto, M.J.
Pharmacological dissociation of UTP- and ATP-elicited contractions and relaxations in isolated rat aorta (294) 521
- García-Villalón, A.L., see Fernández, N. (294) 483
- García de Boto, M.J., see García-Velasco, G. (294) 521
- Gauvin, D.V., Carl, K.L., Briscoe, R.J., Vallett, M. and Holloway, F.A.
Cross-generalization between a cocaine cue and two antihistamines (294) 281
- Geller, J.C., Cua, M., Prieto, L., Guo, S.-D., Danilo, Jr., P. and Rosen, M.R.
Chloroethylclonidine increases the incidence of lethal arrhythmias during coronary occlusion in anesthetized dogs (294) 423
- Giancarli, M.R., see Bird, J.E. (294) 183
- Giardino, L., see Benelli, A. (294) 505
- Gibson, R.E., see Kivlighn, S.D. (294) 439
- Girolami, J.-P., see Praddaude, F. (294) 173
- Gitto, R., see De Sarro, G. (294) 411
- Giusti, P., see De Sarro, G. (294) 411
- Gómez, B., see Fernández, N. (294) 483
- Gonzalez-Alvear, G.M. and Werling, L.L.
 σ_1 Receptors in rat striatum regulate NMDA-stimulated [³H]dopamine release via a presynaptic mechanism (294) 713
- Goso, C., Astolfi, M., Parlani, M. and Manzini, S.
[³H][β -Ala⁸]neurokinin A-(4-10): a novel, selective radioligand for the tachykinin NK₂ receptor (294) 239
- Graier, W.F., Grubenthal, I., Dittrich, P., Wascher, T.C. and Kostner, G.M.

- Intracellular mechanism of high D-glucose-induced modulation of vascular cell proliferation (294) 221
- Granger, P., see Biton, B. (294) 91
- Grasso, S., see De Sarro, G. (294) 411
- Greenlee, W.J., see Chang, R.S.L. (294) 429
- Greenlee, W.J., see Kivlighn, S.D. (294) 439
- Grover, G.J., see D'Alonzo, A.J. (294) 271
- Grubenthal, I., see Graier, W.F. (294) 221
- Gu, J.-L., see Yue, T.-L. (294) 585
- Guirimand, F., Chauvin, M., Willer, J.-C. and Le Bars, D.
Buprenorphine blocks diffuse noxious inhibitory controls in the rat (294) 651
- Guo, L.J., see Singewald, N. (294) 787
- Guo, S.-D., see Geller, J.C. (294) 423
- Hagan, J.J., Hatcher, J.P. and Slade, P.D.
The role of 5-HT_{1D} and 5-HT_{1A} receptors in mediating 5-hydroxytryptophan induced myoclonic jerks in guinea pigs (294) 743
- Hagan, R.M., see Hawcock, A.B. (294) 163
- Hamada, E., see Nakajima, T. (294) 625
- Hamada, Y., see Nakamura, J. (294) 207
- Han, C., Yu, G., Zhang, Y., Xu, K., Qu, P. and Dong, E.
Alterations of α_1 -adrenoceptor subtypes in the hearts of thyroxine-treated rats (294) 593
- Hara, T., see Nakamura, J. (294) 207
- Harris, E.W., see Kinney, G.G. (294) 547
- Hatcher, J.P., see Hagan, J.J. (294) 743
- Hawcock, A.B., Beresford, I.J.M., Marshall, F.H. and Hagan, R.M.
Temperature and agonist dependency of tachykinin NK₁ receptor antagonist potencies in rat isolated superior cervical ganglion (294) 163
- Hayakawa, H., see Takao, K. (294) 721
- Hayes, E., see Pugsley, M.K. (294) 319
- Hazama, H., see Nakajima, T. (294) 625
- Hedner, T., see Malmberg, A.B. (294) 609
- Helpap, B., see Van der Staay, F.J. (294) 361
- Herman, A.G., see Van Put, D.J.M. (294) 753
- Herzig, J.W., see Palmer, S. (294) 83
- Hess, T.A., see D'Alonzo, A.J. (294) 271
- Hey, J.A., see Rizzo, C.A. (294) 329
- Hidalgo, A., see García-Velasco, G. (294) 521
- Hiyoshi, Y., Miura, H., Uemura, K., Endo, H., Ozawa, K., Maeda, N., Tamagawa, T. and Iguchi, A.
Effects of imidazoline antagonists of α_2 -adrenoceptors on endogenous adrenaline-induced inhibition of insulin release (294) 117
- Hodgson, W.C., see James, G.M. (294) 109
- Holloway, F.A., see Gauvin, D.V. (294) 281
- Hölscher, C.
Prostaglandins play a role in memory consolidation in the chick (294) 253
- Hoogerhout, P., see Van Bergen, P. (294) 795
- Hope, W., see White, P.J. (294) 215
- Hotta, N., see Nakamura, J. (294) 207
- Hu, S., Kim, H.S. and Fink, C.A.
Differential effects of the BK_{Ca} channel openers NS004 and NS1608 in porcine coronary arterial cells (294) 357
- Huang, T.-F., see Sheu, J.-R. (294) 231
- Hudzik, T.J., see Kinney, G.G. (294) 547
- Hughes, R., see Kerr, D.I.B. (294) 349
- Huidobro-Toro, J.P., see Boric, M.P. (294) 391
- James, G.M. and Hodgson, W.C.
Attenuated 5-HT₂ receptor-mediated responses in hindquarters of diabetic rats (294) 109
- Janssen, P.M.L., see Van Bergen, P. (294) 795
- Jensen, R.T., see Lin, J.-T. (294) 55
- Johns, E.J., see Sattar, M.A. (294) 727
- Kaehler, S., see Singewald, N. (294) 787
- Kameyama, T., see Toyoshi, T. (294) 637
- Kamisaki, Y., see Wada, K. (294) 377
- Kaneko, T., see Naito, Y. (294) 47
- Karaki, H., see Sudjarwo, S.A. (294) 261
- Karolewicz, B., see Antkiewicz-Michaluk, L. (294) 459
- Kaspereit, G., see Neumann, J. (294) 451
- Kawasaki, K., see Takao, K. (294) 721
- Kerr, D.I.B., Ong, J., Hughes, R. and Prager, R.H.
3-Amino-2-hydroxy-N-(4-nitrophenyl)-propanesulphonamide, a new class of GABA_B receptor antagonist in central and peripheral preparations (294) 349
- Kilbourn, M., see Vander Borgh, T. (294) 577
- Kilter, H., see Lenz, O. (294) 17
- Kim, H.S., see Hu, S. (294) 357
- Kim, K.H., see Lee, S.-M. (294) 41
- Kindgen-Milles, D.
Effects of prostaglandin E₂ on the intensity of bradykinin-evoked pain from skin and veins of humans (294) 491
- Kinney, G.G., Harris, E.W., Ray, R. and Hudzik, T.J.
 σ_2 Site-mediated inhibition of electrically evoked guinea pig ileum longitudinal muscle/myenteric plexus contractions (294) 547
- Kirchhefer, U., see Neumann, J. (294) 451
- Kitamura, Y., see Takao, K. (294) 721
- Kitano, M., see Wada, K. (294) 377
- Kitazawa, T., see Nakajima, T. (294) 625
- Kivlighn, S.D., Zingaro, G.J., Gabel, R.A., Broten, T.P., Chang, R.S.L., Ondeyka, D.L., Mantlo, N.B., Gibson, R.E., Greenlee, W.J. and Siegl, P.K.S.
In vivo pharmacology of an angiotensin AT₁ receptor antagonist with balanced affinity for angiotensin AT₂ receptors (294) 439
- Kivlighn, S.D., see Chang, R.S.L. (294) 429
- Kling, P.J., see Chang, R.S.L. (294) 429
- Koh, N., see Nakamura, J. (294) 207
- Kondo, M., see Naito, Y. (294) 47
- Kostner, G.M., see Graier, W.F. (294) 221
- Krause, J.E., see Robineau, P. (294) 677
- Kriegelstein, J., see Rupalla, K. (294) 469
- Kucharczyk, N., see Robineau, P. (294) 677
- Kuhl, D., see Vander Borgh, T. (294) 577
- Kuhn-Regnier, F., see Lenz, O. (294) 17
- Kurachi, Y., see Nakajima, T. (294) 625
- La Rosée, K., see Lenz, O. (294) 17
- Lazzeri, G., see Blandizzi, C. (294) 191
- Le Bars, D., see Guirimand, F. (294) 651
- Lee, S.-M. and Kim, K.H.
Rebamipide ameliorates hepatic dysfunction induced by ischemia/reperfusion in rats (294) 41
- Lenz, O., Schmid, B., Kilter, H., La Rosée, K., Flesch, M., Kuhn-Regnier, F., Südkamp, M. and Böhm, M.
Effects of angiotensin II and angiotensin-converting enzyme inhibitors on human myocardium (294) 17
- Levens, N., see Chow, L. (294) 309
- Leysen, J.E., see Nestby, P. (294) 771
- Lima-Leite, A.-C., see Oiry, C. (294) 511
- Lin, J.-T., Coy, D.H., Mantey, S.A. and Jensen, R.T.
Comparison of the peptide structural requirements for high affinity interaction with bombesin receptors (294) 55
- Iguchi, A., see Hiyoshi, Y. (294) 117
- Ito, K., see Asano, M. (294) 693
- Ito, K.M., see Asano, M. (294) 693
- Itoh, T., see Wada, K. (294) 377

- Lodge, N.J., see D'Alonzo, A.J. (294) 271
- Lombardi, G., see Di Renzo, G. (294) 11
- Lonchamps, M., see Robineau, P. (294) 677
- Lotti, V.J., see Chang, R.S.L. (294) 429
- Lubatti, L., see Paroni, R. (294) 737
- Ludbrook, J., see Ventura, S. (294) 369
- Lundberg, J.M., see Malmström, R.E. (294) 661
- Maeda, N., see Hiyoshi, Y. (294) 117
- Magistrelli, A., see Tsankova, V. (294) 601
- Mainiero, F., see Tubaro, E. (294) 555
- Malmberg, A.B., Fallgren, B. and Hedner, T.
Antinociceptive effect of α -trinositol, a novel D-myo-inositol phosphate derivative, in the formalin test in rats (294) 609
- Malmström, R.E. and Lundberg, J.M.
Neuropeptide Y accounts for sympathetic vasoconstriction in guinea-pig vena cava: evidence using BIBP 3226 and 3435 (294) 661
- Manahan-Vaughan, D. and Reymann, K.G.
1S,3R-ACPD dose dependently induces a slow onset potentiation in the dentate gyrus in vivo (294) 497
- Manahan-Vaughan, D., Anwyl, R. and Rowan, M.J.
The azapirone metabolite 1-(2-pyrimidinyl)piperazine depresses excitatory synaptic transmission in the hippocampus of the alert rat via 5-HT_{1A} receptors (294) 617
- Manhães de Castro, R., see Bolaños-Jiménez, F. (294) 531
- Manning, P., see Stenger, S. (294) 703
- Mantey, S.A., see Lin, J.-T. (294) 55
- Mantlo, N.B., see Chang, R.S.L. (294) 429
- Mantlo, N.B., see Kivlighn, S.D. (294) 439
- Manzini, S., see Goso, C. (294) 239
- Marsden, C.A., see Rowley, H.L. (294) 541
- Marshall, F.H., see Hawcock, A.B. (294) 163
- Martin, K.F., see Rowley, H.L. (294) 541
- Martínez, A., see Boric, M.P. (294) 391
- Martinez, J., see Oiry, C. (294) 511
- Massoud, R., see Bagetta, G. (294) 341
- Matsumoto, M., see Yoshioka, M. (294) 565
- Matsunaga, K., see Asano, M. (294) 693
- Matsuyama, K., see Naito, Y. (294) 47
- McLaughlin, J.P., Nowak, D., Sebastian, A., Schultz, A.G., Archer, S. and Bidlack, J.M.
Metopon and two unique derivatives: affinity and selectivity for the multiple opioid receptors (294) 201
- Melis, M.R. and Argiolas, A.
Nitric oxide donors induce penile erection and yawning when injected in the central nervous system of male rats (294) 1
- Michaluk, J., see Antkiewicz-Michaluk, L. (294) 459
- Miura, H., see Hiyoshi, Y. (294) 117
- Miura, M., see Asano, M. (294) 693
- Monahan, M.E., see Rizzo, C.A. (294) 329
- Monge, L., see Fernández, N. (294) 483
- Monneret, V., see Bolaños-Jiménez, F. (294) 531
- Moor, E., DeBoer, P., Auth, F. and Westerink, B.H.C.
Characterisation of muscarinic autoreceptors in the septo-hippocampal system of the rat: a microdialysis study (294) 155
- Mori, K., see Nakamura, J. (294) 207
- Mulder, A.H., see Nestby, P. (294) 771
- Nakajima, T., Kitazawa, T., Hamada, E., Hazama, H., Omata, M. and Kurachi, Y.
17 β -Estradiol inhibits the voltage-dependent L-type Ca²⁺ currents in aortic smooth muscle cells (294) 625
- Nakamoto, K., see Wada, K. (294) 377
- Nakamura, J., Koh, N., Sakakibara, F., Hamada, Y., Wakao, T., Hara, T., Mori, K., Nakashima, E., Naruse, K. and Hotta, N.
Polyol pathway, 2,3-diphosphoglycerate in erythrocytes and diabetic neuropathy in rats (294) 207
- Nakamura, Y., see Naito, Y. (294) 47
- Nakashima, E., see Nakamura, J. (294) 207
- Naruse, K., see Nakamura, J. (294) 207
- Natale, G., see Blandizzi, C. (294) 191
- Nestby, P., Tjon, G.H.K., Visser, D.T.M., Drukarch, B., Leysen, J.E., Mulder, A.H. and Schoffeleer, A.N.M.
Intermittent morphine treatment causes long-term desensitization of functional dopamine D₂ receptors in rat striatum (294) 771
- Neumann, J., Kaspareit, G., Kirchhefer, U. and Scholz, H.
Sodium fluoride attenuates the negative inotropic effects of muscarinic M₂ and adenosine receptor agonists (294) 451
- Nisticò, G., see Bagetta, G. (294) 341
- Normandin, D.E., see D'Alonzo, A.J. (294) 271
- Nowak, D., see McLaughlin, J.P. (294) 201
- Numazawa, R., see Yoshioka, M. (294) 565
- Oiry, C., Galleyrand, J.-C., Lima-Leite, A.-C., Fulcrand, P. and Martinez, J.
Are C-terminal octapeptide of cholecystokinin and [Leu¹¹]-gastrin-(5-17) different in stimulating acid secretion in isolated rabbit gastric glands? (294) 511
- Olivier, B., see Zethof, T.J.J. (294) 125
- O'Malley, S.S., see Chang, R.S.L. (294) 429
- Omata, M., see Nakajima, T. (294) 625
- Ondeyka, D., see Chang, R.S.L. (294) 429
- Ondeyka, D.L., see Kivlighn, S.D. (294) 439
- Ong, J., see Kerr, D.I.B. (294) 349
- Ongini, E., see Adami, M. (294) 383
- Ossowska, K.
The subsensitivity of striatal glutamate receptors induced by chronic haloperidol in rats (294) 685
- Ouagazzal, A. and Amalric, M.
Competitive NMDA receptor antagonists do not produce locomotor hyperactivity by a dopamine-dependent mechanism (294) 137
- Ozawa, K., see Hiyoshi, Y. (294) 117
- Paban, V., see Alescio-Lautier, B. (294) 763
- Palmer, S., Di Bello, S. and Herzig, J.W.
The effects of EMD 57033 on rigor tension in porcine skinned cardiac trabecula (294) 83
- Panerai, A.E., see Bianchi, M. (294) 71
- Panizzon, K.L., see Wallis, R.A. (294) 475
- Paoletti, A.M., see Bagetta, G. (294) 341
- Parlani, M., see Goso, C. (294) 239
- Paroni, R., De Vecchi, E., Lubatti, L., Conti, E., Beretta, C., Rinaldi, P., Galli Kienle, M. and Trazzi, R.
Influence of the 21-aminosteroid U74389F on ischemia-reperfusion injury in the rat (294) 737
- Pasternak, G.W., see Chien, C.-C. (294) 303
- Peng, H.-C., see Sheu, J.-R. (294) 231
- Philippu, A., see Singewald, N. (294) 787
- Pittman, Q.J., see Poulin, P. (294) 29
- Poggioli, R., see Benelli, A. (294) 505
- Poulin, P., Szot, P., Dorsa, D.M. and Pittman, Q.J.
Vasopressin-induced sensitization: involvement of neurohypophyseal peptide receptors (294) 29

- Praddaude, F., Tack, I., Emond, C., Bascands, J.-L., Girolami, J.-P., Tran-Van, T., Regoli, D. and Ader, J.-L.
In vivo and in vitro homologous desensitization of rat glomerular bradykinin B₂ receptors (294) 173
- Prager, R.H., see Kerr, D.I.B. (294) 349
- Prieto, L., see Geller, J.C. (294) 423
- Prost, J.-F., see Robineau, P. (294) 677
- Pugsley, M.K., Saint, D.A., Hayes, E., Berlin, K.D. and Walker, M.J.A.
The cardiac electrophysiological effects of sparteine and its analogue BRB-I-28 in the rat (294) 319
- Qu, P., see Han, C. (294) 593
- Radhakrishnan, R. and Sim, M.K.
Actions of D-amino acid-substituted analogues of des-Asp-angiotensin I on the central pressor action of angiotensin III (294) 337
- Ramage, A.G. and Wyllie, M.G.
A comparison of the effects of doxazosin and terazosin on the spontaneous sympathetic drive to the bladder and related organs in anaesthetized cats (294) 645
- Rao, H., see Alescio-Lautier, B. (294) 763
- Ray, R., see Kinney, G.G. (294) 547
- Reddy, H., see Watson, N. (294) 779
- Regoli, D., see Praddaude, F. (294) 173
- Regoli, D., see Robineau, P. (294) 677
- Reymann, K.G., see Manahan-Vaughan, D. (294) 497
- Rinaldi, P., see Paroni, R. (294) 737
- Rizzo, C.A., Tozzi, S., Monahan, M.E. and Hey, J.A.
Pharmacological characterization of histamine H₃ receptors in isolated guinea pig pulmonary artery and ileum (294) 329
- Robineau, P., Lonchampt, M., Kucharczyk, N., Krause, J.E., Regoli, D., Fauchère, J.-L., Prost, J.-F. and Canet, E.
In vitro and in vivo pharmacology of S 16474, a novel dual tachykinin NK₁ and NK₂ receptor antagonist (294) 677
- Rodinò, P., see Bagetta, G. (294) 341
- Röllinghoff, M., see Stenger, S. (294) 703
- Rose-Meyer, R.B., see White, P.J. (294) 215
- Rosen, M.R., see Geller, J.C. (294) 423
- Rossoni, G., see Bianchi, M. (294) 71
- Rowan, M.J., see Manahan-Vaughan, D. (294) 617
- Rowley, H.L., Marsden, C.A. and Martin, K.F.
Differential effects of phenytoin and sodium valproate on seizure-induced changes in γ -aminobutyric acid and glutamate release in vivo (294) 541
- Ruffolo, Jr., R.R., see Yue, T.-L. (294) 585
- Rupalla, K., Cao, W. and Kriegelstein, J.
Flupirtine protects neurons against excitotoxic or ischemic damage and inhibits the increase in cytosolic Ca²⁺ concentration (294) 469
- Sacerdote, P., see Bianchi, M. (294) 71
- Saint, D.A., see Pugsley, M.K. (294) 319
- Saito, H., see Yoshioka, M. (294) 565
- Sakakibara, F., see Nakamura, J. (294) 207
- Sakurada, K., see Asano, M. (294) 693
- Sánchez, M., see García-Velasco, G. (294) 521
- Santoni, A., see Tubaro, E. (294) 555
- Sasaki, Y., see Asano, M. (294) 693
- Sattar, M.A. and Johns, E.J.
 α_1 -Adrenoceptor subtypes mediating antinatriuresis in Wistar and stroke-prone spontaneously hypertensive rats (294) 727
- Scatton, B., see Biton, B. (294) 91
- Schmid, B., see Lenz, O. (294) 17
- Schneider, C., see Singewald, N. (294) 787
- Schoffelmeer, A.N.M., see Nestby, P. (294) 771
- Scholz, H., see Neumann, J. (294) 451
- Schultz, A.G., see McLaughlin, J.P. (294) 201
- Sebastian, A., see McLaughlin, J.P. (294) 201
- Seguin, L., see Bolaños-Jiménez, F. (294) 531
- Seto, M., see Asano, M. (294) 693
- Sewter, J.C., see D'Alonzo, A.J. (294) 271
- Sheu, J.-R., Yen, M.-H., Peng, H.-C., Chang, M.-C. and Huang, T.-F.
Triflavin, an Arg-Gly-Asp-containing peptide, prevents platelet plug formation in in vivo experiments (294) 231
- Siegl, P.K.S., see Chang, R.S.L. (294) 429
- Siegl, P.K.S., see Kivlighn, S.D. (294) 439
- Sim, M.K., see Radhakrishnan, R. (294) 337
- Singewald, N., Guo, L.J., Schneider, C., Kaehler, S. and Philippu, A.
Serotonin outflow in the hypothalamus of conscious rats: origin and possible involvement in cardiovascular control (294) 787
- Slade, P.D., see Hagan, J.J. (294) 743
- Sleph, P.G., see D'Alonzo, A.J. (294) 271
- Smith, C.B., see Yoshioka, M. (294) 565
- Smith, R.C., see Collins, D.R. (294) 147
- Soumireu-Mourat, B., see Alescio-Lautier, B. (294) 763
- Stenger, S., Thüring, H., Röllinghoff, M., Manning, P. and Bogdan, C.
L-N⁶-(1-Iminoethyl)-lysine potently inhibits inducible nitric oxide synthase and is superior to N^G-monomethyl-arginine in vitro and in vivo (294) 703
- Sudjarwo, S.A. and Karaki, H.
Role of protein kinase C in the endothelin-induced contraction in the rabbit saphenous vein (294) 261
- Südkamp, M., see Lenz, O. (294) 17
- Suzuki, H., see Xue, L. (294) 75
- Szot, P., see Poulin, P. (294) 29
- Tacconi, M.T., see Tsankova, V. (294) 601
- Tack, I., see Praddaude, F. (294) 173
- Takao, K., Nagatani, T., Kitamura, Y., Kawasaki, K., Hayakawa, H. and Yamawaki, S.
Chronic forced swim stress of rats increases frontal cortical 5-HT₂ receptors and the wet-dog shakes they mediate, but not frontal cortical β -adrenoceptors (294) 721
- Tamagawa, T., see Hiyoshi, Y. (294) 117
- Thüring, H., see Stenger, S. (294) 703
- Tjon, G.H.K., see Nestby, P. (294) 771
- Togashi, H., see Yoshioka, M. (294) 565
- Tolboom, J.T.B.M., see Zethof, T.J.J. (294) 125
- Toyoshi, T., Ukai, M. and Kameyama, T.
Intrastriatal injection of opioid receptor agonists inhibits apomorphine-induced behavior in 6-hydroxydopamine-treated mice (294) 637
- Tozzi, S., see Rizzo, C.A. (294) 329
- Tran-Van, T., see Praddaude, F. (294) 173
- Trazzi, R., see Paroni, R. (294) 737
- Tsankova, V., Magistrelli, A., Cantoni, L. and Tacconi, M.T.
Peripheral benzodiazepine receptor ligands in rat liver mitochondria: effect on cholesterol translocation (294) 601
- Tseng, L.F. and Collins, K.A.
Pretreatment with pertussis toxin blocks morphine- but not β -endorphin-induced antinociception in the mouse (294) 345
- Tubaro, E., Borelli, G.P., Belogi, L., Cavallo, G., Santoni, A. and Mainiero, F.
Effect of a new de-N-acetyl-lysoglycosphingolipid on some tumour models (294) 555
- Uemura, K., see Hiyoshi, Y. (294) 117
- Ugolini, A. and Bordin, F.
Metabotropic glutamate group II receptors are responsible for the depression of synaptic transmission induced by ACPD in the dentate gyrus (294) 403

- Uhlig, S., see Gantner, F. (294) 353
- Ukai, M., see Toyoshi, T. (294) 637
- Vallett, M., see Gauvin, D.V. (294) 281
- Van Bergen, P., Janssen, P.M.L., Hoogerhout, P., De Wildt, D.J. and Versteeg, D.H.G.
Cardiovascular effects of γ -MSH/ACTH-like peptides: structure-activity relationship (294) 795
- Vander Borgh, T., Kilbourn, M., Desmond, T., Kuhl, D. and Frey, K.
The vesicular monoamine transporter is not regulated by dopaminergic drug treatments (294) 577
- Van der Heyden, J.A.M., see Zethof, T.J.J. (294) 125
- Van der Staay, F.J., Antonicek, H., Helpap, B. and Freund, W.-D.
Effects of the selective metabotropic glutamate receptor agonist, L-CCG-I, on acquisition of a Morris task by rats (294) 361
- Van Hove, C.E., see Van Put, D.J.M. (294) 753
- Van Put, D.J.M., Van Hove, C.E., De Meyer, G.R.Y., Wuyts, F., Herman, A.G. and Bult, H.
Dexamethasone influences intimal thickening and vascular reactivity in the rabbit collared carotid artery (294) 753
- Vargaftig, B.B., see De Castro, C.M.M.B. (294) 669
- Ventura, S. and Ludbrook, J.
L-Arginine reverses the abolition of hypovolaemic decompensation by *N*-nitro-L-arginine methyl ester and naloxone in conscious rabbits (294) 369
- Versteeg, D.H.G., see Van Bergen, P. (294) 795
- Vetulani, J., see Antkiewicz-Michaluk, L. (294) 459
- Visser, D.T.M., see Nestby, P. (294) 771
- Wada, K., Kamisaki, Y., Kitano, M., Nakamoto, K. and Itoh, T.
Protective effect of cystathionine on acute gastric mucosal injury induced by ischemia-reperfusion in rats (294) 377
- Wadenberg, M.-L. and Ahlenius, S.
Antagonism by the 5-HT_{2A/C} receptor agonist DOI of raclopride-induced catalepsy in the rat (294) 247
- Wakao, T., see Nakamura, J. (294) 207
- Walker, M.J.A., see Pugsley, M.K. (294) 319
- Wallis, R.A. and Panizzon, K.L.
Felbamate neuroprotection against CA1 traumatic neuronal injury (294) 475
- Wang, X., see Yue, T.-L. (294) 585
- Wascher, T.C., see Graier, W.F. (294) 221
- Watson, N., Reddy, H. and Eglen, R.M.
Characterization of muscarinic receptor and β -adrenoceptor interactions in guinea-pig oesophageal muscularis mucosae (294) 779
- Webb, M.L., see Bird, J.E. (294) 183
- Wendel, A., see Gantner, F. (294) 353
- Werling, L.L., see Gonzalez-Alvear, G.M. (294) 713
- Westerink, B.H.C., see Moor, E. (294) 155
- White, P.J., Rose-Meyer, R.B. and Hope, W.
Changes in adenosine receptors mediating hypotension in morphine-dependent rats (294) 215
- Wiley, J.L., Cristello, A.F. and Balster, R.L.
Effects of site-selective NMDA receptor antagonists in an elevated plus-maze model of anxiety in mice (294) 101
- Willer, J.-C., see Guirimand, F. (294) 651
- Wuyts, F., see Van Put, D.J.M. (294) 753
- Wyllie, M.G., see Ramage, A.G. (294) 645
- Xu, K., see Han, C. (294) 593
- Xue, L., Fukuta, H., Yamamoto, Y. and Suzuki, H.
Dual effects of trimebutine on electrical responses of gastric smooth muscles in the rat (294) 75
- Yagi, N., see Naito, Y. (294) 47
- Yamamoto, Y., see Xue, L. (294) 75
- Yamawaki, S., see Takao, K. (294) 721
- Yen, M.-H., see Sheu, J.-R. (294) 231
- Yoshida, N., see Naito, Y. (294) 47
- Yoshikawa, T., see Naito, Y. (294) 47
- Yoshioka, M., Matsumoto, M., Numazawa, R., Togashi, H., Smith, C.B. and Saito, H.
Changes in the regulation of 5-hydroxytryptamine release by α_2 -adrenoceptors in the rat hippocampus after long-term desipramine treatment (294) 565
- Yu, G., see Han, C. (294) 593
- Yue, T.-L., Wang, X., Gu, J.-L., Ruffolo, Jr., R.R. and Feuerstein, G.Z.
Carvedilol prevents low-density lipoprotein (LDL)-enhanced monocyte adhesion to endothelial cells by inhibition of LDL oxidation (294) 585
- Zakrzewska, K., see Chow, L. (294) 309
- Zethof, T.J.J., Van der Heyden, J.A.M., Tolboom, J.T.B.M. and Olivier, B.
Stress-induced hyperthermia as a putative anxiety model (294) 125
- Zhang, Y., see Han, C. (294) 593
- Zingaro, G.J., see Kivlighn, S.D. (294) 439